



Mainline

- ① PCCP
- ② Subbase for PCCP (75 mm Coarse Aggregate #8 On 150 mm Coarse Aggregate, Size No. 53)
Where underdrains are not required, Dense Graded Subbase should be used.
- ③ Longitudinal Joint or Longitudinal Construction Joint
- ④ Subgrade Treatment, Type _____
- ⑤ Pipe, Type 4, Circular, 150 mm
- ⑥ See Figure 52-13Q for Geotextile Installation Requirements for Curbs (Required Only With Underdrains)
- ⑦ 225 mm Compacted Aggregate, Size No. 53

PCCP WITH CONCRETE CURB

Figure 52-13H