


TYPICAL MEDIAN SHOULDER WITH BARRIER WALL



Mainline and Shoulders

- ① PCCP
- ② Subbase for PCCP (3 in. Coarse Aggregate No.8 On 6 in. Coarse Aggregate, Size No. 53)
- ②A 6 in. Compacted Aggregate, Size No. 53
- ③ Variable-Depth Compacted Aggregate, Size No. 53
- ④ Pipe, Type 4, Circular, 6 in.
- ⑤ Subgrade Treatment, Type _____
- ⑥ Longitudinal Joint or Longitudinal Construction Joint. See Figure 52-13R for Pavement Joint Options.
- ⑦ Concrete Median Barrier
- ⑧ Longitudinal Joint or Longitudinal Construction Joint, or no Joint. See Figure 52-13R for Pavement-Joint Options.

* Where underdrains are not required, Dense Graded Subbase should be used.

PCCP SECTION WITH PCC SHOULDER

Figure 52-13F