

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA,

Topography by photogrammetric methods from aerial photographs

taken 1958. Field checked 1960

Polyconic projection. 10,000-foot grid ticks based on Indiana coordinate system,

east zone. 1000-meter Universal Transverse Mercator grid ticks,

zone 16, shown in blue. 1927 North American Datum


To place on the predicted North American Datum 1983 move the projection

lines 1 meter south and 3 meters west as shown by dashed corner ticks

Fine red dashed lines indicate selected fence and field lines where

generally visible on aerial photographs. This information is unchecked

Red tint indicates areas in which only landmark buildings are shown



SCALE 1:24,000

CONTOUR INTERVAL 10 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

AND INDIANA DEPARTMENT OF NATURAL RESOURCES, INDIANAPOLIS, INDIANA 46204

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty (solid red line) Light-duty (dotted red line)

Medium-duty (dashed red line) Unimproved dirt (dashed black line)

Slate Route (circle with 'S')

QUADRANGLE LOCATION

REDKEY, IND.

N 4015-W 8507.5/7.5

1960

PHOTOREVISED 1981

DMA 3964 I SW-SERIES V851