



# APPLICATION FOR VARIANCE

State Form 44400 (R7 / 10-13)  
Approved by State Board of Accounts, 2013

INDIANA DEPARTMENT OF HOMELAND SECURITY  
CODE SERVICES SECTION  
302 West Washington Street, Room W246  
Indianapolis, IN 46204-2739  
[http://www.in.gov/dhs/fire/fp\\_bs\\_comm\\_code/](http://www.in.gov/dhs/fire/fp_bs_comm_code/)



**INSTRUCTIONS:** Please refer to the attached four (4) page instructions.  
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)  
**16-05-76 (E)**

### 1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of applicant <b>Geralyn Humphrey</b>	Title <b>Owner</b>
Name of organization <b>Emerald Acres Wedding Barn</b>	Telephone number <b>(317) 628-0919</b>
Address (number and street, city, state, and ZIP code) <b>65 N 700 E, Whitestown, IN 46075</b>	

### 2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (If not submitted by the applicant)

Name of applicant <b>Dennis W Bradshaw</b>	Title <b>Senior Associate</b>
Name of organization <b>FP&amp;C Consultants, LLC</b>	Telephone number <b>(317) 486-5188</b>
Address (number and street, city, state, and ZIP code) <b>1520 Main Street, Indianapolis, 46224</b>	

### 3. DESIGN PROFESSIONAL OF RECORD (If applicable)

Name of design professional <b>Jon Byrum, RA</b>	License number
Name of organization <b>Byrum Architects</b>	Telephone number <b>(317) 574-8808</b>
Address (number and street, city, state, and ZIP code) <b>11728 Arborhill Drive, Zionsville, IN 46077</b>	

### 4. PROJECT IDENTIFICATION

Name of project <b>Emerald Acres Wedding Barn</b>	State project number <b>Unfiled</b>	County <b>Boone</b>
Address of site (number and street, city, state, and ZIP code) <b>65 N 700 E, Whitestown, IN 46075</b>		
Type of project <input type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input checked="" type="checkbox"/> Change of occupancy <input type="checkbox"/> Existing		

### 5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

### 6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire and Building Safety issued a Correction Order?  
 Yes (If yes, attach a copy of the Correction Order.)     No

Has a violation been issued?  
 Yes (If yes, attach a copy of the Violation and answer the following.)     No

Violation issued by:  
 Local Building Department   
 State Fire and Building Code Enforcement Section   
 Local Fire Department

**7. DESCRIPTION OF REQUESTED VARIANCE**

Name of code or standard and edition involved Indiana Building Code 2014 Edition	Specific code section Section 1009.7.2
Nature of non-compliance (include a description of spaces, equipment, etc. involved as necessary.) The existing 100+ year old stairs were recently replaced by new stairs in the same location. Due to the limited floor openings bound by the existing heavy timber beams, the new stairs have a rise of approximately 7.8 inches and a run of approximately 9.25 inches. The code requires the stairs to have a maximum rise of 7 inches and a minimum run of 11 inches.	

**8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED**

Select one of the following statements:

Non-compliance with the rule will not be adverse to the public health, safety or welfare; or

Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:

- The stairs will be modified to have enclosed risers. Code compliant guardrails will be provided. New handrails are being provide on both sides of the stairs to comply as much as possible with the code. Handrail height, grip and extensions at the top of the stairs will comply with the code.
- Bottom handrail extensions will be reduced so they do not reduce the egress width of the bottom landings.

**9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE**

Select at least one of the following statements:

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.



Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:

The owner's hardship is the existing barn structure (columns and beams) do not allow enough space to construct code compliant stair risers and tread dimensions. Modifying the existing heavy timber structure to allow adequate space for a stair with a code compliant rise and run would be extremely difficult and cost prohibitive for this project.


**10. STATEMENT OF ACCURACY**

I hereby certify under penalty of perjury that the information contained in this application is accurate.

Signature of applicant or person submitting application 	Please print name Dennis W Bradshaw	Date of signature (month, day, year) 6-3-16
Signature of design professional (if applicable) 	Please print name Jon Byrum, RA	Date of signature (month, day, year) 6-3-16

**11. STATEMENT OF AWARENESS (if the application is submitted on the applicant's behalf, the applicant must sign the following statement.)**

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name Geraldyn Humphrey	Date of signature (month, day, year) 6-3-16
---	--	--



# APPLICATION FOR VARIANCE

State Form 44400 (R7 / 10-13)  
Approved by State Board of Accounts, 2013

INDIANA DEPARTMENT OF HOMELAND SECURITY  
CODE SERVICES SECTION  
302 West Washington Street, Room W246  
Indianapolis, IN 46204-2739  
[http://www.in.gov/dhs/fire/fp\\_bs\\_comm\\_code/](http://www.in.gov/dhs/fire/fp_bs_comm_code/)



**INSTRUCTIONS:** Please refer to the attached four (4) page instructions.  
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)  
16-05-76 (F)

### 1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of applicant <b>Geralyn Humphrey</b>	Title <b>Owner</b>
Name of organization <b>Emerald Acres Wedding Barn</b>	Telephone number <b>(317) 628-0919</b>
Address (number and street, city, state, and ZIP code) <b>65 N 700 E, Whitestown, IN 46075</b>	

### 2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (If not submitted by the applicant)

Name of applicant <b>Dennis W Bradshaw</b>	Title <b>Senior Associate</b>
Name of organization <b>FP&amp;C Consultants, LLC</b>	Telephone number <b>(317) 486-5188</b>
Address (number and street, city, state, and ZIP code) <b>1520 Main Street, Indianapolis, 46224</b>	

### 3. DESIGN PROFESSIONAL OF RECORD (If applicable)

Name of design professional <b>Jon Byrum, RA</b>	License number
Name of organization <b>Byrum Architects</b>	Telephone number <b>(317) 574-8808</b>
Address (number and street, city, state, and ZIP code) <b>11728 Arborhill Drive, Zionsville, IN 46077</b>	

### 4. PROJECT IDENTIFICATION

Name of project <b>Emerald Acres Wedding Barn</b>	State project number <b>Unfiled</b>	County <b>Boone</b>
Address of site (number and street, city, state, and ZIP code) <b>65 N 700 E, Whitestown, IN 46075</b>		
Type of project <input type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input checked="" type="checkbox"/> Change of occupancy <input type="checkbox"/> Existing		

### 5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

### 6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire and Building Safety issued a Correction Order?  
 Yes (If yes, attach a copy of the Correction Order.)     No

Has a violation been issued?  
 Yes (If yes, attach a copy of the Violation and answer the following.)     No

Violation issued by:  
 Local Building Department   
 State Fire and Building Code Enforcement Section   
 Local Fire Department

**7. DESCRIPTION OF REQUESTED VARIANCE**

Name of code or standard and edition involved Indiana Building Code 2014 Edition	Specific code section Section 1012.6
---	---

Nature of non-compliance (include a description of spaces, equipment, etc. involved as necessary.)  
Due to the limited space at the landing at the bottom of the stairs new handrails will be provided that will not have compliant extensions at the bottom of the stairs. The code requires the new handrails to extend the distance of one tread beyond the last tread.

**8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED**

Select one of the following statements:

Non-compliance with the rule will not be adverse to the public health, safety or welfare; or

Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:

1. New handrails are being provide on both sides of the stairs to comply as much as possible with the code. Handrail height, grip and extensions at the top of the stairs will comply with the code.
2. Bottom handrail extensions will be reduced so they do not reduce the egress width of the bottom landings.

**9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE**

Select at least one of the following statements:

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.



Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:  
The owner's hardship is the existing barn structure (columns and beams) do not allow enough space for code compliant stair landings and the egress width at the landings would be further reduced by providing the code required handrail extensions.


**10. STATEMENT OF ACCURACY**

I hereby certify under penalty of perjury that the information contained in this application is accurate.

Signature of applicant or person submitting application 	Please print name Dennis W Bradshaw	Date of signature (month, day, year) 6-3-16
Signature of design professional (if applicable) 	Please print name Jon Byrum, RA	Date of signature (month, day, year) 6-3-16

**11. STATEMENT OF AWARENESS (If the application is submitted on the applicant's behalf, the applicant must sign the following statement.)**

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name Geraldyn Humphrey	Date of signature (month, day, year) 6-3-16
---	--	--



# APPLICATION FOR VARIANCE

State Form 44400 (R7 / 10-13)  
Approved by State Board of Accounts, 2013

INDIANA DEPARTMENT OF HOMELAND SECURITY  
CODE SERVICES SECTION  
302 West Washington Street, Room W246  
Indianapolis, IN 46204-2739  
[http://www.in.gov/dhs/fire/fp\\_bs\\_comm\\_code/](http://www.in.gov/dhs/fire/fp_bs_comm_code/)



**INSTRUCTIONS:** Please refer to the attached four (4) page instructions.  
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)

16-05-76(g)

### 1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of applicant <b>Gerilyn Humphrey</b>	Title <b>Owner</b>
Name of organization <b>Emerald Acres Wedding Barn</b>	Telephone number <b>(317) 628-0919</b>
Address (number and street, city, state, and ZIP code) <b>65 N 700 E, Whitestown, IN 46075</b>	

### 2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (If not submitted by the applicant)

Name of applicant <b>Dennis W Bradshaw</b>	Title <b>Senior Associate</b>
Name of organization <b>FP&amp;C Consultants, LLC</b>	Telephone number <b>(317) 486-5188</b>
Address (number and street, city, state, and ZIP code) <b>1520 Main Street, Indianapolis, 46224</b>	

### 3. DESIGN PROFESSIONAL OF RECORD (If applicable)

Name of design professional <b>Jon Byrum, RA</b>	License number
Name of organization <b>Byrum Architects</b>	Telephone number <b>(317) 574-8808</b>
Address (number and street, city, state, and ZIP code) <b>11728 Arborhill Drive, Zionsville, IN 46077</b>	

### 4. PROJECT IDENTIFICATION

Name of project <b>Emerald Acres Wedding Barn</b>	State project number <b>Unfiled</b>	County <b>Boone</b>
Address of site (number and street, city, state, and ZIP code) <b>65 N 700 E, Whitestown, IN 46075</b>		
Type of project <input type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input checked="" type="checkbox"/> Change of occupancy <input type="checkbox"/> Existing		

### 5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

### 6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire and Building Safety issued a Correction Order?

Yes (If yes, attach a copy of the Correction Order.)     No

Has a violation been issued?

Yes (If yes, attach a copy of the Violation and answer the following.)     No

Violation issued by:

Local Building Department   
 State Fire and Building Code Enforcement Section   
 Local Fire Department

**7. DESCRIPTION OF REQUESTED VARIANCE**

Name of code or standard and edition involved <b>Indiana Building Code 2014 Edition</b>	Specific code section <b>Section 1009.8</b>
--	--

Nature of non-compliance (include a description of spaces, equipment, etc. involved as necessary.)  
 The existing 100+ year old stairs were recently replaced by new stairs in the same location. Due to the limited floor openings bound by the existing heavy timber beams, the new stairs have a bottom landing that will not be 44 inches in depth. The code requires the landing to have a depth in the direction of travel equal to the required width of the stair.

**8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED**

Select one of the following statements:  
 Non-compliance with the rule will not be adverse to the public health, safety or welfare; or  
 Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:  
 1. The stairs will be modified to have enclosed risers. Code compliant guardrails will be provided. New handrails are being provide on both sides of the stairs to comply as much as possible with the code. Handrail height, grip and extensions at the top of the stairs will comply with the code.  
 2. Bottom handrail extensions will be reduced so they do not reduce the egress width of the bottom landings.  
 3. If the stair landings were classified as existing the landing dimension would be exceptable under Section 3412, IBC.



**9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE**

Select at least one of the following statements:  
 Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.  
 Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.  
 Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.  
 Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:  
 The owner's hardship is the existing barn structure (columns and beams) do not allow enough space to construct code compliant stair landings. Modifying the existing heavy timber structure to allow adequate space for code compliant stairs and landings would be extremely difficult and cost prohibitive for this project.


**10. STATEMENT OF ACCURACY**

I hereby certify under penalty of perjury that the information contained in this application is accurate.

Signature of applicant or person submitting application 	Please print name <b>Dennis W Bradshaw</b>	Date of signature (month, day, year) <b>6-3-16</b>
Signature of design professional (if applicable) 	Please print name <b>Jon Byrum, RA</b>	Date of signature (month, day, year) <b>6-3-16</b>

**11. STATEMENT OF AWARENESS (If the application is submitted on the applicant's behalf, the applicant must sign the following statement.)**

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name <b>Geralyn Humphrey</b>	Date of signature (month, day, year) <b>6-3-16</b>
---	--	---