

SDFID	Parcel Number	MultiParcel	Primary	StudySection	Grouping	Township Name	Neighborhood	Property Class	Taxing District	Sale Date	Study Sale Price	Current Land AV	Current Improvement AV	Current Total AV	SV1	SV2	Ratio	township_number
C21-2019-3000580	21-08-14-100-009.000-001	N	N	ComImp	C1	Columbia	1400001	429	001	10/29/2019	40000	10500	27500	38000	V	V	0.95	001
C21-2017-3000136	21-06-19-300-002.000-003	Y	N	ComImp	C1	Connersville	39812	309	003	4/3/2017	650000	38000	0	38000	V	L	0.06	002
C21-2017-3000136	21-06-30-515-502.000-003	Y	Y	ComImp	C1	Connersville	39812	399	003	4/3/2017	650000	86600	298400	385000	V	L	0.59	002
C21-2017-3000640	21-05-24-111-007.000-003	Y	Y	ComImp	C1	Connersville	39812	340	003	12/20/2017	425000	57700	314100	371800	V	L	0.87	002
C21-2017-3000640	21-05-24-111-008.000-003	Y	N	ComImp	C1	Connersville	39901	300	003	12/20/2017	425000	19400	0	19400	V	L	0.05	002
C21-2017-3000136	21-06-19-400-001.400-003	Y	N	ComImp	C1	Connersville	39915	399	003	4/3/2017	650000	8000	5300	13300	V	L	0.02	002
C21-2018-3000347	21-05-24-409-013.000-003	N	N	ComImp	C1	Connersville	49730	420	003	7/31/2018	42500	6000	37300	43300	V	V	1.02	002
C21-2018-3000465	21-05-24-425-004.001-003	N	N	ComImp	C1	Connersville	49742	401	003	9/26/2018	99000	16500	78900	95400	V	V	0.96	002
C21-2018-3000562	21-05-24-427-021.002-003	N	N	ComImp	C1	Connersville	49742	499	003	10/26/2018	195000	28100	179400	207500	V	V	1.06	002
C21-2017-3000596	21-05-24-426-003.000-003	N	N	ComImp	C1	Connersville	49745	429	003	11/22/2017	84100	10600	77000	87600	V	V	1.04	002
C21-2019-3000087	21-05-25-124-008.000-003	N	N	ComImp	C1	Connersville	49745	447	003	3/7/2019	27000	2800	34500	37300	V	V	1.38	002
C21-2019-3000128	21-05-25-206-005.000-003	N	N	ComImp	C1	Connersville	49745	429	003	3/26/2019	135000	11900	86300	98200	V	V	0.73	002
C21-2019-3000160	21-05-25-124-051.000-003	N	N	ComImp	C1	Connersville	49745	447	003	4/18/2019	31500	4600	35200	39800	V	V	1.26	002
C21-2019-3000266	21-05-25-124-014.000-003	N	N	ComImp	C1	Connersville	49745	429	003	6/3/2019	50000	20100	19500	39600	V	V	0.79	002
C21-2017-3000136	21-06-19-520-506.000-003	Y	N	ComImp	C1	Connersville	49748	300	003	4/3/2017	650000	1800	0	1800	V	L	0.00	002
C21-2017-3000136	21-06-30-515-503.000-003	Y	N	ComImp	C1	Connersville	49748	399	003	4/3/2017	650000	81400	3400	84800	V	L	0.13	002
C21-2017-3000207	21-05-24-319-099.000-003	N	N	ComImp	C1	Connersville	49748	420	003	5/25/2017	64900	6700	25300	32000	V	V	0.49	002
C21-2019-3000040	21-05-26-201-030.000-003	Y	N	ComImp	C1	Connersville	49748	401	003	2/1/2019	450000	21200	56100	77300	V	L	0.17	002
C21-2019-3000040	21-05-26-201-031.000-003	Y	N	ComImp	C1	Connersville	49748	401	003	2/1/2019	450000	20000	56100	76100	V	L	0.17	002
C21-2019-3000040	21-05-26-201-331.000-003	Y	N	ComImp	C1	Connersville	49748	401	003	2/1/2019	450000	18000	56100	74100	V	L	0.16	002
C21-2019-3000040	21-05-26-201-032.000-003	Y	Y	ComImp	C1	Connersville	49748	401	003	2/1/2019	450000	20700	56100	76800	V	L	0.17	002
C21-2018-3000340	21-06-19-201-023.000-003	Y	N	ComImp	C1	Connersville	49939	420	003	7/27/2018	142000	29300	2200	31500	V	L	0.22	002
C21-2018-3000340	21-05-24-201-021.000-003	Y	Y	ComImp	C1	Connersville	49939	454	003	7/27/2018	142000	68200	17700	85900	V	L	0.60	002
C21-2018-3000473	21-06-19-201-013.000-003	N	N	ComImp	C1	Connersville	49939	442	003	10/2/2018	165500	75200	90300	165500	V	V	1.00	002
C21-2018-3000590	21-05-25-301-003.000-003	N	N	ComImp	C1	Connersville	49948	429	003	11/9/2018	50000	31000	31400	62400	V	V	1.25	002
C21-2019-3000039	21-05-26-200-008.000-003	N	N	ComImp	C1	Connersville	49948	401	003	2/1/2019	550000	41100	368500	409600	V	V	0.74	002
C21-2018-3000206	21-05-25-200-009.000-003	N	N	ComImp	C1	Connersville	49957	430	003	5/11/2018	173000	66500	91900	158400	V	V	0.92	002
C21-2018-3000494	21-05-13-510-517.000-008	Y	N	ComImp	C1	Harrison	49742	456	008	10/1/2018	680000	17600	20400	38000	V	L	0.06	004
C21-2018-3000494	21-05-13-505-548.000-008	Y	Y	ComImp	C1	Harrison	49742	442	008	10/1/2018	680000	76300	488700	565000	V	L	0.83	004
C21-2019-3000125	21-05-13-503-516.000-008	N	N	ComImp	C1	Harrison	49742	430	008	3/25/2019	53000	26100	31500	57600	V	V	1.09	004
C21-2019-3000643	21-05-13-515-501.000-008	N	N	ComImp	C1	Harrison	49742	420	008	12/6/2019	50000	22900	43700	66600	V	V	1.33	004
C21-2017-3000653	21-05-13-509-514.000-008	N	N	ComImp	C1	Harrison	49748	499	008	12/26/2017	40000	14300	15400	29700	V	V	0.74	004
C21-2018-3000703	21-05-13-515-511.000-008	N	N	ComImp	C1	Harrison	49748	429	008	12/28/2018	25000	12100	16100	28200	V	V	1.13	004
C21-2019-3000530	21-05-13-540-502.000-008	N	N	ComImp	C1	Harrison	49748	420	008	10/15/2019	35000	6200	27100	33300	V	V	0.95	004
C21-2019-3000569	21-06-07-512-513.000-008	N	N	ComImp	C1	Harrison	49748	401	008	11/4/2019	96000	19600	53500	73100	V	V	0.76	004
C21-2017-3000262	21-06-07-501-506.000-008	N	N	ComImp	C1	Harrison	49978	429	008	6/20/2017	250000	104800	59500	164300	V	V	0.66	004
C21-2017-3000300	21-05-12-511-501.000-008	N	N	ComImp	C1	Harrison	49978	447	008	7/5/2017	95000	42100	39300	81400	V	V	0.86	004
C21-2017-3000542	21-05-13-507-518.001-008	N	N	ComImp	C1	Harrison	49978	401	008	11/1/2017	105000	43600	55100	98700	V	V	0.94	004
C21-2018-3000121	21-05-12-511-509.000-008	N	N	ComImp	C1	Harrison	49978	447	008	3/22/2018	125000	41000	40000	81000	V	V	0.65	004
C21-2018-3000692	21-05-12-501-520.000-008	N	N	ComImp	C1	Harrison	49978	444	008	12/27/2018	160000	57800	102900	160700	V	V	1.00	004
C21-2019-3000129	21-06-18-300-011.000-008	N	N	ComImp	C1	Harrison	52000	426	008	3/26/2019	1500000	729100	946200	1675300	V	V	1.12	004
C21-2019-3000212	21-05-13-553-501.000-008	N	N	ComImp	C1	Harrison	54000	431	008	5/3/2019	418450	276800	53200	330000	V	V	0.79	004
C21-2019-3000151	21-05-13-555-506.000-008	N	N	ComImp	C1	Harrison	54010	431	008	4/3/2019	250000	125500	85700	211200	V	V	0.84	004
C21-2019-3000485	21-02-36-400-007.000-008	N	N	ComImp	C1	Harrison	4450101	340	008	9/19/2019	260000	52100	156800	208900	V	V	0.80	004
C21-2018-3000418	21-05-12-504-516.000-008	N	N	ComVac	L2	Harrison	49978	400	008	8/27/2018	25000	33600	0	33600	V	V	1.34	004
C21-2017-3000560	21-02-06-200-002.001-014	Y	N	ComVac	L2	Posey	8400001	300	014	10/10/2017	36000	16200	0	16200	V	L	0.45	008
C21-2017-3000560	21-02-06-200-003.001-014	Y	Y	ComVac	L2	Posey	8400001	346	014	10/10/2017	36000	16100	0	16100	V	L	0.45	008
C21-2018-3000009	21-05-28-200-003.000-002	N	N	ResImp	None	Connersville	2500001	511	002	1/8/2018	120000	22300	109500	131800	V	V	1.10	002
C21-2018-3000051	21-06-31-400-005.000-002	N	N	ResImp	None	Connersville	2500001	511	002	2/14/2018	212000	25400	160200	185600	V	V	0.88	002
C21-2018-3000210	21-05-28-200-006.000-002	N	N	ResImp	None	Connersville	2500001	511	002	5/16/2018	61500	24000	51000	75000	V	V	1.22	002
C21-2018-3000242	21-06-32-100-010.000-002	N	N	ResImp	None	Connersville	2500001	511	002	6/1/2018	65000	19200	60800	80000	V	V	1.23	002
C21-2018-3000429	21-05-28-100-012.000-002	N	N	ResImp	None	Connersville	2500001	512	002	9/4/2018	285900	39900	181200	221100	V	V	0.77	002
C21-2018-3000495	21-05-28-200-019.000-002	N	N	ResImp	None	Connersville	2500001	511	002	10/3/2018	170000	33800	131500	165300	V	V	0.97	002
C21-2018-3000555	21-09-06-300-015.000-002	N	N	ResImp	None	Connersville	2500001	511	002	10/31/2018	167500	26300	119700	146000	V	V	0.87	002
C21-2018-3000644	21-06-32-100-006.000-002	N	N	ResImp	None	Connersville	2500001	511	002	12/10/2018	74900	24000	46000	70000	V	V	0.93	002
C21-2018-3000696	21-09-06-300-014.000-002	N	N	ResImp	None	Connersville	2500001	511	002	12/31/2018	155000	28400	151700	180100	V	V	1.16	002
C21-2019-3000036	21-06-30-539-501.000-003	N	N	ResImp	None	Connersville	2500001	510	003	2/4/2019	67000	14600	45800	60400	V	V	0.90	002
C21-2019-3000104	21-05-36-400-006.000-002	N	N	ResImp	None	Connersville	2500001	511	002	3/12/2019	130000	22000	104400	126400	V	V	0.97	002
C21-2019-3000174	21-06-20-300-111.000-002	Y	N	ResImp	None	Connersville	2500001	501	002	4/9/2019	155000	11900	0	11900	V	L	0.08	002
C21-2019-3000174	21-06-20-400-211.000-002	Y	Y	ResImp	None	Connersville	2500001	511	002	4/9/2019	155000	18600	154600	173200	V	L	1.12	002
C21-2019-3000493	21-05-27-110-002.000-002	Y	N	ResImp	None	Connersville	2500001	500	002	9/24/2019	232700	5400	0	5400	V	L	0.02	002
C21-2019-3000493	21-05-27-110-001.000-002	Y	Y	ResImp	None	Connersville	2500001	510	002	9/24/2019	232700	27800	128700	156500	V	L	0.67	002
C21-2019-3000513	21-05-36-400-007.000-002	N	N	ResImp	None	Connersville	2500001	511	002	9/9/2019	183000	32800	119400	152200	V	V	0.83	002
C21-2019-30005																		

C21-2018-3000542	21-05-23-402-034.000-003	N	N	ResImp	None	Connersville	2552302	510	003	10/19/2018	130000	19700	105400	125100	V	V	0.96	002
C21-2019-3000002	21-05-23-301-004.000-003	Y	N	ResImp	None	Connersville	2552302	500	003	1/2/2019	162500	23400	0	23400	V	L	0.14	002
C21-2019-3000002	21-05-23-301-003.000-003	Y	Y	ResImp	None	Connersville	2552302	510	003	1/2/2019	162500	22100	109300	131400	V	L	0.81	002
C21-2019-3000439	21-05-23-401-051.000-003	N	N	ResImp	None	Connersville	2552302	510	003	8/26/2019	142900	18900	106700	125600	V	V	0.88	002
C21-2018-3000320	21-05-23-409-008.000-003	N	N	ResImp	None	Connersville	2552303	510	003	7/11/2018	79900	10500	60400	70900	V	V	0.89	002
C21-2018-3000433	21-05-23-409-004.000-003	N	N	ResImp	None	Connersville	2552303	510	003	9/4/2018	83500	11200	71000	82200	V	V	0.98	002
C21-2018-3000441	21-05-23-404-033.000-003	N	N	ResImp	None	Connersville	2552303	510	003	9/13/2018	81000	13800	64400	78200	V	V	0.97	002
C21-2018-3000694	21-05-23-404-002.000-003	N	N	ResImp	None	Connersville	2552303	510	003	12/28/2018	129900	12200	98900	111100	V	V	0.86	002
C21-2019-3000180	21-05-23-408-032.000-003	N	N	ResImp	None	Connersville	2552303	510	003	4/25/2019	42816	11600	44400	56000	V	V	1.31	002
C21-2019-3000435	21-05-23-408-025.000-003	N	N	ResImp	None	Connersville	2552303	510	003	8/21/2019	75000	13400	49500	62900	V	V	0.84	002
C21-2019-3000533	21-05-23-409-013.000-003	N	N	ResImp	None	Connersville	2552303	510	003	10/16/2019	89000	10300	66700	77000	V	V	0.87	002
C21-2019-3000539	21-05-23-408-060.000-003	N	N	ResImp	None	Connersville	2552303	510	003	10/17/2019	48500	12900	46900	59800	V	V	1.23	002
C21-2019-3000551	21-05-23-404-031.000-003	N	N	ResImp	None	Connersville	2552303	510	003	10/23/2019	89900	13800	54500	68300	V	V	0.76	002
C21-2018-3000120	21-05-24-304-082.000-003	N	N	ResImp	None	Connersville	2552304	510	003	3/22/2018	59900	9700	44700	54400	V	V	0.91	002
C21-2018-3000197	21-05-24-307-011.000-003	N	N	ResImp	None	Connersville	2552304	510	003	5/9/2018	25000	5000	20000	25000	V	V	1.00	002
C21-2018-3000199	21-05-23-406-017.000-003	N	N	ResImp	None	Connersville	2552304	510	003	5/9/2018	45000	10400	35000	45400	V	V	1.01	002
C21-2018-3000215	21-05-24-307-033.000-003	N	N	ResImp	None	Connersville	2552304	510	003	5/18/2018	36500	5700	28800	34500	V	V	0.95	002
C21-2018-3000257	21-05-23-405-002.000-003	N	N	ResImp	None	Connersville	2552304	510	003	6/11/2018	34000	7100	28000	35100	V	V	1.03	002
C21-2018-3000304	21-05-24-313-022.000-003	Y	N	ResImp	None	Connersville	2552304	500	003	7/6/2018	179900	7600	0	7600	V	L	0.04	002
C21-2018-3000304	21-05-24-307-069.000-003	Y	Y	ResImp	None	Connersville	2552304	510	003	7/6/2018	179900	18000	152500	170500	V	L	0.95	002
C21-2018-3000339	21-05-24-304-083.000-003	N	N	ResImp	None	Connersville	2552304	510	003	7/26/2018	80000	10300	48400	58700	V	V	0.73	002
C21-2018-3000428	21-05-23-406-011.000-003	N	N	ResImp	None	Connersville	2552304	510	003	9/7/2018	33000	6300	33000	39300	V	V	1.19	002
C21-2018-3000463	21-05-24-304-087.000-003	N	N	ResImp	None	Connersville	2552304	510	003	9/26/2018	100000	13100	56600	69700	V	V	0.70	002
C21-2018-3000474	21-05-23-406-060.000-003	N	N	ResImp	None	Connersville	2552304	510	003	9/26/2018	26000	7300	18400	25700	V	V	0.99	002
C21-2018-3000553	21-05-24-303-008.000-003	N	N	ResImp	None	Connersville	2552304	510	003	10/26/2018	40500	5400	24900	30300	V	V	0.75	002
C21-2018-3000671	21-05-24-316-023.000-003	N	N	ResImp	None	Connersville	2552304	510	003	12/19/2018	49900	6600	41500	48100	V	V	0.96	002
C21-2019-3000123	21-05-24-307-013.000-003	N	N	ResImp	None	Connersville	2552304	510	003	3/22/2019	24975	5000	15400	20400	V	V	0.82	002
C21-2019-3000142	21-05-24-318-012.000-003	N	N	ResImp	None	Connersville	2552304	510	003	3/29/2019	35000	5200	25000	30200	V	V	0.86	002
C21-2019-3000264	21-05-23-412-072.000-003	N	N	ResImp	None	Connersville	2552304	540	003	5/24/2019	32000	5200	25900	31100	V	V	0.97	002
C21-2019-3000390	21-05-23-412-103.000-003	N	N	ResImp	None	Connersville	2552304	510	003	8/5/2019	28000	4000	87100	21100	V	V	0.75	002
C21-2019-3000404	21-05-24-304-178.000-003	Y	Y	ResImp	None	Connersville	2552304	510	003	8/7/2019	65500	7600	37900	45500	V	L	0.69	008
C21-2019-3000404	21-05-24-304-278.000-003	Y	N	ResImp	None	Connersville	2552304	500	003	8/7/2019	65500	400	0	400	V	L	0.01	008
C21-2019-3000404	21-05-24-304-078.000-003	Y	N	ResImp	None	Connersville	2552304	500	003	8/7/2019	65500	6500	0	6500	V	L	0.10	008
C21-2019-3000434	21-05-24-303-039.000-003	N	N	ResImp	None	Connersville	2552304	510	003	8/19/2019	65000	6800	31200	38000	V	V	0.58	002
C21-2019-3000469	21-05-23-403-057.000-003	N	N	ResImp	None	Connersville	2552304	510	003	9/11/2019	35000	10200	27900	38100	V	V	1.09	002
C21-2019-3000503	21-05-24-307-036.000-003	N	N	ResImp	None	Connersville	2552304	510	003	9/25/2019	33500	5000	27300	32300	V	V	0.96	002
C21-2019-3000587	21-05-24-303-030.000-003	N	N	ResImp	None	Connersville	2552304	510	003	11/6/2019	31000	7100	26300	33400	V	V	1.08	002
C21-2019-3000654	21-05-23-406-061.000-003	N	N	ResImp	None	Connersville	2552304	510	003	12/12/2019	70000	7300	35300	42600	V	V	0.61	002
C21-2018-3000036	21-05-24-104-010.000-003	N	N	ResImp	None	Connersville	2552401	510	003	2/5/2018	28900	5900	25500	31400	V	V	1.09	002
C21-2019-3000496	21-05-24-100-005.000-003	N	N	ResImp	None	Connersville	2552401	510	003	9/25/2019	65000	14000	47700	61700	V	V	0.95	002
C21-2018-3000044	21-05-24-508-506.000-003	N	N	ResImp	None	Connersville	2552402	510	003	2/12/2018	59900	7300	40300	47600	V	V	0.79	002
C21-2018-3000194	21-05-24-532-506.000-003	N	N	ResImp	None	Connersville	2552402	510	003	5/7/2018	87900	8400	55500	63900	V	V	0.73	002
C21-2018-3000202	21-05-24-516-521.000-003	N	N	ResImp	None	Connersville	2552402	510	003	5/10/2018	77500	7000	98800	105800	V	V	1.37	002
C21-2018-3000221	21-05-24-512-521.000-003	N	N	ResImp	None	Connersville	2552402	510	003	5/21/2018	71000	7100	43800	50900	V	V	0.72	002
C21-2018-3000253	21-05-24-503-501.000-003	N	N	ResImp	None	Connersville	2552402	510	003	6/6/2018	75000	6600	57500	64100	V	V	0.85	002
C21-2018-3000299	21-05-24-516-508.000-003	N	N	ResImp	None	Connersville	2552402	510	003	7/3/2018	83500	7900	60200	68100	V	V	0.82	002
C21-2018-3000373	21-05-24-525-517.000-003	N	N	ResImp	None	Connersville	2552402	510	003	8/10/2018	46500	9100	36700	45800	V	V	0.98	002
C21-2018-3000385	21-05-24-527-506.000-003	N	N	ResImp	None	Connersville	2552402	510	003	8/16/2018	22000	6200	19700	25900	V	V	1.18	002
C21-2018-3000450	21-05-24-523-509.000-003	N	N	ResImp	None	Connersville	2552402	510	003	9/18/2018	36000	6400	45400	51800	V	V	1.44	002
C21-2018-3000467	21-05-24-512-518.000-003	N	N	ResImp	None	Connersville	2552402	510	003	10/2/2018	54000	8600	61400	70000	V	V	1.30	002
C21-2018-3000545	21-05-24-513-505.000-003	N	N	ResImp	None	Connersville	2552402	510	003	10/22/2018	135000	8500	79000	87500	V	V	0.65	002
C21-2018-3000575	21-05-24-401-080.000-003	N	N	ResImp	None	Connersville	2552402	510	003	11/5/2018	26500	7500	32300	39800	V	V	1.50	002
C21-2018-3000629	21-05-24-501-511.000-003	N	N	ResImp	None	Connersville	2552402	510	003	12/3/2018	79900	9500	46500	56000	V	V	0.70	002
C21-2018-3000655	21-05-24-516-523.000-003	N	N	ResImp	None	Connersville	2552402	510	003	12/12/2018	75000	9300	95300	104600	V	V	1.39	002
C21-2018-3000670	21-05-24-503-523.000-003	N	N	ResImp	None	Connersville	2552402	510	003	12/19/2018	59900	6600	47700	54300	V	V	0.91	002
C21-2018-3000681	21-05-24-501-507.000-003	N	N	ResImp	None	Connersville	2552402	510	003	12/20/2018	25000	9600	20400	30000	V	V	1.20	002
C21-2018-3000685	21-05-24-401-016.000-003	N	N	ResImp	None	Connersville	2552402	510	003	12/20/2018	25000	7700	29800	37500	V	V	1.50	002
C21-2019-3000001	21-05-24-508-511.000-003	N	N	ResImp	None	Connersville	2552402	510	003	1/3/2019	51171	8600	45800	54400	V	V	1.06	002
C21-2019-3000046	21-05-24-513-506.000-003	N	N	ResImp	None	Connersville	2552402	510	003	2/11/2019	44400	8000	34300	42300	V	V	0.95	002
C21-2019-3000140	21-05-24-502-506.000-003	N	N	ResImp	None	Connersville	2552402	510	003	4/1/2019	28000	8000	31800	39800	V	V	1.42	002
C21-2019-3000166	21-05-24-523-506.000-003	N	N	ResImp	None	Connersville	2552402	510	003	4/8/2019	55000	6300	44700	51000	V	V	0.93	002
C21-2019-3000284	21-05-24-502-504.000-003	N	N	ResImp	None	Connersville	2552402	520	003	6/6/2019	43900	5700	29300	35000	V	V	0.80	002
C21-2019-3000291	21-05-24-504-504.000-003	N	N	ResImp	None	Connersville	2552402	510	003	6/6/2019	48000	9500	35700	45200	V	V	0.94	002
C21-2019-3000326	21-05-24-530-508.000-003	N	N	ResImp	None	Connersville	2552402	510	003	6/24/2019	82500	11200	59700	70900	V	V		

C21-2018-3000538	21-06-19-301-009.000-003	N	N	ResImp	None	Connersville	2552403	510	003	10/22/2018	60000	6700	33800	40500 V	V	0.68	002
C21-2018-3000676	21-05-24-208-018.000-003	N	N	ResImp	None	Connersville	2552403	510	003	12/28/2018	40000	6200	40100	46300 V	V	1.16	002
C21-2018-3000682	21-05-24-414-035.000-003	N	N	ResImp	None	Connersville	2552403	510	003	12/20/2018	25000	6400	25400	31800 V	V	1.27	002
C21-2018-3000683	21-05-24-419-001.000-003	N	N	ResImp	None	Connersville	2552403	510	003	12/20/2018	25000	6100	18400	24500 V	V	0.98	002
C21-2018-3000684	21-05-24-414-034.000-003	N	N	ResImp	None	Connersville	2552403	510	003	12/20/2018	25000	5300	19500	24800 V	V	0.99	002
C21-2018-3000689	21-06-19-104-040.000-003	N	N	ResImp	None	Connersville	2552403	510	003	12/27/2018	45000	6000	36600	42600 V	V	0.95	002
C21-2019-3000159	21-05-24-421-013.000-003	N	N	ResImp	None	Connersville	2552403	510	003	4/16/2019	49600	8600	41500	50100 V	V	1.01	002
C21-2019-3000289	21-05-24-416-012.000-003	N	N	ResImp	None	Connersville	2552403	510	003	6/6/2019	66500	7000	47200	54200 V	V	0.82	002
C21-2019-3000323	21-05-24-207-016.000-003	N	N	ResImp	None	Connersville	2552403	510	003	6/24/2019	40000	8200	24200	32400 V	V	0.81	002
C21-2019-3000449	21-05-24-304-008.008-003	N	N	ResImp	None	Connersville	2552403	510	003	9/4/2019	63000	8600	37800	46400 V	V	0.74	002
C21-2019-3000546	21-05-24-416-011.000-003	N	N	ResImp	None	Connersville	2552403	510	003	10/18/2019	59000	8600	37700	46300 V	V	0.78	002
C21-2019-3000560	21-06-19-104-015.000-003	N	N	ResImp	None	Connersville	2552403	510	003	10/28/2019	57500	6900	48100	55000 V	V	0.96	002
C21-2018-3000162	21-05-24-319-067.000-003	N	N	ResImp	None	Connersville	2552404	510	003	4/19/2018	49000	6200	28300	34500 V	V	0.70	002
C21-2018-3000260	21-05-24-313-024.000-003	N	N	ResImp	None	Connersville	2552404	530	003	6/12/2018	25000	5200	18200	23400 V	V	0.94	002
C21-2018-3000296	21-05-24-319-032.000-003	Y	N	ResImp	None	Connersville	2552404	599	003	7/2/2018	59900	1500	3300	4800 V	L	0.08	002
C21-2018-3000296	21-05-24-319-202.000-003	Y	Y	ResImp	None	Connersville	2552404	510	003	7/2/2018	59900	6700	32600	39300 V	L	0.66	002
C21-2018-3000316	21-05-24-304-025.000-003	N	N	ResImp	None	Connersville	2552404	510	003	7/10/2018	15000	5300	14500	19800 V	V	1.32	002
C21-2018-3000354	21-05-24-308-016.000-003	N	N	ResImp	None	Connersville	2552404	599	003	7/24/2018	8000	1000	4600	5600 V	V	0.70	002
C21-2018-3000476	21-05-24-305-013.000-003	N	N	ResImp	None	Connersville	2552404	510	003	9/28/2018	12900	3900	12000	15900 V	V	1.23	002
C21-2018-3000604	21-05-24-304-048.000-003	N	N	ResImp	None	Connersville	2552404	510	003	11/19/2018	18000	5400	15600	21000 V	V	1.17	002
C21-2018-3000680	21-05-25-125-031.009-003	N	N	ResImp	None	Connersville	2552404	510	003	12/20/2018	25000	5100	25600	30700 V	V	1.23	002
C21-2019-3000011	21-05-25-204-006.000-003	N	N	ResImp	None	Connersville	2552404	510	003	1/9/2019	23500	4700	11300	16000 V	V	0.68	002
C21-2019-3000127	21-05-24-313-002.000-003	N	N	ResImp	None	Connersville	2552404	510	003	3/25/2019	27500	5600	18200	23800 V	V	0.87	002
C21-2019-3000139	21-05-25-118-010.000-003	N	N	ResImp	None	Connersville	2552404	510	003	4/1/2019	32000	12900	25800	38700 V	V	1.21	002
C21-2019-3000167	21-05-24-305-006.000-003	N	N	ResImp	None	Connersville	2552404	510	003	4/8/2019	22000	9300	17500	26800 V	V	1.22	002
C21-2019-3000253	21-05-24-319-038.000-003	N	N	ResImp	None	Connersville	2552404	510	003	5/23/2019	60000	6700	32400	39100 V	V	0.65	002
C21-2019-3000327	21-05-25-124-015.000-003	N	N	ResImp	None	Connersville	2552404	510	003	6/21/2019	17000	2900	19700	22600 V	V	1.33	002
C21-2018-3000647	21-05-25-105-017.000-003	N	N	ResImp	None	Connersville	2552501	510	003	12/6/2018	119900	5700	61200	66900 V	V	0.56	002
C21-2019-3000248	21-05-25-130-011.000-003	N	N	ResImp	None	Connersville	2552501	510	003	5/17/2019	24900	6800	17600	24400 V	V	0.98	002
C21-2019-3000315	21-05-25-101-010.000-003	N	N	ResImp	None	Connersville	2552501	510	003	6/15/2019	53000	6700	21400	28100 V	V	0.53	002
C21-2019-3000411	21-05-25-101-026.000-003	N	N	ResImp	None	Connersville	2552501	510	003	8/13/2019	24000	6400	16600	23000 V	V	0.96	002
C21-2018-3000264	21-05-25-117-122.000-003	N	N	ResImp	None	Connersville	2552502	520	003	6/15/2018	17500	2000	13700	15700 V	V	0.90	002
C21-2018-3000564	21-05-25-131-011.000-003	N	N	ResImp	None	Connersville	2552502	510	003	10/30/2018	18000	5800	12000	17800 V	V	0.99	002
C21-2018-3000010	21-05-26-110-012.000-003	N	N	ResImp	None	Connersville	2552601	510	003	1/10/2018	148000	17300	97700	115000 V	V	0.78	002
C21-2018-3000034	21-05-26-110-013.000-003	N	N	ResImp	None	Connersville	2552601	510	003	2/2/2018	93500	17300	83100	100400 V	V	1.07	002
C21-2018-3000049	21-05-26-110-024.000-003	N	N	ResImp	None	Connersville	2552601	510	003	2/14/2018	141900	14500	87700	102200 V	V	0.72	002
C21-2018-3000214	21-05-26-201-005.000-003	N	N	ResImp	None	Connersville	2552601	510	003	5/18/2018	90000	19800	69200	89000 V	V	0.99	002
C21-2018-3000243	21-05-26-201-089.000-003	N	N	ResImp	None	Connersville	2552601	510	003	5/31/2018	118000	24600	87300	111900 V	V	0.95	002
C21-2018-3000244	21-05-26-109-020.000-003	Y	N	ResImp	None	Connersville	2552601	500	003	5/31/2018	189000	2600	0	2600 V	L	0.01	002
C21-2018-3000244	21-05-26-106-004.000-003	Y	Y	ResImp	None	Connersville	2552601	510	003	5/31/2018	189000	22700	128400	151100 V	L	0.80	002
C21-2018-3000330	21-05-26-201-085.000-003	N	N	ResImp	None	Connersville	2552601	510	003	7/17/2018	80000	21700	71500	93200 V	V	1.17	002
C21-2018-3000353	21-05-26-201-083.000-003	N	N	ResImp	None	Connersville	2552601	510	003	8/2/2018	112000	21100	93400	114500 V	V	1.02	002
C21-2018-3000362	21-05-26-110-132.000-003	N	N	ResImp	None	Connersville	2552601	510	003	8/6/2018	145900	14500	106900	121400 V	V	0.83	002
C21-2018-3000377	21-05-23-300-002.000-003	N	N	ResImp	None	Connersville	2552601	510	003	8/14/2018	123700	19300	105400	124700 V	V	1.01	002
C21-2018-3000427	21-05-26-201-050.000-003	N	N	ResImp	None	Connersville	2552601	510	003	9/7/2018	105000	23300	102200	125500 V	V	1.20	002
C21-2018-3000479	21-05-26-201-079.000-003	N	N	ResImp	None	Connersville	2552601	510	003	10/1/2018	142000	18800	101300	120100 V	V	0.85	002
C21-2018-3000603	21-05-26-109-047.000-003	N	N	ResImp	None	Connersville	2552601	510	003	11/19/2018	235000	26800	177600	204400 V	V	0.87	002
C21-2019-3000064	21-05-23-400-009.000-003	N	N	ResImp	None	Connersville	2552601	510	003	2/22/2019	131000	20800	103300	124100 V	V	0.95	002
C21-2019-3000122	21-05-26-201-088.000-003	N	N	ResImp	None	Connersville	2552601	510	003	3/22/2019	127500	26300	93800	120100 V	V	0.94	002
C21-2019-3000384	21-05-26-201-008.000-003	N	N	ResImp	None	Connersville	2552601	510	003	8/2/2019	119000	21700	73500	95200 V	V	0.80	002
C21-2019-3000427	21-05-26-107-007.000-003	N	N	ResImp	None	Connersville	2552601	520	003	8/16/2019	85000	17300	64700	82000 V	V	0.96	002
C21-2019-3000520	21-05-26-201-028.000-003	N	N	ResImp	None	Connersville	2552601	510	003	10/7/2019	84500	15600	48600	64200 V	V	0.76	002
C21-2019-3000571	21-05-26-110-032.000-003	N	N	ResImp	None	Connersville	2552601	510	003	11/1/2019	164000	14500	92800	107300 V	V	0.65	002
C21-2019-3000672	21-05-26-107-025.000-003	N	N	ResImp	None	Connersville	2552601	510	003	12/27/2019	120000	20700	103900	124600 V	V	1.04	002
C21-2018-3000408	21-05-26-109-051.000-003	N	N	ResImp	None	Connersville	2552602	510	003	8/28/2018	158500	23800	121700	145500 V	V	0.92	002
C21-2018-3000566	21-05-26-109-019.000-003	N	N	ResImp	None	Connersville	2552602	510	003	10/30/2018	285000	36300	216600	252900 V	V	0.89	002
C21-2019-3000418	21-05-26-109-052.000-003	N	N	ResImp	None	Connersville	2552602	510	003	8/14/2019	114900	23700	84600	108300 V	V	0.94	002
C21-2019-3000482	21-05-26-109-050.000-003	N	N	ResImp	None	Connersville	2552602	510	003	9/18/2019	125000	32400	95500	127900 V	V	1.02	002
C21-2018-3000266	21-05-26-205-513.000-003	N	N	ResImp	None	Connersville	2552603	510	003	6/18/2018	100000	19100	83500	102600 V	V	1.03	002
C21-2018-3000400	21-05-26-102-209.000-003	N	N	ResImp	None	Connersville	2552603	510	003	8/23/2018	150000	21700	106200	127900 V	V	0.85	002
C21-2018-3000505	21-05-26-300-008.000-003	N	N	ResImp	None	Connersville	2552603	510	003	10/16/2018	150000	20500	104800	125300 V	V	0.84	002
C21-2018-3000511	21-05-26-205-511.000-003	N	N	ResImp	None	Connersville	2552603	510	003	10/16/2018	129900	19300	143400	162700 V	V	1.25	002
C21-2018-3000556	21-05-26-103-623.000-003	N	N	ResImp	None	Connersville	2552603	510	003	10/31/2018	151000	37800	143700	181500 V	V	1.20	002
C21-2019-3000072	21-05-26-205-510.000-003	N	N	ResImp	None	Connersville	2552603	510	003	2/27/2019	114900	19400	81100	100500 V	V	0.87	002
C21-2019-3000113	21-05-26-208-093.000-003	N	N	ResImp	None	Connersville	2552603	510	003	3/21/2019	120000	18000	75400				

C21-2018-3000633	21-05-27-400-062.000-003	N	N	ResImp	None	Connersville	2552703	510	003	12/5/2018	60000	8700	44500	53200	V	V	0.89	002
C21-2019-3000216	21-05-27-213-004.000-003	N	N	ResImp	None	Connersville	2552703	510	003	5/6/2019	32000	8900	38700	47600	V	V	1.49	002
C21-2019-3000320	21-05-27-400-026.000-003	N	N	ResImp	None	Connersville	2552703	510	003	6/20/2019	77000	8900	47300	56200	V	V	0.73	002
C21-2019-3000381	21-05-27-212-024.001-003	N	N	ResImp	None	Connersville	2552703	510	003	8/1/2019	58920	12500	44900	57400	V	V	0.97	002
C21-2019-3000440	21-05-27-211-014.000-003	N	N	ResImp	None	Connersville	2552703	510	003	8/29/2019	87900	13900	65400	79300	V	V	0.90	002
C21-2019-3000460	21-05-27-400-065.000-003	N	N	ResImp	None	Connersville	2552703	510	003	9/6/2019	85900	8900	48800	57700	V	V	0.67	002
C21-2019-3000495	21-05-27-213-007.000-003	N	N	ResImp	None	Connersville	2552703	510	003	9/24/2019	79900	11000	45900	56900	V	V	0.71	002
C21-2019-3000591	21-05-27-400-066.000-003	N	N	ResImp	None	Connersville	2552703	510	003	11/12/2019	90000	8900	49500	58400	V	V	0.65	002
C21-2018-3000145	21-05-28-314-013.000-002	N	N	ResImp	None	Connersville	2552801	510	002	4/9/2018	65000	11800	57900	69700	V	V	1.07	002
C21-2018-3000496	21-05-28-318-066.000-002	N	N	ResImp	None	Connersville	2552801	510	002	10/9/2018	70000	13200	67300	80500	V	V	1.15	002
C21-2018-3000523	21-05-28-318-047.000-002	N	N	ResImp	None	Connersville	2552801	510	002	10/11/2018	115000	11500	71900	83400	V	V	0.73	002
C21-2018-3000578	21-05-28-314-019.000-002	N	N	ResImp	None	Connersville	2552801	510	002	11/2/2018	77000	11500	53400	64900	V	V	0.84	002
C21-2018-3000658	21-05-28-318-082.000-002	N	N	ResImp	None	Connersville	2552801	510	002	12/13/2018	69500	14500	62600	77100	V	V	1.11	002
C21-2019-3000233	21-05-28-315-004.000-002	N	N	ResImp	None	Connersville	2552801	510	002	5/21/2019	82000	13800	59300	73100	V	V	0.89	002
C21-2019-3000498	21-05-28-313-027.000-002	N	N	ResImp	None	Connersville	2552801	510	002	9/24/2019	72500	12800	46400	59200	V	V	0.82	002
C21-2019-3000611	21-05-28-314-023.000-002	N	N	ResImp	None	Connersville	2552801	510	002	11/18/2019	87900	11700	66900	78600	V	V	0.89	002
C21-2018-3000151	21-05-30-313-006.000-002	N	N	ResImp	None	Connersville	2553001	510	002	4/13/2018	110500	14900	81300	96200	V	V	0.87	002
C21-2018-3000660	21-05-30-313-010.000-002	N	N	ResImp	None	Connersville	2553001	510	002	12/17/2018	99500	12100	64200	76300	V	V	0.77	002
C21-2019-3000047	21-05-36-410-131.000-002	N	N	ResImp	None	Connersville	2553601	510	002	2/11/2019	179000	26200	154000	180200	V	V	1.01	002
C21-2018-3000104	21-06-29-115-040.000-002	N	N	ResImp	None	Connersville	2562901	510	002	3/14/2018	149900	22900	118800	141700	V	V	0.95	002
C21-2018-3000169	21-06-29-111-007.000-002	N	N	ResImp	None	Connersville	2562901	510	002	4/24/2018	136900	24200	121600	145800	V	V	1.07	002
C21-2018-3000391	21-06-29-111-009.000-002	N	N	ResImp	None	Connersville	2562901	510	002	8/22/2018	139900	22000	106400	128400	V	V	0.92	002
C21-2018-3000497	21-06-29-114-029.000-002	N	N	ResImp	None	Connersville	2562901	510	002	10/9/2018	154000	18600	133600	152200	V	V	0.99	002
C21-2018-3000550	21-06-29-113-004.000-002	N	N	ResImp	None	Connersville	2562901	510	002	10/23/2018	140000	27200	107900	135100	V	V	0.97	002
C21-2019-3000261	21-06-29-310-232.000-002	N	N	ResImp	None	Connersville	2562901	510	002	5/29/2019	95000	12200	103000	115200	V	V	1.21	002
C21-2019-3000292	21-06-29-112-003.000-002	N	N	ResImp	None	Connersville	2562901	510	002	6/12/2019	149900	22000	121100	143100	V	V	0.95	002
C21-2019-3000341	21-06-29-114-556.000-002	N	N	ResImp	None	Connersville	2562901	510	002	7/1/2019	177500	24200	144100	168300	V	V	0.95	002
C21-2019-3000424	21-06-29-116-213.000-002	N	N	ResImp	None	Connersville	2562901	510	002	8/15/2019	90000	24900	96700	121600	V	V	1.35	002
C21-2018-3000085	21-06-30-526-506.000-003	N	N	ResImp	None	Connersville	2563001	510	003	3/7/2018	79500	12500	73600	86100	V	V	1.08	002
C21-2018-3000183	21-05-25-503-520.000-003	N	N	ResImp	None	Connersville	2563001	510	003	5/1/2018	39900	8900	31300	40200	V	V	1.01	002
C21-2018-3000207	21-06-30-501-529.000-003	N	N	ResImp	None	Connersville	2563001	510	003	5/11/2018	29900	3700	29800	33500	V	V	1.12	002
C21-2018-3000235	21-06-30-501-552.000-003	N	N	ResImp	None	Connersville	2563001	510	003	5/25/2018	33500	6400	32500	38900	V	V	1.16	002
C21-2018-3000245	21-06-30-501-562.000-003	N	N	ResImp	None	Connersville	2563001	510	003	6/4/2018	43500	9400	39800	49200	V	V	1.13	002
C21-2018-3000334	21-06-30-501-579.000-003	N	N	ResImp	None	Connersville	2563001	510	003	7/24/2018	51500	7500	41600	49100	V	V	0.95	002
C21-2018-3000507	21-06-30-501-510.000-003	N	N	ResImp	None	Connersville	2563001	510	003	10/16/2018	65000	7500	52700	60200	V	V	0.93	002
C21-2018-3000520	21-06-30-505-501.000-003	N	N	ResImp	None	Connersville	2563001	510	003	10/5/2018	68000	5900	56400	62300	V	V	0.92	002
C21-2018-3000593	21-06-30-501-530.000-003	N	N	ResImp	None	Connersville	2563001	510	003	11/13/2018	33000	5400	29200	34600	V	V	1.05	002
C21-2019-3000245	21-06-30-505-504.000-003	N	N	ResImp	None	Connersville	2563001	510	003	5/21/2019	62500	5900	37200	43100	V	V	0.69	002
C21-2019-3000294	21-05-25-503-518.000-003	N	N	ResImp	None	Connersville	2563001	510	003	6/11/2019	56500	5300	40000	45300	V	V	0.80	002
C21-2019-3000561	21-05-25-400-508.000-003	N	N	ResImp	None	Connersville	2563001	510	003	11/1/2019	175000	29700	136300	166000	V	V	0.95	002
C21-2019-3000600	21-06-30-522-505.000-003	N	N	ResImp	None	Connersville	2563001	510	003	11/12/2019	50000	6500	49600	56100	V	V	1.12	002
C21-2018-3000017	21-06-30-515-556.000-003	N	N	ResImp	None	Connersville	2563002	510	003	1/17/2018	61800	7500	48800	56300	V	V	0.91	002
C21-2018-3000040	21-06-30-527-517.000-003	N	N	ResImp	None	Connersville	2563002	510	003	2/12/2018	43500	6500	32200	38700	V	V	0.89	002
C21-2018-3000122	21-06-30-528-513.000-003	N	N	ResImp	None	Connersville	2563002	510	003	3/22/2018	63000	6500	41000	47500	V	V	0.75	002
C21-2018-3000280	21-06-30-532-510.000-003	N	N	ResImp	None	Connersville	2563002	510	003	6/26/2018	113900	11000	75300	86300	V	V	0.76	002
C21-2018-3000374	21-06-30-515-524.000-003	N	N	ResImp	None	Connersville	2563002	510	003	8/14/2018	82500	9400	45000	54400	V	V	0.66	002
C21-2018-3000636	21-06-30-516-508.000-003	N	N	ResImp	None	Connersville	2563002	510	003	12/3/2018	72900	7900	61900	69800	V	V	0.96	002
C21-2019-3000017	21-06-30-531-507.000-003	N	N	ResImp	None	Connersville	2563002	510	003	1/15/2019	74000	11400	51700	63100	V	V	0.85	002
C21-2019-3000082	21-06-30-517-516.000-003	N	N	ResImp	None	Connersville	2563002	510	003	3/1/2019	59900	7900	44700	52600	V	V	0.88	002
C21-2019-3000115	21-06-30-515-504.000-003	N	N	ResImp	None	Connersville	2563002	510	003	3/19/2019	69900	7900	57100	65000	V	V	0.93	002
C21-2019-3000124	21-06-30-532-507.000-003	N	N	ResImp	None	Connersville	2563002	510	003	3/25/2019	75000	9200	64100	73300	V	V	0.98	002
C21-2019-3000152	21-06-30-528-505.000-003	N	N	ResImp	None	Connersville	2563002	510	003	4/5/2019	71900	6500	38600	45100	V	V	0.63	002
C21-2019-3000188	21-06-30-515-538.000-003	N	N	ResImp	None	Connersville	2563002	510	003	4/29/2019	64900	7200	39500	46700	V	V	0.72	002
C21-2019-3000359	21-05-25-501-514.000-003	N	N	ResImp	None	Connersville	2563002	510	003	7/22/2019	25000	7800	31600	39400	V	V	1.58	002
C21-2019-3000511	21-06-30-535-501.000-003	N	N	ResImp	None	Connersville	2563002	510	003	9/30/2019	60600	15800	51400	67200	V	V	1.11	002
C21-2019-3000522	21-06-30-518-502.000-003	N	N	ResImp	None	Connersville	2563002	510	003	10/7/2019	44500	12100	42100	54200	V	V	1.22	002
C21-2019-3000585	21-06-30-515-533.000-003	N	N	ResImp	None	Connersville	2563002	510	003	11/4/2019	85900	7200	66500	73700	V	V	0.86	002
C21-2019-3000597	21-06-30-527-511.000-003	N	N	ResImp	None	Connersville	2563002	510	003	11/12/2019	35000	6500	25500	32000	V	V	0.91	002
C21-2019-3000608	21-05-25-503-827.000-003	N	N	ResImp	None	Connersville	2563002	510	003	11/18/2019	99000	9500	84700	94200	V	V	0.95	002
C21-2018-3000007	21-06-31-502-548.000-003	N	N	ResImp	None	Connersville	2563101	510	003	1/5/2018	110000	21100	95800	116900	V	V	1.06	002
C21-2018-3000116	21-06-31-502-550.000-003	N	N	ResImp	None	Connersville	2563101	510	003	3/19/2018	110000	17500	91000	108500	V	V	0.99	002
C21-2018-3000331	21-06-31-501-551.000-003	N	N	ResImp	None	Connersville	2563101	510	003	7/18/2018	210000	25600	219300	244900	V	V	1.17	002
C21-2018-3000357	21-06-31-502-524.000-003	N	N	ResImp	None	Connersville	2563101	510	003	8/6/2018	74500	15800	78100	93900	V	V	1.26	002
C21-2018-3000392	21-06-31-502-517.000-003	N	N	ResImp	None	Connersville	2563101	510	003	8/23/20								

C21-2019-3000632	21-06-31-312-006.000-002	N	N	ResImp	None	Connersville	2563103	510	002	12/2/2019	100000	22800	73700	96500	V	V	0.97	002
C21-2018-3000470	21-08-01-111-435.000-002	Y	Y	ResImp	None	Connersville	2580101	510	002	9/28/2018	78000	6600	77600	84200	V	L	1.08	008
C21-2018-3000470	21-08-01-111-335.000-002	Y	N	ResImp	None	Connersville	2580101	500	002	9/28/2018	78000	400	0	400	V	L	0.01	008
C21-2019-3000465	21-08-01-111-034.000-002	N	N	ResImp	None	Connersville	2580101	599	002	9/9/2019	3900	2100	1800	3900	V	V	1.00	002
C21-2019-3000590	21-09-06-111-008.000-002	N	N	ResImp	None	Connersville	2580101	510	002	11/8/2019	76500	12100	54000	66100	V	V	0.86	002
C21-2018-3000213	21-09-05-413-016.000-002	N	N	ResImp	None	Connersville	2590501	510	002	5/17/2018	95500	14500	89900	104400	V	V	1.09	002
C21-2018-3000288	21-09-05-400-009.000-002	N	N	ResImp	None	Connersville	2590501	511	002	6/27/2018	90000	20800	83100	103900	V	V	1.15	002
C21-2018-3000389	21-09-05-400-017.000-002	Y	N	ResImp	None	Connersville	2590501	501	002	8/20/2018	88000	3000	0	3000	V	L	0.03	002
C21-2018-3000389	21-09-05-400-006.000-002	Y	Y	ResImp	None	Connersville	2590501	511	002	8/20/2018	88000	22600	70000	92600	V	L	1.05	002
C21-2018-3000446	21-09-05-412-015.000-002	N	N	ResImp	None	Connersville	2590501	510	002	9/17/2018	72000	15400	61400	76800	V	V	1.07	002
C21-2019-3000252	21-09-05-413-014.000-002	N	N	ResImp	None	Connersville	2590501	510	002	5/22/2019	88750	14500	64700	79200	V	V	0.89	002
C21-2019-3000325	21-09-05-413-022.000-002	N	N	ResImp	None	Connersville	2590501	510	002	6/24/2019	69900	14500	54600	69100	V	V	0.99	002
C21-2018-3000077	21-09-06-112-029.000-002	N	N	ResImp	None	Connersville	2590601	510	002	3/2/2018	95000	16800	70400	87200	V	V	0.92	002
C21-2018-3000160	21-09-06-113-006.000-002	N	N	ResImp	None	Connersville	2590601	510	002	4/18/2018	84000	16300	71300	87600	V	V	1.04	002
C21-2018-3000285	21-09-06-112-017.000-002	N	N	ResImp	None	Connersville	2590601	510	002	6/25/2018	81900	16300	51500	67800	V	V	0.83	002
C21-2019-3000108	21-09-06-112-004.000-002	N	N	ResImp	None	Connersville	2590601	510	002	3/18/2019	82500	16300	64400	80700	V	V	0.98	002
C21-2018-3000355	21-09-06-411-015.000-002	N	N	ResImp	None	Connersville	2590602	510	002	8/6/2018	61000	13000	46100	59100	V	V	0.97	002
C21-2018-3000638	21-09-06-411-008.000-002	N	N	ResImp	None	Connersville	2590602	510	002	12/5/2018	55000	11800	48200	60000	V	V	1.09	002
C21-2019-3000119	21-09-06-413-002.000-002	N	N	ResImp	None	Connersville	2590602	510	002	3/22/2019	78000	12900	38600	51500	V	V	0.66	002
C21-2019-3000288	21-09-06-412-017.000-002	N	N	ResImp	None	Connersville	2590602	510	002	6/6/2019	68000	14400	54300	68700	V	V	1.01	002
C21-2019-3000667	21-09-06-412-006.000-002	N	N	ResImp	None	Connersville	2590602	510	002	12/26/2019	59900	13000	54900	67900	V	V	1.13	002
C21-2018-3000008	21-05-13-300-014.000-008	N	N	ResImp	None	Harrison	4500001	511	008	1/8/2018	108000	31900	64700	96600	V	V	0.89	004
C21-2018-3000136	21-05-06-400-013.000-007	N	N	ResImp	None	Harrison	4500001	511	007	4/4/2018	269000	31700	196200	227900	V	V	0.85	004
C21-2018-3000165	21-05-05-300-002.000-007	N	N	ResImp	None	Harrison	4500001	511	007	4/20/2018	49000	16600	32800	49400	V	V	1.01	004
C21-2018-3000457	21-05-17-100-006.000-007	N	N	ResImp	None	Harrison	4500001	511	007	9/17/2018	135500	22200	114400	136600	V	V	1.01	004
C21-2019-3000656	21-05-17-100-001.000-007	N	N	ResImp	None	Harrison	4500001	511	007	12/18/2019	136000	31300	103700	135000	V	V	0.99	004
C21-2019-4467641	21-05-13-300-010.010-008	Y	Y	ResImp	None	Harrison	4500001	510	008	4/11/2019	80000	11000	76000	87000	V	L	1.09	004
C21-2019-4467641	21-05-13-300-009.009-008	Y	N	ResImp	None	Harrison	4500001	500	008	4/11/2019	80000	200	0	200	V	L	0.00	004
C21-2018-3000011	21-02-35-114-007.000-007	N	N	ResImp	None	Harrison	4523501	510	007	1/10/2018	108900	18100	76000	94100	V	V	0.86	004
C21-2018-3000483	21-02-35-115-007.000-007	N	N	ResImp	None	Harrison	4523501	510	007	10/2/2018	192000	17500	109900	127400	V	V	0.66	004
C21-2018-3000489	21-02-35-114-033.004-007	N	N	ResImp	None	Harrison	4523501	510	007	10/2/2018	185000	20700	119900	140600	V	V	0.76	004
C21-2018-3000477	21-02-35-411-017.005-007	N	N	ResImp	None	Harrison	4523502	510	007	10/1/2018	145000	20300	89700	110000	V	V	0.76	004
C21-2018-3000159	21-02-36-213-014.000-007	N	N	ResImp	None	Harrison	4523601	510	007	4/18/2018	159000	11500	149000	160500	V	V	1.01	004
C21-2018-3000352	21-02-36-211-033.000-007	N	N	ResImp	None	Harrison	4523601	510	007	8/2/2018	89900	8400	73700	82100	V	V	0.91	004
C21-2018-3000486	21-02-36-212-004.000-007	N	N	ResImp	None	Harrison	4523601	510	007	10/1/2018	115000	11500	82000	93500	V	V	0.81	004
C21-2019-3000067	21-02-36-211-022.000-007	N	N	ResImp	None	Harrison	4523601	510	007	2/19/2019	76000	12600	80300	92900	V	V	1.22	004
C21-2019-3000509	21-02-36-211-037.000-007	N	N	ResImp	None	Harrison	4523601	510	007	10/1/2019	84900	12600	59100	71700	V	V	0.84	004
C21-2019-3000535	21-02-36-211-001.000-007	N	N	ResImp	None	Harrison	4523601	510	007	10/17/2019	99900	12600	72300	84900	V	V	0.85	004
C21-2019-3000574	21-02-36-211-021.000-007	N	N	ResImp	None	Harrison	4523601	510	007	10/28/2019	114900	18500	84800	103300	V	V	0.90	004
C21-2019-3000678	21-03-31-110-003.000-007	N	N	ResImp	None	Harrison	4533101	510	007	12/30/2019	88000	9900	57600	67500	V	V	0.77	004
C21-2019-3000415	21-05-10-211-005.000-007	N	N	ResImp	None	Harrison	4551001	510	007	8/14/2019	85000	16500	60000	76500	V	V	0.90	004
C21-2018-3000139	21-05-12-515-504.000-008	N	N	ResImp	None	Harrison	4551201	510	008	4/10/2018	157000	18800	144400	163200	V	V	1.04	004
C21-2018-3000171	21-05-12-517-524.000-008	N	N	ResImp	None	Harrison	4551201	510	008	4/20/2018	80000	12300	67800	80100	V	V	1.00	004
C21-2018-3000217	21-05-12-406-119.000-008	N	N	ResImp	None	Harrison	4551201	510	008	5/18/2018	110000	18000	86400	104400	V	V	0.95	004
C21-2018-3000315	21-05-12-517-505.000-008	N	N	ResImp	None	Harrison	4551201	510	008	7/10/2018	127000	13200	113000	126200	V	V	0.99	004
C21-2019-3000007	21-05-12-407-005.000-008	N	N	ResImp	None	Harrison	4551201	510	008	1/4/2019	124900	16200	76000	92200	V	V	0.74	004
C21-2019-3000150	21-05-12-408-022.000-008	N	N	ResImp	None	Harrison	4551201	510	008	4/3/2019	108000	15100	79000	94100	V	V	0.87	004
C21-2019-3000324	21-05-12-408-001.000-008	N	N	ResImp	None	Harrison	4551201	510	008	6/24/2019	107000	14800	72900	87700	V	V	0.82	004
C21-2019-3000333	21-05-12-406-021.000-008	N	N	ResImp	None	Harrison	4551201	510	008	6/28/2019	90000	23800	74300	98100	V	V	1.09	004
C21-2019-3000389	21-05-12-517-509.000-008	N	N	ResImp	None	Harrison	4551201	510	008	8/2/2019	155000	13900	120700	134600	V	V	0.87	004
C21-2019-3000478	21-05-12-408-020.000-008	N	N	ResImp	None	Harrison	4551201	510	008	9/17/2019	150000	17700	116700	134400	V	V	0.90	004
C21-2018-3000082	21-05-12-512-506.000-008	N	N	ResImp	None	Harrison	4551202	510	008	3/6/2018	24000	4200	22500	26700	V	V	1.11	004
C21-2018-3000133	21-05-12-507-505.000-008	N	N	ResImp	None	Harrison	4551202	520	008	4/2/2018	27775	6400	21500	27900	V	V	1.00	004
C21-2018-3000138	21-05-12-514-519.000-008	N	N	ResImp	None	Harrison	4551202	510	008	4/9/2018	30000	4900	23700	28600	V	V	0.95	004
C21-2018-3000219	21-05-12-512-514.000-008	N	N	ResImp	None	Harrison	4551202	510	008	5/18/2018	37000	4900	23200	28100	V	V	0.76	004
C21-2018-3000282	21-05-12-506-534.000-008	N	N	ResImp	None	Harrison	4551202	520	008	6/26/2018	45000	6100	26900	33000	V	V	0.73	004
C21-2018-3000329	21-05-12-503-502.000-008	N	N	ResImp	None	Harrison	4551202	520	008	7/16/2018	48000	6700	33200	39900	V	V	0.83	004
C21-2018-3000618	21-05-12-516-509.000-008	N	N	ResImp	None	Harrison	4551202	520	008	11/21/2018	34900	7600	25700	33300	V	V	0.95	004
C21-2019-3000008	21-05-12-507-504.000-008	N	N	ResImp	None	Harrison	4551202	510	008	1/8/2019	35000	4700	29800	34500	V	V	0.99	004
C21-2019-3000043	21-05-12-501-505.000-008	N	N	ResImp	None	Harrison	4551202	510	008	2/8/2019	22407	3900	18700	22600	V	V	1.01	004
C21-2019-3000219	21-05-12-505-504.000-008	N	N	ResImp	None	Harrison	4551202	520	008	5/6/2019	36900	7700	24000	31700	V	V	0.86	004
C21-2019-3000328	21-05-12-510-523.000-008	N	N	ResImp	None	Harrison	4551202	520	008	6/21/2019	46000	5800	24700	30500	V	V	0.66	004
C21-2019-3000471	21-05-12-501-504.000-008	N	N	ResImp	None	Harrison	4551202	510	008	9/10/2019	42500	4300	23200	27500	V	V	0.65	004
C21-2019-3000515	21-05-12-510-506.000-008	N	N	ResImp	None	Harrison	4551202	510	008	9/30/2019	20000	4000	20700	24700	V	V	1.24	004
C21-2019-300060																		

C21-2019-3000354	21-05-13-301-010.000-008	N	N	ResImp	None	Harrison	4551302	510	008	7/15/2019	77900	11100	52500	63600 V	V	0.82 004
C21-2019-3000371	21-05-13-301-012.000-008	N	N	ResImp	None	Harrison	4551302	510	008	7/22/2019	41000	11000	37100	48100 V	V	1.17 004
C21-2019-3000625	21-05-13-301-065.000-008	N	N	ResImp	None	Harrison	4551302	510	008	11/27/2019	47000	10600	36900	47500 V	V	1.01 004
C21-2019-3000677	21-05-13-301-008.000-008	N	N	ResImp	None	Harrison	4551302	510	008	12/27/2019	82000	11100	46600	57700 V	V	0.70 004
C21-2018-3000182	21-05-13-305-010.000-008	N	N	ResImp	None	Harrison	4551303	510	008	4/30/2018	40399	7000	33300	40300 V	V	1.00 004
C21-2018-3000248	21-05-13-305-044.000-008	N	N	ResImp	None	Harrison	4551303	510	008	5/24/2018	53000	7000	54400	61400 V	V	1.16 004
C21-2018-3000269	21-05-13-002-017.000-008	N	N	ResImp	None	Harrison	4551303	510	008	6/15/2018	43370	6500	31300	37800 V	V	0.87 004
C21-2018-3000403	21-05-13-002-021.000-008	N	N	ResImp	None	Harrison	4551303	510	008	8/28/2018	36000	6500	37300	43800 V	V	1.22 004
C21-2018-3000436	21-05-13-002-003.000-008	N	N	ResImp	None	Harrison	4551303	510	008	9/4/2018	59900	6600	39700	46300 V	V	0.77 004
C21-2018-3000601	21-05-13-002-032.016-008	N	N	ResImp	None	Harrison	4551303	510	008	11/19/2018	60000	6500	41000	47500 V	V	0.79 004
C21-2019-3000360	21-05-13-302-009.000-008	N	N	ResImp	None	Harrison	4551303	510	008	7/22/2019	44500	6600	32400	39000 V	V	0.88 004
C21-2019-3000410	21-05-13-305-022.000-008	N	N	ResImp	None	Harrison	4551303	510	008	8/13/2019	33500	5400	29200	34600 V	V	1.03 004
C21-2019-3000441	21-05-13-305-044.000-008	N	N	ResImp	None	Harrison	4551303	510	008	8/29/2019	55900	7000	54400	61400 V	V	1.10 004
C21-2019-3000455	21-05-13-004-006.000-008	N	N	ResImp	None	Harrison	4551303	510	008	9/4/2019	54900	6600	31400	38000 V	V	0.69 004
C21-2019-3000477	21-05-13-305-045.000-008	N	N	ResImp	None	Harrison	4551303	510	008	9/16/2019	67000	7000	50600	57600 V	V	0.86 004
C21-2019-3000572	21-05-13-305-016.000-008	N	N	ResImp	None	Harrison	4551303	510	008	11/1/2019	80000	10300	74100	84400 V	V	1.06 004
C21-2018-3000176	21-05-13-515-508.000-008	N	N	ResImp	None	Harrison	4551304	510	008	4/26/2018	40700	7400	36700	44100 V	V	1.08 004
C21-2018-3000190	21-05-13-502-529.000-008	N	N	ResImp	None	Harrison	4551304	510	008	5/2/2018	65000	9200	46400	55600 V	V	0.86 004
C21-2018-3000250	21-05-13-530-514.000-008	N	N	ResImp	None	Harrison	4551304	510	008	6/4/2018	78900	7400	60700	68100 V	V	0.86 004
C21-2018-3000405	21-05-13-529-530.000-008	N	N	ResImp	None	Harrison	4551304	510	008	8/23/2018	52000	8200	49700	57900 V	V	1.11 004
C21-2018-3000435	21-05-13-512-504.000-008	N	N	ResImp	None	Harrison	4551304	510	008	9/4/2018	46000	8000	51900	59900 V	V	1.30 004
C21-2018-3000444	21-05-13-516-502.000-008	N	N	ResImp	None	Harrison	4551304	510	008	9/17/2018	65000	7400	42000	49400 V	V	0.76 004
C21-2018-3000452	21-05-13-512-509.000-008	N	N	ResImp	None	Harrison	4551304	510	008	9/18/2018	65900	11000	67300	78300 V	V	1.19 004
C21-2018-3000510	21-05-13-513-523.000-008	N	N	ResImp	None	Harrison	4551304	510	008	10/9/2018	117000	7500	92100	99600 V	V	0.85 004
C21-2018-3000579	21-05-13-513-502.000-008	N	N	ResImp	None	Harrison	4551304	510	008	11/2/2018	52500	7500	59700	67200 V	V	1.28 004
C21-2018-3000642	21-05-13-512-513.000-008	N	N	ResImp	None	Harrison	4551304	510	008	12/10/2018	65000	5500	63700	69200 V	V	1.06 004
C21-2018-3000677	21-05-13-501-518.000-008	N	N	ResImp	None	Harrison	4551304	510	008	12/27/2018	32500	6900	33400	40300 V	V	1.24 004
C21-2019-3000048	21-05-13-513-519.000-008	N	N	ResImp	None	Harrison	4551304	510	008	2/12/2019	54900	7500	44300	51800 V	V	0.94 004
C21-2019-3000130	21-05-13-517-516.000-008	N	N	ResImp	None	Harrison	4551304	510	008	3/27/2019	36500	7300	28100	35400 V	V	0.97 004
C21-2019-3000189	21-05-13-512-501.000-008	N	N	ResImp	None	Harrison	4551304	510	008	4/29/2019	80000	9000	62700	71700 V	V	0.90 004
C21-2019-3000215	21-05-13-559-507.000-008	N	N	ResImp	None	Harrison	4551304	510	008	5/6/2019	34900	7600	28000	35600 V	V	1.02 004
C21-2019-3000225	21-05-13-530-525.000-008	N	N	ResImp	None	Harrison	4551304	510	008	5/8/2019	71900	7400	58600	66000 V	V	0.92 004
C21-2019-3000241	21-05-13-515-508.000-008	N	N	ResImp	None	Harrison	4551304	510	008	5/13/2019	44000	7400	36700	44100 V	V	1.00 004
C21-2019-3000263	21-05-13-517-520.000-008	N	N	ResImp	None	Harrison	4551304	510	008	5/28/2019	85000	7300	60400	67700 V	V	0.80 004
C21-2019-3000269	21-05-13-530-510.000-008	N	N	ResImp	None	Harrison	4551304	510	008	6/5/2019	60000	11100	55200	66300 V	V	1.11 004
C21-2019-3000287	21-05-13-528-511.000-008	N	N	ResImp	None	Harrison	4551304	510	008	6/6/2019	65900	7300	51300	58600 V	V	0.89 004
C21-2019-3000423	21-05-13-006-003.001-008	N	N	ResImp	None	Harrison	4551304	510	008	8/19/2019	55000	7600	44500	52100 V	V	0.95 004
C21-2019-3000458	21-05-13-517-509.000-008	N	N	ResImp	None	Harrison	4551304	510	008	9/9/2019	74000	7300	48100	55400 V	V	0.75 004
C21-2019-3000475	21-05-13-517-507.000-008	N	N	ResImp	None	Harrison	4551304	510	008	9/9/2019	55000	7300	50600	57900 V	V	1.05 004
C21-2019-3000500	21-05-13-532-526.000-008	N	N	ResImp	None	Harrison	4551304	510	008	9/25/2019	89000	10300	64200	74500 V	V	0.84 004
C21-2019-3000523	21-05-13-503-506.000-008	N	N	ResImp	None	Harrison	4551304	510	008	10/7/2019	93000	7300	62700	70000 V	V	0.75 004
C21-2019-3000545	21-05-13-503-505.000-008	N	N	ResImp	None	Harrison	4551304	510	008	10/18/2019	65000	7300	51300	58600 V	V	0.90 004
C21-2019-3000553	21-05-13-512-504.000-008	N	N	ResImp	None	Harrison	4551304	510	008	10/22/2019	67900	8000	51900	59900 V	V	0.88 004
C21-2019-3000582	21-05-13-559-518.000-008	N	N	ResImp	None	Harrison	4551304	510	008	10/28/2019	57500	7600	55700	63300 V	V	1.10 004
C21-2019-3000618	21-05-13-502-504.000-008	N	N	ResImp	None	Harrison	4551304	510	008	11/20/2019	55000	10600	40900	51500 V	V	0.94 004
C21-2019-3000648	21-05-13-528-521.000-008	N	N	ResImp	None	Harrison	4551304	510	008	12/10/2019	73000	7300	48500	55800 V	V	0.76 004
C21-2019-3000649	21-05-13-502-516.000-008	N	N	ResImp	None	Harrison	4551304	510	008	12/12/2019	30000	8600	18100	26700 V	V	0.89 004
C21-2018-3000126	21-05-13-101-501.000-008	N	N	ResImp	None	Harrison	4551305	510	008	3/27/2018	75500	6000	61300	67300 V	V	0.89 004
C21-2018-3000267	21-05-13-535-513.000-008	N	N	ResImp	None	Harrison	4551305	510	008	6/18/2018	65000	6900	55800	62700 V	V	0.96 004
C21-2018-3000337	21-05-13-526-509.000-008	N	N	ResImp	None	Harrison	4551305	510	008	7/27/2018	59500	6300	56600	62900 V	V	1.06 004
C21-2018-3000365	21-05-13-536-507.000-008	N	N	ResImp	None	Harrison	4551305	510	008	8/7/2018	26000	7000	24100	31100 V	V	1.20 004
C21-2018-3000395	21-05-13-535-504.000-008	N	N	ResImp	None	Harrison	4551305	510	008	8/27/2018	53900	6200	48000	54200 V	V	1.01 004
C21-2018-3000468	21-05-13-537-507.000-008	N	N	ResImp	None	Harrison	4551305	510	008	10/2/2018	62000	9200	51700	60900 V	V	0.98 004
C21-2018-3000509	21-05-13-524-522.000-008	N	N	ResImp	None	Harrison	4551305	510	008	10/9/2018	42500	6300	35100	41400 V	V	0.97 004
C21-2018-3000668	21-05-13-534-529.000-008	N	N	ResImp	None	Harrison	4551305	530	008	12/19/2018	50000	6600	41900	48500 V	V	0.97 004
C21-2018-3000669	21-05-13-534-506.000-008	N	N	ResImp	None	Harrison	4551305	510	008	12/19/2018	86000	16200	61500	77700 V	V	0.90 004
C21-2019-3000034	21-05-13-525-502.000-008	N	N	ResImp	None	Harrison	4551305	510	008	1/31/2019	46000	5100	44200	49300 V	V	1.07 004
C21-2019-3000091	21-05-13-537-503.000-008	N	N	ResImp	None	Harrison	4551305	510	008	3/7/2019	52900	5800	45400	51200 V	V	0.97 004

C21-2019-3000163	21-05-13-519-510.000-008	N	N	ResImp	None	Harrison	4551305	510	008	4/15/2019	60000	6300	50300	56600 V	V	0.94 004
C21-2019-3000316	21-05-13-506-520.000-008	N	N	ResImp	None	Harrison	4551305	510	008	6/12/2019	45000	6000	37900	43900 V	V	0.98 004
C21-2019-3000335	21-05-13-521-505.000-008	N	N	ResImp	None	Harrison	4551305	510	008	6/28/2019	40000	6300	28800	35100 V	V	0.88 004
C21-2019-3000339	21-05-13-504-504.000-008	N	N	ResImp	None	Harrison	4551305	510	008	7/1/2019	63900	5200	47900	53100 V	V	0.83 004
C21-2019-3000504	21-05-13-534-507.000-008	N	N	ResImp	None	Harrison	4551305	510	008	9/27/2019	49900	11700	38300	50000 V	V	1.00 004
C21-2018-3000056	21-05-13-533-501.000-008	N	N	ResImp	None	Harrison	4551306	510	008	2/16/2018	117500	8100	85300	93400 V	V	0.79 004
C21-2018-3000115	21-05-13-553-512.000-008	N	N	ResImp	None	Harrison	4551306	510	008	3/19/2018	27000	6300	20700	27000 V	V	1.00 004
C21-2018-3000208	21-05-13-557-518.000-008	N	N	ResImp	None	Harrison	4551306	510	008	5/14/2018	52900	7800	54100	61900 V	V	1.17 004
C21-2018-3000226	21-05-13-550-501.000-008	N	N	ResImp	None	Harrison	4551306	510	008	5/22/2018	89000	8700	77200	85900 V	V	0.97 004
C21-2018-3000237	21-05-13-540-514.000-008	N	N	ResImp	None	Harrison	4551306	510	008	5/29/2018	50000	8700	32000	40700 V	V	0.81 004
C21-2018-3000279	21-05-13-546-505.000-008	N	N	ResImp	None	Harrison	4551306	510	008	6/25/2018	43500	7600	32000	39600 V	V	0.91 004
C21-2018-3000313	21-05-13-557-506.000-008	N	N	ResImp	None	Harrison	4551306	510	008	7/9/2018	62000	7800	53400	61200 V	V	0.99 004
C21-2018-3000345	21-05-13-548-510.000-008	N	N	ResImp	None	Harrison	4551306	510	008	7/31/2018	110000	10100	74900	85000 V	V	0.77 004
C21-2018-3000383	21-05-13-558-509.000-008	N	N	ResImp	None	Harrison	4551306	510	008	8/16/2018	74000	8000	59400	67400 V	V	0.91 004
C21-2018-3000560	21-05-13-547-516.000-008	N	N	ResImp	None	Harrison	4551306	510	008	10/25/2018	79900	7800	58900	66700 V	V	0.83 004
C21-2018-3000643	21-05-13-532-509.000-008	N	N	ResImp	None	Harrison	4551306	510	008	12/10/2018	94000	8800	70300	79100 V	V	0.84 004
C21-2019-3000030	21-05-13-546-512.000-008	N	N	ResImp	None	Harrison	4551306	510	008	1/28/2019	56000	7800	31900	39700 V	V	0.71 004
C21-2019-3000033	21-05-13-542-510.000-008	N	N	ResImp	None	Harrison	4551306	510	008	1/28/2019	117000	13600	79100	92700 V	V	0.79 004
C21-2019-3000041	21-05-13-543-505.000-008	N	N	ResImp	None	Harrison	4551306	510	008	2/1/2019	65000	8000	37100	45100 V	V	0.69 004
C21-2019-3000049	21-05-13-550-503.000-008	N	N	ResImp	None	Harrison	4551306	510	008	2/12/2019	76000	13100	42500	55600 V	V	0.73 004
C21-2019-3000054	21-05-13-556-515.000-008	N	N	ResImp	None	Harrison	4551306	510	008	2/15/2019	55000	7800	51300	59100 V	V	1.07 004
C21-2019-3000106	21-05-13-550-509.000-008	N	N	ResImp	None	Harrison	4551306	510	008	3/11/2019	43500	8700	32900	41600 V	V	0.96 004
C21-2019-3000117	21-05-13-543-507.000-008	N	N	ResImp	None	Harrison	4551306	510	008	3/21/2019	68500	8000	44600	52600 V	V	0.77 004
C21-2019-3000210	21-05-13-553-510.000-008	N	N	ResImp	None	Harrison	4551306	510	008	5/3/2019	55000	8900	44000	52900 V	V	0.96 004
C21-2019-3000221	21-05-13-546-509.000-008	N	N	ResImp	None	Harrison	4551306	510	008	5/8/2019	53000	7800	37100	44900 V	V	0.85 004
C21-2019-3000348	21-05-13-551-511.000-008	N	N	ResImp	None	Harrison	4551306	510	008	7/8/2019	72000	16400	67100	83500 V	V	1.16 004
C21-2019-3000356	21-05-13-532-504.000-008	N	N	ResImp	None	Harrison	4551306	510	008	7/15/2019	83250	8800	63800	72600 V	V	0.87 004
C21-2019-3000380	21-05-13-539-510.000-008	N	N	ResImp	None	Harrison	4551306	510	008	7/30/2019	90000	10400	81000	91400 V	V	1.02 004
C21-2019-3000481	21-05-13-538-515.000-008	N	N	ResImp	None	Harrison	4551306	510	008	9/17/2019	75000	12400	61900	74300 V	V	0.99 004
C21-2019-3000576	21-05-13-531-514.001-008	Y	N	ResImp	None	Harrison	4551306	500	008	10/30/2019	100000	3500	0	3500 V	L	0.04 004
C21-2019-3000576	21-05-13-531-514.000-008	Y	Y	ResImp	None	Harrison	4551306	510	008	10/30/2019	100000	18800	86000	104800 V	L	1.05 004
C21-2018-3000231	21-06-07-511-513.000-008	N	N	ResImp	None	Harrison	4560701	599	008	5/24/2018	5000	3800	1700	5500 V	V	1.10 004
C21-2018-3000234	21-05-12-503-518.000-008	N	N	ResImp	None	Harrison	4560701	510	008	5/24/2018	40000	5000	36700	41700 V	V	1.04 002
C21-2018-3000289	21-06-07-516-516.000-008	N	N	ResImp	None	Harrison	4560701	510	008	6/29/2018	16000	6000	10700	16700 V	V	1.04 004
C21-2018-3000466	21-06-07-516-517.000-008	N	N	ResImp	None	Harrison	4560701	510	008	10/2/2018	40000	6000	24100	30100 V	V	0.75 004
C21-2019-3000109	21-06-07-501-501.000-008	N	N	ResImp	None	Harrison	4560701	510	008	3/20/2019	45000	5800	39400	45200 V	V	1.00 004
C21-2019-3000141	21-06-07-506-517.000-008	N	N	ResImp	None	Harrison	4560701	510	008	4/1/2019	46000	5800	32900	38700 V	V	0.84 004
C21-2019-3000181	21-06-07-516-505.000-008	N	N	ResImp	None	Harrison	4560701	510	008	4/25/2019	33500	6000	26300	32300 V	V	0.96 004
C21-2019-3000183	21-06-07-512-506.000-008	N	N	ResImp	None	Harrison	4560701	510	008	4/30/2019	45000	10200	36700	46900 V	V	1.04 004
C21-2019-3000235	21-06-07-506-521.000-008	N	N	ResImp	None	Harrison	4560701	510	008	5/15/2019	64000	8700	41800	50500 V	V	0.79 004
C21-2019-3000260	21-06-07-509-501.000-008	N	N	ResImp	None	Harrison	4560701	510	008	5/30/2019	26000	5800	19400	25200 V	V	0.97 004
C21-2019-3000283	21-06-07-512-512.000-008	N	N	ResImp	None	Harrison	4560701	510	008	6/3/2019	77000	8700	51600	60300 V	V	0.78 004
C21-2019-3000352	21-06-07-503-515.000-008	N	N	ResImp	None	Harrison	4560701	510	008	7/16/2019	24000	5800	20600	26400 V	V	1.10 004
C21-2019-3000437	21-06-07-511-517.000-008	N	N	ResImp	None	Harrison	4560701	510	008	8/23/2019	87500	5800	47200	53000 V	V	0.61 004
C21-2018-3000107	21-08-34-111-007.000-001	N	N	ResImp	R1	Columbia	1500001	540	001	3/15/2018	17100	15500	5800	21300 V	V	1.25 001
C21-2018-3000290	21-08-14-300-006.001-001	N	N	ResImp	R1	Columbia	1500001	599	001	6/4/2018	10000	2300	6200	8500 V	V	0.85 001
C21-2018-3000332	21-08-21-300-017.000-001	N	N	ResImp	R1	Columbia	1500001	511	001	7/11/2018	88000	27900	67000	94900 V	V	1.08 002
C21-2018-3000380	21-08-22-200-004.000-001	Y	N	ResImp	R1	Columbia	1500001	100	001	8/13/2018	86000	1300	0	1300 V	L	0.02 001
C21-2018-3000380	21-08-22-200-001.000-001	Y	Y	ResImp	R1	Columbia	1500001	511	001	8/13/2018	86000	17400	63600	81000 V	L	0.94 001
C21-2018-3000440	21-08-17-212-023.000-001	N	N	ResImp	R1	Columbia	1500001	510	001	9/13/2018	57000	14500	45000	59500 V	V	1.04 001
C21-2018-3000630	21-08-16-300-006.000-001	N	N	ResImp	R1	Columbia	1500001	512	001	11/29/2018	155000	36500	102000	138500 V	V	0.89 001
C21-2019-3000420	21-08-27-400-012.000-001	N	N	ResImp	R1	Columbia	1500001	511	001	8/14/2019	185000	23300	89900	113200 V	V	0.61 001
C21-2019-3000538	21-08-19-100-008.000-001	N	N	ResImp	R1	Columbia	1500001	511	001	10/17/2019	119900	21800	64700	86500 V	V	0.72 001
C21-2019-3000638	21-08-16-300-011.000-001	N	N	ResImp	R1	Columbia	1500001	541	001	12/9/2019	85000	22100	64200	86300 V	V	1.02 001
C21-2018-3000114	21-04-12-400-005.000-005	N	N	ResImp	R1	Fairview	3500001	510	005	3/19/2018	138000	20000	107800	127800 V	V	0.93 003
C21-2018-3000544	21-04-24-400-006.000-005	N	N	ResImp	R1	Fairview	3500001	511	005	10/19/2018	136000	20000	116700	136700 V	V	1.01 003
C21-2019-3000170	21-04-01-400-004.000-005	N	N	ResImp	R1	Fairview	3500001	511	005	4/16/2019	230000	24000	196800	220800 V	V	0.96 003

C21-2019-3000681	21-01-36-300-005.000-005	N	N	ResImp	R1	Fairview	3500001	511	005	12/31/2019	159900	17800	103100	120900	V	V	0.76	003
C21-2018-3000490	21-04-10-111-001.000-005	N	N	ResImp	R1	Fairview	3540301	511	005	10/2/2018	80000	11800	69500	81300	V	V	1.02	003
C21-2019-3000080	21-04-10-111-011.000-005	N	N	ResImp	R1	Fairview	3540301	511	005	3/1/2019	42500	9200	32300	41500	V	V	0.98	003
C21-2018-3000016	21-09-20-100-001.002-010	N	N	ResImp	R1	Jackson	5500001	511	010	1/16/2018	260000	24100	254500	278600	V	V	1.07	005
C21-2018-3000030	21-09-19-300-002.000-010	N	N	ResImp	R1	Jackson	5500001	510	010	1/30/2018	129000	19500	118100	137600	V	V	1.07	005
C21-2018-3000053	21-09-20-100-017.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	2/15/2018	155000	24200	105700	129900	V	V	0.84	005
C21-2018-3000069	21-09-29-212-017.000-010	N	N	ResImp	R1	Jackson	5500001	510	010	2/28/2018	71000	20600	53900	74500	V	V	1.05	005
C21-2018-3000186	21-08-12-200-014.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	5/2/2018	94900	15400	79700	95100	V	V	1.00	005
C21-2018-3000238	21-09-19-200-007.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	5/29/2018	95000	19500	68400	87900	V	V	0.93	005
C21-2018-3000369	21-09-20-100-004.001-010	N	N	ResImp	R1	Jackson	5500001	511	010	8/9/2018	150000	30400	117900	148300	V	V	0.99	005
C21-2018-3000390	21-09-18-300-002.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	8/22/2018	157500	24000	136000	160000	V	V	1.02	005
C21-2018-3000445	21-09-29-100-022.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	9/17/2018	95000	19500	69900	89400	V	V	0.94	005
C21-2019-3000177	21-09-19-100-007.000-010	N	N	ResImp	R1	Jackson	5500001	541	010	4/30/2019	90000	27200	29400	56600	V	V	0.63	005
C21-2019-3000257	21-09-08-300-005.000-010	N	N	ResImp	R1	Jackson	5500001	512	010	5/24/2019	210000	38600	128900	167500	V	V	0.80	005
C21-2019-3000347	21-09-29-212-020.000-010	N	N	ResImp	R1	Jackson	5500001	510	010	7/3/2019	172000	27700	106400	134100	V	V	0.78	005
C21-2019-3000382	21-09-22-200-003.000-010	N	N	ResImp	R1	Jackson	5500001	541	010	8/1/2019	94500	19500	49200	68700	V	V	0.73	005
C21-2019-3000408	21-09-21-300-001.000-010	Y	Y	ResImp	R1	Jackson	5500001	511	010	8/9/2019	80000	20400	75800	96200	V	L	1.20	008
C21-2019-3000408	21-09-20-400-002.000-010	Y	N	ResImp	R1	Jackson	5500001	500	010	8/9/2019	80000	4400	0	4400	V	L	0.06	008
C21-2019-3000448	21-08-12-100-014.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	9/4/2019	103500	20000	78600	98600	V	V	0.95	005
C21-2019-3000622	21-09-28-200-002.000-010	N	N	ResImp	R1	Jackson	5500001	511	010	11/22/2019	88000	16600	57600	74200	V	V	0.84	005
C21-2019-3000636	21-09-22-200-011.000-010	N	N	ResImp	R1	Jackson	5500001	541	010	12/6/2019	85000	26400	40000	66400	V	V	0.78	005
C21-2018-3000189	21-09-17-400-007.000-010	N	N	ResImp	R1	Jackson	5591701	511	010	5/2/2018	118000	19100	111600	130700	V	V	1.11	005
C21-2018-3000475	21-09-17-411-011.000-010	N	N	ResImp	R1	Jackson	5591701	510	010	9/28/2018	140000	16900	108900	125800	V	V	0.90	005
C21-2019-3000195	21-09-17-411-001.000-010	N	N	ResImp	R1	Jackson	5591701	510	010	5/1/2019	118500	17400	84900	102300	V	V	0.86	005
C21-2019-3000321	21-09-17-411-030.000-010	N	N	ResImp	R1	Jackson	5591701	510	010	6/20/2019	139900	19600	121500	141100	V	V	1.01	005
C21-2018-3000425	21-09-20-411-018.000-010	N	N	ResImp	R1	Jackson	5592001	510	010	9/6/2018	89000	14700	77400	92100	V	V	1.03	005
C21-2019-3000251	21-09-20-411-033.000-010	N	N	ResImp	R1	Jackson	5592001	510	010	5/22/2019	72500	15000	44900	59900	V	V	0.83	005
C21-2019-3000295	21-09-20-400-005.000-010	Y	N	ResImp	R1	Jackson	5592001	501	010	6/11/2019	105500	3500	0	3500	V	L	0.03	005
C21-2018-3000130	21-09-21-100-025.000-010	N	N	ResImp	R1	Jackson	5592101	511	010	4/2/2019	79900	11100	88400	99500	V	V	1.25	005
C21-2018-3000258	21-09-21-301-045.050-010	N	N	ResImp	R1	Jackson	5592101	510	010	6/11/2018	89900	20600	76300	96900	V	V	1.08	005
C21-2019-3000295	21-09-21-300-038.000-010	Y	N	ResImp	R1	Jackson	5592101	501	010	6/11/2019	105500	1000	0	1000	V	L	0.01	005
C21-2019-3000295	21-09-21-300-010.000-010	Y	Y	ResImp	R1	Jackson	5592101	511	010	6/11/2019	105500	10900	80600	91500	V	L	0.87	005
C21-2018-3000004	21-09-21-113-011.000-010	N	N	ResImp	R1	Jackson	5592102	510	010	1/3/2018	112500	11500	79700	91200	V	V	0.81	005
C21-2018-3000141	21-09-21-113-016.000-010	N	N	ResImp	R1	Jackson	5592102	510	010	4/10/2018	83500	13200	77200	90400	V	V	1.08	005
C21-2019-3000118	21-09-21-113-006.000-010	Y	Y	ResImp	R1	Jackson	5592102	510	010	3/15/2019	153000	12100	118700	130800	V	L	0.85	005
C21-2019-3000118	21-09-21-113-005.000-010	Y	N	ResImp	R1	Jackson	5592102	500	010	3/15/2019	153000	6700	0	6700	V	L	0.04	005
C21-2019-3000118	21-09-21-100-030.000-010	Y	N	ResImp	R1	Jackson	5592102	500	010	3/15/2019	153000	1000	0	1000	V	L	0.01	005
C21-2019-3000358	21-09-21-112-007.000-010	N	N	ResImp	R1	Jackson	5592102	510	010	7/22/2019	120000	12900	61500	74400	V	V	0.62	005
C21-2018-3000064	21-09-09-300-015.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	2/2/2018	98000	23500	97800	121300	V	V	1.24	006
C21-2018-3000600	21-06-23-100-008.000-011	N	N	ResImp	R1	Jennings	6500001	512	011	11/13/2018	155500	51900	91400	143300	V	V	0.92	006
C21-2019-3000086	21-06-21-400-008.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	3/5/2019	106000	20500	73800	94300	V	V	0.89	006
C21-2019-3000317	21-06-26-400-008.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	6/18/2019	172000	26600	122200	148800	V	V	0.87	006
C21-2019-3000370	21-06-34-300-004.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	7/23/2019	113500	25200	77100	102300	V	V	0.90	006
C21-2019-3000497	21-06-27-100-007.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	9/24/2019	176600	30300	120100	150400	V	V	0.85	006
C21-2019-3000626	21-06-27-410-002.000-011	N	N	ResImp	R1	Jennings	6500001	510	011	11/27/2019	128000	20000	128700	148700	V	V	1.16	006
C21-2019-3000628	21-06-26-400-004.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	12/2/2019	145400	26500	94000	120500	V	V	0.83	006
C21-2019-3000629	21-06-21-400-013.000-011	N	N	ResImp	R1	Jennings	6500001	511	011	12/3/2019	155000	22100	110600	132700	V	V	0.86	006
C21-2018-3000027	21-07-36-300-002.000-012	N	N	ResImp	R1	Orange	7500001	511	012	1/26/2018	162000	25300	112300	137600	V	V	0.85	007
C21-2019-3000414	21-07-25-400-004.000-012	N	N	ResImp	R1	Orange	7500001	511	012	8/13/2019	131500	24600	84100	108700	V	V	0.83	007
C21-2019-3000501	21-07-12-100-004.000-012	Y	N	ResImp	R1	Orange	7500001	501	012	9/25/2019	150000	1200	0	1200	V	L	0.01	007
C21-2019-3000501	21-07-12-100-003.000-012	Y	Y	ResImp	R1	Orange	7500001	511	012	9/25/2019	150000	25000	82700	107700	V	L	0.72	007
C21-2019-3000026	21-04-34-112-006.006-013	N	N	ResImp	R1	Orange	7543401	510	013	1/18/2019	72000	12000	48400	60400	V	V	0.84	007
C21-2018-3000091	21-02-09-400-004.000-014	N	N	ResImp	R1	Posey	8500001	512	014	3/9/2018	162000	37900	106100	144000	V	V	0.89	008
C21-2018-3000173	21-02-06-300-007.000-014	N	N	ResImp	R1	Posey	8500001	511	014	4/25/2018	165000	23700	136200	159900	V	V	0.97	008
C21-2018-3000648	21-01-01-400-001.001-014	N	N	ResImp	R1	Posey	8500001	511	014	12/5/2018	124900	22700	123300	146000	V	V	1.17	008
C21-2019-3000244	21-02-20-200-003.000-014	Y	Y	ResImp	R1	Posey	8500001	511	014	5/21/2019	85000	7800	80300	88100	V	L	1.04	008
C21-2019-3000244	21-02-21-100-004.000-014	Y	N	ResImp	R1	Posey	8500001	501	014	5/21/2019	85000	8500	0	8500	V	L	0.10	008
C21-2019-3000451	21-02-07-200-005.000-014	N	N	ResImp	R1	Posey	8500001	511	014	8/30/2019	148000	18000	104200	122200	V	V	0.83	008
C21-2019-3000144	21-06-11-300-003.000-015	N	N	ResImp	R1	Waterloo	9500001	511	015	4/1/2019	136000	34200	73600	107800	V	V	0.79	009
C21-2019-3000312	21-06-04-100-002.000-015	N	N	ResImp	R1	Waterloo	9500001	511	015	6/12/2019	99900	18800	85200	104000	V	V	1.04	009
C21-2019-3000476	21-06-07-400-003.000-015	N	N	ResImp	R1	Waterloo	9500001	599	015	9/16/2019	9750	5500	4100	9600	V	V	0.98	009
C21-2018-3000174	21-03-32-311-045.007-015	N	N	ResImp	R1	Waterloo	9533201	510	015	4/25/2018	150000	47600	106100	153700	V	V	1.02	009
C21-2018-3000218	21-06-17-111-036.000-015	N	N	ResImp	R1	Waterloo	9561701	510	015	5/18/2018	137500	14600	112000	126600	V	V	0.92	009
C21-2019-3000246	21-06-17-111-007.000-015	N	N	ResImp	R1	Waterloo	9561701	510	015	5/20/2019	110000	12700	74600	87300	V	V	0.79	