

SETTLEMENT AGREEMENT

The Commissioner of Labor (hereinafter referred to as "Commissioner") and *Columbia City Water Department*, (hereinafter referred to as "Employer") hereby agree as follows:

The Commissioner amends the Safety Order(s) and Notification(s) of Penalty, IOSHA Inspection No. *317428555* issued to the Employer on *June 24, 2014* in the following manner.

SAFETY ORDER 01:

- Items 1: Upheld; penalty reduced to \$ 750.00, *abatement was verified on June 17, 2014.*
- Item 2: Upheld; penalty reduced to \$ 225.00, *abatement was verified on June 17, 2014.*
- Item 3: Upheld; penalty reduced to \$ 375.00.
- Item 4: Upheld; penalty reduced to \$ 750.00.
- Item 5: Upheld; penalty reduced to \$ 750.00, *abatement was verified on June 17, 2014.*
- Item 6: Upheld; penalty reduced to \$ 750.00.
- Item 7: Upheld; penalty reduced to \$ 750.00.
- Item 8: Upheld; penalty reduced to \$ 750.00.

SAFETY ORDER 02:

- Items 1: Upheld; penalty reduced to \$ 1,500.00, *abatement was verified on June 17, 2014.*
- Item 2: Upheld; penalty reduced to \$ 1,500.00, *abatement was verified on June 17, 2014.*
- Item 3: Upheld; penalty reduced to \$ 1,500.00, *abatement was verified on June 17, 2014.*
- Item 4: Upheld; penalty reduced to \$ 450.00.
- Item 5: Upheld; penalty reduced to \$ 1,500.00, *abatement was verified on June 17, 2014.*
- Item 6: Upheld; penalty reduced to \$ 1,500.00.

In exchange, The Employer agrees:

1. *Develop Safety and Health programs along with instruction and training of all employees in Trenching and Excavation. Also, Supervisors shall be provided with Competent Person training. (this employer provided proof during the informal 6/17/2014 that this task was completed)*
2. *Two (2) Onsite follow-up inspections during the next six months. The employer will provide IDOL each month on the 15th a list of worksite from which we can perform random inspections from.*
3. *The Employer shall provide site information to Mr. Kevin Goeden at kgoeden@dol.in.gov or fax to 317-233-3790.*

Respondent understands that a request must be made in writing to IOSHA for a Petition Abatement prior to the above abatement date if abatement cannot be met by the respective dates and an extension is required.

Except for the above specified amendments all other provisions of Safety Order Number 317428555 are retained intact.

The TOTAL AGREED PENALTY is \$ 13,050.00

THE EMPLOYER IS SATISFIED WITH THE AMENDMENTS STATED ABOVE AND ACCORDINGLY WAIVES ITS RIGHT TO FILE A NOTICE OF CONTEST OF THE SAFETY ORDER(S) AND NOTIFICATION(S) OF PENALTY AS AMENDED AND AGREES TO WITHDRAW ANY PREVIOUSLY FILED NOTICES OF CONTEST IN THIS MATTER.

Upon full execution of this Settlement Agreement the Employer will post this Agreement for three (3) working days or until abatement is completed, whichever period is longer.

The total AGREED PENALTY is due and payable on within fifteen (15) working days from the Employer's execution of this Agreement. The Employer further agrees that if the AGREED PENALTY is not paid within fifteen working days from the Employer's execution of this Agreement, that the full amount of the penalty initially assessed against the Employer in the Safety Order(s) and Notification(s) of Penalty which are the subject of this Agreement is due and payable immediately. *Make your check or money order payable to: "Indiana DOL/IOSHA". Please indicate IOSHA's Inspection Number (indicated above) on your remittance. Please send payments to the following address:*

*Indiana Department of Labor
402 West Washington Street - Room W195
Indianapolis, Indiana 46204*

The Safety Order(s) and Notification(s) of Penalty are, and shall be, herein a final and enforceable Order of the Board of Safety Review.

Except for this agreement, and matters arising out of this agreement and any other subsequent IOSHA proceedings between the parties, none of the foregoing agreements, statements, findings, and actions taken by Employer shall be deemed an admission by Employer of the allegations contained within the Safety Order(s) and Notification(s) of Penalty. The agreements, statements, findings and actions taken herein are made in order to compromise and settle this matter economically and amicably, and they shall not be used for any other purpose, except as herein stated.

Columbia City Water Department

By: *Ryan L. Davis*
Title: *Mayor*
Date: *6/25/14*

COMMISSIONER OF LABOR

By: *[Signature]*
Title: *Commissioner*
Date: *6/26/2014*

Indiana Department of Labor

Indiana Occupational Safety and Health Administration
402 West Washington St - Room W195
Indianapolis, IN 46204
Phone: 317-232-1979 FAX: (317)233-3790



certified mail # 917190 00052720 0035 7028 6-2-14 jto

Safety Order and Notification of Penalty

To:
Columbia City Water Department
112 Chauncey St
Columbia City, IN 46725

Inspection Number: 317428555
CSHO ID: L9647
Optional Report No.: 07414
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014

Inspection Site:
US 30 and 100 S
Columbia City, IN 46725

The violation(s) described in this Safety Order and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

An inspection of your place of employment has revealed conditions which we believe do not comply with the provisions of the Indiana Occupational Safety and Health Act (Indiana Code Chapter 22-8-1.1) or the standards or rules adopted thereunder. Accordingly, enclosed please find safety order(s) and notification(s) of penalty describing such violation(s) with references to applicable standards, rules, or provisions of the statute and stating the amount of any penalty(ies).

Informal Conference - Please be advised that it may be possible to informally settle any potential dispute without initiating the more elaborate proceedings brought on by a petition for review. Prior to filing a petition for review, you may request an informal conference concerning any of the results of the inspection (safety orders, penalties, abatement dates, etc.) by contacting the Indiana Department of Labor/IOSHA, preferably by telephone, in a prompt manner. Please be advised that a request for an informal conference cannot extend the fifteen working day period for filing a petition for review. Informal conferences frequently resolve any possible disputes, and therefore you are urged to take advantage of this opportunity. Because of the limited time period and in order to facilitate scheduling, any requests for an informal conference should be made promptly upon your receipt of the safety order(s) and notification(s) of penalty.

Right to Contest - You are hereby also notified that you are entitled to seek administrative review of the safety order(s), penalty(ies), or both by filing a written petition for review at the above address postmarked within fifteen working days of your receipt of the safety order(s) and notification(s) of penalty. ("Working days" means Mondays through Fridays, but does not include Saturdays, Sundays, legal holidays under a state statute or days on which the Indiana Department of Labor's offices are closed during regular business hours). If you do not file such a petition for review (contest), the safety order(s)

and penalty(ies) shall be deemed final orders of the Board of Safety Review and not subject to review by any court or agency. The issuance of a safety order does not constitute a finding that a violation has occurred unless no petition for review is filed, or if a petition for review (contest) is filed, it must contain a statement of its basis and should reference the above inspection number. Upon receipt of your petition for review, we will affirm, amend or dismiss the safety order(s) and notification(s) of penalty. If we affirm, your petition for review will be granted (unless it was not timely) and the dispute will be certified by the Board of Safety Review for further proceedings. The Board of Safety Review is an independent agency appointed by the governor with authority to conduct hearings and to issue decisions concerning disputed safety order(s) and notification(s) of penalty. If we amend the safety order(s) or notification(s) of penalty, your petition for review shall be deemed moot. However, you will then be given an opportunity to file a petition for review concerning the amended safety order(s) and notification(s) of penalty.

Please be advised that an employee or representative of employees may file a petition for review to contest the reasonableness of the time stated in the safety order(s) for the abatement of any violation.

Posting - Upon receipt of any safety order(s) you are required to post such safety order(s), or a copy thereof, unedited, at or near each place an alleged violation referred to in the safety order(s) occurred. However, if your operations are such that it is not practicable to post the safety order(s) at or near each place of alleged violation, such safety order(s) shall be posted, unedited, in a prominent place where it will be readily observable by all affected employees. For example, if you are engaged in activities which are physically dispersed, the safety order(s) may be posted at the location from which the employees operate to carry out their activities. You must take steps to ensure that the safety order is not altered, defaced, or covered by other material. Posting shall be until the violation is abated, or for three working days, whichever is longer.

Penalties - Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Abatement does not constitute payment of penalties.

Abatement - The conditions cited in the safety order(s) must be corrected (abated) on or before the date shown for each item on the safety order(s) and notification(s) of penalty unless:

(1) You file a petition for review concerning the violation, in which case the full abatement period shall commence from the issuance of a final decision by the Board of Safety Review or the courts which requires compliance with the safety order; or

(2) The abatement period is extended by the granting of a petition for modification of abatement date.

PMAs - The petition for modification of abatement date is a manner in which you may seek additional time to correct (abate) a violation without having to file a petition for review concerning the safety order, or after the expiration of the time period to file such a petition for review when it becomes apparent that you need extra time to abate the violation. A petition for modification of abatement date shall be in writing and shall include the following information:

(1) All steps you have taken, and the dates of such actions, in an effort to achieve compliance

during the prescribed abatement period.

(2) The specific additional abatement time necessary in order to achieve compliance.

(3) The reasons such additional time is necessary, including the unavailability of professional or technical personnel or of materials and equipment, or because necessary construction or alteration of facilities cannot be completed by the original abatement date.

(4) All available interim steps being taken to safeguard employees against the cited hazard during the abatement period.

(5) A certification that a copy of the petition has been posted, and if appropriate, served on the authorized representative of affected employees, and a certification of the date upon which such posting and service was made.

A petition for modification of abatement date shall be filed with the Indiana Department of Labor/IOSHA no later than the close of the next working day following the date on which abatement was originally required. A later-filed petition shall be accompanied by the employer's statement of exceptional circumstances explaining the delay. A copy of such petition shall be posted in a conspicuous place where all affected employees will have notice thereof or near such location where the violation occurred. The petition shall remain posted until the time period for the filing of a petition for review of the Commissioner's granting or denying the petition expires. Where affected employees are represented by an authorized representative, said representative shall be served a copy of such petition.

Notification of Corrective Action - Correction of the alleged violations which have an abatement period of thirty (30) days or less should be reported in writing to us promptly upon correction. A "Letter of Abatement" form and an "Abatement Photographs" worksheet are enclosed for your assistance in providing adequate documentation of abatement. Reports of corrections should show specific corrective action on each alleged violation and the date of such action. On alleged violations with abatement periods of more than thirty (30) days, a written progress report should be submitted, detailing what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, we should be so advised. Timely correction of an alleged violation does not affect the initial proposed penalty.

Followup Inspections - Please be advised that a followup inspection may be made for the purpose of ascertaining that you have posted the safety order(s) and corrected the alleged violations. Failure to correct an alleged violation may result in additional penalties for each day that the violation has not been corrected.

Employer Discrimination Unlawful - The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the Indiana Department of Labor/IOSHA at the address shown above.

Notice to Employees - The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must

be mailed to the Indiana Department of Labor/IOSHA at the address shown above within fifteen (15) working days (excluding weekends and State holidays) or receipt by the employer of this safety order and penalty.

If you wish additional information, you may direct such requests to us at the address or telephone number stated above.

Indiana Department of Labor

NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with IOSHA to discuss the safety order(s) issued on 6/2/2014. The conference will be held at the IOSHA office located at 402 West Washington Street, Room W195, Indianapolis, IN 46204 on _____ at _____. Employees and/or representatives of employees have a right to attend an informal conference.

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 001 Type of Violation: **Serious**

29 CFR 1926.20(b)(3): Machinery, tool(s), material(s), or equipment which was not in compliance with the applicable requirement(s) of 29 CFR 1926 was not prohibited, and/or was not either identified as unsafe by tagging, or locking the controls to render them inoperable, or physically removed from its place of operation:

Job Site trench-US 30 and 100S- On February 19, ²⁰¹⁴ the ultra shore trench shield. model S 48-60. was not used in accordance with the manufacturers recommendations in that it was damaged (2 inch hole in one side) and not removed from service to be repaired and re-certified.

Date By Which Violation Must Be Abated: **6/20/2014**
Proposed Penalty: **\$3,000.00**

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 002 Type of Violation: **Serious**

29 CFR 1926.251(a)(1): Defective rigging equipment was not removed from service:

Job site trench-US 30 and 100S woods trench - On February 19, 2014, on or about, the rigging equipment consisting of the backhoe lifting hook, missing the required safety latch, was not removed from service.

Date By Which Violation Must Be Abated: **7/7/2014**
Proposed Penalty: **\$900.00**

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 003

Type of Violation: **Serious**

29 CFR 1926.651(h)(1): Employees were working in excavations in which there was accumulated water, or excavations in which water was accumulating, and adequate precautions had not been taken to protect employees against the hazards posed by water accumulation:

Job site trench-US 30 and 100S woods trench ----- On February 19, 2014, water was allowed to accumulate in a trench/excavation and no attempt to control or remove it was in progress and a trench box was being used.

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$1,500.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 004 Type of Violation: **Serious**

29 CFR 1926.651(j)(2): Employees were not protected from excavated or other materials or equipment that could pose a hazard by falling or rolling into excavations, or by a combination of both if necessary:

Job site trench woods-US30 and 100S - On February 19, 2014, on or about, excavated spoil, about 4 feet high, was placed directly on the edge of the excavation and not at least 2 feet from the edge.

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$3,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 005

Type of Violation: **Serious**

29 CFR 1926.651(k)(1): Daily inspections of excavations, the adjacent areas, and protective systems were not made by a competent person for evidence of a situation that could have resulted in possible cave-ins, indications of failure of protective systems:

Job site trench-US30 and 100S ----- On February 13, 2014, the competent person did not inspect the excavation 5-8 feet deep, 8-12 feet long as needed throughout the shift.

Date By Which Violation Must Be Abated:
Proposed Penalty:

7/7/2014
\$3,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 006 ^(A/B) Type of Violation: **Serious**

29 CFR 1926.652(b)(1)(ii): SLOPES IN PARAGRAPH (b)(1)(i) WERE NOT IN ACCORDANCE WITH THE SLOPES SHOWN FOR TYPE C SOIL IN APPENDIX B:

Job site trench -US 30 and 100 S - On February 19, 2014, slopes in type "C" soil were not in accordance with appendix B-1.3-2 in that the top of the shield system was 2 feet below the vertical side of the trench and was not a minimum of 18 inches above the top of the side of the trench.

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$3,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 007 *AB* Type of Violation: **Serious**

29 CFR 1926.652(d)(2): Manufactured materials and equipment used for protective systems were not used and maintained in a manner that was consistent with the recommendations of the manufacturer:

Job site trench-US 30 and 100 S woods trench - On February 19, 2014, the shield was not used in accordance with the manufacturers recommendation, in that the surrounding soil was not to the sides, and would allow the shield to be knocked over injuring employee(s)

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$3,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 01 Item 008 *AD* Type of Violation: **Serious**

29 CFR 1926.652(g)(1)(iii): Employees were not protected from the hazard of cave-ins when entering or exiting the area protected by shields:

Job site trench-woods trench US 30 and 100 S ----- On February 19, 2014, the employee working in the 7-8 feet deep 8 -10 feet long 8 feet wide trench was not protected from cave-in when entering or exiting the area protected by the shield in that the ladder was placed on the outside of the shield and not placed in a manner to allow exiting in the event of a cave-in.

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$3,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department.
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 02 Item 001 Type of Violation: **Repeat Serious**

29 CFR 1926.20(b)(1): The employer did not initiate and maintain such programs as may be necessary to comply with this part:

Job site trench-US 30 and 100 S - On February 14, 2014, on or about, the employers accident prevention safety program was not effective and/or enforced in the areas of excavations and trenches, and PPE, as evidenced by the number and/or types of hazards observed during the inspection.

Columbia City Water Department was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent Standard 29 CFR 1926.20(b)(1), which was contained in OSHA inspection number 316505650, citation number 01, item number 001, issued on 3/26/13, with respect to a workplace located at SR 205 & US 30, Columbia City, IN 46725.

Date By Which Violation Must Be Abated: **7/7/2014**
Proposed Penalty: **\$6,000.00**

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 02 Item 002

Type of Violation: **Repeat Serious**

29 CFR 1926.20(b)(2): The employers safety program did not provide for frequent and regular inspections of the jobsite and equipment by a competent person:

Job site trench-US 30 and 100S - On February 13, 2014, on or about, employer's competent person on the job site, failed to identify existing and predictable hazards and/or take the necessary measures to alleviate the hazards in excavations

Columbia City Water Department was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent Standard 29 CFR 1926.20(b)(2), which was contained in OSHA inspection number 316505650, citation number 01, item number 002, issued on 3/26/13, with respect to a workplace located at SR 205 & US 30, Columbia City, IN 46725.

Date By Which Violation Must Be Abated: 7/7/2014
Proposed Penalty: \$6,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 02 Item 003 Type of Violation: **Repeat Serious**

29 CFR 1926.21(b)(2): The employer did not instruct each employee in the recognition and avoidance of unsafe conditions and the regulations applicable to his/her environment to control or eliminate any hazards or other exposure to illness or injury:

Job site trench - On February 14, 2014, on or about, employees were not instructed, or adequately instructed, in the recognition and avoidance of unsafe conditions applicable to their work environment such as but not limited to those connected with excavations.

Columbia City Water Department was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent Standard 29 CFR 1926.21(b)(2), which was contained in OSHA inspection number 316505650, citation number 01, item number 003, issued on 3/26/13, with respect to a workplace located at SR 205 & US 30, Columbia City, IN 46725.

Date By Which Violation Must Be Abated: **7/7/2014**
Proposed Penalty: **\$6,000.00**

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 02 Item 004

Type of Violation: **Repeat Serious**

29 CFR 1926.100(a): Employees working in areas where there was a possible danger of head injury from impact, or falling or flying objects, or from electrical shock and burns, were not protected by protective helmets:

Job site trench-US 30 and 100 S woods trench - On February 19, 2014, one employee was working near a back hoe bucket that was near the employees head, was not wearing a protective helmet.

Columbia City Water Department was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent Standard 29 CFR 1926.100(a), which was contained in OSHA inspection number 316505650, citation number 01, item number 004, issued on 3/26/13, with respect to a workplace located at SR 205 & US 30, Columbia City, IN 46725.

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$1,800.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 02 Item 005

Type of Violation: **Repeat Serious**

29 CFR 1926.651(k)(2): Where the competent person found evidence of a situation that could result in possible cave-in, indications of failure of protective systems, hazardous atmospheres, or other hazardous conditions, exposed employee(s) was/were not removed from the hazardous area until the necessary precautions have been taken to ensure their safety:

Job site trench- US30 and 100 S - On February 14, 2014, on , the company competent person failed to preform his duties as required, in that he did not correct conditions, and did not prevent employees from being exposed to or cause them to be removed from the hazard of a cave-in in a trench/excavation 5-8 feet deep.

Columbia City Water Department was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent Standard 29 CFR 1926.651(k)(2), which was contained in OSHA inspection number 316505650, citation number 01, item number 005, issued on 3/26/13, with respect to a workplace located at SR 205 & US 30, Columbia City, IN 46725.

Date By Which Violation Must Be Abated: 7/7/2014
Proposed Penalty: \$6,000.00

Indiana Department of Labor
Occupational Safety and Health Administration

Inspection Number: 317428555
Inspection Date(s): 2/14/2014
Issuance Date: 6/2/2014
CSHO ID: L9647
Optional Report No.: 07414

Safety Order and Notification of Penalty

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725

Safety Order 02 Item 006 Type of Violation: **Repeat Serious**


29 CFR 1926.652(a)(1): Each employee in an excavation was not protected from cave-ins by an adequate protective system designed in accordance with 29 CFR 1926.652(c):

Job site trench-US 30 and 100s ----- On February 13, 2014, and before, no cave in protection was provided for the employees working in the 5-8 feet deep trenches that were 8-10 feet wide and 8-12 feet long that had vertical sides.

Columbia City Water Department was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent Standard 29 CFR 1926.652(a)(1), which was contained in OSHA inspection number 316505650, citation number 01, item number 006, issued on 3/26/13, with respect to a workplace located at SR 205 & US 30, Columbia City, IN 46725.

Date By Which Violation Must Be Abated:
Proposed Penalty:

Corrected During Inspection
\$6,000.00



Jerry W. Lander
Director of Construction Safety

Indiana Department of Labor

Indiana Occupational Safety and Health Administration
402 West Washington St - Room W195
Indianapolis, IN 46204
Phone: (317)232-1979 FAX: (317)233-3790



INVOICE/DEBT COLLECTION NOTICE

Company Name: Columbia City Water Department
Inspection Site: US 30 and 100 S, Columbia City, IN 46725
Issuance Date: 6/2/2014

Summary of Penalties for Inspection Number: 317428555


Safety Order 1, Serious	= \$20,400.00
Safety Order 2, Repeat Serious	= \$31,800.00
TOTAL PENALTIES	= \$52,200.00

Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Make your check or money order payable to: "Indiana DOL/IOSHA". Please indicate IOSHA's Inspection Number (indicated above) on the remittance.

IOSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.


Corrective action, taken by you for each alleged violation should be submitted to this office on or about the abatement dates indicated on the Safety Order and Notification of Penalty.

A work sheet has been provided to assist in providing the required abatement information. A completed copy of this work sheet should be posted at the worksite with the safety order(s).



Jerry W. Lander
Director of Construction Safety

Date



6/2/14