

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	42.6	35.2 - 50.3	95	31.7	25.8 - 38.2	111	37.9	24.4 - 53.5	31	36.5	32.0 - 41.2	237
b. Nutrition	46.0	38.6 - 53.5	94	32.0	26.1 - 38.5	110	48.4	35.0 - 62.1	31	39.3	34.8 - 43.9	235
c. Tobacco-use prevention	51.6	44.3 - 58.9	94	39.7	33.7 - 46.1	111	50.8	35.7 - 65.9	31	45.5	40.9 - 50.2	236
d. Asthma	20.1	14.8 - 26.8	91	10.8	7.1 - 16.1	110	24.9	15.0 - 38.3	31	16.0	12.8 - 19.8	232
e. Injury and violence prevention	39.5	33.8 - 45.6	92	19.9	15.1 - 25.9	110	44.3	33.2 - 56.1	31	30.2	26.6 - 34.2	233
f. HIV, STD, and teen pregnancy prevention	34.9	28.4 - 42.1	93	21.7	16.9 - 27.5	110	37.9	26.1 - 51.3	31	28.7	24.8 - 32.9	234

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	21.0	15.4 - 28.0	95	20.2	15.4 - 26.0	113	27.1	16.9 - 40.5	31	21.4	17.8 - 25.5	239
b. Physical education	24.4	18.2 - 32.0	94	21.1	15.9 - 27.5	113	30.6	19.3 - 45.0	31	23.6	19.6 - 28.0	238
c. Physical activity	14.9	10.6 - 20.4	94	15.0	10.7 - 20.7	113	18.3	10.6 - 29.6	31	15.4	12.4 - 19.0	238
d. School meal programs	19.1	13.5 - 26.4	93	14.1	9.7 - 20.1	113	17.7	10.7 - 27.9	31	16.4	13.1 - 20.4	237
e. Foods and beverages available at school outside the school meal programs	19.1	13.5 - 26.4	92	8.0	5.1 - 12.5	113	8.9	3.7 - 19.8	31	12.1	9.3 - 15.5	236
f. Health services	29.9	22.9 - 37.9	92	21.4	15.9 - 28.2	112	19.5	10.3 - 34.0	29	24.2	20.1 - 28.9	233
g. Counseling, psychological, and social services	51.5	43.4 - 59.6	93	48.3	41.3 - 55.4	112	51.8	37.6 - 65.7	31	49.9	44.9 - 55.0	236
h. Physical environment	53.1	44.9 - 61.2	94	38.1	31.0 - 45.8	113	53.7	41.1 - 65.9	31	45.6	40.5 - 50.7	238
i. Social and emotional climate	62.6	54.9 - 69.8	94	67.3	60.9 - 73.1	113	63.6	50.1 - 75.3	31	65.1	60.5 - 69.4	238
j. Family engagement	68.9	60.1 - 76.5	95	69.2	62.4 - 75.2	113	71.7	58.0 - 82.2	32	69.4	64.5 - 73.9	240
k. Community involvement	70.6	62.4 - 77.7	94	68.3	61.4 - 74.5	113	73.1	60.0 - 83.1	31	69.8	65.0 - 74.1	238
l. Employee wellness	25.4	19.1 - 32.8	93	10.6	7.0 - 15.7	114	8.9	3.6 - 20.3	31	15.6	12.5 - 19.4	238

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
43.0	35.2 - 51.2	90	38.5	32.8 - 44.7	109	43.8	30.3 - 58.3	30	40.8	36.3 - 45.5	229

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.0	76.8 - 87.9	96	87.6	82.0 - 91.6	113	100.0	†	32	87.6	84.1 - 90.4	241

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.3	46.2 - 62.1	98	51.7	45.1 - 58.2	112	68.1	59.2 - 75.9	32	54.8	50.2 - 59.3	242

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	74.0	63.0 - 82.7	51	63.1	52.8 - 72.3	57	59.5	47.0 - 70.8	22	66.4	60.0 - 72.3	130
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	72.0	60.9 - 81.0	51	72.5	61.5 - 81.3	58	82.4	65.4 - 92.0	22	74.0	67.2 - 79.8	131
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	76.1	66.2 - 83.8	50	63.5	53.7 - 72.3	58	67.4	45.9 - 83.4	22	68.6	61.8 - 74.6	130
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	90.2	81.4 - 95.1	52	89.6	81.4 - 94.5	58	77.0	57.2 - 89.4	21	87.8	82.4 - 91.7	131
e. Reviewed health-related curricula or instructional materials	81.7	72.3 - 88.4	51	74.3	64.0 - 82.5	58	59.7	42.1 - 75.2	22	74.5	68.0 - 80.1	131
f. Assessed the availability of physical activity opportunities for students	74.7	64.0 - 83.1	49	76.0	67.0 - 83.2	58	86.6	69.5 - 94.8	22	77.4	71.3 - 82.5	129
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	39.4	29.1 - 50.7	50	13.8	8.0 - 22.8	58	21.8	10.5 - 40.0	22	24.2	18.8 - 30.5	130

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.3	79.4 - 91.2	92	60.4	53.0 - 67.3	111	60.5	45.9 - 73.4	33	69.6	64.8 - 74.1	236

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	82.8	76.3 - 87.7	93	89.9	84.8 - 93.5	110	90.6	78.1 - 96.3	33	87.5	83.9 - 90.3	236
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	75.4	67.8 - 81.7	91	61.2	54.1 - 67.9	106	55.7	41.6 - 69.0	33	65.6	60.7 - 70.2	230

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools						
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval				
	Interval	N		Interval	N			Interval	N		Interval	N			
52.3	44.4	60.2	95	26.8	20.4	34.3	105	26.8	16.9	39.6	30	36.4	31.7	41.5	230

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	84.3	77.0 - 89.6	94	72.9	66.1 - 78.9	103	60.5	45.0 - 74.2	31	75.5	70.9 - 79.7	228
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.9	94.9 - 99.8	94	97.1	93.1 - 98.8	104	97.0	87.0 - 99.4	31	97.8	95.6 - 98.9	229
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	71.6	64.0 - 78.2	93	67.2	60.3 - 73.4	104	55.2	40.3 - 69.2	31	67.2	62.4 - 71.7	228
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	58.1	51.0 - 64.9	93	40.8	33.7 - 48.3	102	37.6	26.0 - 50.9	31	46.9	42.2 - 51.7	226
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	65.2	57.2 - 72.4	93	53.7	46.9 - 60.4	102	51.1	37.2 - 64.8	31	57.7	52.8 - 62.4	226

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
92.8	87.3 - 96.0	100	90.7	85.1 - 94.3	107	93.0	80.3 - 97.7	31	91.8	88.4 - 94.3	238

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.9	93.8 - 99.3	100	98.2	94.7 - 99.4	107	100.0	†	31	98.3	96.4 - 99.2	238

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
97.0	92.7 - 98.8	99	96.2	92.0 - 98.3	107	100.0	†	31	97.0	94.7 - 98.3	237

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	86.6	79.1 - 91.7	75	-	-	6	87.5	80.5 - 92.3	81
b. Seventh grade	§	§	§	86.4	79.9 - 91.1	104	100.0	†	31	89.4	84.2 - 93.0	135
c. Eighth grade	§	§	§	85.6	79.3 - 90.2	104	96.5	84.6 - 99.3	31	87.9	82.9 - 91.7	135
d. Ninth grade	96.8	92.2 - 98.7	92	-	-	0	96.6	85.1 - 99.3	32	96.7	93.0 - 98.5	124
e. Tenth grade	61.5	53.4 - 69.1	88	§	§	§	51.6	37.6 - 65.5	30	58.9	51.8 - 65.6	118
f. Eleventh grade	23.6	17.6 - 31.0	81	§	§	§	23.5	12.6 - 39.5	29	23.6	18.0 - 30.3	110
g. Twelfth grade	22.3	16.6 - 29.4	81	§	§	§	23.5	12.6 - 39.5	29	22.6	17.2 - 29.2	110

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
82.0	74.8 - 87.4	91	75.0	68.8 - 80.3	104	75.5	59.4 - 86.6	29	77.7	73.3 - 81.5	224

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Goals, objectives, and expected outcomes for physical education	93.2	87.3 - 96.4	90	89.3	84.8 - 92.6	104	90.0	77.5 - 95.9	31	90.8	87.6 - 93.2	225
b. A chart describing the annual scope and sequence of instruction for physical education	81.3	75.0 - 86.3	90	78.1	71.2 - 83.7	105	70.6	55.3 - 82.4	31	78.2	73.7 - 82.1	226
c. Plans for how to assess student performance in physical education	86.9	80.0 - 91.7	91	77.9	71.6 - 83.2	105	70.1	54.4 - 82.1	31	80.1	75.7 - 83.9	227
d. A written physical education curriculum	88.1	81.3 - 92.6	91	83.8	77.9 - 88.3	105	77.1	62.7 - 87.1	31	84.4	80.4 - 87.8	227
e. Resources for fitness testing	93.5	89.3 - 96.1	91	92.3	87.9 - 95.2	105	90.3	82.9 - 94.7	30	92.5	89.9 - 94.4	226
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	76.4	68.9 - 82.5	91	73.2	66.2 - 79.2	105	59.4	43.4 - 73.7	30	72.5	67.7 - 76.9	226

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
15.7	10.4 - 23.2	91	39.0	32.1 - 46.4	105	38.3	28.3 - 49.3	30	30.4	26.0 - 35.1	226

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.4	43.8 - 59.0	92	60.0	52.5 - 67.0	105	55.8	42.9 - 68.0	30	56.2	51.3 - 61.1	227

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
90.2	84.8 - 93.8	92	94.3	89.6 - 97.0	106	93.1	80.5 - 97.8	29	92.6	89.6 - 94.9	227

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
52.5	44.0 - 60.8	91	24.5	18.7 - 31.4	103		44.2	32.3 - 56.7	30	37.6	32.9 - 42.5	224

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.8	43.6 - 59.9	91	51.0	43.4 - 58.6	104	20.6	10.9 - 35.5	30	47.2	42.1 - 52.3	225

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
96.6	92.0 - 98.6	95	96.2	92.8 - 98.1	106	100.0	†	31	96.9	94.7 - 98.2	232

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.5	91.6 - 98.6	90	95.3	91.4 - 97.5	105	100.0	†	29	96.3	94.0 - 97.8	224
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	95.3	90.0 - 97.8	90	95.3	91.4 - 97.5	105	100.0	†	29	95.9	93.4 - 97.5	224
c. Cigars	95.3	90.0 - 97.8	90	93.4	88.9 - 96.2	105	100.0	†	29	94.9	92.2 - 96.8	224
d. Pipes	94.1	90.1 - 96.6	90	91.4	86.3 - 94.8	105	100.0	†	28	93.5	90.7 - 95.5	223
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	94.3	90.5 - 96.6	89	88.4	83.1 - 92.3	104	100.0	†	29	92.1	89.2 - 94.3	222

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	95.5	90.5 - 97.9	90	96.2	92.6 - 98.0	104	100.0	†	29	96.4	94.1 - 97.9	223
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	94.3	88.9 - 97.2	90	96.2	92.6 - 98.0	104	100.0	†	29	96.0	93.6 - 97.5	223
c. Cigars	94.3	88.9 - 97.2	90	94.3	90.0 - 96.8	104	100.0	†	29	95.0	92.4 - 96.8	223
d. Pipes	93.1	87.3 - 96.4	89	94.3	90.0 - 96.8	104	100.0	†	29	94.6	91.8 - 96.5	222
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.3	87.7 - 96.5	89	91.3	86.0 - 94.7	103	96.3	83.8 - 99.2	29	92.7	89.4 - 95.0	221

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.5	91.6 - 98.6	90	95.2	91.3 - 97.4	104	100.0	†	29	96.3	93.9 - 97.8	223
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	94.3	88.8 - 97.1	89	94.3	89.9 - 96.8	104	100.0	†	29	95.0	92.3 - 96.8	222
c. Cigars	95.2	89.8 - 97.8	88	93.3	88.8 - 96.1	104	100.0	†	29	94.9	92.1 - 96.7	221
d. Pipes	94.1	88.4 - 97.0	89	93.3	88.8 - 96.1	104	100.0	†	29	94.5	91.6 - 96.4	222
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.2	87.6 - 96.4	88	89.3	84.2 - 92.9	103	96.3	83.8 - 99.2	29	91.7	88.5 - 94.1	220

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.5	91.6 - 98.6	90	96.2	92.7 - 98.1	105	100.0	†	29	96.8	94.6 - 98.1	224
b. During non-school hours	87.3	80.2 - 92.1	89	86.6	81.0 - 90.8	104	96.3	83.8 - 99.2	29	88.1	84.4 - 91.1	222

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	95.4	90.3 - 97.9	88	95.2	91.3 - 97.4	104	100.0	†	29	95.9	93.5 - 97.5	221
b. During non-school hours	82.4	74.3 - 88.3	87	77.0	70.5 - 82.5	104	89.4	75.5 - 95.8	29	80.6	76.1 - 84.4	220

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.4	91.5 - 98.5	89	96.2	92.6 - 98.0	104	100.0	†	29	96.8	94.5 - 98.1	222
b. During non-school hours	87.2	80.1 - 92.0	88	79.9	73.4 - 85.1	104	96.3	83.8 - 99.2	29	84.7	80.6 - 88.1	221

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	96.5	91.6 - 98.6	90	96.2	92.7 - 98.0	104	100.0	†	29	96.8	94.6 - 98.1	223
b. Outside on school grounds, including parking lots and playing fields	96.5	91.6 - 98.6	90	96.2	92.7 - 98.0	104	100.0	†	29	96.8	94.6 - 98.1	223
c. On school buses or other vehicles used to transport students	96.5	91.6 - 98.6	90	96.2	92.7 - 98.0	104	100.0	†	29	96.8	94.6 - 98.1	223
d. At off-campus, school-sponsored events	94.3	88.9 - 97.2	90	92.3	87.3 - 95.4	104	90.0	76.8 - 96.1	29	92.7	89.5 - 95.0	223

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	95.5	90.4 - 97.9	89	96.1	92.6 - 98.0	103	100.0	†	29	96.4	94.1 - 97.8	221
b. Outside on school grounds, including parking lots and playing fields	95.5	90.4 - 97.9	89	95.2	91.3 - 97.4	103	100.0	†	29	95.9	93.5 - 97.5	221
c. On school buses or other vehicles used to transport students	95.5	90.4 - 97.9	89	96.1	92.6 - 98.0	102	100.0	†	29	96.4	94.1 - 97.8	220
d. At off-campus, school-sponsored events	87.8	81.5 - 92.2	89	90.3	84.8 - 93.9	103	82.5	71.6 - 89.8	29	88.3	84.8 - 91.2	221

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	96.4	91.4 - 98.5	88	96.1	92.6 - 98.0	103	100.0	†	29	96.7	94.5 - 98.1	220
b. Outside on school grounds, including parking lots and playing fields	96.4	91.4 - 98.5	88	96.1	92.6 - 98.0	103	100.0	†	29	96.7	94.5 - 98.1	220
c. On school buses or other vehicles used to transport students	96.3	91.3 - 98.5	87	96.1	92.6 - 98.0	103	100.0	†	29	96.7	94.5 - 98.1	219
d. At off-campus, school-sponsored events	71.4	63.4 - 78.2	87	77.7	71.1 - 83.2	103	70.8	56.3 - 82.0	28	74.5	69.8 - 78.7	218

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
57.3	49.1 - 65.1	87	58.3	51.1 - 65.3	103	58.2	42.3 - 72.5	27	57.9	52.8 - 62.9	217

*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
90.0	83.5 - 94.1	92	83.6	76.6 - 88.8	104	89.4	75.5 - 95.8	29	86.8	82.5 - 90.1	225

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	26.3	19.8 - 34.0	89	30.0	24.2 - 36.5	100	20.6	12.1 - 33.0	29	27.3	23.3 - 31.8	218
b. Students	24.0	17.7 - 31.7	89	25.7	20.2 - 32.1	101	29.5	16.5 - 46.9	29	25.6	21.4 - 30.3	219

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Faculty and staff	34.6	27.6 - 42.4	91	33.0	26.1 - 40.7	100	17.5	9.8 - 29.3	29	31.5	27.0 - 36.5	220
b. Students	32.2	24.8 - 40.5	89	32.5	25.3 - 40.7	101	26.9	14.6 - 44.2	29	31.6	26.7 - 37.1	219

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
30.6	23.5 - 38.8	88	27.2	21.1 - 34.4	99	23.8	12.5 - 40.6	29	28.0	23.5 - 33.0	216

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	5.5	2.7 - 10.8	90	2.0	0.7 - 6.0	100	3.7	0.8 - 16.2	29	3.6	2.0 - 6.1	219
b. Never	1.0	0.2 - 4.4	90	2.0	0.7 - 6.0	100	7.5	2.4 - 20.9	29	2.4	1.2 - 4.7	219
c. Rarely	14.4	10.0 - 20.4	90	22.8	16.9 - 30.1	100	20.6	10.9 - 35.5	29	19.4	15.6 - 23.8	219
d. Sometimes	46.8	39.4 - 54.3	90	46.0	38.6 - 53.5	100	33.8	20.9 - 49.7	29	44.6	39.7 - 49.7	219
e. Always or almost always	32.3	25.7 - 39.7	90	27.1	21.1 - 34.2	100	34.4	21.2 - 50.5	29	30.1	25.7 - 34.9	219

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
14.5	9.7 - 21.0	90	2.9	1.2 - 7.1	100	16.9	8.3 - 31.4	28	9.1	6.6 - 12.5	218	

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.8	77.7 - 88.4	91	45.8	37.7 - 54.1	100	75.0	61.9 - 84.8	29	64.1	59.0 - 68.9	220

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	19.2	13.8 - 26.2	90	8.9	5.6 - 14.0	100	18.8	11.1 - 30.0	28	14.1	11.1 - 17.8	218
b. Other kinds of candy	27.3	20.5 - 35.4	90	13.9	9.8 - 19.4	100	22.7	12.0 - 38.6	28	20.1	16.3 - 24.5	218
c. Salty snacks that are not low in fat (e.g., regular potato chips)	27.1	20.7 - 34.5	90	16.0	11.3 - 22.1	100	11.6	4.7 - 25.9	28	19.6	15.9 - 23.9	218
d. Low sodium or "no added salt" pretzels, crackers, or chips	64.3	56.4 - 71.5	90	28.8	22.3 - 36.4	100	50.6	38.3 - 62.8	28	45.1	40.2 - 50.0	218
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	29.6	23.1 - 37.2	90	13.8	9.3 - 20.1	100	18.2	10.9 - 28.7	28	20.4	16.7 - 24.7	218
f. Ice cream or frozen yogurt that is not low in fat	17.8	12.1 - 25.5	89	5.9	3.1 - 11.0	100	7.8	2.5 - 21.7	28	10.6	7.7 - 14.5	217
g. 2% or whole milk (plain or flavored)	27.5	20.4 - 35.9	90	14.9	9.8 - 22.0	100	18.3	8.9 - 33.9	27	20.1	16.0 - 25.0	217
h. Nonfat or 1% (low-fat) milk (plain)	42.0	33.2 - 51.3	90	17.0	11.5 - 24.5	99	46.7	33.2 - 60.7	28	30.4	25.5 - 35.8	217
i. Water ices or frozen slushes that do not contain juice	15.5	10.5 - 22.2	90	7.9	4.5 - 13.5	100	10.4	4.1 - 24.1	28	11.1	8.2 - 14.8	218
j. Soda pop or fruit drinks that are not 100% juice	42.3	35.3 - 49.7	90	18.9	14.0 - 25.1	100	31.8	20.6 - 45.6	28	29.4	25.4 - 33.9	218
k. Sports drinks (e.g., Gatorade)	63.6	56.8 - 69.9	90	25.8	20.2 - 32.5	100	53.3	40.7 - 65.4	28	43.7	39.4 - 48.1	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	6.7	3.6 - 12.3	89	3.0	1.2 - 7.2	100	3.4	0.7 - 14.8	27	4.5	2.7 - 7.2	216
m. Bottled water	79.1	72.3 - 84.6	90	42.8	35.0 - 51.0	100	70.2	55.3 - 81.8	28	60.1	54.9 - 65.0	218
n. 100% fruit or vegetable juice	58.9	52.0 - 65.4	90	22.8	16.4 - 30.9	100	50.0	38.2 - 61.8	28	40.0	35.3 - 44.8	218
o. Foods or beverages containing caffeine	47.6	40.4 - 55.0	90	11.0	7.9 - 15.0	100	28.6	16.5 - 44.7	28	27.1	23.4 - 31.2	218
p. Fruits (not fruit juice)	38.7	31.0 - 46.9	90	17.9	12.5 - 25.0	100	45.5	30.5 - 61.4	28	29.3	24.7 - 34.4	218
q. Non-fried vegetables (not vegetable juice)	29.2	21.8 - 37.9	90	7.9	4.5 - 13.5	100	24.7	13.6 - 40.5	28	18.2	14.3 - 22.7	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	16.0	11.0 - 22.6	91	9.4	5.5 - 15.4	97	14.2	7.7 - 24.7	27	12.6	9.5 - 16.4	215
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	57.7	48.4 - 66.4	90	36.2	28.7 - 44.4	97	46.1	31.3 - 61.7	28	45.7	40.2 - 51.4	215
c. Provided information to students or families on the nutrition and caloric content of foods available	67.3	59.7 - 74.1	90	58.4	50.0 - 66.3	96	61.0	46.8 - 73.6	28	62.2	56.9 - 67.2	214
d. Conducted taste tests to determine food preferences for nutritious items	40.9	33.3 - 49.0	90	26.7	20.6 - 33.9	97	46.1	33.0 - 59.8	28	34.7	30.1 - 39.6	215
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	21.4	15.5 - 28.8	90	9.3	5.5 - 15.3	97	22.0	11.0 - 39.2	28	15.6	12.1 - 20.0	215
f. Served locally or regionally grown foods in the cafeteria or classrooms	31.1	23.7 - 39.5	89	37.3	29.8 - 45.3	97	28.6	16.6 - 44.6	28	33.7	28.7 - 39.1	214
g. Planted a school food or vegetable garden	20.9	14.9 - 28.7	90	19.8	14.0 - 27.2	96	18.2	10.5 - 29.6	28	20.0	16.0 - 24.7	214
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	82.4	75.3 - 87.8	91	80.7	74.0 - 86.0	99	81.8	67.0 - 90.9	28	81.5	77.1 - 85.2	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	74.5	66.2 - 81.3	89	75.8	68.1 - 82.1	99	63.7	48.8 - 76.3	28	73.7	68.6 - 78.3	216
j. Offered a self-serve salad bar to students	47.8	38.9 - 56.8	89	39.1	31.8 - 47.0	97	57.1	40.0 - 72.7	28	44.8	39.3 - 50.4	214
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	37.5	29.8 - 45.8	89	39.4	32.2 - 47.2	98	39.0	24.0 - 56.3	28	38.6	33.5 - 44.0	215
l. Encouraged students to drink plain water	71.7	63.5 - 78.8	90	80.1	72.8 - 85.8	96	74.1	56.9 - 86.1	28	76.1	71.0 - 80.5	214
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	27.3	20.8 - 35.1	87	25.5	19.2 - 32.9	98	21.4	14.4 - 30.7	28	25.6	21.4 - 30.3	213
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	50.1	42.1 - 58.0	89	36.9	29.6 - 44.9	98	29.8	21.2 - 40.1	28	41.0	36.0 - 46.1	215

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	56.4	47.3 - 65.0	90	56.7	50.2 - 63.0	99	39.3	26.6 - 53.6	29	54.2	49.3 - 59.2	218
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	37.5	30.2 - 45.5	90	49.7	43.4 - 56.0	99	33.0	22.2 - 45.9	29	42.9	38.4 - 47.4	218
c. On school buses or other vehicles used to transport students	66.6	57.2 - 74.8	90	65.8	59.0 - 71.9	99	46.2	33.2 - 59.6	29	63.4	58.3 - 68.2	218
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	44.2	36.2 - 52.6	90	57.1	50.0 - 63.9	100	21.2	11.0 - 37.0	29	47.4	42.6 - 52.4	219
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	48.7	40.4 - 57.1	90	58.1	51.1 - 64.9	100	35.6	22.3 - 51.5	29	51.6	46.5 - 56.6	219

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	68.2	60.1 - 75.3	90	44.6	37.7 - 51.7	99	71.6	54.3 - 84.3	28	57.1	52.0 - 62.0	217
b. Yes, in certain locations	26.1	19.4 - 34.2	90	36.5	29.6 - 44.1	99	25.2	13.5 - 42.0	28	31.1	26.3 - 36.3	217
c. No	5.7	2.8 - 11.2	90	18.9	13.8 - 25.4	99	3.2	0.7 - 14.2	28	11.8	8.9 - 15.6	217

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
94.3	88.8 - 97.2	90	81.1	74.6 - 86.2	99	96.8	85.8 - 99.3	28	88.2	84.4 - 91.1	217

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	91.1	85.0 - 94.9	91	89.7	84.8 - 93.2	98	83.7	69.5 - 92.0	29	89.4	85.9 - 92.1	218
b. Cafeteria during lunch	92.3	86.5 - 95.7	91	89.7	84.8 - 93.2	98	83.7	69.5 - 92.0	29	89.9	86.5 - 92.5	218
c. Gymnasium or other indoor physical activity facilities	97.8	93.6 - 99.3	88	93.9	88.8 - 96.8	100	96.9	86.2 - 99.3	29	95.8	93.0 - 97.5	217
d. Outdoor physical activity facilities and sports fields	86.2	80.4 - 90.5	87	79.0	71.8 - 84.8	100	85.7	75.7 - 92.0	28	82.6	78.3 - 86.1	215
e. Hallways throughout the school	100.0	†	90	99.0	95.4 - 99.8	100	100.0	†	29	99.5	97.7 - 99.9	219

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.8	71.9 - 84.5	91	78.1	71.2 - 83.8	100	64.4	48.8 - 77.5	29	76.6	71.9 - 80.7	220

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
44.9	36.4 - 53.7	91	31.2	24.7 - 38.5	99	38.1	25.6 - 52.4	29	37.4	32.4 - 42.5	219

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
27.3	20.8 - 35.0	91	29.9	23.6 - 37.2	100	9.4	3.7 - 22.0	29	26.2	22.0 - 30.9	220

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. HIV testing	1.0	0.2 - 4.4	90	1.0	0.2 - 4.7	100	3.3	0.7 - 14.3	28	1.3	0.5 - 3.2	218
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	90	0.0	†	99	0.0	†	28	0.0	†	217
c. STD testing	1.0	0.2 - 4.4	90	1.0	0.2 - 4.7	99	3.3	0.7 - 14.3	28	1.3	0.5 - 3.2	217
d. STD treatment	1.0	0.2 - 4.4	90	1.0	0.2 - 4.7	99	0.0	†	28	0.9	0.3 - 2.6	217
e. Pregnancy testing	1.0	0.2 - 4.4	90	2.1	0.7 - 6.0	97	6.5	2.1 - 18.4	28	2.2	1.1 - 4.4	215
f. Provision of condoms	0.0	†	90	0.0	†	98	0.0	†	28	0.0	†	216
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	90	0.0	†	99	0.0	†	28	0.0	†	217
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	90	0.0	†	98	0.0	†	28	0.0	†	216
i. Prenatal care	1.3	0.3 - 5.8	85	0.0	†	95	0.0	†	27	0.5	0.1 - 2.2	207
j. Human papillomavirus (HPV) vaccine administration	2.4	0.8 - 7.0	89	0.0	†	98	0.0	†	28	0.9	0.3 - 2.7	215

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	33.6	25.7 - 42.5	77	18.1	12.4 - 25.6	88	34.4	18.7 - 54.6	23	25.9	21.1 - 31.3	188
b. HIV treatment (ongoing medical care for persons living with HIV)	41.7	34.1 - 49.9	90	23.1	16.9 - 30.6	95	44.6	28.7 - 61.6	27	33.1	28.3 - 38.3	212
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	40.3	32.6 - 48.5	90	23.1	16.9 - 30.6	95	44.6	28.7 - 61.6	27	32.5	27.7 - 37.8	212
d. STD testing	36.0	27.7 - 45.2	75	20.5	14.4 - 28.3	87	34.4	18.7 - 54.6	23	28.0	23.0 - 33.6	185
e. STD treatment	36.4	28.0 - 45.7	74	20.3	14.2 - 28.0	88	39.2	23.8 - 57.1	23	28.5	23.6 - 34.0	185
f. Pregnancy testing	38.4	29.6 - 48.0	73	22.2	15.8 - 30.3	85	46.2	28.7 - 64.7	22	31.1	25.9 - 36.9	180
g. Provision of condoms	27.7	20.3 - 36.5	79	16.7	11.4 - 24.0	89	30.4	16.0 - 50.0	23	22.5	18.0 - 27.7	191

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	26.3	19.2 - 34.9	79	17.9	12.3 - 25.3	89	30.4	16.0 - 50.0	23	22.6	18.1 - 27.8	191
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	26.3	19.2 - 34.9	79	17.9	12.3 - 25.3	89	30.4	16.0 - 50.0	23	22.6	18.1 - 27.8	191
j. Prenatal care	42.9	33.3 - 53.1	68	20.3	14.1 - 28.3	83	46.2	28.7 - 64.7	22	31.7	26.4 - 37.5	173
k. Human papillomavirus (HPV) vaccine administration	51.0	42.2 - 59.7	90	28.6	21.9 - 36.3	94	48.6	33.3 - 64.2	27	39.9	34.8 - 45.3	211

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
62.4	54.8 - 69.5	90	54.1	46.5 - 61.5	96	67.7	53.2 - 79.5	28	59.1	54.1 - 63.9	214

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	100.0	†	91	96.0	91.4 - 98.2	99	100.0	†	28	98.0	95.8 - 99.1	218
b. Food allergies	100.0	†	91	97.0	92.7 - 98.8	99	100.0	†	28	98.5	96.4 - 99.4	218
c. Diabetes	100.0	†	91	97.0	92.7 - 98.8	99	100.0	†	27	98.5	96.4 - 99.4	217
d. Epilepsy or seizure disorder	100.0	†	91	96.0	91.4 - 98.2	99	100.0	†	27	98.0	95.7 - 99.1	217
e. Obesity	38.4	31.6 - 45.8	91	22.2	16.1 - 29.7	99	31.6	19.1 - 47.6	27	29.6	25.1 - 34.5	217
f. Hypertension/high blood pressure	79.6	72.1 - 85.4	91	65.2	57.7 - 72.1	98	69.8	53.1 - 82.5	27	71.4	66.3 - 75.9	216

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	50.0	41.6 - 58.3	91	39.0	31.5 - 47.1	97	42.0	27.8 - 57.6	28	43.6	38.4 - 49.0	216
b. Food allergies	49.0	40.8 - 57.2	91	39.0	31.5 - 47.1	97	42.0	27.8 - 57.6	28	43.3	38.0 - 48.6	216
c. Diabetes	50.2	41.5 - 58.8	91	39.0	31.5 - 47.1	97	42.0	27.8 - 57.6	28	43.7	38.4 - 49.2	216
d. Epilepsy or seizure disorder	49.0	40.6 - 57.5	91	39.0	31.5 - 47.1	97	42.0	27.8 - 57.6	28	43.3	38.0 - 48.7	216
e. Obesity	35.6	28.3 - 43.7	91	25.7	19.2 - 33.6	97	34.9	22.4 - 49.9	28	30.8	26.0 - 35.9	216
f. Hypertension/high blood pressure	44.8	36.5 - 53.4	91	33.2	26.0 - 41.4	96	38.7	25.0 - 54.6	28	38.4	33.2 - 43.9	215

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	84.3	77.2 - 89.5	82	84.7	78.0 - 89.7	91	78.2	61.7 - 88.9	26	83.7	79.2 - 87.4	199
b. Parental consent is required before any sexual or reproductive health services are provided	13.1	8.6 - 19.4	82	7.7	4.3 - 13.5	91	7.0	2.3 - 19.8	26	9.7	6.9 - 13.3	199
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	82	1.1	0.2 - 4.9	91	7.0	2.4 - 19.2	26	1.5	0.6 - 3.5	199
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	1.3	0.3 - 6.0	82	1.1	0.2 - 4.9	91	7.7	2.5 - 21.6	26	2.0	0.9 - 4.4	199
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.3	0.3 - 6.0	82	5.4	2.7 - 10.7	91	0.0	†	26	3.2	1.7 - 5.9	199
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	82	0.0	†	91	0.0	†	26	0.0	†	199

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	50.9	40.7 - 61.1	65	74.5	65.7 - 81.7	82	59.3	39.3 - 76.7	20	64.3	58.1 - 70.1	167
b. Parental consent is required before any sexual or reproductive health services are referred	33.6	24.9 - 43.7	65	18.3	12.4 - 26.1	82	19.5	8.2 - 39.5	20	23.9	19.0 - 29.5	167
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	1.3	0.3 - 6.1	65	2.4	0.8 - 6.9	82	11.0	3.9 - 27.3	20	3.0	1.5 - 6.0	167
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	10.9	5.9 - 19.0	65	1.2	0.3 - 5.6	82	4.7	0.9 - 20.0	20	5.1	3.0 - 8.4	167
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	1.6	0.4 - 7.3	65	3.6	1.5 - 8.7	82	5.5	1.2 - 21.7	20	3.2	1.6 - 6.2	167
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	1.6	0.3 - 7.5	65	0.0	†	82	0.0	†	20	0.6	0.1 - 2.7	167

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	16.6	11.6 - 23.2	90	25.0	19.0 - 32.1	100	21.2	11.0 - 37.0	29	21.3	17.4 - 25.9	219
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	36.8	28.3 - 46.2	89	62.9	54.9 - 70.3	100	28.1	15.3 - 45.7	29	48.5	43.0 - 54.0	218
c. Involved parents as school volunteers in the delivery of health education activities and services	20.7	15.2 - 27.5	89	15.9	11.7 - 21.2	100	20.6	12.1 - 32.9	29	18.3	15.0 - 22.2	218
d. Linked parents and families to health services and programs in the community	61.0	52.1 - 69.1	89	71.9	64.6 - 78.1	100	61.9	44.9 - 76.4	29	66.5	61.1 - 71.4	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.3	77.4 - 89.4	90	83.8	77.3 - 88.7	99	76.2	59.4 - 87.5	29	83.0	78.6 - 86.6	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
47.6	39.9 - 55.3	90	46.4	39.0 - 54.0	99	41.8	26.3 - 59.2	29	46.3	41.1 - 51.5	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
79.3	71.7 - 85.3	90	69.9	62.6 - 76.3	99	80.0	64.9 - 89.6	29	74.8	70.0 - 79.1	218

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
97.7	93.3 - 99.2	91	73.8	66.5 - 80.0	99	96.9	86.2 - 99.3	29	86.0	82.1 - 89.2	219

INDIANA

2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
43.7	36.1 - 51.6	90	29.4	22.6 - 37.3	99	43.8	34.0 - 54.2	29	36.7	32.0 - 41.7	218