

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Physical education and physical activity	41.3	34.1 - 48.9	104	33.3	26.8 - 40.7	123	44.5	30.9 - 59.1	33	38.0	33.2 - 42.9	260
b. Nutrition	43.6	36.0 - 51.4	103	31.2	25.1 - 38.0	122	53.9	38.7 - 68.5	33	39.2	34.5 - 44.1	258
c. Tobacco-use prevention	48.6	40.5 - 56.8	103	39.5	33.0 - 46.4	124	59.5	46.7 - 71.1	33	45.8	41.1 - 50.7	260
d. Alcohol- and other drug-use prevention	48.6	40.5 - 56.8	103	41.1	34.8 - 47.8	124	55.1	41.2 - 68.2	32	45.9	41.1 - 50.7	259
e. Chronic health conditions (e.g., asthma, food allergies)	20.8	15.4 - 27.6	103	19.5	14.4 - 25.9	123	35.8	24.8 - 48.6	33	22.4	18.7 - 26.7	259
f. Unintentional injury and violence prevention (safety)	32.7	26.0 - 40.2	104	25.4	19.5 - 32.3	122	44.5	32.3 - 57.5	33	31.0	26.7 - 35.6	259
g. Sexual health, including HIV, other STD, and pregnancy prevention	32.2	26.1 - 39.1	104	30.1	24.3 - 36.6	123	53.3	41.0 - 65.2	33	34.3	30.2 - 38.7	260

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Health education	28.7	22.6 - 35.6	108	30.4	24.8 - 36.7	125	40.2	27.4 - 54.6	32	31.2	27.1 - 35.6	265
b. Physical education	28.7	22.4 - 36.0	108	25.8	20.3 - 32.2	124	43.5	29.6 - 58.5	32	29.4	25.3 - 34.0	264
c. Physical activity	16.7	11.8 - 23.1	108	17.1	12.4 - 23.2	123	33.9	20.3 - 50.7	32	19.4	15.7 - 23.7	263
d. School meal programs	20.0	14.5 - 27.0	108	17.7	13.1 - 23.5	124	25.1	14.5 - 39.8	31	19.6	16.0 - 23.8	263
e. Foods and beverages available at school outside the school meal programs	19.4	14.6 - 25.4	108	12.2	8.4 - 17.3	123	28.4	17.1 - 43.3	30	17.2	13.9 - 20.9	261
f. Health services	29.0	23.3 - 35.5	107	25.2	19.8 - 31.6	123	49.2	34.4 - 64.2	32	30.1	26.1 - 34.6	262
g. Counseling, psychological, and social services	63.7	55.9 - 70.8	108	54.8	48.4 - 61.1	124	71.5	57.2 - 82.6	32	60.6	55.9 - 65.1	264
h. Physical environment	47.0	39.3 - 54.9	105	42.7	36.5 - 49.2	124	58.7	43.7 - 72.2	32	46.6	41.9 - 51.4	261
i. Social and emotional climate	73.4	65.7 - 79.9	108	72.1	65.1 - 78.1	125	77.5	67.7 - 85.0	32	73.4	68.8 - 77.4	265
j. Family engagement	61.5	54.0 - 68.6	107	71.2	65.0 - 76.7	125	63.9	50.4 - 75.5	31	66.6	62.1 - 70.7	263
k. Community involvement	64.9	57.5 - 71.7	108	65.7	59.2 - 71.6	125	60.5	48.4 - 71.5	31	64.7	60.2 - 68.9	264
l. Employee wellness	23.0	16.8 - 30.6	107	26.0	20.7 - 32.2	123	30.7	19.8 - 44.2	31	25.5	21.6 - 30.0	261

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
47.4	40.3 - 54.5	103	31.9	26.3 - 38.2	119	50.9	36.7 - 64.9	33	40.6	36.2 - 45.1	255

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Reviewed district's local wellness policy	95.3	92.2 - 97.2	109	87.4	82.2 - 91.3	127	100.0	†	31	92.1	89.4 - 94.2	267
b. Helped revise district's local wellness policy	73.4	67.3 - 78.8	109	55.5	48.5 - 62.2	126	89.9	76.9 - 96.0	31	67.0	62.7 - 71.1	266
c. Communicated to school staff about district's local wellness policy	84.4	78.2 - 89.1	109	81.0	75.4 - 85.6	126	96.6	85.5 - 99.3	31	84.5	80.9 - 87.5	266
d. Communicated to parents and families about district's local wellness policy	74.7	67.6 - 80.6	108	66.7	59.7 - 73.1	126	80.7	69.1 - 88.7	31	71.7	67.2 - 75.8	265
e. Communicated to students about district's local wellness policy	76.5	70.3 - 81.7	107	66.5	59.4 - 72.9	125	80.7	69.1 - 88.7	31	72.2	67.9 - 76.2	263
f. Measured school's compliance with district's local wellness policy	73.6	67.2 - 79.2	108	59.9	52.4 - 66.9	127	84.1	70.0 - 92.3	31	68.4	63.7 - 72.7	266
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	56.7	49.9 - 63.3	108	47.2	40.8 - 53.6	125	79.9	65.0 - 89.5	30	55.2	50.8 - 59.5	263

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.5	84.3 - 93.1	107	90.5	85.5 - 94.0	127	96.7	85.9 - 99.3	32	91.0	88.0 - 93.4	266

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
54.7	47.9 - 61.4	107	51.6	44.8 - 58.3	126	67.1	53.7 - 78.1	31	54.9	50.4 - 59.4	264

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	86.3	77.3 - 92.0	58	70.2	61.0 - 78.1	64	86.1	70.7 - 94.1	21	78.9	73.3 - 83.6	143
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	86.5	77.7 - 92.2	58	79.9	72.7 - 85.6	65	86.1	70.7 - 94.1	21	83.4	78.5 - 87.4	144
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	79.4	69.5 - 86.7	58	63.0	53.8 - 71.4	65	87.2	74.9 - 93.9	21	73.2	67.4 - 78.3	144
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	91.7	84.2 - 95.8	57	83.0	75.3 - 88.6	65	96.0	82.8 - 99.2	21	88.4	84.0 - 91.7	143
e. Reviewed health-related curricula or instructional materials	73.7	65.1 - 80.8	58	84.6	76.5 - 90.2	65	71.4	53.2 - 84.6	21	78.3	72.8 - 83.0	144

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Included before- or after-school settings as part of the School Improvement Plan	31.2	24.4 - 39.0	107	32.5	27.0 - 38.5	123	49.6	35.3 - 63.9	30	34.4	30.1 - 38.9	260
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	37.7	30.6 - 45.5	108	40.3	33.9 - 47.0	124	58.4	44.6 - 70.9	31	41.8	37.2 - 46.5	263
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	41.0	33.7 - 48.7	108	62.3	56.1 - 68.2	125	56.4	40.9 - 70.8	32	53.4	48.8 - 58.0	265

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.4	58.2 - 70.2	106	26.4	21.3 - 32.2	125	41.1	28.3 - 55.2	29	42.7	38.8 - 46.7	260

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
			N			N			N			N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	91.4	86.8 - 94.6	108	86.4	81.0 - 90.5	125	78.3	63.8 - 88.1	32	87.2	83.6 - 90.0	265
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.0	94.3 - 99.3	108	97.6	94.4 - 99.0	126	100.0	†	32	98.1	96.3 - 99.0	266
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	82.6	76.0 - 87.8	107	74.4	68.3 - 79.6	125	72.3	57.5 - 83.5	32	77.2	72.9 - 80.9	264
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	61.0	53.7 - 67.9	108	49.5	42.9 - 56.2	125	59.1	43.5 - 73.1	32	55.2	50.5 - 59.9	265
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	72.5	65.6 - 78.5	108	63.2	57.6 - 68.4	125	50.6	37.3 - 63.9	31	64.9	60.8 - 68.9	264

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.0	94.3 - 99.3	108	97.6	96.0 - 98.6	126	100.0	†	32	98.1	96.8 - 98.9	266

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.3	89.6 - 97.0	108	97.6	94.3 - 99.0	126	96.7	85.9 - 99.3	32	96.3	94.0 - 97.7	266

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.2	94.8 - 99.4	108	99.2	96.3 - 99.8	126	96.9	86.5 - 99.3	32	98.5	96.8 - 99.3	266

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Sixth grade	§	§	§	89.2	82.4 - 93.5	83	-	-	7	90.2	83.9 - 94.1	90
b. Seventh grade	§	§	§	91.0	86.5 - 94.1	122	96.7	86.2 - 99.3	30	92.2	88.5 - 94.8	152
c. Eighth grade	§	§	§	90.1	85.3 - 93.4	121	96.8	86.7 - 99.3	31	91.6	87.8 - 94.3	152
d. Ninth grade	94.2	89.4 - 96.9	105	-	-	1	90.3	78.0 - 96.1	32	93.2	88.7 - 96.0	138
e. Tenth grade	46.5	39.1 - 54.1	102	§	§	§	38.3	27.2 - 50.8	31	44.2	38.0 - 50.7	133
f. Eleventh grade	21.0	15.7 - 27.4	100	§	§	§	23.5	13.9 - 36.9	29	21.6	16.8 - 27.4	129
g. Twelfth grade	20.3	15.1 - 26.7	99	§	§	§	23.5	13.9 - 36.9	29	21.2	16.4 - 26.9	128

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
76.0	69.4 - 81.5	107	68.8	62.1 - 74.8	122	86.9	77.9 - 92.6	31	74.1	69.9 - 77.8	260

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	82.7	76.2 - 87.7	108	80.7	74.9 - 85.3	124	84.1	70.0 - 92.3	32	81.9	78.0 - 85.3	264
b. Require physical education teachers to follow a written physical education curriculum	90.2	84.7 - 93.9	108	78.4	72.6 - 83.3	125	84.1	70.0 - 92.3	32	83.7	79.9 - 86.8	265
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	64.5	58.4 - 70.2	108	45.5	39.1 - 52.1	125	66.1	51.5 - 78.1	32	55.6	51.3 - 59.9	265
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	5.5	2.9 - 10.2	107	8.0	5.2 - 12.2	124	3.2	0.7 - 14.0	31	6.4	4.5 - 9.0	262
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	97.6	94.3 - 99.0	108	98.4	95.3 - 99.5	124	100.0	†	31	98.3	96.7 - 99.2	263
f. Limit physical education class sizes so that they are the same size as other subject areas	59.6	51.2 - 67.5	108	65.6	59.1 - 71.5	125	57.9	43.7 - 70.9	31	62.2	57.4 - 66.9	264
g. Have a dedicated budget for physical education materials and equipment	88.4	82.6 - 92.5	108	83.0	76.8 - 87.7	123	73.9	63.4 - 82.1	31	83.8	80.0 - 86.9	262

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	83.8	78.6 - 88.0	108	75.1	69.0 - 80.3	124	80.8	66.0 - 90.1	32	79.2	75.3 - 82.6	264
i. Include students with disabilities in regular physical education courses as appropriate	99.2	96.4 - 99.8	108	99.2	96.3 - 99.8	125	96.6	85.6 - 99.3	31	98.8	97.2 - 99.5	264

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
42.5	35.2 - 50.3	108	44.7	38.1 - 51.6	125	43.2	31.1 - 56.2	32	43.7	39.0 - 48.5	265

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
38.0	30.7 - 45.8	108	59.3	53.5 - 64.9	123	62.1	47.9 - 74.5	32	51.6	47.2 - 56.0	263

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.0	82.5 - 91.9	108	83.2	76.8 - 88.1	125	80.9	69.2 - 88.9	32	84.7	80.8 - 87.9	265

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Before the school day	69.7	62.5 - 76.1	106	34.0	28.1 - 40.5	121	67.5	50.9 - 80.6	31	52.4	47.8 - 56.8	258
b. After the school day	88.8	82.8 - 92.9	107	89.4	84.5 - 92.9	123	94.3	83.9 - 98.1	32	89.9	86.7 - 92.4	262

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	66.2	59.6 - 72.2	107	56.8	50.5 - 63.0	125	50.7	35.5 - 65.7	32	59.5	54.9 - 63.8	264
b. Kitchen facilities and equipment	22.2	17.1 - 28.2	108	16.8	12.0 - 23.1	125	28.1	18.7 - 39.8	32	20.4	17.0 - 24.4	265
c. Gardens	10.3	6.7 - 15.4	106	13.0	9.6 - 17.5	123	18.5	9.5 - 33.0	32	12.8	10.1 - 16.1	261

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
12.7	8.5 - 18.6	108	10.5	7.0 - 15.4	124	31.1	19.4 - 45.8	32	14.3	11.3 - 18.0	264

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
39.3	32.5 - 46.4	108	43.9	37.1 - 51.0	123	49.5	37.0 - 62.0	32	42.9	38.4 - 47.6	263

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	106	97.6	94.2 - 99.0	123	100.0	†	32	98.8	97.2 - 99.5	261

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Cigarettes	100.0	†	105	96.7	92.9 - 98.5	120	100.0	†	32	98.4	96.6 - 99.3	257
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	100.0	†	105	95.0	90.8 - 97.3	120	100.0	†	32	97.6	95.6 - 98.7	257
c. Cigars	98.0	94.3 - 99.3	105	92.5	87.8 - 95.5	121	96.9	86.5 - 99.3	32	95.2	92.7 - 96.9	258
d. Pipes	98.0	94.3 - 99.3	105	91.7	87.4 - 94.6	121	96.9	86.5 - 99.3	32	94.8	92.4 - 96.5	258
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	105	94.1	89.5 - 96.7	118	100.0	†	32	97.2	95.0 - 98.4	255

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	105	96.7	93.0 - 98.5	121	100.0	†	32	98.4	96.6 - 99.3	258
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	100.0	†	105	95.0	90.8 - 97.3	120	100.0	†	32	97.6	95.6 - 98.7	257
c. Cigars	98.0	94.3 - 99.3	105	93.3	88.6 - 96.1	119	96.9	86.5 - 99.3	32	95.6	93.1 - 97.2	256
d. Pipes	98.0	94.3 - 99.3	105	92.5	88.4 - 95.2	120	96.9	86.5 - 99.3	32	95.2	92.9 - 96.8	257
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	98.0	94.3 - 99.3	105	93.2	88.5 - 96.1	118	100.0	†	32	96.1	93.6 - 97.6	255

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	100.0	†	105	96.7	92.9 - 98.5	120	100.0	†	32	98.4	96.6 - 99.3	257
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	100.0	†	105	93.3	88.7 - 96.1	120	100.0	†	32	96.8	94.6 - 98.2	257
c. Cigars	98.0	94.3 - 99.3	105	93.2	88.6 - 96.1	119	96.9	86.5 - 99.3	32	95.6	93.1 - 97.2	256
d. Pipes	98.0	94.3 - 99.3	105	92.4	88.3 - 95.2	119	96.9	86.5 - 99.3	32	95.2	92.9 - 96.8	256
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	98.0	94.1 - 99.3	101	92.3	87.3 - 95.4	117	100.0	†	31	95.5	93.0 - 97.2	249

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	104	97.5	94.1 - 99.0	121	100.0	†	32	98.8	97.2 - 99.5	257
b. During non-school hours	95.2	90.5 - 97.6	103	90.8	85.6 - 94.3	120	96.9	86.5 - 99.3	32	93.3	90.4 - 95.4	255

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	99.0	95.4 - 99.8	105	97.5	94.1 - 99.0	121	100.0	†	32	98.4	96.7 - 99.3	258
b. During non-school hours	87.4	81.1 - 91.8	103	80.9	74.4 - 86.0	120	87.3	74.7 - 94.2	32	84.3	80.2 - 87.6	255

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.2	96.3 - 99.8	105	96.7	93.0 - 98.5	121	96.9	86.5 - 99.3	32	97.7	95.6 - 98.8	258
b. During non-school hours	88.6	83.1 - 92.4	104	80.9	74.4 - 86.0	120	90.5	78.1 - 96.2	32	85.2	81.3 - 88.3	256

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	104	97.5	94.0 - 99.0	119	100.0	†	32	98.8	97.1 - 99.5	255
b. Outside on school grounds, including parking lots and playing fields	100.0	†	104	97.5	94.0 - 99.0	118	100.0	†	32	98.8	97.1 - 99.5	254
c. On school buses or other vehicles used to transport students	100.0	†	104	96.6	92.9 - 98.5	119	100.0	†	32	98.4	96.6 - 99.3	255
d. At off-campus, school-sponsored events	100.0	†	104	93.2	88.5 - 96.0	118	100.0	†	32	96.8	94.5 - 98.1	254

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	104	97.5	94.0 - 99.0	119	100.0	†	32	98.8	97.1 - 99.5	255
b. Outside on school grounds, including parking lots and playing fields	100.0	†	104	95.7	91.7 - 97.9	117	100.0	†	32	98.0	96.1 - 99.0	253
c. On school buses or other vehicles used to transport students	100.0	†	104	94.9	90.7 - 97.3	119	100.0	†	32	97.6	95.5 - 98.7	255
d. At off-campus, school-sponsored events	95.9	91.4 - 98.1	103	89.8	84.4 - 93.4	118	93.6	82.3 - 97.9	32	92.7	89.6 - 94.9	253

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	104	97.5	94.0 - 99.0	118	100.0	†	32	98.8	97.1 - 99.5	254
b. Outside on school grounds, including parking lots and playing fields	99.0	95.6 - 99.8	104	96.5	92.7 - 98.4	116	96.7	85.9 - 99.3	32	97.5	95.4 - 98.7	252
c. On school buses or other vehicles used to transport students	100.0	†	103	94.0	89.6 - 96.7	118	96.6	85.5 - 99.3	31	96.7	94.3 - 98.1	252
d. At off-campus, school-sponsored events	82.7	76.2 - 87.6	102	81.7	75.7 - 86.5	115	74.2	58.8 - 85.3	31	81.0	76.8 - 84.5	248

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
71.4	64.2 - 77.6	100	62.6	55.0 - 69.6	115	61.3	50.4 - 71.1	31	65.7	60.9 - 70.1	246

*Responses to question 25 (a, b, c, and d), question 26 (a and b), and question 27 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

TOBVAPE. Percentage of schools that follow a policy that mandates a “tobacco-free environment” including prohibiting electronic vapor products. A “tobacco-free environment” is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.2	63.0 - 76.5	96	60.5	53.1 - 67.4	114	60.2	49.8 - 69.7	30	64.0	59.3 - 68.4	240

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	5.0	2.9 - 8.4	105	4.9	2.6 - 9.1	121	6.4	2.1 - 17.7	32	5.2	3.5 - 7.6	258
b. Never	0.0	†	105	2.5	1.0 - 6.0	121	3.3	0.7 - 14.1	32	1.7	0.8 - 3.6	258
c. Rarely	12.0	7.8 - 18.0	105	23.1	17.6 - 29.6	121	18.7	9.6 - 33.1	32	18.3	14.7 - 22.4	258
d. Sometimes	56.9	50.0 - 63.6	105	52.9	45.7 - 60.0	121	44.1	31.9 - 57.1	32	53.1	48.4 - 57.8	258
e. Always or almost always	26.1	20.0 - 33.2	105	16.6	11.9 - 22.7	121	27.5	16.9 - 41.5	32	21.8	18.0 - 26.0	258

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
82.6	75.7 - 87.9	106	42.1	35.1 - 49.4	124	68.7	53.6 - 80.6	32	61.1	56.4 - 65.6	262

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	18.5	12.9 - 25.9	105	15.5	10.8 - 21.7	123	16.5	7.9 - 31.0	30	16.8	13.2 - 21.1	258
b. Other kinds of candy	23.8	17.5 - 31.4	105	14.7	10.2 - 20.8	123	23.1	12.9 - 38.0	30	19.3	15.5 - 23.7	258
c. Salty snacks that are not low in fat (e.g., regular potato chips)	34.3	27.9 - 41.3	105	20.4	15.3 - 26.7	123	13.1	5.8 - 26.8	30	24.6	20.9 - 28.9	258
d. Low sodium or "no added salt" pretzels, crackers, or chips	68.1	60.1 - 75.1	105	31.5	25.5 - 38.2	124	42.2	29.5 - 56.1	30	46.7	42.1 - 51.3	259
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	30.1	23.5 - 37.5	105	23.5	17.9 - 30.2	124	16.5	7.9 - 31.0	30	25.0	21.0 - 29.5	259
f. Ice cream or frozen yogurt that is not low in fat	16.3	11.4 - 22.6	105	14.5	10.5 - 19.8	124	9.8	3.9 - 22.5	30	14.5	11.5 - 18.1	259
g. 2% or whole milk (plain or flavored)	27.0	20.4 - 34.7	104	16.2	12.1 - 21.3	124	16.5	8.2 - 30.3	30	20.2	16.7 - 24.3	258
h. Nonfat or 1% (low-fat) milk (plain)	44.6	36.9 - 52.5	104	22.0	17.0 - 27.9	123	30.0	19.7 - 42.8	30	31.5	27.4 - 36.0	257
i. Water ices or frozen slushes that do not contain juice	13.5	9.6 - 18.8	104	12.3	8.4 - 17.5	123	19.9	10.7 - 34.1	30	13.8	10.9 - 17.4	257
j. Soda pop or fruit drinks that are not 100% juice	48.9	41.8 - 56.1	103	17.0	12.3 - 23.0	124	23.3	13.4 - 37.4	30	29.7	25.8 - 33.9	257
k. Sports drinks (e.g., Gatorade)	68.7	61.5 - 75.1	104	25.0	19.4 - 31.6	124	46.6	34.0 - 59.6	30	44.3	40.0 - 48.6	258

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
l. Energy drinks (e.g., Red Bull, Monster)	7.5	4.3 - 12.8	105	2.5	1.0 - 5.9	123	13.3	6.2 - 26.4	29	5.8	3.9 - 8.6	257
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	81.1	74.3 - 86.4	103	37.2	30.8 - 44.1	124	56.1	41.8 - 69.4	30	56.1	51.6 - 60.5	257
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	66.8	58.8 - 74.1	105	18.6	13.8 - 24.6	124	49.5	36.3 - 62.8	30	40.9	36.6 - 45.3	259
o. 100% fruit or vegetable juice	60.2	51.8 - 68.1	105	25.1	20.1 - 30.8	124	46.0	31.4 - 61.4	30	41.1	36.6 - 45.8	259
p. Foods or beverages containing caffeine	51.9	44.6 - 59.1	105	16.1	11.6 - 22.0	124	26.1	17.1 - 37.5	30	30.9	27.1 - 35.0	259
q. Fruits (not fruit juice)	38.5	30.8 - 46.8	105	21.9	17.2 - 27.4	124	32.8	21.8 - 46.0	30	29.6	25.5 - 34.0	259
r. Non-fried vegetables (not vegetable juice)	28.1	21.2 - 36.2	105	20.2	15.4 - 26.1	124	22.7	14.1 - 34.5	30	23.5	19.6 - 27.9	259

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	21.1	16.0 - 27.4	105	13.9	9.8 - 19.4	123	27.5	15.7 - 43.6	32	18.6	15.1 - 22.6	260
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	54.0	45.9 - 61.9	105	32.4	26.8 - 38.4	124	42.9	29.4 - 57.6	32	41.9	37.4 - 46.6	261
c. Provided information to students or families on the nutrition and caloric content of foods available	68.3	60.5 - 75.1	105	60.5	53.7 - 67.0	124	59.0	46.1 - 70.7	32	63.2	58.5 - 67.6	261
d. Conducted taste tests to determine food preferences for nutritious items	43.3	35.8 - 51.1	105	31.6	25.3 - 38.6	124	39.9	27.3 - 54.0	32	37.1	32.5 - 42.0	261
e. Served locally or regionally grown foods in the cafeteria or classrooms	41.2	33.8 - 49.0	104	30.7	24.7 - 37.5	124	39.8	25.9 - 55.6	32	35.9	31.3 - 40.8	260
f. Planted a school food or vegetable garden	27.0	21.0 - 33.9	103	25.3	20.0 - 31.4	123	37.1	26.5 - 49.0	32	27.6	23.8 - 31.8	258
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	83.7	77.3 - 88.6	105	80.6	75.7 - 84.6	123	87.2	73.9 - 94.2	32	82.7	79.1 - 85.8	260
h. Used attractive displays for fruits and vegetables in the cafeteria	65.9	58.3 - 72.8	105	69.9	64.7 - 74.7	123	71.3	56.7 - 82.4	32	68.6	64.4 - 72.6	260

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Offered a self-serve salad bar to students	48.6	41.4 - 55.9	104	41.4	35.8 - 47.2	123	48.8	35.3 - 62.5	32	45.2	40.9 - 49.6	259
j. Encouraged students to drink plain water	80.4	73.5 - 85.8	105	82.8	77.0 - 87.3	122	83.8	69.6 - 92.1	32	82.0	77.9 - 85.5	259
k. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	23.8	18.0 - 30.7	105	29.2	23.4 - 35.8	123	27.8	17.1 - 41.8	32	27.0	23.0 - 31.4	260
l. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	37.3	30.0 - 45.2	105	39.0	33.3 - 45.0	123	42.8	28.1 - 58.9	32	38.9	34.4 - 43.6	260

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	53.3	45.7 - 60.8	107	70.2	63.5 - 76.1	124	52.5	36.7 - 67.7	32	61.3	56.4 - 66.0	263
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	46.6	39.2 - 54.2	107	58.1	51.0 - 64.8	124	42.8	28.6 - 58.3	32	51.6	46.7 - 56.5	263
c. On school buses or other vehicles used to transport students	68.3	61.8 - 74.2	107	70.1	63.7 - 75.9	124	58.9	44.1 - 72.2	32	67.8	63.4 - 72.0	263
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	45.4	38.3 - 52.8	107	57.6	51.2 - 63.8	125	50.0	35.9 - 64.1	32	52.0	47.4 - 56.5	264
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	56.9	49.7 - 63.9	107	67.8	61.6 - 73.4	124	53.1	38.1 - 67.6	32	61.6	57.0 - 65.9	263

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	83.6	76.5 - 88.8	105	58.3	51.6 - 64.7	120	86.7	73.1 - 94.0	31	72.0	67.6 - 76.0	256
b. Yes, in certain locations	14.6	9.7 - 21.4	105	28.3	22.8 - 34.6	120	10.1	4.0 - 22.9	31	20.5	17.0 - 24.6	256
c. No	1.8	0.6 - 5.3	105	13.3	9.0 - 19.3	120	3.2	0.7 - 13.9	31	7.5	5.3 - 10.6	256

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.2	94.7 - 99.4	105	86.7	80.7 - 91.0	120	96.8	86.1 - 99.3	31	92.5	89.4 - 94.7	256

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	97.2	93.3 - 98.9	105	93.4	88.9 - 96.2	122	96.9	87.0 - 99.3	32	95.3	92.8 - 97.0	259
b. Cafeteria during lunch	98.2	94.8 - 99.4	105	95.0	90.9 - 97.4	122	96.9	87.0 - 99.3	32	96.5	94.2 - 97.9	259
c. Gymnasium or other indoor physical activity facilities	98.0	94.3 - 99.3	104	96.8	93.2 - 98.5	124	100.0	†	32	97.7	95.7 - 98.8	260
d. Outdoor physical activity facilities or sports fields	91.0	86.9 - 93.9	104	80.0	75.0 - 84.2	120	90.5	78.2 - 96.2	32	85.6	82.6 - 88.3	256
e. Hallways throughout the school	94.9	90.5 - 97.3	106	92.7	88.7 - 95.3	123	96.6	85.5 - 99.3	31	94.1	91.6 - 95.9	260

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.4	83.0 - 92.2	108	76.8	70.5 - 82.2	125	84.2	73.9 - 90.9	32	82.2	78.5 - 85.5	265

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
31.9	25.0 - 39.7	107	27.0	21.4 - 33.5	122	36.9	24.8 - 51.0	32	30.3	26.0 - 34.9	261

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
20.4	15.0 - 27.2	106	18.4	13.6 - 24.2	125	30.8	19.2 - 45.5	32	20.9	17.3 - 25.1	263

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.8	0.2 - 3.6	107	0.0	†	125	0.0	†	32	0.3	0.1 - 1.4	264
b. HIV treatment (ongoing medical care for persons living with HIV)	0.8	0.2 - 3.6	107	0.0	†	125	5.9	1.9 - 16.5	32	1.1	0.5 - 2.8	264
c. STD testing	1.8	0.6 - 5.2	107	0.0	†	125	0.0	†	32	0.7	0.2 - 2.0	264
d. STD treatment	0.8	0.2 - 3.6	107	0.0	†	125	5.9	1.9 - 16.5	32	1.1	0.5 - 2.8	264
e. Pregnancy testing	3.8	1.7 - 8.0	105	0.8	0.2 - 3.7	124	5.9	1.9 - 16.6	32	2.7	1.5 - 4.7	261
f. Provision of condoms	1.8	0.6 - 5.2	106	0.0	†	125	0.0	†	32	0.7	0.2 - 2.0	263
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	107	0.0	†	125	0.0	†	32	0.0	†	264
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	107	0.0	†	125	0.0	†	32	0.0	†	264
i. Prenatal care	0.8	0.2 - 3.8	103	1.6	0.5 - 4.6	123	3.3	0.7 - 14.1	32	1.6	0.7 - 3.4	258

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
j. Human papillomavirus (HPV) vaccine administration	2.4	1.0 - 5.7	108	2.4	1.0 - 5.7	124	6.5	2.2 - 18.2	32	3.0	1.7 - 5.1	264
k. Assessment for alcohol or other drug use, abuse, or dependency	33.7	27.0 - 41.2	108	22.8	17.9 - 28.5	123	29.1	17.8 - 43.8	31	27.8	23.9 - 32.2	262
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	93.4	88.4 - 96.3	107	83.2	77.5 - 87.7	125	90.3	84.3 - 94.2	32	88.0	84.8 - 90.7	264
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	81.9	74.8 - 87.3	108	75.0	68.6 - 80.5	124	65.3	51.7 - 76.7	32	76.2	71.9 - 80.1	264
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	82.1	75.6 - 87.1	108	69.4	62.3 - 75.7	124	73.9	62.6 - 82.7	31	74.8	70.5 - 78.7	263

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	36.4	29.5 - 43.9	93	16.5	12.3 - 21.7	115	39.1	27.2 - 52.5	30	27.0	23.2 - 31.2	238
b. HIV treatment (ongoing medical care for persons living with HIV)	42.2	35.4 - 49.2	106	21.7	17.2 - 27.1	124	37.1	26.5 - 49.0	32	31.6	27.8 - 35.6	262
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	35.5	29.4 - 42.1	106	16.9	12.5 - 22.5	124	34.5	24.8 - 45.7	32	26.4	22.9 - 30.2	262
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	36.2	29.9 - 42.9	104	17.1	12.6 - 22.7	123	37.1	26.5 - 49.0	32	27.1	23.4 - 31.0	259
e. STD testing	37.9	30.7 - 45.6	92	16.3	12.5 - 21.1	116	35.6	24.9 - 48.0	30	26.9	23.2 - 30.9	238
f. STD treatment	36.8	29.8 - 44.4	92	16.3	12.5 - 21.1	116	34.0	23.0 - 47.1	29	26.2	22.6 - 30.2	237
g. Pregnancy testing	38.4	31.2 - 46.1	91	18.4	14.2 - 23.5	114	49.6	35.9 - 63.3	30	30.2	26.3 - 34.5	235

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condoms	24.3	18.7 - 30.8	98	10.8	7.3 - 15.7	120	26.7	16.0 - 41.1	30	18.0	14.7 - 21.8	248
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	22.3	16.9 - 28.8	98	10.8	7.3 - 15.7	120	24.0	14.1 - 37.6	30	16.9	13.7 - 20.6	248
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	24.3	18.7 - 30.8	98	12.5	8.8 - 17.3	120	24.0	14.1 - 37.6	30	18.4	15.2 - 22.1	248
k. Prenatal care	40.3	33.0 - 48.1	86	19.0	14.7 - 24.3	110	34.7	23.7 - 47.7	29	28.9	25.0 - 33.2	225
l. Human papillomavirus (HPV) vaccine administration	42.3	35.9 - 48.9	106	22.5	17.8 - 28.0	124	37.9	25.6 - 51.9	32	32.1	28.3 - 36.2	262
m. Alcohol or other drug abuse treatment	70.5	63.6 - 76.6	106	43.6	37.6 - 49.7	124	57.1	48.3 - 65.4	32	55.6	51.6 - 59.5	262

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
53.8	46.3 - 61.1	100	48.8	41.7 - 55.9	119	66.9	50.0 - 80.3	30	53.2	48.2 - 58.1	249

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	96.3	92.1 - 98.3	108	96.0	92.2 - 98.0	125	97.4	88.6 - 99.5	32	96.3	94.0 - 97.7	265
b. Food allergies	96.3	92.1 - 98.3	108	97.6	94.3 - 99.0	125	100.0	†	32	97.4	95.4 - 98.6	265
c. Diabetes	96.3	92.1 - 98.3	108	95.2	91.1 - 97.4	125	97.4	88.6 - 99.5	32	95.9	93.5 - 97.4	265
d. Epilepsy or seizure disorder	96.3	92.1 - 98.3	108	95.2	91.1 - 97.4	125	97.4	88.6 - 99.5	32	95.9	93.5 - 97.4	265
e. Obesity	25.8	19.7 - 33.0	108	27.4	22.0 - 33.5	124	36.9	23.9 - 52.1	32	28.2	24.1 - 32.6	264
f. Hypertension/high blood pressure	74.6	67.9 - 80.3	108	63.6	57.3 - 69.5	124	62.1	50.3 - 72.7	32	67.6	63.3 - 71.5	264
g. Oral health condition (e.g., abscess, tooth decay)	40.1	33.1 - 47.6	108	41.1	35.2 - 47.3	124	40.1	27.5 - 54.1	32	40.6	36.2 - 45.1	264

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	50.6	43.6 - 57.6	108	40.6	35.3 - 46.2	123	43.6	32.2 - 55.7	32	44.9	40.8 - 49.0	263
b. Food allergies	50.6	43.6 - 57.6	108	39.8	34.4 - 45.6	123	46.9	34.4 - 59.7	32	44.9	40.8 - 49.2	263
c. Diabetes	51.4	44.3 - 58.5	108	41.5	36.0 - 47.2	123	43.6	32.2 - 55.7	32	45.5	41.4 - 49.7	263
d. Epilepsy or seizure disorder	49.8	42.9 - 56.7	108	40.6	35.3 - 46.2	123	40.5	29.4 - 52.6	32	44.1	40.1 - 48.2	263
e. Obesity	36.2	29.9 - 43.0	108	25.2	20.0 - 31.2	123	34.1	23.5 - 46.5	32	30.7	26.8 - 34.8	263
f. Hypertension/high blood pressure	47.9	41.2 - 54.8	108	34.7	29.4 - 40.4	121	37.3	25.7 - 50.7	32	40.1	36.1 - 44.3	261
g. Oral health condition (e.g., abscess, tooth decay)	49.7	42.9 - 56.7	106	36.9	31.5 - 42.5	122	43.6	30.6 - 57.5	32	42.7	38.5 - 47.0	260

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	79.1	72.5 - 84.4	99	85.1	79.8 - 89.1	120	72.1	55.6 - 84.3	28	81.1	77.1 - 84.6	247
b. Parental consent is required before any sexual or reproductive health services are provided	12.9	8.7 - 18.7	99	7.5	4.8 - 11.6	120	17.5	8.5 - 32.7	28	10.8	8.2 - 14.2	247
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	3.1	1.3 - 7.4	99	0.0	†	120	3.0	0.6 - 13.0	28	1.5	0.7 - 3.3	247
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	1.9	0.6 - 5.5	99	0.0	†	120	7.4	2.5 - 19.8	28	1.7	0.8 - 3.7	247
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	3.0	1.2 - 7.2	99	6.6	3.8 - 11.2	120	0.0	†	28	4.4	2.8 - 6.9	247
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	99	0.8	0.2 - 3.8	120	0.0	†	28	0.4	0.1 - 1.9	247

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	51.4	42.8 - 59.9	81	74.3	68.3 - 79.6	105	45.3	30.3 - 61.2	27	61.9	57.0 - 66.6	213
b. Parental consent is required before any sexual or reproductive health services are referred	26.7	19.5 - 35.3	81	21.9	16.7 - 28.2	105	40.1	25.4 - 56.9	27	26.3	21.9 - 31.3	213
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	2.5	0.8 - 7.1	81	0.0	†	105	3.8	0.8 - 16.4	27	1.4	0.6 - 3.5	213
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	9.4	5.4 - 15.9	81	0.9	0.2 - 4.2	105	3.8	0.8 - 16.4	27	4.3	2.7 - 7.0	213
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	5.0	2.3 - 10.5	81	2.8	1.2 - 6.7	105	3.8	0.9 - 15.6	27	3.8	2.2 - 6.4	213
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	5.1	2.4 - 10.6	81	0.0	†	105	3.1	0.7 - 13.0	27	2.2	1.1 - 4.4	213

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	41.3	34.7 - 48.1	107	25.6	20.8 - 31.1	121	50.4	36.9 - 63.8	31	35.1	31.2 - 39.2	259
b. Sexual health services that adolescents should receive	40.3	34.0 - 47.0	107	20.9	15.9 - 26.9	120	48.9	35.9 - 62.0	30	32.2	28.3 - 36.4	257
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	50.0	43.4 - 56.6	107	28.0	22.1 - 34.9	121	52.1	38.7 - 65.1	30	39.8	35.5 - 44.3	258
d. Importance of maintaining student confidentiality for sexual health services	47.7	40.9 - 54.6	107	35.5	29.1 - 42.5	121	58.9	45.0 - 71.5	30	43.4	38.9 - 48.0	258
e. How to create or use a student referral guide for sexual health services	24.9	19.9 - 30.8	107	10.0	6.4 - 15.4	120	34.9	23.3 - 48.7	30	19.2	16.0 - 22.9	257
f. How to make successful referrals of students to sexual health services	28.7	23.0 - 35.1	106	11.7	7.7 - 17.3	120	41.9	27.9 - 57.3	30	22.4	18.8 - 26.5	256
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	28.8	23.3 - 35.0	107	13.3	9.6 - 18.2	120	43.5	31.2 - 56.7	29	23.4	20.1 - 27.0	256
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	37.8	31.1 - 45.0	106	18.4	13.8 - 24.1	120	48.7	35.8 - 61.8	30	30.0	26.1 - 34.2	256

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Provided parents with information to support parent-adolescent communication about sex	26.3	21.3 - 32.0	107	21.0	16.3 - 26.8	124	25.3	14.0 - 41.5	31	23.6	20.1 - 27.6	262
b. Provided parents with information to support parent-adolescent communication about topics other than sex	45.4	38.6 - 52.5	106	44.8	38.7 - 50.9	123	41.4	26.7 - 57.7	31	44.5	40.0 - 49.1	260
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	35.2	28.1 - 43.0	107	54.5	48.5 - 60.4	123	41.4	28.1 - 56.0	31	45.3	40.8 - 49.9	261
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	20.6	15.2 - 27.4	107	15.6	11.2 - 21.4	122	37.8	25.8 - 51.5	31	20.7	17.1 - 24.7	260
e. Provided parents with information about physical education and physical activity programs	70.0	63.0 - 76.1	107	65.8	59.6 - 71.5	123	67.0	51.3 - 79.6	31	67.5	63.1 - 71.7	261
f. Involved parents as school volunteers in the delivery of health education activities and services	26.3	20.7 - 32.8	108	14.0	10.0 - 19.1	122	31.2	18.9 - 46.9	31	21.1	17.6 - 25.2	261
g. Involved parents as school volunteers in physical education or physical activity programs	38.7	32.1 - 45.7	107	24.4	19.3 - 30.5	123	37.3	24.1 - 52.6	31	31.6	27.5 - 36.1	261

INDIANA

2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Linked parents and families to health services and programs in the community	70.6	64.0 - 76.5	106	66.9	61.1 - 72.3	124	61.0	47.0 - 73.5	31	67.5	63.3 - 71.4	261
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	44.8	37.9 - 51.9	107	32.0	26.2 - 38.3	122	53.9	40.1 - 67.1	31	39.9	35.6 - 44.4	260
j. Provided parents with information about before- or after-school programs available in the community	66.4	59.2 - 72.9	107	70.1	64.4 - 75.2	124	67.7	52.2 - 80.0	31	68.4	64.0 - 72.4	262

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	76.1	69.2 - 81.9	107	57.0	49.9 - 63.9	121	74.7	61.3 - 84.6	32	66.9	62.2 - 71.2	260
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	67.5	59.5 - 74.6	107	60.7	53.7 - 67.2	122	65.1	49.7 - 77.9	32	63.9	59.0 - 68.6	261

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	80.2	73.8 - 85.4	105	50.3	43.1 - 57.5	123	62.0	52.2 - 70.9	32	63.2	58.7 - 67.4	260
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	71.1	63.8 - 77.5	106	62.2	55.0 - 68.9	122	65.3	51.8 - 76.7	32	66.0	61.3 - 70.5	260

INDIANA

**2020 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
38.5	31.8 - 45.7	105	29.4	23.4 - 36.3	119	62.3	47.1 - 75.4	32	37.7	33.3 - 42.4	256