

INDIANA

2013 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

September 19, 2014



CENTERS FOR DISEASE
CONTROL AND PREVENTION



Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
18	Indiana	10,338	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Type: Num

Column: 3-5

SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Type: Num

Column: 6

SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	7,149	69.15	48.33
2	Unlisted	581	5.62	6.36
9	Not Applicable	2,608	25.23	45.31

Pre-Call Status Code

Section: 0.4 Record Identification

Type: Num

Column: 7

SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	10,176	98.43	98.09
4	cell phone - PRO-T-S	162	1.57	1.91

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Replicate Number

Section: 0.5 Record Identification

Type: Num

Column: 8-13

SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Replicate Depth

Section: 0.6 Record Identification

Type: Num

Column: 14-15

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

File Month

Section: 0.7 Record Identification

Type: Num

Column: 16-17

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	860	8.32	9.13
2	February	840	8.13	9.55
3	March	945	9.14	8.91
4	April	844	8.16	7.77
5	May	841	8.14	8.16
6	June	848	8.20	8.02
7	July	825	7.98	8.23
8	August	748	7.24	6.87
9	September	794	7.68	7.67
10	October	915	8.85	8.28
11	November	1,034	10.00	8.81
12	December	844	8.16	8.61

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 18-25

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 18-19

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	776	7.51	7.59
2	February	920	8.90	11.05
3	March	950	9.19	8.99
4	April	843	8.15	7.74
5	May	838	8.11	8.10
6	June	849	8.21	8.03
7	July	822	7.95	8.16
8	August	748	7.24	6.87
9	September	796	7.70	7.72
10	October	867	8.39	7.28
11	November	1,058	10.23	9.29
12	December	871	8.43	9.19

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 20-21

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	467	4.52	3.29
2		648	6.27	4.64
3		581	5.62	4.11
4		566	5.47	3.74
5		609	5.89	4.26
6		538	5.20	4.11
7		476	4.60	3.48
8		475	4.59	4.20
9		485	4.69	4.21
10		415	4.01	3.79
11		456	4.41	4.67
12		395	3.82	4.19
13		315	3.05	3.37
14		332	3.21	3.81
15		318	3.08	3.28
16		281	2.72	3.17
17		306	2.96	3.71
18		241	2.33	2.78
19		244	2.36	2.90
20		232	2.24	2.76
21		196	1.90	2.27
22		236	2.28	3.02
23		217	2.10	2.95
24		215	2.08	2.78
25		182	1.76	2.32
26		216	2.09	2.90
27		121	1.17	1.37
28		201	1.94	2.74
29		156	1.51	1.92
30		139	1.34	1.66
31		79	0.76	1.61

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 22-25

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2013	Interview Year	10,334	99.96	99.94
2014		4	0.04	0.06

Interviewer Identification

Section: 0.12 Record Identification

Type: Char

Column: 26-30

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 31-34

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Completed Interview	9,011	87.16	82.85
1200	Partial Complete Interview	1,327	12.84	17.15

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Number of Attempts

Section: 0.16 Record Identification

Type: Num

Column: 45-46

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Type: Num

Column: 47-52

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Type: Num

Column: 53-61

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 62

SAS Variable Name: CTELENUM

Prologue: Variable only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,336	99.98	99.98
7		2	0.02	0.02

Private Residence?

Section: 0.20 Record Identification

Type: Num

Column: 63

SAS Variable Name: PVTRES1

Prologue: Variable only on the land line survey

Description: Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,729	99.99	99.99
2	No	1	0.01	0.01
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you live in college housing?

Section: 0.21 Record Identification

Type: Num

Column: 64

SAS Variable Name: COLGHOUS

Prologue: Variable only on the land line survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to STATERES	1	100.00	100.00
BLANK	Missing	10,337		

Resident of State

Section: 0.22 Record Identification

Type: Num

Column: 65

SAS Variable Name: STATERES

Prologue: Variable only on the land line survey

Description: Do you reside in ____ (state) ____?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON2	7,730	100.00	100.00
BLANK	Not asked or Missing	2,608		

Cellular Telephone

Section: 0.23 Record Identification

Type: Num

Column: 66

SAS Variable Name: CELLFON3

Prologue: Variable only on the land line survey

Description: Is this a cellular telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	7,730	100.00	100.00
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
INDIANA 2013 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Are you 18 years of age or older?

Section: 0.24 Record Identification

Type: Num

Column: 67

SAS Variable Name: LADULT

Prologue: Variable only on the land line survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent	838	30.60	33.99
2	Yes, Female Respondent	1,892	69.08	65.46
3	No	9	0.33	0.56
BLANK	Missing	7,599		

Number of Adults in Household

Section: 0.25 Record Identification

Type: Num

Column: 68-69

SAS Variable Name: NUMADULT

Prologue: Variable only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	2,739	35.43	17.87
2		4,049	52.38	56.14
3		673	8.71	16.68
4		215	2.78	6.99
5		43	0.56	1.79
6 - 99	6 or more	11	0.14	0.52
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adult men in Household

Section: 0.26 Record Identification

Type: Num

Column: 70-71

SAS Variable Name: NUMMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	2,119	27.41	15.05
1		4,990	64.55	68.31
2		531	6.87	13.35
3		82	1.06	3.00
4		5	0.06	0.24
5		2	0.03	0.04
6 - 99	6 or more	1	0.01	0.02
BLANK		2,608		

Number of Adult women in Household

Section: 0.27 Record Identification

Type: Num

Column: 72-73

SAS Variable Name: NUMWOMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	906	11.72	7.21
1		6,082	78.68	73.91
2		656	8.49	16.05
3		71	0.92	2.29
4		14	0.18	0.44
5		1	0.01	0.09
BLANK		2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

General Health

Section: 1.1 Health Status

Type: Num

Column: 80

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	1,440	13.93	15.45
2	Very good	3,333	32.24	33.41
3	Good	3,298	31.90	32.02
4	Fair	1,448	14.01	12.45
5	Poor	687	6.65	5.41
7	Don't know/Not Sure	21	0.20	0.16
9	Refused	111	1.07	1.10

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 81-82

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	3,824	36.99	36.00
88	None	6,165	59.63	60.91
77	Don't know/Not sure	185	1.79	1.45
99	Refused	164	1.59	1.64

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 83-84

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	3,253	31.47	35.36
88	None	6,835	66.12	62.45
77	Don't know/Not sure	125	1.21	1.09
99	Refused	125	1.21	1.10

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 85-86

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	2,292	40.75	39.88
88	None	3,164	56.26	58.01
77	Don't know/Not sure	94	1.67	1.21
99	Refused	74	1.32	0.90
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	4,714		

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 87

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: If PPHF state go to Module 4, Question 1, else continue	9,068	87.72	82.06
2	No	1,208	11.69	17.10
7	Don't know/Not Sure	28	0.27	0.53
9	Refused	34	0.33	0.31

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 88

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	8,037	77.74	72.20
2	More than one	888	8.59	7.71
3	No	1,350	13.06	19.45
7	Don't know/Not Sure	27	0.26	0.29
9	Refused	36	0.35	0.35

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 89

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: If PPHF State and Q3.1 = 1 go to Module 4, Question 4a	1,237	11.97	15.44
2	No Notes: If PPHF State and Q3.1 = 2, 7, or 9 go to Module 4, Question 4b, or if not a PPHF State go to next section.	9,065	87.69	84.25
7	Don't know/Not sure	18	0.17	0.14
9	Refused	18	0.17	0.16

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 90

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	7,334	70.94	64.05
2	Within past 2 years (1 year but less than 2 years ago)	1,165	11.27	13.66
3	Within past 5 years (2 years but less than 5 years ago)	757	7.32	9.81
4	5 or more years ago	901	8.72	10.62
7	Don't know/Not sure	93	0.90	0.89
8	Never	63	0.61	0.79
9	Refused	25	0.24	0.17

How Much Time Do You Sleep

Section: 4.1 Inadequate Sleep

Type: Num

Column: 91-92

SAS Variable Name: SLEPTIM1

Prologue: I would like to ask you about your sleep pattern.

Description: On average, how many hours of sleep do you get in a 24-hour period?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 24	Number of hours [1-24]	10,203	98.69	99.00
77	Don't know/Not Sure	98	0.95	0.74
99	Refused	37	0.36	0.26

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Told Blood Pressure High

Section: 5.1 Hypertension Awareness

Type: Num

Column: 93

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,431	42.86	33.35
2	Yes, but female told only during pregnancy—Go to Section 06.01 BLOODCHO	69	0.67	0.91
3	No—Go to Section 06.01 BLOODCHO	5,710	55.23	64.56
4	Told borderline high or pre-hypertensive—Go to Section 06.01 BLOODCHO	88	0.85	0.79
7	Don't know/Not Sure—Go to Section 06.01 BLOODCHO	20	0.19	0.27
9	Refused—Go to Section 06.01 BLOODCHO	20	0.19	0.13

Currently Taking Blood Pressure Medication

Section: 5.2 Hypertension Awareness

Type: Num

Column: 94

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,815	86.10	79.49
2	No	607	13.70	20.30
7	Don't know/Not Sure	6	0.14	0.11
9	Refused	3	0.07	0.10
BLANK	Not asked or Missing Notes: Section 05.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing	5,907		

Ever Had Blood Cholesterol Checked

Section: 6.1 Cholesterol Awareness

Type: Num

Column: 95

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,931	86.39	76.82
2	No—Go to Section 07.01 CVDINFR4	1,236	11.96	20.75
7	Don't know/Not Sure—Go to Section 07.01 CVDINFR4	163	1.58	2.32
9	Refused—Go to Section 07.01 CVDINFR4	8	0.08	0.10

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Long since Cholesterol Checked

Section: 6.2 Cholesterol Awareness

Type: Num

Column: 96

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	6,849	76.69	72.16
2	Within the past 2 years (1 year but less than 2 years ago)	939	10.51	12.77
3	Within the past 5 years (2 years but less than 5 years ago)	633	7.09	8.67
4	5 or more years ago	388	4.34	5.08
7	Don't know/Not Sure	103	1.15	1.16
9	Refused	19	0.21	0.17
BLANK	Not asked or Missing Notes: Section 6.01, BLOODCHO, is coded 2, 7, 9, or Missing	1,407		

Ever Told Blood Cholesterol High

Section: 6.3 Cholesterol Awareness

Type: Num

Column: 97

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,988	44.65	39.47
2	No	4,860	54.42	59.67
7	Don't know/Not Sure	64	0.72	0.66
9	Refused	19	0.21	0.20
BLANK	Not asked or Missing Notes: Section 06.01, BLOODCHO, is coded 2, 7, 9, or Missing	1,407		

Ever Diagnosed with Heart Attack

Section: 7.1 Chronic Health Conditions

Type: Num

Column: 98

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	701	6.78	5.13
2	No	9,568	92.55	94.32
7	Don't know/Not sure	58	0.56	0.48
9	Refused	11	0.11	0.07

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 7.2 Chronic Health Conditions

Type: Num

Column: 99

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	653	6.32	4.31
2	No	9,576	92.63	94.84
7	Don't know/Not sure	98	0.95	0.74
9	Refused	11	0.11	0.11

Ever Diagnosed with a Stroke

Section: 7.3 Chronic Health Conditions

Type: Num

Column: 100

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	468	4.53	3.06
2	No	9,840	95.18	96.73
7	Don't know/Not sure	27	0.26	0.17
9	Refused	3	0.03	0.03

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Told Had Asthma

Section: 7.4 Chronic Health Conditions

Type: Num

Column: 101

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,485	14.36	15.27
2	No—Go to Section 07.06 CHCSCNCR	8,820	85.32	84.49
7	Don't know/Not Sure—Go to Section 07.06 CHCSCNCR	30	0.29	0.22
9	Refused—Go to Section 07.06 CHCSCNCR	3	0.03	0.02

Still Have Asthma

Section: 7.5 Chronic Health Conditions

Type: Num

Column: 102

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,051	70.77	66.96
2	No	384	25.86	29.59
7	Don't know/Not Sure	47	3.16	3.24
9	Refused	3	0.20	0.21
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing	8,853		

Ever told) you had skin cancer?

Section: 7.6 Chronic Health Conditions

Type: Num

Column: 103

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	863	8.35	5.17
2	No	9,456	91.47	94.62
7	Don't know / Not sure	14	0.14	0.17
9	Refused	5	0.05	0.04

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told) you had any other types of cancer?

Section: 7.7 Chronic Health Conditions

Type: Num

Column: 104

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	930	9.00	6.21
2	No	9,390	90.83	93.65
7	Don't know / Not sure	14	0.14	0.12
9	Refused	4	0.04	0.02

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 7.8 Chronic Health Conditions

Type: Num

Column: 105

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,041	10.07	7.96
2	No	9,241	89.39	91.57
7	Don't know / Not sure	52	0.50	0.45
9	Refused	4	0.04	0.02

Told Have Arthritis

Section: 7.9 Chronic Health Conditions

Type: Num

Column: 106

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,778	36.54	27.78
2	No	6,491	62.79	71.53
7	Don't know/Not Sure	57	0.55	0.54
9	Refused	12	0.12	0.15

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told you had a depressive disorder

Section: 7.10 Chronic Health Conditions

Type: Num

Column: 107

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,062	19.95	19.43
2	No	8,227	79.58	80.11
7	Don't know/Not sure	36	0.35	0.37
9	Refused	13	0.13	0.10

Ever told) you have kidney disease?

Section: 7.11 Chronic Health Conditions

Type: Num

Column: 108

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	360	3.48	2.48
2	No	9,946	96.21	97.31
7	Don't know / Not sure	25	0.24	0.16
9	Refused	7	0.07	0.04

Ever told) you have diabetes

Section: 7.12 Chronic Health Conditions

Type: Num

Column: 109

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,468	14.20	10.95
2	Yes, but female told only during pregnancy	85	0.82	0.86
3	No	8,637	83.55	87.05
4	No, pre-diabetes or borderline diabetes	135	1.31	0.99
7	Don't know/Not Sure	8	0.08	0.11
9	Refused	5	0.05	0.03

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported Age in Years

Section: 8.1 Demographics

Type: Num

Column: 110-111

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	8	0.08	0.05
9	Refused	89	0.86	0.57
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	542	5.24	13.75
25 - 34	Age 25 - 34	919	8.89	16.39
35 - 44	Age 35 - 44	1,237	11.97	16.39
45 - 54	Age 45 - 54	1,781	17.23	17.93
55 - 64	Age 55 - 64	2,265	21.91	16.31
65 - 99	Age 65 or older	3,497	33.83	18.60

Hispanic, Latino/a, or Spanish origin?

Section: 8.2 Demographics

Type: Char

Column: 112-115

SAS Variable Name: HISPANC3

Prologue:

Description: Are you Hispanic, Latino/a, or Spanish origin? [One or more categories may be selected.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not Sure	29	0.28	0.28
9	Refused	65	0.63	0.60
BLANK	Not asked or Missing	1		
HIDDEN	Data not displayed	10,243	99.09	99.12

Multiple Race

Section: 8.3 Demographics

Type: Char

Column: 116-143

SAS Variable Name: MRACE1

Prologue:

Description: Which one or more of the following would you say is your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure	55	0.53	0.88
99	Refused	122	1.18	1.48
HIDDEN	Data not displayed	10,161	98.29	97.63

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondent Race Choice

Section: 8.4 Demographics

Type: Num

Column: 144-145

SAS Variable Name: ORACE3

Prologue:

Description: Which one of these groups would you say best represents your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategory underneath major heading.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	73	61.34	51.39
20	Black or African American	12	10.08	16.32
30	American Indian or Alaska Native	16	13.45	14.60
40	Asian	1	0.84	0.51
51	Native Hawaiian	1	0.84	1.17
60	Other Notes: Specify_____	1	0.84	0.14
77	Don't know/Not Sure	4	3.36	7.07
99	Refused	11	9.24	8.80
BLANK	Not asked or Missing	10,219		

Are You A Veteran

Section: 8.5 Demographics

Type: Num

Column: 146

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,168	11.30	9.62
2	No	9,155	88.56	90.29
7	Don't know/Not Sure	4	0.04	0.01
9	Refused	11	0.11	0.08

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Marital Status

Section: 8.6 Demographics

Type: Num

Column: 147

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,397	52.21	53.09
2	Divorced	1,552	15.01	12.45
3	Widowed	1,524	14.74	7.05
4	Separated	144	1.39	1.47
5	Never married	1,417	13.71	21.79
6	A member of an unmarried couple	231	2.23	3.56
9	Refused	73	0.71	0.60

Number of Children in Household

Section: 8.7 Demographics

Type: Num

Column: 148-149

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	2,657	25.70	36.90
88	None	7,640	73.90	62.76
99	Refused	41	0.40	0.34

Education Level

Section: 8.8 Demographics

Type: Num

Column: 150

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	6	0.06	0.14
2	Grades 1 through 8 (Elementary)	242	2.34	3.33
3	Grades 9 through 11 (Some high school)	693	6.70	10.75
4	Grade 12 or GED (High school graduate)	3,789	36.65	34.75
5	College 1 year to 3 years (Some college or technical school)	2,629	25.43	30.22
6	College 4 years or more (College graduate)	2,951	28.55	20.56
9	Refused	28	0.27	0.24

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Employment Status

Section: 8.9 Demographics

Type: Num

Column: 151

SAS Variable Name: EMPLOY1

Prologue:

Description: Are you currently...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	4,254	41.15	48.88
2	Self-employed	679	6.57	7.17
3	Out of work for 1 year or more	241	2.33	2.99
4	Out of work for less than 1 year	228	2.21	3.37
5	A homemaker	753	7.28	7.05
6	A student	260	2.51	5.71
7	Retired	2,972	28.75	16.76
8	Unable to work	868	8.40	7.30
9	Refused	83	0.80	0.78

Income Level

Section: 8.10 Demographics

Type: Num

Column: 152-153

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	510	4.93	5.53
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	576	5.57	4.53
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	822	7.95	7.87
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	939	9.08	8.55
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask '07	1,133	10.96	10.58
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	1,350	13.06	13.10
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	1,348	13.04	13.53
8	\$75,000 or more	2,062	19.95	21.50
77	Don't know/Not sure	753	7.28	8.49
99	Refused	845	8.17	6.33

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported Weight in Pounds

Section: 8.11 Demographics

Type: Num

Column: 154-157

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	9,851	95.29	95.82
7777	Don't know/Not sure	176	1.70	1.66
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	22	0.21	0.28
9999	Refused	289	2.80	2.24

Reported Height in Feet and Inches

Section: 8.12 Demographics

Type: Num

Column: 158-161

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	10,175	98.42	97.92
7777	Don't know/Not sure	52	0.50	0.67
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	51	0.49	0.82
9999	Refused	60	0.58	0.58

County Code

Section: 8.13 Demographics

Type: Num

Column: 162-164

SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	97	0.94	1.07
999	Refused	142	1.37	1.26
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,099	97.69	97.67

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Zipcode of residence

Section: 8.14 Demographics

Type: Char

Column: 165-169

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	144	1.39	1.52
99999	Refused	376	3.64	4.14
BLANK	Not asked or Missing	5		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	9,813	94.97	94.34

Household Telephones

Section: 8.15 Demographics

Type: Num

Column: 170

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	306	3.96	3.40
2	No-Go to Section 08.17 CPDEMO1	7,388	95.58	96.20
7	Don't know/Not sure-Go to Section 08.17 CPDEMO1	10	0.13	0.09
9	Refused-Go to Section 08.17 CPDEMO1	26	0.34	0.31
BLANK	Not asked or Missing-Go to Section 08.17 CPDEMO1	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Residential Phones

Section: 8.16 Demographics

Type: Num

Column: 171

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	179	58.50	72.17
2	Residential telephone numbers	91	29.74	20.62
3	Residential telephone numbers	25	8.17	4.26
4	Residential telephone numbers	3	0.98	0.19
5	Residential telephone numbers	2	0.65	1.18
6	Residential telephone numbers Notes: 6 = 6 or more	1	0.33	0.17
7	Don't know/Not Sure	2	0.65	0.45
9	Refused	3	0.98	0.97
BLANK	Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing	10,032		

Do you have a cell phone for personal use?

Section: 8.17 Demographics

Type: Num

Column: 172

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,937	76.80	82.17
2	No—Go to Section 08.19 INTERNET	1,746	22.59	17.42
7	Don't know/Not sure—Go to Section 08.19 INTERNET	5	0.06	0.04
9	Refused—Go to Section 08.19 INTERNET	42	0.54	0.37
BLANK	Not asked or Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What percent of all calls are received on your cell phone?

Section: 8.18 Demographics

Type: Num

Column: 173-175

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	5,287	89.05	90.37
777	Don't know/Not sure	219	3.69	3.44
888	Zero	360	6.06	4.96
999	Refused	71	1.20	1.23
BLANK	Not asked or Missing Notes: Section 08.17, CPDEMO1, is coded 2, 7, 9, or Missing	4,401		

Internet use in the past 30 days?

Section: 8.19 Demographics

Type: Num

Column: 176

SAS Variable Name: INTERNET

Prologue:

Description: Have you used the internet in the past 30 days?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,571	73.26	79.19
2	No	2,726	26.38	20.45
7	Don't know/Not Sure	7	0.07	0.07
9	Refused	31	0.30	0.29
BLANK	Not asked or Missing	3		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Own or Rent Home

Section: 8.20 Demographics

Type: Num

Column: 177

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	7,756	75.05	72.86
2	Rent	2,082	20.15	21.31
3	Other arrangement	365	3.53	4.56
7	Don't know/Not Sure	20	0.19	0.28
9	Refused	112	1.08	1.00
BLANK	Not asked or Missing	3		

Respondents Sex

Section: 8.21 Demographics

Type: Num

Column: 178

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 08.23 QLACTLM2	4,284	41.44	48.66
2	Female—If 08.01, AGE, is 45 or older go to Section 08.23 QLACTLM2	6,054	58.56	51.34

Pregnancy Status

Section: 8.22 Demographics

Type: Num

Column: 179

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	2.51	3.63
2	No	1,507	97.10	96.01
7	Don't know/Not Sure	4	0.26	0.31
9	Refused	2	0.13	0.05
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.01, AGE, is greater than 44	8,786		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Activity Limitation Due to Health Problems

Section: 8.23 Demographics

Type: Num

Column: 180

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,493	24.37	20.28
2	No	7,660	74.87	79.13
7	Don't know/Not Sure	45	0.44	0.38
9	Refused	33	0.32	0.21
BLANK	Not asked or Missing	107		

Health Problems Requiring Special Equipment

Section: 8.24 Demographics

Type: Num

Column: 181

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,219	11.94	8.50
2	No	8,968	87.86	91.25
7	Don't know/Not Sure	8	0.08	0.10
9	Refused	12	0.12	0.15
BLANK	Not asked or Missing	131		

Blind or Difficulty seeing

Section: 8.25 Demographics

Type: Num

Column: 182

SAS Variable Name: BLIND

Prologue:

Description: Are you blind or do you have serious difficulty seeing, even when wearing glasses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	495	4.85	4.17
2	No	9,649	94.64	95.38
7	Don't know/Not Sure	27	0.26	0.25
9	Refused	25	0.25	0.20
BLANK	Not asked or Missing	142		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Difficulty Concentrating or Remembering

Section: 8.26 Demographics

Type: Num

Column: 183

SAS Variable Name: DECIDE

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,050	10.31	10.73
2	No	9,060	88.98	88.70
7	Don't know/Not Sure	45	0.44	0.32
9	Refused	27	0.27	0.25
BLANK	Not asked or Missing	156		

Difficulty Walking or Climbing Stairs

Section: 8.27 Demographics

Type: Num

Column: 184

SAS Variable Name: DIFFWALK

Prologue:

Description: Do you have serious difficulty walking or climbing stairs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,931	19.00	14.61
2	No	8,180	80.50	84.99
7	Don't know/Not Sure	31	0.31	0.26
9	Refused	19	0.19	0.14
BLANK	Not asked or Missing	177		

Difficulty Dressing or Bathing

Section: 8.28 Demographics

Type: Num

Column: 185

SAS Variable Name: DIFFDRES

Prologue:

Description: Do you have difficulty dressing or bathing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	482	4.75	4.09
2	No	9,655	95.10	95.79
7	Don't know/Not Sure	7	0.07	0.04
9	Refused	8	0.08	0.08
BLANK	Not asked or Missing	186		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Difficulty Doing Errands Alone

Section: 8.29 Demographics

Type: Num

Column: 186

SAS Variable Name: DIFFALON

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	850	8.38	7.00
2	No	9,253	91.26	92.78
7	Don't know/Not Sure	20	0.20	0.10
9	Refused	16	0.16	0.12
BLANK	Not asked or Missing	199		

Smoked at Least 100 Cigarettes

Section: 9.1 Tobacco Use

Type: Num

Column: 187

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,775	47.13	47.02
2	No—Go to Section 09.05 USENOW3	5,310	52.41	52.63
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	34	0.34	0.24
9	Refused—Go to Section 09.05 USENOW3	12	0.12	0.11
BLANK	Not asked or Missing	207		

Frequency of Days Now Smoking

Section: 9.2 Tobacco Use

Type: Num

Column: 188

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	1,403	29.41	35.22
2	Some days	467	9.79	11.19
3	Not at all—Go to Section 09.04 LASTSMK2	2,888	60.53	53.25
9	Refused—Go to Section 09.05 USENOW3	13	0.27	0.34
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing	5,567		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Stopped Smoking in past 12 months

Section: 9.3 Tobacco Use

Type: Num

Column: 189

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 09.05 USENOW3	1,013	54.20	56.15
2	No—Go to Section 09.05 USENOW3	851	45.53	43.35
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	5	0.27	0.49
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing	8,469		

Interval Since Last Smoked

Section: 9.4 Tobacco Use

Type: Num

Column: 190-191

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	78	2.70	3.76
2	Within the past 3 months (1 month but less than 3 months ago)	62	2.15	2.92
3	Within the past 6 months (3 months but less than 6 months ago)	75	2.60	3.55
4	Within the past year (6 months but less than 1 year ago)	135	4.68	6.77
5	Within the past 5 years (1 year but less than 5 years ago)	385	13.34	16.13
6	Within the past 10 years (5 years but less than 10 years ago)	286	9.91	9.90
7	10 years or more	1,769	61.32	53.95
8	Never smoked regularly	78	2.70	2.65
77	Don't know/Not sure	11	0.38	0.23
99	Refused	6	0.21	0.14
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9;	7,453		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Use of Smokeless Tobacco Products

Section: 9.5 Tobacco Use

Type: Num

Column: 192

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	217	2.15	2.96
2	Some days	146	1.44	1.89
3	Not at all	9,714	96.04	94.89
7	Don't know/Not Sure	3	0.03	0.03
9	Refused	35	0.35	0.24
BLANK	Not asked or Missing	223		

Days in past 30 had alcoholic beverage

Section: 10.1 Alcohol Consumption

Type: Num

Column: 193-195

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1__ = Days per week	1,228	12.16	12.84
201 - 299	Days in past 30 days Notes: 2__ = Days in past 30	3,280	32.49	35.16
777	Don't know/Not sure—Go to Section 11.01 FRUITJU1	58	0.57	0.56
888	No drinks in past 30 days—Go to Section 11.01 FRUITJU1	5,488	54.36	50.94
999	Refused—Go to Section 11.01 FRUITJU1	42	0.42	0.51
BLANK	Not asked or Missing	242		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Avg alcoholic drinks per day in past 30

Section: 10.2 Alcohol Consumption

Type: Num

Column: 196-197

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	4,406	98.04	97.96
77	Don't know/Not sure	60	1.34	1.53
99	Refused	28	0.62	0.51
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 9999;	5,844		

Binge Drinking

Section: 10.3 Alcohol Consumption

Type: Num

Column: 198-199

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	1,094	24.38	30.83
88	None	3,328	74.17	67.56
77	Don't know/Not Sure	41	0.91	0.91
99	Refused	24	0.53	0.70
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999;	5,851		

Most drinks on single occasion past 30 days

Section: 10.4 Alcohol Consumption

Type: Num

Column: 200-201

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	4,328	96.80	96.41
77	Don't know/Not sure	107	2.39	2.65
99	Refused	36	0.81	0.94
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999;	5,867		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you drink 100 percent PURE fruit juices?

Section: 11.1 Fruits & Vegetables

Type: Num

Column: 202-204

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100 percent PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100 percent juice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	1,863	19.05	17.92
201 - 299	Times per week	1,543	15.78	17.35
300	Less than one time per month	28	0.29	0.28
301 - 399	Times per month	2,240	22.91	24.11
555	Never	3,874	39.62	38.17
777	Don't know/Not sure	181	1.85	1.70
999	Refused	50	0.51	0.46
BLANK	Not asked or Missing	559		

How many times did you eat fruit?

Section: 11.2 Fruits & Vegetables

Type: Num

Column: 205-207

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit. (Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	4,245	43.53	40.91
201 - 299	Times per week	2,387	24.47	26.27
300	Less than one time per month	4	0.04	0.03
301 - 399	Times per month	2,528	25.92	26.26
555	Never	450	4.61	5.30
777	Don't know/Not sure	103	1.06	0.96
999	Refused	36	0.37	0.27
BLANK	Not asked or Missing	585		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat beans or lentils?

Section: 11.3 Fruits & Vegetables

Type: Num

Column: 208-210

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	455	4.68	5.20
201 - 299	Times per week	3,095	31.81	30.96
300	Less than one time per month	18	0.19	0.20
301 - 399	Times per month	4,168	42.84	43.01
555	Never	1,783	18.33	18.95
777	Don't know/Not sure	174	1.79	1.36
999	Refused	36	0.37	0.32
BLANK	Not asked or Missing	609		

How many times did you eat dark green vegetables?

Section: 11.4 Fruits & Vegetables

Type: Num

Column: 211-213

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	1,504	15.49	15.02
201 - 299	Times per week	3,617	37.25	37.92
300	Less than one time per month	10	0.10	0.13
301 - 399	Times per month	3,437	35.40	35.00
555	Never	1,008	10.38	10.63
777	Don't know/Not sure	102	1.05	1.00
999	Refused	31	0.32	0.31
BLANK	Not asked or Missing	629		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat orange-colored vegetables?

Section: 11.5 Fruits & Vegetables

Type: Num

Column: 214-216

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	554	5.72	5.32
201 - 299	Times per week	3,147	32.48	31.01
300	Less than one time per month	19	0.20	0.18
301 - 399	Times per month	4,073	42.03	41.30
555	Never	1,759	18.15	20.88
777	Don't know/Not sure	112	1.16	1.08
999	Refused	26	0.27	0.22
BLANK	Not asked or Missing	648		

How many times did you eat OTHER vegetables?

Section: 11.6 Fruits & Vegetables

Type: Num

Column: 217-219

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes. (Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	3,205	33.13	31.96
201 - 299	Times per week	3,057	31.60	33.22
300	Less than one time per month	4	0.04	0.02
301 - 399	Times per month	3,080	31.84	31.12
555	Never	153	1.58	2.05
777	Don't know/Not sure	129	1.33	1.23
999	Refused	45	0.47	0.41
BLANK	Not asked or Missing	665		

Behavioral Risk Factor Surveillance System
INDIANA 2013 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Exercise in Past 30 Days

Section: 12.1 Exercise (Physical Activity)

Type: Num

Column: 220

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,497	67.54	68.71
2	No—Go to Section 12.08 STRENGTH	3,087	32.09	30.94
7	Don't know/Not Sure—Go to Section 12.08 STRENGTH	15	0.16	0.11
9	Refused—Go to Section 12.08 STRENGTH	20	0.21	0.24
BLANK	Not asked or Missing	719		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 12.2 Exercise (Physical Activity)

Type: Num

Column: 221-222

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	9	0.14	0.13
2	Aerobics video or class	144	2.22	2.09
3	Backpacking	1	0.02	0.01
5	Basketball	50	0.77	1.69
6	Bicycling machine exercise	187	2.88	2.22
7	Bicycling	175	2.70	3.17
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	1	0.02	0.02
9	Bowling	14	0.22	0.16
10	Boxing	6	0.09	0.10
11	Calisthenics	109	1.68	1.77
12	Canoeing/rowing in competition	2	0.03	0.01
13	Carpentry	2	0.03	0.02
14	Dancing-ballet, ballroom, Latin, hip hop, etc	59	0.91	0.92
15	Elliptical/EFX machine exercise	152	2.34	2.45
16	Fishing from river bank or boat	7	0.11	0.12
17	Frisbee	7	0.11	0.22
18	Gardening (spading, weeding, digging, filling)	384	5.92	4.98
19	Golf (with motorized cart)	96	1.48	1.30
20	Golf (without motorized cart)	54	0.83	0.85
21	Handball	1	0.02	0.01
22	Hiking - cross-country	18	0.28	0.27
23	Hockey	2	0.03	0.04
24	Horseback riding	8	0.12	0.10
25	Hunting large game - deer, elk	5	0.08	0.10
26	Hunting small game - quail	4	0.06	0.11
27	Inline Skating	1	0.02	0.00
28	Jogging	48	0.74	0.96
29	Lacrosse	1	0.02	0.06
31	Mowing lawn	53	0.82	0.76
32	Paddleball	1	0.02	0.02
33	Painting/papering house	3	0.05	0.05
34	Pilates	17	0.26	0.28
35	Racquetball	9	0.14	0.20
36	Raking lawn	1	0.02	0.01

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 12.2 Exercise (Physical Activity)

Type: Num

Column: 221-222

SAS Variable Name: EXTRACT11

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
37	Running	391	6.03	9.58
40	Rowing machine exercise	1	0.02	0.03
43	Skateboarding	2	0.03	0.08
44	Skating - ice or roller	4	0.06	0.10
47	Snow blowing	2	0.03	0.02
48	Snow shoveling by hand	6	0.09	0.04
49	Snow skiing	1	0.02	0.01
51	Soccer	19	0.29	0.59
52	Softball/Baseball	11	0.17	0.29
54	Stair climbing/Stair master	27	0.42	0.30
57	Swimming	65	1.00	1.19
58	Swimming in laps	36	0.56	0.65
59	Table tennis	1	0.02	0.01
60	Tai Chi	4	0.06	0.18
61	Tennis	16	0.25	0.18
62	Touch football	6	0.09	0.20
63	Volleyball	12	0.19	0.22
64	Walking	3,568	55.01	49.96
66	Waterskiing	2	0.03	0.03
67	Weight lifting	206	3.18	4.41
68	Wrestling	1	0.02	0.04
69	Yoga	43	0.66	0.74
71	Childcare	13	0.20	0.27
72	Farm/Ranch Work (caring for livestock, stacking hay, etc.)	22	0.34	0.27
73	Household Activities (vacuuming, dusting, home repair, etc.)	57	0.88	0.66
74	Karate/Martial Arts	23	0.35	0.45
75	Upper Body Cycle (wheelchair sports, ergometer, etc.)	7	0.11	0.06
76	Yard work (cutting/gathering wood, trimming hedges, etc.)	131	2.02	1.50
98	Other_____	133	2.05	2.03
77	Don't know/Not Sure-Go to Section 12.08 STRENGTH	25	0.39	0.36
99	Refused-Go to Section 12.08 STRENGTH	20	0.31	0.34
BLANK	Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing	3,852		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Many Times Walking, Running, Jogging, or Swimming

Section: 12.3 Exercise (Physical Activity)

Type: Num

Column: 223-225

SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	4,454	69.20	69.85
201 - 299	Times per month	1,911	29.69	29.17
777	Don't know/Not sure	51	0.79	0.70
999	Refused	20	0.31	0.27
BLANK	Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99	3,902		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 12.4 Exercise (Physical Activity)

Type: Num

Column: 226-228

SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	6,295	97.90	98.33
777	Don't know/Not sure	108	1.68	1.29
800 - 959	Hours and Minutes	10	0.16	0.20
999	Refused	17	0.26	0.18
BLANK	Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99	3,908		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 12.5 Exercise (Physical Activity)

Type: Num

Column: 229-230

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	12	0.19	0.29
2	Aerobics video or class	99	1.54	1.44
3	Backpacking	1	0.02	0.03
4	Badminton	2	0.03	0.01
5	Basketball	63	0.98	1.72
6	Bicycling machine exercise	138	2.15	1.63
7	Bicycling	180	2.81	2.98
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	8	0.12	0.11
9	Bowling	18	0.28	0.29
10	Boxing	8	0.12	0.15
11	Calisthenics	101	1.57	1.68
12	Canoeing/rowing in competition	3	0.05	0.04
13	Carpentry	8	0.12	0.15
14	Dancing-ballet, ballroom, Latin, hip hop, etc	44	0.69	0.68
15	Elliptical/EFX machine exercise	68	1.06	1.08
16	Fishing from river bank or boat	15	0.23	0.33
17	Frisbee	6	0.09	0.15
18	Gardening (spading, weeding, digging, filling)	292	4.55	3.46
19	Golf (with motorized cart)	74	1.15	0.98
20	Golf (without motorized cart)	35	0.55	0.46
22	Hiking - cross-country	22	0.34	0.41
23	Hockey	1	0.02	0.01
24	Horseback riding	14	0.22	0.17
25	Hunting large game - deer, elk	4	0.06	0.04
26	Hunting small game - quail	6	0.09	0.09
28	Jogging	37	0.58	0.97
30	Mountain climbing	2	0.03	0.02
31	Mowing lawn	97	1.51	1.24
33	Painting/papering house	5	0.08	0.06
34	Pilates	18	0.28	0.26
35	Racquetball	3	0.05	0.04
36	Raking lawn	9	0.14	0.08
37	Running	146	2.28	3.90
38	Rock Climbing	6	0.09	0.19

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 12.5 Exercise (Physical Activity)

Type: Num

Column: 229-230

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
39	Rope skipping	2	0.03	0.09
40	Rowing machine exercise	12	0.19	0.13
43	Skateboarding	3	0.05	0.11
44	Skating - ice or roller	5	0.08	0.05
45	Sledding, tobogganing	2	0.03	0.04
47	Snow blowing	1	0.02	0.02
48	Snow shoveling by hand	19	0.30	0.27
49	Snow skiing	2	0.03	0.02
50	Snowshoeing	1	0.02	0.01
51	Soccer	11	0.17	0.34
52	Softball/Baseball	17	0.27	0.31
54	Stair climbing/Stair master	78	1.22	1.14
57	Swimming	84	1.31	1.55
58	Swimming in laps	30	0.47	0.44
59	Table tennis	3	0.05	0.03
60	Tai Chi	7	0.11	0.08
61	Tennis	19	0.30	0.29
62	Touch football	1	0.02	0.04
63	Volleyball	11	0.17	0.19
64	Walking	919	14.33	14.42
66	Waterskiing	1	0.02	0.01
67	Weight lifting	338	5.27	5.92
68	Wrestling	2	0.03	0.06
69	Yoga	65	1.01	1.01
71	Childcare	62	0.97	1.30
72	Farm/Ranch Work (caring for livestock, stacking hay, etc.)	54	0.84	0.74
73	Household Activities (vacuuming, dusting, home repair, etc.)	386	6.02	4.29
74	Karate/Martial Arts	6	0.09	0.11
75	Upper Body Cycle (wheelchair sports, ergometer, etc.)	15	0.23	0.28
76	Yard work (cutting/gathering wood, trimming hedges, etc.)	243	3.79	3.35
88	No other activity—Go to Section 12.08 STRENGTH	2,097	32.69	32.70
98	Other_____	188	2.93	2.76
77	Don't know/Not Sure—Go to Section 12.08 STRENGTH	122	1.90	1.91
99	Refused—Go to Section 12.08 STRENGTH	64	1.00	0.84

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 12.5 Exercise (Physical Activity)

Type: Num

Column: 229-230

SAS Variable Name: EXTRACT21

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99	3,923		

How Many Times Walking, Running, Jogging, or Swimming

Section: 12.6 Exercise (Physical Activity)

Type: Num

Column: 231-233

SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	2,654	64.31	64.94
201 - 299	Times per month	1,420	34.41	33.98
777	Don't know/Not sure	35	0.85	0.74
999	Refused	18	0.44	0.33
BLANK	Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99 or Section 12.05, EXTRACT21 is coded 77, 88, 99	6,211		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 12.7 Exercise (Physical Activity)

Type: Num

Column: 234-236

SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	3,986	96.65	97.12
777	Don't know/Not sure	91	2.21	1.81
800 - 959	Hours and Minutes	25	0.61	0.69
999	Refused	22	0.53	0.38
BLANK	Not asked or Missing Notes: Section 12.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 12.02, EXTRACT11 is coded 77, 99 or Section 12.05, EXTRACT21 is coded 77, 88, 99	6,214		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 12.8 Exercise (Physical Activity)

Type: Num

Column: 237-239

SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic bands.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	2,092	21.91	24.42
201 - 299	Times per month	1,086	11.37	13.45
777	Don't know / Not sure	58	0.61	0.41
888	Never	6,276	65.73	61.46
999	Refused	36	0.38	0.26
BLANK	Not asked or Missing	790		

Limited Because of Joint Symptoms

Section: 13.1 Arthritis Burden

Type: Num

Column: 240

SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,719	48.86	49.47
2	No	1,763	50.11	49.72
7	Don't know/Not sure	24	0.68	0.40
9	Refused	12	0.34	0.41
BLANK	Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	6,820		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Does Arthritis Affect Whether You Work

Section: 13.2 Arthritis Burden

Type: Num

Column: 241

SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,128	32.11	35.61
2	No	2,269	64.59	61.36
7	Don't know/Not Sure	64	1.82	1.55
9	Refused	52	1.48	1.47
BLANK	Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	6,825		

Social Activities Limited Because of Joint Symptoms

Section: 13.3 Arthritis Burden

Type: Num

Column: 242

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	672	19.15	19.56
2	A little	854	24.33	25.30
3	Not at all	1,958	55.78	54.60
7	Don't know/Not Sure	11	0.31	0.22
9	Refused	15	0.43	0.31
BLANK	Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	6,828		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Bad Was Joint Pain

Section: 13.4 Arthritis Burden

Type: Num

Column: 243-244

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	2,604	98.41	98.42
77	Don't know/Not Sure	27	1.02	1.00
99	Refused	15	0.57	0.58
BLANK	Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	7,692		

How often use seatbelts in car?

Section: 14.1 Seatbelt Use

Type: Num

Column: 245

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	8,315	87.50	85.93
2	Nearly always	671	7.06	7.94
3	Sometimes	227	2.39	2.74
4	Seldom	117	1.23	1.35
5	Never	136	1.43	1.65
7	Don't know/Not sure	8	0.08	0.04
8	Never drive or ride in a car	15	0.16	0.19
9	Refused	14	0.15	0.15
BLANK	Not asked or Missing	835		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult flu shot/spray past 12 mos

Section: 15.1 Immunization

Type: Num

Column: 246

SAS Variable Name: FLUSHOT6

Prologue: Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,061	42.83	35.65
2	No—Go to Section 15.03 TETANUS	5,392	56.87	64.05
7	Don't know/Not Sure—Go to Section 15.03 TETANUS	18	0.19	0.17
9	Refused—Go to Section 15.03 TETANUS	10	0.11	0.13
BLANK	Not asked or Missing	857		

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 15.2 Immunization

Type: Num

Column: 247-252

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12012 - 122013	Month / Year	3,828	94.29	93.93
777777	Don't know/Not Sure	200	4.93	5.27
999999	Refused	32	0.79	0.79
BLANK	Not asked or Missing Notes: Section 15.01, FLUSHOT6, is coded 2, 7, or 9	6,278		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Received Tetanus Shot Since 2005?

Section: 15.3 Immunization

Type: Num

Column: 253

SAS Variable Name: TETANUS

Prologue:

Description: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, received Tdap	1,310	13.83	15.79
2	Yes, received tetanus shot, but not Tdap	757	7.99	7.88
3	Yes, received tetanus shot but not sure what type	2,467	26.05	27.66
4	No, did not receive any tetanus since 2005	4,067	42.94	40.00
7	Don't know/Not Sure	858	9.06	8.53
9	Refused	13	0.14	0.14
BLANK	Not asked or Missing	866		

Pneumonia shot ever

Section: 15.4 Immunization

Type: Num

Column: 254

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,516	37.15	28.04
2	No	5,112	54.02	59.28
7	Don't know/Not Sure	828	8.75	12.59
9	Refused	8	0.08	0.10
BLANK	Not asked or Missing	874		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever tested HIV

Section: 16.1 HIV/AIDS

Type: Num

Column: 255

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,228	23.65	29.69
2	No-Go to optional module transition	6,930	73.56	67.97
7	Don't know/Not Sure-Go to optional module transition	234	2.48	2.10
9	Refused-Go to optional module transition	29	0.31	0.25
BLANK	Not asked or Missing	917		

Month and Year of Last HIV Test

Section: 16.2 HIV/AIDS

Type: Num

Column: 256-261

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122014	Code month and year Notes: __/____ month and year	1,832	82.30	85.35
777777	Don't know/Not sure	382	17.16	14.26
999999	Refused	12	0.54	0.39
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing	8,112		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Location of last HIV test

Section: 16.3 HIV/AIDS

Type: Num

Column: 262-263

SAS Variable Name: WHRTST10

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, in the emergency room, as an inpatient in a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	990	44.51	44.45
2	Counseling and testing site	89	4.00	3.90
3	Hospital inpatient	258	11.60	9.85
4	Clinic	430	19.33	21.54
5	Jail or prison (or other correctional facility)	40	1.80	2.39
6	Drug treatment facility	12	0.54	0.56
7	At home	55	2.47	2.40
8	Somewhere else	239	10.75	10.19
9	Emergency room	84	3.78	3.77
77	Don't know/Not sure	22	0.99	0.75
99	Refused	5	0.22	0.21
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing	8,114		

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 270

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,291	60.74	52.84
2	No	3,065	35.19	43.17
7	Don't know/Not Sure	347	3.98	3.91
9	Refused	8	0.09	0.08
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 1	1,627		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 271

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	720	8.27	7.03
2	Yes, during pregnancy	91	1.05	0.95
3	No	7,859	90.26	91.38
7	Don't know/Not Sure	33	0.38	0.57
9	Refused	4	0.05	0.07
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 1; If Section 07.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	1,631		

Age When Told Diabetic

Module: 2.1 Diabetes

Type: Num

Column: 272-273

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older	1,373	93.98	94.79
98	Don't know/Not sure	81	5.54	4.90
99	Refused	7	0.48	0.32
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Now Taking Insulin

Module: 2.2 Diabetes

Type: Num

Column: 274

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	495	33.88	34.86
2	No	962	65.85	64.76
9	Refused	4	0.27	0.39
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Type: Num

Column: 275-277

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 __ Times per day	941	64.41	64.57
201 - 299	Times per week Notes: 2 __ Times per week	223	15.26	15.62
301 - 399	Times per month Notes: 3 __ Times per month	94	6.43	6.50
401 - 499	Times per year Notes: 4 __ Times per year	30	2.05	1.95
777	Don't know/Not sure	13	0.89	0.82
888	Never	151	10.34	10.00
999	Refused	9	0.62	0.54
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Type: Num

Column: 278-280

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 __ Times per day	845	57.84	57.56
201 - 299	Times per week Notes: 2 __ Times per week	266	18.21	17.79
301 - 399	Times per month Notes: 3 __ Times per month	81	5.54	5.41
401 - 499	Times per year Notes: 4 __ Times per year	24	1.64	1.88
555	No feet	14	0.96	0.98
777	Don't know/Not sure	43	2.94	2.78
888	Never	174	11.91	12.43
999	Refused	14	0.96	1.16
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Type: Num

Column: 281-282

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	1,233	84.39	84.07
88	None	167	11.43	12.42
77	Don't know/Not sure	34	2.33	1.71
99	Refused	27	1.85	1.80
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Type: Num

Column: 283-284

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	1,225	83.85	84.02
88	None	79	5.41	5.82
98	Never heard of "A one C" test	48	3.29	3.04
77	Don't know/Not sure	95	6.50	6.28
99	Refused	14	0.96	0.84
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Times Feet Check for Sores/Irritations

Module: 2.7 Diabetes

Type: Num

Column: 285-286

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	1,023	70.70	70.51
88	None	374	25.85	26.47
77	Don't know/Not sure	38	2.63	2.38
99	Refused	12	0.83	0.63
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	8,891		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Type: Num

Column: 287

SAS Variable Name: EYEEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	278	19.03	18.03
2	Within the past year (1 month but less than 12 months ago)	701	47.98	44.97
3	Within the past 2 years (1 year but less than 2 years ago)	189	12.94	14.78
4	2 or more years ago	235	16.08	17.25
7	Don't know/Not sure	21	1.44	1.77
8	Never	29	1.98	2.86
9	Refused	8	0.55	0.34
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Type: Num

Column: 288

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	231	15.81	16.51
2	No	1,203	82.34	81.45
7	Don't know/Not sure	26	1.78	2.00
9	Refused	1	0.07	0.04
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Type: Num

Column: 289

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	873	59.75	60.18
2	No	578	39.56	39.15
7	Don't know/Not sure	7	0.48	0.52
9	Refused	3	0.21	0.14
BLANK	Not asked or Missing Notes: Section 07.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	8,877		

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 290-291

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 292-293

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 294-295

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 296-297

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Do you have Medicare?

Module: 4.1 Health Care Access

Type: Num

Column: 298

SAS Variable Name: MEDICARE

Prologue:

Description: Do you have Medicare? (Medicare is a coverage plan for people 65 or over and for certain disabled people.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,757	40.58	26.18
2	No	5,428	58.62	72.55
7	Don't know/Not sure	58	0.63	1.04
9	Refused	16	0.17	0.23
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9;	1,079		

Health Insurance Coverage

Module: 4.2 Health Care Access

Type: Char

Column: 299-312

SAS Variable Name: HLTHCVRG

Prologue:

Description: Are you CURRENTLY covered by any of the following types of health insurance or health coverage plans?
 [Select all that apply]

Value	Value Label	Frequency	Percentage	Weighted Percentage
88	None	1,432	15.49	18.60
77	Don't know/Not Sure	78	0.84	0.82
99	Refused	73	0.79	0.65
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9;	1,093		
HIDDEN	Data not displayed	7,662	82.88	79.93

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Delayed Getting Medical Care

Module: 4.3 Health Care Access

Type: Num

Column: 313

SAS Variable Name: DELAYMED

Prologue: Other than cost, there are many other reasons people delay getting needed medical care.

Description: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You couldn't get through on the telephone	59	0.64	0.76
2	You couldn't get an appointment soon enough	330	3.58	4.15
3	Once you got there, you had to wait too long to see the doctor	142	1.54	1.84
4	The (clinic/doctor's) office wasn't open when you got there.	52	0.56	0.58
5	You didn't have transportation	271	2.94	3.54
6	Other-Go to Module 04.4 DLYOTHER	302	3.27	3.90
7	Don't know/Not Sure	71	0.77	0.91
8	No, I did not delay getting medical care/did not need medical care	7,934	86.01	83.79
9	Refused	63	0.68	0.53
BLANK	Not asked or Missing	1,114		

Delayed Getting Medical Care Other Response

Module: 4.4 Health Care Access

Type: Char

Column: 314-338

SAS Variable Name: DLYOTHER

Prologue:

Description: Delayed Getting Medical Care Other Response

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Module 04.03, DELAYMED, is not coded 6	10,338	100.00	100.00

Without Health Care Coverage Past 12 Months

Module: 4.5 Health Care Access

Type: Num

Column: 339

SAS Variable Name: NOCOV121

Prologue:

Description: In the PAST 12 MONTHS was there any time when you did NOT have ANY health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	395	4.85	6.46
2	No	7,722	94.89	93.23
7	Don't know/Not Sure	12	0.15	0.19
9	Refused	9	0.11	0.12
BLANK	Not asked or Missing	2,200		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last Had Health Care Coverage

Module: 4.6 Health Care Access

Type: Num

Column: 340

SAS Variable Name: LSTCOVRG

Prologue:

Description: About how long has it been since you last had health care coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	6 months or less	164	15.26	14.69
2	More than 6 months, but not more than 1 year ago	108	10.05	11.96
3	More than 1 year, but not more than 3 years ago	212	19.72	22.16
4	More than 3 years	392	36.47	33.20
5	Never	118	10.98	11.49
7	Don't know/Not Sure	35	3.26	3.59
9	Refused	46	4.28	2.91
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 1; or Module 04.05, NOCOV12, is not equal to missing	9,263		

Doctor Visits Past 12 Months

Module: 4.7 Health Care Access

Type: Num

Column: 341-342

SAS Variable Name: DRVISITS

Prologue:

Description: How many times have you been to a doctor, nurse, or other health professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times	8,021	87.13	84.59
88	None	877	9.53	12.84
77	Don't know/Not Sure	269	2.92	2.24
99	Refused	39	0.42	0.32
BLANK	Not asked or Missing	1,132		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Could Not Get Medicine Due To Cost

Module: 4.8 Health Care Access

Type: Num

Column: 343

SAS Variable Name: MEDSCOST

Prologue:

Description: Was there a time in the past 12 months when you did not take your medication as prescribed because of cost? Do not include over-the-counter (OTC) medication.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	756	8.21	9.47
2	No	7,783	84.56	81.56
3	No medication was prescribed	643	6.99	8.70
7	Don't know/Not Sure	11	0.12	0.18
9	Refused	11	0.12	0.09
BLANK	Not asked or Missing	1,134		

Satisfied With Care Received

Module: 4.9 Health Care Access

Type: Num

Column: 344

SAS Variable Name: CARERCVD

Prologue:

Description: In general, how satisfied are you with the health care you received? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	6,065	65.92	62.06
2	Somewhat satisfied	2,515	27.33	29.54
3	Not at all satisfied	291	3.16	4.14
7	Don't know/Not Sure	48	0.52	0.52
8	Not applicable	211	2.29	3.08
9	Refused	71	0.77	0.66
BLANK	Not asked or Missing	1,137		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Currently Have Medical Bills

Module: 4.10 Health Care Access

Type: Num

Column: 345

SAS Variable Name: MEDBILLS

Prologue:

Description: Do you currently have any medical bills that are being paid off over time? (This could include medical bills being paid off with a credit card, through personal loans, or bill paying arrangements with hospitals or other providers. The bills can be from earlier years as well as this year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,803	19.60	23.14
2	No	7,327	79.64	75.77
7	Don't know/Not Sure	50	0.54	0.87
9	Refused	20	0.22	0.22
BLANK	Not asked or Missing	1,138		

How often do you drink regular soda or pop?

Module: 5.1 Sugar Drinks

Type: Num

Column: 346-348

SAS Variable Name: SSBSUGAR

Prologue: Now I would like to ask you some questions about sugary beverages

Description: About how often do you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.(You can answer times per day, week, or month: for example, twice a day, once a week, and so forth.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	862	18.92	24.03
201 - 299	Times per week	812	17.82	20.13
301 - 399	Times per month	911	20.00	19.49
777	Don't know/Not sure	16	0.35	0.40
888	Never	1,942	42.63	35.75
999	Refused	13	0.29	0.20
BLANK	Not asked or Missing	5,782		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often did you drink sugar-sweetened drinks?

Module: 5.2 Sugar Drinks

Type: Num

Column: 349-351

SAS Variable Name: SSBFRUT2

Prologue:

Description: During the past 30 days, how often did you drink sugar-sweetened fruit drinks (such as Kool-aid and lemonade), sweet tea, and sports or energy drinks (such as Gatorade and Red Bull)? Do not include 100 percent fruit juice, diet drinks, or artificially sweetened drinks.(You can answer times per day, week, or month: for example, twice a day, once a week, and so forth.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	603	13.25	15.62
201 - 299	Times per week	784	17.23	22.05
301 - 399	Times per month	788	17.32	19.08
777	Don't know/Not sure	32	0.70	0.44
888	Never	2,333	51.27	42.69
999	Refused	10	0.22	0.12
BLANK	Not asked or Missing	5,788		

Watching Sodium or Salt Intake

Module: 6.1 Sodium or Salt-Related Behavior

Type: Num

Column: 352

SAS Variable Name: WTCHSALT

Prologue: Now I would like to ask you some questions about sodium or salt intake. Most of the sodium or salt we eat comes from processed foods and foods prepared in restaurants. Salt also can be added in cooking or at the table.

Description: Are you currently watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,388	52.61	47.12
2	No-Go to Module 06.03 DRADVISE	2,108	46.44	52.16
7	Don't know/Not Sure-Go to Module 06.03 DRADVISE	27	0.59	0.50
9	Refused-Go to Module 06.03 DRADVISE	16	0.35	0.23
BLANK	Not asked or Missing	5,799		

How Long Watching Salt/Sodium Intake

Module: 6.2 Sodium or Salt-Related Behavior

Type: Num

Column: 353-355

SAS Variable Name: LONGWTCH

Prologue:

Description: How many days, weeks, months, or years have you been watching or reducing your sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Day(s)	52	2.18	2.40
201 - 299	Week(s)	29	1.22	1.66
301 - 399	Month(s)	234	9.81	11.78
401 - 499	Year(s)	1,798	75.36	72.40
555	All my life	137	5.74	6.62
777	Don't know/Not Sure	113	4.74	4.37
999	Refused	23	0.96	0.78
BLANK	Not asked or Missing Notes: Module 06.01, WTCHSALT, is coded 2, 7, 9, or Missing	7,952		

Doctor Advised Reduced Sodium/Salt Intake

Module: 6.3 Sodium or Salt-Related Behavior

Type: Num

Column: 356

SAS Variable Name: DRADVISE

Prologue:

Description: Has a doctor or other health professional ever advised you to reduce sodium or salt intake?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,178	25.99	22.08
2	No	3,318	73.21	77.27
7	Don't know/Not Sure	30	0.66	0.52
9	Refused	6	0.13	0.13
BLANK	Not asked or Missing	5,806		

Age at Asthma Diagnosis

Module: 7.1 Adult Asthma History

Type: Num

Column: 357-358

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Asthma During Past 12 Months

Module: 7.2 Adult Asthma History

Type: Num

Column: 359

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,338		

Emergency Asthma Care During Past 12 Months

Module: 7.3 Adult Asthma History

Type: Num

Column: 360-361

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing	10,338		

Urgent Asthma Treatment During Past 12 Months

Module: 7.4 Adult Asthma History

Type: Num

Column: 362-363

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,]"

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Routine Asthma Care During Past 12 Months

Module: 7.5 Adult Asthma History

Type: Num

Column: 364-365

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,338		

Activities Limited Because of Asthma During Past 12 Months

Module: 7.6 Adult Asthma History

Type: Num

Column: 366-368

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,338		

Asthma Symptoms During Past 30 Days

Module: 7.7 Adult Asthma History

Type: Num

Column: 369

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,338		

Behavioral Risk Factor Surveillance System
INDIANA 2013 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 7.8 Adult Asthma History

Type: Num

Column: 370

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.07, ASYMPTOM, is coded 8	10,338		

Days used prescribed preventative asthma med in past 30 days

Module: 7.9 Adult Asthma History

Type: Num

Column: 371

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,338		

Times used asthma inhaler during an attack in past 30 days

Module: 7.10 Adult Asthma History

Type: Num

Column: 372

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 07.05, ASTHNOW, is coded 2, 7, 9, or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Outpatient rehab after heart attack hosp stay

Module: 8.1 Cardiovascular Health

Type: Num

Column: 373

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, CVDINFR4, is coded 2, 7, 9 or Missing	10,338		

Outpatient rehab after hosp stay for stroke

Module: 8.2 Cardiovascular Health

Type: Num

Column: 374

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.03, CVDSTRK3, is coded 2, 7, 9 or Missing	10,338		

Take Aspirin Daily or Every Other Day

Module: 8.3 Cardiovascular Health

Type: Num

Column: 375

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Health Makes Taking Aspirin Unsafe

Module: 8.4 Cardiovascular Health

Type: Num

Column: 376

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.03, CVDASPRN, is coded 1	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Take Aspirin to Relieve Pain

Module: 8.5 Cardiovascular Health

Type: Num

Column: 377

SAS Variable Name: RLIVPAIN

Prologue:

Description: Do you take aspirin to relieve pain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	10,338		

Take Aspirin to Reduce Chance of Heart Attack

Module: 8.6 Cardiovascular Health

Type: Num

Column: 378

SAS Variable Name: RDUCHART

Prologue:

Description: Do you take aspirin to reduce the chance of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	10,338		

Take Aspirin to Reduce Chance of Stroke

Module: 8.7 Cardiovascular Health

Type: Num

Column: 379

SAS Variable Name: RDUCSTRK

Prologue:

Description: Do you take aspirin to reduce the chance of a stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.04, ASPUNSAF, is coded 1, 2, 3, 7 or 9	10,338		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 9.1 Arthritis Management

Type: Num

Column: 380

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,338		

Behavioral Risk Factor Surveillance System
INDIANA 2013 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 9.2 Arthritis Management

Type: Num

Column: 381

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,338		

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 9.3 Arthritis Management

Type: Num

Column: 382

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,338		

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 9.4 Arthritis Management

Type: Num

Column: 383

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.09, HAVARTH3, is coded 2, 7, 9, or Missing	10,338		

Where did you get your last flu shot/vaccine?

Module: 10.1 Influenza

Type: Num

Column: 384-385

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 15.01, FLUSHOT6, is coded 2, 7, or 9	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have you ever had the HPV vaccination?

Module: 11.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 386

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is greater than 49	10,338		

How many HPV shots did you receive?

Module: 11.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 387-388

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is greater than 49; or Module 11.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	10,338		

Have You Ever Had a Mammogram

Module: 12.1 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 389

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	10,338		

How Long since Last Mammogram

Module: 12.2 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 390

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 12.01, HADMAM, is coded 2, 7, 9, or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had Breast Physical Exam by Doctor

Module: 12.3 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 391

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	10,338		

How Long since Last Breast Physical Exam

Module: 12.4 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 392

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 12.03, PROFEXAM, is coded 2, 7, 9, or Missing	10,338		

Ever Had a Pap Test

Module: 12.5 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 393

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1	10,338		

How Long Since Last Pap Test

Module: 12.6 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 394

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 12.05, HADPAP2, is coded 2, 7, 9, or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Had Hysterectomy

Module: 12.7 Breast Cancer and Cervical Cancer Screening

Type: Num

Column: 395

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.22, PREGNANT, is coded 1	10,338		

Ever Had Blood Stool Test Using Home Kit

Module: 13.1 Colorectal Cancer Screening

Type: Num

Column: 396

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 50	10,338		

Time Since Last Blood Stool Test

Module: 13.2 Colorectal Cancer Screening

Type: Num

Column: 397

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 50; or Module 13.01, BLDSTOOL, is coded 2, 7, 9, or Missing	10,338		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 13.3 Colorectal Cancer Screening

Type: Num

Column: 398

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 50	10,338		

Was your last test a sigmoidoscopy or colonoscopy?

Module: 13.4 Colorectal Cancer Screening

Type: Num

Column: 399

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 50; or Module 13.03, HADSIGM3, is coded 2, 7, 9, or Missing	10,338		

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 13.5 Colorectal Cancer Screening

Type: Num

Column: 400

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 50; or Module 13.03, HADSIGM3, is coded 2, 7, 9, or Missing	10,338		

Has a health professional EVER talked with you about the advantages of the PSA test?

Module: 14.1 Prostate Cancer Screening

Type: Num

Column: 401

SAS Variable Name: PCPSAAD2

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2;	10,338		

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Module: 14.2 Prostate Cancer Screening

Type: Num

Column: 402

SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2	10,338		

Has a doctor EVER recommended that you have a PSA test?

Module: 14.3 Prostate Cancer Screening

Type: Num

Column: 403

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2	10,338		

Ever Had PSA Test

Module: 14.4 Prostate Cancer Screening

Type: Num

Column: 404

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last PSA Test

Module: 14.5 Prostate Cancer Screening

Type: Num

Column: 405

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Module 14.04, PSATEST1, is coded, 2, 7, 9, or Missing	10,338		

What was the MAIN reason you had this PSA test?

Module: 14.6 Prostate Cancer Screening

Type: Num

Column: 406

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Module 14.04, PSATEST1, is coded, 2, 7, 9, or Missing	10,338		

Why was PSA test done?

Module: 15.1 Prostate Cancer Screening Decision Making Module

Type: Num

Column: 407

SAS Variable Name: PCPSADE1

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Module 14.04, PSATEST1, is coded, 2, 7, 9, or Missing	10,338		

Who made the decision with you to have PSA test?

Module: 15.2 Prostate Cancer Screening Decision Making Module

Type: Char

Column: 408-411

SAS Variable Name: PCDMDECN

Prologue:

Description: Who made the decision with you? (Mark all that apply)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Section 14.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 15.01, PCPSADE1, is coded 1, 2, or 4	10,338		

Behavioral Risk Factor Surveillance System
INDIANA 2013 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How do other people usually classify you in this country?

Module: 16.1 Reactions to Race

Type: Num

Column: 412

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How often do you think about your race?

Module: 16.2 Reactions to Race

Type: Num

Column: 413

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 16.3 Reactions to Race

Type: Num

Column: 414

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	10,338		

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 16.4 Reactions to Race

Type: Num

Column: 415

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 16.5 Reactions to Race

Type: Num

Column: 416

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 16.6 Reactions to Race

Type: Num

Column: 417

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How often feel nervous past 30 days

Module: 17.1 Mental Illness & Stigma

Type: Num

Column: 418

SAS Variable Name: MISNERVS

Prologue:

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How often feel hopeless past 30 days

Module: 17.2 Mental Illness & Stigma

Type: Num

Column: 419

SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Behavioral Risk Factor Surveillance System
INDIANA 2013 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

How often feel restless past 30 days

Module: 17.3 Mental Illness & Stigma

Type: Num

Column: 420

SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How often feel depressed past 30 days

Module: 17.4 Mental Illness & Stigma

Type: Num

Column: 421

SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How often feel everything was an effort past 30 days

Module: 17.5 Mental Illness & Stigma

Type: Num

Column: 422

SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How often feel worthless past 30 days

Module: 17.6 Mental Illness & Stigma

Type: Num

Column: 423

SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Emotional problem kept you from doing work past 30 days

Module: 17.7 Mental Illness & Stigma

Type: Num

Column: 424-425

SAS Variable Name: MISNOWRK

Prologue:

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, studies or recreation.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Receiving medicine or treatment from health pro for emotional problem

Module: 17.8 Mental Illness & Stigma

Type: Num

Column: 426

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Mental health treatment can help people lead normal life

Module: 17.9 Mental Illness & Stigma

Type: Num

Column: 427

SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment.

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree slightly or strongly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

People are generally caring toward people with mental illness

Module: 17.10 Mental Illness & Stigma

Type: Num

Column: 428

SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education programs.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Type of Work

Module: 18.1 Industry and Occupation

Type: Char

Column: 429-453

SAS Variable Name: TYPEWORK

Prologue:

Description: What kind of work do/did you do? [(for example, registered nurse, janitor, cashier, auto mechanic)]

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,338	100.00	100.00

Type of Business/Industry

Module: 18.2 Industry and Occupation

Type: Char

Column: 454-478

SAS Variable Name: TYPEINDS

Prologue:

Description: What kind of business or industry do/did you work in? [(for example, hospital, elementary school, clothing manufacturing, restaurant)]

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,338	100.00	100.00

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 19.1 Social Context

Type: Num

Column: 479

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.20, RENTHOM1, is coded 3, 7, 9 or Missing	10,338		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 19.2 Social Context

Type: Num

Column: 480

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Are You Generally Paid For The Work You Do

Module: 19.3 Social Context

Type: Num

Column: 481

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, 8 or Missing	10,338		

How Many Hours Per Week Do You Work

Module: 19.4 Social Context

Type: Num

Column: 482-483

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, 8 or Missing	10,338		

How Were You Generally Paid For The Work You Did

Module: 19.5 Social Context

Type: Num

Column: 484

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, 8 or Missing; or Module 19.04, SCNTWRK1, > 0	10,338		

How Many Hours Per Week Did You Work

Module: 19.6 Social Context

Type: Num

Column: 485-486

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, 8 or Missing; or Module 19.04, SCNTWRK1, > 0	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did You Vote In The Last Presidential Election?

Module: 19.7 Social Context

Type: Num

Column: 487

SAS Variable Name: SCNTVOT1

Prologue:

Description: Did you vote in the last presidential election? [The November 2012 election between Barack Obama and Mitt Romney.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Birth date of child

Module: 20.1 Random Child Selection

Type: Char

Column: 488-493

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	90	4.00	5.18
999999	Refused	180	8.00	7.53
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing;	8,089		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,979	87.99	87.29

Gender of child

Module: 20.2 Random Child Selection

Type: Num

Column: 494

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	1,158	51.51	51.55
2	Girl	1,029	45.77	46.02
9	Refused	61	2.71	2.43
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	8,090		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ethnicity of child

Module: 20.3 Random Child Selection

Type: Char

Column: 495-498

SAS Variable Name: RCHISLA1

Prologue:

Description: Is the child Hispanic, Latino/a, or Spanish origin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not Sure	10	0.45	0.42
9	Refused	55	2.45	2.32
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	8,092		
HIDDEN		2,181	97.11	97.26

Race of child (multiple possible)

Module: 20.4 Random Child Selection

Type: Char

Column: 499-526

SAS Variable Name: RCSRACE1

Prologue:

Description: Which one or more of the following would you say is the race of the child? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply]

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not Sure	19	0.85	0.89
99	Refused	67	2.99	2.72
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	8,096		
HIDDEN	Data Not Displayed	2,156	96.16	96.40

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Race of child

Module: 20.5 Random Child Selection

Type: Num

Column: 527-528

SAS Variable Name: RCSBRAC1

Prologue:

Description: Which one of these groups would you say best represents the child's race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	20	32.79	32.31
20	Black or African American	16	26.23	28.95
30	American Indian or Alaska Native	2	3.28	2.75
40	Asian	1	1.64	1.37
44	Japanese	1	1.64	0.87
47	Other Asian	1	1.64	0.97
77	Don't know/Not Sure	6	9.84	8.99
99	Refused	14	22.95	23.79
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months; or Module 20.04, RCSRACE1, has only one valid race code (10-60)	10,277		

Relationship to child

Module: 20.6 Random Child Selection

Type: Num

Column: 529

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	1,825	81.55	78.51
2	Grandparent	172	7.69	5.73
3	Foster parent or guardian	29	1.30	1.37
4	Sibling (include biologic, step, and adoptive sibling)	91	4.07	7.39
5	Other relative	44	1.97	2.86
6	Not related in any way	39	1.74	2.47
7	Don't know/Not sure	1	0.04	0.11
9	Refused	37	1.65	1.55
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	8,100		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Hlth pro ever said child has asthma

Module: 21.1 Childhood Asthma Prevalence

Type: Num

Column: 530

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	282	12.65	11.97
2	No—Go to next module	1,891	84.80	85.29
7	Don't know/Not Sure—Go to next module	20	0.90	1.30
9	Refused—Go to next module	37	1.66	1.44
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing	8,108		

Child still have asthma?

Module: 21.2 Childhood Asthma Prevalence

Type: Num

Column: 531

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178	63.12	64.48
2	No	99	35.11	33.16
7	Don't know/Not Sure	5	1.77	2.35
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 21.01, CASTHDX2, is coded 2, 7, 9, or Missing	10,056		

How often get emotional support needed

Module: 22.1 Emotional Support and Life Satisfaction

Type: Num

Column: 532

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Satisfaction with life

Module: 22.2 Emotional Support and Life Satisfaction

Type: Num

Column: 533

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 534

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,076	73.15	73.64
2	No	395	26.85	26.36
BLANK	Not asked or Missing	8,867		

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 535

SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No selection	7,549	83.70	82.29
1	Adult	1,274	14.13	14.86
2	Child	196	2.17	2.86
BLANK	Not asked or Missing	1,319		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

First Activity Other response description

Section: 12.3 Exercise (Physical Activity)

Type: Char

Column: 540-559

SAS Variable Name: EXACTOT1

Prologue:

Description: First Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,338	100.00	100.00

Second Activity Other response description

Section: 12.7 Exercise (Physical Activity)

Type: Char

Column: 560-579

SAS Variable Name: EXACTOT2

Prologue:

Description: Second Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,338	100.00	100.00

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction

Type: Num

Column: 580

SAS Variable Name: CTELNUM1

Prologue: Variable only on the cell phone survey

Description: Is this (phone number) ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON2	2,606	99.92	99.95
7		2	0.08	0.05
BLANK	Not asked or Missing	7,730		

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction

Type: Num

Column: 581

SAS Variable Name: CELLFON2

Prologue: Variable only on the cell phone survey

Description: Is this a cellular telephone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to LADULT	2,608	100.00	100.00
BLANK	Not asked or Missing	7,730		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction

Type: Num

Column: 582

SAS Variable Name: CADULT

Prologue: Variable only on the cell phone survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent—Go to PVTRES2	1,357	52.03	55.39
2	Yes, Female Respondent—Go to PVTRES2	1,251	47.97	44.61
BLANK	Not asked or Missing	7,730		

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction

Type: Num

Column: 583

SAS Variable Name: PVTRES2

Prologue: Variable only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to CSTATE	2,579	98.89	98.26
2	No—Go to CSTATE	29	1.11	1.74
BLANK	Not asked or Missing	7,730		

Do you live in college housing?

CellPhone: 1.5 Cell Phone Introduction

Type: Num

Column: 584

SAS Variable Name: CCLGHOUS

Prologue: Variable only on the cell phone survey

Description: Do you live in college housing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	100.00	100.00
BLANK	Missing	10,309		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Are you a resident of [STATE]?

CellPhone: 1.6 Cell Phone Introduction

Type: Num

Column: 585

SAS Variable Name: CSTATE

Prologue: Variable only on the cell phone survey

Description: Are you a resident of [STATE]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes--Go to LANDLINE	2,442	93.63	93.56
2	No--Go to RSPSTATE	166	6.37	6.44
BLANK	Not asked or Missing	7,730		

In what state do you live?

CellPhone: 1.7 Cell Phone Introduction

Type: Num

Column: 586-587

SAS Variable Name: RSPSTATE

Prologue: Variable only on the cell phone survey

Description: In what state do you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
18	Indiana	166	100.00	100.00
BLANK	Not asked or Missing	10,172		

Do you also have a landline telephone?

CellPhone: 1.8 Cell Phone Introduction

Type: Num

Column: 588

SAS Variable Name: LANDLINE

Prologue: Variable only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	460	17.65	18.21
2	No--Go to Survey Introduction	2,146	82.35	81.79
BLANK	Not asked or Missing	7,732		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What percent of your calls are received on your cell phone?

CellPhone: 1.9 Cell Phone Introduction

Type: Num

Column: 589-591

SAS Variable Name: PCTCELL

Prologue: Variable only on the cell phone survey

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	462	100.00	100.00
BLANK	Not asked or Missing	9,876		

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 592-593

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
11	Version 1 Landline	3,846	37.20	26.96
12	Version 2 Landline	3,884	37.57	27.74
20	Only Version Cell Phone	166	1.61	2.92
21	Version 1 Cell Phone	1,212	11.72	21.44
22	Version 2 Cell Phone	1,230	11.90	20.95

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 594-595

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	10,213	98.79	97.74
2	Spanish	125	1.21	2.26

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Cell Phone Pilot County Name

State: 1.1 Cell Phone Pilot II

Type: Char

Column: 606-650

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone Pilot County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		10,338	100.00	100.00

How many times have you been pregnant?

StateAddedModule: 1.1 Reproductive Health State Added Module

Type: Num

Column: 751-752

SAS Variable Name: RHPREGNT

Prologue:

Description: How many times have you been pregnant? (Be sure to count all of your pregnancies, including current pregnancy, live births, miscarriages, stillbirths, tubal pregnancies, or abortions.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

How many vaginal deliveries have you had?

StateAddedModule: 1.2 Reproductive Health State Added Module

Type: Num

Column: 753-754

SAS Variable Name: RHVAGDEL

Prologue:

Description: How many vaginal deliveries have you had? (Please count stillbirths as well as live births. Please count the number of vaginal deliveries, not the number of babies delivered.)[For example, if respondent delivered twins or had any other multiple birth, count as a single delivery.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: State Added Module 01.01, RHPREGNT, is coded 77, 88 or 99;	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many cesarean deliveries have you had?

StateAddedModule: 1.3 Reproductive Health State Added Module

Type: Num

Column: 755-756

SAS Variable Name: RHCEDEL

Prologue:

Description: How many cesarean deliveries have you had? (Cesarean deliveries are also known as C-sections. Please count stillbirths as well as live births. Please count the number of cesarean deliveries, not the number of babies delivered.)[For example, if respondent delivered twins or had any other multiple birth, count as a single delivery. Number of cesarean deliveries cannot be greater than the number of pregnancies.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: State Added Module 01.01, RHPREGNT, is coded 77, 88 or 99;	10,338		

Did your delivery result in a live birth?

StateAddedModule: 1.4 Reproductive Health State Added Module

Type: Num

Column: 757-758

SAS Variable Name: RHLVBTRH

Prologue:

Description: (If Q2 & Q3 = 1 delivery, ask): Did your delivery result in a live birth? (Code Yes = 01, No = 88) (If Q2 + Q3 > 1 delivery, ask:) How many of your deliveries resulted in a live birth? Please count the number of deliveries, not the number of live-born children. [For example, if respondent delivered twins or had any other multiple birth, count as a single delivery.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: State Added Module 01.01, RHPREGNT, is coded 77, 88 or 99; or State Added Module 01.02, RHVAGDEL, is coded 77, 88, 99, and State Added Module 01.03, RHCEDEL, is coded 77, 88, 99	10,338		

How do you feel about having a child now or sometime in the future?

StateAddedModule: 1.5 Reproductive Health State Added Module

Type: Num

Column: 759

SAS Variable Name: FPCHLDF3

Prologue:

Description: How do you feel about having a child now or sometime in the future? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.22, PREGNANT, is coded 1;	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did you do anything to keep from getting pregnant?

StateAddedModule: 1.6 Reproductive Health State Added Module

Type: Num

Column: 760

SAS Variable Name: PFPDRVN1

Prologue:

Description: Did you or your spouse or partner do anything the LAST TIME YOU HAD SEX to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.22, PREGNANT, is coded 1; or Module 12.07, HADHYST2, is coded 1; or State Added Module 01.05, FPCHLDF3, is coded 8	10,338		

What did you do to keep you from getting pregnant?

StateAddedModule: 1.7 Reproductive Health State Added Module

Type: Num

Column: 761-762

SAS Variable Name: TYPCTR7

Prologue:

Description: What did you or your spouse or partner do the LAST TIME YOU HAD SEX to keep you from getting pregnant? (If respondent reports using more than one method, please code the method that occurs first on the list.; If respondent reports using an "IUD," probe to determine if "levonorgestrel IUD (e.g., Mirena)" or "copper-bearing IUD (e.g., ParaGard)." If responden)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.22, PREGNANT, is coded 1; or State Optional Module 01.05, FPCHLDF3, is coded 8; or State Optional Module 01.06, PFPDRVN1, is coded 2, 3, 4, 7, 9; or Module 12.07, HADHYST2, is coded 1	10,338		

Type of birth Control 'Other' response description

StateAddedModule: 1.8 Reproductive Health State Added Module

Type: Char

Column: 763-772

SAS Variable Name: TYPOTHER

Prologue:

Description: Type of birth Control 'Other' response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Data not displayed	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What was main reason for not doing anything to keep you from getting pregnant?

StateAddedModule: 1.9 Reproductive Health State Added Module

Type: Num

Column: 773-774

SAS Variable Name: NOBCUSE5

Prologue: Some reasons for not doing anything to keep you from getting pregnant the LAST TIME YOU HAD SEX might include wanting a pregnancy, not being able to pay for birth control, or not thinking that you can get pregnant.

Description: What was your main reason for not doing anything the LAST TIME YOU HAD SEX to keep you from getting pregnant? (If respondent reports "other reason," ask respondent to "please specify" and ensure that their response does not fit into another category. If response does fit into another category, please mark appropriately.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.22, PREGNANT, is coded 1; or State Added Module 01.05, FPCHLDF3, is coded 8; or State Added Module 01.06, PFPVRV1, is coded 3, 4, 7, 9; or Module 12.07, HADHYST2, is coded 1; or State Added Module 01.07, TYPCNTR7, is coded 01-18, 77, 99;	10,338		

Have you ever experienced infertility?

StateAddedModule: 1.10 Reproductive Health State Added Module

Type: Num

Column: 775

SAS Variable Name: RHINFRTL

Prologue: The next questions are about infertility. This means that after a year of trying, a couple is unable to become pregnant or stay pregnant.

Description: Have you or your spouse or partner ever experienced infertility, including difficulty staying pregnant? (If response is "Yes", probe with 'Was it you, your spouse or partner, both you and your spouse or partner, or was it undetermined?')

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	10,338		

Was it infertility, difficulty staying pregnant, or both?

StateAddedModule: 1.11 Reproductive Health State Added Module

Type: Num

Column: 776

SAS Variable Name: RHDIFPRG

Prologue:

Description: Was it infertility, difficulty staying pregnant, or both?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: State Optional Module 01.10, RHINFRTL, is coded 2, 5, 6, 7, 9	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did you receive any of the following (fertility) treatments?

StateAddedModule: 1.12 Reproductive Health State Added Module

Type: Char

Column: 777-788

SAS Variable Name: RHFERTRT

Prologue:

Description: Did you or your spouse or partner receive any of the following treatments?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: State Optional Module 01.10, RHINFRTL, is coded 5 or 6	10,338		

Fertility treatment 'Other' response description

StateAddedModule: 1.13 Reproductive Health State Added Module

Type: Char

Column: 789-798

SAS Variable Name: RHFEROth

Prologue:

Description: Fertility treatment 'Other' response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		10,338	100.00	100.00

What was the result of the most recent (fertility) treatment?

StateAddedModule: 1.14 Reproductive Health State Added Module

Type: Num

Column: 799

SAS Variable Name: RHRECTRT

Prologue:

Description: What was the result of the most recent treatment? Did you ...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: State Added Module 01.12, RHFERTRT, is coded 7, or 99	10,338		

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 801-1299

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

End of Data-Submission Record Marker

State: 1.1 End of Data Submission

Type: Num

Column: 1300

SAS Variable Name: EOR

Prologue:

Description: End of Data-Submission Record Marker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	End of Data-Submission Record Marker	10,338	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.1 Weighting Variables

Type: Num

Column: 1301-1305

SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 1306

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	2,694	34.85	35.11
2	Outside the center city of an MSA but inside the county containing the center city	799	10.34	12.80
3	Inside a suburban county of the MSA	1,697	21.95	28.24
5	Not in an MSA	2,540	32.86	23.86
BLANK	GU, PR, VI	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 1307-1312

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1313-1322

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 1323-1332

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 1333-1342

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1343-1352

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPNP, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1353-1362

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 1363-1364

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 1365-1366

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	542	5.24	13.75
25 - 34	Age 25 to 34	920	8.90	16.40
35 - 44	Age 35 to 44	1,241	12.00	16.44
45 - 54	Age 45 to 54	1,791	17.32	18.04
55 - 64	Age 55 to 64	2,347	22.70	16.76
65 - 99	Age 65 or older	3,497	33.83	18.60

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1367-1368

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, Non-Hispanic	9,128	88.30	83.04
2	Black, Non-Hispanic	600	5.80	8.46
3	Asian, Non-Hispanic	74	0.72	0.98
4	American Indian/Alaskan Native, Non-Hispanic	81	0.78	0.97
5	Hispanic	319	3.09	5.44
6	Other race, Non-Hispanic	136	1.32	1.11

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1369

SAS Variable Name: _IMPDPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	7,608	98.42	99.10
2		91	1.18	0.70
3		25	0.32	0.14
4		3	0.04	0.01
5		2	0.03	0.04
6		1	0.01	0.01
BLANK		2,608		

Imputed County

Weighting: 1.13 Weighting Variables

Type: Num

Column: 1370-1372

SAS Variable Name: _IMPCTY

Prologue:

Description: Imputed County

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Imputed Education Level

Weighting: 1.14 Weighting Variables

Type: Num

Column: 1373

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an education level.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	6	0.06	0.14
2	Grades 1 through 8 (Elementary)	243	2.35	3.35
3	Grades 9 through 11 (Some high school)	697	6.74	10.80
4	Grade 12 or GED (High school graduate)	3,801	36.77	34.84
5	College 1 year to 3 years (Some college or technical school)	2,632	25.46	30.26
6	College 4 years or more (College graduate)	2,959	28.62	20.61

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed Marital Status

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1374

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a marital status.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,442	52.64	53.37
2	Divorced	1,564	15.13	12.56
3	Widowed	1,532	14.82	7.11
4	Separated	144	1.39	1.47
5	Never married	1,425	13.78	21.94
6	A member of an unmarried couple	231	2.23	3.56

Imputed Own or Rent Home

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1375

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a tenure.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	7,859	76.02	73.82
2	Rent	2,112	20.43	21.60
3	Other arrangement	367	3.55	4.58

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1376-1377

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Alaska	1	0.01	0.02
4	Arizona	2	0.02	0.05
5	Arkansas	3	0.03	0.06
6	California	6	0.06	0.09
8	Colorado	6	0.06	0.07
9	Connecticut	1	0.01	0.03
10	Delaware	4	0.04	0.07
12	Florida	3	0.03	0.08
15	Hawaii	1	0.01	0.01
17	Illinois	9	0.09	0.12
18	Indiana	10,172	98.39	97.08
19	Iowa	2	0.02	0.03
20	Kansas	7	0.07	0.11
21	Kentucky	35	0.34	0.77
23	Maine	1	0.01	0.01
24	Maryland	2	0.02	0.03
25	Massachusetts	3	0.03	0.08
26	Michigan	14	0.14	0.22
28	Mississippi	2	0.02	0.04
29	Missouri	2	0.02	0.02
31	Nebraska	3	0.03	0.04
34	New Jersey	3	0.03	0.07
35	New Mexico	1	0.01	0.01
36	New York	2	0.02	0.03
38	North Dakota	3	0.03	0.06
39	Ohio	22	0.21	0.33
40	Oklahoma	2	0.02	0.06
41	Oregon	1	0.01	0.01
42	Pennsylvania	1	0.01	0.01
44	Rhode Island	2	0.02	0.03
45	South Carolina	1	0.01	0.02
48	Texas	4	0.04	0.09
49	Utah	5	0.05	0.07
51	Virginia	1	0.01	0.01
54	West Virginia	2	0.02	0.02

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1376-1377

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
55	Wisconsin	5	0.05	0.07
56	Wyoming	2	0.02	0.03
66	Guam	2	0.02	0.04

Truncated design weight used in adult land line raking

Weighting: 1.18 Weighting Variables

Type: Num

Column: 1378-1387

SAS Variable Name: _LANDWT2

Prologue:

Description: Truncated design weight used in adult land line raking

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Land-Line First Margin (Age-Gender)

Land-Line Raking: 1.1 Weighting Variables

Type: Num

Column: 1388-1390

SAS Variable Name: _MRG01

Prologue:

Description: Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	7,730	100.00	100.00
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Second Margin (Race/Ethnicity)

Land-Line Raking: 1.2 Weighting Variables

Type: Num

Column: 1391-1393

SAS Variable Name: _MRG02

Prologue:

Description: Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	7,730	100.00	100.00
BLANK	Missing	2,608		

Land-Line Third Margin (Education)

Land-Line Raking: 1.3 Weighting Variables

Type: Num

Column: 1394-1396

SAS Variable Name: _MRG03

Prologue:

Description: Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	657	8.50	12.29
2	HS Grad	2,924	37.83	35.85
3	Some College	1,906	24.66	29.63
4	College Grad	2,243	29.02	22.22
BLANK	Missing	2,608		

Land-Line Fourth Margin (Marital Status)

Land-Line Raking: 1.4 Weighting Variables

Type: Num

Column: 1397-1399

SAS Variable Name: _MRG04

Prologue:

Description: Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	4,242	54.88	63.16
2	Never married, member unmarried couple	864	11.18	14.88
3	Divorced, Widowed, Separated	2,624	33.95	21.96
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Fifth Margin (Home Ownership)

Land-Line Raking: 1.5 Weighting Variables

Type: Num

Column: 1400-1402

SAS Variable Name: _MRG05

Prologue:

Description: Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	7,730	100.00	100.00
BLANK	Missing	2,608		

Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Raking: 1.6 Weighting Variables

Type: Num

Column: 1403-1405

SAS Variable Name: _MRG06

Prologue:

Description: Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		7,730	100.00	100.00
BLANK		2,608		

Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Raking: 1.7 Weighting Variables

Type: Num

Column: 1406-1408

SAS Variable Name: _MRG07

Prologue:

Description: Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	7,730	100.00	100.00
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Eighth Margin (Regions)

Land-Line Raking: 1.8 Weighting Variables

Type: Num

Column: 1409-1411

SAS Variable Name: _MRG08

Prologue:

Description: Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Eighth raking margin: (region)	7,730	100.00	100.00
BLANK	Missing	2,608		

Land-Line Ninth Margin (Regions-Age)

Land-Line Raking: 1.9 Weighting Variables

Type: Num

Column: 1412-1414

SAS Variable Name: _MRG09

Prologue:

Description: Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Ninth raking margin: (region-age)	7,730	100.00	100.00
BLANK	Missing	2,608		

Land-Line Tenth Margin (Regions-Gender)

Land-Line Raking: 1.10 Weighting Variables

Type: Num

Column: 1415-1417

SAS Variable Name: _MRG10

Prologue:

Description: Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Tenth raking margin: (region-sex)	7,730	100.00	100.00
BLANK	Missing	2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1418-1420

SAS Variable Name: _MRG11

Prologue:

Description: Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Eleventh raking margin: (region-race/ethnicity)	7,730	100.00	100.00
BLANK	Missing	2,608		

Final weight: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1421-1430

SAS Variable Name: _LANDWT

Prologue:

Description: Final weight assigned to each respondent: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 1 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1431-1433

SAS Variable Name: _MRG01V1

Prologue:

Description: Version 1 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	3,846	100.00	100.00
BLANK	Missing	6,492		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Land-Line Second Margin (Race/Ethnicity)

Land-Line Raking: 1.2 Weighting Variables

Type: Num

Column: 1434-1436

SAS Variable Name: _MRG02V1

Prologue:

Description: Version 1 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	3,846	100.00	100.00
BLANK	Missing	6,492		

Version 1 Land-Line Third Margin (Education)

Land-Line Raking: 1.3 Weighting Variables

Type: Num

Column: 1437-1439

SAS Variable Name: _MRG03V1

Prologue:

Description: Version 1 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	337	8.76	12.53
2	HS Grad	1,476	38.38	36.20
3	Some College	928	24.13	29.01
4	College Grad	1,105	28.73	22.27
BLANK	Missing	6,492		

Version 1 Land-Line Fourth Margin (Marital Status)

Land-Line Raking: 1.4 Weighting Variables

Type: Num

Column: 1440-1442

SAS Variable Name: _MRG04V1

Prologue:

Description: Version 1 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,111	54.89	63.74
2	Never married, member unmarried couple	434	11.28	14.09
3	Divorced, Widowed, Separated	1,301	33.83	22.17
BLANK	Missing	6,492		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Land-Line Fifth Margin (Home Ownership)

Land-Line Raking: 1.5 Weighting Variables

Type: Num

Column: 1443-1445

SAS Variable Name: _MRG05V1

Prologue:

Description: Version 1 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	3,846	100.00	100.00
BLANK	Missing	6,492		

Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Raking: 1.6 Weighting Variables

Type: Num

Column: 1446-1448

SAS Variable Name: _MRG06V1

Prologue:

Description: Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		3,846	100.00	100.00
BLANK		6,492		

Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Raking: 1.7 Weighting Variables

Type: Num

Column: 1449-1451

SAS Variable Name: _MRG07V1

Prologue:

Description: Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	3,846	100.00	100.00
BLANK	Missing	6,492		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1452-1454

SAS Variable Name: _MRG08V1

Prologue:

Description: Version 1 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 1 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1455-1457

SAS Variable Name: _MRG09V1

Prologue:

Description: Version 1 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 1 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1458-1460

SAS Variable Name: _MRG10V1

Prologue:

Description: Version 1 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1461-1463

SAS Variable Name: _MRG11V1

Prologue:

Description: Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight questionnaire version 1: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1464-1473

SAS Variable Name: _LNDWTV1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 2 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1474-1476

SAS Variable Name: _MRG01V2

Prologue:

Description: Version 2 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	3,884	100.00	100.00
BLANK	Missing	6,454		

Version 2 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1477-1479

SAS Variable Name: _MRG02V2

Prologue:

Description: Version 2 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	3,884	100.00	100.00
BLANK	Missing	6,454		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Third Margin (Education)

Land-Line Raking: 1.3 Weighting Variables

Type: Num

Column: 1480-1482

SAS Variable Name: _MRG03V2

Prologue:

Description: Version 2 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	320	8.24	12.06
2	HS Grad	1,448	37.28	35.52
3	Some College	978	25.18	30.24
4	College Grad	1,138	29.30	22.18
BLANK	Missing	6,454		

Version 2 Land-Line Fourth Margin (Marital Status)

Land-Line Raking: 1.4 Weighting Variables

Type: Num

Column: 1483-1485

SAS Variable Name: _MRG04V2

Prologue:

Description: Version 2 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,131	54.87	62.59
2	Never married, member unmarried couple	430	11.07	15.65
3	Divorced, Widowed, Separated	1,323	34.06	21.75
BLANK	Missing	6,454		

Version 2 Land-Line Fifth Margin (Home Ownership)

Land-Line Raking: 1.5 Weighting Variables

Type: Num

Column: 1486-1488

SAS Variable Name: _MRG05V2

Prologue:

Description: Version 2 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	3,884	100.00	100.00
BLANK	Missing	6,454		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Raking: 1.6 Weighting Variables

Type: Num

Column: 1489-1491

SAS Variable Name: _MRG06V2

Prologue:

Description: Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		3,884	100.00	100.00
BLANK		6,454		

Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Raking: 1.7 Weighting Variables

Type: Num

Column: 1492-1494

SAS Variable Name: _MRG07V2

Prologue:

Description: Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	3,884	100.00	100.00
BLANK	Missing	6,454		

Version 2 Land-Line Eighth Margin (Regions)

Land-Line Raking: 1.8 Weighting Variables

Type: Num

Column: 1495-1497

SAS Variable Name: _MRG08V2

Prologue:

Description: Version 2 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 2 Land-Line Ninth Margin (Regions-Age)

Land-Line Raking: 1.9 Weighting Variables

Type: Num

Column: 1498-1500

SAS Variable Name: _MRG09V2

Prologue:

Description: Version 2 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking:	1.10 Weighting Variables		Type: Num
Column:	1501-1503		SAS Variable Name: _MRG10V2
Prologue:			
Description:	Version 2 Land-Line Tenth Margin (Regions-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	10,338	
			Weighted Percentage

Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking:	1.11 Weighting Variables		Type: Num
Column:	1504-1506		SAS Variable Name: _MRG11V2
Prologue:			
Description:	Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	10,338	
			Weighted Percentage

Final weight questionnaire version 2: Land-line data only

Land-LineRaking:	1.12 Weighting Variables		Type: Num
Column:	1507-1516		SAS Variable Name: _LNDWTV2
Prologue:			
Description:	Final weight assigned to each respondent questionnaire version 2: Land-line data only (Raking derived weight)		
Value	Value Label	Frequency	Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00
			Weighted Percentage
			100.00

Version 3 Land-Line First Margin (Age-Gender)

Land-LineRaking:	1.1 Weighting Variables		Type: Num
Column:	1517-1519		SAS Variable Name: _MRG01V3
Prologue:			
Description:	Version 3 Land-Line First Margin (Age-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	10,338	
			Weighted Percentage

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1520-1522

SAS Variable Name: _MRG02V3

Prologue:

Description: Version 3 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1523-1525

SAS Variable Name: _MRG03V3

Prologue:

Description: Version 3 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1526-1528

SAS Variable Name: _MRG04V3

Prologue:

Description: Version 3 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1529-1531

SAS Variable Name: _MRG05V3

Prologue:

Description: Version 3 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-Line Ranking: 1.6 Weighting Variables

Type: Num

Column: 1532-1534

SAS Variable Name: _MRG06V3

Prologue:

Description: Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		10,338		

Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-Line Ranking: 1.7 Weighting Variables

Type: Num

Column: 1535-1537

SAS Variable Name: _MRG07V3

Prologue:

Description: Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Land-Line Eighth Margin (Regions)

Land-Line Ranking: 1.8 Weighting Variables

Type: Num

Column: 1538-1540

SAS Variable Name: _MRG08V3

Prologue:

Description: Version 3 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Land-Line Ninth Margin (Regions-Age)

Land-Line Ranking: 1.9 Weighting Variables

Type: Num

Column: 1541-1543

SAS Variable Name: _MRG09V3

Prologue:

Description: Version 3 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables **Type:** Num
Column: 1544-1546 **SAS Variable Name:** _MRG10V3
Prologue:
Description: Version 3 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables **Type:** Num
Column: 1547-1549 **SAS Variable Name:** _MRG11V3
Prologue:
Description: Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Final weight questionnaire version 3: Land-line data only

Land-LineRaking: 1.12 Weighting Variables **Type:** Num
Column: 1550-1559 **SAS Variable Name:** _LNDWTV3
Prologue:
Description: Final weight assigned to each respondent questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Hispanic, Latino/a, or Spanish origin calculated variable

ChildDemographics: 1.01 Child Demographic Variables

Type: Num

Column: 1560

SAS Variable Name: _CHISPNC

Prologue:

Description: Child Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Child of Hispanic, Latino/a, or Spanish origin	189	1.83	2.95
2	Child not of Hispanic, Latino/a, or Spanish origin	1,992	19.27	26.23
9	Don't know/Not Sure/Refused	8,157	78.90	70.82

CRACORG1 with responses in ascending order

ChildDemographics: 1.03 Child Demographic Variables

Type: Num

Column: 1589-1616

SAS Variable Name: CRACASC1

Prologue:

Description: CRACORG1 with responses in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure	19	0.42	0.44
99	Refused	67	1.49	1.36
BLANK	Missing	16,192		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,398	98.08	98.20

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Non-Hispanic Race including Multiracial

ChildDemographics: 1.04 Child Demographic Variables

Type: Num

Column: 1617-1618

SAS Variable Name: _CRACE1

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	1,885	84.15	82.22
2	Black or African American	196	8.75	10.89
3	American Indian or Alaskan Native	17	0.76	1.03
4	Asian	28	1.25	0.99
5	Native Hawaiian or other Pacific Islander	3	0.13	0.20
6	Other race	5	0.22	0.16
8	Multiracial but preferred race not answered	1	0.04	0.06
77	Don't know/Not sure	25	1.12	1.14
99	Refused	80	3.57	3.32
BLANK	Missing	8,098		

Imputed Child Age

ChildDemographics: 1.05 Child Demographic Variables

Type: Num

Column: 1619

SAS Variable Name: _IMPCAGE

Prologue:

Description: Imputed Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	0-4 Years old	447	19.94	24.55
2	5-9 Years old	563	25.11	25.69
3	10-14 Years old	682	30.42	27.68
4	15-17 Years old	550	24.53	22.07
BLANK	Not asked or Missing	8,096		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed Child Race/Ethnicity

ChildDemographics: 1.06 Child Demographic Variables

Type: Num

Column: 1620

SAS Variable Name: _IMPCRAC

Prologue:

Description: Imputed Child Race/Ethnicity

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, non-Hispanic	1,820	81.18	77.90
2	Black or African American, non-Hispanic	187	8.34	10.37
3	Asian, non-Hispanic	27	1.20	0.95
4	American Indian or Alaskan Native, non-Hispanic	11	0.49	0.60
5	Multi-race, non-Hispanic or Other race, non-Hispanic	8	0.36	0.29
6	Hispanic	189	8.43	9.89
BLANK	Missing	8,096		

Imputed Child Gender

ChildDemographics: 1.07 Child Demographic Variables

Type: Num

Column: 1621

SAS Variable Name: _IMPCSEX

Prologue:

Description: Imputed Child Gender

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,197	53.39	53.17
2	Female	1,045	46.61	46.83
BLANK	Missing	8,096		

Raw child weighting factor

ChildWeighting : 1.01 Child Weighting Variables

Type: Num

Column: 1622-1631

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child design weight

ChildWeighting 1.02 Child Weighting Variables

Type: Num

Column: 1632-1641

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Child Age (in months)

ChildWeighting 1.03 Child Weighting Variables

Type: Num

Column: 1642-1644

SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age (in months)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	84	3.75	4.86
12 - 23	1 Year old	77	3.44	3.93
24 - 35	2 Years old	86	3.84	4.72
36 - 47	3 Years old	71	3.17	3.70
48 - 59	4 Years old	97	4.33	4.92
60 - 71	5 Years old	100	4.46	5.10
72 - 83	6 Years old	111	4.95	4.87
84 - 95	7 Years old	105	4.69	4.65
96 - 107	8 Years old	99	4.42	3.91
108 - 119	9 Years old	86	3.84	3.51
120 - 131	10 Years old	116	5.18	4.84
132 - 143	11 Years old	103	4.60	4.54
144 - 155	12 Years old	99	4.42	4.13
156 - 167	13 Years old	125	5.58	4.89
168 - 179	14 Years old	114	5.09	4.30
180 - 191	15 Years old	141	6.29	5.43
192 - 203	16 Years old	156	6.96	6.42
204 - 215	17 Years old	201	8.97	8.55
777	Don't know / Not sure	90	4.02	5.20
999	Refused	180	8.03	7.56
BLANK	Not asked or Missing	8,097		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables

Type: Num

Column: 1645-1647

SAS Variable Name: _CMRG01

Prologue:

Description: Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,450	100.00	100.00
BLANK	Missing	8,888		

Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables

Type: Num

Column: 1648-1650

SAS Variable Name: _CMRG02

Prologue:

Description: Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,450	100.00	100.00
BLANK	Missing	8,888		

Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables

Type: Num

Column: 1651-1653

SAS Variable Name: _CMRG03

Prologue:

Description: Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,450	100.00	100.00
BLANK	Missing	8,888		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables

Type: Num

Column: 1654-1656

SAS Variable Name: _CMRG04

Prologue:

Description: Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,450	100.00	100.00
BLANK	Missing	8,888		

Final child weight: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables

Type: Num

Column: 1657-1666

SAS Variable Name: _CLANDWT

Prologue:

Description: Final child weight: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 1 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables

Type: Num

Column: 1667-1669

SAS Variable Name: _CMG01V1

Prologue:

Description: Version 1 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	710	100.00	100.00
BLANK	Missing	9,628		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables

Type: Num

Column: 1670-1672

SAS Variable Name: _CMG02V1

Prologue:

Description: Version 1 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	710	100.00	100.00
BLANK	Missing	9,628		

Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables

Type: Num

Column: 1673-1675

SAS Variable Name: _CMG03V1

Prologue:

Description: Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	710	100.00	100.00
BLANK	Missing	9,628		

Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables

Type: Num

Column: 1676-1678

SAS Variable Name: _CMG04V1

Prologue:

Description: Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	710	100.00	100.00
BLANK	Missing	9,628		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final child weight questionnaire version 1: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables

Type: Num

Column: 1679-1688

SAS Variable Name: _CLDWTV1

Prologue:

Description: Final child weight questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 2 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables

Type: Num

Column: 1689-1691

SAS Variable Name: _CMG01V2

Prologue:

Description: Version 2 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	740	100.00	100.00
BLANK	Missing	9,598		

Version 2 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables

Type: Num

Column: 1692-1694

SAS Variable Name: _CMG02V2

Prologue:

Description: Version 2 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	740	100.00	100.00
BLANK	Missing	9,598		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables **Type:** Num
Column: 1695-1697 **SAS Variable Name:** _CMG03V2
Prologue:

Description: Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	740	100.00	100.00
BLANK	Missing	9,598		

Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1698-1700 **SAS Variable Name:** _CMG04V2
Prologue:

Description: Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	740	100.00	100.00
BLANK	Missing	9,598		

Final child weight questionnaire version 2: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables **Type:** Num
Column: 1701-1710 **SAS Variable Name:** _CLDWTV2
Prologue:

Description: Final child weight questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Land-Line First Margin (Age-Gender)

ChildLand-Line Raking: 1.1 Child Weighting Variables **Type:** Num
Column: 1711-1713 **SAS Variable Name:** _CMG01V3
Prologue:
Description: Version 3 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line Raking: 1.2 Child Weighting Variables **Type:** Num
Column: 1714-1716 **SAS Variable Name:** _CMG02V3
Prologue:
Description: Version 3 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line Raking: 1.3 Child Weighting Variables **Type:** Num
Column: 1717-1719 **SAS Variable Name:** _CMG03V3
Prologue:
Description: Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line Raking: 1.4 Child Weighting Variables **Type:** Num
Column: 1720-1722 **SAS Variable Name:** _CMG04V3
Prologue:
Description: Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final child weight questionnaire version 3: Land-line data only

ChildLand-Line Raking: 1.5 Child Weighting Variables

Type: Num

Column: 1723-1732

SAS Variable Name: _CLDWTV3

Prologue:

Description: Final child weight questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1733-1735

SAS Variable Name: _CLCPM01

Prologue:

Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	2,242	100.00	100.00
BLANK	Missing	8,096		

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1736-1738

SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	2,242	100.00	100.00
BLANK	Missing	8,096		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables
ellRaking:

Type: Num

Column: 1739-1741

SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	2,242	100.00	100.00
BLANK	Missing	8,096		

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1742-1744

SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	2,242	100.00	100.00
BLANK	Missing	8,096		

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1745-1747

SAS Variable Name: _CLCPM05

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	2,242	100.00	100.00
BLANK	Missing	8,096		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1748-1757

SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1758-1760

SAS Variable Name: _CLCM1V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,117	100.00	100.00
BLANK	Missing	9,221		

Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1761-1763

SAS Variable Name: _CLCM2V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,117	100.00	100.00
BLANK	Missing	9,221		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables
ellRaking:

Type: Num

Column: 1764-1766

SAS Variable Name: _CLCM3V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,117	100.00	100.00
BLANK	Missing	9,221		

Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1767-1769

SAS Variable Name: _CLCM4V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,117	100.00	100.00
BLANK	Missing	9,221		

Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1770-1772

SAS Variable Name: _CLCM5V1

Prologue:

Description: Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	1,117	100.00	100.00
BLANK	Missing	9,221		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 child weight: Land-line and Cell-Phone data

ChildLandandCellRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1773-1782

SAS Variable Name: _CLCWTV1

Prologue:

Description: Version 1 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1783-1785

SAS Variable Name: _CLCM1V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,125	100.00	100.00
BLANK	Missing	9,213		

Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1786-1788

SAS Variable Name: _CLCM2V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,125	100.00	100.00
BLANK	Missing	9,213		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables
ellRaking:

Type: Num

Column: 1789-1791

SAS Variable Name: _CLCM3V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,125	100.00	100.00
BLANK	Missing	9,213		

Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables
ellRaking:

Type: Num

Column: 1792-1794

SAS Variable Name: _CLCM4V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,125	100.00	100.00
BLANK	Missing	9,213		

Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables
ellRaking:

Type: Num

Column: 1795-1797

SAS Variable Name: _CLCM5V2

Prologue:

Description: Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	1,125	100.00	100.00
BLANK	Missing	9,213		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1798-1807 **SAS Variable Name:** _CLCWTV2
Prologue:

Description: Version 2 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandC 1.1 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1808-1810 **SAS Variable Name:** _CLCM1V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandC 1.2 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1811-1813 **SAS Variable Name:** _CLCM2V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandC 1.3 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1814-1816 **SAS Variable Name:** _CLCM3V3
Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandC 1.4 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1817-1819 **SAS Variable Name:** _CLCM4V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1820-1822 **SAS Variable Name:** _CLCM5V3

Prologue:

Description: Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 child weight: Land-line and Cell-Phone data

ChildLandandC 1.5 Child Weighting Variables **Type:** Num
ellRaking:
Column: 1823-1832 **SAS Variable Name:** _CLCWTV3

Prologue:

Description: Version 3 child weight: Land-line and Cell-Phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

Type: Num

Column: 1833-1842

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

Type: Num

Column: 1843-1852

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Number of Persons in Household

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1853-1855

SAS Variable Name: NPHH

Prologue:

Description: Number of Persons in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Person	2,477	32.04	15.61
2	2 People	3,140	40.62	38.71
3	3 People	849	10.98	16.11
4 - 99	4+ People	1,264	16.35	29.57
BLANK		2,608		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adults in Household

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1856-1858

SAS Variable Name: NAHH

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Adult	2,739	35.43	17.87
2	2 Adults	4,049	52.38	56.14
3 - 99	3+ Adults	942	12.19	25.99
BLANK		2,608		

Number of Children in Household

HouseholdWeighting: 1.5 Household Weighting Variables

Type: Num

Column: 1859-1861

SAS Variable Name: NCHH

Prologue:

Description: Number of Children in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Children	6,078	78.63	68.77
1	1 Child	659	8.53	12.06
2 - 99	2+ Children	993	12.85	19.17
BLANK		2,608		

Final household weight: Land-line data only

HouseholdWeighting: 1.6 Household Weighting Variables

Type: Num

Column: 1862-1871

SAS Variable Name: _HHOLDWT

Prologue:

Description: Final weight assigned to each household: Land-line data only (Raking derived household weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original State and Original Sequence Number

LandandCellRanking: 1.1 Weighting Variables

Type: Char

Column: 1872-1883

SAS Variable Name: ORGSEQNO

Prologue:

Description: Original State and Original Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Dual Phone Use Categories

LandandCellRanking: 1.2 Weighting Variables

Type: Num

Column: 1884

SAS Variable Name: _DUALUSE

Prologue:

Description: Dual Phone Use Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Land Line: Cell Phone Mostly	897	8.68	6.32
2	Cell Phone: Cell Phone Mostly	361	3.49	4.47
9	No Dual Phone Use	9,080	87.83	89.22

Dual Phone Use Correction Factor

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1885-1894

SAS Variable Name: _DUALCOR

Prologue:

Description: Dual phone use correction factor

Value	Value Label	Frequency	Percentage	Weighted Percentage
0.3447		361	28.70	41.42
0.6552		897	71.30	58.58
BLANK		9,080		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Truncated design weight used in adult combined land line and cell phone raking

LandandCellRaking: 1.4 Weighting Variables

Type: Num

Column: 1895-1904

SAS Variable Name: _LLCPWT2

Prologue:

Description: Truncated design weight used in adult combined land line and cell phone raking

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRaking: 1.5 Weighting Variables

Type: Num

Column: 1905-1907

SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRaking: 1.6 Weighting Variables

Type: Num

Column: 1908-1910

SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.7 Weighting Variables

Type: Num

Column: 1911-1913

SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	946	9.15	14.29
2	HS Grad	3,801	36.77	34.84
3	Some College	2,632	25.46	30.26
4	College Grad	2,959	28.62	20.61

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.8 Weighting Variables

Type: Num

Column: 1914-1916

SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	5,442	52.64	53.37
2	Never married, member unmarried couple	1,656	16.02	25.50
3	Divorced, Widowed, Separated	3,240	31.34	21.13

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.9 Weighting Variables

Type: Num

Column: 1917-1919

SAS Variable Name: _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRaking: 1.10 Weighting Variables

Type: Num

Column: 1920-1922

SAS Variable Name: _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRaking: 1.11 Weighting Variables

Type: Num

Column: 1923-1925

SAS Variable Name: _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRaking: 1.12 Weighting Variables

Type: Num

Column: 1926-1928

SAS Variable Name: _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRaking: 1.13 Weighting Variables

Type: Num

Column: 1929-1931

SAS Variable Name: _LLCPM09

Prologue:

Description: Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Ninth raking margin: (region)	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRaking: 1.14 Weighting Variables **Type:** Num
Column: 1932-1934 **SAS Variable Name:** _LLCPM10

Prologue:

Description: Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Tenth raking margin: (region-age)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRaking: 1.15 Weighting Variables **Type:** Num
Column: 1935-1937 **SAS Variable Name:** _LLCPM11

Prologue:

Description: Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Eleventh raking margin: (region-sex)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRaking: 1.16 Weighting Variables **Type:** Num
Column: 1938-1940 **SAS Variable Name:** _LLCPM12

Prologue:

Description: Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Twelfth raking margin: (region-race/ethnicity)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)

LandandCellRaking: 1.17 Weighting Variables **Type:** Num
Column: 1941-1943 **SAS Variable Name:** _LLCPM13

Prologue:

Description: Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Thirteenth raking margin: (counties)	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)

LandandCellRaking: 1.18 Weighting Variables **Type:** Num
Column: 1944-1946 **SAS Variable Name:** _LLCPM14

Prologue:

Description: Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Fourteenth raking margin: (counties-race/ethnicity)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)

LandandCellRaking: 1.19 Weighting Variables **Type:** Num
Column: 1947-1949 **SAS Variable Name:** _LLCPM15

Prologue:

Description: Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Fifteenth raking margin: (counties-age)	10,338	100.00	100.00

Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)

LandandCellRaking: 1.20 Weighting Variables **Type:** Num
Column: 1950-1952 **SAS Variable Name:** _LLCPM16

Prologue:

Description: Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Sixteenth raking margin: (counties-sex)	10,338	100.00	100.00

Final weight: Land-line and cell-phone data

LandandCellRaking: 1.21 Weighting Variables **Type:** Num
Column: 1953-1962 **SAS Variable Name:** _LLCPWT

Prologue:

Description: Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables

Type: Num

Column: 1963-1965

SAS Variable Name: _LCM01V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.2 Weighting Variables

Type: Num

Column: 1966-1968

SAS Variable Name: _LCM02V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 1969-1971

SAS Variable Name: _LCM03V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	487	9.63	15.11
2	HS Grad	1,893	37.43	35.39
3	Some College	1,264	24.99	29.40
4	College Grad	1,414	27.96	20.10
BLANK	Missing	5,280		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.4 Weighting Variables

Type: Num

Column: 1972-1974

SAS Variable Name: _LCM04V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,655	52.49	53.21
2	Never married, member unmarried couple	794	15.70	24.62
3	Divorced, Widowed, Separated	1,609	31.81	22.17
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.5 Weighting Variables

Type: Num

Column: 1975-1977

SAS Variable Name: _LCM05V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.6 Weighting Variables

Type: Num

Column: 1978-1980

SAS Variable Name: _LCM06V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	5,058	100.00	100.00
BLANK	Missing	5,280		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables

Type: Num

Column: 1981-1983

SAS Variable Name: _LCM07V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.8 Weighting Variables

Type: Num

Column: 1984-1986

SAS Variable Name: _LCM08V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.9 Weighting Variables

Type: Num

Column: 1987-1989

SAS Variable Name: _LCM09V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Ninth raking margin: (region)	5,058	100.00	100.00
BLANK	Missing	5,280		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRanking: 1.10 Weighting Variables

Type: Num

Column: 1990-1992

SAS Variable Name: _LCM10V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Tenth raking margin: (region-age)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.11 Weighting Variables

Type: Num

Column: 1993-1995

SAS Variable Name: _LCM11V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Eleventh raking margin: (region-sex)	5,058	100.00	100.00
BLANK	Missing	5,280		

Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.12 Weighting Variables

Type: Num

Column: 1996-1998

SAS Variable Name: _LCM12V1

Prologue:

Description: Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Twelfth raking margin: (region-race/ethnicity)	5,058	100.00	100.00
BLANK	Missing	5,280		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 1999-2008 **SAS Variable Name:** _LCPWTV1

Prologue:

Description: Version 1 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables **Type:** Num
Column: 2009-2011 **SAS Variable Name:** _LCM01V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	5,114	100.00	100.00
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 2012-2014 **SAS Variable Name:** _LCM02V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	5,114	100.00	100.00
BLANK	Missing	5,224		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.3 Weighting Variables

Type: Num

Column: 2015-2017

SAS Variable Name: _LCM03V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	454	8.88	13.96
2	HS Grad	1,871	36.59	34.89
3	Some College	1,317	25.75	30.80
4	College Grad	1,472	28.78	20.35
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.4 Weighting Variables

Type: Num

Column: 2018-2020

SAS Variable Name: _LCM04V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,711	53.01	54.10
2	Never married, member unmarried couple	803	15.70	25.54
3	Divorced, Widowed, Separated	1,600	31.29	20.36
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.5 Weighting Variables

Type: Num

Column: 2021-2023

SAS Variable Name: _LCM05V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	5,114	100.00	100.00
BLANK	Missing	5,224		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.6 Weighting Variables

Type: Num

Column: 2024-2026

SAS Variable Name: _LCM06V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	5,114	100.00	100.00
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables

Type: Num

Column: 2027-2029

SAS Variable Name: _LCM07V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	5,114	100.00	100.00
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.8 Weighting Variables

Type: Num

Column: 2030-2032

SAS Variable Name: _LCM08V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	5,114	100.00	100.00
BLANK	Missing	5,224		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.9 Weighting Variables

Type: Num

Column: 2033-2035

SAS Variable Name: _LCM09V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Ninth raking margin: (region)	5,114	100.00	100.00
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRanking: 1.10 Weighting Variables

Type: Num

Column: 2036-2038

SAS Variable Name: _LCM10V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 700	Tenth raking margin: (region-age)	5,114	100.00	100.00
BLANK	Missing	5,224		

Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.11 Weighting Variables

Type: Num

Column: 2039-2041

SAS Variable Name: _LCM11V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 200	Eleventh raking margin: (region-sex)	5,114	100.00	100.00
BLANK	Missing	5,224		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 2042-2044 **SAS Variable Name:** _LCM12V2

Prologue:

Description: Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 600	Twelfth raking margin: (region-race/ethnicity)	5,114	100.00	100.00
BLANK	Missing	5,224		

Version 2 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 2045-2054 **SAS Variable Name:** _LCPWTV2

Prologue:

Description: Version 2 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRanking: 1.1 Weighting Variables **Type:** Num
Column: 2055-2057 **SAS Variable Name:** _LCM01V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRanking: 1.2 Weighting Variables **Type:** Num
Column: 2058-2060 **SAS Variable Name:** _LCM02V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRanking: 1.3 Weighting Variables **Type:** Num
Column: 2061-2063 **SAS Variable Name:** _LCM03V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRanking: 1.4 Weighting Variables **Type:** Num
Column: 2064-2066 **SAS Variable Name:** _LCM04V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRanking: 1.5 Weighting Variables **Type:** Num
Column: 2067-2069 **SAS Variable Name:** _LCM05V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRanking: 1.6 Weighting Variables **Type:** Num
Column: 2070-2072 **SAS Variable Name:** _LCM06V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRanking: 1.7 Weighting Variables **Type:** Num
Column: 2073-2075 **SAS Variable Name:** _LCM07V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRanking: 1.8 Weighting Variables **Type:** Num
Column: 2076-2078 **SAS Variable Name:** _LCM08V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRanking: 1.9 Weighting Variables **Type:** Num
Column: 2079-2081 **SAS Variable Name:** _LCM09V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRanking: 1.10 Weighting Variables **Type:** Num
Column: 2082-2084 **SAS Variable Name:** _LCM10V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRanking: 1.11 Weighting Variables **Type:** Num
Column: 2085-2087 **SAS Variable Name:** _LCM11V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRanking: 1.12 Weighting Variables **Type:** Num
Column: 2088-2090 **SAS Variable Name:** _LCM12V3

Prologue:

Description: Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	10,338		

Version 3 weight: Land-line and cell-phone data

LandandCellRanking: 1.13 Weighting Variables **Type:** Num
Column: 2091-2100 **SAS Variable Name:** _LCPWTV3

Prologue:

Description: Version 3 weight assigned to each respondent: Land-line and cell-phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,338	100.00	100.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults with good or better health

Calculated Variables: 1.1 Calculated Variables

Type: Num

Column: 2101

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	8,071	78.07	80.87
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	2,135	20.65	17.87
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	132	1.28	1.26

Respondents aged 18-64 with health care coverage

Calculated Variables: 3.1 Calculated Variables

Type: Num

Column: 2102

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	5,562	53.80	63.34
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	1,142	11.05	16.71
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	3,634	35.15	19.95

High Blood Pressure Calculated Variable

Calculated Variables: 5.1 Calculated Variables

Type: Num

Column: 2103

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	5,867	56.75	66.26
2	Yes Notes: BPHIGH4 = 1	4,431	42.86	33.35
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	40	0.39	0.39

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Cholesterol Checked Calculated Variable

Calculated Variables: 6.1 Calculated Variables

Type: Num

Column: 2104

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	8,421	81.46	71.90
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	388	3.75	3.90
3	Have never had cholesterol checked Notes: BLOODCHO = 2	1,236	11.96	20.75
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	293	2.83	3.45

High Cholesterol Calculated Variable

Calculated Variables: 6.2 Calculated Variables

Type: Num

Column: 2105

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	4,860	54.42	59.67
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	3,988	44.65	39.47
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	83	0.93	0.86
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	1,407		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Lifetime Asthma Calculated Variable

Calculated Variables: 7.1 Calculated Variables

Type: Num

Column: 2106

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	8,820	85.32	84.49
2	Yes Notes: ASTHMA3 = 1	1,485	14.36	15.27
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	33	0.32	0.24

Current Asthma Calculated Variable

Calculated Variables: 7.2 Calculated Variables

Type: Num

Column: 2107

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	9,204	89.03	89.01
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	1,051	10.17	10.22
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	83	0.80	0.77

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Asthma Status

Calculated Variables: 7.3 Calculated Variables

Type: Num

Column: 2108

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	1,051	10.17	10.22
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	384	3.71	4.52
3	Never Notes: ASTHMA3 = 2	8,820	85.32	84.49
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	83	0.80	0.77

Respondents diagnosed with arthritis

Calculated Variables: 7.4 Calculated Variables

Type: Num

Column: 2109

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	3,778	36.79	27.98
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	6,491	63.21	72.02
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	69		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

MRACE1 with 77,80,88,90s removed calculated variable

Calculated Variables: 8.1 Calculated Race Variables

Type: Char

Column: 2110-2137

SAS Variable Name: MRACORG1

Prologue:

Description: MRACE1 with 77,80,88,90s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure Notes: MRACE1 = 77	55	0.53	0.88
99	Refused Notes: MRACE1 = 99	122	1.18	1.48
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,161	98.29	97.63

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 8.2 Calculated Race Variables

Type: Num

Column: 2138-2165

SAS Variable Name: MRACASC1

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know/Not sure Notes: MRACORG1 = 77	55	0.53	0.88
99	Refused Notes: MRACORG1 = 99	122	1.18	1.48
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,161	98.29	97.63

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Preferred Race

Calculated Variables: 8.3 Calculated Race Variables

Type: Num

Column: 2166-2167

SAS Variable Name: _PRACE1

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACASC1 = 10	9,295	89.91	85.76
2	Black or African American Notes: MRACASC1 = 20	627	6.07	8.84
3	American Indian or Alaskan Native Notes: MRACASC1 = 30	114	1.10	1.37
4	Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47	77	0.74	1.02
5	Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54	19	0.18	0.26
6	Other race Notes: MRACASC1 = 60	14	0.14	0.23
7	No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9	15	0.15	0.15
77	Don't know/Not sure Notes: MRACASC1 = 77	55	0.53	0.88
99	Refused Notes: MRACASC1 = 99	122	1.18	1.48

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial

Calculated Variables: 8.4 Calculated Race Variables

Type: Num

Column: 2168-2169

SAS Variable Name: _MRACE1

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACASC1 = 10	9,222	89.20	85.27
2	Black or African American only Notes: MRACASC1 = 20	615	5.95	8.69
3	American Indian or Alaskan Native only Notes: MRACASC1 = 30	98	0.95	1.24
4	Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47	76	0.74	1.02
5	Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54	18	0.17	0.25
6	Other race only Notes: MRACASC1 = 60	13	0.13	0.23
7	Multiracial Notes: MRACASC1 >= 100	119	1.15	0.94
77	Don't know/Not sure Notes: MRACASC1 = 77	55	0.53	0.88
99	Refused Notes: MRACASC1 = 99	122	1.18	1.48

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial

Calculated Variables: 8.5 Calculated Race Variables

Type: Num

Column: 2170-2171

SAS Variable Name: _M_RACE

Prologue:

Description: Calculated multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	White	9,222	89.20	85.27
20	Black or African American	615	5.95	8.69
30	American Indian or Alaska Native	98	0.95	1.24
40	Asian	24	0.23	0.41
41	Asian Indian	20	0.19	0.24
42	Chinese	12	0.12	0.12
43	Filipino	4	0.04	0.04
44	Japanese	5	0.05	0.03
45	Japanese	3	0.03	0.09
47	Other Asian	8	0.08	0.09
50	Pacific Islander	13	0.13	0.17
53	Samoan	1	0.01	0.03
54	Other Pacific Islander	4	0.04	0.06
60	Other	13	0.13	0.23
70	Multiple responses	119	1.15	0.94
77	Don't know/Not Sure	55	0.53	0.88
99	Refused	122	1.18	1.48

Hispanic, Latino/a, or Spanish origin calculated variable

Calculated Variables: 8.6 Calculated Race Variables

Type: Num

Column: 2172

SAS Variable Name: _HISPANC

Prologue:

Description: Hispanic, Latino/a, or Spanish origin calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Hispanic, Latino/a, or Spanish origin	319	3.09	5.44
2	Not of Hispanic, Latino/a, or Spanish origin	9,924	96.00	93.66
9	Don't Know, Refused or Missing	95	0.92	0.90

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping

Calculated Variables: 8.7 Calculated Race Variables

Type: Num

Column: 2173

SAS Variable Name: _RACE

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 10	8,974	86.81	81.56
2	Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 20	595	5.76	8.40
3	American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 33	79	0.76	0.94
4	Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 40,41,42,43,44,45,46,47	73	0.71	0.97
5	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 50,51,52,53,54	13	0.13	0.14
6	Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 60	5	0.05	0.03
7	Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 77	116	1.12	0.93
8	Hispanic Notes: _HISPANC = 1	319	3.09	5.44
9	Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2	164	1.59	1.58

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 8.8 Calculated Race Variables

Type: Num

Column: 2174

SAS Variable Name: _RACEG21

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: _RACE = 1	8,974	86.81	81.56
2	Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8	1,200	11.61	16.85
9	Don't know/Not sure/Refused Notes: _RACE = 9	164	1.59	1.58

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.

Calculated Variables: 8.9 Calculated Race Variables

Type: Num

Column: 2175

SAS Variable Name: _RACEGR3

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic	8,974	86.81	81.56
2	Black only, Non-Hispanic	595	5.76	8.40
3	Other race only, Non-Hispanic	170	1.64	2.08
4	Multiracial, Non-Hispanic	116	1.12	0.93
5	Hispanic	319	3.09	5.44
9	Don't know/Not sure/Refused	164	1.59	1.58

Computed race groups used for internet prevalence tables

Calculated Variables: 8.10 Calculated Race Variables

Type: Num

Column: 2176

SAS Variable Name: _RACE_G1

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic	8,974	88.21	82.88
2	Black - Non-Hispanic	595	5.85	8.54
3	Hispanic	319	3.14	5.53
4	Other race only, Non-Hispanic	170	1.67	2.12
5	Multiracial, Non-Hispanic	116	1.14	0.94
BLANK	Don't know/Not sure/Refused component question	164		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable

Calculated Variables: 8.11 Calculated Variables

Type: Num

Column: 2177-2178

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	542	5.24	13.75
2	Age 25 to 29 Notes: 25 <= AGE <= 29	426	4.12	8.12
3	Age 30 to 34 Notes: 30 <= AGE <= 34	493	4.77	8.27
4	Age 35 to 39 Notes: 35 <= AGE <= 39	555	5.37	7.38
5	Age 40 to 44 Notes: 40 <= AGE <= 44	682	6.60	9.02
6	Age 45 to 49 Notes: 45 <= AGE <= 49	783	7.57	8.06
7	Age 50 to 54 Notes: 50 <= AGE <= 54	998	9.65	9.86
8	Age 55 to 59 Notes: 55 <= AGE <= 59	1,141	11.04	8.38
9	Age 60 to 64 Notes: 60 <= AGE <= 64	1,124	10.87	7.93
10	Age 65 to 69 Notes: 65 <= AGE <= 69	1,070	10.35	5.87
11	Age 70 to 74 Notes: 70 <= AGE <= 74	901	8.72	4.65
12	Age 75 to 79 Notes: 75 <= AGE <= 79	634	6.13	3.66
13	Age 80 or older Notes: 80 <= AGE <= 99	892	8.63	4.41
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	97	0.94	0.62

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported age in two age groups calculated variable

Calculated Variables: 8.12 Calculated Variables

Type: Num

Column: 2179

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	6,744	65.24	80.77
2	Age 65 or older Notes: 65 <= AGE <= 99	3,497	33.83	18.60
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	97	0.94	0.62

Imputed age in six groups

Calculated Variables: 8.13 Calculated Variables

Type: Num

Column: 2180

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	542	5.24	13.75
2	Age 25 to 34 Notes: 25 <= AGE <= 34	920	8.90	16.40
3	Age 35 to 44 Notes: 35 <= AGE <= 44	1,241	12.00	16.44
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,791	17.32	18.04
5	Age 55 to 64 Notes: 55 <= AGE <= 64	2,347	22.70	16.76
6	Age 65 or older Notes: AGE >= 65	3,497	33.83	18.60

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Height in Inches

Calculated Variables: 8.14 Calculated Variables

Type: Num

Column: 2181-2183

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0036 <= HEIGHT3 <= 0711	10,175	100.00	100.00
BLANK		163		

Computed Height in Meters

Calculated Variables: 8.15 Calculated Variables

Type: Num

Column: 2184-2186

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91 - 244	Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254)	10,219	100.00	100.00
BLANK		119		

Computed Weight in Kilograms

Calculated Variables: 8.16 Calculated Variables

Type: Num

Column: 2187-2191

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
2300 - 29500	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295	9,873	95.50	96.10
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values	465	4.50	3.90

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed body mass index

Calculated Variables: 8.17 Calculated Variables

Type: Num

Column: 2192-2195

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	9,770	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999 or PREGNANT=1 or _BMI5 < 12.00 or _BMI5 > 99.99	568		

Computed body mass index categories

Calculated Variables: 8.18 Calculated Variables

Type: Num

Column: 2196

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: 1200 <= _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	153	1.57	1.68
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	2,963	30.33	31.06
3	Overweight Notes: 2500 <= _BMI5 < 3000	3,497	35.79	35.44
4	Obese Notes: 3000 <= _BMI5 < 9999	3,157	32.31	31.82
BLANK	Don't know/Refused/Missing Notes: _BMI5 = Missing	568		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Overweight or obese calculated variable

Calculated Variables: 8.19 Calculated Variables

Type: Num

Column: 2197

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= _BMI54 < 2500 (_BMI5 has 2 implied decimal places)	3,116	30.14	30.91
2	Yes Notes: 2500 <= _BMI5 < 9999	6,654	64.36	63.51
9	Don't know/Refused/Missing Notes: _BMI5 = Missing	568	5.49	5.58

Computed number of children in household

Calculated Variables: 8.20 Calculated Variables

Type: Num

Column: 2198

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	7,640	73.90	62.76
2	One child in household Notes: CHILDREN = 01	1,066	10.31	14.31
3	Two children in household Notes: CHILDREN = 02	981	9.49	13.46
4	Three children in household Notes: CHILDREN = 03	411	3.98	6.11
5	Four children in household Notes: CHILDREN = 04	128	1.24	1.86
6	Five or more children in household Notes: 05 <= CHILDREN < 88	71	0.69	1.16
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	41	0.40	0.34

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed level of education completed categories

Calculated Variables: 8.21 Calculated Variables

Type: Num

Column: 2199

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	941	9.10	14.23
2	Graduated High School Notes: EDUCA = 4	3,789	36.65	34.75
3	Attended College or Technical School Notes: EDUCA = 5	2,629	25.43	30.22
4	Graduated from College or Technical School Notes: EDUCA = 6	2,951	28.55	20.56
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	28	0.27	0.24

Computed income categories

Calculated Variables: 8.22 Calculated Variables

Type: Num

Column: 2200

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	1,086	10.50	10.06
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	1,761	17.03	16.41
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	1,133	10.96	10.58
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	1,350	13.06	13.10
5	\$50,000 or more Notes: INCOME2 = 7 or 8	3,410	32.99	35.04
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	1,598	15.46	14.82

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Smoking Status

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 2201

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	1,403	13.57	16.13
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	467	4.52	5.12
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	2,888	27.94	24.38
4	Never smoked Notes: SMOKE100 = 2	5,310	51.36	51.30
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	270	2.61	3.06

Current Smoking Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 2202

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	8,198	79.30	75.69
2	Yes Notes: _SMOKER3 = 1 or 2	1,870	18.09	21.25
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	270	2.61	3.06

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Drink any alcoholic beverages in past 30 days

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 2203

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 1 <= ALCDAY5 <= 231	4,508	43.61	46.59
2	No Notes: ALCDAY5=888	5,488	53.09	49.45
7	Don't know/Not Sure Notes: ALCDAY5=777	58	0.56	0.54
9	Refused/Missing Notes: ALCDAY5=999, Missing	284	2.75	3.42

Computed drink-occasions-per-day

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 2204-2206

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	5,488	53.09	49.45
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	4,508	43.61	46.59
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	342	3.31	3.96

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Binge Drinking Calculated Variable

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 2207

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	8,816	85.28	80.77
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	1,094	10.58	14.29
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	428	4.14	4.94

Computed number of drinks of alcohol beverages per day

Calculated Variables: 10.4 Calculated Variables

Type: Num

Column: 2208-2211

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY5 = 888	5,488	53.09	49.45
1 - 9899	Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2	4,406	42.62	45.48
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	444	4.29	5.07

Computed total number drinks a month

Calculated Variables: 10.5 Calculated Variables

Type: Num

Column: 2212-2215

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY4 = 0	5,488	53.09	49.45
1 - 9998	Number of Drinks Notes: _DRNKDY4 * 30	4,406	42.62	45.48
9999	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	444	4.29	5.07

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.6 Calculated Variables

Type: Num

Column: 2216

SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	9,438	91.29	89.99
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1	456	4.41	4.95
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	444	4.29	5.07

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.7 Calculated Variables

Type: Num

Column: 2217

SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men who are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888	3,838	89.59	88.13
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2	227	5.30	5.71
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	219	5.11	6.17
BLANK	Respondent is female Notes: SEX = 2	6,054		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.8 Calculated Variables

Type: Num

Column: 2218

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women who are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	5,600	92.50	91.75
2	Yes Notes: SEX = 2 and _DRNKDY4 > 1	229	3.78	4.22
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	225	3.72	4.03
BLANK	Respondent is male Notes: SEX = 1	4,284		

Computed Fruit Juice intake in times per day

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 2219-2222

SAS Variable Name: FTJUDA1_

Prologue:

Description: Fruit juice intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	9,548	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	790		

Computed Fruit intake in times per day

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 2223-2226

SAS Variable Name: FRUTDA1_

Prologue:

Description: Fruit intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	9,614	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	724		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Bean intake in times per day

Calculated Variables: 11.3 Calculated Variables

Type: Num

Column: 2227-2230

SAS Variable Name: BEANDAY_

Prologue:

Description: Bean intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	9,519	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	819		

Computed Dark Green Vegetable intake in times per day

Calculated Variables: 11.4 Calculated Variables

Type: Num

Column: 2231-2234

SAS Variable Name: GRENDAY_

Prologue:

Description: Dark green vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	9,576	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	762		

Computed Orange-Colored Vegetable intake in times per day

Calculated Variables: 11.5 Calculated Variables

Type: Num

Column: 2235-2238

SAS Variable Name: ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	9,552	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	786		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Vegetable intake in times per day

Calculated Variables: 11.6 Calculated Variables

Type: Num

Column: 2239-2242

SAS Variable Name: VEGEDA1_

Prologue:

Description: Vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	9,499	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	839		

The number of missing fruit responses

Calculated Variables: 11.7 Calculated Variables

Type: Num

Column: 2243

SAS Variable Name: _MISFRTN

Prologue:

Description: The number of missing fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing fruit responses	9,436	91.27	90.55
1 - 2	Has 1 or 2 missing fruit responses	902	8.73	9.45

The number of missing vegetable responses

Calculated Variables: 11.8 Calculated Variables

Type: Num

Column: 2244

SAS Variable Name: _MISVEGN

Prologue:

Description: The number of missing vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing vegetable responses	9,251	89.49	88.54
1 - 4	Has 1, 2, 3, or 4 missing vegetable responses	1,087	10.51	11.46

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Missing any fruit responses

Calculated Variables: 11.9 Calculated Variables

Type: Num

Column: 2245

SAS Variable Name: _FRTRESP

Prologue:

Description: Missing any fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Fruit Responses	902	8.73	9.45
1	Included - Not Missing Fruit Responses	9,436	91.27	90.55

Missing any vegetable responses

Calculated Variables: 11.10 Calculated Variables

Type: Num

Column: 2246

SAS Variable Name: _VEGRES

Prologue:

Description: Missing any vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Vegetable Responses	1,087	10.51	11.46
1	Included - Not Missing Vegetable Responses	9,251	89.49	88.54

Total fruits consumed per day

Calculated Variables: 11.11 Calculated Variables

Type: Num

Column: 2247-2252

SAS Variable Name: _FRUTSUM

Prologue:

Description: Total fruits consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Fruits consumed per day (two implied decimal places)	9,436	100.00	100.00
BLANK	Not asked or Missing	902		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Total vegetables consumed per day

Calculated Variables: 11.12 Calculated Variables

Type: Num

Column: 2253-2258

SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Vegetables consumed per day (two implied decimal places)	9,251	100.00	100.00
BLANK	Not asked or Missing	1,087		

Consume Fruit 1 or more times per day

Calculated Variables: 11.19 Calculated Variables

Type: Num

Column: 2265

SAS Variable Name: _FRTL1

Prologue:

Description: Consume Fruit 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed fruit one or more times per day	5,634	54.50	51.07
2	Consumed fruit less than one time per day	3,802	36.78	39.48
9	Don't know, refused or missing values	902	8.73	9.45

Consume Vegetables 1 or more times per day

Calculated Variables: 11.20 Calculated Variables

Type: Num

Column: 2266

SAS Variable Name: _VEGLT1

Prologue:

Description: Consume Vegetables 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed vegetables one or more times per day	6,996	67.67	64.71
2	Consumed vegetables less than one time per day	2,255	21.81	23.83
9	Don't know, refused or missing values	1,087	10.51	11.46

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported consuming Fruit >16 per day

Calculated Variables: 11.15 Calculated Variables

Type: Num

Column: 2261

SAS Variable Name: _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	3	0.03	0.04
1	Included - Values are in accepted range	10,335	99.97	99.96

Reported consuming Vegetables >23 per day

Calculated Variables: 11.16 Calculated Variables

Type: Num

Column: 2262

SAS Variable Name: _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Values are too high	1	0.01	0.07
1	Included - Values are in accepted range	10,337	99.99	99.93

Fruit Exclusion from analyses

Calculated Variables: 11.17 Calculated Variables

Type: Num

Column: 2263

SAS Variable Name: _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	9,433	91.25	90.51
1	Missing Fruit responses	902	8.73	9.45
2	Fruit values out of range	3	0.03	0.04

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Vegetable Exclusion from analyses

CalculatedVariables: 11.18 Calculated Variables

Type: Num

Column: 2264

SAS Variable Name: _VEGETEX

Prologue:

Description: Vegetable Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	9,250	89.48	88.47
1	Missing Vegetable responses	1,087	10.51	11.46
2	Vegetable values out of range	1	0.01	0.07

Consume Fruit 1 or more times per day

CalculatedVariables: 11.19 Calculated Variables

Type: Num

Column: 2265

SAS Variable Name: _FRTL1

Prologue:

Description: Consume Fruit 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed fruit one or more times per day	5,634	54.50	51.07
2	Consumed fruit less than one time per day	3,802	36.78	39.48
9	Don't know, refused or missing values	902	8.73	9.45

Consume Vegetables 1 or more times per day

CalculatedVariables: 11.20 Calculated Variables

Type: Num

Column: 2266

SAS Variable Name: _VEGLT1

Prologue:

Description: Consume Vegetables 1 or more times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consumed vegetables one or more times per day	6,996	67.67	64.71
2	Consumed vegetables less than one time per day	2,255	21.81	23.83
9	Don't know, refused or missing values	1,087	10.51	11.46

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 12.1 Calculated Variables

Type: Num

Column: 2267

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	6,497	62.85	62.80
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	3,087	29.86	28.28
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	754	7.29	8.93

Activity MET Value for First Activity

Calculated Variables: 12.2 Calculated Variables

Type: Num

Column: 2268-2270

SAS Variable Name: METVL11_

Prologue:

Description: Activity MET Value for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	270	4.19	5.66
1 - 128	Activity MET Value (one implied decimal place)	6,171	95.81	94.34
BLANK	Not asked or Missing	3,897		

Activity MET Value for Second Activity

Calculated Variables: 12.3 Calculated Variables

Type: Num

Column: 2271-2273

SAS Variable Name: METVL21_

Prologue:

Description: Activity MET Value for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	2,525	40.54	41.11
1 - 128	Activity MET Value (one implied decimal place)	3,704	59.46	58.89
BLANK	Not asked or Missing	4,109		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Estimated Age-Gender Specific Maximum Oxygen Consumption

Calculated Variables: 12.4 Calculated Variables

Type: Num

Column: 2274-2278

SAS Variable Name: MAXVO2_

Prologue:

Description: Estimated Age-Gender Specific Maximum Oxygen Consumption

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 501	Estimated Maximum Oxygen Consumption (two implied decimal places)	10,241	99.06	99.38
99900	Don't know/Not Sure/Refused/Missing	97	0.94	0.62

Estimated Functional Capacity

Calculated Variables: 12.5 Calculated Variables

Type: Num

Column: 2279-2283

SAS Variable Name: FC60_

Prologue:

Description: Estimated Functional Capacity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8590	Estimated Functional Capacity (2 implied decimal places)	10,241	99.06	99.38
99900	Don't know/Not Sure/Refused/Missing	97	0.94	0.62

Estimated Activity Intensity for First Activity

Calculated Variables: 12.6 Calculated Variables

Type: Num

Column: 2284

SAS Variable Name: ACTIN11_

Prologue:

Description: Estimated Activity Intensity for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	272	4.25	5.70
1	Moderate	4,076	63.75	71.51
2	Vigorous	2,046	32.00	22.79
BLANK	Not asked or Missing	3,944		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Estimated Activity Intensity for Second Activity

Calculated Variables: 12.7 Calculated Variables

Type: Num

Column: 2285

SAS Variable Name: ACTIN21_

Prologue:

Description: Estimated Activity Intensity for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	2,509	40.56	41.15
1	Moderate	2,075	33.54	39.92
2	Vigorous	1,602	25.90	18.92
BLANK	Not asked or Missing	4,152		

Minutes of First Activity

Calculated Variables: 12.8 Calculated Variables

Type: Num

Column: 2286-2288

SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	6,305	100.00	100.00
BLANK	Not asked or Missing	4,033		

Minutes of Second Activity

Calculated Variables: 12.9 Calculated Variables

Type: Num

Column: 2289-2291

SAS Variable Name: PADUR2_

Prologue:

Description: Minutes of Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	4,011	100.00	100.00
BLANK	Not asked or Missing	6,327		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Physical Activity Frequency per Week for First Activity

Calculated Variables: 12.10 Calculated Variables

Type: Num

Column: 2292-2296

SAS Variable Name: PAFREQ1_

Prologue:

Description: Physical Activity Frequency per Week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	6,364	99.98	99.99
99000	Don't know/Not Sure/Refused	1	0.02	0.01
BLANK	Not asked or Missing	3,973		

Physical Activity Frequency per Week for Second Activity

Calculated Variables: 12.11 Calculated Variables

Type: Num

Column: 2297-2301

SAS Variable Name: PAFREQ2_

Prologue:

Description: Physical Activity Frequency per Week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	4,074	100.00	100.00
BLANK	Not asked or Missing	6,264		

Minutes of Physical Activity per week for First Activity

Calculated Variables: 12.12 Calculated Variables

Type: Num

Column: 2302-2306

SAS Variable Name: _MINAC11

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	569	9.10	10.47
1 - 99999	Minutes of Activity per week	5,687	90.90	89.53
BLANK	Not asked or Missing	4,082		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for Second Activity

Calculated Variables: 12.13 Calculated Variables

Type: Num

Column: 2307-2311

SAS Variable Name: _MINAC21

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	2,764	45.39	46.17
1 - 99999	Minutes of Activity per week	3,325	54.61	53.83
BLANK	Not asked or Missing	4,249		

Strength Activity Frequency per Week

Calculated Variables: 12.14 Calculated Variables

Type: Num

Column: 2312-2316

SAS Variable Name: STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Strength Activity times per week (3 implied decimal places)	9,453	99.99	99.99
99000	Don't know/Not Sure/Refused	1	0.01	0.01
BLANK	Not asked or Missing	884		

Missing Physical Activity Data

Calculated Variables: 12.15 Calculated Variables

Type: Num

Column: 2317

SAS Variable Name: PAMISS1_

Prologue:

Description: Missing Physical Activity Data

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Missing Physical Activity Data	8,995	87.01	86.01
1	Missing Physical Activity Data	589	5.70	5.06
9	Don't know/Not Sure/Refused	754	7.29	8.93

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for First Activity

Calculated Variables: 12.16 Calculated Variables

Type: Num

Column: 2318-2322

SAS Variable Name: PAMIN11_

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,212	100.00	100.00
BLANK	Not asked or Missing	4,126		

Minutes of Physical Activity per week for Second Activity

Calculated Variables: 12.17 Calculated Variables

Type: Num

Column: 2323-2327

SAS Variable Name: PAMIN21_

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,047	100.00	100.00
BLANK	Not asked or Missing	4,291		

Minutes of total Physical Activity per week

Calculated Variables: 12.18 Calculated Variables

Type: Num

Column: 2328-2332

SAS Variable Name: PA1MIN_

Prologue:

Description: Minutes of total Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,351	100.00	100.00
BLANK	Not asked or Missing	3,987		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes of Vigorous Physical Activity per week for First Activity

Calculated Variables: 12.19 Calculated Variables

Type: Num

Column: 2333-2337

SAS Variable Name: PAVIG11_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,316	100.00	100.00
BLANK	Not asked or Missing	4,022		

Minutes of Vigorous Physical Activity per week for Second Activity

Calculated Variables: 12.20 Calculated Variables

Type: Num

Column: 2338-2342

SAS Variable Name: PAVIG21_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,111	100.00	100.00
BLANK	Not asked or Missing	4,227		

Minutes of total Vigorous Physical Activity per week

Calculated Variables: 12.21 Calculated Variables

Type: Num

Column: 2343-2347

SAS Variable Name: PA1VIGM_

Prologue:

Description: Minutes of total Vigorous Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	6,370	100.00	100.00
BLANK	Not asked or Missing	3,968		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Physical Activity Categories

Calculated Variables: 12.22 Calculated Variables

Type: Num

Column: 2348

SAS Variable Name: _PACAT1

Prologue:

Description: Physical Activity Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Highly Active	2,503	24.21	22.68
2	Active	1,527	14.77	14.98
3	Insufficiently Active	1,711	16.55	18.10
4	Inactive	3,339	32.30	30.89
9	Don't know/Not Sure/Refused/Missing	1,258	12.17	13.36

Physical Activity Index

Calculated Variables: 12.23 Calculated Variables

Type: Num

Column: 2349

SAS Variable Name: _PAINDX1

Prologue:

Description: Physical Activity Index

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet Aerobic Recommendations	4,127	39.92	38.56
2	Did Not Meet Aerobic Recommendations	5,050	48.85	48.98
9	Don't know/Not Sure/Refused/Missing	1,161	11.23	12.45

150 Minute Physical Activity Calculated Variable

Calculated Variables: 12.24 Calculated Variables

Type: Num

Column: 2350

SAS Variable Name: _PA150R2

Prologue:

Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	150+ minutes (or vigorous equivalent minutes) of physical activity	4,127	39.92	38.56
2	1-149 minutes (or vigorous equivalent minutes) of physical activity	1,711	16.55	18.10
3	0 minutes (or vigorous equivalent minutes) of physical activity	3,339	32.30	30.89
9	Don't know/Not Sure/Refused/Missing	1,161	11.23	12.45

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

300 Minute Physical Activity Calculated Variable

Calculated Variables: 12.25 Calculated Variables

Type: Num

Column: 2351

SAS Variable Name: _PA300R2

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	2,503	24.21	22.68
2	1-300 minutes (or vigorous equivalent minutes) of physical activity	3,238	31.32	33.08
3	0 minutes (or vigorous equivalent minutes) of physical activity	3,339	32.30	30.89
9	Don't know/Not Sure/Refused/Missing	1,258	12.17	13.36

300 Minute Physical Activity 2-Level Calculated Variable

Calculated Variables: 12.26 Calculated Variables

Type: Num

Column: 2352

SAS Variable Name: _PA30021

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	2,503	24.21	22.68
2	0-300 minutes (or vigorous equivalent minutes) of physical activity	6,577	63.62	63.96
9	Don't know/Not Sure/Refused/Missing	1,258	12.17	13.36

Muscle Strengthening Recommendation

Calculated Variables: 12.27 Calculated Variables

Type: Num

Column: 2353

SAS Variable Name: _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet muscle strengthening recommendations	2,208	21.36	23.01
2	Did not meet muscle strengthening recommendations	7,246	70.09	66.98
9	Don't know/Not Sure/Refused/Missing	884	8.55	10.01

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Aerobic and Strengthening Guideline

Calculated Variables: 12.28 Calculated Variables

Type: Num

Column: 2354

SAS Variable Name: _PAREC1

Prologue:

Description: Aerobic and Strengthening Guideline

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	1,385	13.40	14.11
2	Met Aerobic Guidelines Only	2,690	26.02	24.16
3	Met Strengthening Guidelines Only	720	6.96	7.95
4	Did not meet Either Guideline	4,287	41.47	40.65
9	Don't know/Not Sure/Refused/Missing	1,256	12.15	13.13

Aerobic and Strengthening (2-level)

Calculated Variables: 12.29 Calculated Variables

Type: Num

Column: 2355

SAS Variable Name: _PASTAE1

Prologue:

Description: Aerobic and Strengthening (2-level)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	1,385	13.40	14.11
2	Did Not Meet Both Guidelines	7,697	74.45	72.76
9	Don't know/Not Sure/Refused/Missing	1,256	12.15	13.13

Limited usual activities

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 2356

SAS Variable Name: _LMTACT1

Prologue:

Description: Limited usual activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and have limited usual activities	1,719	16.74	12.76
2	Told have arthritis and no limited usual activities	1,763	17.17	12.82
3	Not told they have arthritis	6,491	63.21	72.02
9	Don't know, refused or missing usual activities limited	296	2.88	2.39
BLANK	Don't know, refused or missing arthritis or not asked	69		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Limited work activities

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 2357

SAS Variable Name: _LMTWRK1

Prologue:

Description: Limited work activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and have limited work	1,128	10.98	9.18
2	Told have arthritis and no limited work	2,269	22.10	15.81
3	Not told they have arthritis	6,491	63.21	72.02
9	Don't know, refused or missing work limited	381	3.71	2.99
BLANK	Don't know, refused or missing arthritis or not asked	69		

Limited social activities

Calculated Variables: 13.3 Calculated Variables

Type: Num

Column: 2358

SAS Variable Name: _LMTSCL1

Prologue:

Description: Limited social activities

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Told have arthritis and social activities limited a lot	672	6.54	5.04
2	Told have arthritis and social activities limited a little	854	8.32	6.52
3	Told have arthritis and social activities not limited	1,958	19.07	14.06
4	Not told they have arthritis	6,491	63.21	72.02
9	Don't know, refused or missing social activities limited	294	2.86	2.36
BLANK	Don't know, refused or missing arthritis or not asked	69		

Always or Nearly Always Wear Seat Belts

Calculated Variables: 14.1 Calculated Variables

Type: Num

Column: 2359

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	9,001	87.07	84.82
2	Sometimes, Seldom, or Never Wear Seat Belt	480	4.64	5.18
9	Don't know/Not Sure Or Refused/Missing	857	8.29	10.00

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Always Wear Seat Belts

CalculatedVariables: 14.2 Calculated Variables

Type: Num

Column: 2360

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	8,330	80.58	77.66
2	Don't Always Wear Seat Belt	1,151	11.13	12.34
9	Don't know/Not Sure Or Refused/Missing	857	8.29	10.00

Flu Shot Calculated Variable

CalculatedVariables: 15.1 Calculated Variables

Type: Num

Column: 2361

SAS Variable Name: _FLSHOT6

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,889	52.56	51.34
2	No	1,350	37.56	37.78
9	Don't know/Not Sure Or Refused/Missing	355	9.88	10.88
BLANK	Age Less Than 65	6,744		

Pneumonia Vaccination Calculated Variable

CalculatedVariables: 15.2 Calculated Variables

Type: Num

Column: 2362

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	2,197	61.13	60.39
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	938	26.10	25.90
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	459	12.77	13.71
BLANK	Age Less Than 65 Notes: AGE < 65	6,744		

Behavioral Risk Factor Surveillance System
 INDIANA 2013 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever been tested for HIV calculated variable

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 2363

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	2,228	23.65	29.69
2	No Notes: HIVTST6 = 2	6,930	73.56	67.97
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	263	2.79	2.34
BLANK	Not asked or missing Notes: HIVTST6 = Missing	917		