

INDIANA

2014 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9417	4,252,566	5904	56.0	54.6-57.4	3513	44.0	42.6-45.4
Male	3746	2,043,569	2308	53.4	51.2-55.6	1438	46.6	44.4-48.8
Female	5671	2,208,998	3596	58.4	56.6-60.2	2075	41.6	39.8-43.4
White/Non-Hisp	8196	3,447,366	5181	56.8	55.2-58.4	3015	43.2	41.6-44.8
Black or Afr. Am./Non-Hisp	502	355,419	319	56.2	50.5-61.9	183	43.8	38.1-49.5
Oth. Race/Non-Hisp.	188	88,176	102	46.0	36.6-55.4	86	54.0	44.6-63.4
MultiRacial/Non-Hisp.	108	49,800	68	54.4	41.9-66.9	40	45.6	33.1-58.1
Hispanic	283	251,384	152	51.2	44.5-57.9	131	48.8	42.1-55.5
18-24	513	616,205	146	29.4	25.1-33.7	367	70.6	66.3-74.9
25-34	780	739,867	373	45.9	42.0-49.8	407	54.1	50.2-58.0
35-44	1155	737,889	691	57.9	54.4-61.4	464	42.1	38.6-45.6
45-54	1622	748,527	1029	63.0	60.3-65.7	593	37.0	34.3-39.7
55-64	2095	653,829	1464	69.4	67.0-71.8	631	30.6	28.2-33.0
65+	3128	712,094	2137	68.2	66.0-70.4	991	31.8	29.6-34.0
Less Than H.S.	779	580,686	401	45.9	41.4-50.4	378	54.1	49.6-58.6
H.S. or G.E.D.	3176	1,461,595	1908	54.2	51.8-56.6	1268	45.8	43.4-48.2
Some Post-H.S.	2383	1,293,827	1558	58.1	55.6-60.6	825	41.9	39.4-44.4
College Graduate	2997	886,792	1985	62.2	59.8-64.6	1012	37.8	35.4-40.2
Less than \$15,000	847	418,518	457	49.6	44.9-54.3	390	50.4	45.7-55.1
\$15,000- 24,999	1421	674,375	823	49.9	46.2-53.6	598	50.1	46.4-53.8
\$25,000- 34,999	956	432,596	601	54.5	50.0-59.0	355	45.5	41.0-50.0
\$35,000- 49,999	1234	570,760	789	57.6	53.9-61.3	445	42.4	38.7-46.1
\$50,000- 74,999	1310	605,417	899	61.9	58.2-65.6	411	38.1	34.4-41.8
\$75,000+	2217	950,561	1502	63.1	60.4-65.8	715	36.9	34.2-39.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3746	2,043,569	2308	53.4	51.2-55.6	1438	46.6	44.4-48.8
White/Non-Hisp	3241	1,651,593	2027	54.8	52.4-57.2	1214	45.2	42.8-47.6
Black or Afr. Am./Non-Hisp	192	165,711	108	46.7	38.1-55.3	84	53.3	44.7-61.9
Oth. Race/Non-Hisp.	97	55,202	48	40.0	27.8-52.2	49	60.0	47.8-72.2
Hispanic	114	117,244	59	48.8	38.6-59.0	55	51.2	41.0-61.4
18-24	278	313,499	63	22.9	17.6-28.2	215	77.1	71.8-82.4
25-34	331	365,172	128	36.8	31.1-42.5	203	63.2	57.5-68.9
35-44	492	366,009	298	56.5	51.2-61.8	194	43.5	38.2-48.8
45-54	683	364,590	432	62.2	57.9-66.5	251	37.8	33.5-42.1
55-64	877	320,146	628	72.2	68.7-75.7	249	27.8	24.3-31.3
65+	1040	294,936	733	71.0	67.7-74.3	307	29.0	25.7-32.3
Less Than H.S.	303	293,863	134	38.3	31.8-44.8	169	61.7	55.2-68.2
H.S. or G.E.D.	1254	737,021	738	52.8	49.3-56.3	516	47.2	43.7-50.7
Some Post-H.S.	867	559,225	544	55.0	50.9-59.1	323	45.0	40.9-49.1
College Graduate	1290	436,843	872	62.4	59.1-65.7	418	37.6	34.3-40.9
Less than \$15,000	269	151,693	122	37.0	29.9-44.1	147	63.0	55.9-70.1
\$15,000- 24,999	462	293,255	239	43.9	37.8-50.0	223	56.1	50.0-62.2
\$25,000- 34,999	365	213,284	211	48.8	41.9-55.7	154	51.2	44.3-58.1
\$35,000- 49,999	517	289,784	325	56.8	51.1-62.5	192	43.2	37.5-48.9
\$50,000- 74,999	612	325,327	416	59.9	54.6-65.2	196	40.1	34.8-45.4
\$75,000+	1067	521,363	752	63.9	60.0-67.8	315	36.1	32.2-40.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5671	2,208,998	3596	58.4	56.6-60.2	2075	41.6	39.8-43.4
White/Non-Hisp	4955	1,795,773	3154	58.6	56.6-60.6	1801	41.4	39.4-43.4
Black or Afr. Am./Non-Hisp	310	189,708	211	64.4	57.3-71.5	99	35.6	28.5-42.7
Oth. Race/Non-Hisp.	91	32,973	54	56.0	41.9-70.1	37	44.0	29.9-58.1
MultiRacial/Non-Hisp.	65	25,345	40	46.6	30.9-62.3	25	53.4	37.7-69.1
Hispanic	169	134,140	93	53.3	44.5-62.1	76	46.7	37.9-55.5
18-24	235	302,705	83	36.1	29.2-43.0	152	63.9	57.0-70.8
25-34	449	374,695	245	54.8	49.5-60.1	204	45.2	39.9-50.5
35-44	663	371,880	393	59.1	54.6-63.6	270	40.9	36.4-45.4
45-54	939	383,937	597	63.7	60.2-67.2	342	36.3	32.8-39.8
55-64	1218	333,683	836	66.7	63.4-70.0	382	33.3	30.0-36.6
65+	2088	417,158	1404	66.2	63.5-68.9	684	33.8	31.1-36.5
Less Than H.S.	476	286,823	267	53.6	47.5-59.7	209	46.4	40.3-52.5
H.S. or G.E.D.	1922	724,574	1170	55.8	52.7-58.9	752	44.2	41.1-47.3
Some Post-H.S.	1516	734,602	1014	60.6	57.3-63.9	502	39.4	36.1-42.7
College Graduate	1707	449,949	1113	62.0	58.9-65.1	594	38.0	34.9-41.1
Less than \$15,000	578	266,826	335	56.9	51.2-62.6	243	43.1	37.4-48.8
\$15,000- 24,999	959	381,120	584	54.5	50.0-59.0	375	45.5	41.0-50.0
\$25,000- 34,999	591	219,312	390	59.9	54.2-65.6	201	40.1	34.4-45.8
\$35,000- 49,999	717	280,976	464	58.5	53.4-63.6	253	41.5	36.4-46.6
\$50,000- 74,999	698	280,091	483	64.2	59.1-69.3	215	35.8	30.7-40.9
\$75,000+	1150	429,198	750	62.2	58.7-65.7	400	37.8	34.3-41.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9678	4,356,786	937	7.7	07.1-08.3	115	1.3	00.9-01.7	8626	91.1	90.3-91.9
Male	3851	2,093,213	383	7.1	06.1-08.1				3468	92.9	91.9-93.9
Female	5827	2,263,573	554	8.2	07.2-09.2	115	2.5	01.9-03.1	5158	89.4	88.4-90.4
White/Non-Hisp	8443	3,543,584	827	8.0	07.2-08.8	95	1.2	00.8-01.6	7521	90.9	90.1-91.7
Black or Afr. Am./Non-Hisp	507	358,935	49	6.8	04.4-09.2	7	1.7	00.3-03.1	451	91.5	88.8-94.2
Oth. Race/Non-Hisp.	184	85,514	21	8.7	03.6-13.8	3	1.4	00.0-03.2	160	89.8	84.5-95.1
MultiRacial/Non-Hisp.	109	49,892	11	7.8	01.5-14.1	1	0.7	00.0-02.1	97	91.5	85.2-97.8
Hispanic	289	255,696	18	5.4	02.7-08.1	8	2.3	00.5-04.1	263	92.3	89.2-95.4
18-24	537	643,176	12	2.0	00.8-03.2	5	1.0	00.2-01.8	520	97.1	95.7-98.5
25-34	796	757,891	36	3.9	02.5-05.3	18	2.0	01.0-03.0	742	94.1	92.3-95.9
35-44	1176	747,306	85	7.4	05.6-09.2	26	1.6	00.8-02.4	1065	91.0	89.0-93.0
45-54	1650	760,321	162	9.9	08.1-11.7	27	1.6	01.0-02.2	1461	88.6	86.8-90.4
55-64	2139	665,501	227	10.3	08.7-11.9	22	1.0	00.6-01.4	1890	88.7	87.1-90.3
65+	3252	737,808	409	12.3	10.9-13.7	16	0.6	00.2-01.0	2827	87.1	85.5-88.7
Less Than H.S.	794	590,610	88	7.5	05.5-09.5	10	1.2	00.2-02.2	696	91.2	89.0-93.4
H.S. or G.E.D.	3272	1,501,624	343	7.9	06.9-08.9	29	1.0	00.6-01.4	2900	91.1	89.9-92.3
Some Post-H.S.	2446	1,324,827	216	7.4	06.2-08.6	43	1.8	01.2-02.4	2187	90.8	89.4-92.2
College Graduate	3080	908,215	280	7.6	06.4-08.8	33	1.1	00.7-01.5	2767	91.4	90.2-92.6
Less than \$15,000	864	429,917	104	9.3	06.9-11.7	11	1.8	00.6-03.0	749	89.0	86.5-91.5
\$15,000- 24,999	1450	681,340	148	7.5	05.9-09.1	21	2.0	01.0-03.0	1281	90.4	88.4-92.4
\$25,000- 34,999	990	444,867	114	8.3	06.3-10.3	14	1.8	00.6-03.0	862	89.9	87.5-92.3
\$35,000- 49,999	1265	582,241	139	8.0	06.2-09.8	13	1.1	00.3-01.9	1113	90.9	88.9-92.9
\$50,000- 74,999	1343	619,757	142	9.2	07.2-11.2	15	0.9	00.3-01.5	1186	89.9	87.9-91.9
\$75,000+	2264	972,553	173	5.9	04.9-06.9	32	1.2	00.8-01.6	2059	93.0	91.8-94.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3851	2,093,213	383	7.1	06.1-08.1	3468	92.9	91.9-93.9
White/Non-Hisp	3338	1,696,039	346	7.7	06.7-08.7	2992	92.3	91.3-93.3
Black or Afr. Am./Non-Hisp	195	168,459	12	3.3	01.3-05.3	183	96.7	94.7-98.7
Oth. Race/Non-Hisp.	94	52,838	11	11.0	03.2-18.8	83	89.0	81.2-96.8
Hispanic	119	121,361	6	3.1	00.2-06.0	113	96.9	94.0-99.8
18-24	293	329,603	6	1.6	00.2-03.0	287	98.4	97.0-99.8
25-34	340	374,738	10	2.3	00.7-03.9	330	97.7	96.1-99.3
35-44	501	370,338	34	5.7	03.5-07.9	467	94.3	92.1-96.5
45-54	697	369,927	63	8.3	05.9-10.7	634	91.7	89.3-94.1
55-64	899	326,613	103	11.1	08.6-13.6	796	88.9	86.4-91.4
65+	1075	302,685	163	14.7	12.2-17.2	912	85.3	82.8-87.8
Less Than H.S.	307	297,506	29	5.8	03.3-08.3	278	94.2	91.7-96.7
H.S. or G.E.D.	1287	755,667	129	6.9	05.5-08.3	1158	93.1	91.7-94.5
Some Post-H.S.	894	574,300	85	7.1	05.3-08.9	809	92.9	91.1-94.7
College Graduate	1330	448,868	137	8.1	06.3-09.9	1193	91.9	90.1-93.7
Less than \$15,000	277	154,434	28	8.3	04.6-12.0	249	91.7	88.0-95.4
\$15,000- 24,999	465	293,334	41	5.6	03.2-08.0	424	94.4	92.0-96.8
\$25,000- 34,999	383	222,392	46	7.6	04.9-10.3	337	92.4	89.7-95.1
\$35,000- 49,999	529	294,951	58	7.3	04.9-09.7	471	92.7	90.3-95.1
\$50,000- 74,999	625	331,928	70	8.5	06.1-10.9	555	91.5	89.1-93.9
\$75,000+	1091	532,600	91	6.0	04.6-07.4	1000	94.0	92.6-95.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5827	2,263,573	554	8.2	07.2-09.2	115	2.5	01.9-03.1	5158	89.4	88.4-90.4
White/Non-Hisp	5105	1,847,545	481	8.1	07.1-09.1	95	2.2	01.6-02.8	4529	89.6	88.4-90.8
Black or Afr. Am./Non-Hisp	312	190,477	37	9.8	05.9-13.7	7	3.2	00.5-05.9	268	87.0	82.5-91.5
Oth. Race/Non-Hisp.	90	32,676	10	5.0	00.7-09.3	3	3.8	00.0-08.3	77	91.2	84.9-97.5
MultiRacial/Non-Hisp.	66	25,437	8	10.8	00.4-21.2	1	1.4	00.0-04.1	57	87.8	77.0-98.6
Hispanic	170	134,335	12	7.5	03.2-11.8	8	4.3	01.0-07.6	150	88.1	82.8-93.4
18-24	244	313,573	6	2.3	00.3-04.3	5	2.0	00.2-03.8	233	95.7	93.2-98.2
25-34	456	383,154	26	5.3	02.9-07.7	18	4.0	02.0-06.0	412	90.7	87.6-93.8
35-44	675	376,968	51	9.0	06.3-11.7	26	3.1	01.7-04.5	598	87.9	85.0-90.8
45-54	953	390,393	99	11.3	08.9-13.7	27	3.0	01.6-04.4	827	85.6	83.1-88.1
55-64	1240	338,887	124	9.5	07.5-11.5	22	1.9	00.9-02.9	1094	88.6	86.4-90.8
65+	2177	435,124	246	10.7	09.1-12.3	16	1.0	00.2-01.8	1915	88.3	86.5-90.1
Less Than H.S.	487	293,104	59	9.3	06.4-12.2	10	2.5	00.5-04.5	418	88.2	84.7-91.7
H.S. or G.E.D.	1985	745,956	214	8.9	07.3-10.5	29	2.0	01.0-03.0	1742	89.0	87.2-90.8
Some Post-H.S.	1552	750,527	131	7.6	06.0-09.2	43	3.1	01.9-04.3	1378	89.3	87.3-91.3
College Graduate	1750	459,347	143	7.0	05.4-08.6	33	2.1	01.3-02.9	1574	90.9	89.1-92.7
Less than \$15,000	587	275,483	76	9.8	06.9-12.7	11	2.8	00.8-04.8	500	87.4	83.9-90.9
\$15,000- 24,999	985	388,006	107	9.0	06.6-11.4	21	3.6	01.6-05.6	857	87.5	84.6-90.4
\$25,000- 34,999	607	222,475	68	9.0	06.1-11.9	14	3.5	01.1-05.9	525	87.4	83.7-91.1
\$35,000- 49,999	736	287,290	81	8.7	06.2-11.2	13	2.2	00.8-03.6	642	89.1	86.2-92.0
\$50,000- 74,999	718	287,829	72	10.0	06.9-13.1	15	1.9	00.7-03.1	631	88.1	85.0-91.2
\$75,000+	1173	439,953	82	5.7	04.3-07.1	32	2.5	01.5-03.5	1059	91.8	90.0-93.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1634	527,154	551	35.1	32.0-38.2	1083	64.9	61.8-68.0
Male	711	266,164	244	36.6	32.1-41.1	467	63.4	58.9-67.9
Female	923	260,990	307	33.6	29.5-37.7	616	66.4	62.3-70.5
White/Non-Hisp	1424	444,850	476	35.0	31.7-38.3	948	65.0	61.7-68.3
Black or Afr. Am./Non-Hisp	112	50,425	41	35.9	24.3-47.5	71	64.1	52.5-75.7
35-44	59	42,259	18	31.4	17.5-45.3	41	68.6	54.7-82.5
45-54	203	92,603	75	37.1	29.3-44.9	128	62.9	55.1-70.7
55-64	442	143,844	147	32.8	27.7-37.9	295	67.2	62.1-72.3
65+	885	215,111	291	34.4	30.3-38.5	594	65.6	61.5-69.7
Less Than H.S.	209	98,748	80	41.3	32.9-49.7	129	58.7	50.3-67.1
H.S. or G.E.D.	637	205,974	207	33.5	28.8-38.2	430	66.5	61.8-71.2
Some Post-H.S.	418	148,520	148	35.8	29.7-41.9	270	64.2	58.1-70.3
College Graduate	362	72,594	112	29.5	23.8-35.2	250	70.5	64.8-76.2
Less than \$15,000	253	82,556	114	49.7	41.5-57.9	139	50.3	42.1-58.5
\$15,000- 24,999	363	119,688	125	37.1	30.2-44.0	238	62.9	56.0-69.8
\$25,000- 34,999	179	53,059	52	22.8	15.7-29.9	127	77.2	70.1-84.3
\$35,000- 49,999	238	77,439	69	32.2	24.8-39.6	169	67.8	60.4-75.2
\$50,000- 74,999	163	58,932	54	36.6	26.6-46.6	109	63.4	53.4-73.4
\$75,000+	211	70,841	62	29.5	21.7-37.3	149	70.5	62.7-78.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	711	266,164	244	36.6	32.1-41.1	467	63.4	58.9-67.9
White/Non-Hisp	629	229,702	217	36.9	32.0-41.8	412	63.1	58.2-68.0
45-54	102	50,480	35	33.4	22.6-44.2	67	66.6	55.8-77.4
55-64	198	71,107	73	36.6	29.0-44.2	125	63.4	55.8-71.0
65+	373	112,244	120	33.7	27.4-40.0	253	66.3	60.0-72.6
Less Than H.S.	88	44,042	39	45.5	32.2-58.8	49	54.5	41.2-67.8
H.S. or G.E.D.	243	101,634	74	33.7	26.3-41.1	169	66.3	58.9-73.7
Some Post-H.S.	175	76,086	65	38.7	29.7-47.7	110	61.3	52.3-70.3
College Graduate	201	43,755	64	30.6	23.3-37.9	137	69.4	62.1-76.7
Less than \$15,000	78	30,822	35	47.7	33.4-62.0	43	52.3	38.0-66.6
\$15,000- 24,999	130	53,920	48	41.1	29.9-52.3	82	58.9	47.7-70.1
\$25,000- 34,999	76	24,599	22	24.3	13.5-35.1	54	75.7	64.9-86.5
\$35,000- 49,999	130	48,187	41	33.7	23.3-44.1	89	66.3	55.9-76.7
\$50,000- 74,999	95	35,716	35	43.9	30.6-57.2	60	56.1	42.8-69.4
\$75,000+	126	47,595	40	32.8	22.4-43.2	86	67.2	56.8-77.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	923	260,990	307	33.6	29.5-37.7	616	66.4	62.3-70.5
White/Non-Hisp	795	215,149	259	32.9	28.6-37.2	536	67.1	62.8-71.4
Black or Afr. Am./Non-Hisp	77	29,763	27	31.5	17.8-45.2	50	68.5	54.8-82.2
45-54	101	42,124	40	41.5	30.1-52.9	61	58.5	47.1-69.9
55-64	244	72,738	74	29.2	22.3-36.1	170	70.8	63.9-77.7
65+	512	102,866	171	35.1	29.6-40.6	341	64.9	59.4-70.4
Less Than H.S.	121	54,705	41	38.0	27.2-48.8	80	62.0	51.2-72.8
H.S. or G.E.D.	394	104,339	133	33.4	27.3-39.5	261	66.6	60.5-72.7
Some Post-H.S.	243	72,434	83	32.8	25.0-40.6	160	67.2	59.4-75.0
College Graduate	161	28,839	48	27.9	19.1-36.7	113	72.1	63.3-80.9
Less than \$15,000	175	51,734	79	50.8	40.8-60.8	96	49.2	39.2-59.2
\$15,000- 24,999	233	65,769	77	33.8	25.4-42.2	156	66.2	57.8-74.6
\$25,000- 34,999	103	28,460	30	21.5	12.3-30.7	73	78.5	69.3-87.7
\$35,000- 49,999	108	29,252	28	29.6	19.0-40.2	80	70.4	59.8-81.0
\$50,000- 74,999	68	23,215	19	25.5	13.2-37.8	49	74.5	62.2-86.8
\$75,000+	85	23,246	22	22.9	13.1-32.7	63	77.1	67.3-86.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1624	524,521	186	11.6	09.4-13.8	402	24.1	21.4-26.8	1000	61.2	58.1-64.3	36	3.1	01.7-04.5
Male	708	265,740	83	11.2	08.3-14.1	201	27.1	23.0-31.2	407	58.7	54.2-63.2	17	3.0	01.2-04.8
Female	916	258,781	103	12.0	09.1-14.9	201	21.1	17.6-24.6	593	63.7	59.4-68.0	19	3.2	01.4-05.0
White/Non-Hisp	1417	442,914	165	11.7	09.5-13.9	352	24.4	21.5-27.3	868	60.6	57.3-63.9	32	3.2	01.8-04.6
Black or Afr. Am./Non-Hisp	112	50,844	8	7.1	01.2-13.0	22	16.5	08.7-24.3	78	72.3	62.1-82.5	4	4.1	00.0-09.6
35-44	59	42,259	13	22.4	10.4-34.4	9	14.3	02.3-26.3	36	62.2	47.5-76.9	1	1.1	00.0-03.3
45-54	201	92,197	24	10.3	05.6-15.0	51	26.2	18.9-33.5	117	57.8	49.6-66.0	9	5.7	01.6-09.8
55-64	440	142,724	61	13.8	09.9-17.7	118	27.5	22.6-32.4	253	57.0	51.5-62.5	8	1.7	00.3-03.1
65+	879	214,004	84	9.0	06.6-11.4	212	22.0	18.9-25.1	570	67.6	63.9-71.3	13	1.5	00.5-02.5
Less Than H.S.	205	97,256	22	10.7	05.6-15.8	35	16.3	09.4-23.2	146	72.3	64.5-80.1	2	0.8	00.0-02.0
H.S. or G.E.D.	634	204,636	64	9.8	06.9-12.7	166	26.3	21.8-30.8	392	61.6	56.7-66.5	12	2.4	00.6-04.2
Some Post-H.S.	418	148,817	48	14.1	09.4-18.8	101	24.2	19.1-29.3	258	56.6	50.3-62.9	11	5.1	01.8-08.4
College Graduate	359	72,493	52	13.0	09.1-16.9	99	28.5	23.0-34.0	197	54.0	47.7-60.3	11	4.4	01.5-07.3
Less than \$15,000	249	81,656	28	8.5	04.4-12.6	42	20.1	13.4-26.8	169	64.2	56.0-72.4	10	7.3	01.8-12.8
\$15,000- 24,999	360	119,262	38	12.3	07.0-17.6	69	15.9	11.2-20.6	247	70.0	63.5-76.5	6	1.8	00.2-03.4
\$25,000- 34,999	178	53,013	14	6.6	02.9-10.3	53	28.1	19.7-36.5	108	63.0	53.8-72.2	3	2.2	00.0-05.3
\$35,000- 49,999	237	76,991	40	17.1	11.2-23.0	52	17.3	12.2-22.4	142	62.9	55.6-70.2	3	2.6	00.0-06.1
\$50,000- 74,999	163	58,928	19	13.5	06.8-20.2	52	32.5	23.1-41.9	84	48.0	38.2-57.8	8	6.0	01.5-10.5
\$75,000+	211	70,922	21	10.7	05.2-16.2	68	33.7	25.7-41.7	117	53.6	45.2-62.0	5	2.0	00.0-04.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	708	265,740	83	11.2	08.3-14.1	201	27.1	23.0-31.2	407	58.7	54.2-63.2	17	3.0	01.2-04.8
White/Non-Hisp	628	229,607	76	11.6	08.5-14.7	180	27.0	22.7-31.3	356	58.1	53.2-63.0	16	3.3	01.3-05.3
45-54	102	50,584	14	12.2	05.1-19.3	26	29.5	18.7-40.3	57	52.4	40.6-64.2	5	5.9	00.0-12.0
55-64	198	70,954	31	14.5	08.6-20.4	58	31.5	23.9-39.1	106	52.5	44.5-60.5	3	1.5	00.0-03.3
65+	370	111,869	35	9.3	05.6-13.0	109	24.7	19.8-29.6	220	64.8	59.1-70.5	6	1.2	00.0-02.4
Less Than H.S.	86	43,713	8	9.6	01.8-17.4	18	21.3	09.0-33.6	59	68.6	55.5-81.7	1	0.4	00.0-01.2
H.S. or G.E.D.	243	101,504	26	11.3	06.4-16.2	70	25.9	19.6-32.2	141	59.2	51.8-66.6	6	3.6	00.3-06.9
Some Post-H.S.	175	76,086	17	10.5	04.8-16.2	50	28.9	20.9-36.9	104	57.1	48.3-65.9	4	3.5	00.0-07.4
College Graduate	200	43,790	32	13.8	08.5-19.1	62	32.5	24.9-40.1	100	50.3	42.3-58.3	6	3.4	00.3-06.5
Less than \$15,000	76	30,493	9	6.3	00.8-11.8	17	28.0	15.5-40.5	46	57.9	43.6-72.2	4	7.8	00.0-17.0
\$15,000- 24,999	129	53,466	13	10.6	03.2-18.0	26	17.6	10.0-25.2	87	70.1	60.1-80.1	3	1.8	00.0-04.0
\$25,000- 34,999	75	24,553	9	9.4	02.9-15.9	29	36.0	23.1-48.9	36	51.3	37.6-65.0	1	3.2	00.0-09.3
\$35,000- 49,999	131	48,511	18	13.0	06.1-19.9	29	16.4	10.1-22.7	82	66.9	57.5-76.3	2	3.8	00.0-09.5
\$50,000- 74,999	95	35,716	9	11.5	02.9-20.1	31	31.3	19.5-43.1	50	53.0	40.1-65.9	5	4.2	00.0-08.5
\$75,000+	126	47,676	15	13.3	05.7-20.9	44	33.3	23.1-43.5	65	52.2	41.4-63.0	2	1.2	00.0-03.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	916	258,781	103	12.0	09.1-14.9	201	21.1	17.6-24.6	593	63.7	59.4-68.0	19	3.2	01.4-05.0
White/Non-Hisp	789	213,307	89	11.9	08.8-15.0	172	21.6	17.9-25.3	512	63.3	58.8-67.8	16	3.2	01.4-05.0
Black or Afr. Am./Non-Hisp	78	30,465	7	9.3	01.1-17.5	15	15.2	05.8-24.6	53	70.2	56.9-83.5	3	5.3	00.0-13.9
45-54	99	41,613	10	8.1	02.4-13.8	25	22.1	12.9-31.3	60	64.4	53.6-75.2	4	5.3	00.0-10.6
55-64	242	71,770	30	13.1	07.8-18.4	60	23.6	17.5-29.7	147	61.5	54.2-68.8	5	1.8	00.0-03.8
65+	509	102,135	49	8.6	05.9-11.3	103	19.0	14.9-23.1	350	70.6	65.7-75.5	7	1.8	00.0-03.6
Less Than H.S.	119	53,543	14	11.5	04.8-18.2	17	12.2	05.1-19.3	87	75.2	66.0-84.4	1	1.1	00.0-03.3
H.S. or G.E.D.	391	103,131	38	8.2	05.1-11.3	96	26.7	20.4-33.0	251	63.9	57.4-70.4	6	1.2	00.2-02.2
Some Post-H.S.	243	72,731	31	17.8	10.4-25.2	51	19.4	13.3-25.5	154	56.1	47.3-64.9	7	6.8	01.3-12.3
College Graduate	159	28,703	20	11.7	06.0-17.4	37	22.6	15.2-30.0	97	59.8	50.4-69.2	5	6.0	00.1-11.9
Less than \$15,000	173	51,163	19	9.8	04.3-15.3	25	15.4	08.0-22.8	123	67.9	57.9-77.9	6	6.9	00.0-13.8
\$15,000- 24,999	231	65,796	25	13.6	06.0-21.2	43	14.6	08.7-20.5	160	70.0	61.4-78.6	3	1.8	00.0-04.2
\$25,000- 34,999	103	28,460	5	4.2	00.3-08.1	24	21.3	10.5-32.1	72	73.2	61.8-84.6	2	1.3	00.0-03.3
\$35,000- 49,999	106	28,480	22	24.0	13.6-34.4	23	19.0	11.0-27.0	60	56.3	44.9-67.7	1	0.7	00.0-02.1
\$50,000- 74,999	68	23,211	10	16.6	05.8-27.4	21	34.4	19.3-49.5	34	40.3	26.2-54.4	3	8.8	00.0-18.4
\$75,000+	85	23,246	6	5.6	01.1-10.1	24	34.4	22.2-46.6	52	56.4	44.1-68.7	3	3.6	00.0-07.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1579	508,614	880	54.7	51.4-58.0	326	19.7	17.2-22.2	90	6.8	05.0-08.6	27	1.5	00.7-02.3	248	16.7	14.2-19.2	8	0.6	00.0-01.2
Male	685	255,339	361	51.2	46.5-55.9	139	20.3	16.4-24.2	48	8.6	05.7-11.5	15	1.7	00.7-02.7	116	17.7	14.0-21.4	6	0.5	00.1-00.9
Female	894	253,276	519	58.2	53.9-62.5	187	19.1	15.8-22.4	42	5.0	03.0-07.0	12	1.4	00.4-02.4	132	15.6	12.1-19.1	2	0.6	00.0-01.6
White/Non-Hisp	1383	431,496	759	53.4	49.9-56.9	285	19.7	17.0-22.4	84	7.5	05.5-09.5	25	1.6	00.8-02.4	224	17.2	14.5-19.9	6	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	109	49,850	71	62.5	51.1-73.9	25	22.5	13.1-31.9	3	2.9	00.0-06.8	1	1.4	00.0-04.1	9	10.7	02.1-19.3			
35-44	58	41,760	30	51.9	36.8-67.0	10	18.8	05.9-31.7	7	12.1	02.5-21.7	1	0.8	00.0-02.4	9	13.9	03.1-24.7	1	2.5	00.0-07.4
45-54	201	92,113	118	58.9	50.9-66.9	42	19.7	13.4-26.0	10	5.1	01.6-08.6	1	0.6	00.0-01.8	28	15.0	08.9-21.1	2	0.7	00.0-01.9
55-64	432	139,812	259	59.5	54.0-65.0	83	18.4	14.1-22.7	17	4.8	02.1-07.5	7	2.4	00.4-04.4	63	14.3	10.4-18.2	3	0.6	00.0-01.2
65+	844	203,572	453	53.8	49.5-58.1	181	20.6	17.3-23.9	51	6.7	04.5-08.9	18	1.7	00.7-02.7	139	16.9	13.6-20.2	2	0.2	00.0-00.6
Less Than H.S.	191	90,645	112	56.8	47.8-65.8	32	15.3	08.4-22.2	10	5.9	01.8-10.0	2	0.7	00.0-01.9	32	19.3	11.9-26.7	3	2.0	00.0-04.5
H.S. or G.E.D.	619	198,964	354	57.7	52.8-62.6	127	18.9	15.2-22.6	34	6.6	03.9-09.3	13	2.2	00.8-03.6	88	14.3	10.6-18.0	3	0.3	00.0-00.7
Some Post-H.S.	407	146,358	229	51.2	44.9-57.5	85	21.2	16.1-26.3	23	8.2	04.3-12.1	5	1.1	00.1-02.1	63	17.9	12.6-23.2	2	0.4	00.0-01.0
College Graduate	354	71,329	179	50.2	43.9-56.5	81	24.6	18.9-30.3	23	5.9	03.4-08.4	7	1.6	00.2-03.0	64	17.7	13.0-22.4			
Less than \$15,000	242	78,547	166	68.6	60.8-76.4	37	13.7	08.2-19.2	7	3.3	00.2-06.4	3	2.1	00.0-04.6	27	11.4	05.7-17.1	2	0.9	00.0-02.3
\$15,000- 24,999	350	115,774	205	56.9	49.6-64.2	70	17.7	12.6-22.8	17	6.3	02.4-10.2	3	0.3	00.0-00.7	54	18.6	11.9-25.3	1	0.2	00.0-00.6
\$25,000- 34,999	174	51,406	89	53.1	43.1-63.1	45	23.9	15.5-32.3	12	8.1	02.4-13.8	6	2.5	00.0-05.0	21	11.8	06.3-17.3	1	0.6	00.0-01.8
\$35,000- 49,999	237	77,315	125	49.6	42.0-57.2	53	24.0	17.1-30.9	15	7.0	03.1-10.9	5	1.8	00.0-03.6	37	17.0	10.7-23.3	2	0.6	00.0-01.6
\$50,000- 74,999	157	55,464	84	49.7	39.9-59.5	29	18.5	11.2-25.8	13	10.1	04.0-16.2	3	1.5	00.0-03.3	28	20.2	11.6-28.8			
\$75,000+	209	70,187	114	52.3	43.9-60.7	42	19.8	13.3-26.3	17	10.7	04.0-17.4	2	1.2	00.0-03.0	33	15.8	09.7-21.9	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	685	255,339	361	51.2	46.3-56.1	139	20.3	16.4-24.2	48	8.6	05.7-11.5	15	1.7	00.7-02.7	116	17.7	14.0-21.4	6	0.5	00.1-00.9
White/Non-Hisp	613	222,495	321	50.9	45.8-56.0	123	20.0	15.9-24.1	44	9.0	05.9-12.1	13	1.4	00.4-02.4	108	18.2	14.1-22.3	4	0.5	00.1-00.9
45-54	101	50,274	55	52.1	40.3-63.9	22	22.7	13.3-32.1	5	6.0	00.5-11.5				18	18.8	09.8-27.8	1	0.4	00.0-01.2
55-64	192	68,615	108	57.7	49.7-65.7	36	16.6	10.5-22.7	10	7.0	02.3-11.7	5	2.9	00.2-05.6	30	14.7	09.0-20.4	3	1.1	00.0-02.5
65+	355	106,096	181	50.1	43.6-56.6	73	20.9	15.8-26.0	28	8.5	05.0-12.0	9	1.8	00.4-03.2	62	18.3	13.0-23.6	2	0.4	00.0-01.0
Less Than H.S.	80	40,297	43	50.4	35.9-64.9	11	14.8	02.6-27.0	6	9.5	01.5-17.5	2	1.6	00.0-04.1	17	23.1	10.4-35.8	1	0.6	00.0-01.8
H.S. or G.E.D.	231	95,709	130	57.3	49.7-64.9	44	17.9	12.2-23.6	13	6.7	02.6-10.8	6	2.3	00.1-04.5	35	15.2	09.3-21.1	3	0.5	00.0-01.1
Some Post-H.S.	171	75,086	90	45.3	36.3-54.3	35	22.1	14.5-29.7	14	12.1	05.2-19.0	2	0.7	00.0-01.7	28	18.9	11.6-26.2	2	0.8	00.0-02.0
College Graduate	199	43,600	96	48.3	40.3-56.3	48	27.3	19.7-34.9	15	6.1	02.8-09.4	5	2.1	00.0-04.3	35	16.2	10.3-22.1			
Less than \$15,000	72	28,444	48	67.8	54.9-80.7	13	14.8	05.6-24.0	2	5.7	00.0-13.5	2	2.9	00.0-07.8	6	7.9	00.8-15.0	1	0.9	00.0-02.7
\$15,000- 24,999	123	50,884	80	62.1	50.5-73.7	15	11.1	04.4-17.8	5	6.0	00.1-11.9				22	20.3	09.7-30.9	1	0.4	00.0-01.2
\$25,000- 34,999	72	23,023	31	47.4	33.3-61.5	17	24.0	11.8-36.2	7	7.8	01.5-14.1	5	4.7	00.0-09.8	11	14.7	06.1-23.3	1	1.4	00.0-04.1
\$35,000- 49,999	131	48,511	65	45.8	35.4-56.2	30	27.3	17.9-36.7	9	6.1	01.6-10.6	4	2.7	00.0-05.6	21	17.1	08.5-25.7	2	1.0	00.0-02.4
\$50,000- 74,999	90	32,805	46	50.5	37.6-63.4	15	14.1	05.9-22.3	11	15.6	05.8-25.4	2	1.6	00.0-04.0	16	18.2	08.4-28.0			
\$75,000+	126	47,724	63	45.8	35.0-56.6	29	22.8	14.0-31.6	10	12.6	03.2-22.0	1	0.7	00.0-02.1	22	18.1	09.7-26.5	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	894	253,276	519	58.2	53.7-62.7	187	19.1	15.8-22.4	42	5.0	03.0-07.0	12	1.4	00.4-02.4	132	15.6	12.1-19.1	2	0.6	00.0-01.6
White/Non-Hisp	770	209,001	438	56.2	51.3-61.1	162	19.3	15.6-23.0	40	5.9	03.5-08.3	12	1.7	00.5-02.9	116	16.2	12.3-20.1	2	0.7	00.0-01.9
Black or Afr. Am./Non-Hisp	75	29,661	51	68.7	55.2-82.2	16	18.8	08.4-29.2	1	0.8	00.0-02.4				7	11.7	01.1-22.3			
45-54	100	41,839	63	67.1	56.5-77.7	20	16.1	08.5-23.7	5	4.1	00.0-08.2	1	1.3	00.0-03.8	10	10.3	02.7-17.9	1	1.2	00.0-03.6
55-64	240	71,197	151	61.3	53.9-68.7	47	20.1	13.8-26.4	7	2.6	00.1-05.1	2	1.9	00.0-04.6	33	14.0	08.9-19.1			
65+	489	97,476	272	57.9	52.4-63.4	108	20.2	16.1-24.3	23	4.8	02.4-07.2	9	1.6	00.4-02.8	77	15.5	11.2-19.8			
Less Than H.S.	111	50,349	69	61.8	50.8-72.8	21	15.7	08.1-23.3	4	3.1	00.0-06.6				15	16.3	07.5-25.1	2	3.1	00.0-07.6
H.S. or G.E.D.	388	103,255	224	58.1	51.4-64.8	83	19.9	15.0-24.8	21	6.5	02.6-10.4	7	2.1	00.1-04.1	53	13.4	08.5-18.3			
Some Post-H.S.	236	71,272	139	57.3	48.5-66.1	50	20.2	13.5-26.9	9	4.1	01.0-07.2	3	1.5	00.0-03.3	35	16.9	09.3-24.5			
College Graduate	155	27,728	83	53.1	43.3-62.9	33	20.4	12.4-28.4	8	5.5	01.4-09.6	2	0.9	00.0-02.3	29	20.1	12.5-27.7			
Less than \$15,000	170	50,103	118	69.0	59.2-78.8	24	13.1	06.4-19.8	5	1.9	00.0-03.9	1	1.6	00.0-04.7	21	13.4	05.6-21.2	1	1.0	00.0-03.0
\$15,000- 24,999	227	64,890	125	52.8	43.6-62.0	55	22.9	15.8-30.0	12	6.5	01.2-11.8	3	0.5	00.0-01.1	32	17.2	09.0-25.4			
\$25,000- 34,999	102	28,383	58	57.7	43.6-71.8	28	23.9	12.3-35.5	5	8.3	00.0-17.3	1	0.7	00.0-02.1	10	9.4	02.5-16.3			
\$35,000- 49,999	106	28,804	60	55.9	44.5-67.3	23	18.4	09.8-27.0	6	8.5	01.2-15.8	1	0.5	00.0-01.5	16	16.7	07.9-25.5			
\$50,000- 74,999	67	22,659	38	48.5	33.4-63.6	14	24.9	12.2-37.6	2	2.2	00.0-05.5	1	1.5	00.0-04.4	12	23.0	07.7-38.3			
\$75,000+	83	22,463	51	66.3	54.9-77.7	13	13.5	05.1-21.9	7	6.9	01.8-12.0	1	2.4	00.0-06.9	11	11.0	04.3-17.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1567	505,465	273	16.3	13.9-18.7	376	24.2	21.5-26.9	221	14.7	12.3-17.1	316	18.6	16.1-21.1	179	11.6	09.4-13.8	202	14.6	12.2-17.0
Male	687	257,166	116	16.0	12.7-19.3	183	27.2	22.9-31.5	98	14.1	11.0-17.2	127	17.4	13.9-20.9	78	11.0	08.1-13.9	85	14.4	11.1-17.7
Female	880	248,299	157	16.7	13.6-19.8	193	21.2	17.7-24.7	123	15.3	11.8-18.8	189	19.8	16.5-23.1	101	12.2	09.3-15.1	117	14.8	11.3-18.3
White/Non-Hisp	1380	432,741	243	16.4	14.0-18.8	342	25.1	22.2-28.0	188	14.3	11.8-16.8	279	18.5	16.0-21.0	146	10.4	08.2-12.6	182	15.3	12.6-18.0
Black or Afr. Am./Non-Hisp	102	45,552	17	16.9	07.7-26.1	18	20.5	10.1-30.9	19	18.9	09.5-28.3	17	15.3	07.5-23.1	21	19.9	09.5-30.3	10	8.6	02.3-14.9
35-44	57	40,541	9	13.9	04.3-23.5	13	25.5	11.4-39.6	9	14.8	05.0-24.6	9	17.0	05.8-28.2	8	15.1	03.3-26.9	9	13.7	03.9-23.5
45-54	199	91,056	32	16.0	09.9-22.1	45	23.1	16.2-30.0	28	14.5	08.6-20.4	41	19.5	13.0-26.0	26	12.9	07.4-18.4	27	14.1	08.2-20.0
55-64	428	138,468	86	19.0	14.9-23.1	100	22.7	18.2-27.2	71	16.4	12.3-20.5	82	17.6	13.3-21.9	47	11.5	08.0-15.0	42	12.7	08.6-16.8
65+	841	202,588	139	16.2	13.1-19.3	207	25.0	21.3-28.7	107	13.3	10.4-16.2	176	19.9	16.4-23.4	92	9.6	07.2-12.0	120	16.0	12.7-19.3
Less Than H.S.	182	87,920	26	8.7	04.8-12.6	31	19.7	11.7-27.7	30	16.3	10.0-22.6	36	19.4	12.1-26.7	33	20.0	12.6-27.4	26	16.0	09.3-22.7
H.S. or G.E.D.	608	197,599	106	17.3	13.6-21.0	140	25.1	20.4-29.8	86	13.7	10.2-17.2	121	17.0	13.5-20.5	70	10.9	08.0-13.8	85	15.9	11.8-20.0
Some Post-H.S.	408	146,297	74	18.5	13.8-23.2	103	23.5	18.6-28.4	53	14.8	09.9-19.7	87	20.0	15.1-24.9	39	9.0	05.1-12.9	52	14.1	09.4-18.8
College Graduate	361	72,331	65	18.3	13.6-23.0	100	28.6	22.9-34.3	50	15.3	10.6-20.0	71	19.0	14.1-23.9	36	8.1	05.0-11.2	39	10.8	07.1-14.5
Less than \$15,000	234	76,986	27	7.9	04.0-11.8	37	18.2	11.3-25.1	36	19.2	12.1-26.3	54	19.1	12.4-25.8	50	21.1	14.0-28.2	30	14.6	08.5-20.7
\$15,000- 24,999	351	116,039	64	14.7	10.0-19.4	83	23.6	17.7-29.5	50	11.5	07.6-15.4	69	18.7	13.2-24.2	42	13.4	08.3-18.5	43	18.1	11.6-24.6
\$25,000- 34,999	173	52,120	28	18.4	11.0-25.8	52	29.4	20.8-38.0	22	17.4	07.2-27.6	30	14.5	08.4-20.6	16	6.5	02.6-10.4	25	13.8	07.3-20.3
\$35,000- 49,999	233	75,984	52	22.9	16.2-29.6	51	21.3	15.0-27.6	30	14.7	08.8-20.6	49	20.0	13.7-26.3	23	8.6	04.7-12.5	28	12.6	07.5-17.7
\$50,000- 74,999	161	57,973	27	14.3	08.0-20.6	50	31.9	22.3-41.5	22	11.5	06.0-17.0	32	20.1	12.7-27.5	13	7.7	02.4-13.0	17	14.5	06.3-22.7
\$75,000+	211	70,229	37	19.5	13.0-26.0	50	21.7	15.2-28.2	42	22.7	15.4-30.0	48	22.1	14.8-29.4	13	4.9	01.8-08.0	21	9.2	04.9-13.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									None								
	TOTAL	WEIGHTED	N	1 time		2 times			3 times			4 times			5 or more times			N	%	C.I. (95%)
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	687	257,166	116	16.0	12.7-19.3	183	27.2	22.9-31.5	98	14.1	11.0-17.2	127	17.4	13.9-20.9	78	11.0	08.1-13.9	85	14.4	11.1-17.7
White/Non-Hisp	613	223,834	107	16.7	13.0-20.4	171	27.9	23.4-32.4	85	14.2	10.9-17.5	107	16.4	12.7-20.1	66	10.0	07.1-12.9	77	14.8	11.3-18.3
45-54	103	50,803	18	20.0	10.6-29.4	25	23.8	14.4-33.2	12	12.8	04.8-20.8	21	19.1	10.1-28.1	15	12.7	05.3-20.1	12	11.5	04.1-18.9
55-64	192	68,563	42	20.0	13.9-26.1	52	26.6	19.5-33.7	33	16.8	10.7-22.9	29	12.7	07.6-17.8	16	9.4	04.7-14.1	20	14.5	08.0-21.0
65+	355	106,031	52	12.7	08.8-16.6	97	28.2	22.3-34.1	45	13.0	08.5-17.5	70	19.2	14.1-24.3	43	10.4	06.9-13.9	48	16.6	11.5-21.7
Less Than H.S.	77	38,918	7	4.5	01.0-08.0	17	24.2	10.5-37.9	16	20.3	09.9-30.7	16	18.0	07.6-28.4	12	18.2	07.2-29.2	9	14.8	04.6-25.0
H.S. or G.E.D.	236	98,990	39	16.5	11.0-22.0	59	27.5	20.2-34.8	33	12.4	07.5-17.3	38	16.2	10.5-21.9	29	11.0	06.7-15.3	38	16.3	10.6-22.0
Some Post-H.S.	170	75,121	37	21.5	14.2-28.8	49	26.4	18.8-34.0	22	13.4	07.3-19.5	29	16.8	09.7-23.9	15	8.6	02.9-14.3	18	13.3	07.0-19.6
College Graduate	200	43,491	32	15.6	09.5-21.7	58	30.7	23.1-38.3	26	13.6	07.7-19.5	43	20.2	13.7-26.7	21	8.2	04.3-12.1	20	11.7	06.4-17.0
Less than \$15,000	71	28,031	8	5.4	00.5-10.3	8	15.5	03.7-27.3	12	23.0	09.7-36.3	13	17.9	06.3-29.5	17	17.1	07.9-26.3	13	21.0	08.7-33.3
\$15,000- 24,999	125	51,364	20	13.8	06.5-21.1	33	26.5	17.1-35.9	16	9.4	04.3-14.5	24	16.6	08.2-25.0	18	17.6	08.2-27.0	14	16.1	06.9-25.3
\$25,000- 34,999	73	24,052	12	18.4	07.0-29.8	20	28.5	16.3-40.7	9	10.7	02.3-19.1	11	14.5	05.3-23.7	6	6.5	00.0-13.0	15	21.4	09.4-33.4
\$35,000- 49,999	128	47,467	28	22.6	13.2-32.0	31	23.4	14.6-32.2	16	13.0	05.9-20.1	25	20.6	11.8-29.4	13	8.5	03.4-13.6	15	12.0	05.7-18.3
\$50,000- 74,999	94	35,420	17	15.9	07.3-24.5	34	39.1	26.0-52.2	11	9.9	02.8-17.0	12	10.7	04.0-17.4	11	11.2	02.8-19.6	9	13.2	03.4-23.0
\$75,000+	126	46,983	20	17.9	09.9-25.9	35	24.6	16.0-33.2	28	24.9	15.5-34.3	28	21.6	11.8-31.4	6	4.0	00.1-07.9	9	7.0	02.1-11.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	880	248,299	157	16.7	13.8-19.6	193	21.2	17.7-24.7	123	15.3	11.8-18.8	189	19.8	16.5-23.1	101	12.2	09.3-15.1	117	14.8	11.3-18.3
White/Non-Hisp	767	208,907	136	15.9	12.8-19.0	171	22.0	18.1-25.9	103	14.5	10.8-18.2	172	20.7	17.0-24.4	80	10.8	07.9-13.7	105	15.9	12.0-19.8
Black or Afr. Am./Non-Hisp	70	26,832	13	20.8	08.1-33.5	11	11.4	03.4-19.4	12	20.2	08.0-32.4	10	15.0	04.8-25.2	17	22.3	09.4-35.2	7	10.2	01.2-19.2
45-54	96	40,253	14	10.9	04.2-17.6	20	22.2	12.0-32.4	16	16.5	07.7-25.3	20	19.9	10.7-29.1	11	13.2	05.2-21.2	15	17.3	07.9-26.7
55-64	236	69,905	44	18.1	12.4-23.8	48	18.9	13.2-24.6	38	16.0	10.3-21.7	53	22.4	15.7-29.1	31	13.6	08.3-18.9	22	11.0	05.9-16.1
65+	486	96,558	87	20.0	15.1-24.9	110	21.6	17.1-26.1	62	13.6	09.5-17.7	106	20.7	16.0-25.4	49	8.8	05.7-11.9	72	15.3	11.4-19.2
Less Than H.S.	105	49,002	19	12.0	05.7-18.3	14	16.2	07.0-25.4	14	13.1	05.5-20.7	20	20.4	10.6-30.2	21	21.4	11.6-31.2	17	16.9	08.3-25.5
H.S. or G.E.D.	372	98,609	67	18.2	13.1-23.3	81	22.7	17.2-28.2	53	15.0	09.9-20.1	83	17.8	13.5-22.1	41	10.8	07.1-14.5	47	15.5	09.8-21.2
Some Post-H.S.	238	71,177	37	15.4	09.7-21.1	54	20.5	14.4-26.6	31	16.3	08.7-23.9	58	23.4	16.3-30.5	24	9.5	04.2-14.8	34	14.9	08.0-21.8
College Graduate	161	28,839	33	22.3	14.7-29.9	42	25.3	16.5-34.1	24	17.9	10.1-25.7	28	17.2	09.8-24.6	15	7.9	03.0-12.8	19	9.3	04.6-14.0
Less than \$15,000	163	48,955	19	9.3	03.8-14.8	29	19.7	11.1-28.3	24	17.0	09.0-25.0	41	19.7	11.9-27.5	33	23.4	14.0-32.8	17	10.9	04.4-17.4
\$15,000- 24,999	226	64,674	44	15.4	09.3-21.5	50	21.3	14.0-28.6	34	13.2	07.5-18.9	45	20.4	13.1-27.7	24	10.0	05.1-14.9	29	19.8	10.8-28.8
\$25,000- 34,999	100	28,069	16	18.5	08.5-28.5	32	30.2	17.9-42.5	13	23.2	06.5-39.9	19	14.4	06.2-22.6	10	6.5	01.6-11.4	10	7.2	02.3-12.1
\$35,000- 49,999	105	28,516	24	23.3	14.3-32.3	20	17.8	09.2-26.4	14	17.4	07.4-27.4	24	19.0	10.6-27.4	10	8.8	02.7-14.9	13	13.6	05.4-21.8
\$50,000- 74,999	67	22,553	10	11.8	02.8-20.8	16	20.6	09.8-31.4	11	14.0	04.8-23.2	20	35.0	20.3-49.7	2	2.0	00.0-05.1	8	16.7	02.0-31.4
\$75,000+	85	23,246	17	22.8	12.4-33.2	15	15.8	07.2-24.4	14	18.2	08.2-28.2	20	23.1	12.7-33.5	7	6.7	01.2-12.2	12	13.4	04.8-22.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 13: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1549	501,237	799	52.9	49.6-56.2	538	33.8	30.7-36.9	46	2.1	0.1-0.2	21	1.3	0.0-0.2	110	8.1	0.6-10.1	35	1.8	0.1-0.2
Male	672	252,423	360	53.2	48.3-58.1	225	35.0	30.3-39.7	17	1.8	0.0-0.2	10	0.8	0.0-0.1	42	6.9	0.4-0.9	18	2.3	0.1-0.3
Female	877	248,814	439	52.6	48.1-57.1	313	32.5	28.4-36.6	29	2.4	0.1-0.3	11	1.8	0.0-0.3	68	9.3	0.6-12.0	17	1.4	0.0-0.2
White/Non-Hisp	1364	430,378	708	53.7	50.2-57.2	469	33.0	29.7-36.3	42	2.3	0.1-0.3	15	1.1	0.0-0.1	99	8.1	0.6-10.1	31	1.9	0.0-0.2
Black or Afr. Am./Non-Hisp	98	42,688	48	49.8	37.5-62.1	37	39.0	26.7-51.3	3	1.7	0.0-0.4	4	3.0	0.0-0.6	5	5.5	0.4-10.6	1	1.1	0.0-0.3
35-44	58	41,105	34	60.4	45.7-75.1	14	25.6	12.1-39.1	1	0.8	0.0-0.2	2	1.6	0.0-0.4	6	10.3	0.1-19.1	1	1.4	0.0-0.4
45-54	201	91,522	106	52.5	44.3-60.7	65	31.0	23.4-38.6	5	1.8	0.0-0.3	3	1.2	0.0-0.2	20	11.7	0.6-17.4	2	1.8	0.0-0.4
55-64	430	138,322	228	53.1	47.6-58.6	155	35.3	30.0-40.6	13	2.3	0.0-0.3	6	1.1	0.0-0.1	24	7.4	0.4-10.5	4	0.8	0.0-0.1
65+	818	197,491	411	52.0	47.7-56.3	286	34.7	30.4-39.0	26	2.5	0.1-0.3	9	1.0	0.0-0.1	58	6.7	0.4-0.8	28	3.0	0.1-0.4
Less Than H.S.	178	86,432	70	39.0	30.0-48.0	63	38.4	29.4-47.4	6	2.5	0.0-0.4	6	3.3	0.0-0.6	24	13.9	0.7-20.0	9	2.9	0.0-0.5
H.S. or G.E.D.	605	198,210	311	54.6	49.5-59.7	208	31.4	26.7-36.1	15	1.9	0.0-0.3	7	0.9	0.0-0.1	47	8.8	0.5-11.9	17	2.4	0.1-0.3
Some Post-H.S.	403	143,586	229	57.9	51.6-64.2	136	33.8	27.5-40.1	10	1.7	0.0-0.2	2	0.5	0.0-0.1	20	4.9	0.2-0.7	6	1.2	0.0-0.2
College Graduate	355	71,690	184	54.7	48.4-61.0	128	34.7	28.8-40.6	15	3.2	0.1-0.5	6	1.7	0.0-0.3	19	5.5	0.2-0.8	3	0.3	0.0-0.0
Less than \$15,000	234	76,398	86	35.1	27.1-43.1	99	43.1	34.5-51.7	14	4.7	0.1-0.7	8	4.2	0.0-0.7	21	11.0	0.5-16.5	6	1.9	0.0-0.3
\$15,000- 24,999	346	114,674	174	48.5	41.4-55.6	117	33.5	26.6-40.4	11	2.4	0.0-0.4	2	0.6	0.0-0.1	31	11.9	0.7-16.8	11	3.0	0.0-0.5
\$25,000- 34,999	168	49,742	90	56.2	46.0-66.4	60	33.6	24.0-43.2	1	0.1	0.0-0.0	1	0.2	0.0-0.0	12	6.8	0.2-11.5	4	3.0	0.0-0.6
\$35,000- 49,999	232	75,699	133	62.1	54.7-69.5	74	29.0	21.9-36.1	7	2.1	0.0-0.3	3	1.0	0.0-0.2	14	5.7	0.2-0.8	1	0.1	0.0-0.0
\$50,000- 74,999	163	58,882	94	55.2	45.4-65.0	57	36.0	26.8-45.2	2	0.8	0.0-0.2	2	0.7	0.0-0.1	7	7.1	0.0-14.2	1	0.2	0.0-0.0
\$75,000+	210	70,067	116	58.9	50.7-67.1	81	36.3	28.1-44.5	3	0.8	0.0-0.1	3	1.3	0.0-0.2	6	2.6	0.0-0.5	1	0.1	0.0-0.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 14: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEM03)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	672	252,423	360	53.2	48.3-58.1	225	35.0	30.3-39.7	17	1.8	0.8-02.8	10	0.8	0.2-01.4	42	6.9	04.4-09.4	18	2.3	01.1-03.5
White/Non-Hisp	603	222,147	334	55.3	50.2-60.4	194	33.5	28.6-38.4	16	2.0	0.8-03.2	7	0.6	0.2-01.0	38	6.6	04.1-09.1	14	2.1	0.7-03.5
45-54	102	49,846	55	55.9	44.3-67.5	35	32.5	21.5-43.5	1	0.3	0.0-00.9	1	0.3	0.0-00.9	9	10.1	02.7-17.5	1	0.9	0.0-02.7
55-64	188	67,693	104	53.3	45.1-61.5	62	34.3	26.5-42.1	6	2.6	0.1-05.1	2	0.7	0.0-01.9	12	8.0	02.9-13.1	2	1.1	0.0-03.1
65+	344	102,551	184	52.6	46.1-59.1	111	35.2	28.7-41.7	10	2.6	0.8-04.4	6	1.1	0.1-02.1	19	4.6	02.4-06.8	14	3.9	01.5-06.3
Less Than H.S.	71	35,994	29	34.5	20.0-49.0	30	52.2	36.9-67.5	2	3.5	0.0-08.4	1	0.6	0.0-01.8	5	7.1	00.0-14.9	4	2.2	0.0-04.6
H.S. or G.E.D.	234	99,264	124	54.2	46.6-61.8	75	32.4	25.1-39.7	3	0.7	0.0-01.5	4	1.1	0.0-02.3	19	8.1	03.8-12.4	9	3.5	0.8-06.2
Some Post-H.S.	168	73,614	102	59.8	50.6-69.0	51	31.4	22.4-40.4	6	2.2	0.2-04.2				6	5.0	0.7-09.3	3	1.7	0.0-03.7
College Graduate	195	42,904	103	55.3	47.1-63.5	67	32.8	25.0-40.6	6	2.4	0.2-04.6	5	1.9	0.1-03.7	12	7.2	02.9-11.5	2	0.5	0.0-01.1
Less than \$15,000	69	26,923	27	35.2	21.1-49.3	28	46.1	31.0-61.2	3	3.7	0.0-09.0	2	1.4	0.0-03.4	6	9.5	0.1-18.9	3	4.2	0.0-09.1
\$15,000- 24,999	123	51,131	62	44.9	33.7-56.1	42	37.9	26.7-49.1	4	2.4	0.0-04.9	2	1.3	0.0-03.1	9	10.8	03.0-18.6	4	2.7	0.0-06.0
\$25,000- 34,999	69	21,844	35	50.9	36.6-65.2	23	31.8	18.5-45.1				1	0.5	0.0-01.5	6	10.0	0.8-19.2	4	6.7	0.0-14.0
\$35,000- 49,999	125	46,806	75	62.7	52.9-72.5	35	28.0	18.6-37.4	5	2.6	0.1-05.1	1	0.5	0.0-01.5	8	6.0	01.7-10.3	1	0.2	0.0-00.6
\$50,000- 74,999	94	35,381	53	55.2	42.3-68.1	32	36.3	24.0-48.6	1	0.4	0.0-01.2	2	1.2	0.0-03.0	5	6.5	0.0-13.8	1	0.4	0.0-01.2
\$75,000+	125	46,821	70	58.8	48.0-69.6	48	38.1	27.3-48.9	1	0.7	0.0-02.1	1	0.4	0.0-01.2	4	1.9	0.0-03.9	1	0.2	0.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 15: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	877	248,814	439	52.6	48.1-57.1	313	32.5	28.4-36.6	29	2.4	0.1-0.3.6	11	1.8	0.4-0.3.2	68	9.3	0.6-12.0	17	1.4	0.4-0.2.4
White/Non-Hisp	761	208,232	374	51.9	47.0-56.8	275	32.5	28.2-36.8	26	2.6	0.1.4-0.3.8	8	1.7	0.3-0.3.1	61	9.7	0.6-12.8	17	1.7	0.5-0.2.9
Black or Afr. Am./Non-Hisp	69	26,502	35	52.0	37.1-66.9	25	34.7	20.0-49.4	3	2.7	0.0-0.6.6	2	3.2	0.0-0.7.5	4	7.5	0.0-15.1			
45-54	99	41,676	51	48.5	36.9-60.1	30	29.2	18.6-39.8	4	3.6	0.0-0.7.5	2	2.3	0.0-0.5.4	11	13.6	0.4-22.6	1	2.8	0.0-0.8.1
55-64	242	70,629	124	52.9	45.3-60.5	93	36.2	28.9-43.5	7	2.0	0.2-0.3.8	4	1.5	0.0-0.3.3	12	6.8	0.2-10.7	2	0.5	0.0-0.1.3
65+	474	94,940	227	51.4	45.7-57.1	175	34.2	28.9-39.5	16	2.4	0.1-0.3.8	3	0.8	0.0-0.1.8	39	9.0	0.5-12.3	14	2.1	0.0-0.3.3
Less Than H.S.	107	50,438	41	42.2	30.8-53.6	33	28.6	18.4-38.8	4	1.9	0.0-0.3.9	5	5.2	0.0-10.7	19	18.8	10.0-27.6	5	3.3	0.0-0.7.8
H.S. or G.E.D.	371	98,945	187	55.0	48.3-61.7	133	30.3	24.4-36.2	12	3.1	0.0.9-0.5.3	3	0.8	0.0-0.1.8	28	9.4	0.4-13.9	8	1.4	0.0-0.2.4
Some Post-H.S.	235	69,972	127	55.9	47.3-64.5	85	36.5	27.9-45.1	4	1.2	0.0-0.2.8	2	0.9	0.0-0.2.5	14	4.9	0.2-0.7.6	3	0.6	0.0-0.1.4
College Graduate	160	28,786	81	53.7	44.3-63.1	61	37.5	28.5-46.5	9	4.3	0.1-0.7.6	1	1.4	0.0-0.4.1	7	2.9	0.0-0.5.4	1	0.1	0.0-0.0.3
Less than \$15,000	165	49,475	59	35.0	25.2-44.8	71	41.4	31.0-51.8	11	5.3	0.1-0.9.2	6	5.8	0.0-1.1.5	15	11.9	0.5-18.8	3	0.6	0.0-0.1.4
\$15,000- 24,999	223	63,543	112	51.4	42.4-60.4	75	30.0	21.6-38.4	7	2.5	0.0-0.4.7				22	12.8	0.6-18.9	7	3.3	0.0-0.7.0
\$25,000- 34,999	99	27,898	55	60.4	46.5-74.3	37	35.1	21.6-48.6	1	0.2	0.0-0.0.6				6	4.3	0.0-0.8.2			
\$35,000- 49,999	107	28,893	58	61.2	50.2-72.2	39	30.5	20.3-40.7	2	1.4	0.0-0.3.6	2	1.8	0.0-0.4.5	6	5.1	0.0-0.9.8			
\$50,000- 74,999	69	23,501	41	55.1	39.8-70.4	25	35.6	21.7-49.5	1	1.4	0.0-0.4.1				2	8.0	0.0-21.7			
\$75,000+	85	23,246	46	59.2	47.2-71.2	33	32.9	21.9-43.9	2	0.9	0.0-0.2.3	2	3.0	0.0-0.7.1	2	4.0	0.0-10.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1579	510,596	362	24.1	21.4-26.8	298	18.8	16.3-21.3	172	11.0	09.0-13.0	176	9.7	07.9-11.5	134	7.7	06.1-09.3	437	28.7	25.6-31.8
Male	685	258,137	171	25.9	21.8-30.0	139	20.1	16.4-23.8	72	10.4	07.5-13.3	71	9.1	06.4-11.8	60	8.6	05.9-11.3	172	25.9	21.6-30.2
Female	894	252,459	191	22.2	18.5-25.9	159	17.5	14.4-20.6	100	11.6	08.7-14.5	105	10.3	07.8-12.8	74	6.9	04.9-08.9	265	31.6	27.3-35.9
White/Non-Hisp	1385	434,769	321	24.3	21.4-27.2	269	19.1	16.6-21.6	136	9.7	07.7-11.7	153	9.6	07.6-11.6	111	7.5	05.7-09.3	395	29.9	26.6-33.2
Black or Afr. Am./Non-Hisp	108	48,012	23	24.4	14.0-34.8	18	18.3	08.7-27.9	22	18.2	09.0-27.4	14	11.7	04.8-18.6	12	8.8	01.7-15.9	19	18.7	09.7-27.7
35-44	56	39,480	16	28.7	15.4-42.0	9	12.5	03.9-21.1	8	12.7	03.5-21.9	1	0.7	00.0-02.3	4	4.8	00.0-10.5	18	40.5	24.8-56.2
45-54	202	92,240	44	21.9	15.2-28.6	33	16.1	10.2-22.0	18	10.8	05.1-16.5	30	11.8	06.9-16.7	14	7.5	03.2-11.8	63	31.9	24.3-39.5
55-64	432	139,863	106	25.7	20.8-30.6	97	20.5	16.2-24.8	55	12.0	08.3-15.7	33	6.7	04.0-09.4	40	10.5	07.0-14.0	101	24.6	19.7-29.5
65+	846	206,069	188	23.4	19.7-27.1	154	20.6	16.9-24.3	88	11.2	08.3-14.1	103	11.8	08.9-14.7	74	6.9	04.9-08.9	239	26.2	22.7-29.7
Less Than H.S.	189	90,729	37	14.6	09.3-19.9	31	17.3	10.6-24.0	21	12.1	06.4-17.8	23	11.6	05.9-17.3	22	9.5	04.8-14.2	55	35.0	26.0-44.0
H.S. or G.E.D.	619	200,044	147	26.3	21.8-30.8	106	17.5	13.6-21.4	63	10.6	07.3-13.9	70	8.7	06.2-11.2	51	8.0	05.5-10.5	182	28.9	24.2-33.6
Some Post-H.S.	405	146,183	99	27.5	21.8-33.2	80	19.1	14.4-23.8	42	9.3	06.0-12.6	50	10.2	06.5-13.9	28	6.5	03.2-09.8	106	27.5	21.6-33.4
College Graduate	359	72,482	77	22.4	17.1-27.7	79	23.9	18.4-29.4	46	14.3	09.8-18.8	33	9.2	05.5-12.9	33	7.3	04.4-10.2	91	22.9	18.0-27.8
Less than \$15,000	242	79,957	31	10.6	05.9-15.3	41	21.0	13.7-28.3	31	15.5	09.0-22.0	33	11.0	06.1-15.9	36	11.4	06.9-15.9	70	30.4	22.6-38.2
\$15,000- 24,999	354	116,707	93	24.8	18.9-30.7	68	17.5	12.6-22.4	42	13.4	08.3-18.5	39	8.1	04.8-11.4	26	8.7	04.6-12.8	86	27.4	20.3-34.5
\$25,000- 34,999	172	50,945	38	25.4	16.6-34.2	29	16.2	09.3-23.1	20	9.7	04.6-14.8	17	8.8	03.9-13.7	18	6.3	02.6-10.0	50	33.6	23.0-44.2
\$35,000- 49,999	232	75,736	57	25.9	19.0-32.8	29	13.6	08.1-19.1	22	9.2	04.9-13.5	28	12.3	06.8-17.8	19	7.9	04.0-11.8	77	31.2	24.1-38.3
\$50,000- 74,999	164	59,217	45	30.1	21.1-39.1	39	24.4	15.6-33.2	8	4.2	00.9-07.5	19	10.6	04.9-16.3	11	6.1	01.8-10.4	42	24.6	16.0-33.2
\$75,000+	208	69,626	50	28.5	20.7-36.3	50	21.8	15.3-28.3	30	13.1	07.8-18.4	19	9.3	03.8-14.8	10	3.2	00.8-05.6	49	24.2	17.1-31.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	685	258,137	171	25.9	21.8-30.0	139	20.1	16.4-23.8	72	10.4	07.7-13.1	71	9.1	06.4-11.8	60	8.6	05.9-11.3	172	25.9	21.6-30.2
White/Non-Hisp	614	225,723	152	25.6	21.3-29.9	127	20.3	16.4-24.2	60	10.0	07.1-12.9	65	9.3	06.4-12.2	52	8.1	05.4-10.8	158	26.8	22.1-31.5
45-54	102	50,605	22	22.7	13.1-32.3	19	15.4	07.8-23.0	9	11.2	03.0-19.4	13	11.0	03.7-18.3	9	8.4	02.3-14.5	30	31.2	20.4-42.0
55-64	189	68,157	55	30.1	22.7-37.5	43	21.2	14.7-27.7	22	10.8	05.9-15.7	10	4.9	01.6-08.2	16	9.9	04.4-15.4	43	23.2	15.9-30.5
65+	357	107,606	85	25.5	19.6-31.4	70	22.8	17.1-28.5	37	11.0	06.7-15.3	46	11.6	07.5-15.7	31	7.4	04.5-10.3	88	21.7	17.0-26.4
Less Than H.S.	80	40,399	15	12.2	05.1-19.3	16	21.3	10.5-32.1	11	12.7	04.9-20.5	10	11.3	02.5-20.1	9	12.1	03.5-20.7	19	30.5	15.6-45.4
H.S. or G.E.D.	234	99,031	66	30.0	22.9-37.1	36	15.3	09.4-21.2	23	11.5	06.0-17.0	20	6.6	03.3-09.9	20	8.5	04.4-12.6	69	28.1	21.2-35.0
Some Post-H.S.	168	74,482	47	29.8	21.4-38.2	39	22.1	14.8-29.4	13	6.4	02.5-10.3	20	10.2	04.3-16.1	11	7.7	02.2-13.2	38	23.8	16.2-31.4
College Graduate	200	43,738	43	23.0	16.1-29.9	47	26.4	19.0-33.8	25	12.5	07.0-18.0	21	11.3	05.8-16.8	20	7.0	03.5-10.5	44	19.9	13.8-26.0
Less than \$15,000	73	29,686	9	10.2	02.2-18.2	16	20.1	09.1-31.1	9	17.5	05.2-29.8	6	7.7	01.0-14.4	9	10.4	03.0-17.8	24	34.0	20.1-47.9
\$15,000- 24,999	126	51,848	40	27.6	18.4-36.8	21	17.1	08.7-25.5	14	11.7	04.3-19.1	12	4.8	01.5-08.1	15	13.9	06.3-21.5	24	24.9	13.7-36.1
\$25,000- 34,999	72	23,014	19	26.6	13.9-39.3	12	19.9	08.3-31.5	8	12.6	03.0-22.2	8	9.1	02.4-15.8	5	5.7	00.0-12.0	20	26.1	13.8-38.4
\$35,000- 49,999	126	47,253	30	25.9	16.1-35.7	22	16.9	09.1-24.7	11	7.9	02.6-13.2	15	12.9	05.1-20.7	11	8.6	03.1-14.1	37	27.7	18.9-36.5
\$50,000- 74,999	95	35,716	26	28.4	16.6-40.2	21	25.9	13.6-38.2	5	3.0	00.0-06.1	11	11.6	03.4-19.8	9	8.4	01.5-15.3	23	22.7	12.5-32.9
\$75,000+	123	46,379	30	31.2	21.0-41.4	30	21.0	13.0-29.0	20	14.8	07.5-22.1	11	9.5	01.9-17.1	5	1.6	00.0-03.2	27	21.8	13.0-30.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	894	252,459	191	22.2	18.5-25.9	159	17.5	14.4-20.6	100	11.6	08.7-14.5	105	10.3	07.9-12.7	74	6.9	04.9-08.9	265	31.6	27.3-35.9
White/Non-Hisp	771	209,046	169	22.9	18.8-27.0	142	17.8	14.5-21.1	76	9.4	06.7-12.1	88	9.9	07.4-12.4	59	6.8	04.6-09.0	237	33.2	28.3-38.1
Black or Afr. Am./Non-Hisp	76	29,186	14	19.5	08.5-30.5	10	13.6	03.0-24.2	17	21.8	09.1-34.5	9	11.9	02.9-20.9	10	8.2	01.9-14.5	16	25.2	12.5-37.9
45-54	100	41,635	22	20.9	11.7-30.1	14	16.8	07.6-26.0	9	10.4	03.0-17.8	17	12.7	06.0-19.4	5	6.4	00.5-12.3	33	32.8	21.8-43.8
55-64	243	71,706	51	21.5	15.2-27.8	54	19.9	14.2-25.6	33	13.2	07.7-18.7	23	8.4	04.3-12.5	24	11.1	06.4-15.8	58	25.9	19.2-32.6
65+	489	98,463	103	21.2	16.7-25.7	84	18.1	13.8-22.4	51	11.3	07.2-15.4	57	12.0	07.9-16.1	43	6.3	04.1-08.5	151	31.0	25.7-36.3
Less Than H.S.	109	50,330	22	16.6	09.0-24.2	15	14.0	05.8-22.2	10	11.6	03.6-19.6	13	11.8	04.5-19.1	13	7.4	02.5-12.3	36	38.6	27.6-49.6
H.S. or G.E.D.	385	101,012	81	22.7	16.8-28.6	70	19.7	14.8-24.6	40	9.6	05.7-13.5	50	10.8	07.1-14.5	31	7.4	04.3-10.5	113	29.7	23.4-36.0
Some Post-H.S.	237	71,701	52	25.1	17.7-32.5	41	15.9	09.8-22.0	29	12.3	06.8-17.8	30	10.2	05.7-14.7	17	5.3	02.0-08.6	68	31.2	22.4-40.0
College Graduate	159	28,745	34	21.5	13.7-29.3	32	20.1	12.5-27.7	21	17.1	09.3-24.9	12	6.0	01.7-10.3	13	7.9	02.4-13.4	47	27.4	19.2-35.6
Less than \$15,000	169	50,271	22	10.9	05.2-16.6	25	21.5	12.1-30.9	22	14.3	07.0-21.6	27	13.0	06.3-19.7	27	12.0	06.5-17.5	46	28.3	18.9-37.7
\$15,000- 24,999	228	64,860	53	22.7	15.1-30.3	47	17.8	11.9-23.7	28	14.8	07.5-22.1	27	10.8	05.5-16.1	11	4.4	00.7-08.1	62	29.5	20.5-38.5
\$25,000- 34,999	100	27,931	19	24.4	12.2-36.6	17	13.3	05.5-21.1	12	7.2	02.5-11.9	9	8.6	01.5-15.7	13	6.8	02.5-11.1	30	39.7	24.2-55.2
\$35,000- 49,999	106	28,483	27	25.8	16.2-35.4	7	8.0	01.5-14.5	11	11.4	04.0-18.8	13	11.2	04.7-17.7	8	6.8	01.3-12.3	40	36.8	25.6-48.0
\$50,000- 74,999	69	23,501	19	32.8	18.5-47.1	18	22.0	10.8-33.2	3	6.1	00.0-13.0	8	9.1	02.0-16.2	2	2.6	00.0-06.1	19	27.5	12.6-42.4
\$75,000+	85	23,246	20	23.1	12.9-33.3	20	23.2	12.2-34.2	10	9.6	03.3-15.9	8	8.8	02.1-15.5	5	6.2	00.0-12.5	22	29.1	17.7-40.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1610	519,238	244	13.6	11.4-15.8	838	48.6	45.5-51.7	214	13.8	11.4-16.2	254	19.4	16.7-22.1	60	4.6	03.2-06.0
Male	696	260,610	108	14.2	11.1-17.3	361	50.9	46.2-55.6	99	14.9	11.4-18.4	101	15.6	11.9-19.3	27	4.5	02.3-06.7
Female	914	258,628	136	13.1	10.4-15.8	477	46.3	42.0-50.6	115	12.8	09.9-15.7	153	23.2	19.1-27.3	33	4.7	02.7-06.7
White/Non-Hisp	1403	437,778	201	12.4	10.4-14.4	741	49.7	46.2-53.2	184	13.6	11.1-16.1	223	19.6	16.7-22.5	54	4.7	03.1-06.3
Black or Afr. Am./Non-Hisp	112	50,718	26	22.9	13.1-32.7	52	42.4	31.0-53.8	16	12.7	04.7-20.7	14	17.1	07.5-26.7	4	4.8	00.0-10.3
35-44	58	41,360	6	7.0	00.9-13.1	17	31.0	16.9-45.1	11	18.3	07.1-29.5	21	40.1	25.0-55.2	3	3.6	00.0-07.7
45-54	202	92,316	24	11.3	06.2-16.4	89	42.5	34.5-50.5	27	15.4	08.9-21.9	45	22.6	15.7-29.5	17	8.2	03.7-12.7
55-64	436	141,417	58	13.7	09.8-17.6	228	51.8	46.3-57.3	69	13.8	10.3-17.3	71	17.1	12.8-21.4	10	3.6	01.1-06.1
65+	872	211,500	151	17.5	14.2-20.8	488	54.2	49.9-58.5	99	11.9	09.0-14.8	107	13.4	10.5-16.3	27	3.0	01.6-04.4
Less Than H.S.	204	95,711	26	11.1	06.0-16.2	90	43.7	35.1-52.3	27	12.5	07.0-18.0	43	24.2	16.2-32.2	18	8.4	04.1-12.7
H.S. or G.E.D.	626	202,882	92	14.0	10.5-17.5	325	46.9	41.8-52.0	83	14.6	10.9-18.3	103	18.9	14.8-23.0	23	5.6	02.9-08.3
Some Post-H.S.	413	147,476	57	12.4	08.7-16.1	229	51.1	44.8-57.4	57	15.5	10.8-20.2	59	19.1	13.4-24.8	11	1.9	00.5-03.3
College Graduate	359	71,851	66	18.4	13.5-23.3	191	54.7	48.4-61.0	47	10.3	07.0-13.6	47	14.7	10.0-19.4	8	2.0	00.6-03.4
Less than \$15,000	246	80,200	30	13.3	07.4-19.2	125	41.9	33.9-49.9	35	16.6	09.9-23.3	44	21.0	13.7-28.3	12	7.2	02.5-11.9
\$15,000- 24,999	358	118,783	52	13.6	08.7-18.5	170	44.5	37.4-51.6	51	12.5	08.2-16.8	71	24.1	17.8-30.4	14	5.3	01.6-09.0
\$25,000- 34,999	175	50,641	23	13.1	07.0-19.2	99	49.3	39.3-59.3	25	15.1	08.0-22.2	23	20.3	09.9-30.7	5	2.3	00.1-04.5
\$35,000- 49,999	239	77,763	26	10.8	06.1-15.5	128	50.1	42.5-57.7	35	16.5	10.6-22.4	36	16.9	11.4-22.4	14	5.8	02.3-09.3
\$50,000- 74,999	163	59,119	28	15.1	08.6-21.6	97	56.9	46.9-66.9	21	16.0	07.4-24.6	13	10.2	04.1-16.3	4	1.8	00.0-03.8
\$75,000+	210	70,458	45	16.9	11.4-22.4	112	53.0	44.6-61.4	19	10.3	04.4-16.2	29	16.3	09.8-22.8	5	3.5	00.2-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	696	260,610	108	14.2	11.1-17.3	361	50.9	46.2-55.6	99	14.9	11.4-18.4	101	15.6	11.9-19.3	27	4.5	02.3-06.7
White/Non-Hisp	616	224,317	90	12.7	09.6-15.8	324	52.6	47.5-57.7	86	14.1	10.6-17.6	91	16.1	12.2-20.0	25	4.4	02.2-06.6
45-54	102	50,676	11	10.2	02.9-17.5	49	48.6	37.0-60.2	14	16.2	06.8-25.6	20	18.1	09.9-26.3	8	7.0	01.3-12.7
55-64	193	69,428	26	12.3	06.8-17.8	95	51.3	43.1-59.5	37	16.6	10.9-22.3	30	15.9	09.6-22.2	5	3.8	00.1-07.5
65+	364	109,072	68	19.6	14.5-24.7	202	53.3	47.0-59.6	39	12.5	07.8-17.2	44	11.8	07.9-15.7	11	2.8	01.0-04.6
Less Than H.S.	84	41,973	11	13.7	04.3-23.1	38	45.5	31.8-59.2	9	9.3	02.6-16.0	17	20.4	07.7-33.1	9	11.0	03.0-19.0
H.S. or G.E.D.	238	100,123	36	14.0	08.7-19.3	116	46.9	39.1-54.7	35	17.0	10.9-23.1	40	16.7	11.0-22.4	11	5.4	01.5-09.3
Some Post-H.S.	171	74,579	21	10.0	05.3-14.7	100	57.3	48.3-66.3	29	18.3	10.9-25.7	18	13.2	06.7-19.7	3	1.2	00.0-02.6
College Graduate	199	43,288	39	22.0	14.9-29.1	106	54.5	46.3-62.7	26	9.8	05.7-13.9	24	12.1	06.6-17.6	4	1.6	00.0-03.2
Less than \$15,000	74	29,219	10	16.8	04.5-29.1	31	34.4	21.5-47.3	12	22.4	09.1-35.7	15	13.3	04.9-21.7	6	13.1	02.3-23.9
\$15,000- 24,999	126	52,710	19	14.9	06.7-23.1	64	53.7	42.5-64.9	14	7.4	02.7-12.1	23	18.2	09.6-26.8	6	5.9	00.0-12.2
\$25,000- 34,999	73	22,403	10	17.5	06.7-28.3	38	46.8	33.1-60.5	14	21.7	09.4-34.0	8	10.3	03.0-17.6	3	3.7	00.0-08.0
\$35,000- 49,999	131	48,511	14	10.5	04.6-16.4	71	53.5	43.5-63.5	22	18.4	10.4-26.4	17	12.5	06.2-18.8	7	5.0	00.7-09.3
\$50,000- 74,999	94	35,618	15	12.3	05.2-19.4	54	58.6	45.7-71.5	15	17.6	06.6-28.6	7	9.2	01.4-17.0	3	2.4	00.0-05.3
\$75,000+	126	47,559	28	16.5	09.8-23.2	70	55.2	44.2-66.2	10	11.0	03.0-19.0	17	16.6	08.2-25.0	1	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	914	258,628	136	13.1	10.4-15.8	477	46.3	42.0-50.6	115	12.8	09.7-15.9	153	23.2	19.1-27.3	33	4.7	02.7-06.7
White/Non-Hisp	787	213,461	111	12.1	09.4-14.8	417	46.6	41.9-51.3	98	13.2	09.7-16.7	132	23.2	18.7-27.7	29	5.0	02.6-07.4
Black or Afr. Am./Non-Hisp	77	30,056	16	21.6	09.4-33.8	36	45.3	31.2-59.4	11	9.4	02.5-16.3	11	18.8	07.2-30.4	3	4.9	00.0-11.6
45-54	100	41,641	13	12.6	05.2-20.0	40	35.1	24.3-45.9	13	14.4	06.0-22.8	25	28.2	17.4-39.0	9	9.7	02.6-16.8
55-64	243	71,988	32	15.1	09.4-20.8	133	52.3	44.7-59.9	32	11.1	06.6-15.6	41	18.3	12.6-24.0	5	3.3	00.0-06.6
65+	508	102,428	83	15.1	11.0-19.2	286	55.2	49.5-60.9	60	11.3	07.8-14.8	63	15.0	10.7-19.3	16	3.4	01.4-05.4
Less Than H.S.	120	53,738	15	9.1	03.8-14.4	52	42.3	31.5-53.1	18	15.0	06.8-23.2	26	27.2	17.0-37.4	9	6.4	01.7-11.1
H.S. or G.E.D.	388	102,759	56	13.9	09.4-18.4	209	46.9	40.4-53.4	48	12.2	07.7-16.7	63	21.1	15.2-27.0	12	5.8	01.9-09.7
Some Post-H.S.	242	72,897	36	14.8	09.1-20.5	129	44.7	36.5-52.9	28	12.7	07.0-18.4	41	25.1	16.3-33.9	8	2.7	00.3-05.1
College Graduate	160	28,563	27	13.0	07.3-18.7	85	54.8	45.6-64.0	21	11.1	05.4-16.8	23	18.6	10.6-26.6	4	2.5	00.0-05.2
Less than \$15,000	172	50,981	20	11.3	05.6-17.0	94	46.2	36.0-56.4	23	13.3	06.0-20.6	29	25.5	15.5-35.5	6	3.8	00.3-07.3
\$15,000- 24,999	232	66,072	33	12.6	06.5-18.7	106	37.2	28.8-45.6	37	16.7	09.8-23.6	48	28.7	19.9-37.5	8	4.9	00.6-09.2
\$25,000- 34,999	102	28,238	13	9.6	03.1-16.1	61	51.3	36.6-66.0	11	9.8	02.5-17.1	15	28.2	11.7-44.7	2	1.1	00.0-03.1
\$35,000- 49,999	108	29,252	12	11.3	03.9-18.7	57	44.3	33.3-55.3	13	13.3	05.3-21.3	19	24.0	14.0-34.0	7	7.0	01.3-12.7
\$50,000- 74,999	69	23,501	13	19.5	07.3-31.7	43	54.2	39.1-69.3	6	13.6	00.0-27.5	6	11.8	02.4-21.2	1	0.8	00.0-02.4
\$75,000+	84	22,899	17	17.8	08.6-27.0	42	48.2	35.9-60.5	9	8.8	02.5-15.1	12	15.8	06.4-25.2	4	9.3	00.0-18.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1624	524,403	308	19.0	16.5-21.5	1316	81.0	78.5-83.5
Male	704	264,627	153	21.9	18.2-25.6	551	78.1	74.4-81.8
Female	920	259,776	155	16.0	12.9-19.1	765	84.0	80.9-87.1
White/Non-Hisp	1417	442,706	258	18.7	16.2-21.2	1159	81.3	78.8-83.8
Black or Afr. Am./Non-Hisp	113	51,127	29	18.4	10.8-26.0	84	81.6	74.0-89.2
35-44	59	42,259	11	15.1	05.5-24.7	48	84.9	75.3-94.5
45-54	203	92,556	46	23.8	16.5-31.1	157	76.2	68.9-83.5
55-64	441	143,599	80	18.4	14.1-22.7	361	81.6	77.3-85.9
65+	876	212,652	166	20.3	16.8-23.8	710	79.7	76.2-83.2
Less Than H.S.	205	96,525	60	28.5	20.9-36.1	145	71.5	63.9-79.1
H.S. or G.E.D.	637	205,683	120	19.0	15.1-22.9	517	81.0	77.1-84.9
Some Post-H.S.	417	148,970	62	14.2	10.3-18.1	355	85.8	81.9-89.7
College Graduate	357	71,906	61	15.2	11.1-19.3	296	84.8	80.7-88.9
Less than \$15,000	249	81,879	76	28.5	21.1-35.9	173	71.5	64.1-78.9
\$15,000- 24,999	361	119,390	81	25.6	19.5-31.7	280	74.4	68.3-80.5
\$25,000- 34,999	179	53,059	28	13.2	07.3-19.1	151	86.8	80.9-92.7
\$35,000- 49,999	236	76,787	32	15.0	08.9-21.1	204	85.0	78.9-91.1
\$50,000- 74,999	162	58,724	21	13.0	06.7-19.3	141	87.0	80.7-93.3
\$75,000+	211	70,958	29	13.0	07.9-18.1	182	87.0	81.9-92.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	704	264,627	153	21.9	18.2-25.6	551	78.1	74.4-81.8
White/Non-Hisp	624	228,442	133	21.7	17.6-25.8	491	78.3	74.2-82.4
45-54	103	50,803	22	21.5	11.9-31.1	81	78.5	68.9-88.1
55-64	196	70,795	41	21.6	14.5-28.7	155	78.4	71.3-85.5
65+	367	110,696	82	25.1	19.4-30.8	285	74.9	69.2-80.6
Less Than H.S.	86	43,523	32	32.6	20.4-44.8	54	67.4	55.2-79.6
H.S. or G.E.D.	241	100,920	51	21.6	15.3-27.9	190	78.4	72.1-84.7
Some Post-H.S.	174	75,972	31	18.2	11.5-24.9	143	81.8	75.1-88.5
College Graduate	199	43,566	35	17.0	11.3-22.7	164	83.0	77.3-88.7
Less than \$15,000	75	30,209	27	32.2	18.9-45.5	48	67.8	54.5-81.1
\$15,000- 24,999	129	53,645	39	33.0	22.6-43.4	90	67.0	56.6-77.4
\$25,000- 34,999	76	24,599	17	20.8	09.8-31.8	59	79.2	68.2-90.2
\$35,000- 49,999	128	47,535	22	20.6	11.6-29.6	106	79.4	70.4-88.4
\$50,000- 74,999	94	35,594	14	14.5	05.5-23.5	80	85.5	76.5-94.5
\$75,000+	127	47,896	21	15.0	08.1-21.9	106	85.0	78.1-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	920	259,776	155	16.0	12.9-19.1	765	84.0	80.9-87.1
White/Non-Hisp	793	214,264	125	15.5	12.2-18.8	668	84.5	81.2-87.8
Black or Afr. Am./Non-Hisp	78	30,465	20	17.8	08.8-26.8	58	82.2	73.2-91.2
45-54	100	41,753	24	26.6	15.8-37.4	76	73.4	62.6-84.2
55-64	245	72,804	39	15.2	09.9-20.5	206	84.8	79.5-90.1
65+	509	101,956	84	15.0	11.3-18.7	425	85.0	81.3-88.7
Less Than H.S.	119	53,002	28	25.1	15.3-34.9	91	74.9	65.1-84.7
H.S. or G.E.D.	396	104,764	69	16.5	12.0-21.0	327	83.5	79.0-88.0
Some Post-H.S.	243	72,998	31	10.1	06.0-14.2	212	89.9	85.8-94.0
College Graduate	158	28,341	26	12.4	06.9-17.9	132	87.6	82.1-93.1
Less than \$15,000	174	51,670	49	26.4	17.6-35.2	125	73.6	64.8-82.4
\$15,000- 24,999	232	65,745	42	19.5	12.4-26.6	190	80.5	73.4-87.6
\$25,000- 34,999	103	28,460	11	6.6	02.1-11.1	92	93.4	88.9-97.9
\$35,000- 49,999	108	29,252	10	5.9	01.8-10.0	98	94.1	90.0-98.2
\$50,000- 74,999	68	23,130	7	10.6	02.6-18.6	61	89.4	81.4-97.4
\$75,000+	84	23,062	8	8.9	02.0-15.8	76	91.1	84.2-98.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1633	527,853	948	57.0	53.9-60.1	685	43.0	39.9-46.1
Male	713	266,789	401	56.4	51.7-61.1	312	43.6	38.9-48.3
Female	920	261,064	547	57.5	53.2-61.8	373	42.5	38.2-46.8
White/Non-Hisp	1423	445,063	806	54.9	51.6-58.2	617	45.1	41.8-48.4
Black or Afr. Am./Non-Hisp	113	51,127	78	68.9	58.1-79.7	35	31.1	20.3-41.9
35-44	59	42,259	38	59.1	44.2-74.0	21	40.9	26.0-55.8
45-54	204	92,927	118	54.6	46.4-62.8	86	45.4	37.2-53.6
55-64	446	145,243	276	60.3	54.8-65.8	170	39.7	34.2-45.2
65+	880	214,219	489	54.7	50.4-59.0	391	45.3	41.0-49.6
Less Than H.S.	205	98,072	87	42.4	34.0-50.8	118	57.6	49.2-66.0
H.S. or G.E.D.	639	206,590	355	56.4	51.5-61.3	284	43.6	38.7-48.5
Some Post-H.S.	420	149,332	260	62.1	56.0-68.2	160	37.9	31.8-44.0
College Graduate	361	72,542	241	67.5	61.8-73.2	120	32.5	26.8-38.2
Less than \$15,000	250	82,082	140	51.8	43.6-60.0	110	48.2	40.0-56.4
\$15,000- 24,999	364	120,326	196	55.2	48.1-62.3	168	44.8	37.7-51.9
\$25,000- 34,999	179	53,059	98	48.3	38.3-58.3	81	51.7	41.7-61.7
\$35,000- 49,999	239	77,763	146	61.4	54.0-68.8	93	38.6	31.2-46.0
\$50,000- 74,999	162	58,864	91	55.8	46.0-65.6	71	44.2	34.4-54.0
\$75,000+	212	71,142	144	68.6	61.0-76.2	68	31.4	23.8-39.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	713	266,789	401	56.4	51.7-61.1	312	43.6	38.9-48.3
White/Non-Hisp	631	230,326	350	56.2	51.3-61.1	281	43.8	38.9-48.7
45-54	103	50,803	58	52.7	41.1-64.3	45	47.3	35.7-58.9
55-64	199	71,408	117	58.8	50.8-66.8	82	41.2	33.2-49.2
65+	373	112,244	201	54.3	48.0-60.6	172	45.7	39.4-52.0
Less Than H.S.	88	44,042	41	44.4	30.9-57.9	47	55.6	42.1-69.1
H.S. or G.E.D.	244	101,958	125	54.4	47.0-61.8	119	45.6	38.2-53.0
Some Post-H.S.	175	76,086	107	60.8	52.0-69.6	68	39.2	30.4-48.0
College Graduate	202	44,056	126	65.9	58.3-73.5	76	34.1	26.5-41.7
Less than \$15,000	78	30,822	36	42.5	28.8-56.2	42	57.5	43.8-71.2
\$15,000- 24,999	130	53,920	75	61.3	50.7-71.9	55	38.7	28.1-49.3
\$25,000- 34,999	76	24,599	36	42.0	28.7-55.3	40	58.0	44.7-71.3
\$35,000- 49,999	131	48,511	76	58.6	48.8-68.4	55	41.4	31.6-51.2
\$50,000- 74,999	95	35,716	50	51.3	38.2-64.4	45	48.7	35.6-61.8
\$75,000+	127	47,896	82	68.9	59.3-78.5	45	31.1	21.5-40.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	920	261,064	547	57.5	53.2-61.8	373	42.5	38.2-46.8
White/Non-Hisp	792	214,737	456	53.5	48.8-58.2	336	46.5	41.8-51.2
Black or Afr. Am./Non-Hisp	78	30,465	55	75.8	64.8-86.8	23	24.2	13.2-35.2
45-54	101	42,124	60	56.7	45.3-68.1	41	43.3	31.9-54.7
55-64	247	73,835	159	61.7	54.4-69.0	88	38.3	31.0-45.6
65+	507	101,975	288	55.2	49.7-60.7	219	44.8	39.3-50.3
Less Than H.S.	117	54,029	46	40.7	29.9-51.5	71	59.3	48.5-70.1
H.S. or G.E.D.	395	104,632	230	58.4	51.9-64.9	165	41.6	35.1-48.1
Some Post-H.S.	245	73,246	153	63.5	55.5-71.5	92	36.5	28.5-44.5
College Graduate	159	28,486	115	70.0	61.2-78.8	44	30.0	21.2-38.8
Less than \$15,000	172	51,260	104	57.4	47.4-67.4	68	42.6	32.6-52.6
\$15,000- 24,999	234	66,406	121	50.3	41.3-59.3	113	49.7	40.7-58.7
\$25,000- 34,999	103	28,460	62	53.7	39.6-67.8	41	46.3	32.2-60.4
\$35,000- 49,999	108	29,252	70	65.9	55.5-76.3	38	34.1	23.7-44.5
\$50,000- 74,999	67	23,147	41	62.9	48.8-77.0	26	37.1	23.0-51.2
\$75,000+	85	23,246	62	68.1	56.3-79.9	23	31.9	20.1-43.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014

MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVAVDC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3126	2,304,285	234	10.9	09.3-12.5	2892	89.1	87.5-90.7
Male	1371	1,130,783	41	4.4	02.8-06.0	1330	95.6	94.0-97.2
Female	1755	1,173,502	193	17.2	14.8-19.6	1562	82.8	80.4-85.2
White/Non-Hisp	2516	1,780,907	175	10.7	08.9-12.5	2341	89.3	87.5-91.1
Black or Afr. Am./Non-Hisp	220	206,420	27	13.9	08.2-19.6	193	86.1	80.4-91.8
Oth. Race/Non-Hisp.	102	60,864	7	7.9	00.3-15.5	95	92.1	84.5-99.7
MultiRacial/Non-Hisp.	54	32,054	6	17.1	03.6-30.6	48	82.9	69.4-96.4
Hispanic	197	197,617	16	8.0	04.1-11.9	181	92.0	88.1-95.9
18-24	467	562,875	128	29.3	24.6-34.0	339	70.7	66.0-75.4
25-34	704	665,752	72	9.8	07.4-12.2	632	90.2	87.8-92.6
35-44	1124	716,497	28	2.6	01.6-03.6	1096	97.4	96.4-98.4
45-54	726	325,118	6	0.8	00.0-01.6	720	99.2	98.4-0100
Less Than H.S.	283	352,003	18	9.1	04.8-13.4	265	90.9	86.6-95.2
H.S. or G.E.D.	827	690,569	74	12.1	09.4-14.8	753	87.9	85.2-90.6
Some Post-H.S.	854	741,662	74	12.4	09.7-15.1	780	87.6	84.9-90.3
College Graduate	1155	517,162	68	8.5	06.3-10.7	1087	91.5	89.3-93.7
Less than \$15,000	306	249,417	29	12.2	07.7-16.7	277	87.8	83.3-92.3
\$15,000- 24,999	434	379,012	50	14.8	10.5-19.1	384	85.2	80.9-89.5
\$25,000- 34,999	270	229,699	27	13.9	08.6-19.2	243	86.1	80.8-91.4
\$35,000- 49,999	367	292,897	28	9.5	05.8-13.2	339	90.5	86.8-94.2
\$50,000- 74,999	465	342,345	26	9.1	05.2-13.0	439	90.9	87.0-94.8
\$75,000+	945	548,373	40	6.4	04.2-08.6	905	93.6	91.4-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1371	1,130,783	41	4.4	02.8-06.0	1330	95.6	94.0-97.2
White/Non-Hisp	1098	865,594	29	4.1	02.3-05.9	1069	95.9	94.1-97.7
Black or Afr. Am./Non-Hisp	93	104,450	4	4.5	00.0-09.6	89	95.5	90.4-0100
Oth. Race/Non-Hisp.	57	37,567	4	9.4	00.0-21.0	53	90.6	79.0-0100
Hispanic	80	93,995	2	3.2	00.0-07.5	78	96.8	92.5-0100
18-24	244	274,654	28	13.5	08.2-18.8	216	86.5	81.2-91.8
25-34	292	321,916	7	2.5	00.5-04.5	285	97.5	95.5-99.5
35-44	484	362,134	5	1.0	00.0-02.0	479	99.0	98.0-0100
45-54	319	158,193	1	0.5	00.0-01.5	318	99.5	98.5-0100
Less Than H.S.	134	192,023	6	7.1	01.4-12.8	128	92.9	87.2-98.6
H.S. or G.E.D.	424	384,559	23	6.3	03.6-09.0	401	93.7	91.0-96.4
Some Post-H.S.	328	310,873	6	2.5	00.5-04.5	322	97.5	95.5-99.5
College Graduate	481	241,160	6	1.7	00.1-03.3	475	98.3	96.7-99.9
Less than \$15,000	104	83,095	1	0.7	00.0-02.1	103	99.3	97.9-0100
\$15,000- 24,999	169	175,968	8	6.2	01.7-10.7	161	93.8	89.3-98.3
\$25,000- 34,999	123	117,089	7	6.3	01.0-11.6	116	93.7	88.4-99.0
\$35,000- 49,999	166	150,644	4	3.9	00.0-07.8	162	96.1	92.2-0100
\$50,000- 74,999	222	179,457	8	5.2	00.9-09.5	214	94.8	90.5-99.1
\$75,000+	437	296,301	5	2.3	00.0-04.8	432	97.7	95.2-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1755	1,173,502	193	17.2	14.8-19.6	1562	82.8	80.4-85.2
White/Non-Hisp	1418	915,313	146	17.0	14.3-19.7	1272	83.0	80.3-85.7
Black or Afr. Am./Non-Hisp	127	101,970	23	23.5	13.9-33.1	104	76.5	66.9-86.1
Hispanic	117	103,621	14	12.3	06.0-18.6	103	87.7	81.4-94.0
18-24	223	288,222	100	44.4	37.3-51.5	123	55.6	48.5-62.7
25-34	412	343,835	65	16.5	12.4-20.6	347	83.5	79.4-87.6
35-44	640	354,363	23	4.2	02.4-06.0	617	95.8	94.0-97.6
45-54	407	166,925	5	1.0	00.0-02.2	402	99.0	97.8-0100
Less Than H.S.	149	159,980	12	11.4	04.9-17.9	137	88.6	82.1-95.1
H.S. or G.E.D.	403	306,011	51	19.3	14.2-24.4	352	80.7	75.6-85.8
Some Post-H.S.	526	430,790	68	19.6	15.3-23.9	458	80.4	76.1-84.7
College Graduate	674	276,002	62	14.5	11.0-18.0	612	85.5	82.0-89.0
Less than \$15,000	202	166,322	28	17.9	11.4-24.4	174	82.1	75.6-88.6
\$15,000- 24,999	265	203,044	42	22.3	15.8-28.8	223	77.7	71.2-84.2
\$25,000- 34,999	147	112,610	20	21.8	13.0-30.6	127	78.2	69.4-87.0
\$35,000- 49,999	201	142,253	24	15.4	09.1-21.7	177	84.6	78.3-90.9
\$50,000- 74,999	243	162,888	18	13.5	07.0-20.0	225	86.5	80.0-93.0
\$75,000+	508	252,073	35	11.3	07.6-15.0	473	88.7	85.0-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)
TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	208	229,726	63	28.7	21.6-35.8	37	19.4	13.1-25.7	108	51.9	44.3-59.5
Female	176	188,862	46	23.4	16.5-30.3	29	17.1	10.8-23.4	101	59.6	51.4-67.8
White/Non-Hisp	156	175,803	44	25.8	18.2-33.4	21	15.8	08.9-22.7	91	58.4	49.6-67.2
18-24	118	155,071	32	25.4	16.8-34.0	20	20.0	11.6-28.4	66	54.6	44.8-64.4
25-34	66	60,465	20	35.2	22.5-47.9	10	15.7	05.9-25.5	36	49.2	36.1-62.3
H.S. or G.E.D.	64	74,104	28	41.5	28.4-54.6	9	15.5	04.9-26.1	27	43.0	29.7-56.3
Some Post-H.S.	69	87,421	16	20.9	10.7-31.1	16	21.2	11.0-31.4	37	57.8	45.3-70.3
College Graduate	58	38,208	10	14.9	05.3-24.5	9	16.6	05.6-27.6	39	68.5	55.2-81.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)
TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 11: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	176	188,862	46	23.4	16.5-30.3	29	17.1	11.0-23.2	101	59.6	51.4-67.8
White/Non-Hisp	134	146,852	30	19.6	12.2-27.0	16	12.4	06.3-18.5	88	68.0	59.2-76.8
18-24	94	122,361	20	19.3	10.7-27.9	15	17.0	08.8-25.2	59	63.8	53.2-74.4
25-34	61	54,417	16	29.2	16.9-41.5	9	16.2	05.6-26.8	36	54.6	40.9-68.3
Some Post-H.S.	63	79,726	13	18.3	08.1-28.5	15	22.0	11.2-32.8	35	59.7	46.6-72.8
College Graduate	55	36,679	9	13.6	04.2-23.0	7	15.0	04.0-26.0	39	71.4	58.3-84.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014

MODULE 16: SEXUAL ORIENTATION AND GENDER INDENTITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1 MALES AND FEMALES	46
2 MALES ONLY	47
3 FEMALES ONLY	48
DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4 MALES AND FEMALES	49
5 MALES ONLY	50
6 FEMALES ONLY	51

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10180	4,375,117	9892	96.0	95.4-96.6	135	1.8	01.4-02.2	132	2.0	01.6-02.4	21	0.2	00.0-00.4
Male	4124	2,124,021	3996	96.6	95.8-97.4	81	2.2	01.6-02.8	41	1.1	00.5-01.7	6	0.1	00.0-00.3
Female	6056	2,251,096	5896	95.5	94.5-96.5	54	1.4	00.8-02.0	91	2.8	02.0-03.6	15	0.3	00.1-00.5
White/Non-Hisp	8985	3,634,864	8739	96.1	95.5-96.7	118	1.7	01.3-02.1	111	2.0	01.4-02.6	17	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	535	354,283	516	95.2	92.7-97.7	9	2.8	00.6-05.0	10	2.0	00.4-03.6			
Oth. Race/Non-Hisp.	172	75,790	168	97.0	93.7-0100				2	1.8	00.0-04.3	2	1.2	00.0-03.4
MultiRacial/Non-Hisp.	124	52,168	117	92.6	86.7-98.5	2	2.6	00.0-06.5	5	4.8	00.3-09.3			
Hispanic	242	204,835	236	98.0	96.2-99.8	3	1.2	00.0-02.6	2	0.6	00.0-01.8	1	0.2	00.0-00.6
18-24	492	595,845	449	89.8	86.7-92.9	14	3.1	01.3-04.9	27	6.6	03.9-09.3	2	0.5	00.0-01.3
25-34	720	679,426	683	94.8	93.0-96.6	13	2.0	00.8-03.2	21	2.9	01.5-04.3	3	0.3	00.0-00.7
35-44	1135	717,834	1103	96.7	95.3-98.1	17	2.0	00.8-03.2	15	1.3	00.5-02.1			
45-54	1687	774,908	1638	97.1	96.1-98.1	30	1.8	01.0-02.6	17	0.9	00.3-01.5	2	0.1	00.0-00.3
55-64	2356	726,947	2300	97.6	96.8-98.4	34	1.6	01.0-02.2	18	0.7	00.3-01.1	4	0.1	00.0-00.3
65+	3699	849,155	3629	98.3	97.9-98.7	27	0.6	00.2-01.0	33	0.9	00.5-01.3	10	0.2	00.0-00.4
Less Than H.S.	835	576,242	807	95.4	93.2-97.6	8	1.5	00.1-02.9	16	2.9	01.1-04.7	4	0.2	00.0-00.6
H.S. or G.E.D.	3469	1,522,217	3379	96.1	95.1-97.1	42	1.8	01.2-02.4	39	1.9	01.1-02.7	9	0.2	00.0-00.4
Some Post-H.S.	2633	1,354,899	2557	95.4	94.0-96.8	32	2.0	01.2-02.8	39	2.4	01.4-03.4	5	0.2	00.0-00.6
College Graduate	3219	914,125	3125	97.1	96.3-97.9	53	1.6	01.0-02.2	38	1.1	00.7-01.5	3	0.1	00.0-00.3
Less than \$15,000	988	444,057	941	93.4	90.9-95.9	19	1.8	00.8-02.8	22	4.3	02.1-06.5	6	0.4	00.0-00.8
\$15,000- 24,999	1623	708,359	1566	94.5	92.7-96.3	23	2.6	01.2-04.0	26	2.5	01.3-03.7	8	0.4	00.0-00.8
\$25,000- 34,999	1076	450,470	1051	97.1	95.5-98.7	13	1.5	00.3-02.7	10	1.2	00.2-02.2	2	0.1	00.0-00.3
\$35,000- 49,999	1394	611,433	1353	95.8	94.0-97.6	20	2.1	00.7-03.5	20	2.0	00.8-03.2	1	0.0	00.0-00.0
\$50,000- 74,999	1425	642,225	1387	96.9	95.5-98.3	26	2.1	01.1-03.1	11	0.6	00.2-01.0	1	0.4	00.0-01.2
\$75,000+	2343	983,598	2299	97.8	96.8-98.8	23	0.9	00.5-01.3	21	1.3	00.5-02.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4124	2,124,021	3996	96.6	95.8-97.4	81	2.2	01.6-02.8	41	1.1	00.5-01.7	6	0.1	00.0-00.3
White/Non-Hisp	3637	1,764,779	3527	96.7	95.9-97.5	71	2.2	01.6-02.8	35	1.1	00.5-01.7	4	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	197	165,161	190	96.4	93.3-99.5	5	3.2	00.1-06.3	2	0.4	00.0-01.0			
Oth. Race/Non-Hisp.	90	45,848	86	95.0	89.5-0100				2	3.0	00.0-07.3	2	2.0	00.0-05.7
Hispanic	94	95,387	91	96.9	93.4-0100	2	1.8	00.0-04.3	1	1.2	00.0-03.6			
18-24	267	301,766	252	93.9	90.4-97.4	8	2.8	00.6-05.0	7	3.2	00.5-05.9			
25-34	305	333,998	293	96.2	93.8-98.6	8	2.7	00.7-04.7	4	1.2	00.0-02.4			
35-44	484	359,711	472	96.7	94.3-99.1	10	2.9	00.7-05.1	2	0.4	00.0-01.0			
45-54	743	389,387	718	97.0	95.6-98.4	16	1.9	00.7-03.1	7	0.7	00.1-01.3	2	0.3	00.0-00.7
55-64	988	354,939	956	97.0	95.6-98.4	24	2.1	00.9-03.3	7	0.8	00.2-01.4	1	0.1	00.0-00.3
65+	1309	372,195	1277	98.0	97.0-99.0	15	1.0	00.4-01.6	14	0.9	00.3-01.5	3	0.1	00.0-00.3
Less Than H.S.	338	294,042	325	95.1	91.6-98.6	6	2.7	00.2-05.2	5	1.9	00.0-04.3	2	0.3	00.0-00.9
H.S. or G.E.D.	1358	768,203	1316	96.4	95.2-97.6	29	2.4	01.4-03.4	11	1.1	00.3-01.9	2	0.1	00.0-00.3
Some Post-H.S.	986	599,787	960	97.0	95.6-98.4	17	2.0	00.8-03.2	8	0.9	00.1-01.7	1	0.1	00.0-00.3
College Graduate	1433	457,431	1386	97.1	96.1-98.1	29	1.8	01.0-02.6	17	1.0	00.4-01.6	1	0.0	00.0-00.0
Less than \$15,000	311	158,981	292	95.4	92.9-97.9	11	2.2	00.6-03.8	5	1.7	00.0-03.5	3	0.8	00.0-02.0
\$15,000- 24,999	526	306,616	506	95.2	92.5-97.9	15	3.9	01.2-06.6	5	0.9	00.0-01.9			
\$25,000- 34,999	416	216,738	402	96.9	94.9-98.9	9	1.7	00.1-03.3	4	1.2	00.0-02.6	1	0.1	00.0-00.3
\$35,000- 49,999	605	317,353	582	95.7	93.3-98.1	15	3.4	01.0-05.8	7	0.9	00.1-01.7	1	0.0	00.0-00.0
\$50,000- 74,999	680	347,074	660	97.0	95.4-98.6	15	2.5	00.9-04.1	5	0.5	00.0-01.1			
\$75,000+	1157	550,523	1139	98.1	96.7-99.5	8	0.6	00.2-01.0	10	1.3	00.0-02.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6056	2,251,096	5896	95.5	94.5-96.5	54	1.4	0.8-02.0	91	2.8	02.0-03.6	15	0.3	00.1-00.5
White/Non-Hisp	5348	1,870,085	5212	95.6	94.6-96.6	47	1.2	0.6-01.8	76	2.9	02.1-03.7	13	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	338	189,122	326	94.1	90.2-98.0	4	2.6	00.0-05.3	8	3.3	00.6-06.0			
Oth. Race/Non-Hisp.	82	29,942	82	100.0	0100-0100									
MultiRacial/Non-Hisp.	75	25,805	69	86.3	75.1-97.5	1	3.9	00.0-11.3	5	9.7	00.9-18.5			
Hispanic	148	109,448	145	98.9	97.5-0100	1	0.6	00.0-01.8	1	0.1	00.0-00.3	1	0.4	00.0-01.2
18-24	225	294,078	197	85.5	80.2-90.8	6	3.4	00.7-06.1	20	10.0	05.5-14.5	2	1.1	00.0-02.9
25-34	415	345,428	390	93.4	90.7-96.1	5	1.4	00.2-02.6	17	4.7	02.3-07.1	3	0.5	00.0-01.1
35-44	651	358,123	631	96.8	95.2-98.4	7	1.1	00.3-01.9	13	2.1	00.9-03.3			
45-54	944	385,521	920	97.2	95.6-98.8	14	1.7	00.5-02.9	10	1.1	00.3-01.9			
55-64	1368	372,007	1344	98.2	97.2-99.2	10	1.0	00.2-01.8	11	0.7	00.3-01.1	3	0.1	00.0-00.3
65+	2390	476,960	2352	98.6	98.0-99.2	12	0.3	00.1-00.5	19	0.8	00.4-01.2	7	0.2	00.0-00.4
Less Than H.S.	497	282,200	482	95.8	93.1-98.5	2	0.2	00.0-00.6	11	3.9	01.2-06.6	2	0.1	00.0-00.3
H.S. or G.E.D.	2111	754,014	2063	95.8	94.4-97.2	13	1.2	00.4-02.0	28	2.7	01.5-03.9	7	0.3	00.1-00.5
Some Post-H.S.	1647	755,113	1597	94.1	92.1-96.1	15	2.0	00.8-03.2	31	3.5	01.9-05.1	4	0.4	00.0-01.0
College Graduate	1786	456,694	1739	97.2	96.0-98.4	24	1.3	00.5-02.1	21	1.3	00.5-02.1	2	0.2	00.0-00.6
Less than \$15,000	677	285,076	649	92.3	88.8-95.8	8	1.7	00.3-03.1	17	5.8	02.5-09.1	3	0.2	00.0-00.4
\$15,000- 24,999	1097	401,743	1060	94.0	91.5-96.5	8	1.6	00.2-03.0	21	3.7	01.7-05.7	8	0.7	00.1-01.3
\$25,000- 34,999	660	233,733	649	97.3	94.9-99.7	4	1.3	00.0-03.3	6	1.3	00.0-02.7	1	0.1	00.0-00.3
\$35,000- 49,999	789	294,080	771	96.0	93.5-98.5	5	0.8	00.0-02.0	13	3.3	00.9-05.7			
\$50,000- 74,999	745	295,150	727	96.6	94.2-99.0	11	1.8	00.2-03.4	6	0.8	00.0-01.6	1	0.8	00.0-02.4
\$75,000+	1186	433,075	1160	97.3	95.9-98.7	15	1.4	00.4-02.4	11	1.2	00.2-02.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10242	4,413,432	25	0.3	00.1-00.5	21	0.2	00.0-00.4	8	0.1	00.1-00.1	10188	99.4	99.2-99.6
Male	4133	2,135,340	17	0.6	00.2-01.0	4	0.1	00.0-00.3	3	0.1	00.0-00.3	4109	99.2	98.8-99.6
Female	6109	2,278,092	8	0.1	00.0-00.3	17	0.2	00.0-00.4	5	0.1	00.1-00.1	6079	99.6	99.4-99.8
White/Non-Hisp	9004	3,638,663	21	0.3	00.1-00.5	17	0.2	00.0-00.4	8	0.1	00.1-00.1	8958	99.4	99.2-99.6
Black or Afr. Am./Non-Hisp	532	352,864	1	0.4	00.0-01.2	1	0.1	00.0-00.3				530	99.5	98.7-0100
Oth. Race/Non-Hisp.	185	81,453				2	0.9	00.0-02.5				183	99.1	97.5-0100
MultiRacial/Non-Hisp.	125	52,231	1	1.5	00.0-04.4							124	98.5	95.6-0100
Hispanic	267	233,008	2	1.0	00.0-02.4							265	99.0	97.6-0100
18-24	500	602,385	3	0.4	00.0-00.8							497	99.6	99.2-0100
25-34	731	694,916	3	0.5	00.0-01.1	3	0.3	00.0-00.7	2	0.2	00.0-00.6	723	99.0	98.2-99.8
35-44	1145	729,054	2	0.3	00.0-00.7	2	0.2	00.0-00.6	1	0.1	00.0-00.3	1140	99.4	98.8-0100
45-54	1693	778,288	3	0.3	00.0-00.7	3	0.2	00.0-00.4	2	0.1	00.0-00.3	1685	99.3	98.7-99.9
55-64	2356	723,164	5	0.3	00.1-00.5	4	0.1	00.0-00.3	1	0.0	00.0-00.0	2346	99.6	99.2-0100
65+	3719	853,277	8	0.3	00.1-00.5	9	0.3	00.1-00.5	2	0.1	00.0-00.3	3700	99.3	98.9-99.7
Less Than H.S.	853	602,009	5	0.7	00.1-01.3	4	0.3	00.0-00.7	1	0.0	00.0-00.0	843	99.0	98.2-99.8
H.S. or G.E.D.	3478	1,523,648	12	0.5	00.1-00.9	12	0.3	00.1-00.5	1	0.0	00.0-00.0	3453	99.2	98.8-99.6
Some Post-H.S.	2636	1,355,744	6	0.2	00.0-00.4	2	0.1	00.0-00.3	4	0.1	00.0-00.3	2624	99.6	99.4-99.8
College Graduate	3252	924,477	1	0.0	00.0-00.0	3	0.1	00.0-00.3	2	0.2	00.0-00.4	3246	99.7	99.5-99.9
Less than \$15,000	995	450,109	5	1.0	00.0-02.0	3	0.3	00.0-00.7	4	0.2	00.0-00.4	983	98.6	97.6-99.6
\$15,000- 24,999	1640	722,756	7	0.5	00.1-00.9	5	0.2	00.0-00.4	1	0.1	00.0-00.3	1627	99.3	98.7-99.9
\$25,000- 34,999	1081	455,417	4	0.5	00.0-01.1	4	0.3	00.1-00.5				1073	99.2	98.6-99.8
\$35,000- 49,999	1394	608,582	1	0.1	00.0-00.3	2	0.2	00.0-00.6				1391	99.7	99.3-0100
\$50,000- 74,999	1424	644,788	1	0.1	00.0-00.3	3	0.3	00.0-00.7				1420	99.6	99.2-0100
\$75,000+	2352	983,788	3	0.1	00.0-00.3	1	0.0	00.0-00.0	3	0.2	00.0-00.4	2345	99.6	99.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4133	2,135,340	17	0.6	00.2-01.0	4	0.1	00.0-00.3	3	0.1	00.0-00.3	4109	99.2	98.8-99.6
White/Non-Hisp	3625	1,758,342	14	0.5	00.1-00.9	3	0.1	00.0-00.3	3	0.1	00.0-00.3	3605	99.3	98.9-99.7
Black or Afr. Am./Non-Hisp	196	163,509	1	0.8	00.0-02.4							195	99.2	97.6-0100
Oth. Race/Non-Hisp.	96	49,291				1	1.4	00.0-04.1				95	98.6	95.9-0100
Hispanic	107	110,968	1	0.9	00.0-02.7							106	99.1	97.3-0100
18-24	270	304,428	3	0.7	00.0-01.5							267	99.3	98.5-0100
25-34	309	341,866	2	0.7	00.0-01.7				1	0.3	00.0-00.9	306	99.0	97.8-0100
35-44	490	366,264	2	0.5	00.0-01.3	2	0.5	00.0-01.1				486	99.0	98.0-0100
45-54	744	389,531	3	0.7	00.0-01.5	1	0.2	00.0-00.6	1	0.2	00.0-00.6	739	98.9	97.9-99.9
55-64	983	348,854	4	0.5	00.0-01.1				1	0.0	00.0-00.0	978	99.4	98.8-0100
65+	1306	370,780	3	0.3	00.0-00.7	1	0.1	00.0-00.3				1302	99.6	99.2-0100
Less Than H.S.	340	302,436	4	1.0	00.0-02.2	1	0.1	00.0-00.3	1	0.0	00.0-00.0	334	98.8	97.6-0100
H.S. or G.E.D.	1351	764,982	9	0.9	00.3-01.5	1	0.1	00.0-00.3				1341	99.0	98.4-99.6
Some Post-H.S.	986	599,735	3	0.3	00.0-00.7	1	0.2	00.0-00.6	1	0.1	00.0-00.3	981	99.4	98.8-0100
College Graduate	1447	463,628	1	0.0	00.0-00.0	1	0.1	00.0-00.3	1	0.2	00.0-00.6	1444	99.6	99.0-0100
Less than \$15,000	311	160,375	3	1.9	00.0-04.1				1	0.1	00.0-00.3	307	98.0	95.8-0100
\$15,000- 24,999	531	312,901	4	0.9	00.0-01.9							527	99.1	98.1-0100
\$25,000- 34,999	420	221,037	3	0.9	00.0-02.1	1	0.1	00.0-00.3				416	98.9	97.7-0100
\$35,000- 49,999	603	314,128	1	0.2	00.0-00.6	1	0.2	00.0-00.6				601	99.6	99.0-0100
\$50,000- 74,999	679	348,949	1	0.2	00.0-00.6	1	0.3	00.0-00.9				677	99.5	98.7-0100
\$75,000+	1159	549,555	3	0.2	00.0-00.6				2	0.3	00.0-00.7	1154	99.4	98.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 16: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6109	2,278,092	8	0.1	00.0-00.3	17	0.2	00.0-00.4	5	0.1	00.1-00.1	6079	99.6	99.4-99.8
White/Non-Hisp	5379	1,880,321	7	0.1	00.1-00.1	14	0.3	00.1-00.5	5	0.1	00.1-00.1	5353	99.6	99.4-99.8
Black or Afr. Am./Non-Hisp	336	189,355				1	0.2	00.0-00.6				335	99.8	99.4-0100
Oth. Race/Non-Hisp.	89	32,162				1	0.1	00.0-00.3				88	99.9	99.7-0100
MultiRacial/Non-Hisp.	76	25,868										76	100.0	0100-0100
Hispanic	160	122,040	1	1.1	00.0-03.1							159	98.9	96.9-0100
18-24	230	297,957										230	100.0	0100-0100
25-34	422	353,050	1	0.4	00.0-01.2	3	0.5	00.0-01.1	1	0.1	00.0-00.3	417	99.0	98.0-0100
35-44	655	362,791							1	0.2	00.0-00.6	654	99.8	99.4-0100
45-54	949	388,757				2	0.2	00.0-00.6	1	0.0	00.0-00.0	946	99.8	99.4-0100
55-64	1373	374,310	1	0.0	00.0-00.0	4	0.2	00.0-00.4				1368	99.8	99.6-0100
65+	2413	482,497	5	0.2	00.0-00.4	8	0.5	00.1-00.9	2	0.1	00.0-00.3	2398	99.1	98.5-99.7
Less Than H.S.	513	299,573	1	0.4	00.0-01.2	3	0.4	00.0-01.0				509	99.1	98.1-0100
H.S. or G.E.D.	2127	758,666	3	0.1	00.1-00.1	11	0.5	00.1-00.9	1	0.0	00.0-00.0	2112	99.4	99.0-99.8
Some Post-H.S.	1650	756,009	3	0.1	00.0-00.3	1	0.0	00.0-00.0	3	0.1	00.0-00.3	1643	99.7	99.5-99.9
College Graduate	1805	460,848				2	0.1	00.1-00.1	1	0.1	00.0-00.3	1802	99.8	99.6-0100
Less than \$15,000	684	289,734	2	0.5	00.0-01.3	3	0.4	00.0-01.0	3	0.2	00.0-00.4	676	98.9	97.7-0100
\$15,000- 24,999	1109	409,854	3	0.2	00.0-00.4	5	0.3	00.0-00.7	1	0.1	00.0-00.3	1100	99.4	99.0-99.8
\$25,000- 34,999	661	234,380	1	0.1	00.0-00.3	3	0.4	00.0-00.8				657	99.5	98.9-0100
\$35,000- 49,999	791	294,454				1	0.3	00.0-00.9				790	99.7	99.1-0100
\$50,000- 74,999	745	295,839				2	0.3	00.0-00.9				743	99.7	99.1-0100
\$75,000+	1193	434,233				1	0.1	00.0-00.3	1	0.1	00.0-00.3	1191	99.8	99.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014**

End of Module Data Report