

INDIANA

2014 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

July 31, 2015



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 17: RANDOM CHILD SELECTION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2012			2013-2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2172	1,404,555	262	8.1	06.9-09.3	756	25.5	23.3-27.7	560	29.3	26.6-32.0	458	29.5	26.8-32.2	136	7.7	06.3-09.1
Male	882	563,610	94	7.6	05.6-09.6	321	26.9	23.4-30.4	223	29.1	25.0-33.2	182	28.3	24.0-32.6	62	8.1	05.7-10.5
Female	1290	840,946	168	8.3	06.7-09.9	435	24.6	21.9-27.3	337	29.4	25.9-32.9	276	30.3	26.6-34.0	74	7.4	05.6-09.2
White/Non-Hisp	1783	1,056,896	221	8.4	07.0-09.8	633	26.8	24.4-29.2	460	29.6	26.7-32.5	359	27.6	24.9-30.3	110	7.6	06.0-09.2
Black or Afr. Am./Non-Hisp	151	148,298	16	7.4	03.3-11.5	45	19.0	11.7-26.3	40	29.1	19.5-38.7	44	39.4	28.0-50.8	6	5.0	00.7-09.3
Hispanic	137	119,190	17	7.8	03.3-12.3	44	22.8	13.4-32.2	36	28.8	16.6-41.0	32	32.1	19.4-44.8	8	8.5	02.0-15.0
18-24	151	91,206	31	16.1	09.6-22.6	41	17.1	11.2-23.0	16	14.1	06.7-21.5	44	37.9	28.1-47.7	19	14.8	07.7-21.9
25-34	442	358,303	7	0.9	00.1-01.7	65	11.5	08.0-15.0	121	28.5	23.0-34.0	181	44.9	38.8-51.0	68	14.2	10.5-17.9
35-44	743	526,694	64	5.5	03.9-07.1	260	27.2	23.5-30.9	247	33.7	29.2-38.2	138	27.0	22.3-31.7	34	6.7	04.3-09.1
45-54	575	306,248	125	18.3	14.2-22.4	276	38.5	33.2-43.8	119	28.3	22.4-34.2	50	14.0	09.5-18.5	5	1.0	00.0-02.2
55-64	193	84,494	29	10.2	05.5-14.9	89	37.4	28.4-46.4	35	20.3	12.9-27.7	34	27.9	16.9-38.9	6	4.1	00.6-07.6
65+	64	34,843	6	4.7	00.6-08.8	24	25.5	12.6-38.4	22	41.6	25.7-57.5	8	23.3	08.8-37.8	4	4.9	00.0-09.8
Less Than H.S.	192	141,712	20	6.5	03.2-09.8	69	25.5	17.9-33.1	47	26.3	17.9-34.7	44	36.0	25.0-47.0	12	5.7	02.0-09.4
H.S. or G.E.D.	543	352,806	72	9.4	06.5-12.3	198	27.3	22.6-32.0	122	25.7	20.6-30.8	121	30.5	24.8-36.2	30	7.2	04.3-10.1
Some Post-H.S.	573	371,648	67	8.5	06.1-10.9	206	26.3	21.8-30.8	149	26.9	22.2-31.6	117	31.2	25.5-36.9	34	7.0	04.5-09.5
College Graduate	860	536,429	103	7.3	05.5-09.1	281	23.7	20.6-26.8	241	34.0	29.5-38.5	175	26.0	22.1-29.9	60	8.9	06.4-11.4
Less than \$15,000	171	114,001	12	5.4	01.9-08.9	62	28.7	19.5-37.9	47	26.6	18.0-35.2	35	29.5	19.3-39.7	15	9.9	04.2-15.6
\$15,000- 24,999	297	216,061	27	6.8	03.5-10.1	103	25.6	19.9-31.3	70	27.6	20.3-34.9	77	32.1	24.3-39.9	20	7.9	04.0-11.8
\$25,000- 34,999	182	118,831	20	7.2	03.7-10.7	55	23.3	15.7-30.9	52	29.4	21.2-37.6	42	31.1	22.1-40.1	13	9.0	03.5-14.5
\$35,000- 49,999	255	167,870	37	10.6	05.9-15.3	79	20.7	15.0-26.4	57	22.9	15.8-30.0	69	39.0	30.2-47.8	13	6.8	02.9-10.7
\$50,000- 74,999	335	212,910	42	8.7	05.2-12.2	135	32.4	25.7-39.1	75	27.5	19.9-35.1	66	25.8	18.9-32.7	17	5.6	02.7-08.5
\$75,000+	814	498,759	112	8.5	06.7-10.3	272	23.9	20.8-27.0	235	34.1	29.6-38.6	146	26.0	21.7-30.3	49	7.5	05.1-09.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2012			2013-2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	882	563,610	94	7.6	05.6-09.6	321	26.9	23.4-30.4	223	29.1	25.0-33.2	182	28.3	24.0-32.6	62	8.1	05.7-10.5
White/Non-Hisp	743	438,535	82	7.8	05.6-10.0	278	27.4	23.7-31.1	191	30.9	26.4-35.4	144	26.9	22.4-31.4	48	7.0	04.8-09.2
18-24	71	40,593	14	18.3	07.5-29.1	27	25.8	15.2-36.4	10	19.5	07.5-31.5	11	19.8	07.5-32.1	9	16.6	04.6-28.6
25-34	155	113,310	4	1.8	00.0-03.6	15	6.6	02.1-11.1	33	24.3	15.3-33.3	69	47.1	37.3-56.9	34	20.2	12.6-27.8
35-44	283	210,093	14	3.2	01.2-05.2	90	24.0	17.9-30.1	99	33.5	26.6-40.4	66	32.6	24.8-40.4	14	6.7	02.6-10.8
45-54	256	149,221	48	15.3	09.6-21.0	123	40.0	32.0-48.0	62	33.3	24.9-41.7	21	10.9	05.8-16.0	2	0.5	00.0-01.1
55-64	92	38,499	11	9.0	02.1-15.9	54	51.5	34.8-68.2	15	14.6	06.0-23.2	10	23.0	03.2-42.8	2	1.9	00.0-04.4
Less Than H.S.	86	65,304	9	8.2	02.1-14.3	28	22.9	10.9-34.9	19	23.6	10.7-36.5	22	37.1	21.6-52.6	8	8.2	01.9-14.5
H.S. or G.E.D.	236	143,293	32	8.4	04.7-12.1	87	27.0	19.9-34.1	48	25.5	17.5-33.5	54	31.0	22.4-39.6	15	8.2	03.3-13.1
Some Post-H.S.	213	139,425	18	7.0	03.1-10.9	83	26.7	19.1-34.3	53	27.8	19.6-36.0	45	31.9	21.9-41.9	14	6.7	02.8-10.6
College Graduate	344	213,836	35	7.5	04.0-11.0	122	28.1	22.8-33.4	102	33.9	27.6-40.2	60	21.5	16.2-26.8	25	9.0	04.7-13.3
\$15,000- 24,999	95	63,147	9	7.1	01.8-12.4	35	24.3	14.9-33.7	20	31.7	17.4-46.0	21	22.8	12.4-33.2	10	14.1	04.5-23.7
\$25,000- 34,999	71	54,447	5	3.8	00.0-07.7	14	15.4	02.9-27.9	21	28.1	14.4-41.8	22	39.5	23.8-55.2	9	13.2	03.2-23.2
\$35,000- 49,999	104	81,269	15	11.4	03.0-19.8	27	18.0	09.0-27.0	24	25.0	13.4-36.6	32	40.5	25.8-55.2	6	5.2	00.5-09.9
\$50,000- 74,999	150	87,719	12	6.2	02.3-10.1	73	40.6	30.4-50.8	32	22.3	14.5-30.1	28	26.4	15.6-37.2	5	4.4	00.1-08.7
\$75,000+	380	230,870	45	7.9	05.0-10.8	139	26.9	22.0-31.8	110	35.0	28.9-41.1	62	23.2	17.3-29.1	24	6.9	03.4-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2012			2013-2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1290	840,946	168	8.3	06.7-09.9	435	24.6	21.9-27.3	337	29.4	25.9-32.9	276	30.3	26.6-34.0	74	7.4	05.6-09.2
White/Non-Hisp	1040	618,361	139	8.9	06.9-10.9	355	26.4	23.3-29.5	269	28.7	25.0-32.4	215	28.0	24.3-31.7	62	8.0	05.8-10.2
Black or Afr. Am./Non-Hisp	103	93,324	12	7.7	02.8-12.6	31	18.2	10.8-25.6	29	31.2	19.6-42.8	28	39.4	26.1-52.7	3	3.5	00.0-07.6
Hispanic	94	82,290	9	5.0	01.3-08.7	32	21.0	12.0-30.0	27	33.8	17.3-50.3	22	34.5	17.4-51.6	4	5.6	00.0-11.3
18-24	80	50,613	17	14.3	06.7-21.9	14	10.1	04.0-16.2	6	9.8	00.4-19.2	33	52.5	39.4-65.6	10	13.3	04.9-21.7
25-34	287	244,992	3	0.6	00.0-01.2	50	13.7	09.0-18.4	88	30.4	23.5-37.3	112	43.8	36.2-51.4	34	11.4	07.3-15.5
35-44	460	316,601	50	7.0	04.8-09.2	170	29.3	24.4-34.2	148	33.9	28.0-39.8	72	23.2	17.3-29.1	20	6.6	03.7-09.5
45-54	319	157,027	77	21.1	15.0-27.2	153	37.0	30.1-43.9	57	23.5	15.1-31.9	29	16.9	09.8-24.0	3	1.5	00.0-03.7
55-64	101	45,995	18	11.3	04.6-18.0	35	25.6	16.2-35.0	20	25.1	14.1-36.1	24	32.0	19.8-44.2	4	5.9	00.0-12.0
Less Than H.S.	106	76,408	11	5.1	01.6-08.6	41	27.8	17.6-38.0	28	28.5	17.7-39.3	22	35.0	19.7-50.3	4	3.6	00.0-07.7
H.S. or G.E.D.	307	209,513	40	10.0	05.7-14.3	111	27.5	21.4-33.6	74	25.8	19.1-32.5	67	30.1	22.3-37.9	15	6.6	03.1-10.1
Some Post-H.S.	360	232,223	49	9.3	06.4-12.2	123	26.1	20.6-31.6	96	26.5	20.8-32.2	72	30.8	23.9-37.7	20	7.3	04.0-10.6
College Graduate	516	322,594	68	7.3	05.3-09.3	159	20.9	17.2-24.6	139	34.0	27.7-40.3	115	29.0	23.5-34.5	35	8.9	05.8-12.0
Less than \$15,000	134	91,047	9	4.9	01.2-08.6	51	28.0	18.4-37.6	36	28.1	17.9-38.3	26	27.8	16.0-39.6	12	11.2	04.3-18.1
\$15,000- 24,999	202	152,914	18	6.7	02.6-10.8	68	26.1	18.8-33.4	50	25.9	18.1-33.7	56	35.9	26.1-45.7	10	5.3	01.8-08.8
\$25,000- 34,999	111	64,385	15	10.1	04.6-15.6	41	29.9	20.3-39.5	31	30.5	20.5-40.5	20	24.0	14.0-34.0	4	5.5	00.0-11.4
\$35,000- 49,999	151	86,601	22	9.9	05.2-14.6	52	23.2	16.1-30.3	33	20.9	12.7-29.1	37	37.6	27.4-47.8	7	8.4	02.1-14.7
\$50,000- 74,999	185	125,192	30	10.4	05.1-15.7	62	26.6	18.0-35.2	43	31.2	19.6-42.8	38	25.4	16.8-34.0	12	6.4	02.5-10.3
\$75,000+	434	267,889	67	9.0	06.5-11.5	133	21.3	17.2-25.4	125	33.3	27.0-39.6	84	28.5	22.2-34.8	25	8.0	04.7-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2458	1,544,493	1268	51.2	48.5-53.9	1190	48.8	46.1-51.5
Male	1030	638,334	545	53.5	49.6-57.4	485	46.5	42.6-50.4
Female	1428	906,158	723	49.6	46.1-53.1	705	50.4	46.9-53.9
White/Non-Hisp	1999	1,147,884	1016	50.9	48.2-53.6	983	49.1	46.4-51.8
Black or Afr. Am./Non-Hisp	177	170,058	91	50.6	40.6-60.6	86	49.4	39.4-59.4
Oth. Race/Non-Hisp.	57	56,655	27	51.8	35.7-67.9	30	48.2	32.1-64.3
Hispanic	157	131,249	94	51.8	40.2-63.4	63	48.2	36.6-59.8
18-24	193	112,810	107	58.2	49.8-66.6	86	41.8	33.4-50.2
25-34	482	381,825	252	51.2	45.3-57.1	230	48.8	42.9-54.7
35-44	832	569,717	441	53.5	49.0-58.0	391	46.5	42.0-51.0
45-54	637	334,756	313	47.7	42.2-53.2	324	52.3	46.8-57.8
55-64	219	95,036	112	47.5	38.5-56.5	107	52.5	43.5-61.5
65+	84	44,144	38	39.8	26.9-52.7	46	60.2	47.3-73.1
Less Than H.S.	241	168,351	131	47.0	38.2-55.8	110	53.0	44.2-61.8
H.S. or G.E.D.	617	391,243	315	52.1	46.8-57.4	302	47.9	42.6-53.2
Some Post-H.S.	634	397,651	321	52.6	47.5-57.7	313	47.4	42.3-52.5
College Graduate	962	585,287	500	50.9	46.8-55.0	462	49.1	45.0-53.2
Less than \$15,000	198	130,185	104	56.5	47.1-65.9	94	43.5	34.1-52.9
\$15,000- 24,999	335	238,295	185	54.1	46.8-61.4	150	45.9	38.6-53.2
\$25,000- 34,999	201	128,799	105	51.2	42.4-60.0	96	48.8	40.0-57.6
\$35,000- 49,999	278	178,764	149	57.3	49.5-65.1	129	42.7	34.9-50.5
\$50,000- 74,999	380	229,890	180	45.9	38.8-53.0	200	54.1	47.0-61.2
\$75,000+	893	535,767	460	49.4	45.1-53.7	433	50.6	46.3-54.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1030	638,334	545	53.5	49.6-57.4	485	46.5	42.6-50.4
White/Non-Hisp	850	483,395	435	50.6	46.3-54.9	415	49.4	45.1-53.7
Black or Afr. Am./Non-Hisp	63	67,882	36	64.0	49.5-78.5	27	36.0	21.5-50.5
Hispanic	50	40,452	36	64.1	46.3-81.9	14	35.9	18.1-53.7
18-24	95	54,316	54	59.6	47.6-71.6	41	40.4	28.4-52.4
25-34	170	122,139	93	55.9	46.5-65.3	77	44.1	34.7-53.5
35-44	328	231,731	178	54.9	47.8-62.0	150	45.1	38.0-52.2
45-54	294	168,367	146	50.0	42.4-57.6	148	50.0	42.4-57.6
55-64	108	44,312	54	46.6	32.1-61.1	54	53.4	38.9-67.9
Less Than H.S.	109	78,729	60	46.9	34.0-59.8	49	53.1	40.2-66.0
H.S. or G.E.D.	279	165,004	141	52.5	44.5-60.5	138	47.5	39.5-55.5
Some Post-H.S.	245	152,638	131	56.9	48.5-65.3	114	43.1	34.7-51.5
College Graduate	394	240,212	212	54.3	48.2-60.4	182	45.7	39.6-51.8
\$15,000- 24,999	117	77,226	65	58.4	47.2-69.6	52	41.6	30.4-52.8
\$25,000- 34,999	83	62,017	45	52.1	37.8-66.4	38	47.9	33.6-62.2
\$35,000- 49,999	114	86,534	59	56.9	44.2-69.6	55	43.1	30.4-55.8
\$50,000- 74,999	179	98,499	93	51.0	41.2-60.8	86	49.0	39.2-58.8
\$75,000+	423	250,405	221	50.4	44.5-56.3	202	49.6	43.7-55.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1428	906,158	723	49.6	46.1-53.1	705	50.4	46.9-53.9
White/Non-Hisp	1149	664,489	581	51.1	47.4-54.8	568	48.9	45.2-52.6
Black or Afr. Am./Non-Hisp	114	102,176	55	41.7	30.1-53.3	59	58.3	46.7-69.9
Hispanic	107	90,798	58	46.4	33.3-59.5	49	53.6	40.5-66.7
18-24	98	58,494	53	56.8	45.0-68.6	45	43.2	31.4-55.0
25-34	312	259,686	159	49.0	41.7-56.3	153	51.0	43.7-58.3
35-44	504	337,986	263	52.6	46.7-58.5	241	47.4	41.5-53.3
45-54	343	166,389	167	45.3	37.7-52.9	176	54.7	47.1-62.3
55-64	111	50,724	58	48.3	36.7-59.9	53	51.7	40.1-63.3
65+	54	29,873	20	32.8	17.3-48.3	34	67.2	51.7-82.7
Less Than H.S.	132	89,623	71	47.1	35.3-58.9	61	52.9	41.1-64.7
H.S. or G.E.D.	338	226,239	174	51.8	44.5-59.1	164	48.2	40.9-55.5
Some Post-H.S.	389	245,012	190	49.9	43.4-56.4	199	50.1	43.6-56.6
College Graduate	568	345,075	288	48.6	42.9-54.3	280	51.4	45.7-57.1
Less than \$15,000	152	101,406	78	54.0	43.2-64.8	74	46.0	35.2-56.8
\$15,000- 24,999	218	161,069	120	52.1	43.1-61.1	98	47.9	38.9-56.9
\$25,000- 34,999	118	66,782	60	50.3	39.7-60.9	58	49.7	39.1-60.3
\$35,000- 49,999	164	92,229	90	57.6	48.2-67.0	74	42.4	33.0-51.8
\$50,000- 74,999	201	131,391	87	42.0	32.4-51.6	114	58.0	48.4-67.6
\$75,000+	470	285,362	239	48.5	42.4-54.6	231	51.5	45.4-57.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2452	1,538,387	140	7.8	06.0-09.6	10	0.3	00.1-00.5	4	0.1	00.0-00.3	46	2.7	01.5-03.9	2247	88.9	86.9-90.9	5	0.2	00.0-00.4
Male	1024	634,440	50	6.5	04.1-08.9	6	0.3	00.1-00.5	2	0.2	00.0-00.4	10	1.9	00.5-03.3	956	91.1	88.4-93.8			
Female	1428	903,947	90	8.7	06.3-11.1	4	0.2	00.0-00.4	2	0.1	00.0-00.3	36	3.3	01.5-05.1	1291	87.3	84.6-90.0	5	0.3	00.1-00.5
White/Non-Hisp	2009	1,150,617	34	2.4	01.2-03.6	5	0.2	00.0-00.4	4	0.2	00.0-00.4	10	0.6	00.2-01.0	1956	96.6	95.4-97.8			
Black or Afr. Am./Non-Hisp	175	168,585	3	1.8	00.0-04.0										171	97.9	95.7-0100	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	56	56,194	1	2.3	00.0-06.8										55	97.7	93.2-0100			
Hispanic	155	129,856	98	64.4	53.0-75.8	5	1.3	00.1-02.5				34	26.9	15.7-38.1	14	5.9	02.4-09.4	4	1.5	00.0-03.3
18-24	193	112,810	15	8.5	03.6-13.4	3	0.7	00.0-01.5	1	0.5	00.0-01.5	3	2.3	00.0-05.4	170	87.7	81.8-93.6	1	0.3	00.0-00.9
25-34	478	379,600	43	13.7	08.6-18.8	1	0.1	00.0-00.3				14	3.7	01.5-05.9	419	82.3	77.0-87.6	1	0.3	00.0-00.9
35-44	838	569,914	49	6.7	04.5-08.9	3	0.2	00.0-00.4	2	0.2	00.0-00.4	15	2.0	00.6-03.4	766	90.7	88.2-93.2	3	0.2	00.0-00.4
45-54	634	332,938	25	5.0	02.1-07.9	2	0.3	00.0-00.7	1	0.2	00.0-00.6	11	3.6	00.0-07.5	595	90.8	86.1-95.5			
55-64	215	92,456	6	2.9	00.0-05.8							3	2.1	00.0-04.6	206	94.9	91.0-98.8			
65+	83	44,102	2	1.8	00.0-04.5	1	1.5	00.0-04.4							80	96.7	92.8-0100			
Less Than H.S.	241	168,548	58	31.1	21.9-40.3	3	0.9	00.0-02.1				17	8.2	04.1-12.3	163	59.7	50.5-68.9			
H.S. or G.E.D.	613	387,006	36	7.6	04.7-10.5	1	0.1	00.0-00.3	2	0.3	00.0-00.7	9	1.8	00.2-03.4	563	90.0	86.7-93.3	2	0.3	00.0-00.7
Some Post-H.S.	631	395,704	24	4.8	02.1-07.5	4	0.3	00.0-00.7				3	0.7	00.0-01.7	597	93.7	90.8-96.6	3	0.4	00.0-01.0
College Graduate	965	586,030	22	3.2	01.4-05.0	2	0.2	00.0-00.4	2	0.2	00.0-00.4	17	3.2	00.7-05.7	922	93.3	90.4-96.2			
Less than \$15,000	198	130,344	23	14.2	07.7-20.7	1	0.5	00.0-01.5				5	2.6	00.0-05.3	169	82.8	75.7-89.9			
\$15,000- 24,999	330	235,336	42	18.8	11.5-26.1	4	0.7	00.0-01.5				9	2.6	00.6-04.6	272	77.3	70.0-84.6	3	0.5	00.0-01.1
\$25,000- 34,999	198	126,283	14	8.6	02.5-14.7	2	0.6	00.0-01.4				4	1.8	00.0-03.8	178	89.0	82.7-95.3			
\$35,000- 49,999	277	178,222	8	3.5	00.8-06.2				1	0.3	00.0-00.9	8	4.2	00.5-07.9	259	91.4	86.7-96.1	1	0.6	00.0-01.8
\$50,000- 74,999	377	228,561	20	6.1	03.0-09.2							6	4.3	00.0-10.2	351	89.7	83.4-96.0			
\$75,000+	900	538,559	19	3.3	01.3-05.3	3	0.2	00.0-00.4	3	0.3	00.0-00.7	9	1.6	00.2-03.0	865	94.6	92.2-97.0	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1024	634,440	50	6.5	04.1-08.9	6	0.3	00.1-00.5	2	0.2	00.0-00.4	10	1.9	00.5-03.3	956	91.1	88.6-93.6
White/Non-Hisp	856	486,043	14	2.5	00.5-04.5	3	0.3	00.0-00.7	2	0.2	00.0-00.6	2	0.4	00.0-00.8	835	96.7	94.7-98.7
Black or Afr. Am./Non-Hisp	61	66,409	2	3.7	00.0-08.8										59	96.3	91.2-0100
18-24	95	54,316	7	6.3	00.2-12.4	3	1.6	00.0-03.4	1	0.9	00.0-02.7	1	0.4	00.0-01.2	83	90.8	84.3-97.3
25-34	168	121,293	12	7.9	02.6-13.2	1	0.2	00.0-00.6				2	3.2	00.0-08.1	153	88.7	81.8-95.6
35-44	330	231,754	19	7.6	03.5-11.7				1	0.2	00.0-00.6	4	2.2	00.0-04.7	306	89.9	85.0-94.8
45-54	291	166,540	8	5.5	00.4-10.6	2	0.6	00.0-01.6				3	1.7	00.0-03.7	278	92.2	86.7-97.7
55-64	105	42,808	2	1.3	00.0-03.1										103	98.7	96.9-0100
Less Than H.S.	106	77,257	23	27.4	15.2-39.6	1	0.4	00.0-01.2				3	3.1	00.0-06.8	79	69.1	56.8-81.4
H.S. or G.E.D.	279	164,088	12	4.4	01.1-07.7	1	0.2	00.0-00.6	2	0.6	00.0-01.6	2	1.9	00.0-05.2	262	92.8	88.1-97.5
Some Post-H.S.	246	153,357	5	1.7	00.1-03.3	2	0.4	00.0-01.0							239	98.0	96.2-99.8
College Graduate	392	238,848	10	4.3	00.6-08.0	2	0.4	00.0-01.0				5	2.7	00.0-05.4	375	92.6	88.1-97.1
\$15,000- 24,999	115	76,612	9	9.1	02.6-15.6	2	0.9	00.0-02.1				2	1.9	00.0-04.6	102	88.2	81.1-95.3
\$25,000- 34,999	82	61,228	5	9.6	00.0-20.8	1	0.4	00.0-01.2							76	90.0	78.8-0100
\$35,000- 49,999	114	86,534	6	5.4	00.5-10.3				1	0.6	00.0-01.8	2	4.4	00.0-11.1	105	89.6	81.6-97.6
\$50,000- 74,999	176	97,048	12	8.5	02.6-14.4							1	0.2	00.0-00.6	163	91.2	85.3-97.1
\$75,000+	428	252,548	7	3.3	00.0-06.6	3	0.5	00.0-01.1	1	0.2	00.0-00.6	5	2.6	00.0-05.3	412	93.5	89.4-97.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1428	903,947	90	8.7	06.3-11.1	4	0.2	00.0-00.4	2	0.1	00.0-00.3	36	3.3	01.5-05.1	1291	87.3	84.6-90.0	5	0.3	00.1-00.5
White/Non-Hisp	1153	664,574	20	2.4	01.2-03.6	2	0.2	00.0-00.4	2	0.1	00.0-00.3	8	0.7	00.1-01.3	1121	96.6	95.2-98.0			
Black or Afr. Am./Non-Hisp	114	102,176	1	0.5	00.0-01.5										112	98.9	97.3-0100	1	0.6	00.0-01.8
Hispanic	106	89,792	65	64.1	49.2-79.0	2	0.9	00.0-02.3				26	27.5	12.6-42.4	9	5.4	01.5-09.3	4	2.1	00.0-04.6
18-24	98	58,494	8	10.5	02.7-18.3							2	4.1	00.0-10.0	87	84.8	75.4-94.2	1	0.6	00.0-01.8
25-34	310	258,306	31	16.4	09.5-23.3							12	3.9	01.5-06.3	266	79.3	72.2-86.4	1	0.4	00.0-01.2
35-44	508	338,161	30	6.0	03.6-08.4	3	0.4	00.0-01.0	1	0.1	00.0-00.3	11	1.9	00.7-03.1	460	91.2	88.5-93.9	3	0.3	00.0-00.7
45-54	343	166,399	17	4.6	02.1-07.1				1	0.3	00.0-00.9	8	5.6	00.0-13.2	317	89.5	81.7-97.3			
55-64	110	49,648	4	4.3	00.0-09.4							3	4.0	00.0-08.7	103	91.7	84.8-98.6			
65+	54	30,181				1	2.2	00.0-06.5							53	97.8	93.5-0100			
Less Than H.S.	135	91,291	35	34.3	21.4-47.2	2	1.4	00.0-03.4				14	12.5	05.6-19.4	84	51.8	39.8-63.8			
H.S. or G.E.D.	334	222,918	24	9.9	05.4-14.4							7	1.8	00.4-03.2	301	87.9	83.2-92.6	2	0.4	00.0-01.0
Some Post-H.S.	385	242,347	19	6.8	02.7-10.9	2	0.3	00.0-00.7				3	1.2	00.0-02.8	358	91.0	86.5-95.5	3	0.6	00.0-01.4
College Graduate	573	347,182	12	2.5	00.9-04.1				2	0.3	00.0-00.7	12	3.5	00.0-07.4	547	93.7	89.6-97.8			
Less than \$15,000	154	102,699	16	12.5	05.2-19.8	1	0.6	00.0-01.8				5	3.2	00.0-06.7	132	83.7	75.9-91.5			
\$15,000- 24,999	215	158,724	33	23.5	13.9-33.1	2	0.6	00.0-01.6				7	3.0	00.5-05.5	170	72.1	62.5-81.7	3	0.8	00.0-01.8
\$25,000- 34,999	116	65,055	9	7.7	02.2-13.2	1	0.8	00.0-02.4				4	3.6	00.1-07.1	102	88.0	81.5-94.5			
\$35,000- 49,999	163	91,688	2	1.8	00.0-04.7							6	4.0	00.1-07.9	154	93.1	87.8-98.4	1	1.1	00.0-03.3
\$50,000- 74,999	201	131,513	8	4.2	01.1-07.3							5	7.2	00.0-17.0	188	88.6	78.6-98.6			
\$75,000+	472	286,011	12	3.3	01.1-05.5				2	0.3	00.0-00.7	4	0.7	00.1-01.3	453	95.6	93.4-97.8	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2419	1,513,008	2342	96.5	95.5-97.5	73	3.4	02.4-04.4	4	0.1	00.1-00.1
Male	1016	626,493	985	96.5	94.9-98.1	31	3.5	01.9-05.1			
Female	1403	886,514	1357	96.5	95.3-97.7	42	3.4	02.2-04.6	4	0.1	00.0-00.3
White/Non-Hisp	2001	1,143,803	1951	97.2	96.2-98.2	49	2.8	01.8-03.8	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	172	167,568	164	95.5	92.2-98.8	7	4.3	01.0-07.6	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	56	55,718	52	91.9	83.3-0100	4	8.1	00.0-16.7			
Hispanic	137	115,247	134	98.3	96.1-0100	2	1.5	00.0-03.7	1	0.2	00.0-00.6
18-24	189	111,197	185	98.1	96.1-0100	3	1.7	00.0-03.7	1	0.2	00.0-00.6
25-34	461	364,116	442	95.9	93.7-98.1	19	4.1	01.9-06.3			
35-44	829	563,980	813	97.7	96.3-99.1	16	2.3	00.9-03.7			
45-54	629	329,068	607	95.3	92.9-97.7	21	4.6	02.2-07.0	1	0.1	00.0-00.3
55-64	216	93,838	207	96.6	94.1-99.1	8	3.2	00.8-05.6	1	0.3	00.0-00.9
65+	84	44,421	77	90.9	82.3-99.5	6	8.6	00.0-17.2	1	0.5	00.0-01.5
Less Than H.S.	226	156,596	213	94.1	90.4-97.8	11	5.5	01.8-09.2	2	0.4	00.0-01.0
H.S. or G.E.D.	612	384,584	590	96.3	94.3-98.3	22	3.7	01.7-05.7			
Some Post-H.S.	628	394,372	613	96.8	94.8-98.8	14	3.2	01.2-05.2	1	0.1	00.0-00.3
College Graduate	950	575,804	923	97.2	96.0-98.4	26	2.8	01.6-04.0	1	0.0	00.0-00.0
Less than \$15,000	196	127,842	185	93.3	89.0-97.6	11	6.7	02.4-11.0			
\$15,000- 24,999	326	231,074	308	94.8	92.1-97.5	16	5.0	02.3-07.7	2	0.2	00.0-00.6
\$25,000- 34,999	198	127,782	190	95.3	91.6-99.0	8	4.7	01.0-08.4			
\$35,000- 49,999	273	175,906	260	94.1	90.0-98.2	12	5.7	01.6-09.8	1	0.2	00.0-00.6
\$50,000- 74,999	372	223,630	367	98.3	96.3-0100	4	1.6	00.0-03.6	1	0.1	00.0-00.3
\$75,000+	888	530,121	870	98.0	97.0-99.0	18	2.0	01.0-03.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Reported Race		Two Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1016	626,493	985	96.5	94.9-98.1	31	3.5	01.9-05.1
White/Non-Hisp	849	479,155	830	97.6	96.0-99.2	19	2.4	00.8-04.0
Black or Afr. Am./Non-Hisp	62	67,301	55	89.3	81.1-97.5	7	10.7	02.5-18.9
18-24	92	53,520	91	99.2	97.6-0100	1	0.8	00.0-02.4
25-34	165	117,608	158	95.5	92.0-99.0	7	4.5	01.0-08.0
35-44	328	229,857	321	97.4	95.0-99.8	7	2.6	00.2-05.0
45-54	290	164,460	280	95.0	91.1-98.9	10	5.0	01.1-08.9
55-64	105	43,149	101	96.6	92.9-0100	4	3.4	00.0-07.1
Less Than H.S.	104	74,982	100	97.3	94.6-0100	4	2.7	00.0-05.4
H.S. or G.E.D.	279	162,956	268	95.4	91.9-98.9	11	4.6	01.1-08.1
Some Post-H.S.	244	153,095	239	96.3	92.8-99.8	5	3.7	00.2-07.2
College Graduate	387	234,017	376	97.2	95.2-99.2	11	2.8	00.8-04.8
\$15,000- 24,999	116	76,291	112	96.1	91.8-0100	4	3.9	00.0-08.2
\$25,000- 34,999	83	62,085	79	93.8	86.7-0100	4	6.2	00.0-13.3
\$35,000- 49,999	113	85,467	109	94.9	88.6-0100	4	5.1	00.0-11.4
\$50,000- 74,999	175	95,264	174	99.5	98.5-0100	1	0.5	00.0-01.5
\$75,000+	422	247,807	412	97.6	95.8-99.4	10	2.4	00.6-04.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1403	886,514	1357	96.5	95.3-97.7	42	3.4	02.2-04.6	4	0.1	00.0-00.3
White/Non-Hisp	1152	664,648	1121	96.9	95.5-98.3	30	3.0	01.6-04.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	110	100,267	109	99.8	99.4-0100				1	0.2	00.0-00.6
Hispanic	92	78,542	90	98.6	96.4-0100	1	1.0	00.0-03.0	1	0.4	00.0-01.2
18-24	97	57,677	94	97.0	93.5-0100	2	2.5	00.0-06.0	1	0.5	00.0-01.5
25-34	296	246,508	284	96.1	93.6-98.6	12	3.9	01.4-06.4			
35-44	501	334,123	492	98.0	96.4-99.6	9	2.0	00.4-03.6			
45-54	339	164,609	327	95.6	92.7-98.5	11	4.3	01.4-07.2	1	0.1	00.0-00.3
55-64	111	50,689	106	96.5	93.2-99.8	4	2.9	00.0-06.0	1	0.5	00.0-01.5
65+	54	30,150	49	87.7	75.4-0100	4	11.5	00.0-23.8	1	0.8	00.0-02.4
Less Than H.S.	122	81,613	113	91.2	84.5-97.9	7	8.1	01.4-14.8	2	0.7	00.0-01.7
H.S. or G.E.D.	333	221,628	322	96.9	94.9-98.9	11	3.1	01.1-05.1			
Some Post-H.S.	384	241,277	374	97.1	94.7-99.5	9	2.8	00.4-05.2	1	0.1	00.0-00.3
College Graduate	563	341,787	547	97.2	95.6-98.8	15	2.8	01.2-04.4	1	0.1	00.0-00.3
Less than \$15,000	151	100,333	144	94.4	89.7-99.1	7	5.6	00.9-10.3			
\$15,000- 24,999	210	154,782	196	94.1	90.6-97.6	12	5.6	02.1-09.1	2	0.3	00.0-00.7
\$25,000- 34,999	115	65,696	111	96.8	93.5-0100	4	3.2	00.0-06.5			
\$35,000- 49,999	160	90,439	151	93.4	87.7-99.1	8	6.3	00.6-12.0	1	0.3	00.0-00.9
\$50,000- 74,999	197	128,366	193	97.3	94.2-0100	3	2.5	00.0-05.6	1	0.1	00.0-00.3
\$75,000+	466	282,314	458	98.4	97.2-99.6	8	1.6	00.4-02.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	61	46,108	28	34.0	22.8-45.2	19	35.0	24.6-45.4	4	6.6	00.0-14.6	9	20.1	07.9-32.3	1	4.3	00.0-12.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2014

MODULE 17: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2474	1,548,775	2018	83.1	81.1-85.1	207	8.4	06.8-10.0	39	1.4	00.8-02.0	109	3.5	02.7-04.3	50	1.8	01.2-02.4	51	1.8	01.2-02.4
Male	1036	640,275	837	82.7	79.8-85.6	54	5.5	03.5-07.5	21	1.4	00.6-02.2	65	5.3	03.7-06.9	27	2.0	01.0-03.0	32	3.1	01.7-04.5
Female	1438	908,500	1181	83.5	81.1-85.9	153	10.4	08.2-12.6	18	1.3	00.5-02.1	44	2.1	01.3-02.9	23	1.7	00.9-02.5	19	1.0	00.4-01.6
White/Non-Hisp	2018	1,156,169	1670	84.4	82.4-86.4	167	8.2	06.6-09.8	29	1.2	00.6-01.8	77	3.1	02.3-03.9	32	1.2	00.8-01.6	43	1.9	01.1-02.7
Black or Afr. Am./Non-Hisp	174	168,154	123	71.2	62.6-79.8	25	15.4	08.1-22.7	4	1.8	00.0-03.8	12	5.5	02.0-09.0	5	3.5	00.4-06.6	5	2.7	00.0-05.4
Oth. Race/Non-Hisp.	57	55,508	44	78.2	65.9-90.5	2	5.7	00.0-13.3	2	2.3	00.0-06.0	4	6.8	00.0-13.9	5	7.0	00.1-13.9			
Hispanic	157	130,493	131	89.9	85.2-94.6	4	1.5	00.0-03.5	2	1.4	00.0-03.6	13	3.1	01.1-05.1	5	3.0	00.3-05.7	2	1.0	00.0-02.6
18-24	192	112,527	74	47.0	38.4-55.6				2	0.4	00.0-01.0	98	43.7	35.5-51.9	12	6.8	02.3-11.3	6	2.0	00.0-04.0
25-34	478	378,319	442	94.3	91.9-96.7	1	0.4	00.0-01.2	2	0.6	00.0-01.4	7	0.6	00.0-01.2	9	1.3	00.3-02.3	17	2.8	01.0-04.6
35-44	844	574,283	807	95.4	93.6-97.2	8	1.2	00.2-02.2	11	1.1	00.3-01.9	3	0.3	00.0-00.7	8	1.0	00.2-01.8	7	1.0	00.0-02.0
45-54	642	336,794	563	83.8	79.5-88.1	49	11.6	07.7-15.5	13	2.3	00.7-03.9				7	1.2	00.2-02.2	10	1.1	00.3-01.9
55-64	218	94,651	108	38.5	30.3-46.7	83	49.8	40.6-59.0	8	3.6	00.9-06.3				11	4.5	01.6-07.4	8	3.5	00.4-06.6
65+	86	44,844	13	14.0	04.2-23.8	65	77.0	65.6-88.4	3	1.5	00.0-03.3				3	4.3	00.0-09.6	2	3.2	00.0-08.1
Less Than H.S.	242	168,471	171	75.9	69.6-82.2	28	11.2	06.7-15.7	6	2.2	00.0-04.4	20	5.8	02.9-08.7	10	3.2	01.0-05.4	7	1.7	00.3-03.1
H.S. or G.E.D.	622	393,342	427	68.5	63.6-73.4	95	17.8	13.3-22.3	16	1.3	00.5-02.1	45	6.2	04.0-08.4	22	3.1	01.5-04.7	17	3.0	01.0-05.0
Some Post-H.S.	638	398,488	511	84.4	81.3-87.5	56	6.6	04.4-08.8	10	1.6	00.4-02.8	35	4.2	02.6-05.8	10	1.1	00.3-01.9	16	2.2	01.0-03.4
College Graduate	968	586,513	906	94.2	92.4-96.0	27	2.4	01.4-03.4	7	1.0	00.2-01.8	9	0.5	00.1-00.9	8	1.1	00.3-01.9	11	0.8	00.2-01.4
Less than \$15,000	198	129,550	142	74.1	65.7-82.5	29	14.9	07.3-22.5	6	3.5	00.4-06.6	4	0.9	00.0-01.9	10	3.7	01.3-06.1	7	2.9	00.5-05.3
\$15,000- 24,999	332	235,732	246	78.5	73.4-83.6	43	11.7	07.6-15.8	8	1.2	00.2-02.2	16	4.4	02.0-06.8	13	3.1	01.1-05.1	6	1.0	00.2-01.8
\$25,000- 34,999	202	129,861	148	73.8	66.4-81.2	31	15.2	09.3-21.1	2	1.2	00.0-03.2	7	3.1	00.6-05.6	5	1.9	00.0-03.9	9	4.8	00.9-08.7
\$35,000- 49,999	281	180,985	218	80.9	75.2-86.6	35	11.3	06.6-16.0	6	1.4	00.0-02.8	13	3.2	01.0-05.4	4	1.9	00.0-04.1	5	1.2	00.0-02.8
\$50,000- 74,999	381	230,541	321	85.6	81.1-90.1	23	6.7	03.2-10.2	10	2.0	00.4-03.6	16	2.6	01.2-04.0	4	0.6	00.0-01.2	7	2.3	00.1-04.5
\$75,000+	902	537,807	828	91.6	89.1-94.1	25	2.9	00.9-04.9	6	0.8	00.0-01.6	27	3.0	01.6-04.4	5	0.6	00.0-01.2	11	1.0	00.2-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1036	640,275	837	82.7	79.8-85.6	54	5.5	03.5-07.5	21	1.4	00.6-02.2	65	5.3	03.7-06.9	27	2.0	01.2-02.8	32	3.1	01.7-04.5
White/Non-Hisp	858	487,765	710	84.0	80.7-87.3	44	5.9	03.4-08.4	15	1.1	00.5-01.7	46	5.0	03.4-06.6	17	1.1	00.5-01.7	26	2.9	01.5-04.3
Black or Afr. Am./Non-Hisp	61	66,379	44	77.6	65.8-89.4	4	5.1	00.0-10.4	1	1.8	00.0-05.3	6	7.0	00.5-13.5	2	2.2	00.0-05.3	4	6.3	00.0-13.4
Hispanic	50	40,452	36	83.9	73.5-94.3				2	4.5	00.0-11.2	10	6.7	02.2-11.2	1	2.3	00.0-06.8	1	2.6	00.0-07.7
18-24	94	54,032	26	31.5	19.5-43.5							57	57.6	45.3-69.9	9	9.6	02.3-16.9	2	1.3	00.0-03.3
25-34	170	122,139	150	89.6	84.1-95.1				1	1.0	00.0-03.0	6	1.8	00.0-03.6	4	1.6	00.0-03.6	9	5.9	01.4-10.4
35-44	332	232,863	312	95.1	92.6-97.6	2	0.3	00.0-00.7	6	1.1	00.1-02.1	1	0.3	00.0-00.9	4	0.6	00.0-01.2	7	2.6	00.4-04.8
45-54	296	169,285	264	89.3	85.0-93.6	12	5.3	01.8-08.8	8	2.1	00.3-03.9				5	1.6	00.0-03.2	7	1.8	00.2-03.4
55-64	106	43,332	69	53.7	38.2-69.2	22	35.9	18.8-53.0	5	3.9	00.4-07.4				5	3.4	00.3-06.5	5	3.1	00.2-06.0
Less Than H.S.	110	80,046	74	74.5	64.9-84.1	8	6.7	01.6-11.8	4	4.0	00.0-08.5	14	9.5	03.6-15.4	6	3.3	00.2-06.4	4	1.9	00.0-03.9
H.S. or G.E.D.	281	165,186	192	67.8	60.2-75.4	27	12.4	05.7-19.1	10	1.8	00.6-03.0	31	10.1	06.0-14.2	12	3.8	01.3-06.3	9	4.1	00.4-07.8
Some Post-H.S.	250	155,288	196	83.0	77.9-88.1	15	4.3	01.8-06.8	4	1.1	00.0-02.3	17	5.4	02.5-08.3	6	1.3	00.1-02.5	12	4.8	01.9-07.7
College Graduate	392	238,004	372	95.4	93.2-97.6	4	1.0	00.0-02.0	3	0.5	00.0-01.1	3	0.6	00.0-01.4	3	0.8	00.0-01.8	7	1.7	00.3-03.1
\$15,000- 24,999	116	76,688	80	75.2	66.4-84.0	13	9.4	03.9-14.9	5	2.5	00.1-04.9	8	6.6	01.7-11.5	5	3.6	00.0-07.7	5	2.6	00.2-05.0
\$25,000- 34,999	84	62,367	63	78.8	68.2-89.4	6	4.2	00.5-07.9	2	2.5	00.0-06.4	3	3.7	00.0-08.2	3	2.3	00.0-05.6	7	8.5	00.9-16.1
\$35,000- 49,999	116	88,517	96	84.4	76.2-92.6	8	8.2	01.3-15.1	3	1.3	00.0-02.9	4	2.7	00.0-05.6	2	1.5	00.0-03.7	3	2.0	00.0-04.9
\$50,000- 74,999	178	97,989	138	78.9	71.3-86.5	11	7.7	02.4-13.0	8	2.9	00.7-05.1	13	5.3	02.2-08.4	3	1.1	00.0-02.5	5	4.2	00.0-08.9
\$75,000+	429	251,931	390	89.9	85.6-94.2	8	3.0	00.0-06.7	2	0.2	00.0-00.4	20	5.1	02.6-07.6	3	0.4	00.0-01.0	6	1.3	00.1-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1438	908,500	1181	83.5	81.1-85.9	153	10.4	08.2-12.6	18	1.3	00.5-02.1	44	2.1	01.3-02.9	23	1.7	00.9-02.5	19	1.0	00.4-01.6
White/Non-Hisp	1160	668,404	960	84.7	82.3-87.1	123	9.9	07.9-11.9	14	1.4	00.4-02.4	31	1.7	01.1-02.3	15	1.2	00.6-01.8	17	1.2	00.4-02.0
Black or Afr. Am./Non-Hisp	113	101,775	79	67.1	55.5-78.7	21	22.0	11.2-32.8	3	1.7	00.0-03.9	6	4.5	00.6-08.4	3	4.4	00.0-09.3	1	0.3	00.0-00.9
Hispanic	107	90,042	95	92.6	87.7-97.5	4	2.2	00.0-04.9				3	1.5	00.0-03.5	4	3.3	00.0-06.6	1	0.3	00.0-00.9
18-24	98	58,494	48	61.4	50.2-72.6				2	0.8	00.0-02.0	41	30.9	20.7-41.1	3	4.3	00.0-09.8	4	2.7	00.0-05.8
25-34	308	256,180	292	96.5	94.5-98.5	1	0.5	00.0-01.5	1	0.4	00.0-01.2	1	0.1	00.0-00.3	5	1.2	00.0-02.4	8	1.3	00.1-02.5
35-44	512	341,420	495	95.6	93.2-98.0	6	1.8	00.2-03.4	5	1.1	00.1-02.1	2	0.3	00.0-00.7	4	1.2	00.0-02.6			
45-54	346	167,509	299	78.2	70.9-85.5	37	18.0	11.1-24.9	5	2.6	00.0-05.3				2	0.7	00.0-01.9	3	0.5	00.0-01.1
55-64	112	51,318	39	25.6	16.6-34.6	61	61.6	50.8-72.4	3	3.4	00.0-07.7				6	5.5	01.0-10.0	3	3.9	00.0-09.0
65+	56	30,573	4	10.9	00.0-23.4	47	81.1	67.0-95.2	2	1.7	00.0-04.1				3	6.3	00.0-13.9			
Less Than H.S.	132	88,426	97	77.1	68.7-85.5	20	15.2	07.8-22.6	2	0.6	00.0-01.6	6	2.4	00.4-04.4	4	3.1	00.0-06.2	3	1.6	00.0-03.6
H.S. or G.E.D.	341	228,157	235	69.0	62.3-75.7	68	21.7	15.6-27.8	6	1.0	00.0-02.0	14	3.4	01.2-05.6	10	2.7	00.7-04.7	8	2.2	00.4-04.0
Some Post-H.S.	388	243,200	315	85.2	81.3-89.1	41	8.1	05.2-11.0	6	1.9	00.3-03.5	18	3.3	01.5-05.1	4	0.9	00.0-01.9	4	0.5	00.0-01.1
College Graduate	576	348,509	534	93.3	90.9-95.7	23	3.4	01.8-05.0	4	1.3	00.0-02.7	6	0.4	00.0-00.8	5	1.3	00.0-02.7	4	0.3	00.1-00.5
Less than \$15,000	153	101,692	112	74.5	64.7-84.3	24	17.2	07.8-26.6	5	3.2	00.1-06.3	3	0.8	00.0-01.8	6	3.3	00.6-06.0	3	1.1	00.0-02.5
\$15,000- 24,999	216	159,044	166	80.1	73.8-86.4	30	12.8	07.3-18.3	3	0.6	00.0-01.4	8	3.4	00.7-06.1	8	2.8	00.6-05.0	1	0.3	00.0-00.9
\$25,000- 34,999	118	67,493	85	69.2	59.2-79.2	25	25.3	15.7-34.9				4	2.5	00.0-05.2	2	1.5	00.0-03.9	2	1.4	00.0-03.4
\$35,000- 49,999	165	92,467	122	77.6	70.0-85.2	27	14.3	07.8-20.8	3	1.6	00.0-04.0	9	3.7	00.8-06.6	2	2.4	00.0-06.1	2	0.4	00.0-01.0
\$50,000- 74,999	203	132,552	183	90.6	85.1-96.1	12	6.0	01.3-10.7	2	1.4	00.0-03.8	3	0.7	00.0-01.5	1	0.3	00.0-00.9	2	0.9	00.0-02.3
\$75,000+	473	285,876	438	93.1	90.4-95.8	17	2.8	01.2-04.4	4	1.4	00.0-03.0	7	1.1	00.1-02.1	2	0.8	00.0-01.8	5	0.8	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014

MODULE 18: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2444	1,533,004	334	13.2	11.4-15.0	2110	86.8	85.0-88.6
Male	1020	631,301	116	11.9	9.0-14.8	904	88.1	85.2-91.0
Female	1424	901,702	218	14.2	11.8-16.6	1206	85.8	83.4-88.2
White/Non-Hisp	1995	1,143,003	258	12.5	10.5-14.5	1737	87.5	85.5-89.5
Black or Afr. Am./Non-Hisp	170	166,769	32	20.0	11.0-29.0	138	80.0	71.0-89.0
Oth. Race/Non-Hisp.	56	55,094	11	16.4	06.4-26.4	45	83.6	73.6-93.6
Hispanic	156	129,881	19	8.2	04.1-12.3	137	91.8	87.7-95.9
18-24	188	111,667	24	10.9	06.0-15.8	164	89.1	84.2-94.0
25-34	478	378,319	45	8.2	05.5-10.9	433	91.8	89.1-94.5
35-44	836	568,524	135	17.3	13.4-21.2	701	82.7	78.8-86.6
45-54	635	333,674	80	11.6	08.7-14.5	555	88.4	85.5-91.3
55-64	213	91,814	30	14.7	08.6-20.8	183	85.3	79.2-91.4
65+	80	41,646	19	19.8	10.0-29.6	61	80.2	70.4-90.0
Less Than H.S.	235	164,169	40	14.0	08.1-19.9	195	86.0	80.1-91.9
H.S. or G.E.D.	615	390,338	91	15.5	11.8-19.2	524	84.5	80.8-88.2
Some Post-H.S.	628	393,229	96	14.2	09.9-18.5	532	85.8	81.5-90.1
College Graduate	962	583,308	107	10.9	08.4-13.4	855	89.1	86.6-91.6
Less than \$15,000	194	127,755	35	12.5	07.2-17.8	159	87.5	82.2-92.8
\$15,000- 24,999	329	234,044	66	16.4	11.3-21.5	263	83.6	78.5-88.7
\$25,000- 34,999	200	129,083	18	10.1	05.0-15.2	182	89.9	84.8-95.0
\$35,000- 49,999	279	179,002	38	15.5	07.9-23.1	241	84.5	76.9-92.1
\$50,000- 74,999	379	229,883	49	12.5	08.2-16.8	330	87.5	83.2-91.8
\$75,000+	894	532,483	109	12.1	09.2-15.0	785	87.9	85.0-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1020	631,301	116	11.9	08.8-15.0	904	88.1	85.0-91.2
White/Non-Hisp	844	479,296	91	10.3	07.8-12.8	753	89.7	87.2-92.2
Black or Afr. Am./Non-Hisp	60	66,070	8	22.5	03.5-41.5	52	77.5	58.5-96.5
Hispanic	50	40,452	6	9.5	01.1-17.9	44	90.5	82.1-98.9
18-24	93	53,848	11	11.0	03.4-18.6	82	89.0	81.4-96.6
25-34	170	122,139	16	9.8	04.3-15.3	154	90.2	84.7-95.7
35-44	329	229,563	45	15.6	08.9-22.3	284	84.4	77.7-91.1
45-54	290	166,721	28	8.6	04.9-12.3	262	91.4	87.7-95.1
55-64	104	42,684	12	10.3	03.4-17.2	92	89.7	82.8-96.6
Less Than H.S.	106	77,276	17	13.7	03.7-23.7	89	86.3	76.3-96.3
H.S. or G.E.D.	279	164,805	39	15.8	10.1-21.5	240	84.2	78.5-89.9
Some Post-H.S.	244	151,569	27	11.1	02.9-19.3	217	88.9	80.7-97.1
College Graduate	388	235,900	33	9.1	05.8-12.4	355	90.9	87.6-94.2
\$15,000- 24,999	114	75,678	24	20.3	09.7-30.9	90	79.7	69.1-90.3
\$25,000- 34,999	82	61,590	4	6.7	00.0-14.0	78	93.3	86.0-100
\$35,000- 49,999	114	86,534	11	14.5	00.4-28.6	103	85.5	71.4-99.6
\$50,000- 74,999	178	98,064	24	14.3	07.6-21.0	154	85.7	79.0-92.4
\$75,000+	423	247,880	37	8.4	05.5-11.3	386	91.6	88.7-94.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1424	901,702	218	14.2	11.8-16.6	1206	85.8	83.4-88.2
White/Non-Hisp	1151	663,707	167	14.1	11.4-16.8	984	85.9	83.2-88.6
Black or Afr. Am./Non-Hisp	110	100,700	24	18.5	10.7-26.3	86	81.5	73.7-89.3
Hispanic	106	89,429	13	7.6	02.9-12.3	93	92.4	87.7-97.1
18-24	95	57,820	13	10.7	04.2-17.2	82	89.3	82.8-95.8
25-34	308	256,180	29	7.4	04.5-10.3	279	92.6	89.7-95.5
35-44	507	338,961	90	18.5	13.8-23.2	417	81.5	76.8-86.2
45-54	345	166,953	52	14.6	09.7-19.5	293	85.4	80.5-90.3
55-64	109	49,130	18	18.5	09.1-27.9	91	81.5	72.1-90.9
65+	54	29,654	15	19.8	08.6-31.0	39	80.2	69.0-91.4
Less Than H.S.	129	86,894	23	14.2	07.7-20.7	106	85.8	79.3-92.3
H.S. or G.E.D.	336	225,532	52	15.2	10.5-19.9	284	84.8	80.1-89.5
Some Post-H.S.	384	241,660	69	16.1	11.2-21.0	315	83.9	79.0-88.8
College Graduate	574	347,408	74	12.1	08.6-15.6	500	87.9	84.4-91.4
Less than \$15,000	150	99,887	26	12.0	06.1-17.9	124	88.0	82.1-93.9
\$15,000- 24,999	215	158,366	42	14.5	09.2-19.8	173	85.5	80.2-90.8
\$25,000- 34,999	118	67,493	14	13.1	06.0-20.2	104	86.9	79.8-94.0
\$35,000- 49,999	165	92,467	27	16.5	09.6-23.4	138	83.5	76.6-90.4
\$50,000- 74,999	201	131,820	25	11.2	05.5-16.9	176	88.8	83.1-94.5
\$75,000+	471	284,602	72	15.3	10.6-20.0	399	84.7	80.0-89.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	330	197,095	215	61.8	54.4-69.2	115	38.2	30.8-45.6
Male	115	71,115	82	63.5	48.8-78.2	33	36.5	21.8-51.2
Female	215	125,980	133	60.9	52.3-69.5	82	39.1	30.5-47.7
White/Non-Hisp	256	142,279	168	63.8	56.0-71.6	88	36.2	28.4-44.0
35-44	133	93,865	83	57.3	44.6-70.0	50	42.7	30.0-55.4
45-54	80	38,825	51	62.8	50.1-75.5	29	37.2	24.5-49.9
H.S. or G.E.D.	90	60,134	60	64.7	52.7-76.7	30	35.3	23.3-47.3
Some Post-H.S.	96	55,759	63	61.0	43.4-78.6	33	39.0	21.4-56.6
College Graduate	105	62,100	68	63.5	51.0-76.0	37	36.5	24.0-49.0
\$15,000- 24,999	63	33,851	40	61.2	46.7-75.7	23	38.8	24.3-53.3
\$75,000+	109	64,384	70	61.8	48.5-75.1	39	38.2	24.9-51.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	115	71,115	82	63.5	49.0-78.0	33	36.5	22.0-51.0
White/Non-Hisp	91	49,408	67	72.6	60.6-84.6	24	27.4	15.4-39.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	215	125,980	133	60.9	52.3-69.5	82	39.1	30.5-47.7
White/Non-Hisp	165	92,871	101	59.2	48.6-69.8	64	40.8	30.2-51.4
35-44	89	61,815	50	55.4	41.3-69.5	39	44.6	30.5-58.7
45-54	52	24,419	33	64.3	48.8-79.8	19	35.7	20.2-51.2
H.S. or G.E.D.	51	34,058	32	65.1	49.6-80.6	19	34.9	19.4-50.4
Some Post-H.S.	69	38,896	45	68.0	55.8-80.2	24	32.0	19.8-44.2
College Graduate	72	40,682	44	56.1	39.4-72.8	28	43.9	27.2-60.6
\$75,000+	72	43,622	43	55.8	37.8-73.8	29	44.2	26.2-62.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2014**

End of Module Data Report