

INDIANA

2017 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11068	4,262,527	7157	57.4	56.2-58.6	3911	42.6	41.4-43.8
Male	4695	2,053,837	2903	53.4	51.4-55.4	1792	46.6	44.6-48.6
Female	6373	2,208,689	4254	61.1	59.3-62.9	2119	38.9	37.1-40.7
White/Non-Hisp	9270	3,422,494	6100	58.6	57.2-60.0	3170	41.4	40.0-42.8
Black or Afr. Am./Non-Hisp	707	352,378	469	59.7	54.6-64.8	238	40.3	35.2-45.4
Oth. Race/Non-Hisp.	235	106,120	126	42.9	34.7-51.1	109	57.1	48.9-65.3
MultiRacial/Non-Hisp.	167	52,193	101	54.5	44.9-64.1	66	45.5	35.9-55.1
Hispanic	502	254,121	247	44.7	39.4-50.0	255	55.3	50.0-60.6
18-24	622	625,820	188	30.8	26.7-34.9	434	69.2	65.1-73.3
25-34	1094	765,575	515	47.9	44.6-51.2	579	52.1	48.8-55.4
35-44	1273	736,831	703	54.2	51.1-57.3	570	45.8	42.7-48.9
45-54	1775	708,773	1146	64.2	61.7-66.7	629	35.8	33.3-38.3
55-64	2358	676,964	1720	72.1	69.9-74.3	638	27.9	25.7-30.1
65+	3946	748,563	2885	72.7	70.9-74.5	1061	27.3	25.5-29.1
Less Than H.S.	822	527,550	420	44.6	40.3-48.9	402	55.4	51.1-59.7
H.S. or G.E.D.	3623	1,442,473	2245	55.7	53.5-57.9	1378	44.3	42.1-46.5
Some Post-H.S.	2780	1,313,986	1864	60.7	58.3-63.1	916	39.3	36.9-41.7
College Graduate	3816	968,950	2612	62.7	60.7-64.7	1204	37.3	35.3-39.3
Less than \$15,000	909	357,267	510	47.4	42.9-51.9	399	52.6	48.1-57.1
\$15,000- 24,999	1670	654,152	1004	51.5	48.2-54.8	666	48.5	45.2-51.8
\$25,000- 34,999	1099	410,496	697	58.8	54.9-62.7	402	41.2	37.3-45.1
\$35,000- 49,999	1461	585,070	972	57.2	53.7-60.7	489	42.8	39.3-46.3
\$50,000- 74,999	1640	640,981	1130	61.8	58.5-65.1	510	38.2	34.9-41.5
\$75,000+	2936	1,132,438	2002	62.8	60.4-65.2	934	37.2	34.8-39.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4695	2,053,837	2903	53.4	51.4-55.4	1792	46.6	44.6-48.6
White/Non-Hisp	3863	1,629,246	2460	55.1	52.9-57.3	1403	44.9	42.7-47.1
Black or Afr. Am./Non-Hisp	260	167,445	154	50.0	42.4-57.6	106	50.0	42.4-57.6
Oth. Race/Non-Hisp.	144	63,800	71	41.9	31.9-51.9	73	58.1	48.1-68.1
MultiRacial/Non-Hisp.	98	30,154	53	51.6	39.4-63.8	45	48.4	36.2-60.6
Hispanic	232	121,018	107	40.9	33.5-48.3	125	59.1	51.7-66.5
18-24	351	321,328	96	26.5	21.2-31.8	255	73.5	68.2-78.8
25-34	536	380,006	221	40.9	36.2-45.6	315	59.1	54.4-63.8
35-44	569	369,724	280	48.3	43.6-53.0	289	51.7	47.0-56.4
45-54	779	344,681	507	63.0	58.9-67.1	272	37.0	32.9-41.1
55-64	1061	323,267	776	72.9	69.8-76.0	285	27.1	24.0-30.2
65+	1399	314,832	1023	71.4	68.5-74.3	376	28.6	25.7-31.5
Less Than H.S.	335	260,275	152	37.7	31.4-44.0	183	62.3	56.0-68.6
H.S. or G.E.D.	1515	727,197	873	50.5	47.4-53.6	642	49.5	46.4-52.6
Some Post-H.S.	1138	594,419	727	57.0	53.5-60.5	411	43.0	39.5-46.5
College Graduate	1692	465,226	1142	62.3	59.4-65.2	550	37.7	34.8-40.6
Less than \$15,000	297	134,753	163	44.8	37.5-52.1	134	55.2	47.9-62.5
\$15,000- 24,999	630	289,318	322	40.9	36.2-45.6	308	59.1	54.4-63.8
\$25,000- 34,999	417	179,159	254	54.2	47.9-60.5	163	45.8	39.5-52.1
\$35,000- 49,999	681	311,216	414	52.2	47.1-57.3	267	47.8	42.7-52.9
\$50,000- 74,999	759	329,411	493	56.4	51.7-61.1	266	43.6	38.9-48.3
\$75,000+	1480	613,874	1008	61.3	58.0-64.6	472	38.7	35.4-42.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6373	2,208,689	4254	61.1	59.3-62.9	2119	38.9	37.1-40.7
White/Non-Hisp	5407	1,793,248	3640	61.8	59.8-63.8	1767	38.2	36.2-40.2
Black or Afr. Am./Non-Hisp	447	184,934	315	68.5	62.6-74.4	132	31.5	25.6-37.4
Oth. Race/Non-Hisp.	91	42,321	55	44.5	30.8-58.2	36	55.5	41.8-69.2
MultiRacial/Non-Hisp.	69	22,040	48	58.3	42.8-73.8	21	41.7	26.2-57.2
Hispanic	270	133,102	140	48.2	40.9-55.5	130	51.8	44.5-59.1
18-24	271	304,493	92	35.4	28.9-41.9	179	64.6	58.1-71.1
25-34	558	385,569	294	54.8	50.1-59.5	264	45.2	40.5-49.9
35-44	704	367,107	423	60.3	56.2-64.4	281	39.7	35.6-43.8
45-54	996	364,092	639	65.4	62.1-68.7	357	34.6	31.3-37.9
55-64	1297	353,698	944	71.3	68.4-74.2	353	28.7	25.8-31.6
65+	2547	433,730	1862	73.7	71.5-75.9	685	26.3	24.1-28.5
Less Than H.S.	487	267,275	268	51.3	45.2-57.4	219	48.7	42.6-54.8
H.S. or G.E.D.	2108	715,275	1372	61.0	58.1-63.9	736	39.0	36.1-41.9
Some Post-H.S.	1642	719,567	1137	63.7	60.6-66.8	505	36.3	33.2-39.4
College Graduate	2124	503,725	1470	63.1	60.4-65.8	654	36.9	34.2-39.6
Less than \$15,000	612	222,514	347	48.9	43.4-54.4	265	51.1	45.6-56.6
\$15,000- 24,999	1040	364,834	682	59.8	55.5-64.1	358	40.2	35.9-44.5
\$25,000- 34,999	682	231,337	443	62.3	57.4-67.2	239	37.7	32.8-42.6
\$35,000- 49,999	780	273,855	558	62.9	57.8-68.0	222	37.1	32.0-42.2
\$50,000- 74,999	881	311,570	637	67.5	63.0-72.0	244	32.5	28.0-37.0
\$75,000+	1456	518,564	994	64.5	61.2-67.8	462	35.5	32.2-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11375	4,363,223	1286	9.4	08.8-10.0	102	0.9	00.7-01.1	9987	89.6	88.8-90.4
Male	4835	2,111,903	530	8.7	07.7-09.7				4305	91.3	90.3-92.3
Female	6540	2,251,320	756	10.2	09.2-11.2	102	1.8	01.4-02.2	5682	88.1	87.1-89.1
White/Non-Hisp	9551	3,507,855	1053	9.1	08.3-09.9	88	0.9	00.7-01.1	8410	90.0	89.2-90.8
Black or Afr. Am./Non-Hisp	719	361,464	119	13.2	10.1-16.3	8	0.8	00.2-01.4	592	86.1	83.0-89.2
Oth. Race/Non-Hisp.	235	106,179	26	9.0	04.5-13.5	1	0.1	00.0-00.3	208	90.9	86.4-95.4
MultiRacial/Non-Hisp.	170	53,190	25	17.1	09.1-25.1				145	82.9	74.9-90.9
Hispanic	510	258,782	40	7.2	04.5-09.9	4	1.4	00.0-02.8	466	91.4	88.3-94.5
18-24	641	644,303	21	4.0	02.0-06.0	2	0.3	00.0-00.7	618	95.7	93.7-97.7
25-34	1110	778,575	57	5.2	03.8-06.6	9	0.8	00.2-01.4	1044	94.0	92.4-95.6
35-44	1299	750,813	106	7.4	05.8-09.0	25	1.9	01.1-02.7	1168	90.7	88.9-92.5
45-54	1821	725,732	190	10.4	08.8-12.0	20	1.0	00.4-01.6	1611	88.6	86.8-90.4
55-64	2406	689,317	349	15.0	13.2-16.8	21	0.9	00.3-01.5	2036	84.1	82.3-85.9
65+	4098	774,483	563	14.4	13.0-15.8	25	0.6	00.4-00.8	3510	85.0	83.6-86.4
Less Than H.S.	841	539,779	100	10.0	07.6-12.4	14	1.3	00.5-02.1	727	88.7	86.2-91.2
H.S. or G.E.D.	3733	1,474,451	438	9.6	08.4-10.8	28	0.9	00.5-01.3	3267	89.5	88.3-90.7
Some Post-H.S.	2860	1,348,869	327	9.5	08.3-10.7	21	0.7	00.3-01.1	2512	89.8	88.4-91.2
College Graduate	3913	990,491	417	8.9	07.9-09.9	39	1.0	00.6-01.4	3457	90.1	88.9-91.3
Less than \$15,000	928	366,058	136	12.4	09.5-15.3	8	0.8	00.2-01.4	784	86.8	83.9-89.7
\$15,000- 24,999	1717	665,313	218	11.4	09.4-13.4	20	1.5	00.7-02.3	1479	87.0	84.8-89.2
\$25,000- 34,999	1126	418,805	138	10.1	07.9-12.3	13	1.5	00.5-02.5	975	88.4	86.0-90.8
\$35,000- 49,999	1506	603,558	182	10.1	08.1-12.1	12	0.4	00.2-00.6	1312	89.4	87.4-91.4
\$50,000- 74,999	1670	649,650	176	9.4	07.6-11.2	15	0.9	00.3-01.5	1479	89.7	87.9-91.5
\$75,000+	3014	1,159,487	297	7.8	06.6-09.0	27	0.9	00.5-01.3	2690	91.4	90.2-92.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4835	2,111,903	530	8.7	07.7-09.7	4305	91.3	90.3-92.3
White/Non-Hisp	3987	1,677,205	435	8.4	07.4-09.4	3552	91.6	90.6-92.6
Black or Afr. Am./Non-Hisp	267	174,025	37	10.6	06.7-14.5	230	89.4	85.5-93.3
Oth. Race/Non-Hisp.	144	63,800	12	5.9	01.6-10.2	132	94.1	89.8-98.4
MultiRacial/Non-Hisp.	101	31,151	19	20.6	10.6-30.6	82	79.4	69.4-89.4
Hispanic	236	123,101	14	5.9	01.8-10.0	222	94.1	90.0-98.2
18-24	366	336,428	7	2.3	00.5-04.1	359	97.7	95.9-99.5
25-34	546	388,186	23	3.9	02.1-05.7	523	96.1	94.3-97.9
35-44	581	376,495	42	6.4	04.2-08.6	539	93.6	91.4-95.8
45-54	806	355,631	87	10.0	07.6-12.4	719	90.0	87.6-92.4
55-64	1088	330,581	147	14.2	11.7-16.7	941	85.8	83.3-88.3
65+	1448	324,581	224	16.5	14.1-18.9	1224	83.5	81.1-85.9
Less Than H.S.	346	267,716	37	7.9	05.0-10.8	309	92.1	89.2-95.0
H.S. or G.E.D.	1553	742,368	172	8.9	07.3-10.5	1381	91.1	89.5-92.7
Some Post-H.S.	1181	617,987	134	8.7	06.9-10.5	1047	91.3	89.5-93.1
College Graduate	1740	477,112	185	8.9	07.3-10.5	1555	91.1	89.5-92.7
Less than \$15,000	306	140,398	47	9.9	06.4-13.4	259	90.1	86.6-93.6
\$15,000- 24,999	645	293,511	72	10.4	07.5-13.3	573	89.6	86.7-92.5
\$25,000- 34,999	430	185,810	58	11.3	07.8-14.8	372	88.7	85.2-92.2
\$35,000- 49,999	702	320,712	78	9.0	06.5-11.5	624	91.0	88.5-93.5
\$50,000- 74,999	772	333,074	77	8.1	05.9-10.3	695	91.9	89.7-94.1
\$75,000+	1528	631,308	150	7.7	06.1-09.3	1378	92.3	90.7-93.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6540	2,251,320	756	10.2	09.2-11.2	102	1.8	01.4-02.2	5682	88.1	87.1-89.1
White/Non-Hisp	5564	1,830,650	618	9.7	08.7-10.7	88	1.8	01.4-02.2	4858	88.5	87.3-89.7
Black or Afr. Am./Non-Hisp	452	187,439	82	15.5	11.0-20.0	8	1.5	00.3-02.7	362	83.0	78.3-87.7
Oth. Race/Non-Hisp.	91	42,379	14	13.6	04.4-22.8	1	0.2	00.0-00.6	76	86.2	77.0-95.4
MultiRacial/Non-Hisp.	69	22,040	6	12.1	00.0-25.2				63	87.9	74.8-100
Hispanic	274	135,681	26	8.4	04.5-12.3	4	2.6	00.0-05.3	244	89.0	84.3-93.7
18-24	275	307,874	14	5.9	02.6-09.2	2	0.6	00.0-01.6	259	93.6	90.1-97.1
25-34	564	390,388	34	6.5	04.1-08.9	9	1.6	00.4-02.8	521	92.0	89.5-94.5
35-44	718	374,318	64	8.4	06.0-10.8	25	3.8	02.0-05.6	629	87.8	85.1-90.5
45-54	1015	370,101	103	10.7	08.3-13.1	20	1.9	00.9-02.9	892	87.3	84.8-89.8
55-64	1318	358,736	202	15.7	13.2-18.2	21	1.8	00.8-02.8	1095	82.5	80.0-85.0
65+	2650	449,903	339	13.0	11.4-14.6	25	1.0	00.6-01.4	2286	86.1	84.5-87.7
Less Than H.S.	495	272,063	63	12.1	08.4-15.8	14	2.6	00.8-04.4	418	85.2	81.3-89.1
H.S. or G.E.D.	2180	732,083	266	10.3	08.7-11.9	28	1.8	01.0-02.6	1886	87.9	86.1-89.7
Some Post-H.S.	1679	730,882	193	10.1	08.3-11.9	21	1.4	00.6-02.2	1465	88.5	86.5-90.5
College Graduate	2173	513,379	232	9.0	07.6-10.4	39	1.9	01.1-02.7	1902	89.1	87.5-90.7
Less than \$15,000	622	225,660	89	13.9	09.8-18.0	8	1.3	00.3-02.3	525	84.8	80.5-89.1
\$15,000- 24,999	1072	371,802	146	12.3	09.8-14.8	20	2.7	01.1-04.3	906	85.0	82.1-87.9
\$25,000- 34,999	696	232,995	80	9.2	06.7-11.7	13	2.7	00.9-04.5	603	88.2	85.3-91.1
\$35,000- 49,999	804	282,845	104	11.5	08.6-14.4	12	0.9	00.3-01.5	688	87.6	84.7-90.5
\$50,000- 74,999	898	316,576	99	10.8	08.1-13.5	15	1.8	00.6-03.0	784	87.3	84.4-90.2
\$75,000+	1486	528,179	147	7.9	06.3-09.5	27	1.9	00.9-02.9	1312	90.2	88.4-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2163	594,253	753	34.9	32.4-37.4	1410	65.1	62.6-67.6
Male	968	303,949	355	36.8	32.9-40.7	613	63.2	59.3-67.1
Female	1195	290,304	398	32.9	29.4-36.4	797	67.1	63.6-70.6
White/Non-Hisp	1792	474,152	627	35.2	32.3-38.1	1165	64.8	61.9-67.7
Black or Afr. Am./Non-Hisp	195	64,237	81	40.1	31.5-48.7	114	59.9	51.3-68.5
Hispanic	63	24,930	14	20.6	09.2-32.0	49	79.4	68.0-90.8
35-44	73	42,033	20	25.3	14.5-36.1	53	74.7	63.9-85.5
45-54	256	100,483	103	41.1	33.7-48.5	153	58.9	51.5-66.3
55-64	565	169,150	196	33.2	28.5-37.9	369	66.8	62.1-71.5
65+	1231	251,325	421	35.2	31.9-38.5	810	64.8	61.5-68.1
Less Than H.S.	222	101,862	87	38.0	30.2-45.8	135	62.0	54.2-69.8
H.S. or G.E.D.	833	224,046	288	34.5	30.4-38.6	545	65.5	61.4-69.6
Some Post-H.S.	566	176,980	208	35.9	31.0-40.8	358	64.1	59.2-69.0
College Graduate	538	90,902	168	30.5	25.8-35.2	370	69.5	64.8-74.2
Less than \$15,000	278	81,149	111	38.4	31.1-45.7	167	61.6	54.3-68.9
\$15,000- 24,999	482	130,492	185	38.4	32.7-44.1	297	61.6	55.9-67.3
\$25,000- 34,999	273	75,076	95	34.7	27.3-42.1	178	65.3	57.9-72.7
\$35,000- 49,999	302	79,824	112	37.8	30.9-44.7	190	62.2	55.3-69.1
\$50,000- 74,999	255	73,999	72	27.4	20.3-34.5	183	72.6	65.5-79.7
\$75,000+	313	84,984	82	26.6	20.1-33.1	231	73.4	66.9-79.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	968	303,949	355	36.8	32.9-40.7	613	63.2	59.3-67.1
White/Non-Hisp	815	246,583	298	37.4	33.1-41.7	517	62.6	58.3-66.9
Black or Afr. Am./Non-Hisp	71	29,943	31	40.2	26.5-53.9	40	59.8	46.1-73.5
45-54	116	52,542	49	41.6	30.6-52.6	67	58.4	47.4-69.4
55-64	269	87,125	93	34.1	27.2-41.0	176	65.9	59.0-72.8
65+	533	127,631	200	40.3	35.2-45.4	333	59.7	54.6-64.8
Less Than H.S.	98	54,923	40	42.0	30.8-53.2	58	58.0	46.8-69.2
H.S. or G.E.D.	335	106,562	124	36.0	29.7-42.3	211	64.0	57.7-70.3
Some Post-H.S.	240	87,995	93	37.9	30.6-45.2	147	62.1	54.8-69.4
College Graduate	292	54,123	96	31.4	25.1-37.7	196	68.6	62.3-74.9
Less than \$15,000	102	35,509	45	42.9	31.5-54.3	57	57.1	45.7-68.5
\$15,000- 24,999	182	61,560	72	38.8	30.0-47.6	110	61.2	52.4-70.0
\$25,000- 34,999	114	37,851	47	38.3	26.7-49.9	67	61.7	50.1-73.3
\$35,000- 49,999	152	44,931	59	39.8	30.0-49.6	93	60.2	50.4-70.0
\$50,000- 74,999	125	38,026	39	29.7	20.3-39.1	86	70.3	60.9-79.7
\$75,000+	195	55,636	52	26.9	18.5-35.3	143	73.1	64.7-81.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1195	290,304	398	32.9	29.4-36.4	797	67.1	63.6-70.6
White/Non-Hisp	977	227,568	329	32.9	29.2-36.6	648	67.1	63.4-70.8
Black or Afr. Am./Non-Hisp	124	34,294	50	40.0	29.0-51.0	74	60.0	49.0-71.0
45-54	140	47,942	54	40.6	30.8-50.4	86	59.4	49.6-69.2
55-64	296	82,024	103	32.4	26.1-38.7	193	67.6	61.3-73.9
65+	698	123,694	221	29.9	25.8-34.0	477	70.1	66.0-74.2
Less Than H.S.	124	46,939	47	33.3	22.9-43.7	77	66.7	56.3-77.1
H.S. or G.E.D.	498	117,483	164	33.2	28.1-38.3	334	66.8	61.7-71.9
Some Post-H.S.	326	88,984	115	33.8	27.3-40.3	211	66.2	59.7-72.7
College Graduate	246	36,779	72	29.1	22.0-36.2	174	70.9	63.8-78.0
Less than \$15,000	176	45,639	66	34.8	25.8-43.8	110	65.2	56.2-74.2
\$15,000- 24,999	300	68,932	113	38.0	30.7-45.3	187	62.0	54.7-69.3
\$25,000- 34,999	159	37,225	48	31.0	22.0-40.0	111	69.0	60.0-78.0
\$35,000- 49,999	150	34,893	53	35.2	25.6-44.8	97	64.8	55.2-74.4
\$50,000- 74,999	130	35,972	33	25.0	14.6-35.4	97	75.0	64.6-85.4
\$75,000+	118	29,349	30	25.9	16.1-35.7	88	74.1	64.3-83.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2133	584,732	278	12.4	10.6-14.2	537	26.1	23.7-28.5	1285	59.6	56.9-62.3	33	1.8	01.0-02.6
Male	955	299,168	126	13.3	10.6-16.0	279	27.2	23.9-30.5	533	58.0	54.1-61.9	17	1.5	00.7-02.3
Female	1178	285,564	152	11.5	09.3-13.7	258	25.0	21.5-28.5	752	61.3	57.6-65.0	16	2.1	00.9-03.3
White/Non-Hisp	1765	466,235	230	12.5	10.5-14.5	444	25.2	22.7-27.7	1062	60.2	57.3-63.1	29	2.0	01.0-03.0
Black or Afr. Am./Non-Hisp	194	63,941	19	9.8	04.3-15.3	44	26.8	18.8-34.8	130	63.0	54.2-71.8	1	0.4	00.0-01.2
Hispanic	60	23,522	8	12.3	03.7-20.9	21	38.4	23.3-53.5	30	48.8	33.3-64.3	1	0.4	00.0-01.4
35-44	72	41,315	14	21.6	10.6-32.6	18	22.9	12.5-33.3	39	53.2	40.3-66.1	1	2.3	00.0-06.8
45-54	250	98,101	32	11.1	06.8-15.4	57	23.8	17.5-30.1	155	62.6	55.5-69.7	6	2.5	00.3-04.7
55-64	558	166,351	70	11.5	08.4-14.6	144	27.8	23.3-32.3	333	58.9	54.0-63.8	11	1.9	00.7-03.1
65+	1216	248,162	154	11.3	09.3-13.3	311	26.9	23.8-30.0	737	60.4	57.1-63.7	14	1.3	00.3-02.3
Less Than H.S.	216	97,952	19	7.7	03.2-12.2	53	28.6	20.8-36.4	143	62.9	54.7-71.1	1	0.8	00.0-02.4
H.S. or G.E.D.	822	221,412	107	13.0	10.1-15.9	199	25.3	21.6-29.0	504	60.0	55.9-64.1	12	1.6	00.4-02.8
Some Post-H.S.	557	174,443	74	13.1	09.8-16.4	129	23.8	19.5-28.1	345	61.1	56.2-66.0	9	2.0	00.6-03.4
College Graduate	535	90,580	78	14.9	11.0-18.8	155	29.8	24.9-34.7	291	52.4	47.1-57.7	11	2.9	00.9-04.9
Less than \$15,000	274	79,692	42	15.7	10.4-21.0	47	18.8	12.5-25.1	182	64.5	57.2-71.8	3	1.1	00.0-02.7
\$15,000- 24,999	474	127,385	39	7.1	04.2-10.0	99	23.2	18.3-28.1	331	67.7	62.2-73.2	5	2.0	00.0-04.0
\$25,000- 34,999	271	74,064	30	10.6	05.7-15.5	67	23.3	17.0-29.6	165	62.0	54.6-69.4	9	4.1	01.2-07.0
\$35,000- 49,999	298	78,880	47	12.6	08.3-16.9	84	29.7	23.0-36.4	160	55.1	48.0-62.2	7	2.6	00.4-04.8
\$50,000- 74,999	254	73,780	34	11.3	06.6-16.0	89	37.4	29.2-45.6	129	50.9	42.7-59.1	2	0.5	00.0-01.1
\$75,000+	310	84,512	57	18.7	13.2-24.2	96	28.5	22.6-34.4	153	51.9	45.0-58.8	4	0.9	00.0-01.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	955	299,168	126	13.3	10.6-16.0	279	27.2	23.7-30.7	533	58.0	54.1-61.9	17	1.5	00.7-02.3
White/Non-Hisp	804	243,050	109	13.3	10.2-16.4	234	26.3	22.6-30.0	446	58.8	54.5-63.1	15	1.7	00.7-02.7
Black or Afr. Am./Non-Hisp	71	29,943	7	12.6	02.6-22.6	22	31.8	18.7-44.9	42	55.6	41.5-69.7			
45-54	115	52,241	15	11.7	05.2-18.2	26	22.0	13.4-30.6	71	64.6	54.4-74.8	3	1.7	00.0-03.9
55-64	266	85,422	34	12.3	07.6-17.0	77	30.4	23.7-37.1	151	56.2	49.1-63.3	4	1.0	00.0-02.0
65+	526	126,031	63	9.8	07.1-12.5	167	30.7	26.0-35.4	286	57.5	52.4-62.6	10	2.1	00.5-03.7
Less Than H.S.	95	52,617	7	8.0	00.9-15.1	28	26.7	16.9-36.5	59	63.7	52.7-74.7	1	1.6	00.0-04.5
H.S. or G.E.D.	329	105,141	45	13.5	08.8-18.2	93	25.8	20.3-31.3	186	59.7	53.2-66.2	5	1.0	00.0-02.0
Some Post-H.S.	238	87,197	35	15.0	09.5-20.5	62	26.1	19.6-32.6	137	57.8	50.4-65.2	4	1.1	00.0-02.3
College Graduate	290	53,867	39	15.1	09.6-20.6	95	32.3	25.6-39.0	149	49.7	42.6-56.8	7	2.8	00.4-05.2
Less than \$15,000	101	34,629	16	16.3	07.9-24.7	22	22.7	12.9-32.5	62	60.5	49.1-71.9	1	0.4	00.0-01.2
\$15,000- 24,999	176	58,851	15	6.9	02.6-11.2	45	24.8	17.4-32.2	114	67.6	59.6-75.6	2	0.7	00.0-01.9
\$25,000- 34,999	113	37,510	8	9.2	01.4-17.0	32	23.4	14.0-32.8	68	62.3	50.5-74.1	5	5.0	00.0-10.1
\$35,000- 49,999	150	44,454	21	11.6	05.3-17.9	51	33.3	23.7-42.9	75	53.6	43.4-63.8	3	1.5	00.0-03.5
\$50,000- 74,999	125	38,026	15	11.3	04.4-18.2	44	33.3	23.3-43.3	64	54.5	43.7-65.3	2	0.9	00.0-02.3
\$75,000+	193	55,297	41	21.7	14.3-29.1	60	26.9	19.6-34.2	89	50.5	41.5-59.5	3	0.9	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1178	285,564	152	11.5	09.3-13.7	258	25.0	21.5-28.5	752	61.3	57.6-65.0	16	2.1	00.9-03.3
White/Non-Hisp	961	223,186	121	11.7	09.2-14.2	210	24.0	20.5-27.5	616	61.8	57.9-65.7	14	2.5	00.9-04.1
Black or Afr. Am./Non-Hisp	123	33,997	12	7.4	02.5-12.3	22	22.3	12.5-32.1	88	69.6	59.2-80.0	1	0.8	00.0-02.2
45-54	135	45,860	17	10.3	04.8-15.8	31	25.9	17.1-34.7	84	60.4	50.6-70.2	3	3.4	00.0-07.5
55-64	292	80,930	36	10.5	06.6-14.4	67	25.0	18.7-31.3	182	61.6	54.7-68.5	7	2.8	00.6-05.0
65+	690	122,131	91	12.9	10.0-15.8	144	23.1	19.0-27.2	451	63.5	59.0-68.0	4	0.6	00.0-01.2
Less Than H.S.	121	45,335	12	7.3	02.0-12.6	25	30.8	18.5-43.1	84	61.9	49.6-74.2			
H.S. or G.E.D.	493	116,271	62	12.5	09.0-16.0	106	24.9	20.0-29.8	318	60.3	54.8-65.8	7	2.2	00.0-04.4
Some Post-H.S.	319	87,245	39	11.2	07.3-15.1	67	21.6	15.9-27.3	208	64.4	57.9-70.9	5	2.8	00.3-05.3
College Graduate	245	36,712	39	14.4	09.3-19.5	60	26.2	18.9-33.5	142	56.4	48.6-64.2	4	3.0	00.1-05.9
Less than \$15,000	173	45,063	26	15.2	08.3-22.1	25	15.8	07.8-23.8	120	67.5	57.9-77.1	2	1.5	00.0-04.2
\$15,000- 24,999	298	68,534	24	7.2	03.5-10.9	54	21.9	15.4-28.4	217	67.7	60.4-75.0	3	3.1	00.0-06.8
\$25,000- 34,999	158	36,554	22	12.0	06.3-17.7	35	23.2	15.0-31.4	97	61.7	52.5-70.9	4	3.0	00.0-06.1
\$35,000- 49,999	148	34,426	26	13.8	07.9-19.7	33	25.1	16.3-33.9	85	57.0	47.2-66.8	4	4.1	00.0-08.6
\$50,000- 74,999	129	35,753	19	11.2	05.1-17.3	45	41.7	28.8-54.6	65	47.0	34.8-59.2			
\$75,000+	117	29,215	16	12.9	05.3-20.5	36	31.6	21.4-41.8	64	54.6	43.8-65.4	1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2098	570,473	1125	53.1	50.4-55.8	474	23.4	21.0-25.8	139	6.2	05.0-07.4	38	1.8	01.0-02.6	312	14.5	12.5-16.5	10	1.1	00.3-01.9
Male	935	291,331	480	49.6	45.5-53.7	219	24.1	20.6-27.6	57	6.1	04.1-08.1	26	2.5	01.3-03.7	149	16.5	13.4-19.6	4	1.1	00.0-02.5
Female	1163	279,142	645	56.7	53.0-60.4	255	22.5	19.4-25.6	82	6.3	04.7-07.9	12	1.0	00.2-01.8	163	12.5	10.1-14.9	6	1.0	00.0-02.0
White/Non-Hisp	1739	455,022	911	51.9	49.0-54.8	400	23.8	21.3-26.3	125	6.9	05.3-08.5	30	1.6	00.8-02.4	266	15.1	12.9-17.3	7	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	195	64,237	129	63.6	54.8-72.4	38	20.5	13.6-27.4	9	3.0	00.8-05.2	3	2.3	00.0-05.4	15	8.0	02.9-13.1	1	2.6	00.0-07.5
Hispanic	59	23,044	26	40.2	25.1-55.3	13	27.8	12.7-42.9	1	1.6	00.0-04.7	2	2.6	00.0-06.3	15	22.3	10.5-34.1	2	5.7	00.0-13.7
35-44	71	40,371	35	44.4	31.5-57.3	16	23.6	12.6-34.6	2	1.7	00.0-04.4	1	1.3	00.0-03.8	16	24.9	13.5-36.3	1	4.1	00.0-11.9
45-54	251	98,301	139	55.4	48.0-62.8	61	24.6	18.1-31.1	19	7.6	03.9-11.3	3	1.3	00.0-02.9	27	9.8	05.5-14.1	2	1.3	00.0-03.3
55-64	554	164,450	314	56.0	51.1-60.9	127	24.1	19.8-28.4	33	6.2	03.7-08.7	9	1.9	00.3-03.5	69	11.3	08.4-14.2	2	0.5	00.0-01.3
65+	1186	239,274	621	52.5	49.0-56.0	260	21.9	19.2-24.6	83	6.8	05.0-08.6	25	2.1	00.9-03.3	194	16.4	13.7-19.1	3	0.4	00.0-00.8
Less Than H.S.	205	90,771	109	53.8	45.4-62.2	48	23.2	16.1-30.3	11	5.4	01.5-09.3	2	1.1	00.0-02.7	32	14.6	08.9-20.3	3	2.0	00.0-04.4
H.S. or G.E.D.	806	216,379	442	54.7	50.4-59.0	167	19.8	16.5-23.1	50	5.8	03.8-07.8	11	1.3	00.3-02.3	132	17.0	13.7-20.3	4	1.5	00.0-03.3
Some Post-H.S.	554	173,303	293	50.9	45.8-56.0	140	28.4	23.7-33.1	38	5.7	03.5-07.9	9	2.2	00.6-03.8	72	12.2	08.9-15.5	2	0.6	00.0-01.6
College Graduate	531	89,759	280	52.6	47.3-57.9	119	22.5	18.0-27.0	39	8.8	05.5-12.1	16	2.8	01.0-04.6	76	13.1	09.8-16.4	1	0.1	00.0-00.3
Less than \$15,000	268	77,741	153	58.7	51.3-66.1	54	20.9	14.6-27.2	12	5.2	02.1-08.3	3	1.1	00.0-02.5	46	14.1	09.4-18.8			
\$15,000- 24,999	464	123,620	267	57.1	51.4-62.8	104	24.0	19.1-28.9	26	5.0	02.3-07.7	6	1.5	00.0-03.1	59	11.6	08.1-15.1	2	0.7	00.0-01.7
\$25,000- 34,999	270	74,433	131	43.6	36.0-51.2	70	27.5	20.2-34.8	17	5.4	02.3-08.5	6	2.2	00.0-04.4	42	16.3	10.2-22.4	4	5.1	00.0-10.4
\$35,000- 49,999	294	77,409	166	57.8	50.5-65.1	67	24.0	17.9-30.1	19	5.7	02.2-09.2	4	1.5	00.0-03.7	38	11.0	06.5-15.5			
\$50,000- 74,999	254	73,578	138	51.2	43.0-59.4	62	26.5	19.2-33.8	15	6.7	03.0-10.4	9	2.6	00.4-04.8	29	12.1	07.0-17.2	1	1.0	00.0-03.0
\$75,000+	307	82,841	150	49.2	42.3-56.1	63	19.6	14.1-25.1	31	8.6	05.1-12.1	6	1.5	00.0-03.1	56	20.7	14.2-27.2	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	935	291,331	480	49.6	45.5-53.7	219	24.1	20.6-27.6	57	6.1	04.1-08.1	26	2.5	01.3-03.7	149	16.5	13.4-19.6	4	1.1	00.0-02.5
White/Non-Hisp	789	236,514	396	49.2	44.9-53.5	189	24.3	20.6-28.0	52	6.6	04.4-08.8	19	2.2	01.0-03.4	132	17.6	14.1-21.1	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	71	29,943	45	59.2	44.7-73.7	14	17.2	07.4-27.0	3	3.4	00.0-07.3	3	4.9	00.0-11.4	5	9.7	00.7-18.7	1	5.5	00.0-15.9
45-54	115	52,331	62	54.0	43.0-65.0	27	25.0	15.2-34.8	10	7.8	02.3-13.3	3	2.5	00.0-05.4	11	8.2	02.3-14.1	2	2.5	00.0-06.0
55-64	263	84,307	145	53.8	46.5-61.1	66	26.7	20.2-33.2	13	6.3	02.2-10.4	7	2.8	00.3-05.3	32	10.4	06.5-14.3			
65+	509	120,459	257	49.9	44.6-55.2	112	21.1	17.0-25.2	33	6.6	04.1-09.1	15	2.6	00.8-04.4	91	19.5	15.0-24.0	1	0.2	00.0-00.6
Less Than H.S.	91	49,015	45	48.8	36.8-60.8	24	25.1	14.9-35.3	3	4.5	00.0-10.2	2	2.0	00.0-04.9	15	16.9	07.9-25.9	2	2.7	00.0-06.6
H.S. or G.E.D.	320	102,410	169	51.9	45.2-58.6	65	18.7	13.6-23.8	19	6.1	03.0-09.2	7	2.0	00.2-03.8	58	19.4	13.7-25.1	2	1.9	00.0-05.0
Some Post-H.S.	236	86,612	113	44.9	37.5-52.3	72	33.1	25.8-40.4	14	5.3	02.2-08.4	6	3.2	00.3-06.1	31	13.5	08.2-18.8			
College Graduate	286	53,034	152	53.5	46.4-60.6	58	19.4	13.9-24.9	20	8.8	04.1-13.5	11	3.0	01.0-05.0	45	15.3	10.4-20.2			
Less than \$15,000	98	32,959	48	53.0	41.2-64.8	28	25.8	15.8-35.8	5	5.6	00.7-10.5	2	1.5	00.0-03.9	15	14.2	06.6-21.8			
\$15,000- 24,999	171	57,616	95	55.7	46.7-64.7	39	23.6	15.8-31.4	10	6.0	01.1-10.9	5	3.1	00.0-06.2	21	10.7	05.8-15.6	1	0.7	00.0-02.1
\$25,000- 34,999	112	37,431	51	33.5	22.7-44.3	30	30.9	18.9-42.9	6	5.0	00.5-09.5	2	2.7	00.0-06.4	21	21.2	10.8-31.6	2	6.8	00.0-16.2
\$35,000- 49,999	146	42,904	83	58.8	48.6-69.0	32	23.6	15.0-32.2	7	4.3	00.0-09.0	3	2.4	00.0-06.3	21	10.9	04.6-17.2			
\$50,000- 74,999	124	37,606	66	46.4	35.6-57.2	31	28.0	17.6-38.4	5	6.7	00.8-12.6	7	4.4	00.5-08.3	15	14.6	06.6-22.6			
\$75,000+	192	55,215	89	45.4	36.6-54.2	38	19.9	12.8-27.0	18	7.5	03.6-11.4	5	1.2	00.0-02.4	42	25.9	17.1-34.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1163	279,142	645	56.7	53.0-60.4	255	22.5	19.4-25.6	82	6.3	04.7-07.9	12	1.0	00.2-01.8	163	12.5	10.1-14.9	6	1.0	00.0-02.0
White/Non-Hisp	950	218,507	515	54.8	50.9-58.7	211	23.2	19.7-26.7	73	7.2	05.2-09.2	11	0.9	00.1-01.7	134	12.5	10.0-15.0	6	1.3	00.1-02.5
Black or Afr. Am./Non-Hisp	124	34,294	84	67.5	57.1-77.9	24	23.4	14.0-32.8	6	2.6	00.2-05.0				10	6.5	01.2-11.8			
45-54	136	45,970	77	56.9	47.1-66.7	34	24.1	15.9-32.3	9	7.5	02.2-12.8				16	11.5	05.4-17.6			
55-64	291	80,143	169	58.2	51.5-64.9	61	21.4	15.7-27.1	20	6.1	03.2-09.0	2	0.9	00.0-02.3	37	12.3	08.0-16.6	2	1.0	00.0-02.6
65+	677	118,815	364	55.1	50.6-59.6	148	22.7	18.8-26.6	50	6.9	04.5-09.3	10	1.6	00.2-03.0	103	13.2	10.3-16.1	2	0.5	00.0-01.3
Less Than H.S.	114	41,756	64	59.6	48.0-71.2	24	21.0	11.6-30.4	8	6.4	01.1-11.7				17	11.8	05.3-18.3	1	1.2	00.0-03.6
H.S. or G.E.D.	486	113,969	273	57.2	51.7-62.7	102	20.8	16.3-25.3	31	5.5	03.3-07.7	4	0.6	00.0-01.4	74	14.8	10.9-18.7	2	1.1	00.0-02.7
Some Post-H.S.	318	86,692	180	57.0	50.3-63.7	68	23.6	17.7-29.5	24	6.1	03.0-09.2	3	1.2	00.0-02.8	41	10.9	06.8-15.0	2	1.2	00.0-03.0
College Graduate	245	36,725	128	51.2	43.4-59.0	61	27.1	19.8-34.4	19	8.8	04.3-13.3	5	2.6	00.0-05.9	31	10.0	06.1-13.9	1	0.3	00.0-00.9
Less than \$15,000	170	44,782	105	62.9	53.5-72.3	26	17.3	09.5-25.1	7	4.9	00.8-09.0	1	0.9	00.0-02.5	31	14.0	08.1-19.9			
\$15,000- 24,999	293	66,004	172	58.3	50.9-65.7	65	24.4	17.9-30.9	16	4.0	01.1-06.9	1	0.1	00.0-00.3	38	12.4	07.5-17.3	1	0.7	00.0-02.1
\$25,000- 34,999	158	37,002	80	53.8	44.2-63.4	40	24.1	16.1-32.1	11	5.7	01.6-09.8	4	1.6	00.0-03.8	21	11.3	05.6-17.0	2	3.5	00.0-08.2
\$35,000- 49,999	148	34,505	83	56.6	46.6-66.6	35	24.5	15.7-33.3	12	7.4	02.1-12.7	1	0.4	00.0-01.2	17	11.2	04.9-17.5			
\$50,000- 74,999	130	35,972	72	56.3	44.5-68.1	31	24.9	14.9-34.9	10	6.7	02.4-11.0	2	0.7	00.0-01.7	14	9.5	03.4-15.6	1	2.0	00.0-05.9
\$75,000+	115	27,625	61	56.8	46.0-67.6	25	18.8	10.8-26.8	13	10.8	03.9-17.7	1	2.2	00.0-06.5	14	10.3	03.2-17.4	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times				3 times				4 times				5 or more times				None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	2092	575,553	355	16.9	14.9-18.9	538	24.4	22.0-26.8	292	14.5	12.5-16.5	449	20.8	18.4-23.2	232	12.4	10.4-14.4	226	11.1	9.3-12.9								
Male	947	296,896	134	15.3	12.4-18.2	268	25.0	21.7-28.3	137	15.7	12.8-18.6	198	20.2	16.9-23.5	102	11.9	9.2-14.6	108	11.8	9.1-14.5								
Female	1145	278,658	221	18.5	15.8-21.2	270	23.7	20.6-26.8	155	13.3	10.9-15.7	251	21.5	18.4-24.6	130	12.9	10.4-15.4	118	10.2	7.7-12.7								
White/Non-Hisp	1736	458,678	305	17.9	15.5-20.3	463	25.7	23.2-28.2	240	14.6	12.4-16.8	371	19.7	17.3-22.1	171	11.3	9.3-13.3	186	10.7	8.7-12.7								
Black or Afr. Am./Non-Hisp	186	62,413	26	13.9	7.8-20.0	33	16.4	9.9-22.9	30	15.6	8.9-22.3	40	23.5	15.7-31.3	42	23.1	14.9-31.3	15	7.6	0.2-12.3								
Hispanic	62	24,700	9	11.8	0.3-19.8	16	22.4	10.6-34.2	6	9.3	0.1-17.1	16	31.7	16.0-47.4	4	8.0	0.0-16.2	11	16.8	0.6-26.8								
35-44	72	41,089	14	19.3	0.3-29.3	17	23.2	12.8-33.6	12	14.6	0.5-23.6	7	8.6	0.1-15.7	13	20.9	0.3-32.5	9	13.4	0.4-22.4								
45-54	252	98,922	39	15.2	0.9-20.5	60	21.5	15.6-27.4	45	18.6	12.5-24.7	47	18.1	12.2-24.0	37	18.2	12.3-24.1	24	8.4	0.4-12.1								
55-64	551	164,969	84	15.6	1.2-19.1	135	24.5	20.2-28.8	73	14.5	10.8-18.2	137	25.7	21.2-30.2	68	11.1	8.2-14.0	54	8.7	0.6-11.2								
65+	1180	239,642	213	18.7	1.6-21.4	321	27.1	24.0-30.2	161	14.6	12.1-17.1	250	20.0	17.3-22.7	107	8.9	0.6-11.1	128	10.7	0.8-12.9								
Less Than H.S.	206	94,651	26	13.4	0.7-19.1	46	15.9	10.6-21.2	34	18.3	11.8-24.8	49	25.0	17.6-32.4	32	14.4	0.8-20.1	19	13.0	0.5-20.1								
H.S. or G.E.D.	797	216,147	136	17.2	1.4-20.3	201	25.2	21.5-28.9	108	12.4	0.9-15.1	171	21.9	18.2-25.6	89	11.9	0.8-15.0	92	11.5	0.8-14.2								
Some Post-H.S.	553	174,129	97	17.1	1.3-21.0	142	25.6	21.3-29.9	73	14.3	10.8-17.8	117	19.0	15.1-22.9	62	13.3	0.9-17.0	62	10.8	0.7-13.9								
College Graduate	532	90,162	96	19.5	1.5-23.8	149	29.2	24.3-34.1	76	16.2	12.3-20.1	109	17.1	13.6-20.6	49	9.6	0.6-12.7	53	8.5	0.5-11.2								
Less than \$15,000	269	79,307	35	15.4	0.5-21.3	57	17.9	12.4-23.4	31	11.8	0.6-16.9	59	23.1	16.4-29.8	54	19.3	13.4-25.2	33	12.3	0.7-17.2								
\$15,000- 24,999	463	124,295	73	13.3	0.8-16.8	103	20.2	15.7-24.7	65	17.0	12.3-21.7	116	24.5	19.4-29.6	62	15.6	11.1-20.1	44	9.4	0.6-12.7								
\$25,000- 34,999	264	73,408	47	19.8	1.3-26.5	61	25.5	18.4-32.6	42	13.4	0.8-18.1	55	16.4	11.3-21.5	27	13.2	0.6-19.5	32	11.8	0.6-17.1								
\$35,000- 49,999	299	78,507	56	15.1	1.0-19.6	74	27.1	20.6-33.6	38	13.8	0.8-19.1	68	22.2	16.1-28.3	23	9.0	0.4-13.3	40	12.7	0.8-17.4								
\$50,000- 74,999	253	73,719	49	18.1	1.2-23.8	71	27.4	20.5-34.3	38	14.1	0.9-19.2	52	21.8	14.7-28.9	18	5.3	0.2-08.2	25	13.4	0.6-20.8								
\$75,000+	308	84,058	52	19.6	1.4-25.1	106	31.1	24.8-37.4	43	14.3	0.9-19.0	56	16.7	11.2-22.2	24	10.6	0.5-15.7	27	7.7	0.4-11.0								

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	947	296,896	134	15.3	12.4-18.2	268	25.0	21.7-28.3	137	15.7	12.8-18.6	198	20.2	16.9-23.5	102	11.9	09.2-14.6	108	11.8	09.1-14.5			
White/Non-Hisp	798	240,838	117	16.0	12.9-19.1	231	25.7	22.2-29.2	114	15.9	12.6-19.2	162	19.1	15.8-22.4	82	11.5	08.6-14.4	92	11.7	08.8-14.6			
Black or Afr. Am./Non-Hisp	69	29,471	9	15.8	05.6-26.0	15	19.4	08.6-30.2	10	11.4	03.0-19.8	16	24.3	12.0-36.6	14	20.1	07.4-32.8	5	8.9	00.5-17.3			
45-54	115	52,129	21	19.2	10.4-28.0	20	15.1	07.5-22.7	21	19.1	10.1-28.1	22	17.5	08.9-26.1	20	20.1	11.3-28.9	11	9.1	03.4-14.8			
55-64	266	85,472	28	10.8	06.5-15.1	75	26.6	20.3-32.9	41	19.1	13.2-25.0	69	26.7	20.0-33.4	28	8.8	05.3-12.3	25	8.1	04.6-11.6			
65+	517	122,975	76	16.5	12.6-20.4	162	29.0	24.5-33.5	68	13.6	10.1-17.1	103	19.6	15.5-23.7	47	9.5	06.2-12.8	61	11.7	08.4-15.0			
Less Than H.S.	94	52,137	13	15.0	06.8-23.2	14	11.2	04.5-17.9	19	22.9	12.7-33.1	20	19.9	10.5-29.3	14	15.1	06.9-23.3	14	15.9	06.9-24.9			
H.S. or G.E.D.	323	103,618	41	14.0	09.5-18.5	85	24.0	18.5-29.5	51	13.3	09.0-17.6	70	23.8	17.7-29.9	34	12.0	07.1-16.9	42	12.8	08.3-17.3			
Some Post-H.S.	237	86,944	35	15.4	09.7-21.1	72	29.5	22.6-36.4	32	15.4	09.9-20.9	47	17.2	11.7-22.7	25	11.8	06.5-17.1	26	10.7	06.2-15.2			
College Graduate	290	53,852	45	18.3	12.4-24.2	97	33.1	26.4-39.8	34	13.9	08.8-19.0	59	17.9	13.0-22.8	29	8.9	05.2-12.6	26	7.9	04.2-11.6			
Less than \$15,000	102	35,162	15	14.5	06.7-22.3	21	18.1	09.7-26.5	11	9.5	02.4-16.6	21	22.4	12.2-32.6	24	24.2	14.2-34.2	10	11.4	04.0-18.8			
\$15,000- 24,999	176	59,315	20	10.6	05.5-15.7	39	18.5	12.0-25.0	33	23.9	15.7-32.1	48	27.8	19.8-35.8	19	10.1	04.6-15.6	17	9.2	04.3-14.1			
\$25,000- 34,999	110	37,114	14	19.5	08.5-30.5	30	29.5	18.1-40.9	21	15.1	07.5-22.7	22	13.1	06.2-20.0	11	12.9	02.9-22.9	12	10.0	02.2-17.8			
\$35,000- 49,999	149	43,613	30	16.2	09.7-22.7	39	27.4	18.2-36.6	14	10.8	03.4-18.2	31	21.6	13.2-30.0	15	10.3	04.6-16.0	20	13.5	06.2-20.8			
\$50,000- 74,999	125	38,026	16	13.4	06.1-20.7	39	30.3	20.7-39.9	19	16.8	08.6-25.0	27	21.0	11.4-30.6	10	4.5	01.2-07.8	14	14.0	06.0-22.0			
\$75,000+	193	55,285	29	18.7	11.4-26.0	70	28.6	21.2-36.0	24	13.8	07.9-19.7	35	17.7	10.3-25.1	15	11.6	04.7-18.5	20	9.6	04.9-14.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1145	278,658	221	18.5	15.8-21.2	270	23.7	20.6-26.8	155	13.3	10.9-15.7	251	21.5	18.4-24.6	130	12.9	10.4-15.4	118	10.2	07.7-12.7				
White/Non-Hisp	938	217,840	188	20.0	16.7-23.3	232	25.7	22.2-29.2	126	13.2	10.7-15.7	209	20.4	17.1-23.7	89	11.2	08.5-13.9	94	9.6	07.2-12.0				
Black or Afr. Am./Non-Hisp	117	32,942	17	12.1	05.4-18.8	18	13.7	06.3-21.1	20	19.4	09.4-29.4	24	22.7	12.9-32.5	28	25.7	14.9-36.5	10	6.4	01.9-10.9				
45-54	137	46,793	18	10.7	05.2-16.2	40	28.6	19.6-37.6	24	18.1	10.5-25.7	25	18.8	11.0-26.6	17	16.2	08.4-24.0	13	7.6	02.9-12.3				
55-64	285	79,498	56	20.7	15.2-26.2	60	22.2	16.3-28.1	32	9.5	05.6-13.4	68	24.7	18.2-31.2	40	13.6	08.9-18.3	29	9.3	05.6-13.0				
65+	663	116,668	137	21.0	17.1-24.9	159	25.0	20.9-29.1	93	15.6	12.1-19.1	147	20.4	16.9-23.9	60	8.4	05.9-10.9	67	9.6	06.9-12.3				
Less Than H.S.	112	42,514	13	11.5	03.9-19.1	32	21.6	12.6-30.6	15	12.6	05.5-19.7	29	31.2	19.4-43.0	18	13.6	06.3-20.9	5	9.5	00.0-20.7				
H.S. or G.E.D.	474	112,529	95	20.0	15.7-24.3	116	26.2	21.3-31.1	57	11.5	08.2-14.8	101	20.1	15.8-24.4	55	11.9	08.2-15.6	50	10.3	07.0-13.6				
Some Post-H.S.	316	87,186	62	18.8	13.5-24.1	70	21.6	16.1-27.1	41	13.3	08.6-18.0	70	20.8	15.1-26.5	37	14.7	09.4-20.0	36	10.8	06.7-14.9				
College Graduate	242	36,310	51	21.2	14.9-27.5	52	23.4	16.5-30.3	42	19.6	13.1-26.1	50	15.9	10.8-21.0	20	10.6	04.9-16.3	27	9.2	05.1-13.3				
Less than \$15,000	167	44,145	20	16.2	07.6-24.8	36	17.8	10.5-25.1	20	13.7	06.6-20.8	38	23.7	14.7-32.7	30	15.5	08.8-22.2	23	13.1	06.6-19.6				
\$15,000- 24,999	287	64,980	53	15.7	10.6-20.8	64	21.7	15.6-27.8	32	10.7	06.0-15.4	68	21.5	15.4-27.6	43	20.7	13.8-27.6	27	9.6	05.3-13.9				
\$25,000- 34,999	154	36,295	33	20.1	12.7-27.5	31	21.5	13.3-29.7	21	11.6	05.9-17.3	33	19.8	12.5-27.1	16	13.5	05.7-21.3	20	13.6	06.7-20.5				
\$35,000- 49,999	150	34,893	26	13.8	07.7-19.9	35	26.8	17.8-35.8	24	17.6	10.0-25.2	37	23.0	14.6-31.4	8	7.3	00.8-13.8	20	11.6	06.1-17.1				
\$50,000- 74,999	128	35,693	33	23.0	14.2-31.8	32	24.2	14.6-33.8	19	11.2	05.3-17.1	25	22.8	12.2-33.4	8	6.1	01.0-11.2	11	12.8	00.0-25.7				
\$75,000+	115	28,772	23	21.4	12.8-30.0	36	36.1	25.3-46.9	19	15.2	07.6-22.8	21	14.7	07.6-21.8	9	8.6	02.1-15.1	7	4.0	00.9-07.1				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2084	573,203	1023	47.8	45.1-50.5	817	38.9	36.2-41.6	84	4.0	02.8-05.2	28	1.6	00.8-02.4	108	7.0	05.2-08.8	24	0.8	00.4-01.2
Male	937	294,584	471	48.1	44.0-52.2	359	39.0	35.1-42.9	37	3.6	02.0-05.2	13	1.6	00.4-02.8	48	7.0	04.6-09.4	9	0.7	00.1-01.3
Female	1147	278,619	552	47.6	43.9-51.3	458	38.7	35.0-42.4	47	4.3	02.7-05.9	15	1.5	00.5-02.5	60	7.0	04.5-09.5	15	0.8	00.2-01.4
White/Non-Hisp	1735	460,253	874	50.0	47.1-52.9	675	37.8	34.9-40.7	58	3.5	02.3-04.7	22	1.5	00.7-02.3	86	6.4	04.6-08.2	20	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	182	59,867	77	42.9	33.7-52.1	79	45.5	36.1-54.9	16	6.7	02.6-10.8	4	2.6	00.0-05.3	4	1.8	00.0-03.8	2	0.5	00.0-01.3
Hispanic	60	23,679	26	34.0	20.5-47.5	21	43.5	27.6-59.4	4	7.2	00.0-15.2				8	14.4	04.4-24.4	1	0.9	00.0-02.7
35-44	70	39,871	30	48.7	35.6-61.8	29	34.3	22.0-46.6	3	4.2	00.0-09.5				8	12.9	03.9-21.9			
45-54	249	97,492	122	47.4	40.0-54.8	102	40.1	32.7-47.5	7	3.8	00.7-06.9	3	2.2	00.0-05.1	15	6.5	03.0-10.0			
55-64	550	165,062	251	44.1	39.2-49.0	235	44.3	39.2-49.4	27	5.0	02.6-07.4	7	1.2	00.2-02.2	29	5.3	03.1-07.5	1	0.1	00.0-00.3
65+	1179	240,787	605	51.9	48.4-55.4	440	36.8	33.5-40.1	45	3.5	02.3-04.7	18	2.0	00.8-03.2	48	4.2	02.6-05.8	23	1.7	00.9-02.5
Less Than H.S.	205	96,668	77	36.2	28.2-44.2	84	39.7	31.5-47.9	12	6.1	02.2-10.0	2	1.6	00.0-04.0	20	14.2	06.8-21.6	10	2.2	00.6-03.8
H.S. or G.E.D.	791	212,223	378	47.9	43.6-52.2	308	39.3	35.0-43.6	35	3.5	02.1-04.9	13	1.4	00.6-02.2	48	7.2	04.7-09.7	9	0.7	00.1-01.3
Some Post-H.S.	554	174,055	276	49.7	44.6-54.8	222	38.9	34.0-43.8	19	4.0	01.8-06.2	9	2.2	00.4-04.0	25	4.9	02.7-07.1	3	0.3	00.0-00.7
College Graduate	532	89,998	292	56.8	51.7-61.9	201	36.7	31.8-41.6	18	2.8	01.2-04.4	4	0.8	00.0-01.6	15	2.6	01.0-04.2	2	0.2	00.0-00.6
Less than \$15,000	265	77,186	103	41.1	33.3-48.9	110	38.3	31.0-45.6	18	6.7	02.8-10.6	6	1.8	00.2-03.4	22	10.3	05.4-15.2	6	1.8	00.2-03.4
\$15,000- 24,999	464	124,790	209	43.7	37.8-49.6	188	42.2	36.3-48.1	25	5.5	03.0-08.0	8	1.7	00.1-03.3	26	6.0	03.3-08.7	8	0.9	00.1-01.7
\$25,000- 34,999	267	73,954	130	46.7	38.7-54.7	102	37.1	29.5-44.7	10	4.6	00.9-08.3	3	1.3	00.0-03.1	17	9.0	03.5-14.5	5	1.3	00.1-02.5
\$35,000- 49,999	292	77,874	162	53.4	46.1-60.7	110	40.4	33.1-47.7	7	1.7	00.3-03.1	3	0.8	00.0-01.8	8	3.3	00.2-06.4	2	0.4	00.0-01.0
\$50,000- 74,999	253	72,932	131	49.9	41.7-58.1	104	40.2	32.2-48.2	6	1.9	00.0-03.9	1	0.2	00.0-00.6	10	7.5	00.4-14.6	1	0.3	00.0-00.9
\$75,000+	309	84,416	163	52.6	45.5-59.7	122	38.3	31.6-45.0	10	3.7	00.8-06.6	4	2.2	00.0-04.9	9	3.2	00.8-05.6	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	937	294,584	471	48.1	44.0-52.2	359	39.0	35.1-42.9	37	3.6	02.0-05.2	13	1.6	00.4-02.8	48	7.0	04.6-09.4	9	0.7	00.1-01.3
White/Non-Hisp	795	242,220	409	49.6	45.3-53.9	306	38.1	34.0-42.2	27	3.4	01.6-05.2	9	1.5	00.1-02.9	38	6.9	04.2-09.6	6	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	65	26,843	27	44.1	29.2-59.0	25	44.9	29.8-60.0	8	5.6	01.1-10.1	2	2.9	00.0-07.0	2	1.8	00.0-04.3	1	0.7	00.0-02.1
45-54	113	51,423	54	45.0	33.8-56.2	50	43.8	32.8-54.8	3	3.8	00.0-08.5	1	2.3	00.0-06.6	5	5.2	00.5-09.9			
55-64	264	85,501	117	42.8	35.7-49.9	119	47.1	39.8-54.4	10	3.5	00.8-06.2	1	0.4	00.0-01.2	16	6.0	02.7-09.3	1	0.2	00.0-00.6
65+	513	123,216	279	54.0	48.7-59.3	176	34.8	29.9-39.7	22	3.6	01.6-05.6	11	2.6	00.4-04.8	17	3.6	01.4-05.8	8	1.5	00.3-02.7
Less Than H.S.	91	52,559	34	36.7	25.3-48.1	37	39.6	28.0-51.2	5	4.9	00.2-09.6	2	2.9	00.0-07.4	9	13.8	04.8-22.8	4	2.1	00.0-04.3
H.S. or G.E.D.	319	101,200	149	44.8	38.1-51.5	130	42.9	36.2-49.6	14	3.1	01.3-04.9	5	1.0	00.0-02.0	18	7.5	03.4-11.6	3	0.7	00.0-01.5
Some Post-H.S.	238	87,259	125	51.8	44.4-59.2	90	37.0	29.9-44.1	7	4.3	00.6-08.0	3	1.8	00.0-04.5	13	5.0	02.1-07.9			
College Graduate	287	53,306	163	59.6	52.9-66.3	100	34.0	27.5-40.5	11	2.3	00.9-03.7	3	1.1	00.0-02.5	8	2.6	00.4-04.8	2	0.4	00.0-01.0
Less than \$15,000	99	33,657	33	36.5	24.7-48.3	42	39.7	28.5-50.9	8	6.1	01.4-10.8	3	2.6	00.0-05.9	11	13.8	05.4-22.2	2	1.4	00.0-03.4
\$15,000- 24,999	175	59,277	82	43.7	34.7-52.7	72	45.3	36.3-54.3	10	4.7	01.0-08.4	2	0.6	00.0-01.8	6	4.4	00.5-08.3	3	1.2	00.0-02.8
\$25,000- 34,999	111	37,184	58	51.6	39.1-64.1	37	30.1	18.9-41.3	6	6.2	00.0-12.9	1	0.3	00.0-00.9	6	10.0	01.0-19.0	3	1.8	00.0-04.2
\$35,000- 49,999	146	44,031	82	52.8	42.4-63.2	52	39.4	29.2-49.6	3	1.6	00.0-03.6	3	1.4	00.0-03.0	6	4.8	00.0-10.1			
\$50,000- 74,999	123	36,959	63	51.8	41.0-62.6	52	42.9	31.9-53.9	3	0.9	00.0-02.1	1	0.4	00.0-01.2	4	4.0	00.0-08.1			
\$75,000+	193	55,288	104	51.1	42.1-60.1	75	39.6	30.8-48.4	4	2.9	00.0-06.6	2	2.5	00.0-06.6	7	3.7	00.6-06.8	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1147	278,619	552	47.6	43.9-51.3	458	38.7	35.0-42.4	47	4.3	02.7-05.9	15	1.5	00.5-02.5	60	7.0	04.5-09.5	15	0.8	00.2-01.4
White/Non-Hisp	940	218,032	465	50.5	46.4-54.6	369	37.5	33.6-41.4	31	3.6	02.0-05.2	13	1.6	00.6-02.6	48	5.8	03.8-07.8	14	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	117	33,024	50	42.0	30.4-53.6	54	46.0	34.4-57.6	8	7.6	01.1-14.1	2	2.4	00.0-06.1	2	1.8	00.0-04.7	1	0.2	00.0-00.6
45-54	136	46,069	68	50.1	40.1-60.1	52	36.0	26.6-45.4	4	3.9	00.0-08.0	2	2.2	00.0-05.7	10	7.8	02.3-13.3			
55-64	286	79,562	134	45.4	38.5-52.3	116	41.4	34.3-48.5	17	6.7	02.8-10.6	6	2.1	00.1-04.1	13	4.5	02.0-07.0			
65+	666	117,571	326	49.7	45.0-54.4	264	38.8	34.3-43.3	23	3.3	01.7-04.9	7	1.4	00.2-02.6	31	4.8	02.6-07.0	15	2.0	00.8-03.2
Less Than H.S.	114	44,108	43	35.7	24.3-47.1	47	39.9	28.3-51.5	7	7.5	01.0-14.0				11	14.7	02.7-26.7	6	2.2	00.0-04.4
H.S. or G.E.D.	472	111,023	229	50.7	45.2-56.2	178	36.1	30.8-41.4	21	3.8	01.8-05.8	8	1.7	00.3-03.1	30	7.0	03.9-10.1	6	0.7	00.1-01.3
Some Post-H.S.	316	86,796	151	47.5	40.6-54.4	132	40.8	33.9-47.7	12	3.7	01.2-06.2	6	2.5	00.0-05.0	12	4.8	01.7-07.9	3	0.6	00.0-01.4
College Graduate	245	36,692	129	52.7	44.9-60.5	101	40.6	33.0-48.2	7	3.6	00.3-06.9	1	0.4	00.0-01.2	7	2.6	00.2-05.0			
Less than \$15,000	166	43,530	70	44.7	34.3-55.1	68	37.3	27.9-46.7	10	7.1	01.0-13.2	3	1.2	00.0-02.6	11	7.6	01.9-13.3	4	2.1	00.0-04.5
\$15,000- 24,999	289	65,513	127	43.6	36.2-51.0	116	39.3	31.9-46.7	15	6.1	02.4-09.8	6	2.8	00.1-05.5	20	7.5	03.6-11.4	5	0.7	00.1-01.3
\$25,000- 34,999	156	36,771	72	41.9	32.3-51.5	65	44.1	34.3-53.9	4	3.0	00.0-06.3	2	2.4	00.0-05.9	11	7.9	02.0-13.8	2	0.8	00.0-02.0
\$35,000- 49,999	146	33,844	80	54.3	44.1-64.5	58	41.8	31.6-52.0	4	1.7	00.0-03.5				2	1.2	00.0-03.0	2	0.9	00.0-02.3
\$50,000- 74,999	130	35,972	68	48.0	35.8-60.2	52	37.4	26.0-48.8	3	2.8	00.0-06.5				6	11.2	00.0-24.3	1	0.6	00.0-01.8
\$75,000+	116	29,128	59	55.3	44.7-65.9	47	35.9	25.7-46.1	6	5.1	00.6-09.6	2	1.4	00.0-03.4	2	2.3	00.0-05.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2107	576,680	535	24.6	22.2-27.0	460	22.4	20.2-24.6	193	9.5	07.9-11.1	258	11.9	10.1-13.7	156	6.9	05.5-08.3	505	24.8	22.3-27.3
Male	946	294,654	227	22.3	19.2-25.4	233	24.6	21.3-27.9	96	10.7	08.2-13.2	119	12.2	09.5-14.9	70	7.0	05.0-09.0	201	23.2	19.7-26.7
Female	1161	282,026	308	26.9	23.6-30.2	227	20.1	17.2-23.0	97	8.2	06.2-10.2	139	11.6	09.2-14.0	86	6.8	05.0-08.6	304	26.4	23.1-29.7
White/Non-Hisp	1752	463,235	450	24.3	21.8-26.8	378	22.1	19.7-24.5	152	9.4	07.6-11.2	215	11.8	09.8-13.8	123	6.4	05.0-07.8	434	25.9	23.2-28.6
Black or Afr. Am./Non-Hisp	186	60,848	50	29.5	21.1-37.9	42	25.0	17.2-32.8	21	11.0	05.5-16.5	22	9.2	04.5-13.9	21	11.9	06.0-17.8	30	13.4	07.9-18.9
Hispanic	60	23,144	15	25.2	11.9-38.5	17	28.3	14.8-41.8	7	9.1	01.5-16.7	7	14.2	00.7-27.7	1	1.4	00.0-04.1	13	21.8	09.8-33.8
35-44	70	38,496	20	32.5	20.2-44.8	16	21.9	11.5-32.3	10	10.4	03.5-17.3	4	6.5	00.0-13.8	6	8.0	01.1-14.9	14	20.7	09.9-31.5
45-54	252	98,640	58	23.0	16.7-29.3	54	22.4	16.3-28.5	29	11.3	06.6-16.0	32	11.3	06.6-16.0	14	5.0	01.5-08.5	65	26.9	20.2-33.6
55-64	554	166,296	134	22.8	18.7-26.9	120	23.4	19.1-27.7	62	12.3	09.0-15.6	60	10.7	07.6-13.8	40	6.2	04.0-08.4	138	24.5	20.4-28.6
65+	1195	243,453	316	26.5	23.4-29.6	268	23.7	20.8-26.6	91	7.7	05.9-09.5	153	12.0	09.8-14.2	93	8.0	06.0-10.0	274	22.1	19.4-24.8
Less Than H.S.	211	96,957	40	18.6	12.3-24.9	40	19.7	13.2-26.2	24	11.0	06.1-15.9	35	13.8	08.1-19.5	20	8.6	04.3-12.9	52	28.3	20.1-36.5
H.S. or G.E.D.	808	215,086	194	24.4	20.7-28.1	179	22.7	19.2-26.2	79	9.8	07.4-12.2	86	11.8	08.7-14.9	66	6.2	04.4-08.0	204	25.2	21.5-28.9
Some Post-H.S.	554	174,233	152	27.2	22.7-31.7	117	22.0	17.9-26.1	42	8.4	05.5-11.3	70	10.7	07.6-13.8	41	8.0	05.1-10.9	132	23.8	19.5-28.1
College Graduate	531	90,058	149	26.5	22.0-31.0	123	25.2	20.7-29.7	48	9.3	06.0-12.6	67	12.4	09.1-15.7	27	4.4	02.2-06.6	117	22.2	17.7-26.7
Less than \$15,000	268	78,202	60	23.3	16.6-30.0	53	22.0	15.3-28.7	23	10.0	05.5-14.5	31	9.6	05.7-13.5	37	9.6	05.7-13.5	64	25.5	18.6-32.4
\$15,000- 24,999	464	124,811	110	23.5	18.4-28.6	99	23.5	18.4-28.6	44	9.6	06.3-12.9	62	13.4	09.1-17.7	37	7.9	05.0-10.8	112	22.0	17.3-26.7
\$25,000- 34,999	265	70,574	72	28.3	21.2-35.4	57	20.8	14.7-26.9	24	7.1	03.6-10.6	27	9.9	05.8-14.0	21	7.0	03.5-10.5	64	26.9	19.5-34.3
\$35,000- 49,999	300	79,589	83	23.4	17.7-29.1	62	23.9	17.6-30.2	29	9.6	05.3-13.9	33	11.3	06.4-16.2	18	5.6	02.3-08.9	75	26.3	19.8-32.8
\$50,000- 74,999	253	73,069	74	27.4	20.7-34.1	55	18.7	13.0-24.4	23	10.1	05.6-14.6	30	13.3	07.0-19.6	13	3.7	01.2-06.2	58	26.6	18.6-34.6
\$75,000+	308	84,064	70	20.2	15.1-25.3	83	27.5	21.4-33.6	31	10.1	06.2-14.0	41	12.2	07.3-17.1	13	5.8	01.5-10.1	70	24.2	18.3-30.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	946	294,654	227	22.3	19.2-25.4	233	24.6	21.3-27.9	96	10.7	08.2-13.2	119	12.2	09.5-14.9	70	7.0	05.0-09.0	201	23.2	19.7-26.7
White/Non-Hisp	803	243,346	198	22.4	19.1-25.7	197	24.3	20.6-28.0	77	10.4	07.7-13.1	104	12.7	09.8-15.6	54	6.5	04.3-08.7	173	23.7	19.8-27.6
Black or Afr. Am./Non-Hisp	68	27,205	19	30.2	17.3-43.1	16	24.9	12.4-37.4	10	13.8	04.0-23.6	5	5.4	00.3-10.5	10	12.9	03.7-22.1	8	12.7	03.1-22.3
45-54	113	50,794	19	19.6	10.6-28.6	28	22.1	13.5-30.7	16	14.4	06.6-22.2	19	14.1	06.3-21.9	5	3.1	00.0-07.6	26	26.5	16.3-36.7
55-64	266	86,359	65	21.2	15.5-26.9	66	27.3	20.6-34.0	32	13.9	08.8-19.0	28	10.3	05.8-14.8	18	5.7	02.8-08.6	57	21.6	15.9-27.3
65+	519	123,443	132	25.1	20.6-29.6	131	26.3	21.8-30.8	43	8.3	05.6-11.0	69	12.9	09.6-16.2	43	9.4	05.9-12.9	101	18.1	14.2-22.0
Less Than H.S.	91	51,045	13	11.7	04.8-18.6	18	19.8	10.4-29.2	16	16.2	07.8-24.6	13	12.9	04.9-20.9	8	9.6	02.7-16.5	23	29.9	18.3-41.5
H.S. or G.E.D.	325	102,024	73	22.8	17.3-28.3	80	24.6	18.9-30.3	34	8.6	05.5-11.7	39	14.6	09.1-20.1	32	7.2	04.3-10.1	67	22.2	16.5-27.9
Some Post-H.S.	240	87,790	66	25.7	19.2-32.2	60	26.0	19.5-32.5	22	11.3	06.4-16.2	29	8.9	05.2-12.6	15	7.2	02.9-11.5	48	21.0	14.7-27.3
College Graduate	287	53,450	75	26.2	19.9-32.5	74	26.6	20.5-32.7	24	8.8	04.3-13.3	38	12.5	08.2-16.8	13	3.1	01.3-04.9	63	22.8	16.7-28.9
Less than \$15,000	99	33,680	18	18.3	09.3-27.3	26	27.2	16.4-38.0	9	10.9	03.3-18.5	11	8.8	02.7-14.9	14	10.4	03.9-16.9	21	24.3	14.1-34.5
\$15,000- 24,999	174	58,682	28	15.0	09.1-20.9	50	29.8	21.4-38.2	25	14.8	08.5-21.1	23	14.7	07.8-21.6	18	8.4	04.1-12.7	30	17.4	10.1-24.7
\$25,000- 34,999	111	34,937	35	34.0	22.2-45.8	20	17.1	08.7-25.5	11	4.7	01.4-08.0	13	10.1	04.0-16.2	9	5.7	01.4-10.0	23	28.5	16.0-41.0
\$35,000- 49,999	151	44,786	45	25.1	17.1-33.1	31	24.1	15.3-32.9	14	10.8	04.1-17.5	19	13.0	05.7-20.3	10	4.7	01.4-08.0	32	22.2	13.4-31.0
\$50,000- 74,999	125	38,026	36	28.4	19.0-37.8	25	18.7	10.9-26.5	13	11.5	04.8-18.2	16	12.7	04.1-21.3	5	2.5	00.0-05.4	30	26.3	16.5-36.1
\$75,000+	192	55,151	42	18.6	12.3-24.9	52	25.2	17.8-32.6	16	8.4	03.7-13.1	25	12.8	06.1-19.5	7	7.0	00.7-13.3	50	28.0	20.0-36.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1161	282,026	308	26.9	23.6-30.2	227	20.1	17.2-23.0	97	8.2	06.2-10.2	139	11.6	09.1-14.1	86	6.8	05.0-08.6	304	26.4	23.1-29.7
White/Non-Hisp	949	219,888	252	26.5	23.0-30.0	181	19.6	16.5-22.7	75	8.4	06.2-10.6	111	10.8	08.4-13.2	69	6.4	04.6-08.2	261	28.4	24.7-32.1
Black or Afr. Am./Non-Hisp	118	33,643	31	29.0	18.2-39.8	26	25.0	14.8-35.2	11	8.7	02.8-14.6	17	12.2	04.9-19.5	11	11.1	03.5-18.7	22	14.0	07.5-20.5
45-54	139	47,846	39	26.6	18.0-35.2	26	22.6	14.0-31.2	13	8.1	03.2-13.0	13	8.3	03.2-13.4	9	7.1	01.8-12.4	39	27.3	18.7-35.9
55-64	288	79,938	69	24.5	18.2-30.8	54	19.3	14.0-24.6	30	10.6	06.3-14.9	32	11.2	06.7-15.7	22	6.8	03.5-10.1	81	27.7	21.6-33.8
65+	676	120,010	184	27.8	23.5-32.1	137	21.1	17.2-25.0	48	7.1	04.7-09.5	84	11.1	08.4-13.8	50	6.6	04.4-08.8	173	26.2	22.1-30.3
Less Than H.S.	120	45,912	27	26.3	15.9-36.7	22	19.7	10.7-28.7	8	5.1	01.0-09.2	22	14.9	06.7-23.1	12	7.4	02.3-12.5	29	26.7	14.9-38.5
H.S. or G.E.D.	483	113,062	121	25.8	20.9-30.7	99	20.9	16.4-25.4	45	10.9	07.4-14.4	47	9.3	06.2-12.4	34	5.2	03.2-07.2	137	27.9	23.0-32.8
Some Post-H.S.	314	86,443	86	28.7	22.4-35.0	57	17.9	12.6-23.2	20	5.5	02.4-08.6	41	12.5	07.8-17.2	26	8.8	04.9-12.7	84	26.6	20.7-32.5
College Graduate	244	36,608	74	26.9	20.2-33.6	49	23.3	16.2-30.4	24	10.0	05.3-14.7	29	12.3	07.0-17.6	14	6.2	01.7-10.7	54	21.3	15.0-27.6
Less than \$15,000	169	44,522	42	27.0	17.6-36.4	27	18.0	10.0-26.0	14	9.3	04.0-14.6	20	10.2	05.1-15.3	23	9.0	04.3-13.7	43	26.4	17.2-35.6
\$15,000- 24,999	290	66,129	82	31.1	23.7-38.5	49	18.0	12.3-23.7	19	5.1	02.4-07.8	39	12.3	07.2-17.4	19	7.4	03.5-11.3	82	26.1	19.8-32.4
\$25,000- 34,999	154	35,637	37	22.7	14.9-30.5	37	24.5	15.9-33.1	13	9.5	03.2-15.8	14	9.6	04.1-15.1	12	8.4	02.7-14.1	41	25.3	16.9-33.7
\$35,000- 49,999	149	34,802	38	21.1	13.5-28.7	31	23.6	15.0-32.2	15	8.1	03.4-12.8	14	9.1	03.2-15.0	8	6.7	00.8-12.6	43	31.4	22.0-40.8
\$50,000- 74,999	128	35,043	38	26.4	16.6-36.2	30	18.8	10.4-27.2	10	8.6	02.3-14.9	14	14.1	05.3-22.9	8	5.0	00.7-09.3	28	27.0	13.9-40.1
\$75,000+	116	28,913	28	23.5	14.3-32.7	31	31.7	21.1-42.3	15	13.4	06.0-20.8	16	11.0	05.1-16.9	6	3.4	00.7-06.1	20	17.0	09.0-25.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2143	588,174	330	13.7	11.9-15.5	1124	50.1	47.4-52.8	332	16.8	14.6-19.0	286	13.9	11.9-15.9	71	5.6	04.0-07.2
Male	963	301,529	164	14.0	11.5-16.5	514	50.2	46.3-54.1	133	16.7	13.6-19.8	114	12.9	10.2-15.6	38	6.2	03.8-08.6
Female	1180	286,644	166	13.3	10.8-15.8	610	50.1	46.4-53.8	199	16.8	14.1-19.5	172	14.9	12.4-17.4	33	4.9	02.5-07.3
White/Non-Hisp	1776	469,378	272	13.7	11.7-15.7	931	49.7	46.8-52.6	272	16.7	14.3-19.1	249	15.0	12.8-17.2	52	4.9	03.3-06.5
Black or Afr. Am./Non-Hisp	193	63,613	33	11.6	06.9-16.3	103	54.5	45.5-63.5	33	19.1	11.8-26.4	16	9.0	03.5-14.5	8	5.7	00.8-10.6
Hispanic	62	24,630	7	9.5	01.9-17.1	32	53.9	39.0-68.8	10	18.8	07.0-30.6	8	10.3	02.9-17.7	5	7.5	00.8-14.2
35-44	72	41,479	7	6.1	01.2-11.0	33	47.8	34.9-60.7	15	21.1	10.7-31.5	10	12.4	04.6-20.2	7	12.6	03.0-22.2
45-54	254	99,703	32	11.0	06.5-15.5	124	50.0	42.6-57.4	40	16.3	10.8-21.8	43	15.6	10.3-20.9	15	7.1	03.0-11.2
55-64	562	167,441	66	10.4	07.5-13.3	275	48.2	43.3-53.1	98	18.3	14.4-22.2	100	18.1	14.2-22.0	23	5.0	02.6-07.4
65+	1217	248,288	219	18.1	15.6-20.6	684	56.5	53.2-59.8	169	13.7	11.3-16.1	124	9.4	07.4-11.4	21	2.2	01.0-03.4
Less Than H.S.	218	99,875	35	16.9	10.6-23.2	88	38.4	30.4-46.4	45	19.3	13.2-25.4	34	13.2	08.1-18.3	16	12.1	05.2-19.0
H.S. or G.E.D.	823	221,101	111	11.8	09.3-14.3	428	51.8	47.5-56.1	128	14.4	11.5-17.3	119	15.4	12.1-18.7	37	6.5	04.0-09.0
Some Post-H.S.	562	176,025	77	11.6	08.7-14.5	303	52.0	46.9-57.1	96	19.6	15.3-23.9	76	14.1	10.6-17.6	10	2.7	00.7-04.7
College Graduate	536	90,708	106	18.6	14.7-22.5	305	55.5	50.2-60.8	62	14.1	10.2-18.0	55	10.2	07.1-13.3	8	1.6	00.2-03.0
Less than \$15,000	274	79,658	35	13.3	07.8-18.8	116	40.0	32.6-47.4	47	19.3	13.0-25.6	59	16.8	11.7-21.9	17	10.7	05.2-16.2
\$15,000- 24,999	476	128,350	70	13.9	10.0-17.8	233	48.3	42.6-54.0	77	15.7	11.6-19.8	76	16.1	11.8-20.4	20	5.9	03.0-08.8
\$25,000- 34,999	268	73,989	42	12.4	07.9-16.9	140	49.4	41.4-57.4	45	19.3	12.4-26.2	33	13.7	08.2-19.2	8	5.2	00.7-09.7
\$35,000- 49,999	301	79,680	60	15.9	11.4-20.4	164	52.0	44.7-59.3	45	21.0	14.5-27.5	29	9.2	05.1-13.3	3	1.9	00.0-05.0
\$50,000- 74,999	255	73,999	37	11.4	06.9-15.9	145	55.3	47.1-63.5	37	13.9	08.6-19.2	26	11.7	06.6-16.8	10	7.6	00.7-14.5
\$75,000+	313	84,984	45	12.5	08.4-16.6	184	56.5	49.6-63.4	42	13.2	08.9-17.5	37	15.2	09.5-20.9	5	2.6	00.0-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	963	301,529	164	14.0	11.5-16.5	514	50.2	46.1-54.3	133	16.7	13.6-19.8	114	12.9	10.2-15.6	38	6.2	03.8-08.6
White/Non-Hisp	812	244,730	143	14.9	12.2-17.6	431	49.0	44.7-53.3	113	16.7	13.2-20.2	98	13.7	10.6-16.8	27	5.7	03.2-08.2
Black or Afr. Am./Non-Hisp	70	29,799	11	10.3	03.2-17.4	40	57.1	43.0-71.2	8	14.9	04.3-25.5	7	11.2	01.8-20.6	4	6.4	00.0-13.7
45-54	116	52,542	15	9.4	03.3-15.5	61	53.9	42.9-64.9	17	15.4	08.0-22.8	14	12.2	04.8-19.6	9	9.1	02.6-15.6
55-64	268	86,110	34	11.3	07.0-15.6	139	46.6	39.5-53.7	40	17.3	11.6-23.0	42	18.6	12.9-24.3	13	6.2	02.5-09.9
65+	530	126,780	113	21.2	17.1-25.3	297	56.9	51.8-62.0	61	12.0	08.7-15.3	48	7.4	05.0-09.8	11	2.6	00.8-04.4
Less Than H.S.	95	53,261	16	15.1	07.1-23.1	37	40.3	28.7-51.9	18	19.9	10.9-28.9	15	13.1	05.8-20.4	9	11.6	03.0-20.2
H.S. or G.E.D.	333	105,864	50	13.0	09.1-16.9	184	52.7	46.0-59.4	40	12.8	08.3-17.3	40	13.4	08.3-18.5	19	8.1	04.0-12.2
Some Post-H.S.	241	88,071	31	10.9	06.8-15.0	128	50.4	43.0-57.8	41	20.1	13.6-26.6	35	15.5	09.8-21.2	6	3.2	00.3-06.1
College Graduate	291	53,989	66	20.1	14.8-25.4	165	54.9	47.8-62.0	33	15.3	09.6-21.0	23	7.7	04.0-11.4	4	2.0	00.0-04.2
Less than \$15,000	102	35,336	15	12.6	05.2-20.0	47	44.9	33.3-56.5	12	16.6	07.0-26.2	18	13.9	06.6-21.2	10	12.0	04.6-19.4
\$15,000- 24,999	179	59,951	33	17.3	10.6-24.0	86	47.8	39.0-56.6	24	14.7	08.2-21.2	27	14.3	08.0-20.6	9	6.0	01.7-10.3
\$25,000- 34,999	114	37,911	18	10.8	04.7-16.9	54	42.0	29.8-54.2	24	26.3	14.7-37.9	14	12.7	04.9-20.5	4	8.1	00.0-16.7
\$35,000- 49,999	151	44,786	29	13.8	08.1-19.5	88	52.7	42.5-62.9	20	21.6	12.0-31.2	12	8.9	02.8-15.0	2	3.1	00.0-08.6
\$50,000- 74,999	125	38,026	21	15.5	07.9-23.1	77	58.8	48.2-69.4	11	10.2	03.5-16.9	13	12.3	05.0-19.6	3	3.2	00.0-07.1
\$75,000+	195	55,636	30	12.8	07.7-17.9	113	56.5	47.7-65.3	26	12.3	07.2-17.4	22	14.8	07.2-22.4	4	3.6	00.0-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1180	286,644	166	13.3	10.8-15.8	610	50.1	46.4-53.8	199	16.8	14.1-19.5	172	14.9	12.4-17.4	33	4.9	02.5-07.3
White/Non-Hisp	964	224,648	129	12.4	09.9-14.9	500	50.4	46.3-54.5	159	16.7	13.8-19.6	151	16.4	13.3-19.5	25	4.0	02.0-06.0
Black or Afr. Am./Non-Hisp	123	33,814	22	12.8	06.5-19.1	63	52.3	40.9-63.7	25	22.8	12.8-32.8	9	7.1	01.4-12.8	4	5.0	00.0-11.5
45-54	138	47,162	17	12.7	06.2-19.2	63	45.5	35.7-55.3	23	17.4	09.6-25.2	29	19.5	11.9-27.1	6	4.9	00.0-10.0
55-64	294	81,330	32	9.5	05.8-13.2	136	49.8	42.9-56.7	58	19.2	14.1-24.3	58	17.6	12.5-22.7	10	3.8	01.1-06.5
65+	687	121,508	106	14.9	11.8-18.0	387	56.0	51.5-60.5	108	15.6	12.3-18.9	76	11.6	08.5-14.7	10	1.9	00.5-03.3
Less Than H.S.	123	46,614	19	18.9	09.1-28.7	51	36.3	25.5-47.1	27	18.7	10.7-26.7	19	13.3	05.9-20.7	7	12.7	01.7-23.7
H.S. or G.E.D.	490	115,237	61	10.8	07.7-13.9	244	50.9	45.4-56.4	88	15.9	12.2-19.6	79	17.4	13.1-21.7	18	5.1	02.4-07.8
Some Post-H.S.	321	87,955	46	12.3	08.2-16.4	175	53.7	46.8-60.6	55	19.0	13.3-24.7	41	12.8	08.3-17.3	4	2.2	00.0-04.9
College Graduate	245	36,720	40	16.3	10.4-22.2	140	56.3	48.5-64.1	29	12.4	07.3-17.5	32	14.0	08.3-19.7	4	1.1	00.0-02.3
Less than \$15,000	172	44,322	20	13.9	06.3-21.5	69	36.0	26.6-45.4	35	21.5	13.3-29.7	41	19.1	11.8-26.4	7	9.6	01.8-17.4
\$15,000- 24,999	297	68,398	37	11.0	06.9-15.1	147	48.8	41.4-56.2	53	16.6	11.1-22.1	49	17.7	11.8-23.6	11	5.8	01.9-09.7
\$25,000- 34,999	154	36,078	24	14.1	07.6-20.6	86	57.2	47.4-67.0	21	11.8	05.7-17.9	19	14.7	06.9-22.5	4	2.1	00.0-04.3
\$35,000- 49,999	150	34,893	31	18.5	11.2-25.8	76	51.2	41.4-61.0	25	20.4	12.0-28.8	17	9.6	04.5-14.7	1	0.3	00.0-00.9
\$50,000- 74,999	130	35,972	16	7.2	02.9-11.5	68	51.6	39.3-63.9	26	17.9	09.5-26.3	13	11.2	03.9-18.5	7	12.2	00.0-25.1
\$75,000+	118	29,349	15	11.9	04.8-19.0	71	56.5	45.7-67.3	16	15.0	07.4-22.6	15	16.0	07.4-24.6	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2143	587,905	392	18.7	16.5-20.9	1751	81.3	79.1-83.5
Male	958	300,702	182	18.7	15.6-21.8	776	81.3	78.2-84.4
Female	1185	287,203	210	18.7	15.8-21.6	975	81.3	78.4-84.2
White/Non-Hisp	1777	469,900	310	17.7	15.3-20.1	1467	82.3	79.9-84.7
Black or Afr. Am./Non-Hisp	192	62,746	47	25.5	17.3-33.7	145	74.5	66.3-82.7
Hispanic	62	24,710	12	21.6	08.3-34.9	50	78.4	65.1-91.7
35-44	71	40,153	12	19.6	08.4-30.8	59	80.4	69.2-91.6
45-54	253	99,258	50	18.3	12.6-24.0	203	81.7	76.0-87.4
55-64	558	167,162	124	23.3	19.0-27.6	434	76.7	72.4-81.0
65+	1223	250,069	203	16.5	14.0-19.0	1020	83.5	81.0-86.0
Less Than H.S.	223	101,739	58	23.0	16.3-29.7	165	77.0	70.3-83.7
H.S. or G.E.D.	820	219,302	166	18.8	15.5-22.1	654	81.2	77.9-84.5
Some Post-H.S.	563	176,046	100	19.4	15.3-23.5	463	80.6	76.5-84.7
College Graduate	533	90,354	66	12.0	08.7-15.3	467	88.0	84.7-91.3
Less than \$15,000	274	79,218	77	28.4	21.5-35.3	197	71.6	64.7-78.5
\$15,000- 24,999	477	128,292	102	20.3	15.8-24.8	375	79.7	75.2-84.2
\$25,000- 34,999	272	74,893	58	24.1	17.0-31.2	214	75.9	68.8-83.0
\$35,000- 49,999	301	79,735	44	16.6	11.1-22.1	257	83.4	77.9-88.9
\$50,000- 74,999	255	73,999	33	10.2	06.1-14.3	222	89.8	85.7-93.9
\$75,000+	312	84,798	33	10.1	05.8-14.4	279	89.9	85.6-94.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	958	300,702	182	18.7	15.6-21.8	776	81.3	78.2-84.4
White/Non-Hisp	809	244,977	150	18.1	14.8-21.4	659	81.9	78.6-85.2
Black or Afr. Am./Non-Hisp	70	29,008	19	29.6	15.9-43.3	51	70.4	56.7-84.1
45-54	115	52,129	26	19.1	10.7-27.5	89	80.9	72.5-89.3
55-64	264	85,693	58	21.9	15.8-28.0	206	78.1	72.0-84.2
65+	530	127,164	91	17.3	13.6-21.0	439	82.7	79.0-86.4
Less Than H.S.	98	54,700	23	18.3	10.3-26.3	75	81.7	73.7-89.7
H.S. or G.E.D.	328	104,022	68	20.3	14.8-25.8	260	79.7	74.2-85.2
Some Post-H.S.	240	87,747	46	19.7	13.6-25.8	194	80.3	74.2-86.4
College Graduate	289	53,888	43	13.8	09.3-18.3	246	86.2	81.7-90.7
Less than \$15,000	100	34,252	32	33.4	22.2-44.6	68	66.6	55.4-77.8
\$15,000- 24,999	178	60,285	30	14.6	08.9-20.3	148	85.4	79.7-91.1
\$25,000- 34,999	114	37,794	34	30.1	18.3-41.9	80	69.9	58.1-81.7
\$35,000- 49,999	151	44,841	24	15.3	08.2-22.4	127	84.7	77.6-91.8
\$50,000- 74,999	125	38,026	20	13.1	06.6-19.6	105	86.9	80.4-93.4
\$75,000+	195	55,636	25	12.8	06.5-19.1	170	87.2	80.9-93.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1185	287,203	210	18.7	15.8-21.6	975	81.3	78.4-84.2
White/Non-Hisp	968	224,923	160	17.3	14.2-20.4	808	82.7	79.6-85.8
Black or Afr. Am./Non-Hisp	122	33,739	28	21.9	12.7-31.1	94	78.1	68.9-87.3
45-54	138	47,130	24	17.5	09.9-25.1	114	82.5	74.9-90.1
55-64	294	81,469	66	24.8	18.5-31.1	228	75.2	68.9-81.5
65+	693	122,905	112	15.8	12.5-19.1	581	84.2	80.9-87.5
Less Than H.S.	125	47,039	35	28.4	17.8-39.0	90	71.6	61.0-82.2
H.S. or G.E.D.	492	115,280	98	17.4	13.5-21.3	394	82.6	78.7-86.5
Some Post-H.S.	323	88,299	54	19.1	13.4-24.8	269	80.9	75.2-86.6
College Graduate	244	36,466	23	9.3	05.0-13.6	221	90.7	86.4-95.0
Less than \$15,000	174	44,966	45	24.7	16.5-32.9	129	75.3	67.1-83.5
\$15,000- 24,999	299	68,006	72	25.4	18.7-32.1	227	74.6	67.9-81.3
\$25,000- 34,999	158	37,099	24	18.0	10.4-25.6	134	82.0	74.4-89.6
\$35,000- 49,999	150	34,893	20	18.3	09.7-26.9	130	81.7	73.1-90.3
\$50,000- 74,999	130	35,972	13	7.3	02.6-12.0	117	92.7	88.0-97.4
\$75,000+	117	29,162	8	4.9	01.4-08.4	109	95.1	91.6-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2160	593,083	1289	59.2	56.5-61.9	871	40.8	38.1-43.5
Male	967	303,168	554	57.3	53.4-61.2	413	42.7	38.8-46.6
Female	1193	289,916	735	61.2	57.7-64.7	458	38.8	35.3-42.3
White/Non-Hisp	1789	472,982	1067	59.7	56.8-62.6	722	40.3	37.4-43.2
Black or Afr. Am./Non-Hisp	195	64,237	125	59.8	50.8-68.8	70	40.2	31.2-49.2
Hispanic	63	24,930	28	46.1	31.0-61.2	35	53.9	38.8-69.0
35-44	72	41,899	46	60.0	47.1-72.9	26	40.0	27.1-52.9
45-54	256	100,483	153	59.4	52.1-66.7	103	40.6	33.3-47.9
55-64	565	169,150	345	59.9	55.0-64.8	220	40.1	35.2-45.0
65+	1229	250,289	723	58.7	55.4-62.0	506	41.3	38.0-44.6
Less Than H.S.	222	101,559	105	50.2	42.0-58.4	117	49.8	41.6-58.0
H.S. or G.E.D.	831	223,658	459	56.0	51.7-60.3	372	44.0	39.7-48.3
Some Post-H.S.	566	176,570	369	65.2	60.5-69.9	197	34.8	30.1-39.5
College Graduate	537	90,832	353	65.4	60.3-70.5	184	34.6	29.5-39.7
Less than \$15,000	279	81,224	149	53.1	45.5-60.7	130	46.9	39.3-54.5
\$15,000- 24,999	479	129,804	278	57.7	52.0-63.4	201	42.3	36.6-48.0
\$25,000- 34,999	274	75,271	160	58.4	50.6-66.2	114	41.6	33.8-49.4
\$35,000- 49,999	301	79,570	182	60.7	53.8-67.6	119	39.3	32.4-46.2
\$50,000- 74,999	255	73,999	160	60.8	53.0-68.6	95	39.2	31.4-47.0
\$75,000+	313	84,984	215	69.3	63.0-75.6	98	30.7	24.4-37.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	967	303,168	554	57.3	53.4-61.2	413	42.7	38.8-46.6
White/Non-Hisp	814	245,802	467	58.0	53.7-62.3	347	42.0	37.7-46.3
Black or Afr. Am./Non-Hisp	71	29,943	46	57.8	43.3-72.3	25	42.2	27.7-56.7
45-54	116	52,542	70	59.3	48.5-70.1	46	40.7	29.9-51.5
55-64	269	87,125	167	60.8	53.9-67.7	102	39.2	32.3-46.1
65+	532	126,849	288	54.0	48.9-59.1	244	46.0	40.9-51.1
Less Than H.S.	98	54,620	44	50.2	38.8-61.6	54	49.8	38.4-61.2
H.S. or G.E.D.	335	106,562	180	55.8	49.1-62.5	155	44.2	37.5-50.9
Some Post-H.S.	240	87,586	144	60.2	52.9-67.5	96	39.8	32.5-47.1
College Graduate	291	54,053	183	62.4	55.5-69.3	108	37.6	30.7-44.5
Less than \$15,000	103	35,585	49	49.3	37.7-60.9	54	50.7	39.1-62.3
\$15,000- 24,999	180	61,006	97	53.6	44.8-62.4	83	46.4	37.6-55.2
\$25,000- 34,999	115	38,046	59	53.4	41.1-65.7	56	46.6	34.3-58.9
\$35,000- 49,999	152	44,931	87	60.4	50.8-70.0	65	39.6	30.0-49.2
\$50,000- 74,999	125	38,026	76	56.1	45.3-66.9	49	43.9	33.1-54.7
\$75,000+	195	55,636	128	67.4	59.4-75.4	67	32.6	24.6-40.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1193	289,916	735	61.2	57.7-64.7	458	38.8	35.3-42.3
White/Non-Hisp	975	227,180	600	61.6	57.7-65.5	375	38.4	34.5-42.3
Black or Afr. Am./Non-Hisp	124	34,294	79	61.6	50.4-72.8	45	38.4	27.2-49.6
45-54	140	47,942	83	59.5	49.7-69.3	57	40.5	30.7-50.3
55-64	296	82,024	178	59.0	52.3-65.7	118	41.0	34.3-47.7
65+	697	123,440	435	63.4	59.1-67.7	262	36.6	32.3-40.9
Less Than H.S.	124	46,939	61	50.2	38.4-62.0	63	49.8	38.0-61.6
H.S. or G.E.D.	496	117,095	279	56.3	50.8-61.8	217	43.7	38.2-49.2
Some Post-H.S.	326	88,984	225	70.1	64.0-76.2	101	29.9	23.8-36.0
College Graduate	246	36,779	170	69.9	62.8-77.0	76	30.1	23.0-37.2
Less than \$15,000	176	45,639	100	56.1	46.1-66.1	76	43.9	33.9-53.9
\$15,000- 24,999	299	68,798	181	61.3	54.2-68.4	118	38.7	31.6-45.8
\$25,000- 34,999	159	37,225	101	63.5	54.1-72.9	58	36.5	27.1-45.9
\$35,000- 49,999	149	34,639	95	61.1	51.3-70.9	54	38.9	29.1-48.7
\$50,000- 74,999	130	35,972	84	65.9	55.1-76.7	46	34.1	23.3-44.9
\$75,000+	118	29,349	87	72.8	63.0-82.6	31	27.2	17.4-37.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

MODULE 12: CANCER SURVIVORSHIP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.] (CSRVRT2)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57
HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

MODULE 12: CANCER SURVIVORSHIP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2139	522,434	1699	79.9	77.5-82.3	359	16.1	14.1-18.1	81	4.0	02.6-05.4
Male	836	216,126	649	79.4	76.1-82.7	151	17.1	14.0-20.2	36	3.6	02.2-05.0
Female	1303	306,308	1050	80.2	77.1-83.3	208	15.5	12.8-18.2	45	4.3	02.3-06.3
White/Non-Hisp	1981	473,857	1567	79.5	77.1-81.9	338	16.8	14.6-19.0	76	3.7	02.7-04.7
Black or Afr. Am./Non-Hisp	67	17,954	61	86.4	75.4-97.4	6	13.6	02.6-24.6			
45-54	158	65,940	132	83.8	77.5-90.1	20	11.5	06.2-16.8	6	4.7	00.8-08.6
55-64	463	133,826	387	81.8	77.5-86.1	64	16.3	12.0-20.6	12	1.9	00.7-03.1
65+	1438	268,697	1108	77.1	74.4-79.8	269	18.4	15.9-20.9	61	4.6	03.2-06.0
Less Than H.S.	129	55,841	105	77.6	67.2-88.0	17	13.4	06.3-20.5	7	9.0	00.0-18.0
H.S. or G.E.D.	692	178,425	555	80.2	76.5-83.9	118	17.2	13.7-20.7	19	2.6	01.2-04.0
Some Post-H.S.	540	165,465	431	80.2	76.1-84.3	83	15.6	11.7-19.5	26	4.1	02.1-06.1
College Graduate	774	122,195	605	80.0	76.7-83.3	140	16.3	13.2-19.4	29	3.7	02.1-05.3
Less than \$15,000	161	47,281	131	83.8	77.1-90.5	26	13.3	07.2-19.4	4	2.9	00.0-06.0
\$15,000- 24,999	366	84,785	298	81.7	76.8-86.6	53	13.7	09.4-18.0	15	4.5	01.8-07.2
\$25,000- 34,999	250	59,048	194	78.8	72.1-85.5	47	18.6	12.1-25.1	9	2.6	00.6-04.6
\$35,000- 49,999	330	79,475	255	76.6	70.7-82.5	65	20.0	14.5-25.5	10	3.4	00.9-05.9
\$50,000- 74,999	301	74,938	230	76.9	69.5-84.3	57	15.2	10.3-20.1	14	7.9	01.0-14.8
\$75,000+	495	124,460	401	81.1	76.6-85.6	74	15.5	11.2-19.8	20	3.4	01.6-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	836	216,126	649	79.4	76.1-82.7	151	17.1	14.2-20.0	36	3.6	02.2-05.0
Female	820	202,696	624	76.6	72.5-80.7	164	18.1	14.6-21.6	32	5.3	02.4-08.2
White/Non-Hisp	1510	372,306	1153	77.5	74.8-80.2	294	18.5	16.0-21.0	63	4.0	02.8-05.2
Black or Afr. Am./Non-Hisp	63	17,031	57	85.6	74.0-97.2	6	14.4	02.8-26.0			
45-54	126	52,868	103	82.1	74.8-89.4	18	12.6	06.7-18.5	5	5.2	00.5-09.9
55-64	367	109,501	304	80.9	75.8-86.0	54	17.5	12.6-22.4	9	1.6	00.4-02.8
65+	1099	211,254	809	74.3	71.2-77.4	238	20.5	17.6-23.4	52	5.2	03.4-07.0
Less Than H.S.	107	48,580	84	74.6	63.0-86.2	16	15.1	07.1-23.1	7	10.3	00.1-20.5
H.S. or G.E.D.	551	150,914	431	79.4	75.3-83.5	106	18.4	14.5-22.3	14	2.2	00.8-03.6
Some Post-H.S.	407	126,086	318	79.2	74.5-83.9	68	16.2	11.9-20.5	21	4.6	02.2-07.0
College Graduate	588	92,853	438	76.0	71.9-80.1	124	19.3	15.6-23.0	26	4.6	02.6-06.6
Less than \$15,000	138	41,711	111	82.8	75.4-90.2	23	13.9	07.2-20.6	4	3.3	00.0-06.8
\$15,000- 24,999	280	67,735	218	79.0	73.1-84.9	49	16.2	11.1-21.3	13	4.8	01.7-07.9
\$25,000- 34,999	200	48,487	150	76.7	68.9-84.5	43	20.9	13.3-28.5	7	2.5	00.3-04.7
\$35,000- 49,999	262	66,170	195	75.0	68.5-81.5	58	20.9	14.8-27.0	9	4.0	00.9-07.1
\$50,000- 74,999	230	58,843	172	75.1	66.3-83.9	47	15.3	09.8-20.8	11	9.6	01.2-18.0
\$75,000+	379	98,367	300	80.5	75.4-85.6	62	16.1	11.2-21.0	17	3.4	01.4-05.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	462	120,158	326	72.3	67.4-77.2	106	22.1	17.6-26.6	30	5.6	03.2-08.0
Female	1303	306,308	1050	80.2	77.1-83.3	208	15.5	12.8-18.2	45	4.3	02.3-06.3
White/Non-Hisp	1621	382,835	1258	77.6	75.1-80.1	293	18.1	15.6-20.6	70	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	66	17,835	60	86.3	75.1-97.5	6	13.7	02.5-24.9			
45-54	131	53,619	107	81.5	74.1-88.9	18	12.7	06.4-19.0	6	5.8	01.1-10.5
55-64	379	108,297	313	81.1	76.2-86.0	55	16.8	12.1-21.5	11	2.1	00.5-03.7
65+	1180	213,342	889	74.2	71.1-77.3	235	20.4	17.5-23.3	56	5.4	03.6-07.2
Less Than H.S.	108	46,480	90	79.6	67.8-91.4	11	9.7	02.8-16.6	7	10.8	00.2-21.4
H.S. or G.E.D.	585	145,780	456	77.1	72.8-81.4	110	19.8	15.7-23.9	19	3.2	01.4-05.0
Some Post-H.S.	461	138,919	357	77.3	72.4-82.2	80	18.2	13.7-22.7	24	4.6	02.2-07.0
College Graduate	609	94,979	471	79.6	75.9-83.3	113	16.2	12.9-19.5	25	4.2	02.2-06.2
Less than \$15,000	140	39,186	115	84.7	77.4-92.0	21	11.8	05.5-18.1	4	3.5	00.0-07.4
\$15,000- 24,999	324	74,189	261	81.1	75.8-86.4	48	13.7	09.2-18.2	15	5.2	02.1-08.3
\$25,000- 34,999	216	52,293	161	76.2	68.8-83.6	46	20.8	13.5-28.1	9	2.9	00.7-05.1
\$35,000- 49,999	267	64,983	201	74.1	67.2-81.0	56	21.8	15.3-28.3	10	4.2	01.1-07.3
\$50,000- 74,999	239	59,806	177	73.2	64.4-82.0	50	17.4	11.5-23.3	12	9.4	01.0-17.8
\$75,000+	373	91,354	295	78.1	72.4-83.8	60	17.6	12.1-23.1	18	4.3	01.9-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2080	509,577	24	1.9	00.9-02.9	192	14.9	12.4-17.4	488	26.2	23.7-28.7	789	35.4	32.9-37.9	567	21.0	19.0-23.0	20	0.7	00.3-01.1
Male	819	212,823	7	1.0	00.2-01.8	41	8.3	05.4-11.2	161	22.0	18.3-25.7	349	42.2	37.9-46.5	254	25.6	22.1-29.1	7	0.8	00.2-01.4
Female	1261	296,754	17	2.6	01.0-04.2	151	19.5	16.0-23.0	327	29.2	25.9-32.5	440	30.4	27.3-33.5	313	17.8	15.3-20.3	13	0.6	00.2-01.0
White/Non-Hisp	1932	462,807	20	1.8	00.8-02.8	168	13.5	11.1-15.9	458	26.7	24.2-29.2	737	36.5	33.8-39.2	529	20.8	18.8-22.8	20	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	62	16,855	1	3.9	00.0-11.3	9	26.7	10.8-42.6	9	11.2	01.2-21.2	27	33.1	18.8-47.4	16	25.0	10.9-39.1			
45-54	154	63,086	5	2.7	00.0-05.4	24	15.0	08.7-21.3	104	66.5	57.7-75.3	20	14.7	07.4-22.0	1	1.1	00.0-03.3			
55-64	458	132,455	4	1.0	00.0-02.0	47	11.0	07.5-14.5	150	32.8	27.7-37.9	256	55.1	49.6-60.6	1	0.1	00.0-00.3			
65+	1388	260,065	5	0.3	00.0-00.7	69	5.1	03.7-06.5	216	14.8	12.4-17.2	513	37.7	34.6-40.8	565	40.9	37.6-44.2	20	1.3	00.5-02.1
Less Than H.S.	122	53,810	4	3.7	00.0-08.0	18	22.3	10.5-34.1	17	14.1	06.3-21.9	42	32.5	22.1-42.9	40	26.5	17.3-35.7	1	0.8	00.0-02.4
H.S. or G.E.D.	669	173,988	6	2.3	00.3-04.3	63	13.4	09.5-17.3	152	26.2	21.9-30.5	238	34.4	30.1-38.7	203	23.1	19.6-26.6	7	0.7	00.1-01.3
Some Post-H.S.	524	160,477	5	0.8	00.0-01.6	58	16.8	12.1-21.5	124	26.7	22.0-31.4	201	35.7	30.8-40.6	128	19.1	15.4-22.8	8	0.9	00.1-01.7
College Graduate	762	120,879	9	2.0	00.6-03.4	53	11.1	07.8-14.4	195	31.0	26.7-35.3	307	37.6	33.5-41.7	194	18.1	15.2-21.0	4	0.3	00.0-00.7
Less than \$15,000	155	45,306	7	8.6	02.1-15.1	29	22.8	13.2-32.4	32	21.1	12.9-29.3	55	31.9	22.7-41.1	31	15.5	08.4-22.6	1	0.2	00.0-00.6
\$15,000- 24,999	358	83,500	6	2.3	00.1-04.5	38	17.6	11.1-24.1	70	21.6	15.9-27.3	120	31.6	25.3-37.9	117	25.3	20.0-30.6	7	1.5	00.1-02.9
\$25,000- 34,999	243	56,976	1	0.7	00.0-02.1	17	9.8	04.5-15.1	50	23.1	15.7-30.5	92	37.3	29.3-45.3	79	27.3	20.0-34.6	4	1.9	00.0-04.1
\$35,000- 49,999	322	77,036	4	2.4	00.0-05.9	23	12.0	05.9-18.1	57	18.3	12.6-24.0	133	40.5	33.6-47.4	102	26.2	20.5-31.9	3	0.7	00.0-01.5
\$50,000- 74,999	297	73,941	1	0.2	00.0-00.6	20	11.5	04.2-18.8	71	27.8	21.1-34.5	128	39.5	32.4-46.6	76	20.9	15.6-26.2	1	0.1	00.0-00.3
\$75,000+	491	124,025	2	0.6	00.0-01.4	44	14.0	09.3-18.7	163	39.6	33.9-45.3	191	33.3	28.4-38.2	89	12.4	09.3-15.5	2	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	819	212,823	7	1.0	00.2-01.8	41	8.3	05.4-11.2	161	22.0	18.3-25.7	349	42.2	37.9-46.5	254	25.6	22.1-29.1	7	0.8	00.2-01.4			
White/Non-Hisp	753	192,345	5	0.7	00.1-01.3	37	8.2	05.1-11.3	151	22.5	18.6-26.4	320	43.0	38.5-47.5	233	24.8	21.3-28.3	7	0.8	00.0-01.6			
45-54	58	25,460	2	3.0	00.0-08.1	9	15.8	05.0-26.6	37	58.3	43.4-73.2	9	20.2	06.9-33.5	1	2.6	00.0-07.7						
55-64	187	57,820	2	1.1	00.0-02.7	8	4.6	00.9-08.3	59	30.4	22.6-38.2	117	63.6	55.4-71.8	1	0.2	00.0-00.6						
65+	556	118,459	2	0.3	00.0-00.9	11	2.1	00.5-03.7	61	10.3	07.2-13.4	223	40.5	35.6-45.4	252	45.4	40.3-50.5	7	1.4	00.2-02.6			
H.S. or G.E.D.	241	73,262	1	0.9	00.0-02.7	10	6.4	01.7-11.1	47	22.4	15.7-29.1	96	40.1	32.7-47.5	84	29.1	22.6-35.6	3	1.2	00.0-02.6			
Some Post-H.S.	181	58,771	2	1.2	00.0-03.0	8	8.4	02.3-14.5	34	22.8	15.2-30.4	84	44.3	35.7-52.9	52	23.0	16.5-29.5	1	0.2	00.0-00.6			
College Graduate	348	57,805	3	1.1	00.0-02.5	20	9.4	05.1-13.7	75	25.1	19.2-31.0	148	41.1	35.0-47.2	100	22.9	18.2-27.6	2	0.4	00.0-01.0			
\$15,000- 24,999	110	30,433	1	1.3	00.0-03.8	7	13.5	01.9-25.1	17	18.3	09.1-27.5	48	39.2	27.8-50.6	34	24.9	15.7-34.1	3	2.9	00.0-06.4			
\$25,000- 34,999	89	22,355				3	4.8	00.0-11.1	13	13.6	04.6-22.6	38	45.8	32.1-59.5	33	33.7	21.0-46.4	2	2.2	00.0-05.5			
\$35,000- 49,999	140	35,325	2	0.9	00.0-02.5	4	4.0	00.0-09.5	21	17.1	08.7-25.5	63	44.1	33.9-54.3	49	33.2	23.8-42.6	1	0.6	00.0-01.8			
\$50,000- 74,999	133	31,854				4	6.2	00.0-12.5	22	16.2	08.9-23.5	50	42.7	32.5-52.9	57	35.0	25.8-44.2						
\$75,000+	241	61,526	1	0.5	00.0-01.5	17	10.1	04.6-15.6	70	36.5	28.5-44.5	103	38.3	30.9-45.7	49	14.5	10.0-19.0	1	0.1	00.0-00.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1261	296,754	17	2.6	01.0-04.2	151	19.5	16.0-23.0	327	29.2	25.9-32.5	440	30.4	27.3-33.5	313	17.8	15.3-20.3	13	0.6	00.2-01.0
White/Non-Hisp	1179	270,463	15	2.5	00.9-04.1	131	17.3	14.0-20.6	307	29.8	26.3-33.3	417	31.8	28.5-35.1	296	17.9	15.4-20.4	13	0.6	00.2-01.0
45-54	96	37,626	3	2.6	00.0-05.5	15	14.4	06.8-22.0	67	72.1	61.9-82.3	11	11.0	03.4-18.6						
55-64	271	74,636	2	1.0	00.0-02.4	39	15.9	10.4-21.4	91	34.7	27.8-41.6	139	48.5	41.4-55.6						
65+	832	141,605	3	0.3	00.0-00.7	58	7.5	05.1-09.9	155	18.5	15.2-21.8	290	35.3	31.2-39.4	313	37.2	33.1-41.3	13	1.2	00.2-02.2
Less Than H.S.	75	31,129	3	6.1	00.0-13.4	15	29.9	13.2-46.6	12	16.2	05.0-27.4	22	22.6	11.2-34.0	23	25.2	13.0-37.4			
H.S. or G.E.D.	428	100,727	5	3.3	00.0-06.6	53	18.5	13.0-24.0	105	28.9	23.2-34.6	142	30.2	25.1-35.3	119	18.7	14.8-22.6	4	0.3	00.0-00.7
Some Post-H.S.	343	101,706	3	0.6	00.0-01.4	50	21.6	15.3-27.9	90	29.0	22.9-35.1	117	30.7	24.8-36.6	76	16.9	12.4-21.4	7	1.2	00.0-02.4
College Graduate	414	63,075	6	2.9	00.5-05.3	33	12.6	07.5-17.7	120	36.4	30.1-42.7	159	34.3	28.8-39.8	94	13.7	10.4-17.0	2	0.2	00.0-00.4
Less than \$15,000	112	30,041	6	10.7	01.9-19.5	25	29.5	16.8-42.2	25	25.1	14.1-36.1	35	21.3	12.9-29.7	20	13.1	05.5-20.7	1	0.2	00.0-00.6
\$15,000- 24,999	248	53,067	5	2.9	00.0-06.0	31	20.0	12.4-27.6	53	23.5	16.4-30.6	72	27.3	20.0-34.6	83	25.6	19.1-32.1	4	0.8	00.0-01.8
\$25,000- 34,999	154	34,621	1	1.2	00.0-03.6	14	13.0	05.2-20.8	37	29.2	18.8-39.6	54	31.8	22.4-41.2	46	23.1	14.7-31.5	2	1.7	00.0-04.6
\$35,000- 49,999	182	41,711	2	3.6	00.0-09.7	19	18.7	08.9-28.5	36	19.2	11.6-26.8	70	37.5	28.1-46.9	53	20.2	13.7-26.7	2	0.7	00.0-01.9
\$50,000- 74,999	164	42,086	1	0.3	00.0-00.9	16	15.6	04.2-27.0	49	36.5	26.3-46.7	78	37.2	27.8-46.6	19	10.2	04.5-15.9	1	0.2	00.0-00.6
\$75,000+	250	62,499	1	0.7	00.0-02.1	27	17.8	10.4-25.2	93	42.5	34.7-50.3	88	28.4	22.1-34.7	40	10.4	05.9-14.9	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP
TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2055	498,975	453	22.9	20.4-25.4	138	7.0	05.4-08.6	33	1.6	00.8-02.4	250	12.0	10.2-13.8	924	42.7	40.0-45.4	257	13.8	11.6-16.0
Male	795	204,067	1	0.1	00.0-00.3	50	6.6	04.2-09.0	23	3.2	01.6-04.8	217	25.2	21.5-28.9	417	51.6	47.1-56.1	87	13.3	10.2-16.4
Female	1260	294,909	452	38.8	35.1-42.5	88	7.3	05.3-09.3	10	0.5	00.1-00.9	33	2.9	01.7-04.1	507	36.5	33.0-40.0	170	14.1	11.2-17.0
White/Non-Hisp	1904	452,799	406	22.1	19.6-24.6	123	6.5	05.1-07.9	29	1.6	00.8-02.4	223	11.4	09.6-13.2	886	45.0	42.1-47.9	237	13.4	11.4-15.4
Black or Afr. Am./Non-Hisp	66	17,291	23	30.3	16.0-44.6	9	19.7	05.0-34.4	1	0.8	00.0-02.4	15	24.7	11.6-37.8	8	8.8	01.7-15.9	10	15.7	04.3-27.1
45-54	150	62,377	40	26.9	18.7-35.1	12	8.3	03.2-13.4	2	1.0	00.0-02.6	14	9.1	03.8-14.4	59	39.3	30.3-48.3	23	15.4	08.7-22.1
55-64	452	130,453	92	20.2	15.7-24.7	35	7.3	04.6-10.0	10	2.0	00.4-03.6	50	11.9	08.2-15.6	200	43.6	38.1-49.1	65	15.0	11.1-18.9
65+	1376	253,652	292	19.9	17.4-22.4	86	6.5	04.7-08.3	20	1.6	00.6-02.6	176	13.1	10.9-15.3	648	47.9	44.6-51.2	154	11.1	08.9-13.3
Less Than H.S.	120	52,427	29	23.1	13.5-32.7	8	7.6	00.9-14.3	4	3.1	00.0-06.2	10	8.8	01.5-16.1	52	40.4	29.2-51.6	17	16.9	06.5-27.3
H.S. or G.E.D.	658	168,550	166	24.7	20.4-29.0	54	9.2	06.3-12.1	9	1.5	00.3-02.7	69	11.2	08.3-14.1	281	40.7	36.0-45.4	79	12.8	09.5-16.1
Some Post-H.S.	523	159,617	127	26.5	21.6-31.4	27	4.5	02.3-06.7	5	1.3	00.0-02.7	59	11.6	08.3-14.9	226	40.6	35.5-45.7	79	15.5	11.6-19.4
College Graduate	751	117,992	131	15.7	12.4-19.0	48	6.9	04.5-09.3	15	1.5	00.7-02.3	112	15.2	11.9-18.5	363	49.3	44.8-53.8	82	11.5	08.6-14.4
Less than \$15,000	149	42,418	47	31.2	21.0-41.4	12	6.9	02.6-11.2	7	3.3	00.2-06.4	11	5.3	01.6-09.0	49	34.7	24.3-45.1	23	18.5	09.9-27.1
\$15,000- 24,999	355	81,875	95	26.7	20.4-33.0	29	7.9	04.2-11.6	4	1.1	00.0-02.5	23	7.3	02.8-11.8	144	38.9	32.2-45.6	60	18.1	12.8-23.4
\$25,000- 34,999	243	57,315	57	23.3	16.0-30.6	17	8.9	03.6-14.2	8	5.6	01.1-10.1	28	12.3	06.8-17.8	109	40.4	32.2-48.6	24	9.4	04.5-14.3
\$35,000- 49,999	317	75,010	64	23.8	16.7-30.9	25	8.6	04.5-12.7	2	0.6	00.0-01.4	48	15.6	10.5-20.7	141	39.7	32.8-46.6	37	11.6	06.9-16.3
\$50,000- 74,999	291	72,757	48	16.0	10.5-21.5	17	6.6	02.7-10.5	2	0.9	00.0-02.3	41	13.0	08.5-17.5	146	46.5	39.1-53.9	37	17.1	09.7-24.5
\$75,000+	480	120,437	87	21.0	15.9-26.1	28	5.1	02.9-07.3	6	0.7	00.1-01.3	79	15.5	11.4-19.6	230	46.7	41.0-52.4	50	10.9	07.2-14.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP
TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	795	204,067	1	0.1	00.0-00.3	50	6.6	04.4-08.8	23	3.2	01.6-04.8	217	25.2	21.5-28.9	417	51.6	47.1-56.1	87	13.3	10.2-16.4
White/Non-Hisp	730	184,452	1	0.1	00.0-00.3	42	5.8	03.8-07.8	20	3.3	01.5-05.1	192	23.5	19.6-27.4	397	53.8	49.1-58.5	78	13.5	10.2-16.8
45-54	53	22,920				7	13.9	03.1-24.7	2	2.8	00.0-07.1	10	17.4	05.8-29.0	24	45.8	30.5-61.1	10	20.1	07.6-32.6
55-64	182	56,151				12	5.6	01.7-09.5	9	4.5	00.8-08.2	42	23.2	15.6-30.8	98	52.6	43.8-61.4	21	14.1	08.2-20.0
65+	542	113,912	1	0.1	00.0-00.3	30	6.0	03.3-08.7	12	2.9	00.9-04.9	157	26.1	21.8-30.4	288	53.3	48.0-58.6	54	11.5	08.0-15.0
H.S. or G.E.D.	227	68,457				13	7.8	03.1-12.5	7	3.3	00.6-06.0	57	22.2	15.9-28.5	132	57.1	49.3-64.9	18	9.7	04.6-14.8
Some Post-H.S.	180	57,556				9	4.2	00.7-07.7	4	3.4	00.0-07.1	49	27.2	19.6-34.8	91	47.9	39.1-56.7	27	17.4	10.5-24.3
College Graduate	339	55,490	1	0.3	00.0-00.9	24	7.5	04.2-10.8	10	2.6	00.8-04.4	104	29.6	23.7-35.5	167	48.7	42.2-55.2	33	11.3	06.8-15.8
\$15,000- 24,999	107	29,335				12	12.2	03.8-20.6	3	3.0	00.0-06.9	18	18.6	07.0-30.2	57	50.2	37.9-62.5	17	16.1	07.9-24.3
\$25,000- 34,999	90	22,530				2	5.7	00.0-14.7	8	14.3	03.5-25.1	27	30.8	18.3-43.3	46	39.0	26.5-51.5	7	10.1	01.1-19.1
\$35,000- 49,999	136	33,304				9	9.0	02.1-15.9	2	1.3	00.0-03.1	40	28.1	18.7-37.5	74	50.3	39.9-60.7	11	11.3	03.5-19.1
\$50,000- 74,999	127	30,706				8	5.1	01.4-08.8	2	2.1	00.0-05.4	37	26.3	17.5-35.1	64	50.3	39.9-60.7	16	16.2	08.2-24.2
\$75,000+	232	58,414	1	0.2	00.0-00.6	15	5.1	02.2-08.0	4	1.1	00.0-02.3	73	29.2	21.9-36.5	118	53.9	45.9-61.9	21	10.5	05.2-15.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP
TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1260	294,909	452	38.8	35.1-42.5	88	7.3	05.3-09.3	10	0.5	00.1-00.9	33	2.9	01.7-04.1	507	36.5	33.0-40.0	170	14.1	11.4-16.8
White/Non-Hisp	1174	268,347	405	37.3	33.6-41.0	81	7.0	05.2-08.8	9	0.5	00.1-00.9	31	3.0	01.6-04.4	489	38.9	35.4-42.4	159	13.3	10.8-15.8
45-54	97	39,457	40	42.4	31.0-53.8	5	5.0	00.1-09.9				4	4.2	00.0-08.5	35	35.6	24.6-46.6	13	12.7	05.3-20.1
55-64	270	74,301	92	35.5	28.4-42.6	23	8.5	04.8-12.2	1	0.1	00.0-00.3	8	3.3	00.6-06.0	102	36.9	30.0-43.8	44	15.7	10.6-20.8
65+	834	139,740	291	35.9	31.8-40.0	56	6.8	04.6-09.0	8	0.6	00.0-01.2	19	2.5	01.1-03.9	360	43.4	39.3-47.5	100	10.8	08.3-13.3
Less Than H.S.	74	30,253	29	40.1	24.8-55.4	5	8.3	00.0-18.1	2	2.6	00.0-06.5	3	1.6	00.0-03.4	27	32.2	18.5-45.9	8	15.1	00.0-30.6
H.S. or G.E.D.	431	100,093	166	41.6	35.5-47.7	41	10.1	06.4-13.8	2	0.2	00.0-00.6	12	3.6	01.2-06.0	149	29.5	24.4-34.6	61	15.0	10.5-19.5
Some Post-H.S.	343	102,061	127	41.4	34.5-48.3	18	4.7	02.2-07.2	1	0.2	00.0-00.6	10	2.8	00.6-05.0	135	36.4	30.1-42.7	52	14.4	09.9-18.9
College Graduate	412	62,502	130	29.3	23.6-35.0	24	6.4	03.1-09.7	5	0.5	00.0-01.1	8	2.4	00.2-04.6	196	49.8	43.5-56.1	49	11.6	07.7-15.5
Less than \$15,000	109	28,415	47	46.6	33.5-59.7	10	7.9	02.2-13.6	5	3.7	00.0-08.0	7	5.9	00.8-11.0	22	16.3	07.1-25.5	18	19.6	09.0-30.2
\$15,000- 24,999	248	52,541	95	41.6	33.4-49.8	17	5.5	02.2-08.8	1	0.1	00.0-00.3	5	0.9	00.0-01.9	87	32.7	25.1-40.3	43	19.2	12.5-25.9
\$25,000- 34,999	153	34,785	57	38.5	27.9-49.1	15	11.0	04.5-17.5				1	0.3	00.0-00.9	63	41.2	30.6-51.8	17	9.0	03.3-14.7
\$35,000- 49,999	181	41,706	64	42.8	32.4-53.2	16	8.4	03.7-13.1				8	5.6	00.9-10.3	67	31.3	22.7-39.9	26	11.9	06.0-17.8
\$50,000- 74,999	164	42,051	48	27.6	18.6-36.6	9	7.6	01.5-13.7				4	3.2	00.1-06.3	82	43.7	33.5-53.9	21	17.8	06.4-29.2
\$75,000+	248	62,023	86	40.6	32.6-48.6	13	5.1	01.8-08.4	2	0.3	00.0-00.9	6	2.6	00.1-05.1	112	40.0	32.4-47.6	29	11.3	06.2-16.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 10: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVTRT2)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1061	246,914	65	6.1	04.3-07.9	573	53.7	49.8-57.6
Male	458	114,986	34	6.8	04.1-09.5	251	54.1	48.4-59.8
Female	603	131,927	31	5.4	03.0-07.8	322	53.4	47.9-58.9
White/Non-Hisp	1022	235,537	61	6.0	04.2-07.8	553	53.6	49.7-57.5
45-54	70	29,870	3	3.5	00.0-07.8	40	63.0	50.5-75.5
55-64	211	59,401	9	4.6	01.3-07.9	117	51.6	43.6-59.6
65+	755	141,729	51	7.1	04.7-09.5	401	52.3	47.8-56.8
Less Than H.S.	55	24,330	8	14.3	04.1-24.5	18	26.9	13.4-40.4
H.S. or G.E.D.	325	79,862	14	4.9	02.0-07.8	163	48.4	41.7-55.1
Some Post-H.S.	245	73,509	14	6.0	02.7-09.3	132	60.6	53.5-67.7
College Graduate	434	69,009	29	4.6	02.6-06.6	259	62.0	56.5-67.5
Less than \$15,000	58	16,324	6	13.7	01.9-25.5	27	35.0	19.1-50.9
\$15,000- 24,999	164	36,347	13	9.4	03.3-15.5	81	48.1	38.3-57.9
\$25,000- 34,999	114	25,045	4	3.1	00.0-07.2	52	40.8	29.0-52.6
\$35,000- 49,999	162	35,080	7	3.8	00.5-07.1	97	63.8	55.0-72.6
\$50,000- 74,999	166	40,940	14	7.4	02.7-12.1	88	55.6	44.8-66.4
\$75,000+	278	67,254	17	5.1	02.4-07.8	165	59.0	51.6-66.4

Data was weighted using _LLCPWT.

N	No refused treatment		No, have not started treatment			N	5	
	%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)
4	1.4	00.0-03.4	53	4.8	03.2-06.4	366	34.1	30.4-37.8
			23	5.2	02.7-07.7	150	33.9	28.4-39.4
4	2.5	00.0-06.2	30	4.4	02.4-06.4	216	34.2	29.3-39.1
2	0.4	00.0-00.8	53	5.0	03.4-06.6	353	35.1	31.4-38.8
1	1.2	00.0-03.6	3	4.3	00.0-09.6	23	28.0	16.4-39.6
			14	6.7	02.8-10.6	71	37.1	29.1-45.1
2	0.3	00.0-00.9	35	4.4	02.6-06.2	266	35.9	31.6-40.2
1	10.3	00.0-28.7	3	6.6	00.0-14.6	25	41.9	24.7-59.1
2	1.0	00.0-02.4	26	5.5	03.1-07.9	120	40.2	33.7-46.7
			8	3.7	00.8-06.6	91	29.8	23.5-36.1
1	0.0	00.0-00.0	16	4.5	02.1-06.9	129	28.8	23.7-33.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 10: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVTRT2)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

No refused treatment			No, have not started treatment			5		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
			5	5.9	00.0-12.0	20	45.5	28.3-62.7
2	1.1	00.0-03.1	7	5.8	00.3-11.3	61	35.5	26.3-44.7
1	1.8	00.0-05.3	6	3.3	00.4-06.2	51	51.0	38.8-63.2
			5	3.1	00.4-05.8	53	29.3	21.1-37.5
1	6.1	00.0-17.5	11	5.8	02.1-09.5	52	25.1	17.3-32.9
			14	5.2	01.9-08.5	82	30.6	23.5-37.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 11: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVRT2)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No, have not started treatment			5		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	458	114,986	34	6.8	04.3-09.3	251	54.1	48.4-59.8	23	5.2	02.7-07.7	150	33.9	28.4-39.4
White/Non-Hisp	439	109,548	31	6.4	03.9-08.9	242	53.3	47.4-59.2	23	5.5	02.8-08.2	143	34.8	29.1-40.5
55-64	96	29,241	5	7.0	01.1-12.9	54	51.7	39.5-63.9	6	5.6	00.5-10.7	31	35.7	23.7-47.7
65+	327	69,540	28	7.6	04.3-10.9	176	54.6	47.9-61.3	16	5.2	02.1-08.3	107	32.6	26.3-38.9
H.S. or G.E.D.	136	41,212	7	5.6	00.9-10.3	73	50.8	40.8-60.8	11	5.1	02.0-08.2	45	38.5	28.5-48.5
Some Post-H.S.	91	29,291	8	7.0	02.1-11.9	54	65.3	54.1-76.5	1	2.5	00.0-07.4	28	25.1	15.3-34.9
College Graduate	207	34,141	16	5.7	02.6-08.8	117	58.4	50.6-66.2	8	4.6	01.3-07.9	66	31.3	23.9-38.7
\$15,000- 24,999	56	15,171	7	13.7	02.1-25.3	27	42.1	26.6-57.6	4	12.3	00.0-24.8	18	31.9	17.2-46.6
\$35,000- 49,999	80	19,007	5	5.2	00.0-10.9	53	70.8	59.8-81.8	3	3.8	00.0-08.1	19	20.2	11.0-29.4
\$50,000- 74,999	79	19,272	9	9.4	02.7-16.1	37	56.0	42.9-69.1	6	6.8	01.1-12.5	27	27.7	16.1-39.3
\$75,000+	144	37,717	10	5.8	01.9-09.7	83	55.5	45.1-65.9	4	3.2	00.0-07.1	47	35.5	25.3-45.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 12: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVTRT2)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	603	131,927	31	5.4	03.0-07.8	322	53.4	48.1-58.7
White/Non-Hisp	583	125,989	30	5.6	03.2-08.0	311	53.8	48.7-58.9
55-64	115	30,160	4	2.3	00.0-04.8	63	51.5	40.7-62.3
65+	428	72,189	23	6.6	03.3-09.9	225	50.1	44.2-56.0
H.S. or G.E.D.	189	38,649	7	4.2	01.1-07.3	90	45.8	37.2-54.4
Some Post-H.S.	154	44,219	6	5.3	00.8-09.8	78	57.4	48.2-66.6
College Graduate	227	34,867	13	3.6	01.4-05.8	142	65.6	58.0-73.2
\$15,000- 24,999	108	21,175	6	6.3	01.2-11.4	54	52.5	40.0-65.0
\$25,000- 34,999	71	16,536	3	4.0	00.0-10.1	26	31.7	17.8-45.6
\$35,000- 49,999	82	16,073	2	2.3	00.0-05.6	44	55.5	41.2-69.8
\$50,000- 74,999	87	21,668	5	5.5	00.0-12.0	51	55.3	38.6-72.0
\$75,000+	134	29,537	7	4.3	00.4-08.2	82	63.6	53.8-73.4

Data was weighted using _LLCPWT.

N	No refused treatment		No, have not started treatment			5		
	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
4	2.5	00.0-06.2	30	4.4	02.4-06.4	216	34.2	29.3-39.1
2	0.7	00.0-01.7	30	4.6	02.6-06.6	210	35.3	30.4-40.2
			8	7.7	01.8-13.6	40	38.4	27.4-49.4
2	0.7	00.0-01.9	19	3.6	01.8-05.4	159	39.0	33.3-44.7
2	2.1	00.0-05.0	15	5.9	02.4-09.4	75	41.9	33.5-50.3
			7	4.5	00.8-08.2	63	32.8	24.6-41.0
1	0.1	00.0-00.3	8	4.4	01.1-07.7	63	26.4	19.3-33.5
2	1.9	00.0-05.4	3	1.2	00.0-02.6	43	38.2	26.2-50.2
1	2.8	00.0-08.1	3	2.9	00.0-06.6	38	58.7	43.6-73.8
			2	2.2	00.0-05.5	34	40.0	26.1-53.9
1	11.6	00.0-31.8	5	4.8	00.1-09.5	25	22.8	12.6-33.0
			10	7.9	02.2-13.6	35	24.3	15.9-32.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 13: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1205	294,839	40	3.2	02.0-04.4	906	71.4	67.9-74.9	25	2.8	01.4-04.2	10	1.0	00.0-02.0	57	5.5	03.7-07.3	167	16.1	13.4-18.8
Male	461	118,018	19	4.3	02.1-06.5	352	72.7	67.4-78.0	2	0.2	00.0-00.6	4	0.4	00.0-00.8	16	4.2	01.7-06.7	68	18.2	13.5-22.9
Female	744	176,822	21	2.4	01.2-03.6	554	70.6	66.1-75.1	23	4.5	02.3-06.7	6	1.4	00.0-03.2	41	6.3	03.9-08.7	99	14.7	11.4-18.0
White/Non-Hisp	1123	268,177	36	3.0	01.8-04.2	849	72.5	69.0-76.0	25	3.0	01.6-04.4	9	0.6	00.2-01.0	48	5.2	03.4-07.0	156	15.8	12.9-18.7
45-54	92	39,331	1	0.9	00.0-02.7	58	60.1	48.3-71.9	6	5.8	00.7-10.9	1	0.9	00.0-02.7	9	14.4	05.0-23.8	17	17.9	08.9-26.9
55-64	277	79,521	10	3.6	01.1-06.1	201	71.7	65.4-78.0	4	1.2	00.0-02.4	1	0.3	00.0-00.9	12	4.5	01.8-07.2	49	18.7	13.2-24.2
65+	788	142,811	29	4.3	02.5-06.1	618	76.0	72.1-79.9	9	1.1	00.3-01.9	7	0.7	00.1-01.3	35	4.6	02.8-06.4	90	13.4	10.1-16.7
Less Than H.S.	56	23,513	5	7.6	00.3-14.9	32	47.5	31.0-64.0				1	6.3	00.0-18.1	7	15.8	03.8-27.8	11	22.8	09.1-36.5
H.S. or G.E.D.	373	96,936	14	3.9	01.5-06.3	295	76.8	71.3-82.3	5	1.6	00.2-03.0	2	0.3	00.0-00.7	14	3.3	00.9-05.7	43	14.1	09.4-18.8
Some Post-H.S.	304	96,349	11	2.7	00.9-04.5	210	68.1	61.6-74.6	7	3.9	00.8-07.0	3	0.7	00.0-01.7	21	6.5	03.2-09.8	52	18.0	12.7-23.3
College Graduate	471	77,852	9	1.2	00.2-02.2	369	76.4	71.5-81.3	13	3.7	01.2-06.2	4	0.7	00.0-01.5	15	3.8	01.6-06.0	61	14.3	10.2-18.4
Less than \$15,000	77	20,117	4	6.2	00.0-12.7	52	53.1	37.4-68.8	3	4.8	00.0-11.3	1	0.9	00.0-02.7	4	11.8	00.0-23.8	13	23.2	09.3-37.1
\$15,000- 24,999	198	45,511	9	5.1	01.2-09.0	155	73.2	64.6-81.8	2	0.5	00.0-01.5	1	0.3	00.0-00.9	10	6.4	01.1-11.7	21	14.4	07.5-21.3
\$25,000- 34,999	129	29,683	5	3.8	00.0-07.7	96	66.9	55.5-78.3	4	3.2	00.0-06.5	1	0.4	00.0-01.2	8	8.8	01.7-15.9	15	16.9	06.9-26.9
\$35,000- 49,999	196	49,854	7	3.8	00.7-06.9	147	72.9	64.7-81.1	2	2.3	00.0-06.2	2	0.6	00.0-01.4	12	4.7	01.6-07.8	26	15.8	08.9-22.7
\$50,000- 74,999	173	46,339	5	1.9	00.1-03.7	131	71.3	62.9-79.7	4	3.2	00.1-06.3				7	5.7	01.2-10.2	26	18.0	10.7-25.3
\$75,000+	308	75,912	5	1.7	00.0-03.5	240	77.7	72.0-83.4	9	4.3	01.0-07.6	4	1.1	00.0-02.3	9	2.5	00.5-04.5	41	12.6	08.1-17.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 14: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	461	118,018	19	4.3	02.1-06.5	352	72.7	67.4-78.0	2	0.2	00.0-00.6	4	0.4	00.0-00.8	16	4.2	01.7-06.7	68	18.2	13.5-22.9
White/Non-Hisp	425	105,400	16	4.1	01.7-06.5	330	74.8	69.5-80.1	2	0.2	00.0-00.6	4	0.5	00.0-01.1	13	4.0	01.3-06.7	60	16.3	11.6-21.0
55-64	116	34,846	6	5.7	00.6-10.8	85	68.5	57.9-79.1							4	4.1	00.0-08.8	21	21.7	11.9-31.5
65+	303	63,311	13	4.9	02.2-07.6	236	76.0	69.9-82.1	2	0.4	00.0-01.0	4	0.8	00.0-01.6	9	2.5	00.5-04.5	39	15.4	09.7-21.1
H.S. or G.E.D.	126	36,360	6	5.3	00.6-10.0	95	73.4	63.8-83.0				1	0.5	00.0-01.5	3	3.6	00.0-08.3	21	17.2	09.2-25.2
Some Post-H.S.	110	36,567	6	4.0	00.5-07.5	77	68.6	57.8-79.4				1	0.2	00.0-00.6	6	4.6	00.1-09.1	20	22.6	12.4-32.8
College Graduate	204	34,856	3	1.5	00.1-02.9	169	81.6	74.9-88.3	2	0.7	00.0-01.9	2	0.7	00.0-01.7	5	2.1	00.0-04.3	23	13.3	07.2-19.4
\$15,000- 24,999	54	14,488	5	9.3	00.0-18.9	36	67.9	51.6-84.2	2	1.7	00.0-04.6				2	4.0	00.0-09.7	9	17.0	03.3-30.7
\$35,000- 49,999	89	24,046	5	6.5	00.6-12.4	65	70.2	58.4-82.0				1	0.5	00.0-01.5	4	2.4	00.0-04.8	14	20.5	09.3-31.7
\$50,000- 74,999	70	19,658	2	1.8	00.0-04.3	54	72.9	59.8-86.0							2	4.9	00.0-12.3	12	20.4	08.6-32.2
\$75,000+	149	36,138	1	1.3	00.0-03.8	128	82.5	74.3-90.7				2	0.6	00.0-01.6	2	1.2	00.0-03.0	16	14.4	06.6-22.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 15: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	744	176,822	21	2.4	01.2-03.6	554	70.6	66.1-75.1	23	4.5	02.3-06.7	6	1.4	00.0-03.2	41	6.3	03.9-08.7	99	14.7	11.4-18.0
White/Non-Hisp	698	162,777	20	2.2	01.0-03.4	519	70.9	66.4-75.4	23	4.9	02.5-07.3	5	0.6	00.0-01.2	35	5.9	03.4-08.4	96	15.4	11.7-19.1
45-54	61	26,033	1	1.4	00.0-04.1	35	58.1	43.6-72.6	6	8.7	01.1-16.3	1	1.4	00.0-04.1	7	15.8	03.8-27.8	11	14.5	05.1-23.9
55-64	161	44,675	4	2.0	00.0-04.0	116	74.2	66.8-81.6	4	2.1	00.0-04.3	1	0.6	00.0-01.8	8	4.8	01.3-08.3	28	16.3	10.0-22.6
65+	485	79,500	16	3.7	01.3-06.1	382	76.0	70.9-81.1	7	1.6	00.2-03.0	3	0.5	00.0-01.1	26	6.3	03.6-09.0	51	11.8	07.9-15.7
H.S. or G.E.D.	247	60,576	8	3.1	00.7-05.5	200	78.7	71.8-85.6	5	2.6	00.2-05.0	1	0.2	00.0-00.6	11	3.0	00.6-05.4	22	12.3	06.4-18.2
Some Post-H.S.	194	59,781	5	2.0	00.2-03.8	133	67.8	59.6-76.0	7	6.2	01.1-11.3	2	1.0	00.0-02.6	15	7.7	03.0-12.4	32	15.2	09.3-21.1
College Graduate	267	42,997	6	0.9	00.1-01.7	200	72.2	64.9-79.5	11	6.1	01.8-10.4	2	0.7	00.0-01.7	10	5.2	01.7-08.7	38	15.0	09.3-20.7
Less than \$15,000	62	15,426	2	3.2	00.0-07.7	43	57.1	39.1-75.1	3	6.2	00.0-14.6				3	10.8	00.0-24.3	11	22.7	07.2-38.2
\$15,000- 24,999	144	31,022	4	3.1	00.0-07.0	119	75.7	65.5-85.9				1	0.4	00.0-01.2	8	7.5	00.1-14.9	12	13.2	05.4-21.0
\$25,000- 34,999	84	18,495	3	4.1	00.0-09.8	62	67.6	53.7-81.5	4	5.1	00.0-10.6	1	0.6	00.0-01.8	6	7.1	00.8-13.4	8	15.6	03.3-27.9
\$35,000- 49,999	107	25,808	2	1.2	00.0-03.4	82	75.4	63.8-87.0	2	4.4	00.0-11.8	1	0.7	00.0-02.1	8	6.9	01.2-12.6	12	11.4	03.6-19.2
\$50,000- 74,999	103	26,680	3	2.0	00.0-04.5	77	70.1	59.1-81.1	4	5.5	00.0-11.0				5	6.2	00.5-11.9	14	16.2	07.0-25.4
\$75,000+	159	39,774	4	2.0	00.0-04.4	112	73.3	65.1-81.5	9	8.3	02.4-14.2	2	1.6	00.0-03.8	7	3.8	00.7-06.9	25	11.0	06.3-15.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 16: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1183	286,812	509	43.2	39.5-46.9	674	56.8	53.1-60.5
Male	451	114,175	183	38.9	33.4-44.4	268	61.1	55.6-66.6
Female	732	172,637	326	46.1	41.2-51.0	406	53.9	49.0-58.8
White/Non-Hisp	1100	259,601	462	42.1	38.4-45.8	638	57.9	54.2-61.6
45-54	90	38,419	39	44.4	32.4-56.4	51	55.6	43.6-67.6
55-64	268	76,545	122	43.5	36.4-50.6	146	56.5	49.4-63.6
65+	779	140,778	325	41.6	37.3-45.9	454	58.4	54.1-62.7
Less Than H.S.	55	22,554	18	38.5	21.8-55.2	37	61.5	44.8-78.2
H.S. or G.E.D.	364	92,761	149	42.4	35.7-49.1	215	57.6	50.9-64.3
Some Post-H.S.	302	95,376	135	45.8	38.9-52.7	167	54.2	47.3-61.1
College Graduate	460	75,813	207	42.6	37.1-48.1	253	57.4	51.9-62.9
Less than \$15,000	79	19,963	37	51.6	36.3-66.9	42	48.4	33.1-63.7
\$15,000- 24,999	195	43,858	74	36.5	27.3-45.7	121	63.5	54.3-72.7
\$25,000- 34,999	127	28,865	52	41.0	29.6-52.4	75	59.0	47.6-70.4
\$35,000- 49,999	195	50,201	84	49.4	40.0-58.8	111	50.6	41.2-60.0
\$50,000- 74,999	169	44,520	79	46.1	36.9-55.3	90	53.9	44.7-63.1
\$75,000+	296	72,760	134	41.3	34.4-48.2	162	58.7	51.8-65.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 17: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	451	114,175	183	38.9	33.4-44.4	268	61.1	55.6-66.6
White/Non-Hisp	413	101,101	162	38.0	32.3-43.7	251	62.0	56.3-67.7
55-64	112	33,063	50	40.2	29.6-50.8	62	59.8	49.2-70.4
65+	298	62,664	115	39.1	32.4-45.8	183	60.9	54.2-67.6
H.S. or G.E.D.	127	36,002	40	32.9	22.9-42.9	87	67.1	57.1-77.1
Some Post-H.S.	106	34,218	48	41.8	31.0-52.6	58	58.2	47.4-69.0
College Graduate	198	34,102	89	43.1	35.1-51.1	109	56.9	48.9-64.9
\$15,000- 24,999	54	14,310	19	28.1	13.0-43.2	35	71.9	56.8-87.0
\$35,000- 49,999	91	24,811	38	44.2	31.5-56.9	53	55.8	43.1-68.5
\$50,000- 74,999	68	18,344	30	43.8	30.3-57.3	38	56.2	42.7-69.7
\$75,000+	141	33,490	62	37.9	28.9-46.9	79	62.1	53.1-71.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 18: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	732	172,637	326	46.1	41.2-51.0	406	53.9	49.0-58.8
White/Non-Hisp	687	158,500	300	44.7	39.8-49.6	387	55.3	50.4-60.2
45-54	60	25,790	28	51.8	37.1-66.5	32	48.2	33.5-62.9
55-64	156	43,482	72	46.0	37.0-55.0	84	54.0	45.0-63.0
65+	481	78,114	210	43.6	38.1-49.1	271	56.4	50.9-61.9
H.S. or G.E.D.	237	56,758	109	48.4	39.8-57.0	128	51.6	43.0-60.2
Some Post-H.S.	196	61,157	87	48.0	39.2-56.8	109	52.0	43.2-60.8
College Graduate	262	41,711	118	42.3	34.7-49.9	144	57.7	50.1-65.3
Less than \$15,000	63	15,199	29	52.9	35.3-70.5	34	47.1	29.5-64.7
\$15,000- 24,999	141	29,548	55	40.6	29.4-51.8	86	59.4	48.2-70.6
\$25,000- 34,999	83	17,570	37	39.1	25.6-52.6	46	60.9	47.4-74.4
\$35,000- 49,999	104	25,390	46	54.4	40.9-67.9	58	45.6	32.1-59.1
\$50,000- 74,999	101	26,176	49	47.7	35.4-60.0	52	52.3	40.0-64.6
\$75,000+	155	39,269	72	44.2	34.4-54.0	83	55.8	46.0-65.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 19: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1206	293,597	932	78.4	75.5-81.3	274	21.6	18.7-24.5
Male	465	118,285	360	77.2	72.3-82.1	105	22.8	17.9-27.7
Female	741	175,311	572	79.3	75.6-83.0	169	20.7	17.0-24.4
White/Non-Hisp	1124	267,032	869	78.9	76.0-81.8	255	21.1	18.2-24.0
45-54	89	37,192	74	80.8	71.2-90.4	15	19.2	09.6-28.8
55-64	277	79,378	229	80.1	74.2-86.0	48	19.9	14.0-25.8
65+	790	142,854	588	75.5	71.8-79.2	202	24.5	20.8-28.2
Less Than H.S.	57	23,671	37	70.8	56.9-84.7	20	29.2	15.3-43.1
H.S. or G.E.D.	368	95,293	263	75.3	70.0-80.6	105	24.7	19.4-30.0
Some Post-H.S.	306	96,444	240	80.0	74.5-85.5	66	20.0	14.5-25.5
College Graduate	473	77,881	392	82.9	78.4-87.4	81	17.1	12.6-21.6
Less than \$15,000	79	20,603	54	68.4	53.7-83.1	25	31.6	16.9-46.3
\$15,000- 24,999	198	45,185	137	71.1	62.9-79.3	61	28.9	20.7-37.1
\$25,000- 34,999	126	28,004	94	77.6	68.4-86.8	32	22.4	13.2-31.6
\$35,000- 49,999	200	50,883	154	81.0	74.5-87.5	46	19.0	12.5-25.5
\$50,000- 74,999	171	45,077	143	82.1	75.0-89.2	28	17.9	10.8-25.0
\$75,000+	311	76,733	264	83.4	77.9-88.9	47	16.6	11.1-22.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 20: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	465	118,285	360	77.2	72.3-82.1	105	22.8	17.9-27.7
White/Non-Hisp	427	105,211	332	78.5	73.6-83.4	95	21.5	16.6-26.4
55-64	116	34,846	97	82.2	73.6-90.8	19	17.8	09.2-26.4
65+	306	63,296	234	77.9	72.2-83.6	72	22.1	16.4-27.8
H.S. or G.E.D.	126	35,934	91	76.3	67.9-84.7	35	23.7	15.3-32.1
Some Post-H.S.	110	36,352	84	75.1	64.9-85.3	26	24.9	14.7-35.1
College Graduate	207	35,398	170	80.4	73.3-87.5	37	19.6	12.5-26.7
\$15,000- 24,999	56	14,943	41	76.8	62.5-91.1	15	23.2	08.9-37.5
\$35,000- 49,999	92	24,949	69	77.1	66.9-87.3	23	22.9	12.7-33.1
\$50,000- 74,999	69	18,978	58	81.3	70.5-92.1	11	18.7	07.9-29.5
\$75,000+	150	36,422	124	80.2	71.8-88.6	26	19.8	11.4-28.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 21: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	741	175,311	572	79.3	75.6-83.0	169	20.7	17.0-24.4
White/Non-Hisp	697	161,821	537	79.2	75.3-83.1	160	20.8	16.9-24.7
45-54	58	23,894	56	97.4	93.7-0100	2	2.6	00.0-06.3
55-64	161	44,532	132	78.4	70.6-86.2	29	21.6	13.8-29.4
65+	484	79,559	354	73.6	68.7-78.5	130	26.4	21.5-31.3
H.S. or G.E.D.	242	59,360	172	74.7	67.6-81.8	70	25.3	18.2-32.4
Some Post-H.S.	196	60,091	156	83.1	77.0-89.2	40	16.9	10.8-23.0
College Graduate	266	42,483	222	84.9	79.2-90.6	44	15.1	09.4-20.8
Less than \$15,000	63	15,839	44	74.1	58.6-89.6	19	25.9	10.4-41.4
\$15,000- 24,999	142	30,243	96	68.4	58.4-78.4	46	31.6	21.6-41.6
\$25,000- 34,999	81	17,133	63	79.2	69.0-89.4	18	20.8	10.6-31.0
\$35,000- 49,999	108	25,933	85	84.9	76.9-92.9	23	15.1	07.1-23.1
\$50,000- 74,999	102	26,100	85	82.7	73.3-92.1	17	17.3	07.9-26.7
\$75,000+	161	40,311	140	86.3	79.4-93.2	21	13.7	06.8-20.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 22: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	890	218,479	686	80.3	77.2-83.4	204	19.7	16.6-22.8
Male	351	88,901	287	83.0	78.1-87.9	64	17.0	12.1-21.9
Female	539	129,578	399	78.5	74.2-82.8	140	21.5	17.2-25.8
White/Non-Hisp	829	199,466	630	78.8	75.5-82.1	199	21.2	17.9-24.5
45-54	67	27,598	53	81.7	71.7-91.7	14	18.3	08.3-28.3
55-64	222	60,722	185	83.5	77.6-89.4	37	16.5	10.6-22.4
65+	563	104,058	415	75.6	71.3-79.9	148	24.4	20.1-28.7
H.S. or G.E.D.	247	66,419	185	81.8	76.5-87.1	62	18.2	12.9-23.5
Some Post-H.S.	231	74,840	186	81.8	75.9-87.7	45	18.2	12.3-24.1
College Graduate	380	62,452	288	75.5	70.2-80.8	92	24.5	19.2-29.8
\$15,000- 24,999	131	30,867	100	83.6	76.7-90.5	31	16.4	09.5-23.3
\$25,000- 34,999	92	21,283	66	76.1	64.9-87.3	26	23.9	12.7-35.1
\$35,000- 49,999	148	38,090	114	81.5	73.5-89.5	34	18.5	10.5-26.5
\$50,000- 74,999	140	35,604	106	77.1	68.7-85.5	34	22.9	14.5-31.3
\$75,000+	249	60,677	202	81.3	75.4-87.2	47	18.7	12.8-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 23: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	351	88,901	287	83.0	78.1-87.9	64	17.0	12.1-21.9
White/Non-Hisp	325	80,720	261	81.2	75.9-86.5	64	18.8	13.5-24.1
55-64	96	27,741	80	82.9	73.5-92.3	16	17.1	07.7-26.5
65+	226	47,828	182	81.1	74.8-87.4	44	18.9	12.6-25.2
H.S. or G.E.D.	89	27,137	72	86.0	78.0-94.0	17	14.0	06.0-22.0
Some Post-H.S.	82	26,546	67	81.9	72.3-91.5	15	18.1	08.5-27.7
College Graduate	167	28,299	136	80.3	73.4-87.2	31	19.7	12.8-26.6
\$35,000- 49,999	67	18,213	57	83.0	70.7-95.3	10	17.0	04.7-29.3
\$50,000- 74,999	57	15,016	42	73.7	59.6-87.8	15	26.3	12.2-40.4
\$75,000+	119	28,546	101	85.5	78.6-92.4	18	14.5	07.6-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 24: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	539	129,578	399	78.5	74.2-82.8	140	21.5	17.2-25.8
White/Non-Hisp	504	118,746	369	77.1	72.6-81.6	135	22.9	18.4-27.4
55-64	126	32,982	105	84.0	76.9-91.1	21	16.0	08.9-23.1
65+	337	56,230	233	70.9	65.0-76.8	104	29.1	23.2-35.0
H.S. or G.E.D.	158	39,283	113	79.0	71.9-86.1	45	21.0	13.9-28.1
Some Post-H.S.	149	48,294	119	81.7	74.1-89.3	30	18.3	10.7-25.9
College Graduate	213	34,153	152	71.5	63.9-79.1	61	28.5	20.9-36.1
\$15,000- 24,999	90	19,398	63	78.4	68.8-88.0	27	21.6	12.0-31.2
\$25,000- 34,999	62	13,424	42	71.8	57.5-86.1	20	28.2	13.9-42.5
\$35,000- 49,999	81	19,877	57	80.2	69.8-90.6	24	19.8	09.4-30.2
\$50,000- 74,999	83	20,588	64	79.5	69.5-89.5	19	20.5	10.5-30.5
\$75,000+	130	32,131	101	77.6	68.4-86.8	29	22.4	13.2-31.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 25: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1219	296,496	1178	94.9	92.7-97.1	41	5.1	02.9-07.3
Male	468	119,103	457	97.0	94.6-99.4	11	3.0	00.6-05.4
Female	751	177,393	721	93.5	90.4-96.6	30	6.5	03.4-09.6
White/Non-Hisp	1134	269,039	1100	96.0	94.2-97.8	34	4.0	02.2-05.8
45-54	91	38,637	85	90.2	82.4-98.0	6	9.8	02.0-17.6
55-64	279	80,328	268	97.2	95.0-99.4	11	2.8	00.6-05.0
65+	802	145,049	785	98.1	96.9-99.3	17	1.9	00.7-03.1
Less Than H.S.	58	24,218	54	89.7	77.5-0100	4	10.3	00.0-22.5
H.S. or G.E.D.	374	96,667	358	95.6	92.9-98.3	16	4.4	01.7-07.1
Some Post-H.S.	308	96,939	295	92.3	87.6-97.0	13	7.7	03.0-12.4
College Graduate	477	78,364	470	99.1	98.3-99.9	7	0.9	00.1-01.7
Less than \$15,000	79	20,599	71	90.0	81.0-99.0	8	10.0	01.0-19.0
\$15,000- 24,999	201	46,046	193	93.9	89.0-98.8	8	6.1	01.2-11.0
\$25,000- 34,999	131	30,057	123	92.4	85.9-98.9	8	7.6	01.1-14.1
\$35,000- 49,999	199	50,765	193	96.4	92.3-0100	6	3.6	00.0-07.7
\$50,000- 74,999	174	45,926	171	97.8	94.9-0100	3	2.2	00.0-05.1
\$75,000+	309	76,282	305	96.0	91.7-0100	4	4.0	00.0-08.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 26: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	468	119,103	457	97.0	94.6-99.4	11	3.0	00.6-05.4
White/Non-Hisp	430	106,029	420	97.5	95.3-99.7	10	2.5	00.3-04.7
55-64	116	34,846	112	97.9	95.7-0100	4	2.1	00.0-04.3
65+	310	64,408	305	98.6	97.2-0100	5	1.4	00.0-02.8
H.S. or G.E.D.	127	36,120	123	98.2	96.2-0100	4	1.8	00.0-03.8
Some Post-H.S.	112	37,222	109	94.0	86.9-0100	3	6.0	00.0-13.1
College Graduate	207	35,160	205	99.3	98.3-0100	2	0.7	00.0-01.7
\$15,000- 24,999	56	14,943	53	91.2	79.6-0100	3	8.8	00.0-20.4
\$35,000- 49,999	92	24,949	90	98.0	95.1-0100	2	2.0	00.0-04.9
\$50,000- 74,999	71	19,245	71	100.0	0100-0100			
\$75,000+	148	35,971	146	96.9	91.4-0100	2	3.1	00.0-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 27: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	751	177,393	721	93.5	90.4-96.6	30	6.5	03.4-09.6
White/Non-Hisp	704	163,010	680	94.9	92.2-97.6	24	5.1	02.4-07.8
45-54	60	25,339	55	88.5	78.5-98.5	5	11.5	01.5-21.5
55-64	163	45,483	156	96.6	93.3-99.9	7	3.4	00.1-06.7
65+	492	80,641	480	97.7	96.1-99.3	12	2.3	00.7-03.9
H.S. or G.E.D.	247	60,548	235	94.1	90.0-98.2	12	5.9	01.8-10.0
Some Post-H.S.	196	59,717	186	91.3	85.0-97.6	10	8.7	02.4-15.0
College Graduate	270	43,203	265	99.0	97.8-0100	5	1.0	00.0-02.2
Less than \$15,000	63	15,834	55	87.1	75.3-98.9	8	12.9	01.1-24.7
\$15,000- 24,999	145	31,103	140	95.2	90.5-99.9	5	4.8	00.1-09.5
\$25,000- 34,999	84	18,412	78	89.9	80.1-99.7	6	10.1	00.3-19.9
\$35,000- 49,999	107	25,816	103	94.8	87.4-0100	4	5.2	00.0-12.6
\$50,000- 74,999	103	26,680	100	96.1	91.0-0100	3	3.9	00.0-09.0
\$75,000+	161	40,311	159	95.2	88.7-0100	2	4.8	00.0-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 28: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1219	297,584	88	7.9	05.7-10.1	1131	92.1	89.9-94.3
Male	469	119,388	30	5.7	03.2-08.2	439	94.3	91.8-96.8
Female	750	178,196	58	9.3	06.2-12.4	692	90.7	87.6-93.8
White/Non-Hisp	1135	270,150	81	7.8	05.6-10.0	1054	92.2	90.0-94.4
45-54	91	38,808	15	14.7	06.7-22.7	76	85.3	77.3-93.3
55-64	278	80,097	21	5.9	03.2-08.6	257	94.1	91.4-96.8
65+	800	144,507	45	5.1	03.3-06.9	755	94.9	93.1-96.7
Less Than H.S.	58	24,218	6	10.6	00.0-22.4	52	89.4	77.6-0100
H.S. or G.E.D.	375	96,302	24	5.8	03.1-08.5	351	94.2	91.5-96.9
Some Post-H.S.	309	98,434	24	8.8	04.7-12.9	285	91.2	87.1-95.3
College Graduate	475	78,322	34	8.4	05.1-11.7	441	91.6	88.3-94.9
Less than \$15,000	80	20,648	7	13.3	01.7-24.9	73	86.7	75.1-98.3
\$15,000- 24,999	200	46,023	13	5.7	01.6-09.8	187	94.3	90.2-98.4
\$25,000- 34,999	130	29,810	9	7.7	02.0-13.4	121	92.3	86.6-98.0
\$35,000- 49,999	198	50,244	14	7.7	02.6-12.8	184	92.3	87.2-97.4
\$50,000- 74,999	173	45,732	8	3.6	00.7-06.5	165	96.4	93.5-99.3
\$75,000+	308	75,995	31	10.0	05.9-14.1	277	90.0	85.9-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 29: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	469	119,388	30	5.7	03.2-08.2	439	94.3	91.8-96.8
White/Non-Hisp	431	106,314	27	6.0	03.3-08.7	404	94.0	91.3-96.7
55-64	115	34,614	7	3.7	00.6-06.8	108	96.3	93.2-99.4
65+	311	64,630	16	3.6	01.6-05.6	295	96.4	94.4-98.4
H.S. or G.E.D.	127	36,110	5	3.1	00.0-06.2	122	96.9	93.8-0100
Some Post-H.S.	112	37,222	8	6.3	00.4-12.2	104	93.7	87.8-99.6
College Graduate	208	35,455	17	9.3	04.2-14.4	191	90.7	85.6-95.8
\$15,000- 24,999	56	14,943	2	0.6	00.0-01.6	54	99.4	98.4-0100
\$35,000- 49,999	92	24,949	5	3.3	00.2-06.4	87	96.7	93.6-99.8
\$50,000- 74,999	71	19,245	4	3.0	00.0-06.1	67	97.0	93.9-0100
\$75,000+	149	36,265	17	13.6	06.2-21.0	132	86.4	79.0-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 30: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	750	178,196	58	9.3	06.2-12.4	692	90.7	87.6-93.8
White/Non-Hisp	704	163,836	54	8.9	06.2-11.6	650	91.1	88.4-93.8
45-54	60	25,510	10	15.4	05.0-25.8	50	84.6	74.2-95.0
55-64	163	45,483	14	7.6	03.5-11.7	149	92.4	88.3-96.5
65+	489	79,877	29	6.3	03.6-09.0	460	93.7	91.0-96.4
H.S. or G.E.D.	248	60,192	19	7.4	03.3-11.5	229	92.6	88.5-96.7
Some Post-H.S.	197	61,212	16	10.3	04.6-16.0	181	89.7	84.0-95.4
College Graduate	267	42,868	17	7.8	03.3-12.3	250	92.2	87.7-96.7
Less than \$15,000	64	15,883	7	17.3	02.6-32.0	57	82.7	68.0-97.4
\$15,000- 24,999	144	31,080	11	8.1	02.2-14.0	133	91.9	86.0-97.8
\$25,000- 34,999	84	18,396	9	12.5	03.5-21.5	75	87.5	78.5-96.5
\$35,000- 49,999	106	25,294	9	12.1	02.7-21.5	97	87.9	78.5-97.3
\$50,000- 74,999	102	26,487	4	4.0	00.0-08.3	98	96.0	91.7-0100
\$75,000+	159	39,730	14	6.6	02.7-10.5	145	93.4	89.5-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

**TABLE 31: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1215	296,863	48	4.0	02.6-05.4	1167	96.0	94.6-97.4
Male	466	118,580	17	3.6	01.6-05.6	449	96.4	94.4-98.4
Female	749	178,283	31	4.4	02.4-06.4	718	95.6	93.6-97.6
White/Non-Hisp	1131	269,953	41	3.7	02.3-05.1	1090	96.3	94.9-97.7
45-54	91	38,784	3	2.6	00.0-05.5	88	97.4	94.5-0100
55-64	278	79,978	14	5.3	02.2-08.4	264	94.7	91.6-97.8
65+	797	144,464	27	3.4	01.8-05.0	770	96.6	95.0-98.2
Less Than H.S.	54	22,877	3	5.6	00.0-12.5	51	94.4	87.5-0100
H.S. or G.E.D.	374	96,801	13	3.7	01.3-06.1	361	96.3	93.9-98.7
Some Post-H.S.	309	98,364	12	4.0	01.6-06.4	297	96.0	93.6-98.4
College Graduate	476	78,512	20	4.1	01.9-06.3	456	95.9	93.7-98.1
Less than \$15,000	77	19,993	5	7.1	00.0-14.5	72	92.9	85.5-0100
\$15,000- 24,999	199	45,428	7	4.3	00.8-07.8	192	95.7	92.2-99.2
\$25,000- 34,999	131	29,983	2	0.5	00.0-01.3	129	99.5	98.7-0100
\$35,000- 49,999	200	50,883	2	1.0	00.0-02.4	198	99.0	97.6-0100
\$50,000- 74,999	173	45,732	7	5.1	00.6-09.6	166	94.9	90.4-99.4
\$75,000+	308	75,939	19	5.8	02.7-08.9	289	94.2	91.1-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 32: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	466	118,580	17	3.6	01.6-05.6	449	96.4	94.4-98.4
White/Non-Hisp	428	105,506	15	3.5	01.5-05.5	413	96.5	94.5-98.5
55-64	116	34,846	4	5.0	00.1-09.9	112	95.0	90.1-99.9
65+	308	64,126	10	2.4	00.6-04.2	298	97.6	95.8-99.4
H.S. or G.E.D.	127	36,281	3	2.2	00.0-05.1	124	97.8	94.9-0100
Some Post-H.S.	111	36,687	5	4.4	00.3-08.5	106	95.6	91.5-99.7
College Graduate	208	35,455	9	5.0	01.3-08.7	199	95.0	91.3-98.7
\$15,000- 24,999	56	14,943	2	4.6	00.0-10.9	54	95.4	89.1-0100
\$35,000- 49,999	92	24,949	2	1.9	00.0-04.6	90	98.1	95.4-0100
\$50,000- 74,999	71	19,245	1	0.9	00.0-02.7	70	99.1	97.3-0100
\$75,000+	148	35,730	9	5.8	01.3-10.3	139	94.2	89.7-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 33: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVC LIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	749	178,283	31	4.4	02.4-06.4	718	95.6	93.6-97.6
White/Non-Hisp	703	164,447	26	3.8	02.0-05.6	677	96.2	94.4-98.0
45-54	60	25,486	2	2.8	00.0-06.7	58	97.2	93.3-0100
55-64	162	45,132	10	5.5	01.6-09.4	152	94.5	90.6-98.4
65+	489	80,338	17	4.1	01.6-06.6	472	95.9	93.4-98.4
H.S. or G.E.D.	247	60,521	10	4.5	01.0-08.0	237	95.5	92.0-99.0
Some Post-H.S.	198	61,677	7	3.7	00.6-06.8	191	96.3	93.2-99.4
College Graduate	268	43,058	11	3.4	00.9-05.9	257	96.6	94.1-99.1
Less than \$15,000	62	15,477	4	5.9	00.0-13.3	58	94.1	86.7-0100
\$15,000- 24,999	143	30,486	5	4.2	00.0-08.5	138	95.8	91.5-0100
\$25,000- 34,999	85	18,533	1	0.2	00.0-00.6	84	99.8	99.4-0100
\$35,000- 49,999	108	25,933				108	100.0	0100-0100
\$50,000- 74,999	102	26,487	6	8.1	00.5-15.7	96	91.9	84.3-99.5
\$75,000+	160	40,209	10	5.9	01.6-10.2	150	94.1	89.8-98.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 34: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1221	298,108	102	10.7	08.2-13.2	1119	89.3	86.8-91.8
Male	467	118,781	28	7.4	04.1-10.7	439	92.6	89.3-95.9
Female	754	179,327	74	13.0	09.7-16.3	680	87.0	83.7-90.3
White/Non-Hisp	1136	270,651	91	10.6	08.1-13.1	1045	89.4	86.9-91.9
45-54	92	39,331	15	16.4	07.8-25.0	77	83.6	75.0-92.2
55-64	277	79,621	38	15.4	09.9-20.9	239	84.6	79.1-90.1
65+	802	144,984	40	5.0	03.0-07.0	762	95.0	93.0-97.0
Less Than H.S.	58	24,218	9	16.2	04.6-27.8	49	83.8	72.2-95.4
H.S. or G.E.D.	376	96,516	29	12.0	07.3-16.7	347	88.0	83.3-92.7
Some Post-H.S.	309	98,738	32	11.1	06.8-15.4	277	88.9	84.6-93.2
College Graduate	476	78,328	31	6.9	04.0-09.8	445	93.1	90.2-96.0
Less than \$15,000	80	20,648	16	27.3	13.2-41.4	64	72.7	58.6-86.8
\$15,000- 24,999	201	46,046	18	12.1	05.6-18.6	183	87.9	81.4-94.4
\$25,000- 34,999	132	30,178	7	5.8	00.0-11.9	125	94.2	88.1-0100
\$35,000- 49,999	197	50,498	21	15.6	08.0-23.2	176	84.4	76.8-92.0
\$50,000- 74,999	172	45,192	14	10.0	04.1-15.9	158	90.0	84.1-95.9
\$75,000+	309	76,414	16	5.1	02.4-07.8	293	94.9	92.2-97.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 35: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	467	118,781	28	7.4	04.1-10.7	439	92.6	89.3-95.9
White/Non-Hisp	429	105,707	23	7.9	04.2-11.6	406	92.1	88.4-95.8
55-64	115	34,306	16	15.5	06.7-24.3	99	84.5	75.7-93.3
65+	309	64,332	8	2.6	00.2-05.0	301	97.4	95.0-99.8
H.S. or G.E.D.	127	35,802	8	9.0	02.3-15.7	119	91.0	84.3-97.7
Some Post-H.S.	111	37,086	10	5.8	01.5-10.1	101	94.2	89.9-98.5
College Graduate	207	35,292	8	4.4	00.7-08.1	199	95.6	91.9-99.3
\$15,000- 24,999	56	14,943	5	6.1	00.0-12.4	51	93.9	87.6-0100
\$35,000- 49,999	91	24,814	8	15.6	04.2-27.0	83	84.4	73.0-95.8
\$50,000- 74,999	70	18,705	5	5.9	00.4-11.4	65	94.1	88.6-99.6
\$75,000+	148	36,103	4	2.7	00.0-05.6	144	97.3	94.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 36: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	754	179,327	74	13.0	09.7-16.3	680	87.0	83.7-90.3
White/Non-Hisp	707	164,944	68	12.3	09.0-15.6	639	87.7	84.4-91.0
45-54	61	26,033	11	18.0	07.0-29.0	50	82.0	71.0-93.0
55-64	162	45,316	22	15.4	08.7-22.1	140	84.6	77.9-91.3
65+	493	80,652	32	7.0	04.3-09.7	461	93.0	90.3-95.7
H.S. or G.E.D.	249	60,714	21	13.8	07.3-20.3	228	86.2	79.7-92.7
Some Post-H.S.	198	61,652	22	14.3	08.0-20.6	176	85.7	79.4-92.0
College Graduate	269	43,036	23	9.0	04.7-13.3	246	91.0	86.7-95.3
Less than \$15,000	64	15,883	13	31.2	14.7-47.7	51	68.8	52.3-85.3
\$15,000- 24,999	145	31,103	13	14.9	05.9-23.9	132	85.1	76.1-94.1
\$25,000- 34,999	85	18,533	6	5.0	00.0-10.3	79	95.0	89.7-0100
\$35,000- 49,999	106	25,684	13	15.5	05.7-25.3	93	84.5	74.7-94.3
\$50,000- 74,999	102	26,487	9	12.9	03.9-21.9	93	87.1	78.1-96.1
\$75,000+	161	40,311	12	7.2	02.9-11.5	149	92.8	88.5-97.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP
TABLE 37: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	102	32,027	42	38.8	27.0-50.6	41	40.5	28.7-52.3	8	9.4	02.3-16.5	11	11.3	03.1-19.5
Female	74	23,257	28	38.3	25.4-51.2	30	36.2	23.9-48.5	6	10.3	01.5-19.1	10	15.3	04.1-26.5
White/Non-Hisp	91	28,642	35	39.7	27.0-52.4	40	42.4	29.9-54.9	7	8.0	00.4-15.6	9	9.9	02.1-17.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP

TABLE 38: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRCTL1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 12: CANCER SURVIVORSHIP**

TABLE 39: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	74	23,257	28	38.3	25.2-51.4	30	36.2	23.9-48.5	6	10.3	01.5-19.1	10	15.3	03.9-26.7
White/Non-Hisp	68	20,276	25	40.4	25.9-54.9	29	37.4	24.3-50.5	5	8.2	00.0-18.0	9	14.0	02.8-25.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

MODULE 16: Preconception Health Family Planning CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DID YOU OR YOUR PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN2)	
1 FEMALES ONLY	80
2 WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)	81
3	82
4	
WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE6)	
4 FEMALES ONLY	83
5 WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)	84
6	85
4	
9	
7 FEMALES ONLY	86
8 WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)	87
9	88
4	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 16: Preconception Health Family Planning**

TABLE 1: DID YOU OR YOUR PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner			Has had a Hysterectomy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	1856	1,077,766	773	44.0	41.3-46.7	629	32.0	29.5-34.5	232	13.1	11.1-15.1	55	3.2	02.2-04.2	167	7.7	06.3-09.1
Female	1856	1,077,766	773	44.0	41.3-46.7	629	32.0	29.5-34.5	232	13.1	11.1-15.1	55	3.2	02.2-04.2	167	7.7	06.3-09.1
White/Non-Hisp	1399	814,518	598	45.7	42.6-48.8	461	31.0	28.1-33.9	156	11.7	09.5-13.9	37	2.7	01.5-03.9	147	8.8	07.0-10.6
Black or Afr. Am./Non-Hisp	168	109,202	54	33.3	24.7-41.9	56	29.5	21.7-37.3	33	21.3	13.3-29.3	13	8.5	03.0-14.0	12	7.4	02.9-11.9
Hispanic	176	95,933	74	45.1	36.3-53.9	71	38.3	29.9-46.7	22	11.3	06.0-16.6	4	2.5	00.0-05.2	5	2.8	00.1-05.5
18-24	222	241,950	108	46.7	39.3-54.1	42	21.1	14.8-27.4	67	28.9	22.2-35.6	5	3.3	00.2-06.4			
25-34	474	323,131	246	53.4	48.3-58.5	143	29.3	24.6-34.0	50	10.7	07.6-13.8	15	2.3	00.9-03.7	20	4.2	02.0-06.4
35-44	658	341,368	277	41.7	37.4-46.0	239	36.1	32.0-40.2	44	5.9	03.9-07.9	25	4.0	02.2-05.8	73	12.3	09.2-15.4
45-54	450	165,527	140	28.0	23.3-32.7	188	44.8	39.5-50.1	47	8.5	05.8-11.2	9	3.0	00.8-05.2	66	15.6	11.7-19.5
Less Than H.S.	134	123,858	35	26.1	17.1-35.1	60	45.2	35.2-55.2	20	17.4	09.2-25.6	8	4.6	01.3-07.9	11	6.6	02.1-11.1
H.S. or G.E.D.	479	306,846	161	41.7	36.2-47.2	177	33.2	28.3-38.1	75	14.1	10.2-18.0	19	3.4	01.6-05.2	47	7.6	05.2-10.0
Some Post-H.S.	535	376,726	219	43.3	38.4-48.2	179	29.8	25.5-34.1	67	13.8	10.3-17.3	17	3.8	01.6-06.0	53	9.3	06.6-12.0
College Graduate	705	268,746	358	56.3	52.2-60.4	211	27.5	23.8-31.2	70	9.0	06.5-11.5	11	1.4	00.6-02.2	55	5.9	04.1-07.7
Less than \$15,000	188	117,716	45	28.2	20.2-36.2	66	32.7	24.9-40.5	36	21.1	13.5-28.7	13	5.8	02.3-09.3	28	12.2	07.3-17.1
\$15,000- 24,999	282	178,606	83	36.0	28.7-43.3	112	38.2	31.3-45.1	56	17.0	11.9-22.1	11	4.0	01.3-06.7	20	4.8	02.4-07.2
\$25,000- 34,999	182	104,300	76	47.6	38.8-56.4	69	33.3	25.1-41.5	20	9.7	04.4-15.0	5	2.9	00.2-05.6	12	6.5	02.2-10.8
\$35,000- 49,999	209	133,075	86	41.2	33.0-49.4	73	33.7	26.1-41.3	26	13.9	07.6-20.2	6	4.0	00.1-07.9	18	7.2	03.1-11.3
\$50,000- 74,999	265	160,228	120	45.0	37.6-52.4	81	28.3	22.0-34.6	23	12.3	06.4-18.2	8	2.4	00.6-04.2	33	12.1	07.6-16.6
\$75,000+	558	279,061	298	56.6	51.7-61.5	180	29.6	25.1-34.1	27	5.0	02.6-07.4	9	2.3	00.3-04.3	44	6.5	04.1-08.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 16: Preconception Health Family Planning**

TABLE 2: WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-6)			Drugs (7,8)			Condoms (11,12,13)			External Contraceptives (9,10,11,16)			Withdrawal, Rhythm, No Sex(14,15)			Emergencies or Other (17,18)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	736	451,881	309	39.3	35.2-43.4	180	27.4	23.3-31.5	193	25.6	21.9-29.3	12	1.7	00.5-02.9	20	2.8	01.4-04.2	22	3.2	01.6-04.8
White/Non-Hisp	572	354,010	264	43.6	38.7-48.5	150	30.2	25.3-35.1	120	19.5	15.6-23.4	8	1.5	00.1-02.9	15	2.6	01.0-04.2	15	2.5	00.9-04.1
Black or Afr. Am./Non-Hisp	53	35,972	12	19.2	07.6-30.8	8	17.4	05.2-29.6	28	51.7	35.8-67.6	1	2.5	00.0-07.2	1	2.0	00.0-05.9	3	7.1	00.0-15.9
Hispanic	69	41,618	18	21.3	10.9-31.7	16	18.5	08.1-28.9	26	45.7	31.2-60.2	2	2.0	00.0-05.1	3	5.7	00.0-13.3	4	6.8	00.0-13.7
18-24	101	105,130	10	11.1	03.8-18.4	34	35.6	24.4-46.8	46	42.3	31.3-53.3	3	3.2	00.0-07.5	3	3.1	00.0-06.6	5	4.7	00.2-09.2
25-34	237	166,425	85	41.5	34.2-48.8	64	27.8	21.3-34.3	68	24.0	18.3-29.7	5	1.6	00.0-03.2	10	2.9	00.7-05.1	5	2.1	00.1-04.1
35-44	265	136,676	135	51.2	44.3-58.1	60	24.7	18.6-30.8	52	16.5	11.8-21.2	4	1.1	00.0-02.3	6	3.2	00.5-05.9	8	3.3	00.8-05.8
45-54	131	43,409	77	61.6	51.8-71.4	22	14.5	07.6-21.4	27	20.5	12.1-28.9				1	0.2	00.0-00.6	4	3.2	00.0-06.7
H.S. or G.E.D.	153	122,750	59	37.7	28.9-46.5	32	23.1	15.5-30.7	50	31.0	22.6-39.4	2	2.0	00.0-05.5	4	1.7	00.0-03.9	6	4.5	00.6-08.4
Some Post-H.S.	211	155,540	86	37.1	29.8-44.4	54	31.1	23.3-38.9	53	23.4	17.1-29.7	3	1.5	00.0-03.1	8	4.0	01.1-06.9	7	2.9	00.4-05.4
College Graduate	340	142,269	154	45.7	39.6-51.8	87	27.7	22.2-33.2	78	20.7	16.0-25.4	7	2.1	00.5-03.7	7	2.1	00.3-03.9	7	1.7	00.3-03.1
\$15,000- 24,999	78	61,508	25	29.2	17.8-40.6	17	25.6	13.1-38.1	32	40.5	27.2-53.8	1	0.4	00.0-01.2	2	3.0	00.0-07.3	1	1.3	00.0-03.8
\$25,000- 34,999	75	49,361	27	28.8	17.8-39.8	15	28.9	16.0-41.8	25	29.2	17.8-40.6	2	5.9	00.0-14.5	5	5.9	00.0-12.0	1	1.4	00.0-04.1
\$35,000- 49,999	83	52,792	32	42.9	29.4-56.4	24	29.8	17.3-42.3	17	14.7	06.3-23.1	1	1.2	00.0-03.6	5	4.4	00.0-09.5	4	6.9	00.0-14.2
\$50,000- 74,999	116	70,228	51	41.0	30.2-51.8	28	31.0	19.6-42.4	28	21.6	12.8-30.4	4	2.0	00.0-04.2	3	2.8	00.0-06.1	2	1.7	00.0-04.1
\$75,000+	277	143,566	137	48.6	41.7-55.5	72	27.5	21.2-33.8	53	18.2	13.1-23.3	3	1.3	00.0-02.9	3	1.6	00.0-03.4	9	2.9	00.5-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 16: Preconception Health Family Planning**

TABLE 3: WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, same sex partner(1,18)			Want to get pregnant currently pregnant (2,3,4,17)			Don't want to use, can't use BC, can't pay for BC (5,6,7,8)			Surgical (12,13,14)			Religious Physical (09,11,15,16)			Lapse Method, Same Sex or Other (10,19)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	596	320,967	14	2.9	01.1-04.7	137	26.3	22.0-30.6	11	3.5	01.0-06.0	226	35.9	31.4-40.4	127	18.7	15.0-22.4	81	12.7	09.6-15.8
White/Non-Hisp	443	241,029	8	2.3	00.3-04.3	94	23.7	19.0-28.4	8	3.8	00.7-06.9	178	38.5	33.2-43.8	107	22.1	17.6-26.6	48	9.6	06.5-12.7
Black or Afr. Am./Non-Hisp	51	28,858	1	1.8	00.0-05.3	7	22.8	07.9-37.7	1	4.6	00.0-13.2	17	34.4	20.1-48.7	11	15.9	05.7-26.1	14	20.5	08.9-32.1
Hispanic	66	33,275	4	8.5	00.5-16.5	24	42.8	28.5-57.1	2	1.9	00.0-05.0	22	27.3	16.3-38.3	5	4.2	00.0-08.5	9	15.3	05.1-25.5
25-34	141	92,099	4	2.1	00.0-04.3	64	45.5	36.1-54.9	3	2.1	00.0-04.5	37	26.1	17.9-34.3	17	15.3	07.9-22.7	16	8.9	04.0-13.8
35-44	221	113,556	5	2.0	00.2-03.8	46	19.5	13.8-25.2	4	1.6	00.0-03.4	100	49.1	41.7-56.5	40	16.4	11.1-21.7	26	11.4	06.9-15.9
45-54	182	70,243	1	1.5	00.0-04.2	11	6.0	01.7-10.3				86	46.7	38.5-54.9	60	31.5	23.9-39.1	24	14.3	08.0-20.6
Less Than H.S.	51	43,150	2	3.6	00.0-08.7	17	33.5	18.2-48.8	3	8.2	00.0-20.7	15	21.4	10.0-32.8	6	14.1	01.6-26.6	8	19.2	06.3-32.1
H.S. or G.E.D.	169	97,777	6	5.1	00.6-09.6	36	26.4	18.4-34.4	3	4.5	00.0-09.4	63	32.0	24.4-39.6	41	22.0	15.1-28.9	20	10.0	05.3-14.7
Some Post-H.S.	171	108,067	1	0.4	00.0-01.2	36	21.7	14.6-28.8	3	1.7	00.0-03.7	88	50.1	41.5-58.7	28	16.9	10.2-23.6	15	9.1	04.0-14.2
College Graduate	205	71,973	5	3.3	00.4-06.2	48	28.8	21.5-36.1	2	1.9	00.0-04.4	60	28.5	21.6-35.4	52	19.6	14.1-25.1	38	18.0	11.9-24.1
Less than \$15,000	59	33,536	2	3.5	00.0-08.4	14	32.7	17.8-47.6	3	4.3	00.0-09.8	22	33.5	20.0-47.0	10	15.4	05.4-25.4	8	10.6	02.4-18.8
\$15,000- 24,999	108	65,357	3	3.3	00.0-07.2	26	25.2	15.4-35.0	1	2.0	00.0-05.9	43	35.2	25.4-45.0	23	22.7	12.7-32.7	12	11.6	04.5-18.7
\$25,000- 34,999	63	30,523	1	2.8	00.0-08.1	19	29.5	15.8-43.2	1	2.4	00.0-07.1	21	32.9	19.4-46.4	11	18.0	03.5-32.5	10	14.4	04.8-24.0
\$35,000- 49,999	72	44,000	2	1.9	00.0-04.4	19	27.6	15.4-39.8	2	3.8	00.0-09.9	27	38.4	25.1-51.7	11	13.7	05.1-22.3	11	14.6	04.6-24.6
\$50,000- 74,999	76	39,937	1	1.2	00.0-03.6	15	25.3	13.5-37.1	2	6.1	00.0-14.7	29	31.2	20.2-42.2	17	21.4	11.2-31.6	12	14.8	05.8-23.8
\$75,000+	174	80,423	4	4.0	00.0-08.7	32	21.2	14.1-28.3	1	0.8	00.0-02.4	72	43.1	34.3-51.9	45	20.3	13.8-26.8	20	10.7	05.2-16.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017

MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1 MALES AND FEMALES	90
2 MALES ONLY	91
3 FEMALES ONLY	92
DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4 MALES AND FEMALES	93
5 MALES ONLY	94
6 FEMALES ONLY	95

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Straight			Lesbian or gay			Bisexual			Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11809	4,226,230	11404	95.2	94.6-95.8	129	1.4	01.0-01.8	234	3.1	02.5-03.7	42	0.3	00.1-00.5
Male	5062	2,067,022	4885	96.1	95.3-96.9	78	1.7	01.3-02.1	88	2.0	01.4-02.6	11	0.2	00.0-00.4
Female	6747	2,159,207	6519	94.3	93.3-95.3	51	1.1	00.7-01.5	146	4.2	03.4-05.0	31	0.4	00.2-00.6
White/Non-Hisp	10102	3,495,940	9788	95.5	94.9-96.1	108	1.3	00.9-01.7	174	3.0	02.4-03.6	32	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	749	341,238	718	94.9	92.7-97.1	11	2.3	00.5-04.1	16	2.5	01.1-03.9	4	0.3	00.0-00.7
Oth. Race/Non-Hisp.	222	89,205	210	95.7	92.2-99.2	1	0.9	00.0-02.7	11	3.3	00.2-06.4			
MultiRacial/Non-Hisp.	185	52,217	172	89.2	82.7-95.7	2	1.2	00.0-03.0	11	9.5	03.2-15.8			
Hispanic	380	182,728	356	92.8	89.3-96.3	4	0.8	00.0-01.8	15	5.3	02.2-08.4	5	1.1	00.1-02.1
18-24	547	538,054	475	85.3	81.8-88.8	17	3.4	01.6-05.2	51	10.6	07.5-13.7	4	0.7	00.0-01.5
25-34	956	671,974	884	93.4	91.8-95.0	18	1.7	00.9-02.5	53	4.9	03.5-06.3	1	0.1	00.0-00.3
35-44	1157	665,329	1095	95.4	94.0-96.8	23	1.8	01.0-02.6	35	2.6	01.6-03.6	4	0.3	00.0-00.7
45-54	1801	697,493	1756	97.9	97.1-98.7	19	0.8	00.4-01.2	20	1.0	00.4-01.6	6	0.3	00.1-00.5
55-64	2672	764,794	2594	97.3	96.5-98.1	32	0.9	00.5-01.3	36	1.4	00.8-02.0	10	0.4	00.2-00.6
65+	4676	888,585	4600	98.4	98.0-98.8	20	0.4	00.2-00.6	39	0.8	00.4-01.2	17	0.3	00.1-00.5
Less Than H.S.	769	467,766	734	93.8	91.3-96.3	6	1.1	00.0-02.3	21	4.4	02.2-06.6	8	0.7	00.1-01.3
H.S. or G.E.D.	3900	1,433,641	3777	95.4	94.4-96.4	29	0.9	00.5-01.3	76	3.4	02.4-04.4	18	0.3	00.1-00.5
Some Post-H.S.	3039	1,341,186	2938	95.1	93.9-96.3	32	1.5	00.7-02.3	62	3.1	02.1-04.1	7	0.3	00.1-00.5
College Graduate	4079	976,027	3933	95.6	94.8-96.4	62	2.0	01.4-02.6	75	2.1	01.5-02.7	9	0.2	00.0-00.4
Less than \$15,000	1001	356,526	947	93.2	90.8-95.6	13	1.7	00.3-03.1	33	3.9	02.1-05.7	8	1.1	00.1-02.1
\$15,000- 24,999	1876	657,510	1794	93.4	91.6-95.2	24	1.7	00.9-02.5	52	4.6	03.0-06.2	6	0.3	00.1-00.5
\$25,000- 34,999	1234	427,059	1198	96.8	95.4-98.2	12	0.8	00.4-01.2	19	2.3	00.9-03.7	5	0.1	00.0-00.3
\$35,000- 49,999	1639	614,824	1570	94.4	92.6-96.2	24	1.6	00.6-02.6	37	3.7	02.1-05.3	8	0.2	00.0-00.4
\$50,000- 74,999	1764	646,065	1711	95.7	94.1-97.3	23	1.6	00.8-02.4	29	2.6	01.2-04.0	1	0.1	00.0-00.3
\$75,000+	3070	1,126,376	3006	97.4	96.6-98.2	24	0.9	00.3-01.5	35	1.6	01.0-02.2	5	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Straight			Lesbian or gay			Bisexual			Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5062	2,067,022	4885	96.1	95.3-96.9	78	1.7	01.3-02.1	88	2.0	01.4-02.6	11	0.2	00.0-00.4
White/Non-Hisp	4293	1,702,664	4148	96.0	95.2-96.8	64	1.6	01.0-02.2	72	2.2	01.6-02.8	9	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	279	161,790	266	95.9	93.2-98.6	8	3.0	00.6-05.4	4	1.1	00.0-02.5	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	132	54,253	125	96.2	91.9-0100	7	3.8	00.0-08.1	7	3.8	00.0-08.1			
MultiRacial/Non-Hisp.	100	28,257	98	98.2	95.1-0100	1	1.6	00.0-04.7	1	0.3	00.0-00.9			
Hispanic	165	82,076	160	97.6	95.2-0100	3	1.3	00.0-03.1	1	0.2	00.0-00.6	1	0.9	00.0-02.7
18-24	316	287,907	289	91.2	87.7-94.7	9	2.8	00.8-04.8	15	5.1	02.2-08.0	3	0.8	00.0-01.8
25-34	470	338,043	446	95.4	93.4-97.4	11	2.4	00.8-04.0	13	2.2	00.8-03.6			
35-44	514	333,487	491	96.0	94.2-97.8	13	2.1	00.9-03.3	9	1.7	00.5-02.9	1	0.2	00.0-00.6
45-54	799	344,781	776	97.6	96.4-98.8	13	1.3	00.5-02.1	10	1.1	00.3-01.9			
55-64	1227	373,334	1187	97.4	96.4-98.4	20	1.2	00.6-01.8	18	1.3	00.5-02.1	2	0.1	00.0-00.3
65+	1736	389,470	1696	98.0	97.2-98.8	12	0.6	00.2-01.0	23	1.2	00.6-01.8	5	0.2	00.0-00.4
Less Than H.S.	322	243,293	309	96.4	94.0-98.8	5	1.6	00.0-03.4	6	1.5	00.1-02.9	2	0.4	00.0-01.0
H.S. or G.E.D.	1606	720,107	1558	96.2	94.8-97.6	16	1.0	00.4-01.6	29	2.7	01.5-03.9	3	0.1	00.0-00.3
Some Post-H.S.	1262	621,080	1228	96.6	95.2-98.0	15	1.6	00.6-02.6	18	1.6	00.6-02.6	1	0.2	00.0-00.6
College Graduate	1860	477,459	1778	95.1	93.9-96.3	42	2.9	01.9-03.9	35	1.8	01.0-02.6	5	0.3	00.0-00.7
Less than \$15,000	348	142,473	331	93.8	90.1-97.5	8	3.2	00.3-06.1	7	1.6	00.0-03.2	2	1.3	00.0-03.3
\$15,000- 24,999	697	293,334	661	94.5	92.1-96.9	17	2.5	00.9-04.1	19	3.0	01.2-04.8			
\$25,000- 34,999	475	194,320	457	97.3	95.7-98.9	7	1.0	00.2-01.8	9	1.7	00.3-03.1	2	0.1	00.1-00.1
\$35,000- 49,999	770	326,605	738	95.7	93.7-97.7	13	1.4	00.4-02.4	15	2.6	00.8-04.4	4	0.2	00.0-00.4
\$50,000- 74,999	813	328,407	785	96.1	94.3-97.9	14	2.3	00.9-03.7	13	1.5	00.3-02.7	1	0.1	00.0-00.3
\$75,000+	1593	629,699	1560	97.8	96.8-98.8	15	0.9	00.3-01.5	17	1.2	00.6-01.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Straight			Lesbian or gay			Bisexual			Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6747	2,159,207	6519	94.3	93.3-95.3	51	1.1	00.7-01.5	146	4.2	03.4-05.0	31	0.4	00.2-00.6
White/Non-Hisp	5809	1,793,276	5640	94.9	93.9-95.9	44	1.0	00.6-01.4	102	3.7	02.7-04.7	23	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	470	179,448	452	94.0	90.5-97.5	3	1.7	00.0-04.2	12	3.7	01.3-06.1	3	0.6	00.0-01.4
Oth. Race/Non-Hisp.	90	34,951	85	95.0	89.1-0100	1	2.4	00.0-06.9	4	2.6	00.0-06.3			
MultiRacial/Non-Hisp.	85	23,959	74	78.6	66.1-91.1	1	0.9	00.0-02.7	10	20.5	08.0-33.0			
Hispanic	215	100,653	196	88.8	83.1-94.5	1	0.5	00.0-01.5	14	9.5	03.8-15.2	4	1.3	00.1-02.5
18-24	231	250,147	186	78.6	72.3-84.9	8	4.1	01.0-07.2	36	16.9	11.2-22.6	1	0.5	00.0-01.5
25-34	486	333,931	438	91.3	88.8-93.8	7	0.9	00.1-01.7	40	7.6	05.1-10.1	1	0.2	00.0-00.6
35-44	643	331,842	604	94.8	93.0-96.6	10	1.4	00.4-02.4	26	3.4	01.8-05.0	3	0.4	00.0-00.8
45-54	1002	352,712	980	98.2	97.4-99.0	6	0.4	00.0-00.8	10	0.9	00.3-01.5	6	0.5	00.1-00.9
55-64	1445	391,460	1407	97.2	96.2-98.2	12	0.7	00.3-01.1	18	1.5	00.7-02.3	8	0.6	00.2-01.0
65+	2940	499,115	2904	98.8	98.4-99.2	8	0.3	00.1-00.5	16	0.5	00.1-00.9	12	0.4	00.2-00.6
Less Than H.S.	447	224,473	425	90.9	86.4-95.4	1	0.7	00.0-02.1	15	7.5	03.2-11.8	6	1.0	00.2-01.8
H.S. or G.E.D.	2294	713,533	2219	94.5	92.9-96.1	13	0.8	00.2-01.4	47	4.2	02.6-05.8	15	0.4	00.2-00.6
Some Post-H.S.	1777	720,106	1710	93.8	92.0-95.6	17	1.4	00.4-02.4	44	4.4	02.8-06.0	6	0.4	00.0-00.8
College Graduate	2219	498,568	2155	96.2	95.0-97.4	20	1.2	00.6-01.8	40	2.4	01.4-03.4	4	0.2	00.0-00.4
Less than \$15,000	653	214,054	616	92.7	90.0-95.4	5	0.8	00.0-01.6	26	5.5	03.0-08.0	6	1.0	00.0-02.0
\$15,000- 24,999	1179	364,176	1133	92.5	90.0-95.0	7	1.1	00.3-01.9	33	5.9	03.5-08.3	6	0.6	00.2-01.0
\$25,000- 34,999	759	232,739	741	96.4	94.0-98.8	5	0.6	00.0-01.2	10	2.7	00.3-05.1	3	0.2	00.0-00.4
\$35,000- 49,999	869	288,219	832	92.9	89.8-96.0	11	1.9	00.1-03.7	22	5.0	02.3-07.7	4	0.2	00.0-00.4
\$50,000- 74,999	951	317,658	926	95.4	93.0-97.8	9	0.9	00.1-01.7	16	3.7	01.3-06.1			
\$75,000+	1477	496,677	1446	96.8	95.2-98.4	9	0.8	00.0-01.8	18	2.1	00.9-03.3	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12042	4,311,396	22	0.2	00.0-00.4	10	0.1	00.1-00.1	16	0.2	00.0-00.4	11994	99.5	99.3-99.7
Male	5150	2,105,243	18	0.4	00.2-00.6	5	0.2	00.0-00.4	6	0.1	00.0-00.3	5121	99.4	99.2-99.6
Female	6892	2,206,153	4	0.1	00.1-00.1	5	0.1	00.0-00.3	10	0.3	00.1-00.5	6873	99.6	99.4-99.8
White/Non-Hisp	10209	3,519,149	19	0.2	00.0-00.4	9	0.1	00.0-00.3	14	0.2	00.0-00.4	10167	99.5	99.3-99.7
Black or Afr. Am./Non-Hisp	759	343,109	1	0.0	00.0-00.0	1	0.2	00.0-00.6				757	99.8	99.4-0100
Oth. Race/Non-Hisp.	233	98,682	1	0.4	00.0-01.2				1	2.5	00.0-07.4	231	97.0	92.1-0100
MultiRacial/Non-Hisp.	186	52,602										186	100.0	0100-0100
Hispanic	466	227,843	1	0.3	00.0-00.9							465	99.7	99.1-0100
18-24	559	549,522	2	0.3	00.0-00.7	2	0.3	00.0-00.7	4	0.9	00.0-01.9	551	98.4	97.2-99.6
25-34	977	682,631	3	0.3	00.0-00.7	1	0.1	00.0-00.3	2	0.2	00.0-00.4	971	99.4	98.8-0100
35-44	1192	683,897	1	0.1	00.0-00.3	3	0.2	00.0-00.4				1188	99.7	99.3-0100
45-54	1828	709,820	3	0.1	00.1-00.1	2	0.1	00.0-00.3	4	0.2	00.0-00.4	1819	99.7	99.5-99.9
55-64	2690	773,311	7	0.4	00.0-00.8	1	0.1	00.0-00.3	2	0.1	00.1-00.1	2680	99.5	99.1-99.9
65+	4796	912,216	6	0.1	00.0-00.3	1	0.0	00.0-00.0	4	0.1	00.1-00.1	4785	99.8	99.6-0100
Less Than H.S.	857	516,245	3	0.4	00.0-00.8	1	0.2	00.0-00.6	2	0.5	00.0-01.5	851	98.9	97.7-0100
H.S. or G.E.D.	3972	1,453,713	7	0.1	00.0-00.3	3	0.1	00.0-00.3	4	0.2	00.0-00.4	3958	99.6	99.4-99.8
Some Post-H.S.	3072	1,350,038	4	0.3	00.1-00.5	3	0.2	00.0-00.4	5	0.2	00.0-00.4	3060	99.4	99.0-99.8
College Graduate	4115	983,068	8	0.2	00.0-00.4	3	0.0	00.0-00.0	5	0.1	00.1-00.1	4099	99.7	99.5-99.9
Less than \$15,000	1044	371,416	3	0.4	00.0-01.0				3	0.3	00.0-00.7	1038	99.3	98.5-0100
\$15,000- 24,999	1947	685,014	7	0.6	00.2-01.0	3	0.3	00.0-00.7	2	0.1	00.0-00.3	1935	99.1	98.5-99.7
\$25,000- 34,999	1265	438,031	3	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.2	00.0-00.4	1259	99.6	99.2-0100
\$35,000- 49,999	1653	619,939	1	0.0	00.0-00.0	2	0.3	00.0-00.7	4	0.1	00.0-00.3	1646	99.6	99.2-0100
\$50,000- 74,999	1777	653,315	2	0.1	00.0-00.3	3	0.3	00.0-00.7	3	0.5	00.0-01.3	1769	99.1	98.3-99.9
\$75,000+	3080	1,127,804	5	0.2	00.0-00.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0	3073	99.8	99.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5150	2,105,243	18	0.4	00.2-00.6	5	0.2	00.0-00.4	6	0.1	00.0-00.3	5121	99.4	99.2-99.6
White/Non-Hisp	4323	1,711,056	16	0.4	00.2-00.6	4	0.2	00.0-00.4	6	0.1	00.0-00.3	4297	99.3	98.9-99.7
Black or Afr. Am./Non-Hisp	281	161,628				1	0.4	00.0-01.2				280	99.6	98.8-0100
Oth. Race/Non-Hisp.	135	56,647	1	0.7	00.0-02.1							134	99.3	97.9-0100
MultiRacial/Non-Hisp.	101	28,643										101	100.0	0100-0100
Hispanic	207	105,853	1	0.6	00.0-01.8							206	99.4	98.2-0100
18-24	321	290,904	1	0.4	00.0-01.2	1	0.3	00.0-00.9	2	0.5	00.0-01.1	317	98.8	97.6-0100
25-34	481	342,896	3	0.7	00.0-01.5							478	99.3	98.5-0100
35-44	530	343,994	1	0.2	00.0-00.6	1	0.2	00.0-00.6				528	99.6	99.2-0100
45-54	812	351,792	3	0.1	00.0-00.3	2	0.2	00.0-00.6	1	0.1	00.0-00.3	806	99.6	99.2-0100
55-64	1236	377,061	6	0.7	00.1-01.3	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1228	99.0	98.2-99.8
65+	1770	398,596	4	0.2	00.0-00.4				2	0.1	00.0-00.3	1764	99.7	99.5-99.9
Less Than H.S.	359	264,882	3	0.8	00.0-01.8	1	0.4	00.0-01.2	1	0.1	00.0-00.3	354	98.8	97.6-0100
H.S. or G.E.D.	1622	726,701	5	0.2	00.0-00.4	2	0.2	00.0-00.6	3	0.2	00.0-00.4	1612	99.3	98.9-99.7
Some Post-H.S.	1278	627,204	4	0.5	00.0-01.1	1	0.1	00.0-00.3				1273	99.4	98.8-0100
College Graduate	1878	481,092	6	0.2	00.0-00.4	1	0.0	00.0-00.0	2	0.1	00.0-00.3	1869	99.7	99.5-99.9
Less than \$15,000	355	147,146	2	0.9	00.0-02.5				1	0.2	00.0-00.6	352	98.9	97.3-0100
\$15,000- 24,999	729	307,973	5	1.0	00.0-02.0	1	0.3	00.0-00.9	1	0.2	00.0-00.6	722	98.4	97.2-99.6
\$25,000- 34,999	488	199,128	2	0.1	00.0-00.3				1	0.1	00.0-00.3	485	99.7	99.3-0100
\$35,000- 49,999	776	329,155	1	0.0	00.0-00.0	2	0.5	00.0-01.1	1	0.0	00.0-00.0	772	99.4	98.8-0100
\$50,000- 74,999	820	331,486	2	0.1	00.0-00.3	1	0.2	00.0-00.6	2	0.3	00.0-00.7	815	99.4	98.8-0100
\$75,000+	1600	631,542	5	0.3	00.0-00.7	1	0.0	00.0-00.0				1594	99.7	99.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6892	2,206,153	4	0.1	00.1-00.1	5	0.1	00.0-00.3	10	0.3	00.1-00.5	6873	99.6	99.4-99.8
White/Non-Hisp	5886	1,808,092	3	0.1	00.1-00.1	5	0.1	00.0-00.3	8	0.2	00.0-00.4	5870	99.6	99.4-99.8
Black or Afr. Am./Non-Hisp	478	181,481	1	0.1	00.0-00.3							477	99.9	99.7-0100
Oth. Race/Non-Hisp.	98	42,035							1	6.0	00.0-17.2	97	94.0	82.8-0100
MultiRacial/Non-Hisp.	85	23,959										85	100.0	0100-0100
Hispanic	259	121,990										259	100.0	0100-0100
18-24	238	258,618	1	0.2	00.0-00.6	1	0.3	00.0-00.9	2	1.4	00.0-03.6	234	98.0	95.8-0100
25-34	496	339,735				1	0.2	00.0-00.6	2	0.4	00.0-00.8	493	99.4	98.8-0100
35-44	662	339,904				2	0.2	00.0-00.6				660	99.8	99.4-0100
45-54	1016	358,027							3	0.2	00.0-00.4	1013	99.8	99.6-0100
55-64	1454	396,250	1	0.0	00.0-00.0				1	0.0	00.0-00.0	1452	99.9	99.7-0100
65+	3026	513,619	2	0.1	00.0-00.3	1	0.0	00.0-00.0	2	0.0	00.0-00.0	3021	99.9	99.7-0100
Less Than H.S.	498	251,363							1	1.0	00.0-03.0	497	99.0	97.0-0100
H.S. or G.E.D.	2350	727,012	2	0.1	00.1-00.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2346	99.8	99.6-0100
Some Post-H.S.	1794	722,834				2	0.2	00.0-00.6	5	0.3	00.0-00.7	1787	99.4	99.0-99.8
College Graduate	2237	501,976	2	0.1	00.0-00.3	2	0.1	00.0-00.3	3	0.1	00.0-00.3	2230	99.7	99.5-99.9
Less than \$15,000	689	224,270	1	0.1	00.0-00.3				2	0.4	00.0-01.0	686	99.5	98.9-0100
\$15,000- 24,999	1218	377,041	2	0.2	00.0-00.4	2	0.2	00.0-00.6	1	0.0	00.0-00.0	1213	99.6	99.0-0100
\$25,000- 34,999	777	238,903	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6	774	99.5	98.9-0100
\$35,000- 49,999	877	290,783							3	0.2	00.0-00.4	874	99.8	99.6-0100
\$50,000- 74,999	957	321,829				2	0.4	00.0-01.0	1	0.8	00.0-02.4	954	98.8	97.2-0100
\$75,000+	1480	496,262							1	0.0	00.0-00.0	1479	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2017**

End of Module Data Report