

INDIANA

2018 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 15, 2019



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 22: RANDOM CHILD SELECTION CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2000-2001			Birthyr 2002-2005			Birthyr 2006-2009			Birthyr 2010-2013			Birthyr 2014-2016			Birthyr 2017-2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1253	1,207,392	148	8.5	06.9-10.1	363	21.6	19.1-24.1	284	22.9	20.2-25.6	225	22.5	19.6-25.4	148	16.0	13.3-18.7	85	8.6	06.4-10.8
Male	496	463,656	58	9.2	06.5-11.9	148	22.1	18.0-26.2	108	20.7	16.6-24.8	93	24.9	20.0-29.8	56	14.7	10.6-18.8	33	8.4	05.3-11.5
Female	757	743,736	90	8.0	06.0-10.0	215	21.3	18.2-24.4	176	24.3	20.6-28.0	132	20.9	17.2-24.6	92	16.8	13.1-20.5	52	8.7	06.0-11.4
White/Non-Hisp	995	867,263	114	8.0	06.2-09.8	300	22.9	20.0-25.8	226	23.4	20.3-26.5	173	21.9	18.8-25.0	116	15.2	12.3-18.1	66	8.6	06.2-11.0
Black or Afr. Am./Non-Hisp	104	137,002	8	6.8	01.7-11.9	31	20.0	12.2-27.8	22	24.7	14.1-35.3	24	30.1	19.1-41.1	10	11.2	03.9-18.5	9	7.3	02.2-12.4
Hispanic	80	123,068	15	14.1	06.5-21.7	16	16.2	08.0-24.4	19	21.6	11.6-31.6	14	17.2	08.2-26.2	11	20.0	08.0-32.0	5	10.9	01.9-19.9
18-24	80	73,861	15	19.1	08.7-29.5	17	14.8	06.8-22.8	10	10.3	02.7-17.9	6	8.8	01.5-16.1	17	27.6	15.4-39.8	15	19.4	09.2-29.6
25-34	271	345,019	4	1.0	00.0-02.2	17	4.6	02.2-07.0	62	21.5	16.0-27.0	84	34.3	27.6-41.0	66	25.3	18.8-31.8	38	13.3	08.4-18.2
35-44	368	397,976	29	6.8	04.1-09.5	109	25.8	20.7-30.9	112	28.7	23.4-34.0	66	20.7	15.6-25.8	31	10.6	06.7-14.5	21	7.4	03.9-10.9
45-54	321	228,784	65	16.4	12.1-20.7	145	37.2	31.1-43.3	60	21.9	16.0-27.8	32	13.9	09.0-18.8	17	10.1	04.4-15.8	2	0.5	00.0-01.3
55-64	132	101,914	21	12.0	05.9-18.1	48	26.7	18.3-35.1	25	21.6	13.0-30.2	22	20.2	11.4-29.0	12	14.0	06.0-22.0	4	5.5	00.2-10.8
65+	81	59,839	14	13.4	05.4-21.4	27	30.7	18.7-42.7	15	14.5	06.5-22.5	15	19.8	09.8-29.8	5	9.7	00.5-18.9	5	11.9	00.7-23.1
Less Than H.S.	95	116,370	12	8.8	03.1-14.5	21	17.1	08.5-25.7	26	29.5	17.9-41.1	23	21.8	12.6-31.0	7	11.9	02.1-21.7	6	11.0	02.0-20.0
H.S. or G.E.D.	346	322,778	38	8.6	05.3-11.9	113	25.0	19.9-30.1	74	19.3	14.6-24.0	55	21.1	15.2-27.0	43	19.1	13.0-25.2	23	6.9	03.8-10.0
Some Post-H.S.	348	342,860	40	7.9	05.2-10.6	86	17.2	13.1-21.3	80	22.1	17.0-27.2	67	24.1	18.8-29.4	50	19.6	14.1-25.1	25	9.2	05.1-13.3
College Graduate	461	422,836	58	8.9	06.4-11.4	143	23.9	19.6-28.2	102	24.3	19.6-29.0	79	22.3	17.4-27.2	48	11.9	08.4-15.4	31	8.8	05.5-12.1
Less than \$15,000	63	77,632	5	6.9	00.0-14.0	16	12.9	05.5-20.3	11	20.9	07.0-34.8	14	22.6	09.5-35.7	10	28.2	12.5-43.9	7	8.6	01.9-15.3
\$15,000- 24,999	152	148,671	19	8.8	04.3-13.3	44	25.3	17.7-32.9	36	23.5	15.5-31.5	25	19.0	11.2-26.8	19	17.3	09.7-24.9	9	6.1	02.0-10.2
\$25,000- 34,999	100	105,634	8	5.2	00.7-09.7	25	18.7	10.1-27.3	17	19.4	11.2-27.6	27	32.6	22.2-43.0	18	18.2	09.6-26.8	5	6.0	00.1-11.9
\$35,000- 49,999	134	127,600	8	3.7	00.6-06.8	37	17.6	11.3-23.9	38	29.5	19.9-39.1	26	22.4	14.0-30.8	19	19.3	10.5-28.1	6	7.6	00.2-15.0
\$50,000- 74,999	191	180,255	16	5.3	02.4-08.2	60	22.8	16.3-29.3	52	27.6	20.2-35.0	30	20.5	13.1-27.9	21	14.5	08.2-20.8	12	9.3	03.0-15.6
\$75,000+	469	410,638	67	10.6	07.7-13.5	147	25.7	21.2-30.2	100	20.9	16.6-25.2	83	24.2	19.1-29.3	44	11.5	07.8-15.2	28	7.1	04.4-09.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthy 2000-2001			Birthy 2002-2005			Birthy 2006-2009			Birthy 2010-2013			Birthy 2014-2016			Birthy 2017-2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	496	463,656	58	9.2	06.5-11.9	148	22.1	18.2-26.0	108	20.7	16.6-24.8	93	24.9	20.0-29.8	56	14.7	10.6-18.8	33	8.4	05.3-11.5
White/Non-Hisp	391	326,681	37	6.7	04.3-09.1	121	22.7	18.4-27.0	90	22.6	18.1-27.1	74	25.0	19.7-30.3	42	13.5	09.2-17.8	27	9.5	05.4-13.6
25-34	94	109,431				3	2.3	00.0-05.2	23	19.3	11.9-26.7	30	39.6	28.0-51.2	21	23.5	13.7-33.3	17	15.3	07.9-22.7
35-44	145	173,733	9	5.7	01.8-09.6	41	24.2	16.8-31.6	36	22.8	15.4-30.2	35	26.1	17.9-34.3	13	10.7	04.6-16.8	11	10.5	03.8-17.2
45-54	138	100,408	23	15.1	08.8-21.4	58	34.0	24.8-43.2	30	22.0	13.0-31.0	17	17.8	09.4-26.2	9	10.7	03.1-18.3	1	0.5	00.0-01.5
55-64	58	37,907	13	18.0	07.6-28.4	23	27.8	15.1-40.5	11	18.7	07.1-30.3	4	10.7	00.0-21.7	6	20.9	04.8-37.0	1	3.9	00.0-11.3
H.S. or G.E.D.	147	122,993	20	11.3	05.8-16.8	52	25.4	17.8-33.0	28	14.4	08.5-20.3	24	26.9	16.1-37.7	16	15.6	07.4-23.8	7	6.5	01.0-12.0
Some Post-H.S.	139	131,072	14	7.9	03.2-12.6	34	17.1	10.4-23.8	31	21.6	13.6-29.6	27	23.3	15.7-30.9	22	21.5	13.1-29.9	11	8.6	02.9-14.3
College Graduate	174	170,416	20	8.8	04.5-13.1	54	22.9	16.4-29.4	37	21.4	14.5-28.3	33	24.6	16.6-32.6	16	11.2	05.3-17.1	14	11.1	04.8-17.4
\$50,000- 74,999	82	76,308	5	3.2	00.1-06.3	21	15.1	07.5-22.7	28	33.0	21.2-44.8	10	14.0	05.0-23.0	10	18.0	07.4-28.6	8	16.7	04.2-29.2
\$75,000+	223	196,943	30	10.6	06.5-14.7	74	26.6	20.3-32.9	44	18.2	12.3-24.1	40	27.0	19.4-34.6	22	11.1	06.0-16.2	13	6.5	02.8-10.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2000-2001			Birthyr 2002-2005			Birthyr 2006-2009			Birthyr 2010-2013			Birthyr 2014-2016			Birthyr 2017-2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	757	743,736	90	8.0	06.0-10.0	215	21.3	18.2-24.4	176	24.3	20.6-28.0	132	20.9	17.4-24.4	92	16.8	13.1-20.5	52	8.7	06.0-11.4
White/Non-Hisp	604	540,581	77	8.7	06.3-11.1	179	23.1	19.4-26.8	136	23.9	20.0-27.8	99	20.1	16.0-24.2	74	16.3	12.4-20.2	39	8.0	05.1-10.9
Black or Afr. Am./Non-Hisp	73	92,665	5	7.8	00.7-14.9	21	21.7	11.7-31.7	18	28.0	14.9-41.1	18	28.4	16.2-40.6	4	5.9	00.0-11.8	7	8.3	01.6-15.0
25-34	177	235,588	4	1.4	00.0-03.2	14	5.7	02.6-08.8	39	22.5	15.4-29.6	54	31.9	23.9-39.9	45	26.2	18.0-34.4	21	12.4	06.1-18.7
35-44	223	224,243	20	7.7	04.0-11.4	68	27.1	20.6-33.6	76	33.3	26.2-40.4	31	16.4	10.1-22.7	18	10.5	05.4-15.6	10	5.1	01.8-08.4
45-54	183	128,376	42	17.4	11.5-23.3	87	39.8	31.6-48.0	30	21.8	14.0-29.6	15	10.8	04.9-16.7	8	9.7	01.7-17.7	1	0.6	00.0-01.6
55-64	74	64,007	8	8.4	01.0-15.8	25	26.0	15.0-37.0	14	23.3	11.3-35.3	18	25.8	13.5-38.1	6	10.0	01.8-18.2	3	6.5	00.0-13.6
65+	52	42,667	8	10.6	01.8-19.4	15	26.3	12.6-40.0	11	14.2	04.8-23.6	10	21.0	08.3-33.7	3	11.2	00.0-23.5	5	16.7	01.6-31.8
Less Than H.S.	60	78,349	8	8.2	01.5-14.9	13	12.9	04.9-20.9	14	26.9	12.2-41.6	15	21.2	09.6-32.8	5	15.2	01.5-28.9	5	15.6	02.7-28.5
H.S. or G.E.D.	199	199,786	18	6.9	03.0-10.8	61	24.8	18.1-31.5	46	22.4	15.9-28.9	31	17.5	11.0-24.0	27	21.2	12.8-29.6	16	7.2	03.5-10.9
Some Post-H.S.	209	211,788	26	7.9	04.4-11.4	52	17.3	12.0-22.6	49	22.3	15.8-28.8	40	24.5	17.2-31.8	28	18.5	11.4-25.6	14	9.5	03.8-15.2
College Graduate	287	252,421	38	8.9	05.6-12.2	89	24.5	19.2-29.8	65	26.3	20.0-32.6	46	20.7	14.6-26.8	32	12.3	07.8-16.8	17	7.2	03.5-10.9
\$15,000- 24,999	110	106,099	10	5.4	01.7-09.1	34	28.3	19.1-37.5	28	25.2	16.2-34.2	15	15.2	07.4-23.0	15	18.4	09.2-27.6	8	7.4	01.9-12.9
\$25,000- 34,999	67	66,022	5	4.8	00.0-10.7	17	19.5	08.7-30.3	14	24.6	13.4-35.8	15	25.8	13.3-38.3	12	17.0	07.0-27.0	4	8.3	00.0-17.1
\$35,000- 49,999	85	86,350	5	2.5	00.1-04.9	24	16.6	09.2-24.0	27	34.3	21.6-47.0	16	21.1	10.9-31.3	11	18.5	07.7-29.3	2	7.1	00.0-17.3
\$50,000- 74,999	109	103,948	11	6.8	02.1-11.5	39	28.5	19.1-37.9	24	23.6	13.8-33.4	20	25.3	14.7-35.9	11	12.0	04.7-19.3	4	3.8	00.0-08.5
\$75,000+	246	213,696	37	10.7	06.8-14.6	73	24.9	18.8-31.0	56	23.4	17.1-29.7	43	21.6	15.1-28.1	22	11.9	06.4-17.4	15	7.6	03.7-11.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1415	1,354,458	710	49.4	46.3-52.5	705	50.6	47.5-53.7	
Male	588	547,180	287	48.5	43.6-53.4	301	51.5	46.6-56.4	
Female	827	807,278	423	50.0	45.9-54.1	404	50.0	45.9-54.1	
White/Non-Hisp	1099	939,028	573	49.5	46.0-53.0	526	50.5	47.0-54.0	
Black or Afr. Am./Non-Hisp	124	161,605	54	54.1	43.9-64.3	70	45.9	35.7-56.1	
Hispanic	101	152,913	46	51.4	40.2-62.6	55	48.6	37.4-59.8	
18-24	94	84,251	43	50.9	38.7-63.1	51	49.1	36.9-61.3	
25-34	289	367,974	153	50.1	43.2-57.0	136	49.9	43.0-56.8	
35-44	420	450,477	228	54.1	48.6-59.6	192	45.9	40.4-51.4	
45-54	362	261,189	181	47.0	40.7-53.3	181	53.0	46.7-59.3	
55-64	155	119,223	65	40.8	31.4-50.2	90	59.2	49.8-68.6	
65+	95	71,344	40	38.0	26.2-49.8	55	62.0	50.2-73.8	
Less Than H.S.	115	140,429	58	50.7	39.5-61.9	57	49.3	38.1-60.5	
H.S. or G.E.D.	401	371,610	201	50.5	44.4-56.6	200	49.5	43.4-55.6	
Some Post-H.S.	385	371,920	185	44.8	38.9-50.7	200	55.2	49.3-61.1	
College Graduate	511	467,950	266	52.1	47.0-57.2	245	47.9	42.8-53.0	
Less than \$15,000	68	81,884	36	54.9	39.8-70.0	32	45.1	30.0-60.2	
\$15,000- 24,999	166	162,094	82	50.8	42.0-59.6	84	49.2	40.4-58.0	
\$25,000- 34,999	114	117,555	56	42.9	33.1-52.7	58	57.1	47.3-66.9	
\$35,000- 49,999	150	144,625	82	47.5	37.7-57.3	68	52.5	42.7-62.3	
\$50,000- 74,999	219	207,146	99	45.4	37.6-53.2	120	54.6	46.8-62.4	
\$75,000+	502	436,060	263	51.7	46.4-57.0	239	48.3	43.0-53.6	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	588	547,180	287	48.5	43.8-53.2	301	51.5	46.8-56.2
White/Non-Hisp	451	369,263	228	48.2	42.9-53.5	223	51.8	46.5-57.1
Hispanic	54	74,729	24	49.1	34.4-63.8	30	50.9	36.2-65.6
25-34	107	123,437	57	48.8	38.0-59.6	50	51.2	40.4-62.0
35-44	176	204,945	96	53.8	45.4-62.2	80	46.2	37.8-54.6
45-54	158	118,051	75	45.0	36.0-54.0	83	55.0	46.0-64.0
55-64	69	44,065	26	38.2	24.1-52.3	43	61.8	47.7-75.9
H.S. or G.E.D.	184	156,647	82	42.8	33.8-51.8	102	57.2	48.2-66.2
Some Post-H.S.	156	142,770	79	49.7	40.7-58.7	77	50.3	41.3-59.3
College Graduate	201	193,208	100	49.7	41.7-57.7	101	50.3	42.3-58.3
\$15,000- 24,999	50	49,903	25	51.7	34.6-68.8	25	48.3	31.2-65.4
\$35,000- 49,999	56	48,233	28	49.4	33.9-64.9	28	50.6	35.1-66.1
\$50,000- 74,999	102	94,594	40	38.8	27.6-50.0	62	61.2	50.0-72.4
\$75,000+	245	214,573	127	51.3	44.0-58.6	118	48.7	41.4-56.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable**

**Denominator excludes respondents not reporting children**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	827	807,278	423	50.0	45.9-54.1	404	50.0	45.9-54.1
White/Non-Hisp	648	569,765	345	50.3	45.6-55.0	303	49.7	45.0-54.4
Black or Afr. Am./Non-Hisp	84	105,314	35	50.5	38.2-62.8	49	49.5	37.2-61.8
18-24	53	51,580	25	50.3	34.4-66.2	28	49.7	33.8-65.6
25-34	182	244,537	96	50.7	42.1-59.3	86	49.3	40.7-57.9
35-44	244	245,532	132	54.4	47.1-61.7	112	45.6	38.3-52.9
45-54	204	143,138	106	48.6	40.2-57.0	98	51.4	43.0-59.8
55-64	86	75,158	39	42.3	30.0-54.6	47	57.7	45.4-70.0
65+	58	47,334	25	40.1	24.8-55.4	33	59.9	44.6-75.2
Less Than H.S.	69	87,030	32	45.6	30.5-60.7	37	54.4	39.3-69.5
H.S. or G.E.D.	217	214,963	119	56.2	48.4-64.0	98	43.8	36.0-51.6
Some Post-H.S.	229	229,150	106	41.7	34.3-49.1	123	58.3	50.9-65.7
College Graduate	310	274,742	166	53.8	47.1-60.5	144	46.2	39.5-52.9
Less than \$15,000	51	63,063	24	47.7	30.3-65.1	27	52.3	34.9-69.7
\$15,000- 24,999	116	112,192	57	50.3	40.1-60.5	59	49.7	39.5-59.9
\$25,000- 34,999	72	70,262	37	46.8	34.1-59.5	35	53.2	40.5-65.9
\$35,000- 49,999	94	96,392	54	46.5	34.0-59.0	40	53.5	41.0-66.0
\$50,000- 74,999	117	112,552	59	51.0	40.2-61.8	58	49.0	38.2-59.8
\$75,000+	257	221,487	136	52.1	44.8-59.4	121	47.9	40.6-55.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1400	1,340,244	84	10.0	07.8-12.2	7	0.5	00.1-00.9	2	0.1	00.0-00.3	22	2.6	01.2-04.0	1282	86.4	83.9-88.9	3	0.4	00.0-01.0
Male	574	533,222	43	11.1	07.6-14.6	3	0.6	00.0-01.4				7	1.7	00.3-03.1	519	86.3	82.6-90.0	2	0.2	00.0-00.6
Female	826	807,022	41	9.2	06.3-12.1	4	0.5	00.1-00.9	2	0.2	00.0-00.6	15	3.2	01.2-05.2	763	86.4	82.9-89.9	1	0.5	00.0-01.5
White/Non-Hisp	1101	945,730	18	3.3	01.5-05.1	2	0.3	00.0-00.7				8	1.0	00.2-01.8	1073	95.5	93.5-97.5			
Black or Afr. Am./Non-Hisp	122	159,719	2	1.4	00.0-03.4	1	0.9	00.0-02.7							119	97.7	95.2-0100			
Hispanic	96	143,071	62	67.3	56.1-78.5	4	2.1	00.0-04.3	2	1.4	00.0-03.4	14	17.9	07.7-28.1	12	10.5	04.0-17.0	2	0.8	00.0-02.0
18-24	93	83,553	16	21.7	11.3-32.1	1	0.8	00.0-02.4				3	7.1	00.0-14.7	73	70.4	58.6-82.2			
25-34	286	363,261	20	13.4	07.7-19.1				1	0.3	00.0-00.9	4	3.1	00.0-06.8	261	83.3	76.8-89.8			
35-44	414	444,145	28	9.5	06.0-13.0	5	1.2	00.0-02.4				9	2.5	00.7-04.3	371	86.7	82.8-90.6	1	0.1	00.0-00.3
45-54	360	259,471	10	4.8	01.5-08.1				1	0.4	00.0-01.2	3	1.2	00.0-02.6	344	91.8	87.1-96.5	2	1.8	00.0-04.9
55-64	153	119,522	6	5.8	00.9-10.7	1	0.8	00.0-02.4				3	2.7	00.0-06.6	143	90.7	84.4-97.0			
65+	94	70,292	4	7.6	00.0-15.8										90	92.4	84.2-0100			
Less Than H.S.	110	133,837	25	32.8	21.2-44.4							7	9.3	02.4-16.2	78	57.9	46.3-69.5			
H.S. or G.E.D.	396	367,200	27	11.5	07.0-16.0	2	0.4	00.0-01.0	1	0.3	00.0-00.9	3	2.4	00.0-05.9	361	85.1	79.6-90.6	2	0.3	00.0-00.7
Some Post-H.S.	382	368,429	14	5.1	02.4-07.8	4	1.2	00.0-02.4	1	0.3	00.0-00.9	4	1.4	00.0-02.8	358	90.9	87.0-94.8	1	1.1	00.0-03.3
College Graduate	509	468,231	17	5.9	03.0-08.8	1	0.2	00.0-00.6				8	1.7	00.3-03.1	483	92.2	88.9-95.5			
Less than \$15,000	66	80,744	8	22.7	08.0-37.4	1	1.8	00.0-05.3				2	5.1	00.0-12.2	54	69.8	54.5-85.1	1	0.6	00.0-01.8
\$15,000- 24,999	165	161,237	15	12.8	06.3-19.3	1	0.4	00.0-01.2				3	2.0	00.0-04.4	145	84.5	77.8-91.2	1	0.4	00.0-01.2
\$25,000- 34,999	114	117,525	12	15.0	06.6-23.4				1	0.8	00.0-02.4	2	2.4	00.0-05.7	99	81.8	73.0-90.6			
\$35,000- 49,999	148	141,855	9	11.2	03.8-18.6	1	0.5	00.0-01.5				2	2.5	00.0-06.0	136	85.8	77.8-93.8			
\$50,000- 74,999	215	203,486	11	7.1	02.6-11.6							3	1.6	00.0-03.8	201	91.2	86.3-96.1			
\$75,000+	498	433,931	10	3.0	00.8-05.2	3	0.8	00.0-01.8				7	1.7	00.3-03.1	477	93.6	90.5-96.7	1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	574	533,222	43	11.1	07.6-14.6	3	0.6	00.0-01.4	7	1.7	00.3-03.1	519	86.3	82.6-90.0	2	0.2	00.0-00.6
White/Non-Hisp	449	368,343	6	1.8	00.0-03.6	2	0.7	00.0-01.7	1	0.1	00.0-00.3	440	97.4	95.2-99.6			
Hispanic	50	68,181	36	74.2	61.1-87.3	1	1.0	00.0-03.0	6	12.8	02.6-23.0	5	10.3	01.1-19.5	2	1.7	00.0-04.1
25-34	105	120,633	5	9.5	01.5-17.5				1	0.6	00.0-01.8	99	89.9	81.9-97.9			
35-44	170	197,721	18	13.8	07.5-20.1	2	1.2	00.0-03.0	3	2.0	00.0-04.4	146	82.8	76.1-89.5	1	0.2	00.0-00.6
45-54	156	116,675	7	7.7	01.4-14.0							148	91.7	85.4-98.0	1	0.6	00.0-01.8
55-64	68	43,775	2	2.6	00.0-06.5	1	2.2	00.0-06.5	1	1.1	00.0-03.3	64	94.1	88.0-0100			
H.S. or G.E.D.	176	149,087	18	16.6	08.8-24.4	2	1.1	00.0-02.7	1	0.5	00.0-01.5	153	81.1	73.3-88.9	2	0.8	00.0-01.8
Some Post-H.S.	151	137,720	3	3.1	00.0-07.0	1	1.2	00.0-03.6	2	2.2	00.0-05.1	145	93.5	88.2-98.8			
College Graduate	201	192,945	10	7.5	02.6-12.4				1	0.2	00.0-00.6	190	92.3	87.4-97.2			
\$15,000- 24,999	50	49,360	7	17.9	05.0-30.8	1	1.3	00.0-03.8	2	3.7	00.0-09.0	39	75.7	61.8-89.6	1	1.3	00.0-03.8
\$35,000- 49,999	54	45,463	4	16.9	00.8-33.0				1	3.7	00.0-10.8	49	79.4	62.9-95.9			
\$50,000- 74,999	98	90,934	8	10.7	02.9-18.5				1	0.5	00.0-01.5	89	88.8	81.0-96.6			
\$75,000+	241	209,970	5	3.1	00.0-06.2	1	0.8	00.0-02.4				235	96.2	92.7-99.7			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	826	807,022	41	9.2	06.3-12.1	4	0.5	00.1-00.9	2	0.2	00.0-00.6	15	3.2	01.2-05.2	763	86.4	82.9-89.9	1	0.5	00.0-01.5
White/Non-Hisp	652	577,386	12	4.2	01.7-06.7							7	1.5	00.3-02.7	633	94.3	91.4-97.2			
Black or Afr. Am./Non-Hisp	85	105,827	2	2.1	00.0-05.0	1	1.4	00.0-04.1							82	96.5	92.6-0100			
18-24	53	51,580	7	18.5	05.8-31.2	1	1.2	00.0-03.6				1	3.6	00.0-10.7	44	76.6	62.7-90.5			
25-34	181	242,628	15	15.3	07.9-22.7				1	0.4	00.0-01.2	3	4.3	00.0-09.8	162	80.0	71.4-88.6			
35-44	244	246,424	10	6.0	02.3-09.7	3	1.3	00.0-02.9				6	3.0	00.5-05.5	225	89.7	85.2-94.2			
45-54	204	142,796	3	2.4	00.0-05.3				1	0.7	00.0-02.1	3	2.1	00.0-04.6	196	91.9	85.2-98.6	1	2.9	00.0-08.4
55-64	85	75,747	4	7.6	00.2-15.0							2	3.7	00.0-09.8	79	88.7	79.5-97.9			
65+	59	47,847	2	7.3	00.0-18.3										57	92.7	81.7-0100			
Less Than H.S.	65	81,522	14	35.8	19.9-51.7							4	9.1	00.3-17.9	47	55.1	39.4-70.8			
H.S. or G.E.D.	220	218,112	9	8.0	02.5-13.5				1	0.4	00.0-01.2	2	3.8	00.0-09.5	208	87.8	80.4-95.2			
Some Post-H.S.	231	230,708	11	6.2	02.5-09.9	3	1.2	00.0-02.6	1	0.4	00.0-01.2	2	1.0	00.0-02.6	213	89.3	84.0-94.6	1	1.8	00.0-05.3
College Graduate	308	275,286	7	4.8	01.1-08.5	1	0.4	00.0-01.2				7	2.7	00.5-04.9	293	92.1	87.8-96.4			
\$15,000- 24,999	115	111,877	8	10.5	03.2-17.8							1	1.2	00.0-03.6	106	88.3	80.9-95.7			
\$25,000- 34,999	73	70,999	5	10.6	01.6-19.6				1	1.3	00.0-03.8				67	88.0	78.8-97.2			
\$35,000- 49,999	94	96,392	5	8.5	00.7-16.3	1	0.7	00.0-02.1				1	2.0	00.0-05.7	87	88.8	80.2-97.4			
\$50,000- 74,999	117	112,552	3	4.3	00.0-09.2							2	2.5	00.0-06.2	112	93.2	87.1-99.3			
\$75,000+	257	223,960	5	2.9	00.2-05.6	2	0.7	00.0-01.7				7	3.3	00.6-06.0	242	91.2	86.1-96.3	1	1.8	00.0-05.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1397	1,332,510	1303	90.2	88.0-92.4	45	4.4	02.8-06.0	1	0.1	00.0-00.3	48	5.3	03.7-06.9
Male	578	536,183	537	90.5	87.2-93.8	15	3.4	01.2-05.6	1	0.3	00.0-00.9	25	5.8	03.1-08.5
Female	819	796,327	766	90.0	87.1-92.9	30	5.1	02.9-07.3				23	4.9	02.7-07.1
White/Non-Hisp	1106	947,980	1063	93.9	91.7-96.1	25	3.6	01.8-05.4				18	2.6	01.2-04.0
Black or Afr. Am./Non-Hisp	120	158,474	112	93.6	88.7-98.5	6	4.3	00.2-08.4				2	2.0	00.0-04.7
Hispanic	94	138,702	67	70.4	60.0-80.8	2	2.2	00.0-05.3				25	27.4	17.2-37.6
18-24	93	84,365	78	76.7	65.5-87.9	7	13.0	03.4-22.6				8	10.3	02.7-17.9
25-34	287	359,453	277	93.3	89.0-97.6	3	2.3	00.0-05.2				7	4.4	01.1-07.7
35-44	408	437,718	380	90.0	86.1-93.9	10	3.9	01.2-06.6	1	0.4	00.0-01.2	17	5.8	02.9-08.7
45-54	360	260,285	338	90.3	86.0-94.6	15	5.7	02.6-08.8				7	4.0	00.7-07.3
55-64	154	120,085	141	89.9	84.0-95.8	7	4.7	01.0-08.4				6	5.4	00.5-10.3
65+	95	70,605	89	92.3	84.3-0100	3	2.6	00.0-06.1				3	5.1	00.0-12.5
Less Than H.S.	107	130,312	93	80.8	71.0-90.6	2	1.0	00.0-02.6				12	18.3	08.5-28.1
H.S. or G.E.D.	399	363,936	374	92.7	89.4-96.0	12	3.7	01.3-06.1	1	0.5	00.0-01.5	12	3.2	01.0-05.4
Some Post-H.S.	383	370,265	358	90.1	86.0-94.2	15	5.9	02.4-09.4				10	4.0	01.5-06.5
College Graduate	505	465,449	476	91.2	87.5-94.9	16	4.8	02.1-07.5				13	4.0	01.5-06.5
Less than \$15,000	67	81,230	56	80.3	68.1-92.5	6	10.1	01.5-18.7				5	9.5	00.0-19.1
\$15,000- 24,999	166	163,990	153	91.3	86.2-96.4	8	5.8	01.3-10.3				5	2.9	00.4-05.4
\$25,000- 34,999	114	116,334	104	88.8	81.7-95.9	3	3.2	00.0-07.3				7	8.0	02.1-13.9
\$35,000- 49,999	145	139,810	135	88.5	80.7-96.3	5	5.9	00.0-12.6	1	1.2	00.0-03.6	4	4.4	00.0-08.9
\$50,000- 74,999	213	201,919	201	91.3	85.8-96.8	6	2.9	00.4-05.4				6	5.8	00.7-10.9
\$75,000+	499	435,487	482	95.0	92.1-97.9	10	3.2	00.7-05.7				7	1.8	00.2-03.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	578	536,183	537	90.5	87.4-93.6	15	3.4	01.8-05.0	1	0.3	00.0-00.9	25	5.8	03.1-08.5
White/Non-Hisp	454	370,683	438	94.3	91.4-97.2	7	2.6	01.4-03.8				9	3.1	00.4-05.8
Hispanic	51	72,289	34	71.4	58.3-84.5	2	4.3	00.0-10.2				15	24.4	12.1-36.7
25-34	107	123,130	106	98.5	95.6-0100							1	1.5	00.0-04.4
35-44	167	194,053	153	87.7	81.8-93.6	2	2.8	01.4-04.2	1	0.9	00.0-02.7	11	8.6	02.9-14.3
45-54	159	118,965	149	89.8	82.9-96.7	7	6.4	01.3-11.5				3	3.8	00.0-08.9
55-64	68	43,775	61	89.0	80.8-97.2	4	6.1	00.0-12.4				3	4.9	00.0-10.6
H.S. or G.E.D.	180	152,130	166	92.4	87.9-96.9	3	1.1	00.0-02.5	1	1.1	00.0-03.3	10	5.3	01.4-09.2
Some Post-H.S.	154	140,761	148	93.7	88.6-98.8	4	3.9	00.0-07.8				2	2.4	00.0-05.7
College Graduate	200	191,801	188	89.9	84.4-95.4	6	5.1	02.4-07.8				6	5.0	00.0-10.1
\$15,000- 24,999	51	52,113	45	90.3	82.3-98.3	3	4.4	00.0-09.5				3	5.2	00.0-11.3
\$35,000- 49,999	54	45,463	49	87.2	76.0-98.4	3	7.4	00.0-16.0	1	3.7	00.0-10.8	1	1.8	00.0-05.3
\$50,000- 74,999	97	90,343	92	89.1	78.7-99.5	1	1.6	00.0-04.5				4	9.3	00.0-19.3
\$75,000+	243	212,244	236	95.3	92.4-98.2	4	2.8	01.8-03.8				3	1.9	00.0-04.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	Data was weighted using _CLLCPWT.										
	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	819	796,327	766	90.0	87.1-92.9	30	5.1	02.9-07.3	23	4.9	02.7-07.1
White/Non-Hisp	652	577,297	625	93.6	90.9-96.3	18	4.2	01.8-06.6	9	2.3	00.7-03.9
Black or Afr. Am./Non-Hisp	84	105,173	80	95.2	90.3-0100	3	3.7	00.0-08.2	1	1.1	00.0-03.3
18-24	52	50,863	44	75.9	60.8-91.0	5	16.6	02.7-30.5	3	7.5	00.0-15.7
25-34	180	236,322	171	90.6	84.3-96.9	3	3.5	00.0-07.8	6	5.9	01.0-10.8
35-44	241	243,665	227	91.8	87.5-96.1	8	4.7	01.2-08.2	6	3.5	00.6-06.4
45-54	201	141,320	189	90.7	85.0-96.4	8	5.2	01.1-09.3	4	4.1	00.0-08.2
55-64	86	76,310	80	90.4	82.4-98.4	3	3.9	00.0-08.4	3	5.7	00.0-12.8
65+	59	47,847	55	90.5	78.9-0100	3	3.8	00.0-08.9	1	5.7	00.0-16.3
Less Than H.S.	64	79,976	58	81.4	67.7-95.1				6	18.6	04.9-32.3
H.S. or G.E.D.	219	211,806	208	92.9	88.4-97.4	9	5.5	01.6-09.4	2	1.7	00.0-04.1
Some Post-H.S.	229	229,504	210	87.8	81.9-93.7	11	7.1	02.0-12.2	8	5.1	01.6-08.6
College Graduate	305	273,648	288	92.2	88.3-96.1	10	4.6	01.5-07.7	7	3.3	00.8-05.8
Less than \$15,000	50	62,409	42	78.6	63.7-93.5	5	11.2	00.8-21.6	3	10.3	00.0-22.3
\$15,000- 24,999	115	111,877	108	91.7	85.2-98.2	5	6.4	00.3-12.5	2	1.8	00.0-04.3
\$25,000- 34,999	73	70,999	68	90.5	81.9-99.1	3	5.2	00.0-11.9	2	4.3	00.0-10.2
\$35,000- 49,999	91	94,347	86	89.2	78.6-99.8	2	5.1	00.0-13.9	3	5.7	00.0-12.0
\$50,000- 74,999	116	111,576	109	93.1	87.6-98.6	5	3.9	00.0-07.8	2	2.9	00.0-07.0
\$75,000+	256	223,243	246	94.7	91.0-98.4	6	3.6	00.3-06.9	4	1.6	00.0-03.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION

**TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION

**TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1429	1,363,966	1114	80.5	78.1-82.9	183	11.6	09.6-13.6	16	0.9	00.3-01.5	58	3.1	02.1-04.1	33	2.3	01.3-03.3	25	1.5	00.7-02.3
Male	592	546,186	468	82.3	78.8-85.8	54	7.3	05.1-09.5	7	1.0	00.0-02.0	35	4.6	02.8-06.4	14	2.5	00.9-04.1	14	2.3	00.9-03.7
Female	837	817,780	646	79.4	76.3-82.5	129	14.5	11.8-17.2	9	0.9	00.3-01.5	23	2.0	01.0-03.0	19	2.2	01.0-03.4	11	1.0	00.4-01.6
White/Non-Hisp	1113	953,244	884	81.9	79.4-84.4	146	12.1	09.9-14.3	10	0.6	00.2-01.0	33	2.0	01.2-02.8	19	2.0	01.0-03.0	21	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	124	159,932	88	75.3	66.9-83.7	15	9.8	04.5-15.1	3	2.7	00.0-05.8	7	4.8	00.7-08.9	9	4.9	01.2-08.6	2	2.5	00.0-06.0
Hispanic	101	152,065	77	82.0	74.2-89.8	9	8.4	02.5-14.3				11	6.9	02.2-11.6	3	1.9	00.0-04.4	1	0.9	00.0-02.7
18-24	96	85,053	38	48.6	36.6-60.6							50	44.0	32.2-55.8	4	4.9	00.0-09.8	4	2.5	00.0-05.0
25-34	292	373,042	270	94.7	92.0-97.4				3	0.5	00.0-01.1	6	0.7	00.1-01.3	5	1.5	00.0-03.1	8	2.5	00.5-04.5
35-44	419	447,176	402	96.3	94.1-98.5	2	0.3	00.0-00.9	2	0.6	00.0-01.6	1	0.3	00.0-00.9	8	1.8	00.2-03.4	4	0.7	00.0-01.5
45-54	369	264,516	323	84.7	79.6-89.8	32	11.5	06.8-16.2	4	1.0	00.0-02.2				6	1.7	00.3-03.1	4	1.1	00.0-02.3
55-64	157	122,322	66	30.6	22.6-38.6	78	60.2	51.4-69.0	5	3.3	00.0-06.6	1	0.3	00.0-00.9	5	3.9	00.0-08.0	2	1.7	00.0-04.2
65+	96	71,857	15	16.3	07.7-24.9	71	74.1	63.7-84.5	2	1.8	00.0-04.3				5	6.0	00.0-12.3	3	1.8	00.0-04.0
Less Than H.S.	114	138,471	81	77.4	69.0-85.8	25	17.9	10.3-25.5				3	1.3	00.0-03.1	5	3.3	00.0-07.0			
H.S. or G.E.D.	403	370,926	256	66.3	60.8-71.8	82	19.3	15.0-23.6	5	0.9	00.0-01.9	33	6.6	03.9-09.3	17	4.3	02.1-06.5	10	2.7	00.7-04.7
Some Post-H.S.	391	375,391	303	79.0	74.1-83.9	45	11.2	07.3-15.1	7	1.8	00.2-03.4	18	3.5	01.5-05.5	7	2.3	00.3-04.3	11	2.1	00.7-03.5
College Graduate	517	476,287	471	93.6	91.6-95.6	31	4.2	02.4-06.0	4	0.5	00.0-01.1	3	0.4	00.0-00.8	4	0.6	00.0-01.2	4	0.6	00.0-01.2
Less than \$15,000	67	78,722	50	75.5	63.0-88.0	12	18.8	07.2-30.4	1	0.6	00.0-01.8	1	2.7	00.0-08.0	3	2.4	00.0-05.3			
\$15,000- 24,999	169	165,027	114	68.5	60.7-76.3	38	21.9	14.8-29.0	3	1.4	00.0-03.2	5	4.0	00.3-07.7	7	3.5	00.6-06.4	2	0.7	00.0-01.7
\$25,000- 34,999	115	116,677	79	76.9	68.7-85.1	26	17.5	10.1-24.9	2	0.9	00.0-02.1	1	0.4	00.0-01.2	5	3.4	00.0-06.9	2	0.8	00.0-02.2
\$35,000- 49,999	150	143,351	110	75.9	67.9-83.9	21	10.8	05.5-16.1	1	0.8	00.0-02.4	7	3.4	00.3-06.5	4	4.9	00.0-09.8	7	4.1	00.6-07.6
\$50,000- 74,999	215	204,251	177	85.1	79.6-90.6	20	7.7	03.8-11.6	4	2.4	00.0-04.9	6	1.5	00.0-03.1	3	0.6	00.0-01.2	5	2.7	00.0-05.6
\$75,000+	507	440,823	450	90.3	87.4-93.2	34	6.2	03.7-08.7	3	0.3	00.0-00.7	11	1.7	00.5-02.9	3	0.4	00.0-00.8	6	1.1	00.1-02.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	592	546,186	468	82.3	78.8-85.8	54	7.3	05.1-09.5	7	1.0	00.0-02.0	35	4.6	02.8-06.4	14	2.5	00.9-04.1	14	2.3	00.9-03.7
White/Non-Hisp	458	374,780	376	85.7	82.2-89.2	43	7.7	05.2-10.2	4	0.5	00.0-01.1	17	2.4	01.0-03.8	8	2.0	00.2-03.8	10	1.5	00.5-02.5
Hispanic	54	73,880	40	81.2	70.6-91.8	1	1.5	00.0-04.4				9	11.6	03.0-20.2	3	3.8	00.0-08.9	1	1.8	00.0-05.3
25-34	108	125,053	95	90.2	84.1-96.3				3	1.6	00.0-03.6	3	1.0	00.0-02.2	2	1.7	00.0-04.1	5	5.4	00.1-10.7
35-44	174	198,763	163	93.8	89.5-98.1	1	0.6	00.0-01.8	1	1.0	00.0-03.0				6	3.3	00.2-06.4	3	1.3	00.0-03.1
45-54	162	120,671	147	92.5	88.6-96.4	7	2.9	00.7-05.1	3	1.3	00.0-02.9				3	1.9	00.0-04.3	2	1.3	00.0-03.1
55-64	69	44,829	45	53.8	39.1-68.5	20	42.1	27.2-57.0				1	0.8	00.0-02.4	2	1.9	00.0-04.6	1	1.4	00.0-04.1
H.S. or G.E.D.	183	152,588	119	70.3	62.5-78.1	25	10.2	05.9-14.5	1	0.3	00.0-00.9	23	10.0	05.1-14.9	9	4.8	01.3-08.3	6	4.5	00.2-08.8
Some Post-H.S.	158	143,536	121	75.5	67.5-83.5	16	9.5	04.0-15.0	4	3.2	00.0-06.5	8	5.2	01.1-09.3	3	3.4	00.0-07.5	6	3.2	00.5-05.9
College Graduate	205	197,465	192	96.4	94.2-98.6	7	1.9	00.5-03.3	2	0.3	00.0-00.7	1	0.3	00.0-00.9	1	0.6	00.0-01.8	2	0.6	00.0-01.4
\$15,000- 24,999	52	51,500	32	60.9	45.2-76.6	9	15.4	04.6-26.2	1	2.1	00.0-06.2	5	12.8	01.6-24.0	4	7.8	00.0-15.8	1	1.0	00.0-03.0
\$35,000- 49,999	56	46,959	39	71.1	57.4-84.8	8	10.9	02.9-18.9				3	5.3	00.0-12.6	2	5.2	00.0-12.3	4	7.4	00.0-15.4
\$50,000- 74,999	99	92,675	80	84.3	75.9-92.7	8	5.1	01.0-09.2	3	3.7	00.0-08.4	2	0.7	00.0-01.7	2	0.8	00.0-02.0	4	5.3	00.0-11.6
\$75,000+	247	215,066	225	93.4	90.5-96.3	12	3.7	01.3-06.1	2	0.3	00.0-00.7	4	1.0	00.0-02.0	1	0.2	00.0-00.6	3	1.3	00.0-02.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	837	817,780	646	79.4	76.3-82.5	129	14.5	11.8-17.2	9	0.9	0.3-01.5	23	2.0	01.0-03.0	19	2.2	01.0-03.4	11	1.0	00.4-01.6
White/Non-Hisp	655	578,464	508	79.3	75.8-82.8	103	14.9	11.8-18.0	6	0.7	00.1-01.3	16	1.8	00.8-02.8	11	1.9	00.5-03.3	11	1.4	00.4-02.4
Black or Afr. Am./Non-Hisp	86	106,630	65	80.5	71.7-89.3	9	9.0	02.9-15.1	1	1.1	00.0-03.3	3	3.2	00.0-07.3	8	6.3	01.2-11.4			
18-24	54	52,193	29	65.3	51.2-79.4							19	26.7	13.6-39.8	3	4.6	00.0-09.7	3	3.4	00.0-07.3
25-34	184	247,989	175	96.9	94.4-99.4							3	0.6	00.0-01.4	3	1.4	00.0-03.6	3	1.0	00.0-02.2
35-44	245	248,414	239	98.3	96.7-99.9	1	0.1	00.0-00.3	1	0.3	00.0-00.9	1	0.5	00.0-01.5	2	0.6	00.0-01.4	1	0.2	00.0-00.6
45-54	207	143,845	176	78.1	69.9-86.3	25	18.6	10.6-26.6	1	0.8	00.0-02.4				3	1.6	00.0-03.4	2	0.9	00.0-02.3
55-64	88	77,493	21	17.2	08.6-25.8	58	70.6	59.6-81.6	5	5.2	00.1-10.3				3	5.1	00.0-11.4	1	1.8	00.0-05.3
65+	59	47,847	6	9.9	01.3-18.5	45	77.3	64.8-89.8	2	2.7	00.0-06.6				5	8.9	00.0-18.1	1	1.2	00.0-03.6
Less Than H.S.	69	87,030	46	74.6	63.0-86.2	19	20.6	10.2-31.0							4	4.7	00.0-10.6			
H.S. or G.E.D.	220	218,339	137	63.6	56.2-71.0	57	25.6	18.9-32.3	4	1.3	00.0-02.7	10	4.2	01.1-07.3	8	3.9	01.0-06.8	4	1.4	00.0-02.8
Some Post-H.S.	233	231,854	182	81.2	75.1-87.3	29	12.3	06.8-17.8	3	1.0	00.0-02.2	10	2.5	00.7-04.3	4	1.6	00.0-03.6	5	1.5	00.0-03.1
College Graduate	312	278,822	279	91.7	88.6-94.8	24	5.9	03.2-08.6	2	0.7	00.0-01.7	2	0.4	00.0-01.0	3	0.6	00.0-01.4	2	0.6	00.0-01.4
Less than \$15,000	51	63,063	36	72.8	57.9-87.7	10	20.1	06.6-33.6	1	0.7	00.0-02.1	1	3.4	00.0-09.9	3	3.0	00.0-06.5			
\$15,000- 24,999	117	113,528	82	71.9	62.9-80.9	29	24.9	16.1-33.7	2	1.0	00.0-02.6				3	1.6	00.0-03.6	1	0.6	00.0-01.8
\$25,000- 34,999	74	71,343	50	73.9	63.1-84.7	18	20.2	10.4-30.0	2	1.5	00.0-03.7				4	4.5	00.0-09.8			
\$35,000- 49,999	94	96,392	71	78.2	68.2-88.2	13	10.8	04.1-17.5	1	1.2	00.0-03.6	4	2.5	00.0-05.4	2	4.8	00.0-11.3	3	2.5	00.0-05.8
\$50,000- 74,999	116	111,576	97	85.8	78.7-92.9	12	9.8	03.5-16.1	1	1.2	00.0-03.6	4	2.2	00.0-04.9	1	0.4	00.4-00.4	1	0.5	00.0-01.5
\$75,000+	260	225,757	225	87.4	82.5-92.3	22	8.5	04.0-13.0	1	0.3	00.0-00.9	7	2.4	00.4-04.4	2	0.6	00.0-01.4	3	0.9	00.0-02.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018

MODULE 23: CHILDHOOD ASTHMA PREVALENCE CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1396	1,330,915	182	12.9	10.7-15.1	1214	87.1	84.9-89.3
Male	578	530,898	55	8.6	05.9-11.3	523	91.4	88.7-94.1
Female	818	800,017	127	15.7	12.8-18.6	691	84.3	81.4-87.2
White/Non-Hisp	1088	932,300	131	11.2	09.0-13.4	957	88.8	86.6-91.0
Black or Afr. Am./Non-Hisp	118	151,403	29	28.9	18.9-38.9	89	71.1	61.1-81.1
Hispanic	99	148,485	11	8.7	03.0-14.4	88	91.3	85.6-97.0
18-24	92	83,016	10	10.8	03.2-18.4	82	89.2	81.6-96.8
25-34	286	362,775	34	13.5	08.8-18.2	252	86.5	81.8-91.2
35-44	412	441,581	50	12.9	09.0-16.8	362	87.1	83.2-91.0
45-54	364	260,501	58	14.9	10.6-19.2	306	85.1	80.8-89.4
55-64	153	119,861	18	10.1	04.8-15.4	135	89.9	84.6-95.2
65+	89	63,181	12	8.9	03.4-14.4	77	91.1	85.6-96.6
Less Than H.S.	110	133,399	16	13.0	05.4-20.6	94	87.0	79.4-94.6
H.S. or G.E.D.	392	358,281	41	11.6	07.7-15.5	351	88.4	84.5-92.3
Some Post-H.S.	380	365,106	60	16.1	11.6-20.6	320	83.9	79.4-88.4
College Graduate	510	471,238	64	11.3	08.0-14.6	446	88.7	85.4-92.0
Less than \$15,000	67	78,722	16	22.6	09.7-35.5	51	77.4	64.5-90.3
\$15,000- 24,999	166	162,847	35	22.1	14.7-29.5	131	77.9	70.5-85.3
\$25,000- 34,999	114	116,334	14	13.4	06.3-20.5	100	86.6	79.5-93.7
\$35,000- 49,999	146	140,602	17	13.0	06.3-19.7	129	87.0	80.3-93.7
\$50,000- 74,999	212	200,947	26	11.1	06.4-15.8	186	88.9	84.2-93.6
\$75,000+	501	435,838	51	9.2	06.1-12.3	450	90.8	87.7-93.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	578	530,898	55	8.6	05.9-11.3	523	91.4	88.7-94.1
White/Non-Hisp	448	365,714	38	6.1	03.7-08.5	410	93.9	91.5-96.3
Hispanic	54	73,800	6	10.2	01.6-18.8	48	89.8	81.2-98.4
25-34	104	116,903	8	9.1	01.8-16.4	96	90.9	83.6-98.2
35-44	172	198,098	13	7.2	02.9-11.5	159	92.8	88.5-97.1
45-54	159	118,302	17	10.7	05.6-15.8	142	89.3	84.2-94.4
55-64	67	43,053	7	6.3	01.4-11.2	60	93.7	88.8-98.6
H.S. or G.E.D.	175	142,423	16	9.9	03.6-16.2	159	90.1	83.8-96.4
Some Post-H.S.	154	140,548	17	9.0	04.1-13.9	137	91.0	86.1-95.9
College Graduate	203	194,864	19	8.5	04.2-12.8	184	91.5	87.2-95.8
\$15,000- 24,999	50	50,621	11	23.9	08.2-39.6	39	76.1	60.4-91.8
\$35,000- 49,999	53	44,612	7	10.7	02.1-19.3	46	89.3	80.7-97.9
\$50,000- 74,999	98	90,056	9	9.7	02.3-17.1	89	90.3	82.9-97.7
\$75,000+	245	213,427	18	6.4	03.3-09.5	227	93.6	90.5-96.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	818	800,017	127	15.7	12.8-18.6	691	84.3	81.4-87.2
White/Non-Hisp	640	566,586	93	14.5	11.4-17.6	547	85.5	82.4-88.6
Black or Afr. Am./Non-Hisp	84	104,244	24	33.6	21.3-45.9	60	66.4	54.1-78.7
18-24	50	48,524	7	12.6	01.8-23.4	43	87.4	76.6-98.2
25-34	182	245,871	26	15.7	09.8-21.6	156	84.3	78.4-90.2
35-44	240	243,483	37	17.6	11.5-23.7	203	82.4	76.3-88.5
45-54	205	142,200	41	18.4	12.1-24.7	164	81.6	75.3-87.9
55-64	86	76,809	11	12.2	04.4-20.0	75	87.8	80.0-95.6
65+	55	43,130	5	6.8	00.3-13.3	50	93.2	86.7-99.7
Less Than H.S.	65	81,491	13	18.3	06.5-30.1	52	81.7	69.9-93.5
H.S. or G.E.D.	217	215,858	25	12.8	07.9-17.7	192	87.2	82.3-92.1
Some Post-H.S.	226	224,558	43	20.6	14.1-27.1	183	79.4	72.9-85.9
College Graduate	307	276,374	45	13.3	08.8-17.8	262	86.7	82.2-91.2
Less than \$15,000	51	63,063	14	27.0	11.5-42.5	37	73.0	57.5-88.5
\$15,000- 24,999	116	112,226	24	21.3	13.3-29.3	92	78.7	70.7-86.7
\$25,000- 34,999	73	70,999	11	19.9	09.1-30.7	62	80.1	69.3-90.9
\$35,000- 49,999	93	95,990	10	14.0	05.2-22.8	83	86.0	77.2-94.8
\$50,000- 74,999	114	110,891	17	12.3	06.0-18.6	97	87.7	81.4-94.0
\$75,000+	256	222,411	33	11.8	06.9-16.7	223	88.2	83.3-93.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents with children, but they do not have asthma**

**Denominator excludes: Respondents without children**

**Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	176	169,228	120	68.3	60.7-75.9	56	31.7	24.1-39.3
Male	53	45,065	34	59.2	42.1-76.3	19	40.8	23.7-57.9
Female	123	124,163	86	71.6	62.6-80.6	37	28.4	19.4-37.4
White/Non-Hisp	126	102,394	83	65.1	55.1-75.1	43	34.9	24.9-44.9
45-54	55	37,572	36	66.9	51.6-82.2	19	33.1	17.8-48.4
Some Post-H.S.	60	58,905	43	72.5	59.2-85.8	17	27.5	14.2-40.8
College Graduate	58	50,907	40	67.2	52.3-82.1	18	32.8	17.9-47.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	53	45,065	34	59.2	43.3-75.1	19	40.8	24.9-56.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018  
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents with children, but they do not have asthma**

**Denominator excludes: Respondents without children**

**Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable**

Data was weighted using \_CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	123	124,163	86	71.6	63.2-80.0	37	28.4	20.0-36.8
White/Non-Hisp	89	80,496	59	64.4	53.4-75.4	30	35.6	24.6-46.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2018**

End of Module Data Report