


INDIANA

2020 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 01: PRE-DIABETES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6694	4,272,338	3767	50.5	48.9-52.1	2927	49.5	47.9-51.1
Male	2997	2,078,180	1612	48.3	46.1-50.5	1385	51.7	49.5-53.9
Female	3697	2,194,158	2155	52.7	50.7-54.7	1542	47.3	45.3-49.3
White/Non-Hisp	5457	3,374,063	3103	51.3	49.7-52.9	2354	48.7	47.1-50.3
Black or Afr. Am./Non-Hisp	543	371,373	309	51.0	45.7-56.3	234	49.0	43.7-54.3
Oth. Race/Non-Hisp.	166	132,763	65	28.4	20.2-36.6	101	71.6	63.4-79.8
MultiRacial/Non-Hisp.	96	41,150	52	48.4	35.9-60.9	44	51.6	39.1-64.1
Hispanic	296	266,636	166	52.5	45.6-59.4	130	47.5	40.6-54.4
18-24	430	594,863	87	20.7	16.6-24.8	343	79.3	75.2-83.4
25-34	744	790,177	286	38.6	34.7-42.5	458	61.4	57.5-65.3
35-44	904	731,800	449	49.4	45.9-52.9	455	50.6	47.1-54.1
45-54	1146	679,838	672	59.1	56.0-62.2	474	40.9	37.8-44.0
55-64	1306	661,896	870	67.2	64.3-70.1	436	32.8	29.9-35.7
65+	2164	813,765	1403	64.4	62.0-66.8	761	35.6	33.2-38.0
Less Than H.S.	458	495,850	225	45.4	40.1-50.7	233	54.6	49.3-59.9
H.S. or G.E.D.	2181	1,431,628	1125	46.5	44.0-49.0	1056	53.5	51.0-56.0
Some Post-H.S.	1729	1,295,590	1005	52.2	49.5-54.9	724	47.8	45.1-50.5
College Graduate	2309	1,040,207	1402	56.5	54.1-58.9	907	43.5	41.1-45.9
Less than \$15,000	389	252,705	200	44.9	38.8-51.0	189	55.1	49.0-61.2
\$15,000- 24,999	814	537,481	432	46.9	42.6-51.2	382	53.1	48.8-57.4
\$25,000- 34,999	549	329,786	293	47.6	42.5-52.7	256	52.4	47.3-57.5
\$35,000- 49,999	803	502,637	456	52.3	48.0-56.6	347	47.7	43.4-52.0
\$50,000- 74,999	899	594,819	539	54.4	50.5-58.3	360	45.6	41.7-49.5
\$75,000+	1772	1,157,629	1080	55.8	53.1-58.5	692	44.2	41.5-46.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2997	2,078,180	1612	48.3	46.1-50.5	1385	51.7	49.5-53.9
White/Non-Hisp	2427	1,621,026	1347	50.5	48.1-52.9	1080	49.5	47.1-51.9
Black or Afr. Am./Non-Hisp	219	182,322	101	39.2	31.6-46.8	118	60.8	53.2-68.4
Oth. Race/Non-Hisp.	84	75,395	27	23.7	13.1-34.3	57	76.3	65.7-86.9
Hispanic	145	125,912	73	48.9	39.5-58.3	72	51.1	41.7-60.5
18-24	239	313,869	39	17.9	12.4-23.4	200	82.1	76.6-87.6
25-34	365	394,898	108	30.6	25.3-35.9	257	69.4	64.1-74.7
35-44	426	367,699	203	48.6	43.3-53.9	223	51.4	46.1-56.7
45-54	525	333,154	291	56.1	51.4-60.8	234	43.9	39.2-48.6
55-64	620	331,099	417	69.1	65.0-73.2	203	30.9	26.8-35.0
65+	822	337,460	554	68.7	65.0-72.4	268	31.3	27.6-35.0
Less Than H.S.	218	247,516	103	45.7	38.3-53.1	115	54.3	46.9-61.7
H.S. or G.E.D.	1023	741,497	494	43.1	39.6-46.6	529	56.9	53.4-60.4
Some Post-H.S.	765	624,494	432	51.0	46.9-55.1	333	49.0	44.9-53.1
College Graduate	987	463,546	581	54.2	50.7-57.7	406	45.8	42.3-49.3
Less than \$15,000	141	95,641	67	41.3	31.7-50.9	74	58.7	49.1-68.3
\$15,000- 24,999	325	229,670	162	45.7	39.2-52.2	163	54.3	47.8-60.8
\$25,000- 34,999	228	153,389	105	37.6	30.5-44.7	123	62.4	55.3-69.5
\$35,000- 49,999	371	245,128	202	50.7	44.6-56.8	169	49.3	43.2-55.4
\$50,000- 74,999	414	300,113	240	51.1	45.4-56.8	174	48.9	43.2-54.6
\$75,000+	933	654,897	546	53.1	49.2-57.0	387	46.9	43.0-50.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3697	2,194,158	2155	52.7	50.7-54.7	1542	47.3	45.3-49.3
White/Non-Hisp	3030	1,753,038	1756	52.1	49.9-54.3	1274	47.9	45.7-50.1
Black or Afr. Am./Non-Hisp	324	189,051	208	62.3	55.2-69.4	116	37.7	30.6-44.8
Oth. Race/Non-Hisp.	82	57,367	38	34.6	21.9-47.3	44	65.4	52.7-78.1
MultiRacial/Non-Hisp.	51	19,404	31	63.5	47.6-79.4	20	36.5	20.6-52.4
Hispanic	151	140,723	93	55.8	46.0-65.6	58	44.2	34.4-54.0
18-24	191	280,994	48	23.8	17.3-30.3	143	76.2	69.7-82.7
25-34	379	395,279	178	46.5	41.0-52.0	201	53.5	48.0-59.0
35-44	478	364,100	246	50.2	45.3-55.1	232	49.8	44.9-54.7
45-54	621	346,684	381	61.9	57.6-66.2	240	38.1	33.8-42.4
55-64	686	330,797	453	65.2	61.1-69.3	233	34.8	30.7-38.9
65+	1342	476,305	849	61.3	58.2-64.4	493	38.7	35.6-41.8
Less Than H.S.	240	248,334	122	45.1	37.7-52.5	118	54.9	47.5-62.3
H.S. or G.E.D.	1158	690,131	631	50.1	46.6-53.6	527	49.9	46.4-53.4
Some Post-H.S.	964	671,096	573	53.4	49.5-57.3	391	46.6	42.7-50.5
College Graduate	1322	576,662	821	58.3	55.2-61.4	501	41.7	38.6-44.8
Less than \$15,000	248	157,064	133	47.1	39.5-54.7	115	52.9	45.3-60.5
\$15,000- 24,999	489	307,811	270	47.7	42.0-53.4	219	52.3	46.6-58.0
\$25,000- 34,999	321	176,396	188	56.3	49.2-63.4	133	43.7	36.6-50.8
\$35,000- 49,999	432	257,509	254	53.9	48.0-59.8	178	46.1	40.2-52.0
\$50,000- 74,999	485	294,706	299	57.9	52.6-63.2	186	42.1	36.8-47.4
\$75,000+	839	502,732	534	59.1	55.0-63.2	305	40.9	36.8-45.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6910	4,399,218	895	11.6	10.8-12.4	71	1.1	00.7-01.5	5944	87.3	86.3-88.3
Male	3092	2,139,120	415	12.0	10.6-13.4				2677	88.0	86.6-89.4
Female	3818	2,260,098	480	11.2	10.0-12.4	71	2.2	01.6-02.8	3267	86.6	85.2-88.0
White/Non-Hisp	5645	3,481,479	717	11.5	10.5-12.5	50	1.1	00.7-01.5	4878	87.4	86.4-88.4
Black or Afr. Am./Non-Hisp	550	377,009	101	14.3	10.8-17.8	9	1.2	00.2-02.2	440	84.5	81.0-88.0
Oth. Race/Non-Hisp.	173	136,514	23	10.7	05.2-16.2	2	0.3	00.0-00.9	148	89.1	83.6-94.6
MultiRacial/Non-Hisp.	99	42,875	7	7.8	00.5-15.1	1	0.5	00.0-01.5	91	91.8	84.5-99.1
Hispanic	299	270,742	31	10.4	06.1-14.7	6	1.9	00.3-03.5	262	87.7	83.2-92.2
18-24	448	620,727	15	3.6	01.6-05.6	1	0.2	00.0-00.6	432	96.2	94.2-98.2
25-34	758	800,068	46	6.7	04.5-08.9	14	1.6	00.6-02.6	698	91.7	89.5-93.9
35-44	927	753,043	73	7.7	05.9-09.5	23	2.8	01.6-04.0	831	89.5	87.3-91.7
45-54	1174	694,945	154	14.1	11.7-16.5	11	1.0	00.4-01.6	1009	84.9	82.5-87.3
55-64	1350	683,097	234	18.0	15.6-20.4	10	0.6	00.2-01.0	1106	81.4	79.0-83.8
65+	2253	847,338	373	18.2	16.2-20.2	12	0.5	00.1-00.9	1868	81.3	79.3-83.3
Less Than H.S.	471	514,492	57	10.6	07.7-13.5	6	1.1	00.1-02.1	408	88.3	85.2-91.4
H.S. or G.E.D.	2239	1,466,795	287	11.3	09.9-12.7	22	1.0	00.6-01.4	1930	87.7	86.1-89.3
Some Post-H.S.	1792	1,333,829	269	13.2	11.4-15.0	17	1.1	00.5-01.7	1506	85.7	83.9-87.5
College Graduate	2390	1,074,737	280	10.4	09.0-11.8	26	1.3	00.7-01.9	2084	88.2	86.8-89.6
Less than \$15,000	393	254,709	44	9.9	06.4-13.4	8	2.3	00.5-04.1	341	87.8	83.9-91.7
\$15,000- 24,999	831	546,514	120	13.0	10.3-15.7	17	2.1	00.9-03.3	694	84.8	81.9-87.7
\$25,000- 34,999	560	335,849	71	13.7	10.2-17.2	4	0.6	00.0-01.4	485	85.7	82.2-89.2
\$35,000- 49,999	833	515,808	134	12.9	10.5-15.3	7	0.7	00.1-01.3	692	86.4	83.9-88.9
\$50,000- 74,999	930	611,931	130	13.6	11.1-16.1	13	1.7	00.7-02.7	787	84.6	81.9-87.3
\$75,000+	1831	1,198,163	222	10.8	09.2-12.4	11	0.7	00.1-01.3	1598	88.5	86.9-90.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3092	2,139,120	415	12.0	10.6-13.4	2677	88.0	86.6-89.4
White/Non-Hisp	2515	1,675,814	330	11.6	10.2-13.0	2185	88.4	87.0-89.8
Black or Afr. Am./Non-Hisp	217	181,353	47	17.7	12.0-23.4	170	82.3	76.6-88.0
Oth. Race/Non-Hisp.	86	77,066	13	12.6	04.2-21.0	73	87.4	79.0-95.8
Hispanic	146	128,099	16	12.3	05.4-19.2	130	87.7	80.8-94.6
18-24	248	324,185	9	4.0	01.1-06.9	239	96.0	93.1-98.9
25-34	374	401,636	18	5.6	02.9-08.3	356	94.4	91.7-97.1
35-44	438	378,905	35	7.5	05.0-10.0	403	92.5	90.0-95.0
45-54	539	341,670	74	15.8	12.3-19.3	465	84.2	80.7-87.7
55-64	641	341,584	118	18.6	15.3-21.9	523	81.4	78.1-84.7
65+	852	351,139	161	21.2	17.9-24.5	691	78.8	75.5-82.1
Less Than H.S.	225	257,363	27	11.0	06.7-15.3	198	89.0	84.7-93.3
H.S. or G.E.D.	1050	761,140	129	10.9	08.9-12.9	921	89.1	87.1-91.1
Some Post-H.S.	789	638,254	121	13.8	11.1-16.5	668	86.2	83.5-88.9
College Graduate	1023	480,934	138	11.9	09.7-14.1	885	88.1	85.9-90.3
Less than \$15,000	145	98,384	16	11.0	04.5-17.5	129	89.0	82.5-95.5
\$15,000- 24,999	333	234,845	45	13.4	08.7-18.1	288	86.6	81.9-91.3
\$25,000- 34,999	236	157,129	26	11.4	06.7-16.1	210	88.6	83.9-93.3
\$35,000- 49,999	385	253,016	67	14.5	10.8-18.2	318	85.5	81.8-89.2
\$50,000- 74,999	427	308,799	57	12.8	09.1-16.5	370	87.2	83.5-90.9
\$75,000+	960	672,138	130	11.9	09.7-14.1	830	88.1	85.9-90.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 01: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3818	2,260,098	480	11.2	10.0-12.4	71	2.2	01.6-02.8	3267	86.6	85.4-87.8
White/Non-Hisp	3130	1,805,665	387	11.4	10.0-12.8	50	2.1	01.5-02.7	2693	86.5	85.1-87.9
Black or Afr. Am./Non-Hisp	333	195,655	54	11.2	07.3-15.1	9	2.3	00.5-04.1	270	86.5	82.2-90.8
Oth. Race/Non-Hisp.	87	59,448	10	8.2	01.7-14.7	2	0.6	00.0-01.8	75	91.2	84.5-97.9
MultiRacial/Non-Hisp.	53	20,602	4	10.8	00.0-23.9	1	1.0	00.0-03.0	48	88.3	75.2-0100
Hispanic	153	142,642	15	8.7	03.6-13.8	6	3.6	00.5-06.7	132	87.7	81.8-93.6
18-24	200	296,542	6	3.2	00.7-05.7	1	0.4	00.0-01.2	193	96.5	94.0-99.0
25-34	384	398,432	28	7.8	04.7-10.9	14	3.2	01.4-05.0	342	89.0	85.5-92.5
35-44	489	374,138	38	7.8	05.3-10.3	23	5.6	03.2-08.0	428	86.5	83.2-89.8
45-54	635	353,274	80	12.5	09.6-15.4	11	1.9	00.7-03.1	544	85.6	82.5-88.7
55-64	709	341,513	116	17.4	14.3-20.5	10	1.2	00.4-02.0	583	81.5	78.2-84.8
65+	1401	496,198	212	16.1	13.7-18.5	12	0.8	00.2-01.4	1177	83.1	80.7-85.5
Less Than H.S.	246	257,129	30	10.1	06.2-14.0	6	2.2	00.4-04.0	210	87.6	83.3-91.9
H.S. or G.E.D.	1189	705,655	158	11.8	09.8-13.8	22	2.0	01.0-03.0	1009	86.2	84.0-88.4
Some Post-H.S.	1003	695,575	148	12.6	10.2-15.0	17	2.2	01.0-03.4	838	85.2	82.7-87.7
College Graduate	1367	593,802	142	9.3	07.5-11.1	26	2.4	01.4-03.4	1199	88.3	86.3-90.3
Less than \$15,000	248	156,326	28	9.2	05.1-13.3	8	3.7	01.0-06.4	212	87.1	82.2-92.0
\$15,000- 24,999	498	311,669	75	12.7	09.4-16.0	17	3.8	01.8-05.8	406	83.5	79.8-87.2
\$25,000- 34,999	324	178,721	45	15.8	10.5-21.1	4	1.1	00.0-02.5	275	83.2	77.9-88.5
\$35,000- 49,999	448	262,792	67	11.4	08.3-14.5	7	1.3	00.1-02.5	374	87.3	84.0-90.6
\$50,000- 74,999	503	303,132	73	14.5	11.0-18.0	13	3.5	01.3-05.7	417	82.0	78.1-85.9
\$75,000+	871	526,025	92	9.4	07.2-11.6	11	1.7	00.5-02.9	768	88.9	86.5-91.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 2: DIABETES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1257	597,742	427	35.7	32.6-38.8	830	64.3	61.2-67.4
Male	580	289,152	199	34.6	30.1-39.1	381	65.4	60.9-69.9
Female	677	308,590	228	36.7	32.2-41.2	449	63.3	58.8-67.8
White/Non-Hisp	979	472,321	326	35.3	31.8-38.8	653	64.7	61.2-68.2
Black or Afr. Am./Non-Hisp	147	63,004	56	41.7	30.7-52.7	91	58.3	47.3-69.3
Hispanic	52	32,943	19	31.6	17.7-45.5	33	68.4	54.5-82.3
35-44	59	45,673	15	20.5	09.7-31.3	44	79.5	68.7-90.3
45-54	158	96,292	62	40.2	31.6-48.8	96	59.8	51.2-68.4
55-64	327	161,158	115	36.3	30.2-42.4	212	63.7	57.6-69.8
65+	684	262,528	219	34.0	29.7-38.3	465	66.0	61.7-70.3
Less Than H.S.	125	89,497	55	47.2	37.4-57.0	70	52.8	43.0-62.6
H.S. or G.E.D.	452	222,342	163	37.7	32.4-43.0	289	62.3	57.0-67.6
Some Post-H.S.	349	181,447	119	34.2	28.3-40.1	230	65.8	59.9-71.7
College Graduate	325	102,120	87	23.6	18.3-28.9	238	76.4	71.1-81.7
Less than \$15,000	136	73,915	60	50.1	40.3-59.9	76	49.9	40.1-59.7
\$15,000- 24,999	213	101,674	82	40.0	32.4-47.6	131	60.0	52.4-67.6
\$25,000- 34,999	144	67,449	50	34.9	25.5-44.3	94	65.1	55.7-74.5
\$35,000- 49,999	149	66,821	47	26.2	17.8-34.6	102	73.8	65.4-82.2
\$50,000- 74,999	148	66,857	44	34.1	24.7-43.5	104	65.9	56.5-75.3
\$75,000+	202	101,543	55	27.6	20.3-34.9	147	72.4	65.1-79.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	580	289,152	199	34.6	30.1-39.1	381	65.4	60.9-69.9
White/Non-Hisp	462	232,708	155	34.7	29.6-39.8	307	65.3	60.2-70.4
Black or Afr. Am./Non-Hisp	50	23,493	20	34.9	18.8-51.0	30	65.1	49.0-81.2
45-54	72	50,689	25	36.6	24.4-48.8	47	63.4	51.2-75.6
55-64	140	72,455	46	32.5	23.7-41.3	94	67.5	58.7-76.3
65+	331	133,517	115	34.5	28.4-40.6	216	65.5	59.4-71.6
Less Than H.S.	55	42,099	21	41.6	26.9-56.3	34	58.4	43.7-73.1
H.S. or G.E.D.	203	109,385	74	34.4	27.0-41.8	129	65.6	58.2-73.0
Some Post-H.S.	151	78,865	52	36.8	27.8-45.8	99	63.2	54.2-72.2
College Graduate	168	57,649	51	27.1	19.3-34.9	117	72.9	65.1-80.7
\$15,000- 24,999	89	46,523	34	40.7	28.9-52.5	55	59.3	47.5-71.1
\$25,000- 34,999	67	32,191	25	36.0	22.9-49.1	42	64.0	50.9-77.1
\$35,000- 49,999	71	32,066	24	27.0	14.7-39.3	47	73.0	60.7-85.3
\$50,000- 74,999	75	35,519	21	30.8	18.5-43.1	54	69.2	56.9-81.5
\$75,000+	129	62,983	35	28.1	18.7-37.5	94	71.9	62.5-81.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	677	308,590	228	36.7	32.2-41.2	449	63.3	58.8-67.8
White/Non-Hisp	517	239,613	171	35.9	31.0-40.8	346	64.1	59.2-69.0
Black or Afr. Am./Non-Hisp	97	39,510	36	45.8	31.7-59.9	61	54.2	40.1-68.3
45-54	86	45,603	37	44.2	32.0-56.4	49	55.8	43.6-68.0
55-64	187	88,703	69	39.5	31.1-47.9	118	60.5	52.1-68.9
65+	353	129,011	104	33.5	27.4-39.6	249	66.5	60.4-72.6
Less Than H.S.	70	47,398	34	52.1	39.0-65.2	36	47.9	34.8-61.0
H.S. or G.E.D.	249	112,957	89	40.9	33.5-48.3	160	59.1	51.7-66.5
Some Post-H.S.	198	102,582	67	32.1	24.5-39.7	131	67.9	60.3-75.5
College Graduate	157	44,471	36	19.1	12.4-25.8	121	80.9	74.2-87.6
Less than \$15,000	88	47,487	40	53.6	41.6-65.6	48	46.4	34.4-58.4
\$15,000- 24,999	124	55,151	48	39.4	29.2-49.6	76	60.6	50.4-70.8
\$25,000- 34,999	77	35,258	25	33.8	20.5-47.1	52	66.2	52.9-79.5
\$35,000- 49,999	78	34,755	23	25.4	13.8-37.0	55	74.6	63.0-86.2
\$50,000- 74,999	73	31,338	23	37.8	23.5-52.1	50	62.2	47.9-76.5
\$75,000+	73	38,559	20	26.9	15.1-38.7	53	73.1	61.3-84.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1222	578,189	119	9.7	07.7-11.7	334	26.6	23.7-29.5	738	60.3	57.0-63.6	31	3.3	01.9-04.7
Male	557	278,935	57	10.5	07.6-13.4	171	30.0	25.7-34.3	316	56.2	51.5-60.9	13	3.3	01.3-05.3
Female	665	299,255	62	9.0	06.5-11.5	163	23.5	19.6-27.4	422	64.2	59.7-68.7	18	3.3	01.5-05.1
White/Non-Hisp	957	460,030	85	8.8	06.8-10.8	281	28.2	24.9-31.5	564	59.5	55.8-63.2	27	3.4	01.8-05.0
Black or Afr. Am./Non-Hisp	142	59,683	15	13.3	05.7-20.9	25	18.8	10.2-27.4	100	65.2	54.6-75.8	2	2.6	00.0-06.3
35-44	59	45,673	11	22.4	10.2-34.6	9	12.6	04.6-20.6	38	64.0	50.7-77.3	1	0.9	00.0-02.7
45-54	154	93,340	16	11.4	06.1-16.7	38	24.4	17.0-31.8	95	59.8	51.2-68.4	5	4.5	00.4-08.6
55-64	319	155,879	26	6.9	04.0-09.8	86	26.1	20.6-31.6	198	62.9	56.8-69.0	9	4.0	01.1-06.9
65+	662	252,462	65	9.4	06.9-11.9	193	29.3	25.2-33.4	391	59.2	54.9-63.5	13	2.1	00.7-03.5
Less Than H.S.	121	85,429	10	7.9	02.6-13.2	25	17.6	10.3-24.9	84	72.1	63.3-80.9	2	2.4	00.0-05.7
H.S. or G.E.D.	445	218,169	40	10.8	07.5-14.1	110	25.3	20.4-30.2	284	61.4	56.1-66.7	11	2.6	00.8-04.4
Some Post-H.S.	333	172,054	30	7.3	04.2-10.4	98	29.5	24.0-35.0	195	57.9	51.6-64.2	10	5.2	01.9-08.5
College Graduate	317	100,201	38	13.2	08.5-17.9	100	32.3	26.4-38.2	171	52.0	45.5-58.5	8	2.5	00.5-04.5
Less than \$15,000	133	71,874	12	7.7	03.0-12.4	26	17.6	10.2-25.0	89	67.3	57.9-76.7	6	7.3	01.2-13.4
\$15,000- 24,999	209	99,267	16	9.4	04.9-13.9	48	20.8	14.5-27.1	139	67.1	59.7-74.5	6	2.7	00.2-05.2
\$25,000- 34,999	141	66,259	15	10.1	04.4-15.8	30	21.9	13.7-30.1	93	65.5	56.1-74.9	3	2.5	00.0-05.8
\$35,000- 49,999	147	65,475	12	9.9	03.6-16.2	44	34.9	25.5-44.3	90	55.1	45.3-64.9	1	0.2	00.0-00.6
\$50,000- 74,999	142	64,611	16	11.2	05.3-17.1	45	30.3	21.3-39.3	78	55.3	45.7-64.9	3	3.3	00.0-07.2
\$75,000+	192	96,210	21	11.2	06.1-16.3	71	35.0	27.6-42.4	93	49.0	41.0-57.0	7	4.8	00.9-08.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	557	278,935	57	10.5	07.6-13.4	171	30.0	25.7-34.3	316	56.2	51.5-60.9	13	3.3	01.3-05.3	
White/Non-Hisp	446	224,979	43	10.0	06.9-13.1	143	31.4	26.5-36.3	250	55.7	50.4-61.0	10	3.0	01.0-05.0	
45-54	71	50,444	10	15.6	07.2-24.0	18	23.5	13.3-33.7	39	53.6	41.1-66.1	4	7.3	00.0-14.6	
55-64	134	68,520	8	5.8	01.5-10.1	37	26.6	18.4-34.8	88	66.8	58.0-75.6	1	0.8	00.0-02.4	
65+	315	127,479	34	10.2	06.5-13.9	106	34.6	28.5-40.7	168	52.1	45.6-58.6	7	3.0	00.6-05.4	
Less Than H.S.	53	39,765	4	5.8	00.0-12.3	14	21.4	09.6-33.2	35	72.8	60.1-85.5				
H.S. or G.E.D.	199	107,851	21	12.3	07.4-17.2	59	32.2	24.6-39.8	115	53.3	45.5-61.1	4	2.2	00.0-04.4	
Some Post-H.S.	140	74,026	14	9.3	03.8-14.8	45	29.7	21.5-37.9	75	53.5	44.1-62.9	6	7.5	01.6-13.4	
College Graduate	162	56,138	18	11.9	05.6-18.2	52	32.0	24.0-40.0	89	53.9	45.1-62.7	3	2.2	00.0-04.9	
\$15,000- 24,999	87	45,750	7	9.3	03.4-15.2	21	22.8	12.8-32.8	57	65.5	54.3-76.7	2	2.5	00.0-06.0	
\$25,000- 34,999	66	31,537	9	12.6	03.8-21.4	16	22.8	11.2-34.4	40	62.7	49.4-76.0	1	1.9	00.0-05.6	
\$35,000- 49,999	69	30,720	7	11.7	02.1-21.3	23	40.6	26.5-54.7	38	47.3	33.4-61.2	1	0.4	00.0-01.2	
\$50,000- 74,999	70	34,247	8	11.4	03.0-19.8	27	38.7	25.4-52.0	34	46.7	33.4-60.0	1	3.2	00.0-09.3	
\$75,000+	122	60,152	12	10.9	04.2-17.6	46	35.1	25.7-44.5	60	47.9	37.7-58.1	4	6.1	00.0-12.2	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	665	299,255	62	9.0	06.5-11.5	163	23.5	19.6-27.4	422	64.2	59.7-68.7	18	3.3	01.5-05.1	
White/Non-Hisp	511	235,052	42	7.7	05.2-10.2	138	25.2	20.7-29.7	314	63.2	58.1-68.3	17	3.8	01.6-06.0	
Black or Afr. Am./Non-Hisp	95	37,200	12	16.6	06.0-27.2	14	14.2	05.0-23.4	68	66.3	53.0-79.6	1	2.8	00.0-08.3	
45-54	83	42,896	6	6.4	00.9-11.9	20	25.4	14.4-36.4	56	67.0	55.4-78.6	1	1.2	00.0-03.6	
55-64	185	87,360	18	7.9	03.8-12.0	49	25.7	18.4-33.0	110	59.9	51.5-68.3	8	6.5	01.4-11.6	
65+	347	124,983	31	8.4	05.1-11.7	87	23.9	18.6-29.2	223	66.4	60.5-72.3	6	1.2	00.2-02.2	
Less Than H.S.	68	45,665	6	9.6	01.4-17.8	11	14.2	05.0-23.4	49	71.6	59.3-83.9	2	4.6	00.0-10.9	
H.S. or G.E.D.	246	110,318	19	9.3	05.0-13.6	51	18.6	12.5-24.7	169	69.2	61.9-76.5	7	3.0	00.3-05.7	
Some Post-H.S.	193	98,028	16	5.8	02.3-09.3	53	29.4	22.0-36.8	120	61.3	53.3-69.3	4	3.4	00.0-06.9	
College Graduate	155	44,063	20	14.8	07.5-22.1	48	32.7	24.1-41.3	82	49.6	40.4-58.8	5	2.9	00.2-05.6	
Less than \$15,000	86	45,931	6	6.3	00.8-11.8	15	13.9	06.5-21.3	59	68.4	56.8-80.0	6	11.4	02.2-20.6	
\$15,000- 24,999	122	53,517	9	9.6	02.9-16.3	27	19.0	11.0-27.0	82	68.4	58.6-78.2	4	3.0	00.0-06.7	
\$25,000- 34,999	75	34,723	6	7.9	00.5-15.3	14	21.1	09.3-32.9	53	68.1	54.8-81.4	2	3.0	00.0-08.3	
\$35,000- 49,999	78	34,755	5	8.2	00.0-16.4	21	29.8	17.6-42.0	52	61.9	48.8-75.0				
\$50,000- 74,999	72	30,364	8	11.0	03.0-19.0	18	20.7	09.9-31.5	44	64.9	52.0-77.8	2	3.4	00.0-08.3	
\$75,000+	70	36,058	9	11.7	03.5-19.9	25	34.7	22.7-46.7	33	51.0	38.1-63.9	3	2.5	00.0-05.4	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1213	577,390	650	52.4	49.1-55.7	219	17.2	14.7-19.7	88	7.1	05.3-08.9	61	5.4	03.8-07.0	185	17.1	14.4-19.8	10	0.8	00.2-01.4
Male	553	278,990	276	49.7	44.8-54.6	106	17.2	13.7-20.7	40	7.4	04.9-09.9	32	6.0	03.6-08.4	91	18.1	14.2-22.0	8	1.5	00.3-02.7
Female	660	298,400	374	54.9	50.2-59.6	113	17.2	13.7-20.7	48	6.8	04.6-09.0	29	4.8	02.8-06.8	94	16.1	12.4-19.8	2	0.1	00.0-00.3
White/Non-Hisp	947	457,559	502	51.9	48.2-55.6	187	18.9	16.0-21.8	60	6.1	04.3-07.9	52	5.7	03.9-07.5	137	16.4	13.5-19.3	9	1.0	00.2-01.8
Black or Afr. Am./Non-Hisp	142	59,169	79	52.8	41.8-63.8	18	10.8	04.5-17.1	15	11.5	04.8-18.2	3	3.3	00.0-07.0	26	21.4	11.8-31.0	1	0.3	00.0-00.9
Hispanic	50	32,030	28	53.6	37.5-69.7	2	5.3	00.0-13.9	5	9.2	00.4-18.0	4	8.0	00.0-16.4	11	24.0	09.7-38.3			
35-44	58	45,053	32	50.5	36.2-64.8	9	15.9	05.3-26.5	1	1.7	00.0-05.0	2	3.7	00.0-09.0	14	28.1	14.8-41.4			
45-54	156	95,240	83	53.2	44.4-62.0	17	10.4	05.1-15.7	16	9.6	04.5-14.7	7	5.3	01.4-09.2	29	19.0	12.1-25.9	4	2.5	00.0-05.2
55-64	317	155,872	189	57.4	51.1-63.7	54	17.0	12.1-21.9	19	6.5	03.4-09.6	11	3.8	01.4-06.2	42	14.5	10.0-19.0	2	0.7	00.0-01.7
65+	654	251,339	334	50.2	45.7-54.7	136	21.1	17.4-24.8	49	7.3	04.9-09.7	39	6.4	04.0-08.8	92	14.5	11.2-17.8	4	0.5	00.0-01.1
Less Than H.S.	121	87,480	69	56.5	46.5-66.5	19	13.6	07.1-20.1	2	1.7	00.0-04.1	3	1.9	00.0-04.1	26	24.2	15.0-33.4	2	2.0	00.0-04.7
H.S. or G.E.D.	433	213,790	219	48.9	43.4-54.4	73	14.7	11.2-18.2	36	8.2	05.3-11.1	24	7.0	04.1-09.9	76	20.4	15.7-25.1	5	0.8	00.0-01.6
Some Post-H.S.	338	175,089	191	54.6	48.3-60.9	65	21.2	15.9-26.5	28	8.3	04.8-11.8	16	4.6	01.9-07.3	36	10.7	06.8-14.6	2	0.5	00.0-01.3
College Graduate	316	99,148	168	52.3	45.8-58.8	62	19.1	14.2-24.0	22	7.4	04.1-10.7	17	6.2	02.7-09.7	46	14.6	09.9-19.3	1	0.4	00.0-01.2
Less than \$15,000	130	69,102	77	58.3	48.3-68.3	22	18.1	10.3-25.9	8	5.7	01.2-10.2	4	2.1	00.0-04.5	17	14.4	07.0-21.8	2	1.4	00.0-03.4
\$15,000- 24,999	203	97,937	108	49.9	41.9-57.9	32	15.8	09.9-21.7	20	10.7	05.6-15.8	8	3.1	00.6-05.6	33	19.3	12.6-26.0	2	1.2	00.0-03.0
\$25,000- 34,999	141	66,631	73	52.7	42.9-62.5	26	17.3	10.0-24.6	12	7.7	02.8-12.6	8	5.2	01.1-09.3	21	16.9	09.1-24.7	1	0.2	00.0-00.6
\$35,000- 49,999	146	65,718	79	49.4	39.8-59.0	26	17.1	09.8-24.4	12	10.0	03.7-16.3	8	7.3	02.0-12.6	21	16.2	08.8-23.6			
\$50,000- 74,999	143	65,488	80	53.4	43.6-63.2	22	16.0	08.9-23.1	9	5.9	01.4-10.4	5	3.8	00.0-07.7	27	20.9	12.5-29.3			
\$75,000+	197	98,846	92	48.4	40.4-56.4	47	21.2	14.9-27.5	10	5.1	01.6-08.6	12	7.8	03.1-12.5	34	16.5	10.6-22.4	2	1.0	00.0-02.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	553	278,990	276	49.7	44.8-54.6	106	17.2	13.7-20.7	40	7.4	04.9-09.9	32	6.0	03.6-08.4	91	18.1	14.2-22.0	8	1.5	00.3-02.7
White/Non-Hisp	443	224,532	217	47.6	42.3-52.9	91	19.0	14.9-23.1	28	6.7	04.0-09.4	27	6.2	03.5-08.9	73	18.7	14.2-23.2	7	1.8	00.4-03.2
45-54	70	49,637	34	48.7	36.0-61.4	3	4.0	00.0-08.7	6	9.0	01.6-16.4	4	5.5	00.2-10.8	19	28.0	16.4-39.6	4	4.8	00.0-09.9
55-64	135	70,563	77	55.4	46.0-64.8	27	20.0	12.4-27.6	5	4.7	00.4-09.0	6	4.9	01.0-08.8	18	13.4	07.1-19.7	2	1.6	00.0-04.0
65+	312	126,919	147	47.1	40.6-53.6	73	23.7	18.0-29.4	26	8.3	04.8-11.8	19	5.5	02.6-08.4	45	14.8	10.1-19.5	2	0.6	00.0-01.6
Less Than H.S.	53	40,930	29	51.3	36.0-66.6	8	13.0	03.6-22.4							14	31.4	16.3-46.5	2	4.4	00.0-10.5
H.S. or G.E.D.	192	106,387	91	46.2	38.2-54.2	36	16.3	10.6-22.0	16	9.1	04.4-13.8	12	7.3	03.2-11.4	33	19.6	13.3-25.9	4	1.4	00.0-03.0
Some Post-H.S.	144	75,089	79	55.0	45.8-64.2	25	18.9	11.5-26.3	13	9.6	03.9-15.3	7	5.4	00.7-10.1	19	10.3	05.2-15.4	1	0.8	00.0-02.4
College Graduate	161	55,429	76	48.6	39.6-57.6	37	20.3	13.6-27.0	11	6.8	02.3-11.3	12	8.4	02.5-14.3	24	15.4	09.1-21.7	1	0.6	00.0-01.8
\$15,000- 24,999	83	44,183	40	41.9	30.1-53.7	15	18.6	09.0-28.2	5	6.6	00.0-13.3	3	2.7	00.0-06.0	18	27.7	16.3-39.1	2	2.6	00.0-06.3
\$25,000- 34,999	64	31,373	29	41.2	27.5-54.9	13	20.5	09.5-31.5	6	10.5	02.1-18.9	3	4.9	00.0-11.2	12	22.4	09.7-35.1	1	0.5	00.0-01.5
\$35,000- 49,999	68	30,963	35	48.9	35.2-62.6	13	20.0	08.2-31.8	8	13.6	03.0-24.2	4	5.3	00.0-11.6	8	12.3	03.7-20.9			
\$50,000- 74,999	73	35,163	44	61.6	48.7-74.5	11	13.3	04.7-21.9	4	5.2	00.0-10.9	3	5.0	00.0-11.5	11	15.0	05.8-24.2			
\$75,000+	128	62,685	52	45.2	35.0-55.4	32	20.4	12.8-28.0	9	7.5	02.2-12.8	9	9.7	03.0-16.4	24	15.6	08.7-22.5	2	1.5	00.0-03.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	660	298,400	374	54.9	50.2-59.6	113	17.2	13.7-20.7	48	6.8	04.6-09.0	29	4.8	02.8-06.8	94	16.1	12.4-19.8	2	0.1	00.0-00.3
White/Non-Hisp	504	233,027	285	56.0	50.7-61.3	96	18.9	15.0-22.8	32	5.5	03.3-07.7	25	5.2	02.8-07.6	64	14.1	10.2-18.0	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	95	36,818	51	42.8	29.3-56.3	11	12.0	03.6-20.4	10	13.8	04.4-23.2	2	3.4	00.0-08.1	21	27.9	14.6-41.2			
45-54	86	45,603	49	58.0	46.2-69.8	14	17.4	08.0-26.8	10	10.3	03.4-17.2	3	5.1	00.0-10.8	10	9.2	03.3-15.1			
55-64	182	85,309	112	59.1	50.5-67.7	27	14.6	08.5-20.7	14	8.0	03.3-12.7	5	2.9	00.2-05.6	24	15.4	08.9-21.9			
65+	342	124,420	187	53.5	47.2-59.8	63	18.4	13.9-22.9	23	6.4	03.3-09.5	20	7.2	03.5-10.9	47	14.2	09.3-19.1	2	0.4	00.0-00.8
Less Than H.S.	68	46,550	40	61.1	48.2-74.0	11	14.1	05.3-22.9	2	3.2	00.0-07.7	3	3.6	00.0-07.7	12	17.9	06.9-28.9			
H.S. or G.E.D.	241	107,402	128	51.5	43.9-59.1	37	13.1	08.6-17.6	20	7.3	03.6-11.0	12	6.7	02.4-11.0	43	21.2	14.5-27.9	1	0.2	00.0-00.6
Some Post-H.S.	194	100,000	112	54.4	46.2-62.6	40	23.0	15.7-30.3	15	7.4	03.1-11.7	9	4.0	00.9-07.1	17	11.1	05.6-16.6	1	0.2	00.0-00.6
College Graduate	155	43,719	92	56.9	47.7-66.1	25	17.6	10.5-24.7	11	8.3	03.2-13.4	5	3.5	00.2-06.8	22	13.7	06.3-21.1			
Less than \$15,000	85	44,353	50	58.5	46.3-70.7	14	19.5	09.3-29.7	6	5.5	00.6-10.4	3	2.5	00.0-05.8	12	14.0	06.0-22.0			
\$15,000- 24,999	120	53,754	68	56.5	45.7-67.3	17	13.5	06.1-20.9	15	14.0	06.4-21.6	5	3.5	00.0-07.0	15	12.5	04.9-20.1			
\$25,000- 34,999	77	35,258	44	62.8	49.7-75.9	13	14.5	05.3-23.7	6	5.2	00.1-10.3	5	5.5	00.2-10.8	9	12.1	02.7-21.5			
\$35,000- 49,999	78	34,755	44	49.8	36.5-63.1	13	14.6	05.8-23.4	4	6.8	00.0-14.1	4	9.0	00.6-17.4	13	19.8	08.0-31.6			
\$50,000- 74,999	70	30,325	36	43.9	29.8-58.0	11	19.1	07.7-30.5	5	6.7	00.0-13.8	2	2.5	00.0-06.0	16	27.7	13.4-42.0			
\$75,000+	69	36,161	40	53.9	40.6-67.2	15	22.6	11.8-33.4	1	1.0	00.0-03.0	3	4.5	00.0-09.6	10	18.0	07.2-28.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1220	578,493	241	19.7	17.0-22.4	302	23.6	20.9-26.3	170	13.5	11.3-15.7	242	20.1	17.4-22.8	119	10.4	08.2-12.6	146	12.7	10.3-15.1
Male	568	283,185	119	21.6	17.5-25.7	136	22.1	18.2-26.0	74	13.0	09.9-16.1	105	18.4	14.5-22.3	59	11.0	07.9-14.1	75	13.9	10.6-17.2
Female	652	295,308	122	18.0	14.5-21.5	166	25.0	20.9-29.1	96	14.0	10.9-17.1	137	21.8	17.9-25.7	60	9.8	06.9-12.7	71	11.5	08.4-14.6
White/Non-Hisp	955	458,815	195	19.6	16.7-22.5	248	24.5	21.4-27.6	129	14.2	11.7-16.7	194	20.7	17.8-23.6	77	8.3	06.1-10.5	112	12.6	10.1-15.1
Black or Afr. Am./Non-Hisp	141	59,795	26	21.5	12.1-30.9	27	19.7	11.1-28.3	23	11.0	04.7-17.3	27	18.7	10.3-27.1	23	17.4	08.0-26.8	15	11.6	04.9-18.3
35-44	59	45,673	14	23.2	11.4-35.0	18	29.6	16.9-42.3	6	11.5	01.7-21.3	7	12.3	02.5-22.1	6	7.0	00.9-13.1	8	16.3	05.7-26.9
45-54	156	94,377	31	19.6	12.5-26.7	32	19.9	13.0-26.8	23	14.1	07.8-20.4	34	21.8	14.4-29.2	18	12.6	06.3-18.9	18	12.0	06.9-17.1
55-64	317	156,662	61	20.5	15.2-25.8	82	25.6	20.1-31.1	56	17.4	12.7-22.1	59	19.6	14.3-24.9	32	8.7	05.4-12.0	27	8.1	04.6-11.6
65+	661	251,841	130	18.8	15.3-22.3	166	23.4	19.7-27.1	84	12.7	09.6-15.8	137	21.9	18.2-25.6	57	9.8	06.9-12.7	87	13.4	10.5-16.3
Less Than H.S.	117	84,172	17	17.3	09.1-25.5	25	23.3	14.5-32.1	12	10.6	03.9-17.3	26	21.3	13.5-29.1	18	13.7	06.8-20.6	19	13.7	07.0-20.4
H.S. or G.E.D.	435	213,215	90	19.7	15.6-23.8	106	21.4	17.1-25.7	62	14.3	10.6-18.0	84	19.4	14.9-23.9	41	11.0	07.1-14.9	52	14.2	10.1-18.3
Some Post-H.S.	342	179,039	75	22.7	17.4-28.0	86	23.7	18.6-28.8	48	13.7	09.6-17.8	65	19.9	14.8-25.0	27	8.3	04.8-11.8	41	11.7	07.8-15.6
College Graduate	320	99,732	58	16.7	11.8-21.6	84	28.3	22.4-34.2	47	13.7	09.4-18.0	64	20.5	15.4-25.6	33	10.0	06.3-13.7	34	10.8	06.9-14.7
Less than \$15,000	127	68,344	23	19.4	11.4-27.4	22	14.2	07.5-20.9	17	11.1	04.8-17.4	23	22.4	13.6-31.2	20	18.1	09.5-26.7	22	14.7	07.3-22.1
\$15,000- 24,999	204	96,722	31	18.2	11.9-24.5	43	20.4	13.9-26.9	23	10.4	05.5-15.3	48	21.0	14.3-27.7	34	14.1	08.8-19.4	25	16.0	09.7-22.3
\$25,000- 34,999	143	67,018	31	18.6	11.5-25.7	38	25.7	17.3-34.1	21	15.3	07.9-22.7	24	16.7	09.3-24.1	9	7.7	02.4-13.0	20	16.1	08.7-23.5
\$35,000- 49,999	145	64,316	23	16.8	09.0-24.6	51	34.0	25.0-43.0	21	14.5	07.8-21.2	16	11.5	05.4-17.6	14	8.7	03.2-14.2	20	14.5	07.6-21.4
\$50,000- 74,999	147	66,604	30	18.8	11.7-25.9	39	29.4	20.0-38.8	22	14.9	08.2-21.6	29	18.5	11.2-25.8	11	7.0	02.5-11.5	16	11.3	05.6-17.0
\$75,000+	202	101,630	47	24.4	17.1-31.7	53	26.1	19.4-32.8	32	14.5	09.2-19.8	41	19.3	13.0-25.6	12	7.1	02.8-11.4	17	8.7	04.6-12.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	568	283,185	119	21.6	17.5-25.7	136	22.1	18.2-26.0	74	13.0	09.9-16.1	105	18.4	14.5-22.3	59	11.0	07.9-14.1	75	13.9	10.6-17.2			
White/Non-Hisp	453	227,523	95	20.4	16.1-24.7	108	23.1	18.8-27.4	58	13.5	10.0-17.0	88	18.5	14.4-22.6	45	10.6	07.3-13.9	59	13.9	10.2-17.6			
Black or Afr. Am./Non-Hisp	50	23,493	11	31.3	14.1-48.5	12	19.4	06.5-32.3	10	10.9	02.5-19.3	6	16.6	03.3-29.9	7	9.9	00.9-18.9	4	11.9	00.5-23.3			
45-54	72	50,501	13	18.4	08.6-28.2	17	22.5	11.9-33.1	10	11.6	04.2-19.0	16	22.5	11.5-33.5	7	11.4	02.6-20.2	9	13.6	06.2-21.0			
55-64	138	71,407	28	20.9	13.3-28.5	37	24.9	17.1-32.7	21	15.9	09.0-22.8	24	17.3	09.9-24.7	14	10.5	04.8-16.2	14	10.5	04.4-16.6			
65+	321	128,786	67	20.7	15.4-26.0	73	20.8	15.9-25.7	40	13.5	09.0-18.0	62	19.6	14.5-24.7	34	11.3	07.0-15.6	45	14.1	09.6-18.6			
Less Than H.S.	52	40,450	10	22.4	09.1-35.7	10	18.3	06.7-29.9	5	9.7	01.1-18.3	11	21.7	09.0-34.4	7	12.5	02.5-22.5	9	15.3	04.9-25.7			
H.S. or G.E.D.	197	106,672	43	20.1	14.0-26.2	51	21.4	15.3-27.5	27	14.8	09.3-20.3	27	14.9	09.0-20.8	21	11.5	06.0-17.0	28	17.2	11.1-23.3			
Some Post-H.S.	148	77,259	35	25.6	17.4-33.8	38	24.1	16.3-31.9	17	11.9	06.0-17.8	28	18.7	11.3-26.1	11	8.2	03.1-13.3	19	11.5	06.0-17.0			
College Graduate	168	57,649	31	18.8	11.5-26.1	37	23.9	16.5-31.3	24	12.8	07.1-18.5	37	21.7	14.6-28.8	20	12.8	07.1-18.5	19	10.1	05.0-15.2			
\$15,000- 24,999	86	45,303	12	13.5	05.9-21.1	21	19.3	10.5-28.1	7	8.4	01.3-15.5	17	20.6	10.2-31.0	15	15.2	07.0-23.4	14	23.0	12.4-33.6			
\$25,000- 34,999	66	31,760	15	23.1	11.7-34.5	17	27.0	14.1-39.9	12	17.2	06.8-27.6	9	13.3	03.5-23.1	3	4.0	00.0-08.7	10	15.3	05.9-24.7			
\$35,000- 49,999	70	31,199	9	14.1	03.3-24.9	22	30.8	18.5-43.1	11	17.4	07.0-27.8	6	5.6	00.3-10.9	8	12.5	02.7-22.3	14	19.6	08.8-30.4			
\$50,000- 74,999	75	35,519	17	23.5	12.5-34.5	15	22.6	10.8-34.4	10	14.0	04.8-23.2	17	20.2	09.8-30.6	6	7.3	01.2-13.4	10	12.5	04.7-20.3			
\$75,000+	130	63,663	32	24.3	15.5-33.1	36	28.8	19.8-37.8	20	14.3	07.4-21.2	24	17.9	10.5-25.3	10	9.1	03.4-14.8	8	5.7	01.2-10.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	652	295,308	122	18.0	14.5-21.5	166	25.0	20.9-29.1	96	14.0	10.9-17.1	137	21.8	17.9-25.7	60	9.8	06.9-12.7	71	11.5	08.4-14.6				
White/Non-Hisp	502	231,292	100	18.9	14.8-23.0	140	25.9	21.4-30.4	71	15.0	11.3-18.7	106	22.9	18.4-27.4	32	6.0	03.6-08.4	53	11.3	08.0-14.6				
Black or Afr. Am./Non-Hisp	91	36,301	15	15.2	05.2-25.2	15	19.9	08.3-31.5	13	11.1	02.3-19.9	21	20.1	09.1-31.1	16	22.2	08.5-35.9	11	11.4	03.2-19.6				
45-54	84	43,876	18	21.0	11.2-30.8	15	16.9	08.3-25.5	13	16.9	06.9-26.9	18	21.1	11.1-31.1	11	14.0	05.2-22.8	9	10.2	03.1-17.3				
55-64	179	85,255	33	20.3	13.0-27.6	45	26.3	18.5-34.1	35	18.6	12.1-25.1	35	21.5	14.2-28.8	18	7.3	03.4-11.2	13	6.1	02.2-10.0				
65+	340	123,055	63	16.7	12.0-21.4	93	26.1	20.6-31.6	44	11.8	07.7-15.9	75	24.4	18.7-30.1	23	8.3	04.4-12.2	42	12.7	08.8-16.6				
Less Than H.S.	65	43,722	7	12.5	02.9-22.1	15	28.0	15.1-40.9	7	11.5	01.5-21.5	15	21.0	11.4-30.6	11	14.9	05.5-24.3	10	12.2	04.0-20.4				
H.S. or G.E.D.	238	106,543	47	19.3	13.6-25.0	55	21.3	15.0-27.6	35	13.7	08.8-18.6	57	24.0	17.5-30.5	20	10.5	05.2-15.8	24	11.1	05.6-16.6				
Some Post-H.S.	194	101,779	40	20.6	13.9-27.3	48	23.5	16.6-30.4	31	15.1	09.2-21.0	37	20.7	13.8-27.6	16	8.3	03.6-13.0	22	11.8	06.5-17.1				
College Graduate	152	42,083	27	13.8	07.9-19.7	47	34.4	25.2-43.6	23	14.9	08.0-21.8	27	18.9	11.3-26.5	13	6.2	02.3-10.1	15	11.8	05.7-17.9				
Less than \$15,000	81	42,895	11	13.6	05.2-22.0	13	15.8	06.6-25.0	14	14.4	05.6-23.2	17	24.5	13.5-35.5	13	20.3	08.7-31.9	13	11.4	04.3-18.5				
\$15,000- 24,999	118	51,419	19	22.3	12.9-31.7	22	21.3	12.3-30.3	16	12.1	05.4-18.8	31	21.4	12.8-30.0	19	13.1	06.4-19.8	11	9.9	03.0-16.8				
\$25,000- 34,999	77	35,258	16	14.5	06.5-22.5	21	24.5	13.5-35.5	9	13.6	02.8-24.4	15	19.6	08.8-30.4	6	11.0	02.0-20.0	10	16.8	05.4-28.2				
\$35,000- 49,999	75	33,117	14	19.3	08.1-30.5	29	36.9	23.8-50.0	10	11.8	03.2-20.4	10	17.2	06.6-27.8	6	5.1	00.0-10.4	6	9.7	01.1-18.3				
\$50,000- 74,999	72	31,085	13	13.6	05.4-21.8	24	37.2	22.9-51.5	12	16.0	06.0-26.0	12	16.6	06.6-26.6	5	6.7	00.0-13.6	6	10.0	01.4-18.6				
\$75,000+	72	37,967	15	24.6	12.4-36.8	17	21.5	11.7-31.3	12	14.8	06.4-23.2	17	21.5	10.7-32.3	2	3.7	00.0-10.6	9	13.8	06.0-21.6				

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1202	572,397	644	52.0	48.7-55.3	416	35.8	32.5-39.1	33	2.4	01.4-03.4	18	1.3	00.7-01.9	69	6.5	04.7-08.3	22	1.9	00.9-02.9
Male	555	278,219	297	52.3	47.4-57.2	180	33.1	28.4-37.8	17	2.7	01.1-04.3	10	1.7	00.5-02.9	37	7.9	05.2-10.6	14	2.3	00.9-03.7
Female	647	294,179	347	51.8	47.1-56.5	236	38.3	33.8-42.8	16	2.1	00.9-03.3	8	0.9	00.1-01.7	32	5.3	03.1-07.5	8	1.6	00.2-03.0
White/Non-Hisp	945	455,228	521	54.1	50.4-57.8	329	36.3	32.6-40.0	22	2.2	01.2-03.2	12	1.2	00.4-02.0	47	4.9	03.3-06.5	14	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	139	61,366	69	48.9	37.7-60.1	50	33.4	22.8-44.0	5	2.2	00.0-04.9	4	2.4	00.0-05.1	9	11.8	03.8-19.8	2	1.3	00.0-03.7
35-44	57	43,692	33	55.5	41.2-69.8	14	24.1	11.6-36.6	2	3.5	00.0-08.4				8	17.0	06.0-28.0			
45-54	156	95,068	77	51.0	42.2-59.8	62	40.1	31.3-48.9				3	1.7	00.0-03.7	11	6.6	02.7-10.5	3	0.6	00.0-01.4
55-64	316	156,874	162	51.1	44.6-57.6	125	40.9	34.6-47.2	9	2.5	00.5-04.5	3	0.4	00.0-01.0	14	4.1	01.6-06.6	3	1.1	00.0-02.5
65+	646	246,700	359	51.9	47.4-56.4	206	33.8	29.3-38.3	22	3.4	01.6-05.2	12	2.2	00.8-03.6	33	6.2	03.8-08.6	14	2.6	01.0-04.2
Less Than H.S.	111	80,446	50	47.3	36.9-57.7	35	32.8	22.8-42.8	4	2.8	00.0-05.7	2	1.4	00.0-03.4	14	11.4	05.1-17.7	6	4.3	00.6-08.0
H.S. or G.E.D.	437	214,563	236	51.6	46.1-57.1	153	37.3	31.8-42.8	10	2.0	00.6-03.4	7	1.4	00.2-02.6	23	6.0	03.3-08.7	8	1.7	00.3-03.1
Some Post-H.S.	332	175,080	185	53.6	47.3-59.9	107	34.3	28.2-40.4	9	2.9	00.7-05.1	6	1.3	00.1-02.5	18	5.7	03.0-08.4	7	2.1	00.0-04.3
College Graduate	317	100,424	171	53.9	47.4-60.4	118	37.2	30.9-43.5	10	2.1	00.3-03.9	3	1.2	00.0-02.6	14	5.4	02.3-08.5	1	0.2	00.0-00.6
Less than \$15,000	127	69,269	52	38.2	28.4-48.0	47	43.7	33.3-54.1	8	5.8	01.1-10.5	2	1.4	00.0-03.4	14	9.3	03.8-14.8	4	1.6	00.0-03.8
\$15,000- 24,999	205	97,574	101	51.1	43.1-59.1	82	36.7	28.9-44.5	7	2.1	00.0-04.3	3	1.1	00.0-02.7	8	6.2	01.7-10.7	4	2.7	00.0-05.8
\$25,000- 34,999	135	64,285	87	64.1	54.5-73.7	34	26.2	17.2-35.2	5	2.9	00.4-05.4	1	0.5	00.0-01.5	6	4.4	00.1-08.7	2	1.9	00.0-04.4
\$35,000- 49,999	145	63,594	80	55.7	46.1-65.3	49	32.9	23.7-42.1	2	1.2	00.0-03.6	3	1.5	00.0-03.7	8	6.5	01.6-11.4	3	2.1	00.0-04.6
\$50,000- 74,999	146	65,859	82	57.5	48.1-66.9	51	32.3	23.5-41.1	3	2.0	00.0-04.4				8	6.2	01.7-10.7	2	1.9	00.0-05.0
\$75,000+	199	100,353	114	56.9	49.1-64.7	67	33.9	26.5-41.3	3	1.5	00.0-03.5	4	2.2	00.0-04.6	11	5.5	02.2-08.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	555	278,219	297	52.3	47.4-57.2	180	33.1	28.4-37.8	17	2.7	01.3-04.1	10	1.7	00.5-02.9	37	7.9	05.2-10.6	14	2.3	00.9-03.7
White/Non-Hisp	444	224,147	244	54.8	49.5-60.1	147	33.7	28.6-38.8	12	2.6	00.8-04.4	8	1.8	00.4-03.2	25	5.8	03.4-08.2	8	1.4	00.2-02.6
45-54	72	50,661	38	51.7	39.2-64.2	24	37.5	24.6-50.4				2	2.0	00.0-04.7	7	8.3	01.8-14.8	1	0.6	00.0-01.8
55-64	136	70,267	74	55.1	45.7-64.5	50	34.9	25.9-43.9	2	1.9	00.0-04.6				8	5.9	01.2-10.6	2	2.1	00.0-05.0
65+	312	126,393	168	51.3	44.8-57.8	97	32.7	26.4-39.0	14	4.1	01.7-06.5	8	3.0	00.8-05.2	15	6.1	02.6-09.6	10	2.8	00.8-04.8
H.S. or G.E.D.	197	106,004	108	52.6	44.6-60.6	64	35.7	27.9-43.5	6	1.8	00.2-03.4	3	1.6	00.0-03.6	12	6.8	02.7-10.9	4	1.5	00.0-03.3
Some Post-H.S.	142	75,704	84	58.7	49.5-67.9	36	25.3	17.1-33.5	3	3.2	00.0-06.7	4	2.3	00.0-04.7	10	7.5	02.6-12.4	5	3.0	00.0-06.3
College Graduate	164	56,851	83	49.2	40.6-57.8	66	39.3	30.7-47.9	5	2.9	00.2-05.6	2	1.6	00.0-03.8	8	7.1	02.2-12.0			
\$15,000- 24,999	84	44,305	42	48.4	36.2-60.6	29	34.3	22.3-46.3	4	3.8	00.0-08.3	1	0.9	00.0-02.7	5	9.7	01.1-18.3	3	2.8	00.0-06.3
\$25,000- 34,999	63	31,029	37	53.6	39.5-67.7	19	34.7	20.8-48.6	3	4.1	00.2-08.0	1	0.9	00.0-02.7	1	2.8	00.0-08.1	2	3.9	00.0-09.4
\$35,000- 49,999	69	29,871	42	60.6	47.1-74.1	20	27.4	15.4-39.4				2	3.2	00.0-07.7	4	7.5	00.0-15.1	1	1.4	00.0-04.1
\$50,000- 74,999	74	35,405	44	62.6	49.9-75.3	22	24.2	13.2-35.2	2	2.3	00.0-05.6				5	8.0	00.9-15.1	1	2.9	00.0-08.4
\$75,000+	128	63,125	72	57.0	47.2-66.8	40	30.0	20.8-39.2	3	2.4	00.0-05.5	4	3.5	00.0-07.2	9	7.1	02.2-12.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	647	294,179	347	51.8	47.1-56.5	236	38.3	33.8-42.8	16	2.1	00.9-03.3	8	0.9	00.1-01.7	32	5.3	03.1-07.5	8	1.6	00.2-03.0
White/Non-Hisp	501	231,081	277	53.4	48.3-58.5	182	38.8	33.7-43.9	10	1.7	00.5-02.9	4	0.6	00.0-01.2	22	4.0	02.0-06.0	6	1.4	00.0-02.8
Black or Afr. Am./Non-Hisp	91	38,503	45	49.7	35.4-64.0	34	36.2	22.3-50.1	3	2.3	00.0-06.2	3	2.4	00.0-05.9	5	9.3	00.1-18.5	1	0.2	00.0-00.6
45-54	84	44,408	39	50.3	38.0-62.6	38	43.1	30.9-55.3				1	1.4	00.0-04.1	4	4.5	00.0-09.2	2	0.7	00.0-01.9
55-64	180	86,606	88	47.9	39.5-56.3	75	45.7	37.1-54.3	7	2.9	00.2-05.6	3	0.7	00.0-01.9	6	2.6	00.4-04.8	1	0.3	00.0-00.9
65+	334	120,307	191	52.5	46.0-59.0	109	34.9	28.6-41.2	8	2.7	00.3-05.1	4	1.3	00.0-02.7	18	6.3	02.8-09.8	4	2.3	00.0-04.8
Less Than H.S.	62	41,941	29	51.1	37.2-65.0	23	33.5	20.2-46.8	1	1.9	00.0-05.4	1	1.5	00.0-04.4	7	9.8	02.0-17.6	1	2.2	00.0-06.7
H.S. or G.E.D.	240	108,559	128	50.7	43.1-58.3	89	38.9	31.5-46.3	4	2.2	00.0-04.4	4	1.1	00.0-02.3	11	5.2	01.5-08.9	4	1.9	00.0-04.1
Some Post-H.S.	190	99,376	101	49.8	41.4-58.2	71	41.1	32.9-49.3	6	2.6	00.2-05.0	2	0.6	00.0-01.8	8	4.4	01.1-07.7	2	1.5	00.0-04.2
College Graduate	153	43,574	88	60.1	51.1-69.1	52	34.4	25.6-43.2	5	1.0	00.0-02.2	1	0.7	00.0-02.1	6	3.3	00.6-06.0	1	0.5	00.0-01.5
Less than \$15,000	83	44,954	33	34.4	23.0-45.8	35	49.7	37.2-62.2	5	6.1	00.4-11.8	1	1.1	00.0-03.3	8	8.6	01.9-15.3	1	0.1	00.0-00.3
\$15,000- 24,999	121	53,269	59	53.3	42.7-63.9	53	38.7	28.5-48.9	3	0.7	00.0-01.7	2	1.4	00.0-03.8	3	3.3	00.0-07.2	1	2.7	00.0-07.8
\$25,000- 34,999	72	33,255	50	74.0	62.0-86.0	15	18.2	08.0-28.4	2	1.9	00.0-05.4				5	5.9	00.0-12.8			
\$35,000- 49,999	76	33,723	38	51.4	37.7-65.1	29	37.8	24.5-51.1	2	2.3	00.0-06.6	1	0.0	00.0-00.0	4	5.7	00.0-12.0	2	2.8	00.0-07.1
\$50,000- 74,999	72	30,454	38	51.6	37.5-65.7	29	41.9	28.0-55.8	1	1.7	00.0-05.0				3	4.1	00.0-09.2	1	0.8	00.0-02.4
\$75,000+	71	37,228	42	56.7	43.8-69.6	27	40.4	27.7-53.1							2	2.9	00.0-07.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Respondents that reported having no feet  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1216	578,730	329	26.7	23.8-29.6	239	18.9	16.4-21.4	100	9.5	07.5-11.5	137	11.4	09.2-13.6	95	6.5	04.9-08.1	316	26.9	24.0-29.8
Male	553	275,745	159	28.3	23.8-32.8	108	17.9	14.4-21.4	46	9.8	06.9-12.7	59	11.8	08.5-15.1	39	5.6	03.6-07.6	142	26.6	22.3-30.9
Female	663	302,984	170	25.2	21.1-29.3	131	19.8	16.3-23.3	54	9.3	06.6-12.0	78	11.1	08.2-14.0	56	7.4	05.0-09.8	174	27.2	22.9-31.5
White/Non-Hisp	949	457,699	273	28.2	24.9-31.5	181	18.7	16.0-21.4	76	9.6	07.2-12.0	104	11.6	09.2-14.0	65	5.5	03.9-07.1	250	26.4	23.1-29.7
Black or Afr. Am./Non-Hisp	142	61,250	33	21.2	12.2-30.2	33	25.4	15.8-35.0	13	8.7	03.2-14.2	18	9.7	03.4-16.0	16	10.4	03.9-16.9	29	24.6	14.4-34.8
35-44	59	45,673	17	30.3	17.0-43.6	12	20.0	08.8-31.2	3	5.1	00.0-11.2	4	4.9	00.0-10.0	3	2.8	00.0-06.1	20	36.8	23.1-50.5
45-54	154	94,196	33	21.9	14.8-29.0	28	19.6	12.3-26.9	16	11.6	05.5-17.7	18	11.2	05.3-17.1	13	7.8	03.1-12.5	46	27.9	20.3-35.5
55-64	316	155,243	79	23.2	17.9-28.5	64	20.2	15.1-25.3	28	11.1	06.8-15.4	35	12.2	07.9-16.5	25	6.9	03.8-10.0	85	26.5	21.0-32.0
65+	659	253,148	190	28.6	24.5-32.7	132	19.0	15.7-22.3	53	9.7	07.0-12.4	77	12.5	09.4-15.6	53	7.0	04.8-09.2	154	23.2	19.5-26.9
Less Than H.S.	115	81,524	20	18.0	10.2-25.8	17	16.1	08.3-23.9	12	13.4	06.0-20.8	13	8.3	03.2-13.4	13	8.0	02.9-13.1	40	36.4	26.4-46.4
H.S. or G.E.D.	437	217,037	123	29.1	24.0-34.2	85	18.0	14.1-21.9	38	9.6	06.5-12.7	47	11.2	07.5-14.9	30	6.9	04.4-09.4	114	25.2	20.3-30.1
Some Post-H.S.	341	177,978	101	28.8	23.3-34.3	73	20.2	15.3-25.1	25	8.4	04.9-11.9	41	13.2	08.9-17.5	25	5.6	02.9-08.3	76	23.7	18.4-29.0
College Graduate	317	99,855	84	25.0	19.5-30.5	64	21.5	16.2-26.8	25	8.3	04.8-11.8	33	10.5	06.2-14.8	27	6.4	03.7-09.1	84	28.4	22.5-34.3
Less than \$15,000	130	70,910	38	26.9	17.9-35.9	14	13.2	05.9-20.5	11	10.7	03.8-17.6	16	12.2	06.1-18.3	15	8.9	04.0-13.8	36	28.0	18.6-37.4
\$15,000- 24,999	207	98,789	46	22.7	16.0-29.4	43	17.7	12.2-23.2	26	13.6	08.1-19.1	29	12.5	07.2-17.8	15	6.2	02.7-09.7	48	27.3	19.7-34.9
\$25,000- 34,999	141	67,022	42	30.7	21.9-39.5	35	25.4	16.8-34.0	11	10.4	03.3-17.5	10	5.2	01.3-09.1	7	3.7	00.2-07.2	36	24.7	16.1-33.3
\$35,000- 49,999	146	65,073	45	24.2	16.0-32.4	37	28.0	19.6-36.4	10	8.7	03.0-14.4	9	7.4	02.1-12.7	13	5.8	01.7-09.9	32	26.0	17.0-35.0
\$50,000- 74,999	147	66,602	39	28.3	19.7-36.9	23	12.5	06.6-18.4	10	7.9	02.8-13.0	15	10.4	04.5-16.3	13	5.8	02.1-09.5	47	35.1	25.7-44.5
\$75,000+	200	101,126	51	27.2	19.9-34.5	45	22.9	16.2-29.6	13	6.4	02.7-10.1	26	11.8	06.5-17.1	11	5.5	01.6-09.4	54	26.2	19.7-32.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	553	275,745	159	28.3	23.8-32.8	108	17.9	14.4-21.4	46	9.8	06.9-12.7	59	11.8	08.5-15.1	39	5.6	03.6-07.6	142	26.6	22.3-30.9
White/Non-Hisp	442	222,009	135	29.7	24.8-34.6	81	17.9	14.0-21.8	36	9.6	06.3-12.9	45	11.0	07.5-14.5	28	5.1	02.9-07.3	117	26.7	22.0-31.4
45-54	69	48,995	12	18.6	09.4-27.8	13	22.2	10.8-33.6	8	10.6	03.2-18.0	10	16.4	06.0-26.8	6	6.2	01.1-11.3	20	26.0	15.0-37.0
55-64	133	68,312	31	19.9	12.3-27.5	29	20.8	13.4-28.2	10	10.2	03.9-16.5	13	11.4	04.9-17.9	9	6.8	01.9-11.7	41	30.8	22.0-39.6
65+	315	127,567	105	34.0	27.9-40.1	64	18.3	13.6-23.0	25	9.8	05.7-13.9	32	10.5	06.4-14.6	23	5.7	03.0-08.4	66	21.7	16.2-27.2
H.S. or G.E.D.	192	106,041	59	32.3	24.7-39.9	41	18.3	12.4-24.2	18	10.1	05.4-14.8	16	10.7	05.2-16.2	12	6.0	02.3-09.7	46	22.6	16.1-29.1
Some Post-H.S.	147	77,153	41	25.1	17.3-32.9	35	21.5	14.1-28.9	10	8.7	03.4-14.0	17	13.4	06.7-20.1	9	5.3	01.2-09.4	35	26.0	18.0-34.0
College Graduate	164	56,109	48	27.0	19.2-34.8	28	18.6	11.7-25.5	14	9.4	04.3-14.5	19	12.9	06.0-19.8	14	6.5	02.8-10.2	41	25.5	18.1-32.9
\$15,000- 24,999	86	45,126	20	24.6	14.6-34.6	17	12.8	05.9-19.7	9	12.2	04.2-20.2	13	17.4	08.0-26.8	5	4.4	00.1-08.7	22	28.7	17.3-40.1
\$25,000- 34,999	64	31,764	21	35.1	22.0-48.2	22	36.6	22.7-50.5	3	5.6	00.0-12.7	4	3.2	00.0-07.1	2	1.8	00.0-04.3	12	17.6	08.0-27.2
\$35,000- 49,999	71	32,066	20	20.9	09.5-32.3	16	24.5	13.1-35.9	7	14.0	04.0-24.0	4	6.9	00.0-14.5	8	9.6	02.0-17.2	16	24.2	12.6-35.8
\$50,000- 74,999	75	35,519	20	24.1	12.9-35.3	10	11.7	03.7-19.7	7	11.4	02.6-20.2	7	8.7	01.3-16.1	5	5.0	00.0-10.1	26	39.1	26.2-52.0
\$75,000+	127	62,567	34	28.3	18.9-37.7	26	20.7	12.5-28.9	10	7.3	02.6-12.0	15	13.3	06.0-20.6	8	5.5	01.2-09.8	34	24.8	16.6-33.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	663	302,984	170	25.2	21.1-29.3	131	19.8	16.3-23.3	54	9.3	06.6-12.0	78	11.1	08.2-14.0	56	7.4	05.0-09.8	174	27.2	22.9-31.5
White/Non-Hisp	507	235,690	138	26.7	22.0-31.4	100	19.4	15.5-23.3	40	9.7	06.4-13.0	59	12.1	08.8-15.4	37	5.9	03.7-08.1	133	26.2	21.7-30.7
Black or Afr. Am./Non-Hisp	95	38,295	22	21.4	10.0-32.8	21	26.7	14.0-39.4	9	9.1	01.8-16.4	14	9.5	02.1-16.9	9	9.0	01.2-16.8	20	24.3	11.0-37.6
45-54	85	45,201	21	25.5	14.9-36.1	15	16.8	08.0-25.6	8	12.7	03.3-22.1	8	5.5	01.2-09.8	7	9.5	01.7-17.3	26	30.0	19.2-40.8
55-64	183	86,931	48	25.7	18.3-33.1	35	19.6	12.7-26.5	18	11.9	06.0-17.8	22	12.7	07.0-18.4	16	7.0	02.9-11.1	44	23.1	16.0-30.2
65+	344	125,580	85	23.0	17.7-28.3	68	19.8	14.9-24.7	28	9.5	05.6-13.4	45	14.6	09.7-19.5	30	8.3	04.8-11.8	88	24.8	19.5-30.1
Less Than H.S.	68	46,237	9	11.8	03.2-20.4	13	22.1	10.7-33.5	8	14.3	04.5-24.1	8	7.9	01.8-14.0	9	10.9	02.7-19.1	21	33.0	20.3-45.7
H.S. or G.E.D.	245	110,996	64	26.1	19.4-32.8	44	17.6	12.3-22.9	20	9.2	05.1-13.3	31	11.6	06.7-16.5	18	7.9	04.2-11.6	68	27.6	20.5-34.7
Some Post-H.S.	194	100,825	60	31.7	23.9-39.5	38	19.2	12.7-25.7	15	8.2	03.3-13.1	24	13.1	07.4-18.8	16	5.8	02.1-09.5	41	22.0	15.1-28.9
College Graduate	153	43,746	36	22.4	14.6-30.2	36	25.1	17.1-33.1	11	6.8	02.3-11.3	14	7.4	02.9-11.9	13	6.2	01.9-10.5	43	32.0	23.0-41.0
Less than \$15,000	87	47,082	18	17.7	08.9-26.5	13	19.1	08.5-29.7	10	13.6	04.6-22.6	12	12.0	05.5-18.5	10	10.5	04.0-17.0	24	27.2	15.6-38.8
\$15,000- 24,999	121	53,663	26	21.1	12.3-29.9	26	21.8	13.6-30.0	17	14.9	07.3-22.5	16	8.4	03.1-13.7	10	7.7	02.4-13.0	26	26.1	16.1-36.1
\$25,000- 34,999	77	35,258	21	26.6	14.8-38.4	13	15.3	06.3-24.3	8	14.7	03.3-26.1	6	6.9	00.4-13.4	5	5.4	00.0-11.7	24	31.1	18.0-44.2
\$35,000- 49,999	75	33,007	25	27.4	15.6-39.2	21	31.4	18.7-44.1	3	3.6	00.0-08.5	5	7.8	00.4-15.2	5	2.0	00.0-04.7	16	27.8	14.5-41.1
\$50,000- 74,999	72	31,083	19	33.1	19.6-46.6	13	13.4	04.6-22.2	3	3.8	00.0-08.3	8	12.3	03.3-21.3	8	6.8	01.3-12.3	21	30.7	17.0-44.4
\$75,000+	73	38,559	17	25.3	13.3-37.3	19	26.3	14.9-37.7	3	5.0	00.0-10.5	11	9.5	02.8-16.2	3	5.4	00.0-12.7	20	28.5	17.7-39.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1237	588,003	289	21.4	18.7-24.1	528	42.4	39.1-45.7	202	16.2	13.7-18.7	180	17.2	14.7-19.7	38	2.8	0.1-03.8
Male	568	283,758	127	20.3	16.6-24.0	243	43.1	38.4-47.8	86	14.1	10.8-17.4	89	17.9	14.2-21.6	23	4.6	0.2-06.6
Female	669	304,245	162	22.3	18.6-26.0	285	41.8	37.3-46.3	116	18.1	14.4-21.8	91	16.5	13.0-20.0	15	1.2	0.0-02.0
White/Non-Hisp	966	465,096	228	21.7	18.8-24.6	414	42.1	38.6-45.6	157	15.5	12.8-18.2	142	17.8	14.9-20.7	25	2.8	0.1-04.0
Black or Afr. Am./Non-Hisp	145	62,670	34	21.5	12.1-30.9	63	42.0	31.4-52.6	31	26.5	16.3-36.7	10	6.9	0.1-12.2	7	3.1	0.0-06.0
Hispanic	50	31,939	10	15.1	0.4-25.3	23	46.5	30.8-62.2	8	17.0	0.4-29.3	8	20.4	0.6-33.9	1	1.0	0.0-03.0
35-44	58	45,079	10	14.8	0.5-24.0	19	34.3	20.4-48.2	13	21.2	10.0-32.4	14	25.8	13.1-38.5	2	3.9	0.0-09.2
45-54	157	95,591	28	15.1	0.9-20.8	61	40.7	32.1-49.3	25	17.6	10.5-24.7	36	23.2	15.9-30.5	7	3.3	0.0-06.0
55-64	324	160,249	71	21.1	16.0-26.2	130	40.8	34.5-47.1	53	15.7	11.2-20.2	59	19.1	14.0-24.2	11	3.3	0.1-05.5
65+	671	257,071	175	24.9	21.0-28.8	308	46.7	42.2-51.2	108	15.3	12.0-18.6	63	11.0	0.8-13.9	17	2.1	0.0-03.3
Less Than H.S.	122	86,925	22	15.0	0.8-21.7	52	44.4	34.4-54.4	21	19.9	11.7-28.1	21	17.6	10.0-25.2	6	3.2	0.0-05.9
H.S. or G.E.D.	441	217,569	105	22.8	18.1-27.5	183	41.1	35.6-46.6	69	14.6	10.7-18.5	69	18.0	13.7-22.3	15	3.5	0.1-05.5
Some Post-H.S.	346	180,371	71	19.5	14.8-24.2	156	43.6	37.5-49.7	58	17.0	12.3-21.7	55	18.6	13.7-23.5	6	1.3	0.0-02.9
College Graduate	323	101,254	90	27.3	21.6-33.0	133	40.7	34.4-47.0	54	15.2	10.7-19.7	35	13.0	0.8-17.9	11	3.8	0.1-06.3
Less than \$15,000	135	73,858	32	25.4	16.2-34.6	56	40.6	31.0-50.2	12	8.5	0.3-13.4	29	20.9	12.5-29.3	6	4.7	0.0-08.6
\$15,000- 24,999	210	100,173	47	19.3	13.4-25.2	86	39.3	31.7-46.9	45	22.9	16.0-29.8	26	15.7	0.9-21.6	6	2.8	0.0-05.2
\$25,000- 34,999	138	65,001	33	21.8	14.2-29.4	58	42.2	32.2-52.2	23	19.4	11.0-27.8	22	15.7	0.8-23.0	2	0.9	0.0-02.3
\$35,000- 49,999	147	66,189	33	20.7	12.9-28.5	71	44.5	34.9-54.1	18	11.5	0.5-17.4	22	20.4	12.2-28.6	3	3.0	0.0-06.9
\$50,000- 74,999	147	65,849	40	24.2	16.2-32.2	61	42.1	32.7-51.5	18	13.5	0.6-20.2	22	17.9	10.3-25.5	6	2.3	0.0-04.3
\$75,000+	199	100,211	45	20.2	13.9-26.5	79	40.6	32.8-48.4	43	18.9	12.6-25.2	25	15.7	0.9-22.0	7	4.5	0.1-07.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	568	283,758	127	20.3	16.6-24.0	243	43.1	38.4-47.8	86	14.1	10.8-17.4	89	17.9	14.2-21.6	23	4.6	02.6-06.6
White/Non-Hisp	455	228,692	99	19.7	15.6-23.8	195	42.5	37.2-47.8	70	14.2	10.7-17.7	73	18.6	14.3-22.9	18	5.0	02.6-07.4
45-54	72	50,360	11	13.6	05.8-21.4	25	37.5	25.2-49.8	8	11.7	02.9-20.5	24	33.0	21.4-44.6	4	4.3	00.0-08.8
55-64	137	71,644	31	21.9	14.1-29.7	50	38.8	29.6-48.0	26	17.8	10.5-25.1	24	16.2	09.3-23.1	6	5.3	01.0-09.6
65+	325	131,935	78	21.4	16.5-26.3	157	50.6	44.3-56.9	48	14.7	10.0-19.4	32	10.2	06.5-13.9	10	3.1	00.9-05.3
Less Than H.S.	52	39,526	7	14.8	03.8-25.8	28	51.9	36.6-67.2	8	18.2	05.9-30.5	5	10.1	00.9-19.3	4	5.0	00.0-10.5
H.S. or G.E.D.	198	107,609	46	21.9	15.4-28.4	79	38.8	31.2-46.4	31	14.0	08.9-19.1	32	19.2	12.7-25.7	10	6.1	02.2-10.0
Some Post-H.S.	149	78,439	27	16.5	10.2-22.8	70	45.3	36.3-54.3	17	11.6	05.5-17.7	32	24.1	15.9-32.3	3	2.6	00.0-05.9
College Graduate	166	57,029	47	26.7	18.7-34.7	63	40.7	32.3-49.1	30	15.4	09.5-21.3	20	13.0	06.7-19.3	6	4.2	00.5-07.9
\$15,000- 24,999	88	45,811	17	14.0	06.7-21.3	38	45.3	33.3-57.3	16	18.0	09.0-27.0	11	16.6	08.2-25.0	6	6.1	00.8-11.4
\$25,000- 34,999	63	30,912	14	22.9	11.1-34.7	26	38.1	24.6-51.6	11	22.4	08.7-36.1	12	16.6	06.6-26.6			
\$35,000- 49,999	70	32,040	14	14.2	05.0-23.4	32	44.9	31.4-58.4	8	11.7	03.5-19.9	13	23.0	11.0-35.0	3	6.2	00.0-14.0
\$50,000- 74,999	74	34,511	21	26.1	14.5-37.7	34	48.5	35.4-61.6	5	5.1	00.4-09.8	11	17.5	07.3-27.7	3	2.8	00.0-06.1
\$75,000+	128	62,611	33	25.3	16.7-33.9	44	35.4	25.8-45.0	28	16.8	09.7-23.9	18	16.8	08.6-25.0	5	5.8	00.7-10.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	669	304,245	162	22.3	18.6-26.0	285	41.8	37.3-46.3	116	18.1	14.4-21.8	91	16.5	13.0-20.0	15	1.2	00.4-02.0
White/Non-Hisp	511	236,405	129	23.7	19.6-27.8	219	41.7	36.8-46.6	87	16.8	12.9-20.7	69	17.1	13.0-21.2	7	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	97	39,510	23	23.3	10.8-35.8	45	44.6	30.9-58.3	21	26.8	14.1-39.5	4	3.1	00.0-08.2	4	2.2	00.0-04.7
45-54	85	45,231	17	16.8	08.4-25.2	36	44.4	32.2-56.6	17	24.2	13.0-35.4	12	12.3	04.7-19.9	3	2.2	00.0-04.9
55-64	187	88,605	40	20.5	13.6-27.4	80	42.4	34.2-50.6	27	14.0	08.1-19.9	35	21.5	14.2-28.8	5	1.7	00.1-03.3
65+	346	125,137	97	28.6	22.9-34.3	151	42.6	36.5-48.7	60	15.9	11.4-20.4	31	11.8	07.3-16.3	7	1.0	00.2-01.8
Less Than H.S.	70	47,398	15	15.2	07.0-23.4	24	38.2	25.1-51.3	13	21.3	10.3-32.3	16	23.8	12.2-35.4	2	1.6	00.0-03.8
H.S. or G.E.D.	243	109,960	59	23.6	16.9-30.3	104	43.2	35.8-50.6	38	15.2	09.5-20.9	37	16.8	11.1-22.5	5	1.1	00.1-02.1
Some Post-H.S.	197	101,933	44	21.8	15.1-28.5	86	42.2	34.2-50.2	41	21.2	14.3-28.1	23	14.4	08.3-20.5	3	0.4	00.0-01.0
College Graduate	157	44,225	43	28.0	19.8-36.2	70	40.8	32.0-49.6	24	14.8	07.9-21.7	15	13.0	05.6-20.4	5	3.3	00.2-06.4
Less than \$15,000	88	47,487	23	29.3	17.3-41.3	35	39.3	27.5-51.1	8	8.9	02.4-15.4	20	21.1	11.3-30.9	2	1.5	00.0-03.7
\$15,000- 24,999	122	54,362	30	23.8	15.0-32.6	48	34.2	24.8-43.6	29	27.0	17.0-37.0	15	15.0	07.0-23.0			
\$25,000- 34,999	75	34,089	19	20.9	10.5-31.3	32	45.8	31.5-60.1	12	16.8	06.4-27.2	10	14.9	04.5-25.3	2	1.7	00.0-04.2
\$35,000- 49,999	77	34,149	19	26.8	14.6-39.0	39	44.0	30.5-57.5	10	11.3	02.9-19.7	9	17.9	06.5-29.3			
\$50,000- 74,999	73	31,338	19	22.0	11.0-33.0	27	35.0	21.5-48.5	13	22.7	10.5-34.9	11	18.4	07.4-29.4	3	1.9	00.0-04.1
\$75,000+	71	37,600	12	11.8	04.5-19.1	35	49.4	36.3-62.5	15	22.5	10.9-34.1	7	13.9	04.1-23.7	2	2.3	00.0-05.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1237	587,609	228	18.4	15.9-20.9	1009	81.6	79.1-84.1
Male	571	284,097	109	19.1	15.4-22.8	462	80.9	77.2-84.6
Female	666	303,512	119	17.8	14.5-21.1	547	82.2	78.9-85.5
White/Non-Hisp	965	464,996	171	17.3	14.6-20.0	794	82.7	80.0-85.4
Black or Afr. Am./Non-Hisp	145	61,397	26	19.7	11.5-27.9	119	80.3	72.1-88.5
Hispanic	51	32,478	15	29.1	14.8-43.4	36	70.9	56.6-85.2
35-44	59	45,673	11	17.7	06.9-28.5	48	82.3	71.5-93.1
45-54	153	93,887	33	20.5	13.4-27.6	120	79.5	72.4-86.6
55-64	321	158,410	54	16.9	12.2-21.6	267	83.1	78.4-87.8
65+	676	259,169	126	19.4	15.9-22.9	550	80.6	77.1-84.1
Less Than H.S.	120	85,253	29	22.4	14.2-30.6	91	77.6	69.4-85.8
H.S. or G.E.D.	445	220,081	99	20.7	16.6-24.8	346	79.3	75.2-83.4
Some Post-H.S.	341	177,829	50	15.9	11.4-20.4	291	84.1	79.6-88.6
College Graduate	325	102,110	50	14.8	10.1-19.5	275	85.2	80.5-89.9
Less than \$15,000	134	72,806	40	28.5	19.7-37.3	94	71.5	62.7-80.3
\$15,000- 24,999	211	100,295	49	21.3	15.2-27.4	162	78.7	72.6-84.8
\$25,000- 34,999	141	66,836	29	22.1	13.9-30.3	112	77.9	69.7-86.1
\$35,000- 49,999	148	65,971	18	11.4	05.1-17.7	130	88.6	82.3-94.9
\$50,000- 74,999	145	65,383	20	13.1	06.8-19.4	125	86.9	80.6-93.2
\$75,000+	203	102,222	26	13.2	07.7-18.7	177	86.8	81.3-92.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	571	284,097	109	19.1	15.4-22.8	462	80.9	77.2-84.6
White/Non-Hisp	457	229,764	84	18.4	14.3-22.5	373	81.6	77.5-85.7
45-54	71	50,212	14	19.6	09.4-29.8	57	80.4	70.2-90.6
55-64	136	70,674	26	20.7	12.7-28.7	110	79.3	71.3-87.3
65+	328	132,340	65	19.8	14.7-24.9	263	80.2	75.1-85.3
Less Than H.S.	53	39,721	13	24.5	11.6-37.4	40	75.5	62.6-88.4
H.S. or G.E.D.	199	108,270	44	20.0	13.9-26.1	155	80.0	73.9-86.1
Some Post-H.S.	148	77,302	24	18.1	10.8-25.4	124	81.9	74.6-89.2
College Graduate	168	57,649	28	15.2	08.7-21.7	140	84.8	78.3-91.3
\$15,000- 24,999	89	46,523	27	27.0	17.0-37.0	62	73.0	63.0-83.0
\$25,000- 34,999	66	32,056	13	18.1	07.9-28.3	53	81.9	71.7-92.1
\$35,000- 49,999	70	31,216	12	12.8	03.8-21.8	58	87.2	78.2-96.2
\$50,000- 74,999	74	34,942	8	10.4	02.6-18.2	66	89.6	81.8-97.4
\$75,000+	130	63,663	19	15.7	08.1-23.3	111	84.3	76.7-91.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	666	303,512	119	17.8	14.5-21.1	547	82.2	78.9-85.5
White/Non-Hisp	508	235,232	87	16.2	12.7-19.7	421	83.8	80.3-87.3
Black or Afr. Am./Non-Hisp	97	39,510	17	21.8	10.8-32.8	80	78.2	67.2-89.2
45-54	82	43,675	19	21.5	11.9-31.1	63	78.5	68.9-88.1
55-64	185	87,736	28	13.8	08.3-19.3	157	86.2	80.7-91.7
65+	348	126,829	61	19.0	14.1-23.9	287	81.0	76.1-85.9
Less Than H.S.	67	45,532	16	20.6	09.8-31.4	51	79.4	68.6-90.2
H.S. or G.E.D.	246	111,811	55	21.4	15.7-27.1	191	78.6	72.9-84.3
Some Post-H.S.	193	100,526	26	14.2	08.5-19.9	167	85.8	80.1-91.5
College Graduate	157	44,461	22	14.3	07.6-21.0	135	85.7	79.0-92.4
Less than \$15,000	87	47,135	25	23.8	14.4-33.2	62	76.2	66.8-85.6
\$15,000- 24,999	122	53,772	22	16.4	09.0-23.8	100	83.6	76.2-91.0
\$25,000- 34,999	75	34,780	16	25.7	13.4-38.0	59	74.3	62.0-86.6
\$35,000- 49,999	78	34,755	6	10.1	01.3-18.9	72	89.9	81.1-98.7
\$50,000- 74,999	71	30,441	12	16.3	06.3-26.3	59	83.7	73.7-93.7
\$75,000+	73	38,559	7	9.1	02.0-16.2	66	90.9	83.8-98.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1257	597,749	732	56.6	53.3-59.9	525	43.4	40.1-46.7
Male	580	289,119	300	50.2	45.5-54.9	280	49.8	45.1-54.5
Female	677	308,630	432	62.5	58.0-67.0	245	37.5	33.0-42.0
White/Non-Hisp	980	473,040	571	56.7	53.2-60.2	409	43.3	39.8-46.8
Black or Afr. Am./Non-Hisp	147	63,004	95	60.6	49.6-71.6	52	39.4	28.4-50.4
Hispanic	51	32,230	21	41.8	26.1-57.5	30	58.2	42.5-73.9
35-44	59	45,673	32	54.5	40.4-68.6	27	45.5	31.4-59.6
45-54	159	96,972	92	55.9	47.3-64.5	67	44.1	35.5-52.7
55-64	326	160,700	190	58.0	51.7-64.3	136	42.0	35.7-48.3
65+	684	262,313	404	57.6	53.3-61.9	280	42.4	38.1-46.7
Less Than H.S.	124	88,784	51	42.2	32.4-52.0	73	57.8	48.0-67.6
H.S. or G.E.D.	454	223,725	267	57.6	52.3-62.9	187	42.4	37.1-47.7
Some Post-H.S.	348	180,971	201	58.5	52.4-64.6	147	41.5	35.4-47.6
College Graduate	325	101,933	210	63.5	57.4-69.6	115	36.5	30.4-42.6
Less than \$15,000	136	73,915	73	52.6	42.6-62.6	63	47.4	37.4-57.4
\$15,000- 24,999	213	101,674	116	49.1	41.3-56.9	97	50.9	43.1-58.7
\$25,000- 34,999	144	67,449	78	53.5	43.7-63.3	66	46.5	36.7-56.3
\$35,000- 49,999	149	66,821	96	63.3	53.9-72.7	53	36.7	27.3-46.1
\$50,000- 74,999	148	66,857	86	56.4	47.0-65.8	62	43.6	34.2-53.0
\$75,000+	202	101,774	123	60.0	52.4-67.6	79	40.0	32.4-47.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	580	289,119	300	50.2	45.5-54.9	280	49.8	45.1-54.5
White/Non-Hisp	463	233,387	236	49.0	43.9-54.1	227	51.0	45.9-56.1
Black or Afr. Am./Non-Hisp	50	23,493	32	61.5	44.1-78.9	18	38.5	21.1-55.9
45-54	73	51,368	35	46.5	34.2-58.8	38	53.5	41.2-65.8
55-64	139	71,742	70	47.7	38.3-57.1	69	52.3	42.9-61.7
65+	331	133,517	174	50.3	44.0-56.6	157	49.7	43.4-56.0
Less Than H.S.	54	41,386	15	28.4	14.9-41.9	39	71.6	58.1-85.1
H.S. or G.E.D.	204	110,064	106	51.3	43.5-59.1	98	48.7	40.9-56.5
Some Post-H.S.	151	78,865	76	52.1	43.1-61.1	75	47.9	38.9-56.9
College Graduate	168	57,649	102	61.7	53.3-70.1	66	38.3	29.9-46.7
\$15,000- 24,999	89	46,523	41	40.2	28.8-51.6	48	59.8	48.4-71.2
\$25,000- 34,999	67	32,191	28	41.5	28.0-55.0	39	58.5	45.0-72.0
\$35,000- 49,999	71	32,066	43	58.2	44.5-71.9	28	41.8	28.1-55.5
\$50,000- 74,999	75	35,519	38	56.0	43.3-68.7	37	44.0	31.3-56.7
\$75,000+	130	63,663	74	54.2	44.4-64.0	56	45.8	36.0-55.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	677	308,630	432	62.5	58.0-67.0	245	37.5	33.0-42.0
White/Non-Hisp	517	239,653	335	64.2	59.3-69.1	182	35.8	30.9-40.7
Black or Afr. Am./Non-Hisp	97	39,510	63	60.1	45.8-74.4	34	39.9	25.6-54.2
45-54	86	45,603	57	66.5	55.3-77.7	29	33.5	22.3-44.7
55-64	187	88,958	120	66.3	58.3-74.3	67	33.7	25.7-41.7
65+	353	128,796	230	65.2	59.3-71.1	123	34.8	28.9-40.7
Less Than H.S.	70	47,398	36	54.2	41.1-67.3	34	45.8	32.7-58.9
H.S. or G.E.D.	250	113,661	161	63.7	56.3-71.1	89	36.3	28.9-43.7
Some Post-H.S.	197	102,106	125	63.4	55.4-71.4	72	36.6	28.6-44.6
College Graduate	157	44,284	108	65.8	56.8-74.8	49	34.2	25.2-43.2
Less than \$15,000	88	47,487	52	59.4	47.2-71.6	36	40.6	28.4-52.8
\$15,000- 24,999	124	55,151	75	56.6	46.0-67.2	49	43.4	32.8-54.0
\$25,000- 34,999	77	35,258	50	64.4	50.9-77.9	27	35.6	22.1-49.1
\$35,000- 49,999	78	34,755	53	67.9	55.4-80.4	25	32.1	19.6-44.6
\$50,000- 74,999	73	31,338	48	57.0	42.9-71.1	25	43.0	28.9-57.1
\$75,000+	72	38,111	49	69.6	57.8-81.4	23	30.4	18.6-42.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 4: HEPATITIS TREATMENT CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7257	4,422,423	100	1.2	01.0-01.4	7157	98.8	98.6-99.0
Male	3243	2,138,298	57	1.3	00.9-01.7	3186	98.7	98.3-99.1
Female	4014	2,284,125	43	1.1	00.7-01.5	3971	98.9	98.5-99.3
White/Non-Hisp	5959	3,544,662	71	1.0	00.8-01.2	5888	99.0	98.8-99.2
Black or Afr. Am./Non-Hisp	595	369,033	16	2.3	00.7-03.9	579	97.7	96.1-99.3
Oth. Race/Non-Hisp.	166	120,355	5	2.1	00.0-04.3	161	97.9	95.7-0100
MultiRacial/Non-Hisp.	110	45,984	3	2.7	00.0-06.4	107	97.3	93.6-0100
Hispanic	303	266,930	2	1.1	00.0-02.9	301	98.9	97.1-0100
18-24	402	560,507	1	0.3	00.0-00.9	401	99.7	99.1-0100
25-34	697	728,672	8	1.2	00.2-02.2	689	98.8	97.8-99.8
35-44	869	697,691	8	0.6	00.2-01.0	861	99.4	99.0-99.8
45-54	1168	689,705	7	0.7	00.1-01.3	1161	99.3	98.7-99.9
55-64	1495	753,759	36	2.5	01.5-03.5	1459	97.5	96.5-98.5
65+	2626	992,088	40	1.6	01.0-02.2	2586	98.4	97.8-99.0
Less Than H.S.	510	514,884	15	2.8	01.2-04.4	495	97.2	95.6-98.8
H.S. or G.E.D.	2357	1,482,357	39	1.3	00.9-01.7	2318	98.7	98.3-99.1
Some Post-H.S.	1922	1,356,740	29	1.1	00.7-01.5	1893	98.9	98.5-99.3
College Graduate	2451	1,059,164	17	0.4	00.2-00.6	2434	99.6	99.4-99.8
Less than \$15,000	487	299,877	24	4.3	02.3-06.3	463	95.7	93.7-97.7
\$15,000- 24,999	943	584,347	21	1.8	01.0-02.6	922	98.2	97.4-99.0
\$25,000- 34,999	638	368,110	13	1.3	00.5-02.1	625	98.7	97.9-99.5
\$35,000- 49,999	903	538,530	11	1.2	00.2-02.2	892	98.8	97.8-99.8
\$50,000- 74,999	997	622,779	7	0.6	00.0-01.2	990	99.4	98.8-0100
\$75,000+	1880	1,193,202	10	0.4	00.2-00.6	1870	99.6	99.4-99.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3243	2,138,298	57	1.3	00.9-01.7	3186	98.7	98.3-99.1
White/Non-Hisp	2669	1,710,534	37	1.0	00.6-01.4	2632	99.0	98.6-99.4
Black or Afr. Am./Non-Hisp	228	170,853	9	2.5	00.5-04.5	219	97.5	95.5-99.5
Oth. Race/Non-Hisp.	83	63,700	4	2.1	00.0-04.3	79	97.9	95.7-0100
Hispanic	145	123,565	2	2.4	00.0-05.9	143	97.6	94.1-0100
18-24	225	291,915				225	100.0	0100-0100
25-34	349	369,255	3	0.9	00.0-02.1	346	99.1	97.9-0100
35-44	405	345,177	4	0.5	00.0-01.1	401	99.5	98.9-0100
45-54	522	333,613	3	0.6	00.0-01.4	519	99.4	98.6-0100
55-64	692	368,073	23	3.1	01.5-04.7	669	96.9	95.3-98.5
65+	1050	430,265	24	2.3	01.3-03.3	1026	97.7	96.7-98.7
Less Than H.S.	235	248,346	7	3.0	00.5-05.5	228	97.0	94.5-99.5
H.S. or G.E.D.	1093	765,520	20	1.0	00.6-01.4	1073	99.0	98.6-99.4
Some Post-H.S.	843	643,291	19	1.5	00.7-02.3	824	98.5	97.7-99.3
College Graduate	1066	478,949	11	0.7	00.3-01.1	1055	99.3	98.9-99.7
Less than \$15,000	177	115,451	15	6.0	02.7-09.3	162	94.0	90.7-97.3
\$15,000- 24,999	381	249,447	9	1.7	00.5-02.9	372	98.3	97.1-99.5
\$25,000- 34,999	276	171,225	8	1.5	00.3-02.7	268	98.5	97.3-99.7
\$35,000- 49,999	419	263,695	6	1.7	00.0-03.5	413	98.3	96.5-0100
\$50,000- 74,999	462	315,515	2	0.2	00.0-00.6	460	99.8	99.4-0100
\$75,000+	1001	673,177	8	0.5	00.1-00.9	993	99.5	99.1-99.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4014	2,284,125	43	1.1	00.7-01.5	3971	98.9	98.5-99.3
White/Non-Hisp	3290	1,834,127	34	1.0	00.6-01.4	3256	99.0	98.6-99.4
Black or Afr. Am./Non-Hisp	367	198,180	7	2.0	00.0-04.4	360	98.0	95.6-0100
Oth. Race/Non-Hisp.	83	56,655	1	1.9	00.0-05.6	82	98.1	94.4-0100
MultiRacial/Non-Hisp.	61	22,495				61	100.0	0100-0100
Hispanic	158	143,365				158	100.0	0100-0100
18-24	177	268,592	1	0.5	00.0-01.5	176	99.5	98.5-0100
25-34	348	359,418	5	1.5	00.0-03.1	343	98.5	96.9-0100
35-44	464	352,514	4	0.7	00.1-01.3	460	99.3	98.7-99.9
45-54	646	356,092	4	0.7	00.0-01.5	642	99.3	98.5-0100
55-64	803	385,687	13	1.9	00.7-03.1	790	98.1	96.9-99.3
65+	1576	561,824	16	1.0	00.4-01.6	1560	99.0	98.4-99.6
Less Than H.S.	275	266,538	8	2.7	00.5-04.9	267	97.3	95.1-99.5
H.S. or G.E.D.	1264	716,838	19	1.7	00.9-02.5	1245	98.3	97.5-99.1
Some Post-H.S.	1079	713,449	10	0.7	00.1-01.3	1069	99.3	98.7-99.9
College Graduate	1385	580,216	6	0.2	00.0-00.4	1379	99.8	99.6-0100
Less than \$15,000	310	184,426	9	3.2	00.8-05.6	301	96.8	94.4-99.2
\$15,000- 24,999	562	334,901	12	1.9	00.7-03.1	550	98.1	96.9-99.3
\$25,000- 34,999	362	196,885	5	1.1	00.0-02.5	357	98.9	97.5-0100
\$35,000- 49,999	484	274,835	5	0.7	00.0-01.5	479	99.3	98.5-0100
\$50,000- 74,999	535	307,263	5	1.1	00.1-02.1	530	98.9	97.9-99.9
\$75,000+	879	520,025	2	0.2	00.0-00.6	877	99.8	99.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 4: WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	100	53,691	48	50.7	37.6-63.8	52	49.3	36.2-62.4
Male	57	28,326	31	55.4	38.9-71.9	26	44.6	28.1-61.1
White/Non-Hisp	71	36,409	26	36.8	23.3-50.3	45	63.2	49.7-76.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 5: WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	57	28,326	31	55.4	39.9-70.9	26	44.6	29.1-60.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT

**TABLE 6: WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 7: WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	97	51,660	41	37.1	26.9-47.3	56	62.9	52.7-73.1
Male	55	27,396	26	44.2	27.7-60.7	29	55.8	39.3-72.3
White/Non-Hisp	70	35,924	34	38.0	25.5-50.5	36	62.0	49.5-74.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 8: WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	55	27,396	26	44.2	30.1-58.3	29	55.8	41.7-69.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT

**TABLE 9: WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 10: DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	94	50,823	26	30.8	19.4-42.2	68	69.2	57.8-80.6
Male	54	27,335	15	30.5	14.4-46.6	39	69.5	53.4-85.6
White/Non-Hisp	67	34,335	19	35.3	20.8-49.8	48	64.7	50.2-79.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 11: DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	54	27,335	15	30.5	15.0-46.0	39	69.5	54.0-85.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT

TABLE 12: DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 13: THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	99	53,365	16	16.1	07.9-24.3	83	83.9	75.7-92.1
Male	57	28,326	12	21.9	09.4-34.4	45	78.1	65.6-90.6
White/Non-Hisp	70	36,083	12	16.9	06.7-27.1	58	83.1	72.9-93.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT**

**TABLE 14: THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	57	28,326	12	21.9	10.1-33.7	45	78.1	66.3-89.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT

TABLE 15: THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT  
TABLE 16: ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)  
Denominator excludes: Respondents with do not know/refused/missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT

**TABLE 17: ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 4: HEPATITIS TREATMENT

**TABLE 18: ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 6: E-CIGARETTES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	58
2	MALES ONLY	59
3	FEMALES ONLY	60
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	61
5	MALES ONLY	62
6	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
TOTAL	7720	4,698,277	1614	27.5	26.1-28.9
Male	3463	2,275,514	824	30.5	28.5-32.5
Female	4257	2,422,763	790	24.7	22.9-26.5
White/Non-Hisp	6306	3,746,834	1300	27.5	26.1-28.9
Black or Afr. Am./Non-Hisp	649	405,652	126	25.8	21.1-30.5
Oth. Race/Non-Hisp.	184	133,023	45	26.7	18.1-35.3
MultiRacial/Non-Hisp.	117	47,780	40	43.1	31.3-54.9
Hispanic	318	277,989	64	24.5	18.6-30.4
18-24	424	591,424	210	46.6	41.3-51.9
25-34	731	767,189	325	45.4	41.5-49.3
35-44	914	736,027	283	32.5	29.2-35.8
45-54	1262	747,955	282	23.4	20.7-26.1
55-64	1587	800,382	310	21.4	19.0-23.8
65+	2802	1,055,300	204	7.9	06.7-09.1
Less Than H.S.	545	546,493	169	36.6	31.7-41.5
H.S. or G.E.D.	2527	1,586,567	596	29.0	26.8-31.2
Some Post-H.S.	2031	1,435,233	541	31.8	29.3-34.3
College Graduate	2596	1,119,581	302	15.2	13.4-17.0
Less than \$15,000	516	320,900	148	33.5	28.4-38.6
\$15,000- 24,999	1004	620,622	279	34.3	30.6-38.0
\$25,000- 34,999	679	390,866	155	29.7	25.2-34.2
\$35,000- 49,999	952	562,893	233	32.7	28.8-36.6
\$50,000- 74,999	1045	654,632	231	30.0	26.5-33.5
\$75,000+	1981	1,259,276	335	23.0	20.6-25.4

Data was weighted using \_LLCPWT.

N	No		7			9		
	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
6089	72.3	70.9-73.7	5	0.0	00.0-00.0	12	0.1	00.1-00.1
2630	69.3	67.3-71.3	4	0.1	00.1-00.1	5	0.1	00.0-00.3
3459	75.2	73.4-77.0	1	0.0	00.0-00.0	7	0.1	00.1-00.1
4993	72.3	70.9-73.7	3	0.0	00.0-00.0	10	0.1	00.1-00.1
521	74.1	69.4-78.8	2	0.1	00.0-00.3			
139	73.3	64.7-81.9						
76	56.4	44.6-68.2				1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
254	75.5	69.6-81.4						
214	53.4	48.1-58.7						
406	54.6	50.7-58.5						
629	67.3	64.0-70.6				2	0.2	00.0-00.6
976	76.3	73.6-79.0	1	0.1	00.0-00.3	3	0.2	00.0-00.4
1273	78.3	75.9-80.7	1	0.0	00.0-00.0	3	0.2	00.0-00.4
2591	92.0	90.8-93.2	3	0.1	00.1-00.1	4	0.1	00.0-00.3
375	63.4	58.5-68.3	1	0.0	00.0-00.0			
1923	70.7	68.5-72.9	2	0.1	00.0-00.3	6	0.2	00.0-00.4
1487	68.1	65.6-70.6	1	0.0	00.0-00.0	2	0.1	00.1-00.1
2290	84.6	82.8-86.4	1	0.0	00.0-00.0	3	0.2	00.0-00.4
368	66.5	61.4-71.6						
721	65.5	61.8-69.2	2	0.1	00.0-00.3	2	0.1	00.0-00.3
523	70.2	65.7-74.7	1	0.1	00.0-00.3			
719	67.3	63.4-71.2						
814	70.0	66.5-73.5						
1644	76.8	74.4-79.2				2	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	3463	2,275,514	824	30.5	28.5-32.5
White/Non-Hisp	2831	1,808,457	655	30.2	28.0-32.4
Black or Afr. Am./Non-Hisp	250	186,492	67	32.0	24.7-39.3
Oth. Race/Non-Hisp.	96	73,119	24	29.0	16.5-41.5
MultiRacial/Non-Hisp.	53	24,725	21	49.9	32.7-67.1
Hispanic	153	130,891	35	27.7	19.1-36.3
18-24	234	302,515	114	46.8	39.7-53.9
25-34	360	384,067	183	52.8	47.1-58.5
35-44	432	366,687	159	38.9	33.8-44.0
45-54	573	368,030	132	23.0	19.3-26.7
55-64	740	395,346	142	20.4	17.1-23.7
65+	1124	458,869	94	8.9	06.9-10.9
Less Than H.S.	251	263,032	83	41.5	34.4-48.6
H.S. or G.E.D.	1175	817,775	327	32.6	29.3-35.9
Some Post-H.S.	898	685,960	263	33.6	29.9-37.3
College Graduate	1133	506,554	151	17.2	14.5-19.9
Less than \$15,000	189	123,480	60	37.8	29.2-46.4
\$15,000- 24,999	409	270,508	121	34.4	28.7-40.1
\$25,000- 34,999	288	180,885	78	34.1	27.4-40.8
\$35,000- 49,999	445	278,571	119	35.6	30.1-41.1
\$50,000- 74,999	491	332,711	127	34.0	28.7-39.3
\$75,000+	1061	710,698	205	26.1	22.8-29.4

Data was weighted using \_LLCPWT.

	No			7			9		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	2630	69.3	67.3-71.3	4	0.1	00.1-00.1	5	0.1	00.0-00.3
	2169	69.6	67.4-71.8	3	0.1	00.0-00.3	4	0.2	00.0-00.4
	182	67.9	60.6-75.2	1	0.1	00.0-00.3			
	72	71.0	58.5-83.5						
	31	49.0	31.9-66.1				1	1.1	00.0-03.3
	118	72.3	63.7-80.9						
	120	53.2	46.1-60.3						
	177	47.2	41.5-52.9						
	272	60.9	55.8-66.0				1	0.2	00.0-00.6
	440	76.8	73.1-80.5	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
595	79.1	75.6-82.6				3	0.5	00.0-01.1
1026	90.8	88.8-92.8	3	0.2	00.0-00.4	1	0.1	00.0-00.3
167	58.4	51.3-65.5	1	0.1	00.0-00.3			
842	67.0	63.7-70.3	2	0.1	00.0-00.3	4	0.3	00.0-00.7
634	66.4	62.7-70.1	1	0.1	00.0-00.3			
981	82.6	79.9-85.3				1	0.1	00.0-00.3
129	62.2	53.6-70.8						
286	65.4	59.7-71.1	2	0.2	00.0-00.4			
210	65.9	59.2-72.6						
326	64.4	58.9-69.9						
364	66.0	60.7-71.3						
855	73.8	70.5-77.1				1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Female	4257	2,422,763	790	24.7	22.9-26.5
White/Non-Hisp	3475	1,938,377	645	25.1	23.1-27.1
Black or Afr. Am./Non-Hisp	399	219,159	59	20.6	14.7-26.5
Oth. Race/Non-Hisp.	88	59,905	21	24.0	12.8-35.2
MultiRacial/Non-Hisp.	64	23,055	19	35.8	21.3-50.3
Hispanic	165	147,099	29	21.6	13.6-29.6
18-24	190	288,909	96	46.3	38.5-54.1
25-34	371	383,122	142	38.0	32.5-43.5
35-44	482	369,340	124	26.1	21.8-30.4
45-54	689	379,925	150	23.7	20.0-27.4
55-64	847	405,036	168	22.4	19.1-25.7
65+	1678	596,431	110	7.1	05.5-08.7
Less Than H.S.	294	283,460	86	32.0	25.5-38.5
H.S. or G.E.D.	1352	768,792	269	25.3	22.2-28.4
Some Post-H.S.	1133	749,273	278	30.3	27.0-33.6
College Graduate	1463	613,028	151	13.5	11.1-15.9
Less than \$15,000	327	197,420	88	30.9	24.6-37.2
\$15,000- 24,999	595	350,114	158	34.3	29.2-39.4
\$25,000- 34,999	391	209,980	77	25.9	20.0-31.8
\$35,000- 49,999	507	284,322	114	29.8	24.5-35.1
\$50,000- 74,999	554	321,921	104	25.8	21.1-30.5
\$75,000+	920	548,578	130	19.1	15.8-22.4

Data was weighted using \_LLCPWT.

	No			7			9		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	3459	75.2	73.4-77.0	1	0.0	00.0-00.0	7	0.1	00.1-00.1
	2824	74.8	72.8-76.8				6	0.1	00.1-00.1
	339	79.3	73.4-85.2	1	0.2	00.0-00.6			
	67	76.0	64.8-87.2						
	45	64.2	49.7-78.7						
	136	78.4	70.4-86.4						
	94	53.7	45.9-61.5						
	229	62.0	56.5-67.5						
	357	73.8	69.5-78.1				1	0.2	00.0-00.6
	536	75.9	72.2-79.6				3	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
678	77.5	74.2-80.8	1	0.1	00.0-00.3			
1565	92.8	91.2-94.4				3	0.1	00.0-00.3
208	68.0	61.5-74.5						
1081	74.7	71.6-77.8				2	0.0	00.0-00.0
853	69.6	66.3-72.9				2	0.1	00.0-00.3
1309	86.2	83.8-88.6	1	0.1	00.0-00.3	2	0.2	00.0-00.4
239	69.1	62.8-75.4						
435	65.5	60.4-70.6				2	0.2	00.0-00.4
313	73.9	68.0-79.8	1	0.2	00.0-00.6			
393	70.2	64.9-75.5						
450	74.2	69.5-78.9						
789	80.8	77.5-84.1				1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1613	1,291,697	143	10.2	08.2-12.2	158	10.7	08.9-12.5	1312	79.1	76.7-81.5
Male	824	693,330	74	9.8	07.3-12.3	79	10.4	07.9-12.9	671	79.8	76.5-83.1
Female	789	598,367	69	10.6	07.9-13.3	79	11.1	08.4-13.8	641	78.3	74.8-81.8
White/Non-Hisp	1300	1,032,114	121	10.8	08.6-13.0	125	10.7	08.7-12.7	1054	78.5	75.8-81.2
Black or Afr. Am./Non-Hisp	125	104,552	5	6.7	00.0-13.8	14	14.4	06.6-22.2	106	78.9	69.3-88.5
Hispanic	64	67,968	4	6.2	00.0-13.1	7	5.6	00.7-10.5	53	88.2	80.0-96.4
18-24	210	275,382	30	15.5	10.0-21.0	33	14.9	09.6-20.2	147	69.6	62.7-76.5
25-34	325	348,164	42	12.9	08.6-17.2	37	11.7	07.8-15.6	246	75.4	70.1-80.7
35-44	283	238,897	22	7.6	04.3-10.9	28	10.1	06.2-14.0	233	82.3	77.4-87.2
45-54	282	174,871	23	8.1	04.8-11.4	25	8.2	04.7-11.7	234	83.7	79.0-88.4
55-64	310	171,448	18	4.9	02.2-07.6	27	7.9	04.8-11.0	265	87.2	83.3-91.1
65+	203	82,935	8	4.0	01.1-06.9	8	5.4	01.5-09.3	187	90.5	85.8-95.2
Less Than H.S.	168	199,767	13	10.7	04.8-16.6	13	7.8	03.3-12.3	142	81.5	74.4-88.6
H.S. or G.E.D.	596	460,728	55	10.4	07.5-13.3	62	12.1	08.8-15.4	479	77.4	73.3-81.5
Some Post-H.S.	541	457,034	45	10.2	06.9-13.5	55	10.3	07.4-13.2	441	79.5	75.4-83.6
College Graduate	302	170,148	30	9.3	05.8-12.8	28	11.4	07.1-15.7	244	79.3	74.2-84.4
Less than \$15,000	148	107,576	11	7.4	02.7-12.1	16	8.4	03.9-12.9	121	84.2	77.9-90.5
\$15,000- 24,999	279	212,930	29	11.3	06.4-16.2	31	13.7	08.8-18.6	219	75.0	68.7-81.3
\$25,000- 34,999	155	116,203	10	8.6	02.7-14.5	10	6.7	02.4-11.0	135	84.7	77.6-91.8
\$35,000- 49,999	233	183,987	16	10.2	04.7-15.7	21	9.4	04.9-13.9	196	80.3	73.8-86.8
\$50,000- 74,999	231	196,197	25	11.7	06.6-16.8	19	8.3	04.4-12.2	187	80.1	74.0-86.2
\$75,000+	335	290,093	36	11.1	07.2-15.0	37	11.4	07.3-15.5	262	77.5	72.2-82.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	824	693,330	74	9.8	07.3-12.3	79	10.4	07.9-12.9	671	79.8	76.5-83.1
White/Non-Hisp	655	545,774	62	10.3	07.6-13.0	62	10.4	07.7-13.1	531	79.3	75.6-83.0
Black or Afr. Am./Non-Hisp	67	59,675	2	7.5	00.0-17.9	9	15.9	05.5-26.3	56	76.6	63.5-89.7
18-24	114	141,689	17	16.4	08.6-24.2	18	15.0	07.9-22.1	79	68.6	59.2-78.0
25-34	183	202,677	23	12.7	07.0-18.4	18	9.7	05.0-14.4	142	77.6	70.7-84.5
35-44	159	142,654	8	4.2	01.1-07.3	18	11.7	06.2-17.2	133	84.1	78.0-90.2
45-54	132	84,644	11	7.8	03.1-12.5	10	7.2	02.3-12.1	111	85.0	78.5-91.5
55-64	142	80,636	11	6.3	02.2-10.4	10	6.3	02.2-10.4	121	87.4	81.7-93.1
65+	94	41,031	4	3.6	00.0-07.3	5	7.5	00.8-14.2	85	88.9	81.5-96.3
Less Than H.S.	83	109,162	6	9.8	02.2-17.4	6	7.0	01.3-12.7	71	83.2	74.0-92.4
H.S. or G.E.D.	327	266,564	29	9.0	05.5-12.5	39	13.3	08.8-17.8	259	77.7	72.4-83.0
Some Post-H.S.	263	230,273	24	11.2	06.1-16.3	27	10.5	06.2-14.8	212	78.3	72.2-84.4
College Graduate	151	87,331	15	8.7	04.0-13.4	7	5.3	01.4-09.2	129	86.0	80.1-91.9
Less than \$15,000	60	46,641	4	5.6	00.0-11.5	7	9.3	02.0-16.6	49	85.2	76.0-94.4
\$15,000- 24,999	121	92,970	12	11.0	03.4-18.6	12	13.2	05.6-20.8	97	75.9	66.1-85.7
\$25,000- 34,999	78	61,752	4	5.7	00.0-12.0	4	5.9	00.0-12.0	70	88.5	80.1-96.9
\$35,000- 49,999	119	99,289	9	9.5	02.6-16.4	13	10.6	04.5-16.7	97	79.9	71.5-88.3
\$50,000- 74,999	127	113,012	18	14.3	06.9-21.7	10	8.4	03.1-13.7	99	77.4	68.8-86.0
\$75,000+	205	185,328	20	9.9	05.0-14.8	18	8.5	04.0-13.0	167	81.6	75.3-87.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 6: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	789	598,367	69	10.6	07.9-13.3	79	11.1	08.4-13.8	641	78.3	74.8-81.8
White/Non-Hisp	645	486,341	59	11.4	08.3-14.5	63	11.0	08.1-13.9	523	77.7	73.8-81.6
Black or Afr. Am./Non-Hisp	58	44,877	3	5.6	00.0-14.4	5	12.5	00.3-24.7	50	81.9	67.8-96.0
18-24	96	133,693	13	14.6	06.8-22.4	15	14.8	07.2-22.4	68	70.6	60.6-80.6
25-34	142	145,487	19	13.2	06.9-19.5	19	14.4	07.9-20.9	104	72.4	64.2-80.6
35-44	124	96,243	14	12.6	05.7-19.5	10	7.6	02.5-12.7	100	79.8	71.8-87.8
45-54	150	90,228	12	8.4	03.5-13.3	15	9.1	04.0-14.2	123	82.5	75.8-89.2
55-64	168	90,812	7	3.7	00.2-07.2	17	9.2	04.7-13.7	144	87.1	81.6-92.6
65+	109	41,904	4	4.4	00.0-08.9	3	3.4	00.0-07.3	102	92.2	86.5-97.9
Less Than H.S.	85	90,605	7	11.9	02.9-20.9	7	8.8	01.7-15.9	71	79.4	68.8-90.0
H.S. or G.E.D.	269	194,164	26	12.3	07.4-17.2	23	10.5	05.8-15.2	220	77.1	70.8-83.4
Some Post-H.S.	278	226,761	21	9.2	04.9-13.5	28	10.1	05.8-14.4	229	80.7	75.0-86.4
College Graduate	151	82,817	15	9.8	04.5-15.1	21	17.9	10.5-25.3	115	72.3	63.9-80.7
Less than \$15,000	88	60,935	7	8.8	02.1-15.5	9	7.7	02.0-13.4	72	83.5	75.1-91.9
\$15,000- 24,999	158	119,960	17	11.5	05.0-18.0	19	14.1	07.6-20.6	122	74.4	66.0-82.8
\$25,000- 34,999	77	54,451	6	11.9	01.7-22.1	6	7.7	01.2-14.2	65	80.4	69.0-91.8
\$35,000- 49,999	114	84,698	7	11.0	02.6-19.4	8	8.1	01.6-14.6	99	80.9	70.9-90.9
\$50,000- 74,999	104	83,185	7	8.1	01.4-14.8	9	8.1	02.6-13.6	88	83.8	75.6-92.0
\$75,000+	130	104,765	16	13.2	06.1-20.3	19	16.5	08.7-24.3	95	70.3	60.7-79.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 09: MARIJUANA USE CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1	MALES AND FEMALES	65
2	MALES ONLY	66
3	FEMALES ONLY	67
	DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)	
4	MALES AND FEMALES	68
5	MALES ONLY	69
6	FEMALES ONLY	70
	WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)	
7	MALES AND FEMALES	71
8	MALES ONLY	72
9	FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7222	4,391,051	6712	90.5	89.5-91.5	42	0.8	0.6-1.0	126	2.2	0.1-0.6	67	1.4	0.1-0.8	66	1.1	0.7-0.5	209	4.0	0.3-0.6
Male	3220	2,119,696	2924	88.7	87.3-90.1	27	1.1	0.7-1.5	70	2.5	0.1-0.3	33	1.4	0.8-0.2	37	1.3	0.7-0.9	129	5.0	0.4-0.6
Female	4002	2,271,355	3788	92.2	91.0-93.4	15	0.5	0.3-0.7	56	2.0	0.1-0.6	34	1.4	0.8-0.2	29	0.9	0.5-0.3	80	3.1	0.2-0.9
White/Non-Hisp	5931	3,519,505	5561	91.5	90.5-92.5	33	0.8	0.4-0.2	89	1.9	0.1-0.2	51	1.2	0.8-0.1	46	1.0	0.6-0.1	151	3.6	0.3-0.4
Black or Afr. Am./Non-Hisp	590	364,421	515	82.1	77.8-86.4	5	1.1	0.1-0.2	20	4.9	0.2-0.7	6	1.6	0.2-0.3	9	1.6	0.2-0.3	35	8.7	0.5-1.1
Oth. Race/Non-Hisp.	166	120,816	149	90.5	85.2-95.8	3	0.7	0.0-0.1	6	5.0	0.5-0.9	2	0.5	0.0-0.1	1	0.5	0.0-0.1	5	2.8	0.3-0.5
MultiRacial/Non-Hisp.	110	45,984	96	85.2	76.8-93.6	3	2.5	0.0-0.6	3	4.5	0.0-0.9	3	4.5	0.0-0.9	3	3.7	0.0-0.8	5	4.2	0.1-0.8
Hispanic	304	267,803	281	90.9	86.6-95.2	1	0.2	0.0-0.6	4	2.1	0.0-0.4	5	3.1	0.4-0.5	4	0.9	0.0-0.1	9	2.9	0.4-0.5
18-24	396	552,750	335	83.7	79.6-87.8	7	2.1	0.5-0.3	14	3.6	0.1-0.5	10	2.8	0.1-0.4	9	1.8	0.6-0.3	21	6.0	0.3-0.8
25-34	690	720,737	586	85.3	82.4-88.2	7	1.0	0.2-0.1	24	3.5	0.2-0.4	16	2.4	0.1-0.3	11	1.7	0.5-0.2	46	6.1	0.4-0.8
35-44	863	693,013	759	87.1	84.6-89.6	8	0.9	0.3-0.1	24	2.4	0.1-0.3	10	1.4	0.4-0.2	13	1.6	0.6-0.2	49	6.7	0.4-0.8
45-54	1162	684,753	1076	92.0	90.2-93.8	5	0.5	0.1-0.0	19	2.0	0.1-0.3	11	1.1	0.3-0.1	17	1.2	0.6-0.1	34	3.3	0.2-0.4
55-64	1484	747,963	1380	92.7	91.1-94.3	14	0.8	0.4-0.1	23	1.8	0.1-0.2	12	0.9	0.3-0.1	12	0.7	0.3-0.1	43	3.1	0.2-0.4
65+	2627	991,836	2576	97.8	97.0-98.6	1	0.0	0.0-0.0	22	1.0	0.4-0.1	8	0.4	0.2-0.0	4	0.2	0.0-0.0	16	0.7	0.3-0.1
Less Than H.S.	508	512,714	449	86.9	83.4-90.4	2	0.2	0.0-0.0	18	3.2	0.1-0.4	8	2.0	0.4-0.3	4	0.9	0.0-0.1	27	6.8	0.4-0.9
H.S. or G.E.D.	2341	1,467,054	2147	90.1	88.5-91.7	13	0.8	0.2-0.1	41	2.2	0.1-0.3	29	1.5	0.9-0.2	28	1.2	0.6-0.1	83	4.3	0.3-0.5
Some Post-H.S.	1905	1,343,297	1748	88.9	87.1-90.7	17	1.2	0.6-0.1	34	2.3	0.1-0.3	20	1.5	0.7-0.2	21	1.5	0.7-0.2	65	4.6	0.3-0.5
College Graduate	2450	1,058,363	2351	94.8	93.6-96.0	10	0.6	0.2-0.1	33	1.8	0.1-0.2	9	0.6	0.2-0.1	13	0.7	0.3-0.1	34	1.6	0.1-0.2
Less than \$15,000	482	294,648	420	86.6	83.1-90.1	5	0.7	0.0-0.1	14	3.2	0.1-0.5	8	2.0	0.4-0.3	11	2.0	0.6-0.3	24	5.6	0.3-0.8
\$15,000- 24,999	939	581,544	842	86.4	83.5-89.3	9	1.4	0.2-0.2	18	2.5	0.1-0.3	8	1.1	0.3-0.1	14	1.8	0.6-0.3	48	6.9	0.4-0.9
\$25,000- 34,999	636	365,357	583	87.4	83.9-90.9	2	0.3	0.0-0.0	13	2.5	0.9-0.4	4	1.0	0.0-0.2	7	1.0	0.0-0.2	27	7.7	0.4-1.0
\$35,000- 49,999	896	533,064	830	89.8	87.1-92.5	4	0.6	0.0-0.1	22	2.7	0.1-0.3	9	2.0	0.4-0.3	8	1.1	0.3-0.1	23	3.8	0.2-0.5
\$50,000- 74,999	991	619,155	928	90.9	88.4-93.4	6	0.7	0.1-0.1	15	2.0	0.8-0.3	13	1.5	0.7-0.2	7	0.8	0.2-0.1	22	4.1	0.2-0.6
\$75,000+	1880	1,191,066	1775	92.9	91.3-94.5	10	0.7	0.1-0.1	29	2.2	0.1-0.3	16	1.2	0.6-0.1	11	0.9	0.3-0.1	39	2.1	0.1-0.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3220	2,119,696	2924	88.7	87.3-90.1	27	1.1	00.7-01.5	70	2.5	01.9-03.1	33	1.4	00.8-02.0	37	1.3	00.7-01.9	129	5.0	04.0-06.0
White/Non-Hisp	2651	1,697,402	2434	89.7	88.1-91.3	21	1.1	00.5-01.7	52	2.3	01.7-02.9	25	1.2	00.6-01.8	26	1.2	00.6-01.8	93	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	225	166,772	182	77.1	70.2-84.0	3	1.8	00.0-04.0	10	5.8	01.9-09.7	3	1.7	00.0-03.9	6	2.1	00.0-04.3	21	11.5	06.2-16.8
Oth. Race/Non-Hisp.	83	64,318	75	92.7	87.2-98.2	2	1.3	00.0-03.3	2	1.9	00.0-04.6	1	0.2	00.0-00.6				3	3.8	00.0-08.1
Hispanic	145	123,565	135	93.1	87.8-98.4	1	0.3	00.0-00.9	1	1.4	00.0-04.1	1	2.0	00.0-05.7	2	1.4	00.0-03.4	5	1.8	00.0-03.6
18-24	221	287,552	189	84.8	79.5-90.1	5	2.8	00.3-05.3	8	3.4	00.9-05.9	5	2.3	00.1-04.5	5	1.9	00.1-03.7	9	4.9	01.6-08.2
25-34	345	364,375	276	80.8	76.3-85.3	6	1.7	00.1-03.3	14	3.8	01.6-06.0	9	2.8	00.6-05.0	8	2.8	00.6-05.0	32	8.1	05.2-11.0
35-44	402	343,113	343	85.6	81.9-89.3	6	1.2	00.2-02.2	15	3.0	01.4-04.6	4	0.9	00.0-01.9	5	1.1	00.0-02.3	29	8.2	05.1-11.3
45-54	519	331,048	475	91.6	89.1-94.1	3	0.4	00.0-01.0	9	1.7	00.5-02.9	4	0.9	00.0-01.9	6	0.7	00.1-01.3	22	4.7	02.7-06.7
55-64	685	364,413	621	90.2	87.7-92.7	6	0.8	00.2-01.4	14	2.7	01.1-04.3	7	1.0	00.2-01.8	9	1.1	00.3-01.9	28	4.1	02.3-05.9
65+	1048	429,195	1020	97.2	95.8-98.6	1	0.1	00.0-00.3	10	1.0	00.2-01.8	4	0.5	00.0-01.1	4	0.4	00.0-00.8	9	0.9	00.1-01.7
Less Than H.S.	234	246,713	201	84.8	79.3-90.3	1	0.2	00.0-00.6	8	3.4	01.0-05.8	4	2.9	00.0-06.0	3	1.1	00.0-02.9	17	7.7	03.6-11.8
H.S. or G.E.D.	1085	757,397	964	87.6	85.2-90.0	9	1.2	00.2-02.2	24	2.4	01.2-03.6	17	1.6	00.6-02.6	15	1.0	00.4-01.6	56	6.2	04.4-08.0
Some Post-H.S.	830	634,630	749	88.4	85.7-91.1	8	1.2	00.2-02.2	20	2.7	01.3-04.1	7	0.9	00.1-01.7	11	2.1	00.7-03.5	35	4.7	02.9-06.5
College Graduate	1065	478,764	1004	92.9	90.9-94.9	9	1.2	00.4-02.0	18	2.0	00.8-03.2	5	0.8	00.0-01.6	8	0.9	00.3-01.5	21	2.2	01.2-03.2
Less than \$15,000	175	114,076	149	85.7	79.8-91.6	1	0.3	00.0-00.9	6	3.5	00.4-06.6	3	1.5	00.0-03.3	6	2.9	00.4-05.4	10	6.2	01.9-10.5
\$15,000- 24,999	377	246,829	324	83.2	78.5-87.9	7	2.4	00.2-04.6	9	2.7	00.5-04.9	3	1.0	00.0-02.2	7	1.6	00.2-03.0	27	9.1	05.6-12.6
\$25,000- 34,999	274	169,027	242	84.5	79.0-90.0	1	0.5	00.0-01.5	10	3.9	01.2-06.6	1	0.2	00.0-00.6	3	1.0	00.0-02.6	17	9.9	05.2-14.6
\$35,000- 49,999	416	261,397	374	87.0	82.7-91.3	4	1.3	00.0-02.7	11	2.8	00.8-04.8	6	2.9	00.2-05.6	5	1.2	00.0-02.4	16	4.8	02.3-07.3
\$50,000- 74,999	456	312,049	424	90.5	86.8-94.2	3	0.6	00.0-01.4	8	2.2	00.6-03.8	7	1.8	00.4-03.2	2	0.6	00.0-01.4	12	4.3	01.4-07.2
\$75,000+	1004	673,293	935	92.0	89.8-94.2	7	0.8	00.0-01.6	19	2.4	01.2-03.6	8	0.9	00.3-01.5	7	1.2	00.2-02.2	28	2.8	01.6-04.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4002	2,271,355	3788	92.2	91.0-93.4	15	0.5	0.0-0.7	56	2.0	0.1-0.6	34	1.4	0.0-0.2	29	0.9	0.0-0.3	80	3.1	0.2-0.9
White/Non-Hisp	3280	1,822,103	3127	93.2	92.0-94.4	12	0.5	0.0-0.9	37	1.5	0.0-0.2	26	1.2	0.0-0.1	20	0.8	0.0-0.1	58	2.8	0.2-0.6
Black or Afr. Am./Non-Hisp	365	197,649	333	86.3	81.2-91.4	2	0.5	0.0-0.1	10	4.1	0.1-0.7	3	1.5	0.0-0.3	3	1.3	0.0-0.3	14	6.3	0.2-1.0
Oth. Race/Non-Hisp.	83	56,498	74	87.9	78.5-97.3	1	0.0	0.0-0.0	4	8.5	0.0-17.3	1	0.9	0.0-0.2	1	1.1	0.0-0.3	2	1.5	0.0-0.3
MultiRacial/Non-Hisp.	61	22,495	56	87.4	76.4-98.4				1	0.7	0.0-0.2				2	6.9	0.0-16.1	2	5.0	0.0-11.7
Hispanic	159	144,239	146	89.0	82.5-95.5				3	2.7	0.0-0.5	4	4.1	0.0-0.8	2	0.4	0.0-0.1	4	3.8	0.0-0.8
18-24	175	265,198	146	82.6	76.3-88.9	2	1.3	0.0-0.3	6	3.7	0.6-0.6	5	3.4	0.0-0.6	4	1.8	0.0-0.3	12	7.2	0.2-1.5
25-34	345	356,361	310	90.0	86.5-93.5	1	0.2	0.0-0.0	10	3.1	0.1-0.5	7	1.9	0.0-0.3	3	0.6	0.0-0.1	14	4.1	0.1-0.6
35-44	461	349,900	416	88.5	85.2-91.8	2	0.6	0.0-0.1	9	1.8	0.0-0.3	6	1.9	0.0-0.3	8	2.0	0.0-0.3	20	5.3	0.2-0.7
45-54	643	353,705	601	92.4	90.0-94.8	2	0.5	0.0-0.1	10	2.2	0.0-0.3	7	1.2	0.0-0.2	11	1.6	0.0-0.2	12	2.0	0.0-0.3
55-64	799	383,550	759	95.0	93.2-96.8	8	0.7	0.0-0.1	9	1.0	0.0-0.1	5	0.9	0.0-0.1	3	0.2	0.0-0.0	15	2.2	0.1-0.3
65+	1579	562,641	1556	98.2	97.4-99.0				12	1.0	0.0-0.1	4	0.3	0.0-0.0				7	0.5	0.0-0.0
Less Than H.S.	274	266,001	248	88.9	84.4-93.4	1	0.2	0.0-0.0	10	3.0	0.1-0.5	4	1.2	0.0-0.2	1	0.6	0.0-0.1	10	6.1	0.2-1.0
H.S. or G.E.D.	1256	709,657	1183	92.7	90.7-94.7	4	0.3	0.0-0.0	17	1.9	0.0-0.3	12	1.5	0.0-0.2	13	1.3	0.0-0.2	27	2.3	0.1-0.3
Some Post-H.S.	1075	708,667	999	89.4	86.9-91.9	9	1.2	0.0-0.2	14	1.9	0.0-0.3	13	2.1	0.0-0.3	10	0.9	0.0-0.1	30	4.5	0.2-0.6
College Graduate	1385	579,599	1347	96.3	94.9-97.7	1	0.0	0.0-0.0	15	1.6	0.0-0.2	4	0.5	0.0-0.1	5	0.5	0.0-0.0	13	1.1	0.0-0.1
Less than \$15,000	307	180,572	271	87.1	82.6-91.6	4	0.9	0.0-0.2	8	3.0	0.6-0.5	5	2.3	0.0-0.4	5	1.4	0.0-0.2	14	5.2	0.2-0.8
\$15,000- 24,999	562	334,715	518	88.7	85.0-92.4	2	0.6	0.0-0.1	9	2.3	0.0-0.3	5	1.2	0.0-0.2	7	2.0	0.0-0.3	21	5.2	0.2-0.7
\$25,000- 34,999	362	196,330	341	90.0	85.3-94.7	1	0.2	0.0-0.0	3	1.3	0.0-0.2	3	1.8	0.0-0.3	4	1.0	0.0-0.2	10	5.7	0.1-0.9
\$35,000- 49,999	480	271,667	456	92.4	88.9-95.9				11	2.5	0.0-0.4	3	1.2	0.0-0.2	3	1.1	0.0-0.2	7	2.8	0.0-0.3
\$50,000- 74,999	535	307,106	504	91.4	88.1-94.7	3	0.8	0.0-0.1	7	1.7	0.0-0.3	6	1.2	0.0-0.2	5	1.0	0.0-0.2	10	3.9	0.1-0.6
\$75,000+	876	517,773	840	94.2	92.0-96.4	3	0.6	0.0-0.1	10	1.9	0.0-0.3	8	1.7	0.0-0.3	4	0.5	0.0-0.1	11	1.3	0.0-0.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	500	409,228	405	80.9	76.8-85.0	46	9.1	06.4-11.8	4	0.6	00.0-01.2	25	4.5	02.5-06.5	9	2.6	00.6-04.6	11	2.4	00.6-04.2
Male	291	235,522	238	82.2	77.1-87.3	28	8.3	05.0-11.6	1	0.3	00.0-00.9	14	5.1	02.4-07.8	5	2.2	00.0-04.4	5	1.9	00.0-04.3
Female	209	173,706	167	79.1	72.6-85.6	18	10.1	05.2-15.0	3	1.0	00.0-02.2	11	3.7	01.2-06.2	4	3.1	00.0-06.4	6	3.1	00.6-05.6
White/Non-Hisp	360	290,947	287	79.8	75.1-84.5	33	7.6	04.9-10.3	3	0.7	00.0-01.5	22	5.9	03.4-08.4	7	3.0	00.5-05.5	8	3.0	00.6-05.4
Black or Afr. Am./Non-Hisp	75	65,317	69	92.4	85.9-98.9	3	3.9	00.0-08.6				1	1.0	00.0-03.0	1	2.2	00.0-06.3	1	0.5	00.0-01.5
18-24	60	88,710	48	79.9	69.1-90.7	5	8.1	00.8-15.4				3	3.9	00.0-08.2	4	8.1	00.3-15.9			
25-34	103	105,068	85	81.9	73.1-90.7	9	9.4	02.9-15.9				5	4.5	00.4-08.6	3	1.6	00.0-03.4	1	2.7	00.0-07.8
35-44	101	86,596	80	81.6	74.0-89.2	9	7.7	02.6-12.8	1	1.2	00.0-03.6	5	4.0	00.5-07.5	2	2.2	00.0-05.1	4	3.4	00.0-07.1
45-54	86	54,514	70	80.0	70.6-89.4	7	9.0	03.1-14.9	1	0.6	00.0-01.8	7	7.6	01.3-13.9				1	2.7	00.0-07.8
55-64	102	53,824	82	79.7	71.3-88.1	12	12.1	05.2-19.0	1	1.1	00.0-03.3	4	4.0	00.1-07.9				3	3.1	00.0-06.6
Less Than H.S.	59	67,100	55	90.4	80.8-0100	2	3.3	00.0-07.8										2	6.3	00.0-14.9
H.S. or G.E.D.	190	142,792	166	86.8	81.1-92.5	10	6.1	02.0-10.2	1	0.4	00.0-01.2	7	2.7	00.5-04.9	3	2.9	00.0-06.4	3	1.1	00.0-02.3
Some Post-H.S.	153	144,250	119	78.4	71.0-85.8	14	9.1	03.8-14.4	3	1.2	00.0-02.8	9	5.4	01.5-09.3	5	4.0	00.0-08.1	3	1.8	00.0-03.8
College Graduate	98	55,086	65	60.2	49.2-71.2	20	23.6	14.0-33.2				9	12.0	04.2-19.8	1	1.5	00.0-04.4	3	2.6	00.0-06.3
Less than \$15,000	62	39,540	60	95.7	89.8-0100	1	2.3	00.0-06.8				1	2.0	00.0-05.9				3	2.9	00.0-07.0
\$15,000- 24,999	96	78,559	82	86.6	78.8-94.4	4	4.4	00.0-09.5	1	0.4	00.0-01.2	5	4.1	00.2-08.0	1	1.6	00.0-04.7			
\$25,000- 34,999	53	45,872	48	92.2	84.9-99.5	3	5.3	00.0-11.6	1	0.8	00.0-02.4							1	1.7	00.0-05.0
\$35,000- 49,999	66	54,639	54	78.5	65.4-91.6	6	9.6	00.8-18.4				4	6.2	00.0-12.5				2	5.8	00.0-15.4
\$50,000- 74,999	61	53,808	42	76.6	65.8-87.4	8	9.9	02.8-17.0	2	3.0	00.0-07.3	4	3.9	00.0-07.8	3	4.8	00.0-10.7	2	1.8	00.0-04.3
\$75,000+	101	81,313	62	58.9	47.7-70.1	21	20.2	11.8-28.6				10	9.2	03.1-15.3	5	8.5	00.5-16.5	3	3.2	00.0-06.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	291	235,522	238	82.2	77.1-87.3	28	8.3	05.0-11.6	1	0.3	00.0-00.9	14	5.1	02.4-07.8	5	2.2	00.0-04.4	5	1.9	00.0-04.3
White/Non-Hisp	212	171,614	168	79.6	73.3-85.9	23	8.8	05.1-12.5	1	0.3	00.0-01.1	14	6.9	03.2-10.6	3	2.0	00.0-04.5	3	2.3	00.0-05.6
25-34	68	69,263	55	80.6	69.6-91.6	6	9.0	01.6-16.4				4	4.9	00.0-10.2	2	1.4	00.0-03.4	1	4.0	00.0-11.6
35-44	57	48,092	44	81.9	72.1-91.7	7	10.0	02.7-17.3				4	6.2	00.1-12.3	1	1.7	00.0-05.0	1	0.2	00.0-00.6
55-64	63	34,969	50	79.2	68.6-89.8	8	12.7	04.1-21.3	1	1.7	00.0-05.0	2	3.3	00.0-07.8				2	3.1	00.0-07.6
H.S. or G.E.D.	118	92,149	104	87.1	80.0-94.2	8	6.4	01.9-10.9	1	0.7	00.0-02.1	2	1.6	00.0-04.0	2	3.8	00.0-08.9	1	0.6	00.0-01.8
Some Post-H.S.	79	71,899	63	82.5	73.7-91.3	8	7.5	01.8-13.2				5	7.6	00.9-14.3	2	1.4	00.0-03.4	1	1.0	00.0-03.0
College Graduate	61	33,900	39	56.9	42.6-71.2	12	24.6	11.5-37.7				7	14.7	04.3-25.1	1	2.5	00.0-07.2	2	1.4	00.0-03.6
\$15,000- 24,999	52	40,900	43	83.3	71.7-94.9	4	8.4	00.0-17.8				3	6.2	00.0-13.3				2	2.0	00.0-05.5
\$75,000+	67	52,640	44	65.6	52.7-78.5	14	18.5	08.9-28.1				6	9.5	01.7-17.3	3	6.4	00.0-14.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	209	173,706	167	79.1	72.4-85.8	18	10.1	05.2-15.0	3	1.0	00.0-02.2	11	3.7	01.2-06.2	4	3.1	00.0-06.4	6	3.1	00.6-05.6
White/Non-Hisp	148	119,333	119	80.1	72.7-87.5	10	6.0	02.1-09.9	2	1.1	00.0-02.9	8	4.3	01.0-07.6	4	4.5	00.0-09.2	5	4.0	00.3-07.7
H.S. or G.E.D.	72	50,642	62	86.3	76.5-96.1	2	5.6	00.0-13.8				5	4.8	00.3-09.3	1	1.2	00.0-03.6	2	2.0	00.0-04.9
Some Post-H.S.	74	72,351	56	74.4	62.8-86.0	6	10.8	02.0-19.6	3	2.4	00.0-05.3	4	3.3	00.0-07.0	3	6.6	00.0-14.2	2	2.5	00.0-06.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	505	413,871	112	21.4	17.3-25.5	184	39.3	34.2-44.4	209	39.3	34.4-44.2
Male	294	237,539	52	17.3	12.2-22.4	128	44.6	37.9-51.3	114	38.1	31.8-44.4
Female	211	176,331	60	27.1	20.2-34.0	56	32.1	24.3-39.9	95	40.8	33.2-48.4
White/Non-Hisp	365	295,589	89	23.9	18.8-29.0	129	38.5	32.6-44.4	147	37.6	31.9-43.3
Black or Afr. Am./Non-Hisp	75	65,317	8	11.0	02.6-19.4	29	42.3	29.2-55.4	38	46.7	33.6-59.8
18-24	60	88,710	8	15.6	05.0-26.2	35	54.1	40.4-67.8	17	30.3	17.8-42.8
25-34	104	105,884	13	15.4	07.4-23.4	41	41.3	30.9-51.7	50	43.3	33.1-53.5
35-44	103	89,005	22	21.2	12.8-29.6	39	38.7	28.1-49.3	42	40.1	29.7-50.5
45-54	86	54,514	19	26.3	15.9-36.7	25	27.8	17.0-38.6	42	45.9	34.3-57.5
55-64	103	54,412	34	34.6	24.0-45.2	30	26.2	16.8-35.6	39	39.2	28.6-49.8
Less Than H.S.	59	67,100	14	21.4	09.2-33.6	25	48.4	33.7-63.1	20	30.2	17.7-42.7
H.S. or G.E.D.	192	144,236	44	22.2	15.7-28.7	68	36.9	28.9-44.9	80	40.8	32.8-48.8
Some Post-H.S.	156	147,448	42	24.6	17.0-32.2	43	33.5	24.9-42.1	71	41.9	33.1-50.7
College Graduate	98	55,086	12	11.0	05.3-16.7	48	49.7	38.7-60.7	38	39.2	28.4-50.0
Less than \$15,000	62	39,540	19	31.6	18.3-44.9	15	25.7	12.4-39.0	28	42.7	28.6-56.8
\$15,000- 24,999	96	78,559	21	24.8	15.0-34.6	29	31.5	20.5-42.5	46	43.7	32.7-54.7
\$25,000- 34,999	53	45,872	9	14.8	05.2-24.4	23	41.0	26.1-55.9	21	44.2	28.7-59.7
\$35,000- 49,999	66	54,639	17	28.6	14.5-42.7	20	26.7	14.4-39.0	29	44.7	30.4-59.0
\$50,000- 74,999	63	56,190	17	25.8	13.1-38.5	25	42.5	28.0-57.0	21	31.7	18.8-44.6
\$75,000+	103	82,743	14	12.1	06.0-18.2	45	51.9	40.9-62.9	44	36.0	25.8-46.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	294	237,539	52	17.3	12.4-22.2	128	44.6	37.9-51.3	114	38.1	31.8-44.4
White/Non-Hisp	215	173,632	41	18.9	12.8-25.0	90	43.2	35.6-50.8	84	37.9	30.6-45.2
25-34	69	70,079	6	12.0	03.2-20.8	34	50.3	37.6-63.0	29	37.7	25.5-49.9
35-44	58	48,706	9	11.7	03.5-19.9	24	43.3	28.8-57.8	25	45.0	30.7-59.3
55-64	64	35,556	18	33.4	19.9-46.9	24	33.2	20.5-45.9	22	33.4	20.7-46.1
H.S. or G.E.D.	119	92,764	22	19.2	11.8-26.6	55	43.7	33.5-53.9	42	37.1	27.3-46.9
Some Post-H.S.	81	73,302	18	19.2	09.4-29.0	26	37.4	25.2-49.6	37	43.3	31.1-55.5
College Graduate	61	33,900	5	5.6	00.3-10.9	29	49.6	35.3-63.9	27	44.8	30.7-58.9
\$15,000- 24,999	52	40,900	9	19.6	09.2-30.0	22	36.8	22.7-50.9	21	43.6	28.7-58.5
\$75,000+	69	54,070	6	7.4	01.3-13.5	31	52.0	39.1-64.9	32	40.5	27.8-53.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 09: MARIJUANA USE**

**TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	211	176,331	60	27.1	20.2-34.0	56	32.1	24.3-39.9	95	40.8	33.2-48.4
White/Non-Hisp	150	121,958	48	31.0	22.8-39.2	39	31.8	22.4-41.2	63	37.2	28.4-46.0
H.S. or G.E.D.	73	51,472	22	27.7	16.3-39.1	13	24.7	11.2-38.2	38	47.5	34.0-61.0
Some Post-H.S.	75	74,146	24	29.9	18.1-41.7	17	29.6	17.3-41.9	34	40.6	27.7-53.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 11: Cancer Survivorship: Type of Cancer CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1 MALES AND FEMALES	75
2 MALES ONLY	76
3 FEMALES ONLY	77
AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4 MALES AND FEMALES	78
5 MALES ONLY	79
6 FEMALES ONLY	80
WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)	
7 MALES AND FEMALES	81
8 MALES ONLY	82
9 FEMALES ONLY	83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**INDIANA MODULE QUESTIONS DATA REPORT, 2020**  
**MODULE 11: Cancer Survivorship: Type of Cancer**  
**TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1170	529,245	901	77.7	75.0-80.4	220	17.9	15.4-20.4	49	4.4	02.8-06.0
Male	475	220,666	369	77.8	73.5-82.1	92	18.6	14.7-22.5	14	3.6	01.2-06.0
Female	695	308,579	532	77.6	73.9-81.3	128	17.4	14.1-20.7	35	5.0	03.0-07.0
White/Non-Hisp	1053	478,426	802	77.0	74.1-79.9	204	18.5	15.8-21.2	47	4.4	02.8-06.0
Black or Afr. Am./Non-Hisp	58	24,184	54	95.8	90.7-0100	4	4.2	00.0-09.3			
45-54	106	58,717	87	80.1	71.7-88.5	19	19.9	11.5-28.3			
55-64	259	135,766	208	80.6	75.1-86.1	40	14.5	09.6-19.4	11	4.9	01.8-08.0
65+	759	293,676	566	74.7	71.0-78.4	158	20.7	17.4-24.0	35	4.6	02.6-06.6
Less Than H.S.	70	57,408	54	83.0	74.4-91.6	12	12.9	05.5-20.3	4	4.1	00.0-08.4
H.S. or G.E.D.	390	182,209	298	75.2	70.1-80.3	71	19.0	14.5-23.5	21	5.8	02.7-08.9
Some Post-H.S.	300	151,722	225	76.2	70.9-81.5	60	18.3	13.6-23.0	15	5.5	02.6-08.4
College Graduate	406	135,466	321	81.0	76.9-85.1	76	17.5	13.6-21.4	9	1.6	00.4-02.8
Less than \$15,000	58	29,726	39	68.9	55.2-82.6	16	28.0	14.5-41.5	3	3.0	00.0-06.7
\$15,000- 24,999	161	75,761	121	79.4	72.1-86.7	31	16.5	09.8-23.2	9	4.1	01.0-07.2
\$25,000- 34,999	121	52,618	95	81.8	74.4-89.2	19	13.4	06.7-20.1	7	4.8	00.9-08.7
\$35,000- 49,999	149	71,970	118	75.7	67.3-84.1	25	17.7	10.4-25.0	6	6.5	01.0-12.0
\$50,000- 74,999	162	75,052	129	80.1	73.2-87.0	26	15.6	09.5-21.7	7	4.3	00.8-07.8
\$75,000+	256	119,623	206	82.8	77.7-87.9	44	14.0	09.7-18.3	6	3.2	00.5-05.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	475	220,666	369	77.8	73.5-82.1	92	18.6	14.7-22.5	14	3.6	01.2-06.0
Female	430	189,887	301	71.3	66.2-76.4	100	22.1	17.6-26.6	29	6.6	03.7-09.5
White/Non-Hisp	797	363,282	580	73.8	70.3-77.3	176	21.1	18.0-24.2	41	5.1	03.3-06.9
Black or Afr. Am./Non-Hisp	57	23,589	53	95.7	90.6-100	4	4.3	00.0-09.4			
45-54	76	43,808	61	77.5	67.1-87.9	15	22.5	12.1-32.9			
55-64	209	108,737	162	78.4	72.1-84.7	36	15.5	10.0-21.0	11	6.1	02.4-09.8
65+	583	224,013	416	71.3	67.0-75.6	138	23.9	20.0-27.8	29	4.8	02.6-07.0
Less Than H.S.	55	44,766	41	81.2	71.2-91.2	11	15.4	06.0-24.8	3	3.4	00.0-07.5
H.S. or G.E.D.	305	144,239	223	72.2	66.3-78.1	62	20.6	15.3-25.9	20	7.1	03.2-11.0
Some Post-H.S.	229	114,940	162	71.3	64.8-77.8	53	22.3	16.4-28.2	14	6.4	02.9-09.9
College Graduate	312	104,168	241	80.2	75.5-84.9	65	18.5	13.8-23.2	6	1.4	00.2-02.6
\$15,000- 24,999	134	62,559	102	80.2	72.6-87.8	23	14.9	08.0-21.8	9	4.9	01.2-08.6
\$25,000- 34,999	90	39,677	65	77.2	67.8-86.6	18	16.5	08.1-24.9	7	6.3	01.2-11.4
\$35,000- 49,999	117	55,601	89	72.4	62.8-82.0	23	20.9	12.5-29.3	5	6.7	00.4-13.0
\$50,000- 74,999	130	60,746	101	77.9	69.9-85.9	23	17.4	10.1-24.7	6	4.8	00.7-08.9
\$75,000+	193	88,725	150	79.9	73.6-86.2	39	16.2	10.7-21.7	4	3.8	00.1-07.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	268	129,506	193	71.6	65.3-77.9	63	23.0	17.3-28.7	12	5.4	01.7-09.1
Female	695	308,579	532	77.6	73.9-81.3	128	17.4	14.1-20.7	35	5.0	03.0-07.0
White/Non-Hisp	858	392,059	635	74.9	71.6-78.2	178	19.9	17.0-22.8	45	5.2	03.4-07.0
Black or Afr. Am./Non-Hisp	55	22,850	51	95.6	90.3-0100	4	4.4	00.0-09.7			
45-54	95	52,185	77	78.8	69.6-88.0	18	21.2	12.0-30.4			
55-64	212	113,170	168	79.0	72.7-85.3	34	15.7	10.0-21.4	10	5.3	01.8-08.8
65+	616	236,949	445	71.9	67.6-76.2	137	22.5	18.6-26.4	34	5.6	03.2-08.0
Less Than H.S.	66	53,412	50	81.7	72.7-90.7	12	13.8	05.8-21.8	4	4.5	00.0-09.2
H.S. or G.E.D.	326	149,318	244	73.3	67.4-79.2	62	20.1	15.0-25.2	20	6.7	03.0-10.4
Some Post-H.S.	257	129,294	185	73.1	67.0-79.2	57	20.4	14.9-25.9	15	6.4	02.9-09.9
College Graduate	310	103,621	243	80.4	75.7-85.1	59	18.0	13.5-22.5	8	1.7	00.3-03.1
Less than \$15,000	53	27,272	35	68.6	54.3-82.9	15	28.1	14.0-42.2	3	3.3	00.0-07.2
\$15,000- 24,999	136	62,356	98	77.1	69.1-85.1	29	17.9	10.6-25.2	9	4.9	01.2-08.6
\$25,000- 34,999	96	42,189	72	79.1	70.3-87.9	17	15.0	07.4-22.6	7	6.0	01.1-10.9
\$35,000- 49,999	115	56,038	87	71.1	60.9-81.3	22	20.5	11.7-29.3	6	8.4	01.3-15.5
\$50,000- 74,999	130	61,396	102	78.6	70.8-86.4	22	17.1	10.0-24.2	6	4.3	00.6-08.0
\$75,000+	197	94,639	158	82.1	76.4-87.8	33	13.9	09.2-18.6	6	4.0	00.5-07.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer  
TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1113	506,048	13	1.8	00.6-03.0	111	12.3	09.8-14.8	271	26.4	23.3-29.5	425	36.7	33.4-40.0	279	21.8	19.1-24.5	14	0.9	00.3-01.5
Male	462	215,255	5	1.6	00.0-03.4	30	9.5	05.8-13.2	94	21.3	17.0-25.6	199	42.3	37.2-47.4	128	24.3	20.0-28.6	6	1.0	00.0-02.0
Female	651	290,793	8	1.9	00.3-03.5	81	14.4	11.1-17.7	177	30.2	25.9-34.5	226	32.6	28.5-36.7	151	20.0	16.5-23.5	8	0.9	00.1-01.7
White/Non-Hisp	1007	459,954	11	1.6	00.4-02.8	100	12.8	10.1-15.5	245	26.3	23.2-29.4	385	36.5	33.2-39.8	255	22.1	19.4-24.8	11	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	51	20,446	1	1.4	00.0-04.1	3	3.4	00.0-07.7	11	27.5	11.4-43.6	22	46.2	28.8-63.6	13	18.6	05.9-31.3	1	2.9	00.0-08.6
45-54	102	56,936	4	2.3	00.0-04.8	18	20.7	11.9-29.5	66	62.1	51.7-72.5	13	13.7	06.1-21.3	1	1.3	00.0-03.8			
55-64	254	131,852				33	12.6	08.1-17.1	86	34.5	27.6-41.4	135	52.9	45.8-60.0						
65+	712	277,003	4	0.5	00.0-01.1	35	4.1	02.5-05.7	104	15.1	12.0-18.2	277	39.0	34.9-43.1	278	39.6	35.3-43.9	14	1.7	00.7-02.7
Less Than H.S.	65	53,210	3	2.6	00.0-05.7	8	15.0	04.0-26.0	12	19.9	09.1-30.7	21	35.1	22.0-48.2	20	26.3	14.9-37.7	1	1.1	00.0-03.3
H.S. or G.E.D.	366	173,247	1	1.0	00.0-02.8	50	16.1	11.6-20.6	72	22.6	17.5-27.7	132	33.8	28.3-39.3	103	25.0	20.1-29.9	8	1.6	00.4-02.8
Some Post-H.S.	289	146,546	4	2.0	00.0-04.4	25	9.9	05.6-14.2	69	27.7	21.6-33.8	113	37.4	31.1-43.7	75	22.5	17.2-27.8	3	0.5	00.0-01.1
College Graduate	390	130,929	5	2.3	00.0-04.8	28	9.2	05.7-12.7	117	32.3	27.0-37.6	157	40.3	35.0-45.6	81	15.5	11.8-19.2	2	0.4	00.0-01.2
Less than \$15,000	55	28,599	1	2.0	00.0-05.7	10	23.7	09.8-37.6	16	31.5	16.4-46.6	17	28.6	14.3-42.9	11	14.2	04.6-23.8			
\$15,000- 24,999	155	73,939	3	1.3	00.0-02.7	23	20.2	11.6-28.8	35	22.2	14.0-30.4	51	30.3	21.7-38.9	38	23.1	15.5-30.7	5	2.9	00.2-05.6
\$25,000- 34,999	116	51,022	2	3.4	00.0-08.3	9	6.9	02.0-11.8	20	22.0	12.0-32.0	39	29.0	19.8-38.2	41	36.4	26.0-46.8	5	2.4	00.2-04.6
\$35,000- 49,999	147	71,715	1	0.2	00.0-00.6	12	11.5	04.4-18.6	32	21.2	13.8-28.6	60	40.4	31.2-49.6	42	26.8	18.6-35.0			
\$50,000- 74,999	156	72,227	2	2.3	00.0-06.0	17	11.6	05.9-17.3	37	25.0	17.2-32.8	70	44.8	36.0-53.6	30	16.4	10.1-22.7			
\$75,000+	250	115,846	2	1.6	00.0-04.3	20	11.3	06.2-16.4	86	38.3	31.2-45.4	101	36.8	30.1-43.5	40	11.7	07.6-15.8	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	462	215,255	5	1.6	00.0-03.4	30	9.5	05.8-13.2	94	21.3	17.0-25.6	199	42.3	37.2-47.4	128	24.3	20.2-28.4	6	1.0	00.0-02.0			
White/Non-Hisp	419	193,099	5	1.8	00.0-04.0	29	10.5	06.6-14.4	87	21.4	16.9-25.9	176	42.0	36.5-47.5	117	23.4	19.1-27.7	5	0.8	00.0-01.6			
55-64	100	51,847				7	7.1	01.6-12.6	36	36.6	26.2-47.0	57	56.3	45.7-66.9									
65+	319	129,631	2	0.5	00.0-01.1	9	2.5	00.5-04.5	41	12.1	08.0-16.2	133	43.0	36.7-49.3	128	40.3	34.2-46.4	6	1.6	00.0-03.2			
H.S. or G.E.D.	141	72,216	1	2.3	00.0-06.6	14	13.9	06.8-21.0	26	19.1	12.0-26.2	54	36.7	27.9-45.5	42	26.0	18.4-33.6	4	2.1	00.0-04.5			
Some Post-H.S.	112	60,938	3	2.7	00.0-06.6	6	6.8	00.7-12.9	24	25.6	16.2-35.0	48	39.5	29.7-49.3	31	25.4	17.0-33.8						
College Graduate	184	61,653	1	0.4	00.0-01.2	8	5.3	01.4-09.2	42	24.7	17.6-31.8	86	49.8	42.0-57.6	45	18.8	13.1-24.5	2	1.0	00.0-02.6			
\$15,000- 24,999	57	31,895	1	1.1	00.0-03.3	6	18.7	05.0-32.4	9	12.9	04.1-21.7	15	27.0	13.3-40.7	24	36.9	23.4-50.4	2	3.4	00.0-08.3			
\$35,000- 49,999	70	33,494	1	0.4	00.0-01.2	4	10.9	00.7-21.1	12	16.0	06.8-25.2	31	45.2	32.3-58.1	22	27.6	16.6-38.6						
\$50,000- 74,999	66	30,226				3	4.9	00.0-10.6	17	25.7	13.2-38.2	34	51.2	37.5-64.9	12	18.2	07.8-28.6						
\$75,000+	127	56,941	1	0.4	00.0-01.2	7	9.1	02.0-16.2	28	26.2	17.2-35.2	64	48.4	38.6-58.2	26	14.9	08.4-21.4	1	0.9	00.0-02.7			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer**

**TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	651	290,793	8	1.9	00.3-03.5	81	14.4	11.1-17.7	177	30.2	25.9-34.5	226	32.6	28.5-36.7	151	20.0	16.5-23.5	8	0.9	00.1-01.7			
White/Non-Hisp	588	266,854	6	1.5	00.1-02.9	71	14.5	10.8-18.2	158	29.8	25.3-34.3	209	32.5	28.2-36.8	138	21.1	17.4-24.8	6	0.6	00.0-01.2			
45-54	74	38,150	3	3.1	00.0-06.6	14	21.2	11.0-31.4	52	69.1	57.9-80.3	4	4.7	00.0-09.6	1	1.9	00.0-05.6						
55-64	154	80,005				26	16.1	09.6-22.6	50	33.2	24.4-42.0	78	50.8	41.6-60.0									
65+	393	147,372	2	0.6	00.0-01.4	26	5.5	03.0-08.0	63	17.7	12.8-22.6	144	35.5	30.0-41.0	150	39.1	33.4-44.8	8	1.7	00.3-03.1			
H.S. or G.E.D.	225	101,031				36	17.6	11.5-23.7	46	25.1	18.0-32.2	78	31.8	24.9-38.7	61	24.3	17.8-30.8	4	1.2	00.0-02.6			
Some Post-H.S.	177	85,608	1	1.6	00.0-04.5	19	12.2	06.3-18.1	45	29.2	21.0-37.4	65	35.8	27.8-43.8	44	20.4	13.9-26.9	3	0.9	00.0-02.1			
College Graduate	206	69,276	4	4.0	00.0-08.7	20	12.5	06.8-18.2	75	39.0	31.4-46.6	71	31.9	25.0-38.8	36	12.5	07.6-17.4						
\$15,000- 24,999	98	42,045	2	1.4	00.0-03.4	17	21.3	10.1-32.5	26	29.3	17.3-41.3	36	32.7	21.5-43.9	14	12.7	05.1-20.3	3	2.6	00.0-05.7			
\$25,000- 34,999	70	30,465	1	1.9	00.0-05.6	6	7.6	01.1-14.1	12	22.9	09.2-36.6	26	30.8	18.6-43.0	21	33.9	20.2-47.6	4	2.9	00.0-06.0			
\$35,000- 49,999	77	38,221				8	12.0	02.2-21.8	20	25.8	14.2-37.4	29	36.2	24.0-48.4	20	26.1	14.3-37.9						
\$50,000- 74,999	90	42,001	2	3.9	00.0-10.2	14	16.5	07.9-25.1	20	24.4	14.2-34.6	36	40.2	28.4-52.0	18	15.1	07.3-22.9						
\$75,000+	123	58,905	1	2.7	00.0-07.8	13	13.4	06.3-20.5	58	49.9	39.9-59.9	37	25.5	17.5-33.5	14	8.5	03.6-13.4						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer  
TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1105	500,531	254	22.9	20.0-25.8	66	5.9	04.3-07.5	13	1.2	00.4-02.0	130	12.5	10.1-14.9	556	49.3	45.8-52.8	86	8.4	06.4-10.4
Male	441	206,362	3	0.7	00.0-01.5	30	7.0	04.3-09.7	7	1.8	00.4-03.2	113	26.8	21.9-31.7	252	53.5	48.0-59.0	36	10.3	06.8-13.8
Female	664	294,169	251	38.4	33.9-42.9	36	5.1	03.1-07.1	6	0.7	00.0-01.5	17	2.4	01.0-03.8	304	46.3	41.8-50.8	50	7.0	04.8-09.2
White/Non-Hisp	997	453,627	213	21.6	18.5-24.7	56	5.7	03.9-07.5	11	1.3	00.5-02.1	109	11.0	08.6-13.4	531	52.0	48.3-55.7	77	8.5	06.5-10.5
Black or Afr. Am./Non-Hisp	55	22,729	26	38.1	23.2-53.0	8	10.9	00.3-21.5	2	0.8	00.0-02.0	11	32.7	16.0-49.4	6	14.7	02.4-27.0	2	2.8	00.0-07.9
45-54	103	56,556	27	22.1	13.9-30.3	11	12.0	04.7-19.3	1	0.8	00.0-02.4	6	6.3	01.0-11.6	43	41.5	31.1-51.9	15	17.4	09.0-25.8
55-64	249	130,991	66	27.3	20.6-34.0	20	7.6	03.7-11.5	4	2.0	00.0-04.0	23	9.1	05.2-13.0	116	46.4	39.3-53.5	20	7.6	04.1-11.1
65+	708	272,727	150	20.8	17.3-24.3	32	3.8	02.2-05.4	8	1.1	00.3-01.9	95	14.7	11.6-17.8	378	53.3	49.0-57.6	45	6.4	04.2-08.6
Less Than H.S.	65	54,023	17	27.9	15.4-40.4	5	5.7	00.0-11.8				10	16.4	06.2-26.6	28	40.9	27.6-54.2	5	9.1	00.9-17.3
H.S. or G.E.D.	361	168,437	92	25.9	20.6-31.2	22	4.6	02.4-06.8	7	1.6	00.2-03.0	37	11.5	07.6-15.4	171	47.0	41.1-52.9	32	9.4	06.1-12.7
Some Post-H.S.	284	143,938	69	21.2	15.9-26.5	17	7.4	03.7-11.1	5	1.9	00.1-03.7	33	11.3	07.2-15.4	141	51.2	44.5-57.9	19	7.0	03.5-10.5
College Graduate	391	131,693	73	17.7	13.6-21.8	22	5.9	03.2-08.6	1	0.3	00.0-00.9	50	13.6	09.7-17.5	216	54.4	48.7-60.1	29	8.0	04.9-11.1
Less than \$15,000	55	27,648	14	28.6	13.7-43.5	4	8.2	00.0-18.6				7	14.7	03.5-25.9	22	34.0	19.1-48.9	8	14.5	04.7-24.3
\$15,000- 24,999	143	67,477	45	28.2	19.4-37.0	7	3.3	00.4-06.2	2	0.4	00.0-01.0	18	12.6	06.3-18.9	57	41.7	31.7-51.7	14	13.9	06.3-21.5
\$25,000- 34,999	113	49,138	26	28.8	18.2-39.4	5	2.2	00.2-04.2	3	1.8	00.0-04.0	9	8.6	02.3-14.9	59	51.0	39.8-62.2	11	7.6	02.5-12.7
\$35,000- 49,999	145	71,025	26	18.9	11.1-26.7	5	3.8	00.5-07.1	2	1.7	00.0-04.2	17	10.9	05.0-16.8	87	59.3	49.9-68.7	8	5.3	01.0-09.6
\$50,000- 74,999	157	72,853	37	24.6	16.6-32.6	12	8.4	03.3-13.5	2	1.4	00.0-03.4	13	7.4	03.1-11.7	82	50.3	41.3-59.3	11	7.9	03.2-12.6
\$75,000+	252	117,855	37	13.4	08.9-17.9	17	8.0	03.9-12.1	3	1.6	00.0-03.4	38	15.0	09.9-20.1	142	55.2	48.1-62.3	15	6.9	03.2-10.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer  
TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	441	206,362	3	0.7	00.0-01.5	30	7.0	04.3-09.7	7	1.8	00.4-03.2	113	26.8	21.9-31.7	252	53.5	48.2-58.8	36	10.3	06.8-13.8
White/Non-Hisp	401	184,948	2	0.6	00.0-01.4	26	6.6	03.9-09.3	7	2.1	00.5-03.7	93	23.6	18.7-28.5	238	56.2	50.5-61.9	35	10.9	07.2-14.6
55-64	97	51,264				9	10.4	03.3-17.5	3	3.8	00.0-08.3	19	18.9	10.5-27.3	59	59.3	48.7-69.9	7	7.6	01.7-13.5
65+	301	121,578	3	1.1	00.0-02.5	16	4.6	02.2-07.0	4	1.5	00.0-03.1	83	29.5	23.4-35.6	174	54.9	48.4-61.4	21	8.3	04.6-12.0
H.S. or G.E.D.	127	65,968	1	1.1	00.0-03.3	11	8.2	03.3-13.1	5	3.8	00.3-07.3	31	24.5	16.1-32.9	66	51.2	41.6-60.8	13	11.2	05.3-17.1
Some Post-H.S.	110	59,967				7	8.1	01.8-14.4	2	2.2	00.0-05.1	30	25.9	16.9-34.9	61	52.6	42.2-63.0	10	11.3	04.2-18.4
College Graduate	180	60,425	1	0.6	00.0-01.8	10	5.6	01.9-09.3				43	26.0	18.7-33.3	116	62.3	54.5-70.1	10	5.5	01.8-09.2
\$35,000- 49,999	68	32,826				2	3.4	00.0-08.1	2	3.6	00.0-09.1	15	19.4	08.4-30.4	45	66.5	53.6-79.4	4	7.2	00.0-14.5
\$50,000- 74,999	66	30,351				5	10.2	01.2-19.2	2	3.2	00.0-07.7	13	17.8	07.8-27.8	40	57.6	44.3-70.9	6	11.0	02.6-19.4
\$75,000+	126	56,721				8	6.9	01.2-12.6	2	2.3	00.0-05.4	35	28.7	19.5-37.9	76	56.0	46.0-66.0	5	6.1	00.6-11.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 11: Cancer Survivorship: Type of Cancer  
TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	664	294,169	251	38.4	33.9-42.9	36	5.1	03.1-07.1	6	0.7	00.0-01.5	17	2.4	01.0-03.8	304	46.3	41.6-51.0	50	7.0	04.8-09.2
White/Non-Hisp	596	268,679	211	36.1	31.4-40.8	30	5.1	02.9-07.3	4	0.7	00.0-01.5	16	2.3	00.9-03.7	293	49.0	44.1-53.9	42	6.8	04.6-09.0
45-54	75	38,028	27	32.8	21.4-44.2	6	8.8	01.4-16.2	1	1.1	00.0-03.3				32	44.7	32.5-56.9	9	12.5	04.5-20.5
55-64	152	79,727	66	44.9	35.7-54.1	11	5.8	01.3-10.3	1	0.8	00.0-02.4	4	2.8	00.0-05.9	57	38.2	29.2-47.2	13	7.5	03.2-11.8
65+	407	151,149	147	36.6	30.9-42.3	16	3.1	01.3-04.9	4	0.7	00.0-01.7	12	2.8	01.0-04.6	204	52.0	46.1-57.9	24	4.8	02.6-07.0
H.S. or G.E.D.	234	102,469	91	41.8	34.4-49.2	11	2.2	00.8-03.6	2	0.2	00.0-00.6	6	3.2	00.5-05.9	105	44.4	37.1-51.7	19	8.1	04.2-12.0
Some Post-H.S.	174	83,971	69	36.4	28.2-44.6	10	7.0	02.5-11.5	3	1.7	00.0-03.9	3	0.9	00.0-02.1	80	50.2	41.6-58.8	9	3.9	00.8-07.0
College Graduate	211	71,268	72	32.2	25.1-39.3	12	6.2	02.1-10.3	1	0.6	00.0-01.8	7	3.1	00.4-05.8	100	47.7	39.7-55.7	19	10.2	05.3-15.1
\$15,000- 24,999	98	41,782	44	43.9	31.6-56.2	4	2.9	00.0-06.6	2	0.6	00.0-01.4	4	2.5	00.0-05.2	36	42.1	29.6-54.6	8	8.0	02.1-13.9
\$25,000- 34,999	74	31,637	26	44.8	30.7-58.9	2	0.9	00.5-01.3	2	1.7	00.0-04.4	1	0.5	00.0-01.5	35	44.6	30.9-58.3	8	7.6	01.3-13.9
\$35,000- 49,999	77	38,200	26	35.2	22.3-48.1	3	4.2	00.0-09.1				2	3.7	00.0-08.6	42	53.2	39.9-66.5	4	3.7	00.0-08.4
\$50,000- 74,999	91	42,502	37	42.2	30.2-54.2	7	7.2	01.3-13.1							42	45.0	33.2-56.8	5	5.7	00.6-10.8
\$75,000+	126	61,134	37	25.8	17.6-34.0	9	8.9	02.8-15.0	1	1.0	00.0-03.0	3	2.2	00.0-04.9	66	54.4	44.4-64.4	10	7.5	02.6-12.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 12: Cancer Survivorship: Course of Treatment CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVRT3)	
1 MALES AND FEMALES	86
2 MALES ONLY	87
3 FEMALES ONLY	88
WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)	
4 MALES AND FEMALES	89
5 MALES ONLY	90
6 FEMALES ONLY	91
DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
7 MALES AND FEMALES	92
8 MALES ONLY	93
9 FEMALES ONLY	94
HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)	
10 MALES AND FEMALES	95
11 MALES ONLY	96
12 FEMALES ONLY	97
WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
13 MALES AND FEMALES	98
14 MALES ONLY	99
15 FEMALES ONLY	100
WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
16 MALES AND FEMALES	101
17 MALES ONLY	102
18 FEMALES ONLY	103
WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
19 MALES AND FEMALES	104
20 MALES ONLY	105
21 FEMALES ONLY	106

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 12: Cancer Survivorship: Course of Treatment CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
22	MALES AND FEMALES	107
23	MALES ONLY	108
24	FEMALES ONLY	109



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 1: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1172	527,306	151	12.3	10.1-14.5	672	58.2	54.9-61.5	16	1.1	00.5-01.7	36	3.0	01.8-04.2	297	25.3	22.4-28.2
Male	480	221,637	70	13.4	10.1-16.7	274	59.9	54.8-65.0	4	1.1	00.0-02.3	21	4.0	02.0-06.0	111	21.6	17.5-25.7
Female	692	305,669	81	11.6	08.9-14.3	398	56.9	52.6-61.2	12	1.1	00.3-01.9	15	2.3	00.7-03.9	186	28.0	24.1-31.9
White/Non-Hisp	1055	476,614	129	11.7	09.5-13.9	599	58.1	54.6-61.6	15	1.2	00.4-02.0	34	3.3	01.9-04.7	278	25.7	22.6-28.8
Black or Afr. Am./Non-Hisp	57	23,356	13	21.4	08.9-33.9	38	69.2	54.7-83.7				1	1.1	00.0-03.3	5	8.3	00.0-17.1
45-54	105	58,027	15	16.6	08.4-24.8	64	61.7	51.5-71.9	2	1.8	00.0-04.3	3	2.9	00.0-06.6	21	17.0	09.7-24.3
55-64	259	135,130	31	13.0	08.3-17.7	157	58.9	52.0-65.8	2	0.5	00.0-01.1	11	3.6	01.2-06.0	58	24.1	18.0-30.2
65+	763	294,245	99	11.7	09.2-14.2	423	56.8	52.7-60.9	11	1.1	00.3-01.9	19	2.1	00.9-03.3	211	28.3	24.6-32.0
Less Than H.S.	69	55,488	14	18.2	08.6-27.8	35	53.9	40.8-67.0	1	1.0	00.0-03.0	3	1.9	00.0-04.6	16	25.0	13.4-36.6
H.S. or G.E.D.	388	180,073	30	7.5	04.6-10.4	232	60.3	54.6-66.0	6	1.8	00.2-03.4	14	3.9	01.4-06.4	106	26.5	21.6-31.4
Some Post-H.S.	305	153,100	41	13.4	09.3-17.5	172	57.3	51.0-63.6	3	0.3	00.0-00.7	8	2.8	00.6-05.0	81	26.2	20.5-31.9
College Graduate	405	135,999	66	15.5	11.6-19.4	228	57.3	51.8-62.8	6	1.2	00.2-02.2	11	2.6	00.8-04.4	94	23.3	18.6-28.0
Less than \$15,000	57	29,035	9	15.7	05.3-26.1	24	45.2	29.3-61.1	2	2.7	00.0-06.8	5	6.8	00.3-13.3	17	29.6	14.9-44.3
\$15,000- 24,999	159	73,793	22	15.5	08.4-22.6	93	59.3	49.9-68.7	2	1.7	00.0-04.8	8	4.3	00.6-08.0	34	19.2	11.9-26.5
\$25,000- 34,999	127	54,776	16	11.4	05.5-17.3	60	45.8	35.4-56.2	2	1.8	00.0-04.3	8	8.2	01.3-15.1	41	32.8	23.0-42.6
\$35,000- 49,999	149	71,029	24	11.4	06.1-16.7	83	61.7	52.9-70.5	3	1.4	00.0-03.2	2	1.0	00.0-02.4	37	24.5	16.7-32.3
\$50,000- 74,999	159	74,344	25	16.7	09.8-23.6	87	52.5	43.7-61.3	1	0.5	00.0-01.5	2	0.9	00.0-02.5	44	29.3	21.1-37.5
\$75,000+	255	118,284	25	8.6	04.9-12.3	154	60.6	53.5-67.7	2	0.3	00.0-00.7	6	2.9	00.2-05.6	68	27.6	21.1-34.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 2: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	480	221,637	70	13.4	10.1-16.7	274	59.9	55.0-64.8	4	1.1	00.0-02.3	21	4.0	02.0-06.0	111	21.6	17.5-25.7
Female	424	186,342	64	14.9	11.0-18.8	271	63.1	57.6-68.6	11	1.6	00.4-02.8	10	2.6	00.4-04.8	68	17.8	13.3-22.3
White/Non-Hisp	796	360,836	114	13.6	10.9-16.3	475	61.4	57.5-65.3	15	1.5	00.5-02.5	30	3.7	02.1-05.3	162	19.8	16.7-22.9
Black or Afr. Am./Non-Hisp	56	22,760	13	21.9	09.0-34.8	37	68.4	53.5-83.3				1	1.1	00.0-03.3	5	8.5	00.0-17.5
45-54	76	43,808	12	16.9	07.5-26.3	51	65.8	54.0-77.6	2	2.4	00.0-05.7	1	2.2	00.0-06.3	10	12.7	04.7-20.7
55-64	208	107,734	29	15.2	09.5-20.9	128	60.9	53.5-68.3	2	0.6	00.0-01.4	11	4.5	01.6-07.4	38	18.8	12.9-24.7
65+	585	224,137	88	13.8	10.7-16.9	342	59.8	55.1-64.5	10	1.2	00.4-02.0	18	2.8	01.2-04.4	127	22.4	18.5-26.3
Less Than H.S.	54	42,846	14	23.5	11.3-35.7	28	55.9	41.0-70.8	1	1.3	00.0-03.8	3	2.5	00.0-06.0	8	16.9	05.5-28.3
H.S. or G.E.D.	302	142,253	25	7.7	04.4-11.0	195	65.0	58.9-71.1	6	2.3	00.1-04.5	12	4.6	01.5-07.7	64	20.4	15.3-25.5
Some Post-H.S.	232	115,635	37	15.9	10.8-21.0	137	60.6	53.5-67.7	3	0.4	00.0-01.0	7	2.8	00.4-05.2	48	20.4	14.5-26.3
College Graduate	311	104,599	58	17.4	12.7-22.1	180	58.5	52.2-64.8	5	1.1	00.0-02.3	9	2.7	00.7-04.7	59	20.3	15.2-25.4
\$15,000- 24,999	130	59,842	19	15.0	07.6-22.4	79	63.7	53.7-73.7	2	2.1	00.0-05.8	7	4.4	00.1-08.7	23	14.7	07.8-21.6
\$25,000- 34,999	95	41,470	14	13.3	06.0-20.6	48	48.7	36.7-60.7	2	2.4	00.0-05.9	8	10.8	01.8-19.8	23	24.8	14.4-35.2
\$35,000- 49,999	118	55,294	23	14.4	07.9-20.9	65	59.9	49.9-69.9	2	1.0	00.0-02.8	2	1.3	00.0-03.1	26	23.4	15.0-31.8
\$50,000- 74,999	128	60,272	22	19.2	11.0-27.4	74	54.5	44.5-64.5	1	0.6	00.0-01.8	2	1.2	00.0-03.2	29	24.5	15.7-33.3
\$75,000+	191	86,864	21	9.9	05.2-14.6	126	67.8	60.4-75.2	2	0.4	00.0-01.0	3	1.9	00.0-04.4	39	20.0	13.7-26.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 3: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? (CSRVTRT3)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	272	130,227	47	16.3	11.4-21.2	165	63.9	57.4-70.4	3	1.0	00.0-02.2	10	3.0	00.8-05.2	47	15.9	11.2-20.6
Female	692	305,669	81	11.6	08.9-14.3	398	56.9	52.6-61.2	12	1.1	00.3-01.9	15	2.3	00.7-03.9	186	28.0	24.1-31.9
White/Non-Hisp	859	390,235	108	12.2	09.7-14.7	496	58.9	55.2-62.6	14	1.1	00.5-01.7	23	2.7	01.3-04.1	218	25.0	21.7-28.3
Black or Afr. Am./Non-Hisp	54	22,021	11	21.1	08.2-34.0	37	69.0	53.9-84.1				1	1.2	00.0-03.6	5	8.8	00.0-18.2
45-54	94	51,495	12	15.9	07.1-24.7	58	61.4	50.6-72.2	2	2.1	00.0-05.0	3	3.2	00.0-07.3	19	17.4	09.6-25.2
55-64	212	112,533	29	14.3	09.0-19.6	129	59.0	51.4-66.6	2	0.5	00.0-01.3	7	2.6	00.4-04.8	45	23.6	16.7-30.5
65+	619	237,266	81	12.2	09.5-14.9	352	58.1	53.6-62.6	11	1.3	00.3-02.3	12	1.4	00.4-02.4	163	27.1	23.0-31.2
Less Than H.S.	64	51,396	14	19.6	09.2-30.0	32	52.7	39.0-66.4	1	1.1	00.0-03.3	2	1.9	00.0-04.8	15	24.7	12.7-36.7
H.S. or G.E.D.	325	147,706	26	7.9	04.6-11.2	195	60.3	54.2-66.4	5	1.5	00.1-02.9	11	3.7	01.0-06.4	88	26.6	21.1-32.1
Some Post-H.S.	259	129,654	36	13.5	09.0-18.0	148	58.7	51.8-65.6	3	0.4	00.0-00.8	6	2.1	00.1-04.1	66	25.3	19.0-31.6
College Graduate	311	104,493	52	16.5	11.8-21.2	183	59.6	53.3-65.9	6	1.6	00.2-03.0	6	1.8	00.2-03.4	64	20.5	15.4-25.6
Less than \$15,000	52	26,581	9	17.1	05.9-28.3	21	42.8	26.3-59.3	2	3.0	00.0-07.5	5	7.5	00.4-14.6	15	29.7	14.0-45.4
\$15,000- 24,999	134	60,388	19	17.1	09.1-25.1	80	61.1	50.9-71.3	1	0.2	00.0-00.6	5	1.6	00.0-03.4	29	20.0	11.8-28.2
\$25,000- 34,999	100	43,904	13	11.7	04.8-18.6	51	50.5	38.7-62.3	2	2.3	00.0-05.6	5	7.8	00.0-15.6	29	27.7	17.3-38.1
\$35,000- 49,999	114	54,843	18	11.0	05.1-16.9	66	65.3	55.3-75.3	3	1.9	00.0-04.3	1	0.5	00.0-01.5	26	21.4	13.0-29.8
\$50,000- 74,999	130	61,624	24	19.5	11.5-27.5	72	52.2	42.4-62.0	1	0.6	00.0-01.8	2	1.1	00.0-03.1	31	26.5	17.7-35.3
\$75,000+	196	93,442	19	8.1	04.0-12.2	118	59.2	51.2-67.2	2	0.4	00.0-01.0	4	2.9	00.0-06.0	53	29.4	21.8-37.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment  
TABLE 4: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	644	295,657	28	5.1	03.1-07.1	449	71.9	68.0-75.8	17	2.4	01.2-03.6	4	0.4	00.0-00.8	58	8.7	06.0-11.4	88	11.6	09.1-14.1
Male	259	127,142	11	5.1	02.0-08.2	187	72.0	65.7-78.3				1	0.2	00.0-00.6	26	11.2	06.5-15.9	34	11.6	07.5-15.7
Female	385	168,515	17	5.1	02.6-07.6	262	71.7	66.6-76.8	17	4.2	02.0-06.4	3	0.6	00.0-01.4	32	6.8	03.7-09.9	54	11.6	08.1-15.1
White/Non-Hisp	577	268,083	24	4.9	02.7-07.1	410	72.4	68.3-76.5	14	2.3	00.9-03.7	4	0.4	00.0-00.8	47	8.2	05.5-10.9	78	11.8	09.1-14.5
45-54	63	34,835	3	6.9	00.0-14.9	39	63.1	50.4-75.8	2	3.0	00.0-07.3	1	1.2	00.0-03.6	8	12.6	03.8-21.4	10	13.2	05.0-21.4
55-64	150	77,008	5	4.6	00.5-08.7	99	70.2	62.2-78.2	9	4.5	01.4-07.6				17	9.6	04.5-14.7	20	11.1	05.8-16.4
65+	403	159,409	19	5.3	02.8-07.8	293	75.7	71.2-80.2	3	0.7	00.0-01.5	3	0.5	00.0-01.1	30	5.9	03.4-08.4	55	11.9	08.6-15.2
H.S. or G.E.D.	222	104,097	11	5.7	02.2-09.2	151	70.9	64.2-77.6	6	3.2	00.7-05.7	2	0.5	00.0-01.3	26	9.5	05.4-13.6	26	10.1	05.8-14.4
Some Post-H.S.	165	84,783	9	5.5	01.4-09.6	104	65.4	57.4-73.4	6	2.3	00.3-04.3				17	11.0	05.5-16.5	29	15.8	09.9-21.7
College Graduate	220	75,950	5	2.9	00.4-05.4	168	79.9	74.2-85.6	5	2.5	00.1-04.9	2	0.8	00.0-02.0	11	3.0	00.8-05.2	29	10.9	06.6-15.2
\$15,000- 24,999	88	41,158	6	5.5	00.6-10.4	59	67.6	55.6-79.6	2	2.2	00.0-05.5	1	0.5	00.0-01.5	8	10.1	01.7-18.5	12	14.0	05.4-22.6
\$25,000- 34,999	59	24,921	2	4.5	00.0-11.0	36	70.7	58.0-83.4	2	3.1	00.0-07.4				8	9.6	02.0-17.2	11	12.1	03.9-20.3
\$35,000- 49,999	80	42,865	2	2.3	00.0-05.8	61	75.9	64.5-87.3	1	0.8	00.0-02.4	1	1.0	00.0-03.0	7	12.4	02.2-22.6	8	7.7	01.8-13.6
\$50,000- 74,999	84	38,082	3	4.5	00.0-09.8	57	70.2	59.2-81.2	2	1.7	00.0-04.1				9	8.6	01.9-15.3	13	15.0	06.4-23.6
\$75,000+	151	70,610	5	4.2	00.1-08.3	111	74.6	66.8-82.4	6	4.1	00.6-07.6				10	6.6	01.7-11.5	19	10.4	05.5-15.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment  
TABLE 5 WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	259	127,142	11	5.1	02.0-08.2	187	72.0	65.7-78.3	1	0.2	00.0-00.6	26	11.2	06.5-15.9	34	11.6	07.7-15.5
White/Non-Hisp	232	111,448	10	5.4	01.9-08.9	166	71.0	64.1-77.9	1	0.2	00.0-00.6	24	11.4	06.3-16.5	31	12.1	07.6-16.6
55-64	58	31,007	1	2.3	00.0-06.6	40	68.4	55.3-81.5				8	14.6	04.6-24.6	9	14.7	05.3-24.1
65+	172	72,546	9	6.4	02.3-10.5	126	74.1	66.8-81.4	1	0.3	00.0-00.9	13	6.7	02.6-10.8	23	12.5	07.2-17.8
H.S. or G.E.D.	85	44,653	4	3.9	00.0-08.0	59	71.9	61.3-82.5				12	13.6	05.8-21.4	10	10.5	03.1-17.9
Some Post-H.S.	66	37,147	3	7.0	00.0-14.8	46	65.5	52.4-78.6				8	13.7	03.9-23.5	9	13.8	05.0-22.6
College Graduate	93	32,930	2	2.6	00.0-06.1	73	83.0	75.4-90.6	1	0.6	00.0-01.8	4	2.0	00.0-04.5	13	11.7	05.2-18.2
\$75,000+	77	36,303	2	5.1	00.0-12.2	61	77.2	65.8-88.6				5	8.0	00.0-16.0	9	9.7	03.2-16.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 6: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	385	168,515	17	5.1	02.6-07.6	262	71.7	66.6-76.8	17	4.2	02.0-06.4	3	0.6	00.0-01.4	32	6.8	03.7-09.9	54	11.6	08.3-14.9
White/Non-Hisp	345	156,634	14	4.6	02.1-07.1	244	73.4	68.1-78.7	14	3.9	01.7-06.1	3	0.6	00.0-01.4	23	5.8	02.7-08.9	47	11.7	08.2-15.2
55-64	92	46,001	4	6.2	00.0-12.5	59	71.3	61.3-81.3	9	7.6	02.3-12.9				9	6.2	01.3-11.1	11	8.6	02.7-14.5
65+	231	86,863	10	4.4	01.3-07.5	167	77.1	71.2-83.0	3	1.2	00.0-02.8	2	0.6	00.0-01.6	17	5.2	02.3-08.1	32	11.4	07.1-15.7
H.S. or G.E.D.	137	59,444	7	7.1	01.6-12.6	92	70.1	61.5-78.7	6	5.6	01.1-10.1	2	0.9	00.0-02.3	14	6.5	02.4-10.6	16	9.8	04.5-15.1
Some Post-H.S.	99	47,635	6	4.4	00.3-08.5	58	65.3	55.3-75.3	6	4.1	00.6-07.6				9	8.9	02.8-15.0	20	17.4	09.4-25.4
College Graduate	127	43,020	3	3.1	00.0-06.6	95	77.6	69.6-85.6	5	4.3	00.0-08.6	1	1.0	00.0-03.0	7	3.8	00.7-06.9	16	10.2	04.5-15.9
\$15,000- 24,999	59	25,672	2	1.5	00.0-03.9	41	75.5	63.3-87.7	2	3.5	00.0-08.8	1	0.8	00.0-02.4	6	8.3	01.2-15.4	7	10.4	01.8-19.0
\$75,000+	74	34,307	3	3.2	00.0-07.1	50	71.9	61.1-82.7	6	8.4	01.3-15.5				5	5.2	00.3-10.1	10	11.2	03.8-18.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 7: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	621	285,905	283	45.4	40.9-49.9	338	54.6	50.1-59.1
Male	257	124,243	117	44.9	37.8-52.0	140	55.1	48.0-62.2
Female	364	161,662	166	45.7	39.8-51.6	198	54.3	48.4-60.2
White/Non-Hisp	552	257,894	246	44.9	40.2-49.6	306	55.1	50.4-59.8
45-54	57	32,247	33	54.3	40.2-68.4	24	45.7	31.6-59.8
55-64	153	76,464	81	52.4	43.4-61.4	72	47.6	38.6-56.6
65+	385	155,098	155	37.3	31.8-42.8	230	62.7	57.2-68.2
H.S. or G.E.D.	212	101,226	90	41.3	33.7-48.9	122	58.7	51.1-66.3
Some Post-H.S.	163	82,828	76	49.5	40.9-58.1	87	50.5	41.9-59.1
College Graduate	211	72,535	104	49.9	42.5-57.3	107	50.1	42.7-57.5
\$15,000- 24,999	87	40,630	29	30.4	19.2-41.6	58	69.6	58.4-80.8
\$25,000- 34,999	54	22,132	25	48.8	32.9-64.7	29	51.2	35.3-67.1
\$35,000- 49,999	79	41,528	31	37.9	25.6-50.2	48	62.1	49.8-74.4
\$50,000- 74,999	81	36,108	44	59.3	47.5-71.1	37	40.7	28.9-52.5
\$75,000+	147	68,134	76	53.5	44.5-62.5	71	46.5	37.5-55.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 8: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	257	124,243	117	44.9	37.8-52.0	140	55.1	48.0-62.2
White/Non-Hisp	227	107,364	103	44.6	37.2-52.0	124	55.4	48.0-62.8
55-64	60	31,165	32	54.3	40.6-68.0	28	45.7	32.0-59.4
65+	171	71,097	73	39.1	30.9-47.3	98	60.9	52.7-69.1
H.S. or G.E.D.	85	43,991	35	42.1	29.8-54.4	50	57.9	45.6-70.2
Some Post-H.S.	66	36,389	29	45.1	31.6-58.6	37	54.9	41.4-68.4
College Graduate	92	32,145	47	49.0	38.2-59.8	45	51.0	40.2-61.8
\$75,000+	76	34,909	40	54.7	41.8-67.6	36	45.3	32.4-58.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 9: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	364	161,662	166	45.7	39.8-51.6	198	54.3	48.4-60.2
White/Non-Hisp	325	150,530	143	45.1	39.0-51.2	182	54.9	48.8-61.0
55-64	93	45,299	49	51.2	39.2-63.2	44	48.8	36.8-60.8
65+	214	84,000	82	35.8	28.4-43.2	132	64.2	56.8-71.6
H.S. or G.E.D.	127	57,235	55	40.7	30.9-50.5	72	59.3	49.5-69.1
Some Post-H.S.	97	46,439	47	52.9	41.7-64.1	50	47.1	35.9-58.3
College Graduate	119	40,390	57	50.6	40.4-60.8	62	49.4	39.2-59.6
\$15,000- 24,999	54	23,117	16	26.8	12.9-40.7	38	73.2	59.3-87.1
\$75,000+	71	33,224	36	52.4	39.5-65.3	35	47.6	34.7-60.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 10: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	299,861	502	76.5	72.6-80.4	153	23.5	19.6-27.4
Male	271	131,699	195	70.5	64.2-76.8	76	29.5	23.2-35.8
Female	384	168,162	307	81.2	76.5-85.9	77	18.8	14.1-23.5
White/Non-Hisp	583	270,669	450	77.1	73.2-81.0	133	22.9	19.0-26.8
45-54	63	35,500	51	79.8	69.0-90.6	12	20.2	09.4-31.0
55-64	156	79,424	130	85.3	79.2-91.4	26	14.7	08.6-20.8
65+	409	162,079	299	70.7	65.2-76.2	110	29.3	23.8-34.8
H.S. or G.E.D.	225	105,360	168	72.1	65.0-79.2	57	27.9	20.8-35.0
Some Post-H.S.	171	86,191	132	81.1	75.0-87.2	39	18.9	12.8-25.0
College Graduate	222	76,819	180	83.9	78.8-89.0	42	16.1	11.0-21.2
\$15,000- 24,999	90	41,798	59	63.4	51.2-75.6	31	36.6	24.4-48.8
\$25,000- 34,999	59	24,413	40	68.5	54.4-82.6	19	31.5	17.4-45.6
\$35,000- 49,999	81	43,086	65	80.9	70.7-91.1	16	19.1	08.9-29.3
\$50,000- 74,999	84	38,215	68	83.8	75.8-91.8	16	16.2	08.2-24.2
\$75,000+	154	71,734	130	85.5	78.8-92.2	24	14.5	07.8-21.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 11: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	271	131,699	195	70.5	64.2-76.8	76	29.5	23.2-35.8
White/Non-Hisp	241	114,820	173	70.0	63.3-76.7	68	30.0	23.3-36.7
55-64	63	33,019	55	85.8	76.2-95.4	8	14.2	04.6-23.8
65+	178	74,137	118	62.6	54.2-71.0	60	37.4	29.0-45.8
H.S. or G.E.D.	89	46,072	61	64.2	52.6-75.8	28	35.8	24.2-47.4
Some Post-H.S.	70	38,901	50	77.3	67.3-87.3	20	22.7	12.7-32.7
College Graduate	97	34,316	76	79.8	71.4-88.2	21	20.2	11.8-28.6
\$75,000+	80	37,427	64	79.3	68.3-90.3	16	20.7	09.7-31.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 12: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

**Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	384	168,162	307	81.2	76.5-85.9	77	18.8	14.1-23.5
White/Non-Hisp	342	155,849	277	82.4	77.7-87.1	65	17.6	12.9-22.3
55-64	93	46,405	75	84.9	77.1-92.7	18	15.1	07.3-22.9
65+	231	87,942	181	77.5	70.6-84.4	50	22.5	15.6-29.4
H.S. or G.E.D.	136	59,289	107	78.2	69.8-86.6	29	21.8	13.4-30.2
Some Post-H.S.	101	47,290	82	84.3	76.7-91.9	19	15.7	08.1-23.3
College Graduate	125	42,503	104	87.2	81.3-93.1	21	12.8	06.9-18.7
\$15,000- 24,999	57	23,946	38	69.2	55.1-83.3	19	30.8	16.7-44.9
\$75,000+	74	34,307	66	92.3	86.2-98.4	8	7.7	01.6-13.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 13: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	469	214,817	386	84.4	80.9-87.9	83	15.6	12.1-19.1
Male	188	89,693	155	84.6	79.1-90.1	33	15.4	09.9-20.9
Female	281	125,125	231	84.2	79.5-88.9	50	15.8	11.1-20.5
White/Non-Hisp	419	195,528	343	84.0	80.3-87.7	76	16.0	12.3-19.7
55-64	125	65,261	110	88.1	81.8-94.4	15	11.9	05.6-18.2
65+	279	107,035	221	81.3	76.0-86.6	58	18.7	13.4-24.0
H.S. or G.E.D.	157	71,064	129	81.5	74.2-88.8	28	18.5	11.2-25.8
Some Post-H.S.	118	63,738	101	88.2	82.1-94.3	17	11.8	05.7-17.9
College Graduate	173	61,890	137	79.7	73.0-86.4	36	20.3	13.6-27.0
\$15,000- 24,999	56	25,558	43	72.1	57.4-86.8	13	27.9	13.2-42.6
\$35,000- 49,999	61	33,346	49	80.0	69.4-90.6	12	20.0	09.4-30.6
\$50,000- 74,999	65	30,745	59	91.2	83.6-98.8	6	8.8	01.2-16.4
\$75,000+	120	56,847	96	82.9	75.8-90.0	24	17.1	10.0-24.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 14: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	89,693	155	84.6	78.9-90.3	33	15.4	09.7-21.1
White/Non-Hisp	167	78,184	137	84.0	77.9-90.1	30	16.0	09.9-22.1
55-64	54	28,031	47	89.9	82.1-97.7	7	10.1	02.3-17.9
65+	114	45,220	90	79.3	70.9-87.7	24	20.7	12.3-29.1
H.S. or G.E.D.	57	27,915	48	84.0	73.0-95.0	9	16.0	05.0-27.0
College Graduate	75	27,109	57	77.1	67.3-86.9	18	22.9	13.1-32.7
\$75,000+	62	28,416	49	82.1	72.1-92.1	13	17.9	07.9-27.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 15: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	281	125,125	231	84.2	79.5-88.9	50	15.8	11.1-20.5
White/Non-Hisp	252	117,344	206	84.0	79.1-88.9	46	16.0	11.1-20.9
55-64	71	37,230	63	86.7	77.3-96.1	8	13.3	03.9-22.7
65+	165	61,815	131	82.8	76.1-89.5	34	17.2	10.5-23.9
H.S. or G.E.D.	100	43,149	81	79.9	70.1-89.7	19	20.1	10.3-29.9
Some Post-H.S.	70	34,945	59	87.4	79.4-95.4	11	12.6	04.6-20.6
College Graduate	98	34,781	80	81.7	72.5-90.9	18	18.3	09.1-27.5
\$75,000+	58	28,430	47	83.8	73.8-93.8	11	16.2	06.2-26.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 16: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	660	300,891	632	94.1	91.6-96.6	28	5.9	03.4-08.4
Male	270	129,622	258	94.5	91.0-98.0	12	5.5	02.0-09.0
Female	390	171,269	374	93.8	90.5-97.1	16	6.2	02.9-09.5
White/Non-Hisp	589	272,207	565	93.9	91.2-96.6	24	6.1	03.4-08.8
45-54	63	35,391	59	92.6	85.3-99.9	4	7.4	00.1-14.7
55-64	157	79,528	149	93.9	89.4-98.4	8	6.1	01.6-10.6
65+	413	163,213	402	97.5	96.1-98.9	11	2.5	01.1-03.9
H.S. or G.E.D.	228	105,922	217	94.0	90.5-97.5	11	6.0	02.5-09.5
Some Post-H.S.	168	85,397	159	94.0	89.3-98.7	9	6.0	01.3-10.7
College Graduate	224	77,003	220	98.6	97.0-100.0	4	1.4	00.0-03.0
\$15,000- 24,999	92	43,525	84	90.6	82.6-98.6	8	9.4	01.4-17.4
\$25,000- 34,999	60	25,084	54	90.4	82.6-98.2	6	9.6	01.8-17.4
\$35,000- 49,999	83	43,790	82	96.1	88.7-100.0	1	3.9	00.0-11.3
\$50,000- 74,999	85	38,318	84	98.1	94.4-100.0	1	1.9	00.0-05.6
\$75,000+	154	71,734	150	95.1	90.0-100.0	4	4.9	00.0-10.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 17: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	270	129,622	258	94.5	91.0-98.0	12	5.5	02.0-09.0
White/Non-Hisp	241	113,580	231	94.2	90.1-98.3	10	5.8	01.7-09.9
55-64	63	33,019	58	90.4	81.6-99.2	5	9.6	00.8-18.4
65+	179	74,105	174	97.5	95.1-99.9	5	2.5	00.1-04.9
H.S. or G.E.D.	89	45,024	86	96.2	91.9-100	3	3.8	00.0-08.1
Some Post-H.S.	69	38,064	64	93.8	87.7-99.9	5	6.2	00.1-12.3
College Graduate	96	33,917	94	98.2	95.7-100	2	1.8	00.0-04.3
\$75,000+	80	37,427	77	91.7	82.3-100	3	8.3	00.0-17.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 18: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	390	171,269	374	93.8	90.5-97.1	16	6.2	02.9-09.5
White/Non-Hisp	348	158,627	334	93.7	90.2-97.2	14	6.3	02.8-09.8
55-64	94	46,509	91	96.4	92.3-0100	3	3.6	00.0-07.7
65+	234	89,108	228	97.5	95.9-99.1	6	2.5	00.9-04.1
H.S. or G.E.D.	139	60,898	131	92.4	87.1-97.7	8	7.6	02.3-12.9
Some Post-H.S.	99	47,333	95	94.1	87.0-0100	4	5.9	00.0-13.0
College Graduate	128	43,086	126	98.8	96.8-0100	2	1.2	00.0-03.2
\$15,000- 24,999	59	25,672	54	89.3	77.1-0100	5	10.7	00.0-22.9
\$75,000+	74	34,307	73	98.7	96.2-0100	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 19: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	662	303,306	47	7.6	05.1-10.1	615	92.4	89.9-94.9
Male	272	132,255	15	4.9	02.0-07.8	257	95.1	92.2-98.0
Female	390	171,052	32	9.7	06.0-13.4	358	90.3	86.6-94.0
White/Non-Hisp	591	273,884	38	6.8	04.3-09.3	553	93.2	90.7-95.7
45-54	64	35,790	11	17.5	07.3-27.7	53	82.5	72.3-92.7
55-64	156	78,748	11	8.3	02.6-14.0	145	91.7	86.0-97.4
65+	414	164,363	25	6.3	03.6-09.0	389	93.7	91.0-96.4
H.S. or G.E.D.	228	106,801	17	8.8	03.9-13.7	211	91.2	86.3-96.1
Some Post-H.S.	170	86,726	13	7.1	02.8-11.4	157	92.9	88.6-97.2
College Graduate	225	77,401	15	7.6	03.9-11.3	210	92.4	88.7-96.1
\$15,000- 24,999	92	43,525	11	12.9	04.5-21.3	81	87.1	78.7-95.5
\$25,000- 34,999	60	25,084	6	9.4	01.8-17.0	54	90.6	83.0-98.2
\$35,000- 49,999	83	43,790	1	3.3	00.0-09.6	82	96.7	90.4-0100
\$50,000- 74,999	85	38,391	3	4.2	00.0-08.9	82	95.8	91.1-0100
\$75,000+	154	71,734	13	9.6	04.1-15.1	141	90.4	84.9-95.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 20: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	272	132,255	15	4.9	02.0-07.8	257	95.1	92.2-98.0
White/Non-Hisp	243	115,625	11	4.4	01.3-07.5	232	95.6	92.5-98.7
55-64	63	33,019	5	8.0	00.2-15.8	58	92.0	84.2-99.8
65+	179	74,692	7	2.6	00.4-04.8	172	97.4	95.2-99.6
H.S. or G.E.D.	89	46,421	4	4.5	00.0-09.6	85	95.5	90.4-0100
Some Post-H.S.	70	38,901	7	7.4	00.9-13.9	63	92.6	86.1-99.1
College Graduate	97	34,316	3	3.5	00.0-07.4	94	96.5	92.6-0100
\$75,000+	80	37,427	6	8.4	01.0-15.8	74	91.6	84.2-99.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 21: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	390	171,052	32	9.7	06.0-13.4	358	90.3	86.6-94.0
White/Non-Hisp	348	158,259	27	8.6	04.9-12.3	321	91.4	87.7-95.1
55-64	93	45,729	6	8.5	00.5-16.5	87	91.5	83.5-99.5
65+	235	89,671	18	9.4	04.7-14.1	217	90.6	85.9-95.3
H.S. or G.E.D.	139	60,380	13	12.0	04.6-19.4	126	88.0	80.6-95.4
Some Post-H.S.	100	47,825	6	6.8	01.1-12.5	94	93.2	87.5-98.9
College Graduate	128	43,086	12	10.9	04.8-17.0	116	89.1	83.0-95.2
\$15,000- 24,999	59	25,672	8	15.1	03.3-26.9	51	84.9	73.1-96.7
\$75,000+	74	34,307	7	10.9	02.7-19.1	67	89.1	80.9-97.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 22: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	301,063	22	3.3	01.7-04.9	633	96.7	95.1-98.3
Male	271	132,032	8	3.3	00.8-05.8	263	96.7	94.2-99.2
Female	384	169,031	14	3.3	01.3-05.3	370	96.7	94.7-98.7
White/Non-Hisp	587	273,314	18	3.2	01.6-04.8	569	96.8	95.2-98.4
45-54	64	35,790	2	3.8	00.0-09.1	62	96.2	90.9-0100
55-64	153	78,090	3	2.2	00.0-04.9	150	97.8	95.1-0100
65+	410	162,778	15	3.3	01.3-05.3	395	96.7	94.7-98.7
H.S. or G.E.D.	227	106,854	6	2.8	00.3-05.3	221	97.2	94.7-99.7
Some Post-H.S.	167	86,207	10	5.9	02.0-09.8	157	94.1	90.2-98.0
College Graduate	224	77,220	5	2.3	00.0-04.7	219	97.7	95.3-0100
\$15,000- 24,999	91	43,425	5	4.2	00.1-08.3	86	95.8	91.7-99.9
\$25,000- 34,999	59	24,413	3	5.2	00.0-11.7	56	94.8	88.3-0100
\$35,000- 49,999	83	43,790	3	5.1	00.0-10.8	80	94.9	89.2-0100
\$50,000- 74,999	85	38,391	1	1.2	00.0-03.6	84	98.8	96.4-0100
\$75,000+	154	71,734	6	4.4	00.5-08.3	148	95.6	91.7-99.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 23: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	271	132,032	8	3.3	00.8-05.8	263	96.7	94.2-99.2
White/Non-Hisp	242	115,279	7	3.3	00.6-06.0	235	96.7	94.0-99.4
55-64	62	32,893	1	3.2	00.0-09.3	61	96.8	90.7-0100
65+	179	74,596	5	2.6	00.0-05.3	174	97.4	94.7-0100
H.S. or G.E.D.	89	46,545	3	4.3	00.0-09.4	86	95.7	90.6-0100
Some Post-H.S.	70	38,901	4	5.7	00.0-11.8	66	94.3	88.2-0100
College Graduate	97	34,316	1	0.5	00.0-01.5	96	99.5	98.5-0100
\$75,000+	80	37,427	3	4.6	00.0-10.5	77	95.4	89.5-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 12: Cancer Survivorship: Course of Treatment**

**TABLE 24: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	384	169,031	14	3.3	01.3-05.3	370	96.7	94.7-98.7
White/Non-Hisp	345	158,034	11	3.0	01.0-05.0	334	97.0	95.0-99.0
55-64	91	45,197	2	1.4	00.0-03.6	89	98.6	96.4-0100
65+	231	88,182	10	3.9	01.2-06.6	221	96.1	93.4-98.8
H.S. or G.E.D.	138	60,309	3	1.6	00.0-03.8	135	98.4	96.2-0100
Some Post-H.S.	97	47,306	6	6.0	00.9-11.1	91	94.0	88.9-99.1
College Graduate	127	42,904	4	3.8	00.0-07.9	123	96.2	92.1-0100
\$15,000- 24,999	58	25,572	3	3.8	00.0-09.1	55	96.2	90.9-0100
\$75,000+	74	34,307	3	4.1	00.0-09.2	71	95.9	90.8-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 13: Cancer Survivorship: Pain Management CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
1	MALES AND FEMALES	111
2	MALES ONLY	112
3	FEMALES ONLY	113
	WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)	
4	MALES AND FEMALES	114
5	MALES ONLY	115
6	FEMALES ONLY	116

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management**

**TABLE 1: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRPAIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	988	439,736	64	7.5	05.3-09.7	924	92.5	90.3-94.7
Male	420	193,916	26	7.6	04.3-10.9	394	92.4	89.1-95.7
Female	568	245,820	38	7.5	04.8-10.2	530	92.5	89.8-95.2
White/Non-Hisp	899	403,515	60	7.9	05.5-10.3	839	92.1	89.7-94.5
45-54	89	48,385	10	14.9	06.3-23.5	79	85.1	76.5-93.7
55-64	209	107,249	20	8.1	04.4-11.8	189	91.9	88.2-95.6
65+	653	251,856	25	3.3	01.7-04.9	628	96.7	95.1-98.3
H.S. or G.E.D.	332	154,444	16	5.8	02.9-08.7	316	94.2	91.3-97.1
Some Post-H.S.	253	127,459	24	10.7	06.0-15.4	229	89.3	84.6-94.0
College Graduate	350	116,269	19	5.2	02.7-07.7	331	94.8	92.3-97.3
\$15,000- 24,999	124	59,112	17	16.4	08.0-24.8	107	83.6	75.2-92.0
\$25,000- 34,999	105	43,631	3	2.3	00.0-05.0	102	97.7	95.0-100
\$35,000- 49,999	128	62,018	9	9.2	01.9-16.5	119	90.8	83.5-98.1
\$50,000- 74,999	133	58,561	8	7.7	02.2-13.2	125	92.3	86.8-97.8
\$75,000+	227	104,450	13	5.6	02.3-08.9	214	94.4	91.1-97.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 2: &titl11.**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	420	193,916	26	7.6	04.3-10.9	394	92.4	89.1-95.7
White/Non-Hisp	380	173,137	24	7.9	04.4-11.4	356	92.1	88.6-95.6
55-64	87	45,684	5	6.0	00.5-11.5	82	94.0	88.5-99.5
65+	292	116,514	13	3.8	01.4-06.2	279	96.2	93.8-98.6
H.S. or G.E.D.	127	65,360	7	6.9	01.6-12.2	120	93.1	87.8-98.4
Some Post-H.S.	104	55,648	9	10.5	03.1-17.9	95	89.5	82.1-96.9
College Graduate	169	57,242	8	4.3	01.0-07.6	161	95.7	92.4-99.0
\$35,000- 49,999	61	29,419	2	6.2	00.0-15.2	59	93.8	84.8-0100
\$50,000- 74,999	61	27,030	3	3.7	00.0-08.6	58	96.3	91.4-0100
\$75,000+	116	51,606	2	2.3	00.0-05.4	114	97.7	94.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 3: &titl11.**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	568	245,820	38	7.5	04.8-10.2	530	92.5	89.8-95.2
White/Non-Hisp	519	230,377	36	7.9	05.0-10.8	483	92.1	89.2-95.0
45-54	62	30,862	7	16.9	05.3-28.5	55	83.1	71.5-94.7
55-64	122	61,565	15	9.6	04.3-14.9	107	90.4	85.1-95.7
65+	361	135,341	12	2.8	00.8-04.8	349	97.2	95.2-99.2
H.S. or G.E.D.	205	89,084	9	5.0	01.5-08.5	196	95.0	91.5-98.5
Some Post-H.S.	149	71,811	15	10.9	05.0-16.8	134	89.1	83.2-95.0
College Graduate	181	59,027	11	6.1	02.0-10.2	170	93.9	89.8-98.0
\$15,000- 24,999	77	33,607	8	9.8	02.4-17.2	69	90.2	82.8-97.6
\$25,000- 34,999	60	24,742	1	1.8	00.0-05.3	59	98.2	94.7-0100
\$35,000- 49,999	67	32,599	7	12.0	00.8-23.2	60	88.0	76.8-99.2
\$50,000- 74,999	72	31,532	5	11.2	01.8-20.6	67	88.8	79.4-98.2
\$75,000+	111	52,844	11	8.9	03.0-14.8	100	91.1	85.2-97.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 4: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	106	53,801	53	50.8	39.8-61.8	31	30.1	19.7-40.5	8	6.7	00.2-13.2	14	12.4	05.7-19.1
Female	70	33,910	33	46.1	32.0-60.2	24	36.6	23.1-50.1	2	1.7	00.0-04.8	11	15.6	06.2-25.0
White/Non-Hisp	91	47,071	44	48.1	36.3-59.9	27	32.9	21.3-44.5	7	6.7	00.0-13.8	13	12.3	05.4-19.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 5: &titl12.**

**Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

**NOTE:**

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 13: Cancer Survivorship: Pain Management  
TABLE 6: &titl12.**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	70	33,910	33	46.1	32.0-60.2	24	36.6	23.1-50.1	2	1.7	00.0-04.8	11	15.6	06.4-24.8
White/Non-Hisp	60	29,345	27	41.5	27.2-55.8	21	41.6	26.7-56.5	2	1.9	00.0-05.4	10	14.9	05.7-24.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 20: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI) CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	M20.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	118
2	MALES ONLY	119
3	FEMALES ONLY	120
	M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	121
5	MALES ONLY	122
6	FEMALES ONLY	123
	M20.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	124
8	MALES ONLY	125
9	FEMALES ONLY	126



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 20: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 1: M20.01.a Which of the following best represents how you think of yourself? (SOMALE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3562	2,371,655	81	2.0	01.4-02.6	3360	94.8	94.0-95.6	62	1.7	01.1-02.3	59	1.4	01.0-01.8	
White/Non-Hisp	2922	1,884,814	67	1.9	01.3-02.5	2762	95.1	94.1-96.1	53	1.9	01.3-02.5	40	1.1	00.7-01.5	
Black or Afr. Am./Non-Hisp	262	201,528	7	3.3	00.0-06.6	250	94.8	90.9-98.7	1	0.0	00.0-00.0	4	1.9	00.0-03.9	
Oth. Race/Non-Hisp.	101	84,417				95	96.0	92.5-99.5	2	1.9	00.0-04.4	4	2.1	00.0-04.5	
MultiRacial/Non-Hisp.	55	25,008	3	7.4	00.0-17.0	47	84.1	72.1-96.1	3	3.3	00.0-07.6	2	5.2	00.0-12.3	
Hispanic	160	134,151	2	1.0	00.0-02.6	149	93.8	90.1-97.5	3	1.8	00.0-04.0	6	3.4	00.7-06.1	
18-24	245	320,754	10	3.6	01.2-06.0	218	91.0	87.5-94.5	14	4.3	01.9-06.7	3	1.1	00.0-02.3	
25-34	380	410,087	15	3.3	01.3-05.3	353	94.4	92.0-96.8	7	1.4	00.2-02.6	5	0.9	00.1-01.7	
35-44	459	395,152	5	0.6	00.0-01.2	440	96.7	95.1-98.3	7	1.3	00.1-02.5	7	1.4	00.4-02.4	
45-54	592	380,944	10	1.5	00.3-02.7	571	96.2	94.4-98.0	6	1.5	00.1-02.9	5	0.9	00.1-01.7	
55-64	747	396,350	14	1.1	00.5-01.7	712	96.8	95.6-98.0	11	1.2	00.4-02.0	10	0.9	00.3-01.5	
65+	1139	468,369	27	2.3	01.3-03.3	1066	93.6	91.8-95.4	17	1.2	00.6-01.8	29	3.0	01.6-04.4	
Less Than H.S.	262	285,875	4	1.3	00.0-02.7	242	93.8	90.9-96.7	4	1.5	00.0-03.1	12	3.5	01.3-05.7	
H.S. or G.E.D.	1221	853,367	21	1.8	00.8-02.8	1159	95.1	93.7-96.5	16	1.3	00.5-02.1	25	1.8	01.0-02.6	
Some Post-H.S.	919	706,664	30	2.8	01.4-04.2	858	94.2	92.4-96.0	22	2.3	01.1-03.5	9	0.6	00.2-01.0	
College Graduate	1154	523,555	26	1.8	01.0-02.6	1095	95.8	94.6-97.0	20	1.6	00.8-02.4	13	0.8	00.4-01.2	
Less than \$15,000	182	120,737	7	2.7	00.5-04.9	161	91.4	87.1-95.7	4	1.5	00.0-03.3	10	4.4	01.3-07.5	
\$15,000- 24,999	405	271,671	11	3.3	00.6-06.0	373	92.2	88.9-95.5	9	2.2	00.4-04.0	12	2.3	00.9-03.7	
\$25,000- 34,999	298	187,215	4	1.2	00.0-02.6	279	93.3	89.8-96.8	8	3.5	00.8-06.2	7	1.9	00.3-03.5	
\$35,000- 49,999	449	280,842	13	1.9	00.7-03.1	417	93.8	91.3-96.3	14	3.5	01.3-05.7	5	0.8	00.0-01.6	
\$50,000- 74,999	493	337,702	18	3.0	01.2-04.8	463	95.2	93.0-97.4	10	1.6	00.4-02.8	2	0.3	00.0-00.7	
\$75,000+	1079	730,181	18	1.6	00.6-02.6	1049	97.6	96.4-98.8	7	0.6	00.0-01.2	5	0.2	00.0-00.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 20: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 2: M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4320	2,479,267	50	1.4	01.0-01.8	4105	92.9	91.7-94.1	110	4.3	03.3-05.3	55	1.4	00.8-02.0
White/Non-Hisp	3546	1,997,996	43	1.5	00.9-02.1	3378	93.3	92.1-94.5	86	4.1	03.1-05.1	39	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	409	226,972	5	1.0	00.0-02.2	394	95.5	92.4-98.6	5	2.1	00.0-04.5	5	1.3	00.0-02.9
Oth. Race/Non-Hisp.	86	59,108				76	91.6	85.7-97.5	8	7.6	01.9-13.3	2	0.8	00.0-02.2
MultiRacial/Non-Hisp.	65	24,198	1	3.6	00.0-10.5	61	92.5	84.3-0100	3	3.9	00.0-08.8			
Hispanic	159	143,315	1	1.3	00.0-03.7	142	83.4	75.0-91.8	8	9.3	02.2-16.4	8	6.0	01.1-10.9
18-24	202	301,722	7	3.7	01.0-06.4	150	72.3	65.2-79.4	39	20.1	13.8-26.4	6	4.0	00.5-07.5
25-34	390	404,179	4	1.2	00.0-02.4	355	91.7	88.8-94.6	24	5.6	03.1-08.1	7	1.5	00.3-02.7
35-44	500	380,795	10	2.1	00.7-03.5	468	94.2	91.8-96.6	17	2.9	01.1-04.7	5	0.8	00.0-01.6
45-54	698	382,757	9	1.1	00.3-01.9	672	96.6	95.2-98.0	10	1.2	00.4-02.0	7	1.0	00.2-01.8
55-64	873	419,355	13	1.1	00.3-01.9	842	97.1	95.9-98.3	9	1.2	00.2-02.2	9	0.7	00.1-01.3
65+	1657	590,459	7	0.3	00.1-00.5	1618	98.1	97.5-98.7	11	0.5	00.1-00.9	21	1.0	00.4-01.6
Less Than H.S.	290	281,823	2	0.3	00.0-00.7	273	92.1	87.6-96.6	10	5.3	01.4-09.2	5	2.3	00.0-04.8
H.S. or G.E.D.	1374	791,097	15	1.7	00.7-02.7	1306	92.6	90.4-94.8	31	3.9	02.1-05.7	22	1.8	00.6-03.0
Some Post-H.S.	1153	770,454	17	1.8	00.8-02.8	1091	91.8	89.4-94.2	36	5.7	03.5-07.9	9	0.7	00.1-01.3
College Graduate	1491	628,848	16	1.0	00.4-01.6	1424	95.2	94.0-96.4	33	2.7	01.7-03.7	18	1.1	00.5-01.7
Less than \$15,000	323	195,324	6	1.8	00.0-04.0	305	92.0	87.3-96.7	7	4.2	00.3-08.1	5	2.0	00.0-04.0
\$15,000- 24,999	598	356,805	6	1.2	00.0-02.4	560	90.4	86.7-94.1	23	6.4	03.3-09.5	9	2.0	00.0-04.0
\$25,000- 34,999	388	208,040	6	1.7	00.3-03.1	369	93.0	89.1-96.9	7	3.8	00.5-07.1	6	1.6	00.2-03.0
\$35,000- 49,999	516	290,114	9	1.6	00.4-02.8	483	93.0	90.1-95.9	17	4.0	01.6-06.4	7	1.4	00.0-02.8
\$50,000- 74,999	565	327,251	3	0.8	00.0-01.8	538	93.7	91.0-96.4	18	4.3	01.9-06.7	6	1.2	00.0-02.4
\$75,000+	938	561,547	12	1.4	00.4-02.4	902	95.7	93.9-97.5	14	2.1	00.7-03.5	10	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**INDIANA MODULE QUESTIONS DATA REPORT, 2020**  
**MODULE 20: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**  
**TABLE 3: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8075	4,948,660	9	0.2	00.0-00.4	15	0.3	00.1-00.5	3	0.1	00.1-00.1	8048	99.5	99.3-99.7
Male	3639	2,410,709	7	0.2	00.0-00.4	7	0.3	00.1-00.5	1	0.0	00.0-00.0	3624	99.5	99.3-99.7
Female	4436	2,537,951	2	0.2	00.0-00.4	8	0.2	00.0-00.4	2	0.1	00.0-00.3	4424	99.5	99.1-99.9
White/Non-Hisp	6587	3,935,608	7	0.2	00.0-00.4	10	0.2	00.0-00.4	2	0.0	00.0-00.0	6568	99.5	99.3-99.7
Black or Afr. Am./Non-Hisp	696	440,000	2	0.5	00.0-01.1	2	0.2	00.0-00.6				692	99.3	98.5-0100
Oth. Race/Non-Hisp.	198	148,301				2	0.8	00.0-02.0				196	99.2	98.0-0100
MultiRacial/Non-Hisp.	120	48,670										120	100.0	0100-0100
Hispanic	339	294,467							1	0.3	00.0-00.9	338	99.7	99.1-0100
18-24	450	626,515	1	0.3	00.0-00.9	3	0.6	00.0-01.2				446	99.2	98.4-0100
25-34	781	825,042	2	0.4	00.0-01.0	2	0.3	00.0-00.7	1	0.1	00.0-00.3	776	99.2	98.4-0100
35-44	975	790,419	1	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.2	00.0-00.6	972	99.5	98.9-0100
45-54	1315	780,056	1	0.1	00.0-00.3	3	0.3	00.0-00.7				1311	99.6	99.2-0100
55-64	1655	833,718	1	0.1	00.0-00.3	2	0.1	00.0-00.3				1652	99.8	99.6-0100
65+	2899	1,092,911	3	0.1	00.0-00.3	4	0.2	00.0-00.4	1	0.0	00.0-00.0	2891	99.7	99.5-99.9
Less Than H.S.	577	589,207	3	0.7	00.0-01.7	2	0.5	00.0-01.1	1	0.1	00.0-00.3	571	98.8	97.6-0100
H.S. or G.E.D.	2662	1,673,615	4	0.2	00.0-00.4	5	0.3	00.1-00.5				2653	99.5	99.1-99.9
Some Post-H.S.	2126	1,508,427	1	0.0	00.0-00.0	4	0.2	00.0-00.4	2	0.1	00.0-00.3	2119	99.6	99.2-0100
College Graduate	2689	1,166,490	1	0.1	00.0-00.3	3	0.1	00.0-00.3				2685	99.8	99.6-0100
Less than \$15,000	518	323,297										518	100.0	0100-0100
\$15,000- 24,999	1028	638,067				3	0.2	00.0-00.6	1	0.1	00.0-00.3	1024	99.6	99.2-0100
\$25,000- 34,999	699	400,561	1	0.1	00.0-00.3	1	0.4	00.0-01.2	1	0.1	00.0-00.3	696	99.4	98.4-0100
\$35,000- 49,999	974	576,951	1	0.4	00.0-01.2	3	0.4	00.0-00.8				970	99.2	98.2-0100
\$50,000- 74,999	1075	676,286	2	0.2	00.0-00.4	3	0.4	00.0-00.8				1070	99.4	98.8-0100
\$75,000+	2032	1,300,373	1	0.0	00.0-00.0				1	0.1	00.0-00.3	2030	99.8	99.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 20: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)

TABLE 5: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3639	2,410,709	7	0.2	00.0-00.4	7	0.3	00.1-00.5	1	0.0	00.0-00.0	3624	99.5	99.3-99.7
White/Non-Hisp	2965	1,903,240	5	0.1	00.0-00.3	5	0.3	00.1-00.5				2955	99.6	99.4-99.8
Black or Afr. Am./Non-Hisp	271	207,116	2	1.0	00.0-02.4							269	99.0	97.6-0100
Oth. Race/Non-Hisp.	107	87,078				1	1.0	00.0-03.0				106	99.0	97.0-0100
MultiRacial/Non-Hisp.	55	24,703										55	100.0	0100-0100
Hispanic	166	138,098							1	0.6	00.0-01.8	165	99.4	98.2-0100
18-24	248	324,758				1	0.5	00.0-01.5				247	99.5	98.5-0100
25-34	385	414,081	1	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6	382	99.4	98.8-0100
35-44	461	396,385	1	0.3	00.0-00.9							460	99.7	99.1-0100
45-54	606	389,418	1	0.2	00.0-00.6	3	0.7	00.0-01.5				602	99.1	98.3-99.9
55-64	770	407,826	1	0.1	00.0-00.3	1	0.2	00.0-00.6				768	99.6	99.0-0100
65+	1169	478,242	3	0.2	00.0-00.4	1	0.2	00.0-00.6				1165	99.6	99.2-0100
Less Than H.S.	272	292,871	2	0.5	00.0-01.5	2	0.9	00.0-02.3				268	98.5	96.9-0100
H.S. or G.E.D.	1243	864,752	3	0.2	00.0-00.4	2	0.2	00.0-00.4				1238	99.6	99.2-0100
Some Post-H.S.	940	718,253	1	0.0	00.0-00.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	937	99.7	99.3-0100
College Graduate	1177	532,341	1	0.1	00.0-00.3	1	0.2	00.0-00.6				1175	99.7	99.3-0100
Less than \$15,000	189	122,992										189	100.0	0100-0100
\$15,000- 24,999	415	276,621							1	0.3	00.0-00.9	414	99.7	99.1-0100
\$25,000- 34,999	300	187,999	1	0.1	00.0-00.3	1	0.9	00.0-02.7				298	98.9	97.1-0100
\$35,000- 49,999	454	283,614				2	0.6	00.0-01.4				452	99.4	98.6-0100
\$50,000- 74,999	501	342,363	2	0.3	00.0-00.7	2	0.5	00.0-01.3				497	99.1	98.1-0100
\$75,000+	1089	736,720	1	0.1	00.0-00.3							1088	99.9	99.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020  
MODULE 20: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)  
TABLE 6: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4436	2,537,951	2	0.2	00.0-00.4	8	0.2	00.0-00.4	2	0.1	00.0-00.3	4424	99.5	99.1-99.9
White/Non-Hisp	3622	2,032,367	2	0.2	00.0-00.6	5	0.2	00.0-00.4	2	0.1	00.0-00.3	3613	99.5	99.1-99.9
Black or Afr. Am./Non-Hisp	425	232,883				2	0.5	00.0-01.3				423	99.5	98.7-0100
Oth. Race/Non-Hisp.	91	61,222				1	0.6	00.0-01.8				90	99.4	98.2-0100
MultiRacial/Non-Hisp.	65	23,967										65	100.0	0100-0100
Hispanic	173	156,368										173	100.0	0100-0100
18-24	202	301,757	1	0.6	00.0-01.8	2	0.6	00.0-01.4				199	98.8	97.4-0100
25-34	396	410,961	1	0.6	00.0-01.8	1	0.4	00.0-01.2				394	99.0	97.6-0100
35-44	514	394,034				1	0.2	00.0-00.6	1	0.4	00.0-01.2	512	99.4	98.6-0100
45-54	709	390,637										709	100.0	0100-0100
55-64	885	425,893				1	0.1	00.0-00.3				884	99.9	99.7-0100
65+	1730	614,668				3	0.2	00.0-00.4	1	0.1	00.0-00.3	1726	99.7	99.3-0100
Less Than H.S.	305	296,337	1	0.9	00.0-02.7				1	0.2	00.0-00.6	303	99.0	97.2-0100
H.S. or G.E.D.	1419	808,863	1	0.2	00.0-00.6	3	0.4	00.0-00.8				1415	99.4	98.8-0100
Some Post-H.S.	1186	790,174				3	0.3	00.0-00.7	1	0.2	00.0-00.6	1182	99.6	99.2-0100
College Graduate	1512	634,149				2	0.1	00.0-00.3				1510	99.9	99.7-0100
Less than \$15,000	329	200,305										329	100.0	0100-0100
\$15,000- 24,999	613	361,446				3	0.4	00.0-01.0				610	99.6	99.0-0100
\$25,000- 34,999	399	212,562							1	0.2	00.0-00.6	398	99.8	99.4-0100
\$35,000- 49,999	520	293,336	1	0.9	00.0-02.7	1	0.2	00.0-00.6				518	99.0	97.2-0100
\$50,000- 74,999	574	333,923				1	0.3	00.0-00.9				573	99.7	99.1-0100
\$75,000+	943	563,653							1	0.3	00.0-00.9	942	99.7	99.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA MODULE QUESTIONS DATA REPORT, 2020**

End of Module Data Report