

Fort Wayne Metropolitan Area

County	Site	1st	2nd	3rd	4th	01-03 ave	Critical Val	02-04 Ave
Allen County	Leo HS	0.084	0.097	0.092	0.09	0.088	0.072	0.085
	fw							
hun	roanok							

INDIANA OZONE - DAILY MAXIMUM 8-HOUR AVERAGES

1995 - 2006

Fort Wayne Metropolitan Area EIGHT HOUR OZONE AVERAGES (PPM)

Updated : 10/02/06

Allen County

Leo HS

18 003 0002

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.104		0.099		0.098		0.097		11		
1996	0.091		0.088		0.088		0.087		4		
1997	0.089	7/12	0.087	5/24	0.087	6/24	0.086	6/29	5	(95-97 ave)	0.090
1998	0.096	5/15	0.092	9/13	0.091	7/13	0.089	5/19	8	(96-98 ave)	0.087
1999	0.093	9/3	0.093	6/23	0.091	7/16	0.090	9/4	12	(97-99 ave)	0.088
2000	0.098	6/9	0.096	6/1	0.091	6/8	0.091	7/27	4	(98-00 ave)	0.090
2001	0.093	6/28	0.089	7/20	0.083	6/13	0.082	7/16	2	(99-01 ave)	0.087
2002	0.096	8/1	0.094	7/14	0.094	7/15	0.093	6/23	13	(00-02 ave)	0.088
2003	0.104	6/25	0.097	6/24	0.092	6/18	0.090	6/23	4	(01-03 ave)	0.088
2004	0.084	7/1	0.080	9/22	0.074	4/16	0.073	7/2	0	(02-04 ave)	0.085
2005	0.091	7/11	0.087	7/10	0.087	8/2	0.086	6/21	8	(03-05 ave)	0.083
2006	0.078	8/17	0.076	6/16	0.076	6/17	0.073	6/6	0	(04-06 ave)	0.077

Fort Wayne

18 003 0004

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.100		0.099		0.091		0.090		5		
1996	0.097		0.096		0.095		0.094		10		
1997	0.090	5/24	0.089	7/12	0.088	7/13	0.087	6/24	7	(95-97 ave)	0.090
1998	0.094	5/15	0.091	9/13	0.09	9/12	0.089	7/13	5	(96-98 ave)	0.090
1999	0.094	9/3	0.088	6/22	0.088	6/23	0.088	9/2	11	(97-99 ave)	0.088
2000	0.088	6/9	0.083	6/1	0.082	7/27	0.081	6/8	1	(98-00 ave)	0.086
2001	0.079	6/28	0.079	7/20	0.076	6/19	0.074	7/16	0	(99-01 ave)	0.081
2002	0.100	8/1	0.098	9/9	0.097	7/14	0.097	8/10	15	(00-02 ave)	0.084
2003	0.101	6/25	0.096	6/24	0.085	6/23	0.084	7/3	3	(01-03 ave)	0.085
2004	0.078	7/1	0.078	9/22	0.074	7/2	0.069	4/16	0	(02-04 ave)	0.083
2005	0.084	7/10	0.077	7/11	0.077	9/13	0.076	6/26	0	(03-05 ave)	0.076
2006	0.074	8/17	0.072	6/16	0.071	6/17	0.071	8/25	0	(04-06 ave)	0.072

Huntington County

Roanoke

18 069 0002

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2000	0.093	6/9	0.091	6/1	0.087	6/8	0.087	7/27	4	(00 ave)	0.087
2001	0.085	6/19	0.083	6/18	0.082	6/14	0.082	6/28	1	(00-01 ave)	0.084
2002	0.090	7/14	0.090	8/1	0.090	8/10	0.089	6/22	10	(00-02 ave)	0.086
2003	0.105	6/25	0.091	6/18	0.091	6/24	0.083	8/25	3	(01-03 ave)	0.084
2004	0.075	7/2	0.071	4/16	0.071	9/22	0.069	4/29	0	(02-04 ave)	0.080
2005	0.082	6/8	0.082	7/11	0.080	6/27	0.078	9/13	0	(03-05 ave)	0.076
2006	0.076	6/16	0.073	6/6	0.073	7/2	0.072	8/17	0	(04-06 ave)	0.073

Louisville, KY Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)

Clark County

Charlestown
18 019 0003

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.114		0.111		0.108		0.100		18		
1996	0.094		0.090		0.082		0.081		2		
1997	0.111	7/17	0.101	7/12	0.097	6/24	0.097	7/18	10	(95-97 ave)	0.092
1998	0.132	9/13	0.112	9/12	0.109	9/5	0.104	5/19	22	(96-98 ave)	0.094
1999	0.096	6/22	0.091	6/10	0.089	6/11	0.089	7/30	11	(97-99 ave)	0.096
2000	0.088	6/9	0.088	8/17	0.087	6/1	0.085	7/2	4	(98-00 ave)	0.092
2001	0.096	5/5	0.088	7/16	0.087	6/19	0.086	6/13	4	(99-01 ave)	0.086
2002	0.103	7/8	0.101	8/1	0.101	8/10	0.100	9/7	17	(00-02 ave)	0.090
2003	0.096	6/23	0.092	6/24	0.092	8/20	0.090	6/30	4	(01-03 ave)	0.092
2004	0.080	6/30	0.078	8/19	0.076	8/8	0.074	6/5	0	(02-04 ave)	0.088
2005	0.098	6/24	0.092	6/25	0.086	8/11	0.080	7/10	3	(03-05 ave)	0.081
2006	0.092	8/17	0.090	7/18	0.087	7/17	0.079	6/17	3	(04-06 ave)	0.077

Floyd County

New Albany
18 043 1004

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.099		0.096		0.095		0.094		14		
1996	0.113		0.107		0.093		0.092		16		
1997	0.109	7/17	0.107	6/28	0.089	6/23	0.084	7/13	3	(95-97 ave)	0.090
1998	0.119	9/13	0.115	5/14	0.101	5/19	0.100	8/22	14	(96-98 ave)	0.092
1999	0.109	6/22	0.099	6/21	0.094	6/10	0.094	7/30	10	(97-99 ave)	0.092
2000	0.080	7/27	0.080	8/17	0.077	7/8	0.077	8/14	0	(98-00 ave)	0.090
2001	0.084	8/1	0.080	6/18	0.077	8/7	0.076	8/2	0	(99-01 ave)	0.082
2002	0.112	9/8	0.101	7/8	0.099	9/6	0.097	8/10	13	(00-02 ave)	0.083
2003	0.097	6/23	0.097	6/24	0.092	6/30	0.086	7/30	4	(01-03 ave)	0.086
2004	0.079	6/30	0.078	6/5	0.077	8/19	0.071	5/8	0	(02-04 ave)	0.084
2005	0.092	6/25	0.086	6/24	0.081	8/2	0.080	8/11	2	(03-05 ave)	0.079
2006	0.101	7/18	0.082	7/8	0.077	5/27	0.076	7/1	1	(04-06 ave)	0.075

Indianapolis Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)

Marion County

Mann Rd.
18 097 0042

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.095		0.093		0.092		0.089		7		
1996	0.098		0.097		0.097		0.092		5		
1997	0.089	6/28	0.086	5/24	0.085	9/16	0.084	7/12	3	(95-97 ave)	0.088
1998	0.096	5/19	0.094	9/14	0.093	5/14	0.092	9/12	9	(96-98 ave)	0.089
1999	0.094	5/29	0.093	6/21	0.093	9/4	0.090	9/2	9	(97-99 ave)	0.088
2000	0.089	6/9	0.086	6/1	0.082	6/8	0.082	7/27	2	(98-00 ave)	0.088
2001	0.080	6/13	0.080	6/19	0.080	8/6	0.078	5/6	0	(99-01 ave)	0.083
2002	0.102	6/21	0.100	6/22	0.099	7/15	0.093	8/10	11	(00-02 ave)	0.084
2003	0.087	6/18	0.087	6/25	0.075	4/16	0.074	4/14	2	(01-03 ave)	0.081
2004	0.071	4/16	0.068	4/29	0.068	7/2	0.065	5/8	0	(02-04 ave)	0.077
2005	0.083	7/9	0.081	6/26	0.077	7/31	0.076	6/24	0	(03-05 ave)	0.071
2006	0.082	7/18	0.078	6/17	0.075	7/16	0.074	5/24	0	(04-06 ave)	0.071

Harding St.
18 097 0057

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.104		0.098		0.095		0.091		8		
1996	0.105		0.099		0.098		0.096		7		
1997	0.093	6/28	0.093	7/20	0.087	9/16	0.085	5/24	6	(95-97 ave)	0.090
1998	0.092	9/12	0.089	9/5	0.088	5/15	0.087	9/13	7	(96-98 ave)	0.089
1999	0.099	5/29	0.096	6/22	0.095	6/21	0.094	6/10	7	(97-99 ave)	0.088
2000	0.088	6/9	0.086	7/27	0.085	6/1	0.078	6/8	3	(98-00 ave)	0.086
2001	0.088	6/13	0.087	5/6	0.085	6/19	0.081	8/6	3	(99-01 ave)	0.084
2002	0.117	6/21	0.111	6/22	0.100	7/15	0.099	8/10	12	(00-02 ave)	0.086
2003	0.097	6/18	0.089	6/25	0.077	6/24	0.075	8/28	2	(01-03 ave)	0.085
2004	0.070	7/2	0.068	9/22	0.066	6/6	0.066	6/6	0	(02-04 ave)	0.080
2005	0.089	6/26	0.084	7/9	0.082	7/10	0.081	4/17	1	(03-05 ave)	0.074
2006	0.082	7/16	0.077	7/19	0.076	7/18	0.076	8/17	0	(04-06 ave)	0.074

Fort Benjamin Harrison
18 097 0050

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.106		0.101		0.099		0.099		15		
1996	0.122		0.101		0.099		0.096		10		
1997	0.105	7/12	0.095	8/1	0.092	7/25	0.090	7/17	8	(95-97 ave)	0.095
1998	0.102	9/13	0.097	9/12	0.096	5/14	0.095	5/15	14	(96-98 ave)	0.093
1999	0.101	5/29	0.101	9/1	0.096	6/10	0.096	6/22	11	(97-99 ave)	0.093
2000	0.098	6/9	0.091	6/1	0.089	7/27	0.083	6/8	3	(98-00 ave)	0.091
2001	0.098	7/31	0.091	6/13	0.089	8/8	0.087	6/19	6	(99-01 ave)	0.088
2002	0.112	6/21	0.105	6/22	0.104	7/15	0.100	8/10	11	(00-02 ave)	0.090
2003	0.104	6/18	0.096	6/24	0.094	6/25	0.091	6/23	5	(01-03 ave)	0.092
2004	0.074	6/30	0.074	7/2	0.074	8/1	0.073	4/16	0	(02-04 ave)	0.088
2005	0.087	6/24	0.082	6/25	0.081	6/30	0.080	6/26	1	(03-05 ave)	0.081
2006	0.079	7/18	0.078	6/17	0.078	7/17	0.076	5/24	0	(04-06 ave)	0.076

Naval Air Warfare Center
18 097 0073

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.104		0.096		0.094		0.091		12		
1996	0.125		0.099		0.094		0.090		6		
1997	0.094	7/12	0.089	8/1	0.088	7/17	0.086	8/3	5	(95-97 ave)	0.089
1998	0.095	5/14	0.094	5/15	0.093	9/12	0.093	9/13	8	(96-98 ave)	0.089
1999	0.099	5/29	0.098	6/10	0.096	6/22	0.096	9/1	8	(97-99 ave)	0.091
2000	0.092	6/9	0.091	6/1	0.083	7/27	0.082	6/8	2	(98-00 ave)	0.090
2001	0.094	7/31	0.085	5/6	0.081	8/7	0.081	8/6	2	(99-01 ave)	0.086
2002	0.131	6/21	0.111	7/15	0.107	7/16	0.106	6/22	16	(00-02 ave)	0.089
2003	0.101	6/18	0.088	6/24	0.087	6/25	0.082	6/23	3	(01-03 ave)	0.089
2004	0.075	6/30	0.075	7/1	0.073	9/22	0.071	4/16	0	(02-04 ave)	0.086
2005	0.082	6/24	0.081	6/25	0.081	6/27	0.080	6/26	0	(03-05 ave)	0.077
2006	0.078	7/18	0.073	7/17	0.073	7/16	0.072	6/17	0	(04-06 ave)	0.074

Hendricks County

Avon
18 063 0004

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
2000	0.095	6/9	0.094	6/1	0.088	7/27	0.087	6/8	4	(00 ave)	0.087
2001	0.089	8/6	0.088	6/13	0.085	6/19	0.083	5/6	3	(00-01 ave)	0.085
2002	0.114	6/22	0.102	6/21	0.097	8/10	0.095	7/15	9	(00-02 ave)	0.088
2003	0.088	6/18	0.086	6/25	0.081	6/24	0.079	6/23	2	(01-03 ave)	0.085
2004	0.075	4/16	0.073	6/30	0.071	7/2	0.071	9/22	0	(02-04 ave)	0.081
2005	0.087	6/26	0.081	9/9	0.079	8/1	0.078	7/10	1	(03-05 ave)	0.076
2006	0.079	6/17	0.075	8/17	0.073	6/15	0.073	7/2	0	(04-06 ave)	0.074

Boone County

Whitestown

18 011 0001

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2000	0.092	6/9	0.091	6/1	0.084	6/8	0.082	7/27	2	(00 ave)	0.082
2001	0.096	6/13	0.090	6/19	0.085	5/6	0.084	6/28	3	(00-01 ave)	0.083
2002	0.115	6/22	0.115	6/23	0.104	6/21	0.099	7/15	13	(00-02 ave)	0.088
2003	0.101	6/18	0.095	6/25	0.093	6/24	0.088	8/20	6	(01-03 ave)	0.090
2004	0.089	7/2	0.081	9/22	0.073	9/1	0.072	9/2	1	(02-04 ave)	0.086
2005	0.088	6/27	0.083	9/11	0.082	6/24	0.082	6/26	1	(03-05 ave)	0.080
2006	0.088	7/19	0.082	6/17	0.080	6/15	0.080	8/17	1	(04-06 ave)	0.078

Shelby County

Fairland

18 145 0001

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2000	0.097	6/9	0.092	6/8	0.089	6/1	0.087	7/27	4	(00 ave)	0.087
2001	0.098	8/7	0.095	6/13	0.095	6/18	0.093	6/19	6	(00-01 ave)	0.090
2002	0.117	7/15	0.105	7/16	0.105	6/21	0.101	6/22	15	(00-02 ave)	0.093
2003	0.097	6/18	0.093	6/24	0.090	6/23	0.089	6/25	4	(01-03 ave)	0.094
2004	0.079	7/1	0.073	8/3	0.071	6/7	0.071	4/16	0	(02-04 ave)	0.087
2005	0.084	6/26	0.083	6/21	0.082	6/24	0.080	4/17	0	(03-05 ave)	0.080
2006	0.079	5/24	0.077	6/17	0.075	6/15	0.073	6/16	0	(04-06 ave)	0.074

Johnson County

Trafalgar

18 081 0002

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1997	0.095	6/28	0.086	9/16	0.084	7/18	0.084	8/1	2	(97 ave)	0.084
1998	0.093	5/19	0.093	9/12	0.091	8/22	0.090	8/21	12	(97-98 ave)	0.087
1999	0.099	5/29	0.097	6/10	0.096	6/21	0.095	6/22	10	(97-99 ave)	0.089
2000	0.091	6/8	0.091	6/9	0.085	6/1	0.084	7/27	3	(98-00 ave)	0.089
2001	0.086	6/19	0.085	6/13	0.082	5/4	0.082	5/6	2	(99-01 ave)	0.087
2002	0.111	7/15	0.100	8/10	0.097	6/22	0.097	7/16	11	(00-02 ave)	0.087
2003	0.091	6/18	0.087	6/25	0.081	4/14	0.080	8/21	2	(01-03 ave)	0.086
2004	0.079	9/22	0.075	4/16	0.074	7/1	0.073	6/30	0	(02-04 ave)	0.083
2005	0.091	7/9	0.080	6/26	0.079	6/24	0.077	6/21	1	(03-05 ave)	0.076
2006	0.081	6/17	0.080	5/24	0.078	6/15	0.078	7/16	0	(04-06 ave)	0.076

Morgan County

Monrovia

18 109 0005

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1997	0.091	6/28	0.089	5/24	0.088	6/24	0.088	7/17	7	(97 ave)	0.088
1998	0.097	5/19	0.093	9/12	0.092	9/13	0.090	8/22	10	(97-98 ave)	0.089
1999	0.097	5/29	0.097	9/2	0.097	9/4	0.093	5/11	11	(97-99 ave)	0.090
2000	0.093	6/1	0.093	6/9	0.090	7/27	0.088	6/8	5	(98-00 ave)	0.090
2001	0.089	8/6	0.088	6/19	0.084	6/13	0.082	5/3	2	(99-01 ave)	0.087
2002	0.101	6/21	0.101	6/22	0.096	7/15	0.094	7/7	13	(00-02 ave)	0.088
2003	0.088	6/18	0.088	6/25	0.083	4/14	0.081	7/3	2	(01-03 ave)	0.085
2004	0.075	6/30	0.073	9/22	0.072	4/16	0.072	8/3	0	(02-04 ave)	0.082
2005	0.084	7/9	0.081	6/26	0.081	9/9	0.078	7/30	0	(03-05 ave)	0.077
2006	0.079	6/17	0.077	6/6	0.077	7/18	0.077	7/19	0	(04-06 ave)	0.075

Hamilton County

Noblesville Jr. HS

18 057 1001

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.111		0.098		0.097		0.096		13		
1996	0.110		0.102		0.102		0.101		10		
1997	0.122	7/12	0.099	7/13	0.097	7/25	0.095	8/1	8	(95-97 ave)	0.097
1998	0.112	9/13	0.102	7/13	0.102	9/12	0.100	5/15	16	(96-98 ave)	0.098
1999	0.103	5/29	0.101	6/10	0.099	9/1	0.096	9/4	18	(97-99 ave)	0.097
2000	0.10	6/9	0.099	6/1	0.09	6/8	0.090	7/27	4	(98-00 ave)	0.095
2001	0.103	6/13	0.096	8/1	0.089	8/6	0.088	6/19	4	(99-01 ave)	0.091
2002	0.108	6/21	0.107	6/22	0.104	9/7	0.101	8/10	17	(00-02 ave)	0.093
2003	0.108	6/25	0.102	6/18	0.101	6/23	0.101	6/24	5	(01-03 ave)	0.096
2004	0.079	7/2	0.077	9/22	0.076	4/16	0.075	7/1	0	(02-04 ave)	0.092
2005	0.098	6/27	0.092	6/24	0.090	6/23	0.087	6/26	4	(03-05 ave)	0.087
2006	0.085	6/17	0.080	7/8	0.080	7/17	0.077	6/6	1	(04-06 ave)	0.079

Hancock County

Fortville

18 059 0003

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.104		0.103		0.099		0.097		8		
1996	0.109		0.100		0.100		0.100		10		
1997	0.101	7/12	0.099	8/1	0.091	7/13	0.088	7/17	7	(95-97 ave)	0.095
1998	0.108	9/13	0.104	9/12	0.095	8/22	0.094	5/29	13	(96-98 ave)	0.094
1999	0.099	5/29	0.098	6/10	0.096	6/22	0.094	9/4	15	(97-99 ave)	0.092
2000	0.098	6/9	0.097	6/1	0.087	7/27	0.086	6/8	4	(98-00 ave)	0.091
2001	0.102	6/13	0.102	8/8	0.091	6/19	0.089	7/31	8	(99-01 ave)	0.089
2002	0.107	8/10	0.106	6/21	0.101	7/15	0.101	6/22	18	(00-02 ave)	0.092
2003	0.106	6/18	0.094	6/23	0.092	6/24	0.092	6/25	5	(01-03 ave)	0.094
2004	0.077	9/22	0.073	4/16	0.073	6/30	0.072	7/13	0	(02-04 ave)	0.088
2005	0.088	6/24	0.082	6/26	0.081	6/23	0.080	6/25	1	(03-05 ave)	0.081
2006	0.081	7/18	0.077	7/10	0.077	7/17	0.075	6/17	0	(04-06 ave)	0.075

Madison County

East Elementary

18 095 0010

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.106		0.103		0.100		0.095		10		
1996	0.113		0.100		0.100		0.098		14		
1997	0.097	8/1	0.086	7/12	0.085	7/13	0.082	5/24	3	(95-97 ave)	0.091
1998	0.108	9/13	0.107	9/12	0.098	5/29	0.097	5/15	13	(96-98 ave)	0.092
1999	0.099	6/10	0.099	6/22	0.098	5/29	0.093	9/4	15	(97-99 ave)	0.090
2000	0.091	6/1	0.082	7/27	0.081	4/30	0.080	6/9	1	(98-00 ave)	0.090
2001	0.102	8/8	0.093	6/13	0.093	6/19	0.090	6/18	4	(99-01 ave)	0.087
2002	0.109	6/21	0.106	7/8	0.104	6/22	0.104	7/15	16	(00-02 ave)	0.091
2003	0.101	6/18	0.093	6/25	0.092	8/25	0.091	4/16	8	(01-03 ave)	0.095
2004	0.077	9/22	0.072	4/16	0.072	5/11	0.072	7/1	0	(02-04 ave)	0.089
2005	0.090	6/24	0.083	6/26	0.078	4/17	0.078	4/18	1	(03-05 ave)	0.080
2006	0.079	7/10	0.076	6/17	0.074	5/24	0.073	6/16	0	(04-06 ave)	0.074

Delaware County

Albany

18 035 0010

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2001	0.095	6/19	0.089	6/13	0.085	6/11	0.084	5/3	3	(01 ave)	0.084
2002	0.098	6/22	0.098	7/16	0.097	6/23	0.095	6/21	12	(01-02 ave)	0.089
2003	0.098	6/25	0.092	6/24	0.088	6/18	0.085	4/16	5	(01-03 ave)	0.088
2004	0.080	7/1	0.078	7/2	0.073	7/20	0.070	4/16	0	(02-04 ave)	0.083
2005	0.098	6/24	0.089	6/26	0.082	5/6	0.081	4/18	2	(03-05 ave)	0.078
2006	0.078	6/16	0.074	6/17	0.073	6/6	0.072	7/1	0	(04-06 ave)	0.074

Northwest Indiana Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)

Lake County

Gary IITRI

18 089 0022

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.105		0.104		0.095		0.094		9		
1996	0.103		0.101		0.096		0.094		8		
1997	0.100	7/26	0.099	6/29	0.098	8/2	0.092	6/28	7	(95-97 ave)	0.093
1998	0.089	5/19	0.085	9/6	0.084	9/12	0.084	9/19	2	(96-98 ave)	0.090
1999	0.102	9/5	0.099	9/3	0.098	9/4	0.094	9/2	5	(97-99 ave)	0.090
2000	0.091	8/15	0.082	6/8	0.082	6/9	0.075	6/1	1	(98-00 ave)	0.084
2001	0.094	6/28	0.087	7/9	0.085	8/5	0.083	8/7	3	(99-01 ave)	0.084
2002	0.111	6/24	0.099	6/23	0.096	9/8	0.094	6/22	8	(00-02 ave)	0.084
2003	0.081	8/16	0.080	6/25	0.077	7/4	0.076	6/24	0	(01-03 ave)	0.084
2004	0.070	7/2	0.064	8/2	0.064	8/3	0.064	9/22	0	(02-04 ave)	0.078
2005	0.101	6/25	0.100	7/10	0.090	6/28	0.089	6/26	7	(03-05 ave)	0.076
2006	0.071	7/30	0.067	7/29	0.066	8/4	0.061	8/17	0	(04-06 ave)	0.071

Hammond

18 089 2006

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.129		0.113		0.110		0.099		13		
1996	0.109		0.096		0.094		0.093		10		
1997	0.097	7/12	0.095	6/28	0.095	6/29	0.094	7/17	9	(95-97 ave)	0.095
1998	0.101	9/6	0.089	9/12	0.088	7/13	0.085	9/13	5	(96-98 ave)	0.090
1999	0.100	9/3	0.100	9/5	0.096	9/4	0.095	9/2	8	(97-99 ave)	0.091
2000	0.089	6/8	0.089	6/9	0.088	9/1	0.086	6/1	4	(98-00 ave)	0.088
2001	0.097	6/13	0.094	6/28	0.091	6/26	0.090	6/30	8	(99-01 ave)	0.090
2002	0.104	6/22	0.103	6/24	0.101	6/9	0.101	6/23	18	(00-02 ave)	0.092
2003	0.088	6/25	0.088	8/26	0.084	6/24	0.081	7/4	2	(01-03 ave)	0.090
2004	0.074	9/4	0.069	7/12	0.067	6/6	0.067	8/2	0	(02-04 ave)	0.083
2005	0.095	6/25	0.090	7/10	0.089	6/26	0.087	6/27	5	(03-05 ave)	0.078
2006	0.082	7/1	0.077	6/16	0.076	7/9	0.075	6/17	0	(04-06 ave)	0.076

Lowell

18 089 0024

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1998	0.106	6/23	0.089	5/14	0.088	9/13	0.087	9/11	6	(98 ave)	0.087
1999	0.093	9/2	0.093	9/5	0.092	6/21	0.090	9/3	10	(98-99 ave)	0.088
2000	0.090	6/9	0.087	6/8	0.081	6/1	0.075	7/13	2	(98-00 ave)	0.084
2001	0.084	7/9	0.083	6/13	0.081	6/28	0.077	6/26	0	(99-01 ave)	0.080
2002	0.091	6/22	0.090	6/23	0.088	7/14	0.086	8/10	7	(00-02 ave)	0.079
2003	0.101	7/2	0.090	6/25	0.088	6/24	0.081	8/25	3	(01-03 ave)	0.081
Site discontinued September 30, 2003											

Whiting High School
18 089 0030

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
2004	0.076	9/12	0.068	8/3	0.067	9/23	0.064	7/12	0	(04 ave)	0.064
2005	0.103	7/10	0.092	6/27	0.089	8/1	0.088	6/28	4	(04-05 ave)	0.076
2006	0.086	7/1	0.085	7/29	0.083	6/16	0.081	7/9	2	(04-06 ave)	0.077

Porter County

Ogden Dunes
18 127 0024

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.109		0.108		0.106		0.103		17		
1996	0.121		0.110		0.104		0.096		7		
1997	0.100	7/26	0.099	8/2	0.094	6/29	0.091	6/28	10	(95-97 ave)	0.096
1998	0.112	6/27	0.097	5/19	0.09	7/13	0.087	6/23	7	(96-98 ave)	0.091
1999	0.105	7/24	0.104	9/5	0.102	9/3	0.101	9/4	9	(97-99 ave)	0.093
2000	0.101	8/15	0.088	9/1	0.085	6/8	0.085	6/9	4	(98-00 ave)	0.091
2001	0.095	6/28	0.093	6/26	0.085	7/9	0.085	8/7	4	(99-01 ave)	0.090
2002	0.119	6/24	0.105	6/23	0.101	6/21	0.101	6/22	12	(00-02 ave)	0.090
2003	0.086	8/16	0.084	6/25	0.080	6/24	0.077	6/18	1	(01-03 ave)	0.087
2004	0.078	7/12	0.077	7/2	0.072	9/22	0.069	6/6	0	(02-04 ave)	0.082
2005	0.109	6/25	0.098	7/10	0.091	6/28	0.090	6/26	7	(03-05 ave)	0.078
2006	0.076	7/1	0.075	6/17	0.074	6/16	0.070	7/9	0	(04-06 ave)	0.076

Dunes National
Lake Shore
18 127 0020

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1998	0.105	6/27	0.102	5/19	0.092	9/12	0.090	5/15	5	(98 ave)	0.090
1999	0.105	9/3	0.104	7/24	0.103	9/5	0.102	9/2	11	(98-99 ave)	0.096
2000	0.099	8/15	0.084	9/1	0.073	8/31	0.071	7/13	1	(98-00 ave)	0.087
2001	0.093	6/28	0.090	6/26	0.084	7/9	0.082	6/13	2	(99-01 ave)	0.085
2002	0.113	6/24	0.104	6/21	0.098	6/23	0.097	6/22	11	(00-02 ave)	0.083
2003	0.081	6/22	0.081	7/1	0.081	8/16	0.079	6/17	0	(01-03 ave)	0.086
Site discontinued September 30, 2003											

Valparaiso
18 127 0026

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1998	0.098	5/19	0.089	9/12	0.088	5/15	0.085	9/6	6	(98 ave)	0.085
1999	0.097	9/2	0.097	9/5	0.094	7/24	0.091	5/29	11	(98-99 ave)	0.088
2000	0.092	6/8	0.092	6/9	0.091	8/15	0.082	6/1	3	(98-00 ave)	0.086
2001	0.079	7/15	0.078	6/13	0.078	7/16	0.077	6/29	0	(99-01 ave)	0.083
2002	0.110	6/24	0.105	7/15	0.101	9/8	0.100	6/21	17	(00-02 ave)	0.086
2003	0.090	6/24	0.090	6/25	0.082	6/18	0.082	7/2	2	(01-03 ave)	0.086
2004	0.084	7/2	0.081	7/1	0.077	8/3	0.072	4/16	0	(02-04 ave)	0.084
2005	0.086	6/27	0.085	7/10	0.083	7/9	0.078	6/29	2	(03-05 ave)	0.077
2006	0.078	6/16	0.074	6/17	0.072	7/1	0.071	6/15	0	(04-06 ave)	0.073

LaPorte County

Michigan City
18 091 0005

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.131		0.120		0.118		0.114		21		
1996	0.118		0.109		0.106		0.102		10		
1997	0.112	6/29	0.107	7/26	0.098	8/3	0.096	7/17	9	(95-97 ave)	0.104
1998	0.109	6/27	0.096	5/19	0.095	5/15	0.093	7/14	12	(96-98 ave)	0.097
1999	0.108	7/24	0.096	9/3	0.088	9/5	0.086	5/30	6	(97-99 ave)	0.091
2000	0.103	8/15	0.090	6/8	0.089	6/9	0.080	9/1	3	(98-00 ave)	0.086
2001	0.098	8/7	0.092	6/26	0.090	6/28	0.090	6/29	8	(99-01 ave)	0.085
2002	0.116	6/24	0.113	6/23	0.107	6/21	0.107	7/3	15	(00-02 ave)	0.092
2003	0.090	6/24	0.090	6/25	0.082	6/18	0.082	6/22	2	(01-03 ave)	0.093
2004	0.076	7/2	0.075	8/2	0.071	6/6	0.070	9/12	0	(02-04 ave)	0.086
2005	0.097	6/25	0.093	7/10	0.091	6/27	0.084	8/2	3	(03-05 ave)	0.078
2006	0.080	6/16	0.077	7/1	0.076	7/29	0.075	6/15	0	(04-06 ave)	0.076

LaPorte
18 091 0010

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1997	0.136	7/26	0.105	7/1	0.097	7/17	0.095	6/29	8	(97 ave)	0.095
1998	0.096	6/26	0.088	6/27	0.085	5/19	0.084	9/12	3	(97-98 ave)	0.089
1999	0.106	7/24	0.087	9/4	0.086	5/30	0.086	6/11	5	(97-99 ave)	0.088
2000	0.088	8/15	0.087	6/9	0.085	6/8	0.074	8/30	3	(98-00 ave)	0.081
2001	0.084	6/19	0.082	6/13	0.079	6/11	0.079	6/29	0	(99-01 ave)	0.079
2002	0.116	6/24	0.111	7/16	0.101	6/22	0.100	6/23	15	(00-02 ave)	0.084
2003	0.091	6/25	0.086	6/18	0.085	6/24	0.084	8/25	3	(01-03 ave)	0.087
2004	0.074	7/2	0.071	7/1	0.069	8/3	0.068	9/22	0	(02-04 ave)	0.084
2005	0.093	7/10	0.092	7/9	0.090	6/25	0.089	6/27	4	(03-05 ave)	0.080
2006	74.000	7/1	0.071	6/17	0.069	6/6	0.069	6/16	0	(04-06 ave)	0.075

South Bend/Elkhart Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)

St. Joseph County

Granger

18 141 1007

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.102		0.101		0.099		0.092		9		
1996	0.098		0.093		0.093		0.091		8		
1997	0.108	7/26	0.101	7/17	0.093	6/29	0.091	5/24	7	(95-97 ave)	0.091
1998	0.100	9/6	0.097	5/15	0.096	5/19	0.095	5/14	9	(96-98 ave)	0.092
1999	0.091	9/2	0.089	9/4	0.088	6/11	0.087	5/30	8	(97-99 ave)	0.091
2000	0.092	8/15	0.084	6/8	0.084	6/9	0.078	8/30	1	(98-00 ave)	0.086
2001	0.092	6/19	0.090	6/13	0.089	7/9	0.089	8/7	6	(99-01 ave)	0.084
2002	0.120	6/24	0.108	7/16	0.106	7/3	0.104	6/23	22	(00-02 ave)	0.090
2003	0.097	6/25	0.095	6/18	0.092	6/22	0.086	7/1	5	(01-03 ave)	0.093
2004	0.091	7/2	0.084	7/1	0.081	9/22	0.076	8/3	1	(02-04 ave)	0.088
2005	0.096	7/10	0.088	7/11	0.087	6/27	0.086	6/25	5	(03-05 ave)	0.082
2006	0.075	6/16	0.075	6/17	0.074	7/1	0.070	6/6	0	(04-06 ave)	0.077

South Bend

18 141 0014

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.102		0.095		0.094		0.090		5		
1996	0.092		0.092		0.088		0.087		6		
1997	0.105	7/26	0.098	7/17	0.091	5/24	0.091	6/29	6	(95-97 ave)	0.089
1998	0.098	6/26	0.097	5/15	0.097	5/19	0.088	5/14	7	(96-98 ave)	0.088
1999	0.095	7/24	0.095	9/2	0.094	6/22	0.090	6/10	9	(97-99 ave)	0.089
2000	0.089	8/15	0.086	6/8	0.085	6/9	0.081	8/30	3	(98-00 ave)	0.086
2001	0.094	6/19	0.092	6/13	0.090	8/7	0.082	8/8	3	(99-01 ave)	0.084
2002	0.106	6/24	0.101	6/22	0.101	7/3	0.100	6/23	16	(00-02 ave)	0.087
2003	0.095	6/25	0.084	8/25	0.083	6/24	0.082	6/22	1	(01-03 ave)	0.088
2004	0.087	7/2	0.080	7/1	0.072	6/7	0.072	8/3	1	(02-04 ave)	0.084
2005	0.092	7/10	0.087	6/25	0.084	6/27	0.084	7/9	2	(03-05 ave)	0.079
*2006	0.068	5/26	0.067	8/17	0.065	4/11	0.064	5/24	0	(04-06 ave)	0.073

* Site was move to a new location 6/1/2006

Potato Creek
18 141 0010

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.106		0.102		0.101		0.100		8		
1996	0.099		0.096		0.094		0.091		7		
1997	0.094	7/17	0.088	5/24	0.086	6/28	0.084	6/29	3	(95-97 ave)	0.091
1998	0.103	5/19	0.102	5/15	0.101	6/26	0.090	5/14	5	(96-98 ave)	0.088
1999	0.093	6/22	0.090	9/2	0.089	7/24	0.087	6/10	10	(97-99 ave)	0.087
2000	0.088	6/9	0.084	6/8	0.080	8/15	0.079	6/1	1	(98-00 ave)	0.085
2001	0.090	6/19	0.088	6/13	0.080	7/9	0.078	6/18	2	(99-01 ave)	0.081
2002	0.104	7/16	0.096	6/24	0.095	9/7	0.092	7/15	14	(00-02 ave)	0.083
2003	0.094	6/25	0.082	6/23	0.082	6/24	0.081	6/18	1	(01-03 ave)	0.083
2004	0.079	7/2	0.076	7/1	0.073	7/21	0.073	8/3	0	(02-04 ave)	0.082
2005	0.081	7/10	0.080	7/9	0.079	7/11	0.078	4/18	0	(03-05 ave)	0.077
2006	0.072	6/15	0.071	4/12	0.071	6/6	0.070	5/24	0	(04-06 ave)	0.073

Elkhart County

Treatment Plant

Bristol
18 039 0002

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.099		0.097		0.096		0.090		6		
1996	0.104		0.096		0.095		0.091		8		
1997	0.098	7/26	0.094	7/17	0.089	5/24	0.089	6/29	5	(95-97 ave)	0.090
1998	0.101	6/26	0.089	9/12	0.083	6/27	0.082	5/14	2	(96-98 ave)	0.087
1999	0.082	9/2	0.080	9/4	0.078	6/22	0.077	5/30	0	(97-99 ave)	0.082
2000	0.078	6/9	0.076	6/8	0.072	6/1	0.065	7/27	0	(98-00 ave)	0.074
2001	0.063	5/10	0.060	5/19	0.056	9/3	0.055	4/8	0	(99-01 ave)	0.065

Site moved to new location at beginning of 2002

Bristol Elem
18 039 0007

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2002	0.111	6/24	0.103	6/22	0.102	6/23	0.099	7/7	18	(02 ave)	0.099
2003	0.093	6/25	0.091	6/18	0.088	6/22	0.087	6/24	4	(02-03 ave)	0.093
2004	0.080	7/2	0.079	9/22	0.078	8/3	0.077	7/1	0	(02-04 ave)	0.087
2005	0.094	7/10	0.089	6/27	0.088	7/11	0.086	6/25	5	(03-05 ave)	0.083
2006	0.080	6/16	0.077	6/17	0.067	6/6	0.067	6/15	0	(04-06 ave)	0.076

Cass County, MI

Cassopolis

26 027 0003

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.111		0.101		0.101		0.099		16		
1996	0.105		0.099		0.096		0.095		12		
1997	0.101	7/17	0.094	6/29	0.090	5/24	0.090	8/1	7	(95-97 ave)	0.094
1998	0.102	5/19	0.098	5/15	0.094	7/13	0.091	9/13	7	(96-98 ave)	0.092
1999	0.106	9/2	0.100	6/22	0.096	9/3	0.095	9/4	14	(97-99 ave)	0.092
2000	0.092	8/15	0.09	6/8	0.089	6/9	0.079	7/27	3	(98-00 ave)	0.088
2001	0.091	8/8	0.090	7/9	0.089	8/7	0.088	6/28	7	(99-01 ave)	0.087
2002	0.116	6/24	0.106	6/22	0.103	6/23	0.103	9/7	24	(00-02 ave)	0.090
2003	0.101	6/25	0.091	6/18	0.090	6/22	0.089	6/23	5	(01-03 ave)	0.093
2004	0.083	7/2	0.083	9/22	0.078	7/1	0.077	8/3	0	(02-04 ave)	0.089
2005	0.091		0.088		0.087		0.086		5	(03-05 ave)	0.084
2006											
Site operations transferred to Michigan DEQ in 2005											

Evansville Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)

Perry County

Leopold

18 123 0009

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
2004	0.081	8/19	0.080	4/16	0.080	5/7	0.078	4/29	0	(04 ave)	0.078
2005	0.088	7/10	0.086	6/30	0.086	8/1	0.086	8/11	4	(04-05 ave)	0.082
2006	0.084	6/15	0.082	6/17	0.080	7/1	0.079	7/2	0	(03-05 ave)	0.081

Posey County

St Phillips

18 129 0003

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1996	0.061		0.059		0.057		0.054		0		
1997	0.096	7/12	0.090	6/23	0.089	7/18	0.087	6/27	4	(96-97 ave)	0.070
1998	0.111	9/13	0.096	8/17	0.095	9/12	0.092	5/14	11	(96-98 ave)	0.077
1999	0.105	9/4	0.104	9/2	0.098	9/3	0.096	9/5	15	(97-99 ave)	0.091
2000	0.093	8/29	0.086	7/9	0.086	7/27	0.085	6/8	5	(98-00 ave)	0.091
2001	0.080	6/18	0.080	6/19	0.079	5/10	0.079	6/12	0	(99-01 ave)	0.086
2002	0.106	8/3	0.099	8/9	0.098	9/8	0.097	6/20	13	(00-02 ave)	0.087
2003	0.092	6/24	0.082	6/23	0.080	6/18	0.077	6/29	1	(01-03 ave)	0.084
2004	0.077	9/23	0.073	4/16	0.073	6/30	0.071	8/18	0	(02-04 ave)	0.081
2005	0.085	8/1	0.080	6/23	0.080	7/10	0.077	7/9	1	(03-05 ave)	0.075
2006	0.079	7/19	0.066	6/15	0.063	7/18	0.058	6/16	0	(04-06 ave)	0.068

* Site started 7-1-96

Vanderburgh County

Evansville - Mill Rd.

18 163 0012

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.101		0.096		0.095		0.094		18		
1996	0.100		0.097		0.092		0.090		8		
1997	0.105	7/12	0.101	7/17	0.094	7/25	0.093	6/23	6	(95-97 ave)	0.092
1998	0.111	9/13	0.102	9/12	0.099	5/14	0.092	5/18	8	(96-98 ave)	0.091
1999	0.101	9/5	0.100	9/4	0.098	8/12	0.098	9/2	18	(97-99 ave)	0.094
2000	0.085	8/29	0.083	7/9	0.083	7/27	0.081	8/17	1	(98-00 ave)	0.090
2001	0.077	6/18	0.074	7/21	0.073	6/12	0.073	7/16	0	(99-01 ave)	0.084
2002	0.105	8/13	0.102	7/8	0.096	8/9	0.095	7/15	16	(00-02 ave)	0.083
2003	0.089	6/24	0.086	8/27	0.082	6/29	0.081	6/23	2	(01-03 ave)	0.083
2004	0.078	9/23	0.074	6/30	0.073	4/16	0.072	8/18	0	(02-04 ave)	0.082
2005	0.090	6/23	0.081	6/22	0.081	8/1	0.080	8/9	1	(03-05 ave)	0.077
2006	0.093	7/19	0.083	7/18	0.079	8/17	0.075	6/9	1	(04-06 ave)	0.075

Scott School
18 163 0013

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.099		0.097		0.096		0.096		20		
1996	0.103		0.098		0.095		0.094		12		
1997	0.105	7/12	0.102	7/17	0.093	7/18	0.089	7/7	8	(95-97 ave)	0.093
1998	0.107	9/13	0.099	5/14	0.098	8/17	0.094	9/12	10	(96-98 ave)	0.092
1999	0.098	6/21	0.095	9/4	0.094	9/5	0.091	9/2	9	(97-99 ave)	0.091
2000	0.077	6/1	0.076	7/27	0.075	6/4	0.075	7/9	0	(98-00 ave)	0.086
2001	0.079	6/12	0.076	6/18	0.073	5/10	0.072	5/4	0	(99-01 ave)	0.079
2002	0.097	7/8	0.095	8/3	0.089	7/15	0.086	6/21	5	(00-02 ave)	0.077
2003	0.085	6/24	0.081	6/23	0.075	6/29	0.075	7/17	1	(01-03 ave)	0.077
2004	0.065	4/16	0.061	4/29	0.058	4/17	0.058	8/18	0	(02-04 ave)	0.073
2005	0.058	7/10	0.057	6/23	0.056	5/7	0.056	5/18	0	(03-05 ave)	0.063
2006	0.095	7/19	0.088	7/18	0.082	7/17	0.081	6/15	2	(04-06 ave)	0.065

Warrick County

Alcoa
18 173 0002

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.104		0.089		0.088		0.087		7		
1996	0.102		0.098		0.097		0.093		14		
1997	0.095	8/1	0.094	7/18	0.091	7/12	0.091	8/2	7	(95-97 ave)	0.090
1998	0.119	9/13	0.113	9/12	0.099	5/14	0.096	5/18	10	(96-98 ave)	0.093
1999	0.101	9/5	0.098	9/4	0.096	6/22	0.095	8/12	5	(97-99 ave)	0.094
2000	0.081	7/26	0.080	7/9	0.077	7/27	0.077	8/15	0	(98-00 ave)	0.089
2001	0.087	6/12	0.082	6/18	0.081	6/19	0.081	9/13	1	(99-01 ave)	0.084
2002	0.113	7/8	0.097	8/9	0.094	6/21	0.094	9/6	17	(00-02 ave)	0.084
2003	0.101	6/24	0.090	7/17	0.082	6/7	0.082	8/27	2	(01-03 ave)	0.085
2004	0.075	8/18	0.074	4/29	0.074	6/30	0.074	8/3	0	(02-04 ave)	0.083
Site discontinued September 30, 2004											

Boonville HS
18 173 0008

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Period	Site Design Value
1995	0.106		0.098		0.090		0.090		9		
1996	0.094		0.093		0.090		0.090		10		
1997	0.109	7/17	0.097	7/12	0.097	7/18	0.095	8/2	9	(95-97 ave)	0.091
1998	0.114	9/13	0.105	9/12	0.100	8/22	0.091	5/13	9	(96-98 ave)	0.092
1999	0.092	6/21	0.091	9/5	0.088	6/22	0.087	9/2	5	(97-99 ave)	0.091
2000	0.078	6/1	0.075	7/27	0.074	6/9	0.073	6/8	0	(98-00 ave)	0.083
2001	0.091	6/12	0.081	6/19	0.079	6/18	0.078	9/13	1	(99-01 ave)	0.079
2002	0.107	7/8	0.093	9/6	0.092	6/21	0.091	7/16	13	(00-02 ave)	0.080
2003	0.087	6/24	0.087	8/27	0.083	7/17	0.076	6/7	2	(01-03 ave)	0.081
2004	0.084	8/3	0.076	6/30	0.075	8/18	0.073	4/29	0	(02-04 ave)	0.080
2005	0.096	6/25	0.085	6/29	0.081	8/4	0.080	6/22	2	(03-05 ave)	0.076
2006	0.087	7/19	0.086	7/18	0.083	8/17	0.078	7/17	2	(04-06 ave)	0.077

Dayville
18 173 0011

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2005	0.083	6/25	0.078	6/22	0.077	5/6	0.077	8/5	0	(02-04 ave)	0.077
2006	0.080	6/9	0.078	6/10	0.078	7/18	0.078	7/19	0		0.077

Tecumseh HS
18 173 0009

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.108		0.107		0.096		0.093		10		
1996	0.103		0.102		0.095		0.094		8		
1997	0.108	7/17	0.097	7/18	0.095	8/1	0.094	7/12	10	(95-97 ave)	0.093
1998	0.109	9/13	0.098	9/12	0.095	8/17	0.093	8/21	9	(96-98 ave)	0.093
1999	0.098	6/21	0.096	9/5	0.094	9/2	0.092	6/22	11	(97-99 ave)	0.093
2000	0.080	6/1	0.079	6/8	0.078	7/27	0.077	6/9	0	(98-00 ave)	0.087
2001	0.087	6/12	0.077	6/18	0.076	9/13	0.075	6/10	1	(99-01 ave)	0.081
2002	0.094	9/6	0.091	6/21	0.091	7/15	0.090	7/16	12	(00-02 ave)	0.080
2003	0.089	6/24	0.086	8/27	0.082	7/17	0.078	6/29	2	(01-03 ave)	0.081
2004	0.070	4/16	0.066	4/29	0.066	8/18	0.066	9/23	0	(02-04 ave)	0.078
2005	0.082	6/25	0.078	8/9	0.077	6/29	0.076	7/23	0	(03-05 ave)	0.073
2006	0.076	6/9	0.074	7/19	0.074	8/17	0.070	6/17	0	(04-06 ave)	0.070

**Terre Haute Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)**

Vigo County

Terre Haute
18 167 0018

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1995	0.091		0.087		0.087		0.085		4		
1996	0.105		0.101		0.100		0.098		20		
1997	0.099	7/12	0.087	7/17	0.087	7/20	0.083	6/28	3	(95-97 ave)	0.088
1998	0.093	9/13	0.091	9/12	0.088	8/21	0.084	5/14	3	(96-98 ave)	0.088
1999	0.092	9/5	0.088	9/2	0.086	6/22	0.082	5/29	3	(97-99 ave)	0.083
2000	0.087	6/9	0.083	6/8	0.075	4/30	0.075	7/27	1	(98-00 ave)	0.080
2001	0.090	6/18	0.085	6/13	0.083	6/19	0.082	5/5	2	(99-01 ave)	0.079
2002	0.091	6/22	0.085	6/23	0.083	7/16	0.082	8/10	2	(00-02 ave)	0.079
2003	0.076	6/24	0.069	6/25	0.067	6/18	0.066	6/17	0	(01-03 ave)	0.076
2004	0.061	7/1	0.060	6/6	0.058	9/23	0.057	6/30	0	(02-04 ave)	0.068
2005	0.069	6/26	0.068	6/27	0.066	6/24	0.064	8/1	0	(03-05 ave)	0.062
2006	0.064	7/8	0.062	8/24	0.060	7/2	0.059	8/17	0	(04-06 ave)	0.060

Sandcut
18 167 0024

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2001	0.090	6/18	0.085	6/13	0.084	6/19	0.083	7/31	2	(01 ave)	0.083
2002	0.104	6/21	0.104	6/22	0.101	8/10	0.099	9/7	8	(01-02 ave)	0.091
2003	0.090	6/24	0.088	6/25	0.081	6/23	0.080	6/18	2	(01-03 ave)	0.087
2004	0.078	7/1	0.073	4/16	0.072	4/29	0.072	9/22	0	(02-04 ave)	0.083
2005	0.085	6/26	0.081	6/24	0.078	6/27	0.076	6/30	1	(03-05 ave)	0.076
2006	0.076	6/17	0.073	7/8	0.072	5/24	0.072	6/16	0	(04-06 ave)	0.073

Clark County, IL

West Union
17 023 0001

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2001	0.081	5/5	0.078	5/16	0.075	6/19	0.074	5/9	0	(01 ave)	0.074
2002	0.093	6/22	0.091	6/21	0.089	8/10	0.086	7/16	6	(01-02 ave)	0.080
2003	0.079	6/24	0.077	6/18	0.068	6/23	0.067	6/17	0	(01-03 ave)	0.075
2004	0.064	6/6	0.063	4/29	0.063	9/23	0.062	6/30	0	(02-04 ave)	0.071
2005	0.074	6/26	0.074	8/2	0.073	9/11	0.071	6/23	0	(03-05 ave)	0.066
2006	0.071	5/24	0.065	5/27	0.064	6/16	0.064	7/19	0	(03-05 ave)	0.065

Other Monitors
EIGHT HOUR OZONE AVERAGES (PPM)

Jackson County

Brownstown

18 071 0001

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2000	0.091	6/1	0.091	6/9	0.09	6/8	0.082	9/19	3	(00 ave)	0.082
2001	0.087	6/18	0.085	5/5	0.084	6/13	0.084	8/6	2	(00-01 ave)	0.083
2002	0.094	6/21	0.093	6/22	0.091	8/10	0.090	8/3	10	(00-02 ave)	0.085
2003	0.084	8/25	0.082	6/24	0.082	6/25	0.082	6/18	0	(01-03 ave)	0.085
2004	0.076	8/19	0.070	9/22	0.069	4/29	0.068	4/16	0	(02-04 ave)	0.080
2005	0.085	7/10	0.082	6/26	0.081	7/9	0.077	4/19	1	(03-05 ave)	0.075
2006	0.080	5/24	0.077	6/17	0.076	7/2	0.075	6/15	0	(03-05 ave)	0.073

Green County

Plummer

18 055 0001

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2000	0.095	6/1	0.093	6/9	0.091	6/8	0.090	5/31	4	(00 ave)	0.090
2001	0.092	6/13	0.091	6/18	0.087	6/19	0.085	5/4	5	(00-01 ave)	0.087
2002	0.097	8/10	0.095	7/8	0.095	9/8	0.093	7/15	14	(00-02 ave)	0.089
2003	0.097	6/18	0.092	6/24	0.092	6/25	0.088	8/25	4	(01-03 ave)	0.088
2004	0.076	4/16	0.075	4/29	0.075	9/23	0.073	8/19	0	(02-04 ave)	0.084
2005	0.084	6/25	0.082	6/24	0.079	6/29	0.079	7/10	0	(03-05 ave)	0.080
2006	0.081	6/17	0.077	8/25	0.076	6/6	0.076	6/16	0	(03-05 ave)	0.076

Carroll County

Flora

18 015 0002

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2001	0.087	6/13	0.081	6/19	0.081	9/6	0.079	5/6	1	(01 ave)	0.079
2002	0.104	6/21	0.102	6/22	0.097	9/7	0.096	6/23	12	(01-02 ave)	0.087
2003	0.088	6/25	0.085	6/18	0.080	6/24	0.079	8/20	2	(01-03 ave)	0.084
2004	0.075	7/2	0.075	9/22	0.071	6/5	0.071	7/1	0	(02-04 ave)	0.082
2005	0.076	4/18	0.076	6/26	0.076	6/27	0.075	9/12	0	(03-05 ave)	0.075
2006	0.078	7/31	0.076	6/17	0.075	6/16	0.075	6/16	0	(03-05 ave)	0.073

Industrial Monitors
EIGHT HOUR OZONE AVERAGES (PPM)

Lawrence County

Paoli

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
97	0.094	6/24	0.094	7/13	0.091	7/18	0.087	7/26	4	(97 ave)	0.087

Perry County

AK Steel

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1998	0.106	9/13	0.104	9/5	0.104	9/12	0.097	8/22	16	(98 ave)	0.097
1999	0.105	9/3	0.101	6/9	0.099	9/4	0.095	8/12	18	(98-99 ave)	0.096
2000	0.094	6/9	0.093	7/27	0.092	8/30	0.091	6/1	6	(98-00 ave)	0.094
2001	0.098	6/12	0.086	6/11	0.086	6/19	0.086	8/1	5	(99-01 ave)	0.090

Gibson County

Toyota

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
1999	0.09	6/11	0.089	6/9	0.081	6/10	0.080	6/22	2	(99 ave)	0.080
2000	0.074	6/1	0.071	6/8	0.070	6/9	0.068	3/5	0	(99-00 ave)	0.074
2001	0.074	6/18	0.068	6/12	0.067	5/4	0.067	5/10	0	(99-01 ave)	0.071
2002	0.083	7/8	0.081	6/20	0.080	6/19	0.078	6/21	0	(00-02 ave)	0.071
2003	0.090	6/24	0.076	6/30	0.076	8/20	0.074	8/25	1	(01-03 ave)	0.073

Kosciusko County

RR Donnelley

Year	1st	Date	2nd	Date	3rd	Date	4th	Date	Days => 0.085 ppm	3 Year Average of 4th High	
										3 Year Priod	Site Design Value
2003	0.097	6/24	0.094	6/25	0.093	6/18	0.086	7/3	4	(03 ave)	0.086

Indiana 2006 Ozone -8Hour Information

Last Update:10/02/06

Fort Wayne Metropolitan Area EIGHT HOUR OZONE AVERAGES (PPM)

The "yellow" shading represents the 2004-6 averages that are .085 or above.

Note: The "Critical Value" is the value of the 4th highest to make 04-06 ave. non-attainment (.085) 8hr. Ave.

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Allen	<u>Leo HS</u>	0.078	0.076	0.076	0.073	0.096	0.077
Allen	<u>Fort Wayne</u>	0.074	0.072	0.071	0.071	0.110	0.072
Huntington	<u>Roanoke</u>	0.076	0.073	0.073	0.072	0.108	0.073

Louisville, KY Metropolitan Area EIGHT HOUR OZONE AVERAGES (PPM)

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Clark	<u>Charlestown</u>	0.092	0.090	0.087	0.079	0.101	0.077
Floyd	<u>New Albany</u>	0.101	0.082	0.077	0.076	0.104	0.075

Indianapolis Metropolitan Area EIGHT HOUR OZONE AVERAGES (PPM)

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Marion	<u>Mann Road</u>	0.082	0.078	0.075	0.074	0.114	0.071
Marion	<u>Harding Street</u>	0.082	0.077	0.076	0.076	0.108	0.074
Marion	<u>Fort Benjamin Harrison</u>	0.079	0.078	0.078	0.076	0.102	0.076
Marion	<u>Naval Air Warfare Center</u>	0.078	0.073	0.073	0.072	0.104	0.074
Hendricks	<u>Avon</u>	0.079	0.075	0.073	0.073	0.106	0.074
Boone	<u>Whitewtown</u>	0.088	0.082	0.080	0.080	0.101	0.078
Shelby	<u>Fairland</u>	0.079	0.077	0.075	0.073	0.104	0.074
Johnson	<u>Trafalgar</u>	0.081	0.080	0.078	0.078	0.105	0.076
Morgan	<u>Monrovia</u>	0.079	0.077	0.077	0.077	0.105	0.075
Hamilton	<u>Noblesville Jr. High School</u>	0.085	0.080	0.080	0.077	0.093	0.079
Hancock	<u>Fortville</u>	0.081	0.077	0.077	0.075	0.103	0.075
Madison	<u>East Elementary</u>	0.079	0.076	0.074	0.073	0.105	0.074
Delaware	<u>Albany</u>	0.078	0.074	0.073	0.072	0.104	0.074

Terre Haute Metropolitan Area EIGHT HOUR OZONE AVERAGES (PPM)

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Vigo	<u>Terre Haute</u>	0.064	0.062	0.060	0.059	0.134	0.060
Vigo	<u>Sandcut</u>	0.076	0.073	0.072	0.072	0.107	0.073
Clark, IL	<u>West Union</u>	0.071	0.065	0.064	0.064	0.122	0.065

Indiana 2006 Ozone -8Hour Information

**Northwest Indiana Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)**

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Lake	Gary IITRI	0.071	0.067	0.066	0.061	0.102	0.071
Lake	Hammond	0.082	0.077	0.076	0.075	0.101	0.076
Lake	Whiting High School	0.086	0.085	0.083	0.081	0.103	0.077
Porter	Ogden Dunes	0.076	0.075	0.074	0.070	0.096	0.076
Porter	Valparaiso	0.078	0.074	0.072	0.071	0.105	0.073
LaPorte	Michigan City	0.080	0.077	0.076	0.075	0.101	0.076
LaPorte	LaPorte	0.074	0.071	0.069	0.069	0.098	0.075

**South Bend/Elkhart Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)**

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
St. Joseph	Granger	0.075	0.075	0.074	0.070	0.093	0.077
St. Joseph	South Bend	0.068	0.067	0.065	0.064	0.099	0.073
St. Joseph	Potato Creek	0.072	0.071	0.071	0.070	0.071	0.073
Elkhart	Bristol	0.080	0.077	0.067	0.067	0.092	0.076

**Evansville Metropolitan Area
EIGHT HOUR OZONE AVERAGES (PPM)**

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Perry	Leopold	0.084	0.082	0.080	0.079	0.091	0.081
Posey	St. Phillips	0.079	0.066	0.063	0.058	0.107	0.068
Vanderburgh	Evansville-Mill Road	0.093	0.083	0.079	0.075	0.103	0.075
Vanderburgh	Scott School	0.095	0.088	0.082	0.081	0.141	0.065
Warrick	Dayville	0.080	0.078	0.078	0.078	*NR	0.077
Warrick	Boonville High School	0.087	0.086	0.083	0.078	0.102	0.077
Warrick	Tecumseh High School	0.076	0.074	0.074	0.070	0.113	0.070

* 05 & 06 Information only

**Other Monitors
EIGHT HOUR OZONE AVERAGES (PPM)**

County	Site	1st	2nd	3rd	4th	Critical Value	04-06 Avg
Jackson	Brownstown	0.080	0.077	0.076	0.075	0.110	0.073
Green	Plummer	0.081	0.077	0.076	0.076	0.103	0.076
Carroll	Flora	0.078	0.076	0.075	0.075	0.109	0.073

Indiana 2006 Ozone -8Hour Information

Carroll	Flora	0.070	0.070	0.075	0.075	0.109	0.075
---------	-------	-------	-------	-------	-------	-------	-------