

NON-COLLUSION CERTIFICATION

This is to certify that the Bidder, being duly affirmed under oath says, that he or she is the contracting party; that he or she has not, nor has any other employee of the company represented by him or her, directly or indirectly, entered into or offered to enter into any combination, collusion or agreement to receive or pay, and that he or she has not received or paid, any sum of money or other consideration for the execution of the annexed contract other than that which appears upon the face of the contract.

SIGNATURE

This is to certify that the bidder or any person on his or her behalf has examined and understands and agrees to the specifications, including General and Special conditions of this document.

BIDDER Compass Minerals America Inc FEDERAL ID NUMBER 48-1047632 (Please circle to indicate if your **FIN** is a TIN or SSN)

ORDERING ADDRESS 9900 W 109th St

CITY Overland Park STATE Kansas ZIP CODE 66210

REMITTANCE ADDRESS PO Box 277043

CITY Atlanta STATE Georgia ZIP CODE 30384-7043


TYPE OF BUSINESS (i.e. Corporation, Sole Proprietor, LLC, etc.) Corporation

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS CODE) 21239

TELEPHONE NUMBER (800)323-1641

E-MAIL ADDRESS: lijerzs@compassminerals.com

If awarded a contract, the bidder will provide supplies, equipment, and/or services to the State of Indiana in accordance with the general conditions, specifications, certifications and other documents of this solicitation.


(Signature)

the undersigned V.P.
(Print Office Held)

of the above named bidder under penalties of perjury this 12th day of May, 2021, certify that I hold the aforementioned Office in the above bidder and that the representations are true and accurate.

FULLER MOTOR DELIVERY CO.

A TRUCK FOR EVERY JOB

802 PLUM STREET
CINCINNATI, OHIO 45202

PHONE 621-1584
AREA CODE 513

5/6/2021

Victor Fonseca

Logistics Manager

Compass Minerals

Victor,

Per your request for MBE information, we will be utilizing for the 2012/2013 season the following two Minority Business Enterprises (MBE's) in servicing a variety of customers

Virgil Harris Trucking

1660 South Yellow Spring Street

Springfield, OH 45506

937-323-8486

Federal Tax ID # 311734715

Kes Harris Trucking

1660 South Yellow Spring Street

Springfield, OH 45506

937-323-8486

Federal Tax ID #311703925

Regards

Greg Fuller

Vice President

Fuller Motor Delivery Company



May 5, 2021

Mr. Lonnie Reynolds,
Sr. Manager Logistics, Inc.
Compass Minerals, Inc.
reynoldsl@compassminerals.com

RE: 2021 to 2022 Highway Salt Season Indiana Department of Transportation

Lonnie,

We are committed to our relationship and we have the capacity and plan on providing \$500,000 of transportation services for your Indiana Department of Transportation highway bulk deicing salt deliveries out of the Toledo terminal.

Please let me know if you need any other information or documentation for our commitment to you.

Best Regards,

Brian Halaschak,
Chief Revenue Officer .



INDIANA DEPARTMENT OF TRANSPORTATION

Driving Indiana's Economic Growth

100 North Senate Avenue
Room N750
Indianapolis, Indiana 46204

PHONE: (317) 233-4664
FAX: (317) 233-0891

Eric Holcomb, Governor
Joe McGuinness,
Commissioner

05/11/2021

Truck King Hauling Contractors, Inc
4600 W 48th Street
Chicago IL 60632

Dear Jesus Sauzamede Jr.
Subject: No Change Affidavit

This letter confirms receipt of your annual No Change Affidavit and supporting documentation . The Indiana Department of Transportation's Economic Opportunity Division, in compliance with 49 CFR Parts 23 and 26, is pleased to inform you that your firm's information has been reviewed and approved.

Your firm's DBE/ACDBE Certification will remain valid for another year.

You may print your updated Certification from ITAP if you would like to obtain a paper copy .

Instructions: In ITAP, go into the 'New Application' side of your file. At the far left side of screen, click on the red icon (view report). You will find a 'Certificate' button listed within this pop-up box, at the bottom. Your certificate will open and you will be able to print it from here.

The DBE Directory, located at <http://www.in.gov/2674.htm> , will continue to list your contact information and will include the NAICS codes and description of services performed.

As a DBE/ACDBE, you have the responsibility to comply with all aspects of 49 CFR Parts 23 and 26, which include maintaining an accurate mailing address, phone number and email address with INDOT EOD and promptly following up on all inquiries .

If you have any questions, please feel free to contact us at any time.

Sincerely,

Derrick Casson
Certification Manager, Economic Opportunity Division
Indiana Department of Transportation
cc: file

NAICS/DBE Codes Assigned:

DBE Code	DBE Description	NAICS Code	NAICS Description	DBE Speciality Code Description
0054.0H	Specialized Freight (except Used Goods) Trucking, Local	484220	Specialized Freight (except Used Goods) Trucking, Local	Dump trucking, dirt, aggregate, asphalt, Millings, Sand

FIVE STAR HAULING INC
14210 Kenton Ave, Crestwood, IL 60418
Tel (773) 671-3136 Fax (708) 658-1549
grace@fivestarhauling.com



Thursday, May 6, 2021

Lonnie Reynolds
Senior Logistics Manager
Compass Minerals
9900 W 109th St
Overland Park, KS 66210

RE: State of Indiana – Road Salt Bid – ASA-21-67522

Dear Lonnie,

I am writing to confirm that if asked we are willing to assist in the hauling of salt from your Chicago, Illinois facility into State of Indiana. We have been approved as WBE/MBE and DBE business by the Indiana Department of Supplier Diversity and Indiana Department of Transportation. MBE/WBE letter is effective as of March 16, 2018 through present and DBE is effective as of February 5, 2018 to present.

Please feel free to contact me at (773) 671-3136; if you should have any further questions or concerns.

Kind Regards,

A handwritten signature in black ink, appearing to read 'Graciela Martinez', is written over a thin horizontal line. The signature is fluid and cursive.

Graciela Martinez, President



534 Mozart Street • P.O. Box 249 • Tell City, Indiana 47586-0249

812.547.7921
Office Fax: 812.547.6757
www.mulzer.com

5/6/2021

Victor Fonseca
North American Salt
RE: Minority Ownership

Victor

Upon reviewing the list of State certified diversity businesses, it appears that none of the transportation businesses listed are operating in our service area. We make every effort to attempt to locate Minority owned haulers in our local area, but in the past we have had little success in getting them to haul for us.

Sincerely

Daniel Pitt

Daniel Pitt
Transportation Manager
Mulzer Crushed Stone, Inc.
Materials Transport, Inc

**UNANIMOUS WRITTEN CONSENT
OF THE BOARD OF DIRECTORS
OF
COMPASS MINERALS AMERICA INC.**

March 10, 2021

The undersigned, being all of the members of the board of directors of Compass Minerals America Inc., a Delaware corporation (the "Corporation"), hereby consent in writing pursuant to Section 141(f) of the Delaware General Corporation Law to the adoption of the following resolutions without a meeting and waive any notice required in connection therewith.

Authorized Signatories

WHEREAS, from time to time, it is desirable for individuals to sign documents on behalf of the Corporation in connection with sales transactions relating to the Corporation's Highway Sales Department.

NOW, THEREFORE, BE IT RESOLVED, that the following individuals (the "Authorized Signatories") be, and each of them hereby is, authorized, subject to applicable limitations under the Corporation's Delegation of Authority Policy, on behalf of the Corporation, to sign bids, performance bonds and contracts for the sale of sodium chloride and other deicing products, and to sign any other documents which, in his or her opinion, are necessary or desirable in order to effectuate and carry out the foregoing, and all other individuals who were so authorized prior to the date first written above are no longer so authorized:

Kevin S. Crutchfield	President and CEO
James D. Standen	Chief Financial Officer
S. Bradley Griffith	Chief Commercial Officer
Mary L. Frontczak	Chief Legal and Administrative Officer and Corporate Secretary
Luis E. Montiel	Vice President, Finance and Treasurer
Jon Schnieders	Vice President, Salt
Bill Crooks	Director, Customer Service
Joel Gerdes	Director, U.S. Highway Sales
Joe Uriell	Director, Sales Industrial
Ryan Royer	National Sales Manager
Sean Lierz	Highway Sales Senior Manager
Harrison Green	Highway Sales Manager
Austin Welch	Highway Sales Manager
Matthew Denner	Sales Manager
Teresa Wilde	Sales Manager
Zoe Vantzios	Assistant Secretary

General

RESOLVED, that the officers of the Corporation are, and each of them is, hereby authorized, for and on behalf of the Corporation, to execute, deliver, file, acknowledge and record any and all such documents and instruments, and to take or cause to be done any and all such other things as they, or any of them, may deem necessary or desirable to effectuate and carry out the resolutions adopted hereby; and

FURTHER RESOLVED, that any actions previously taken or caused to be taken by any officer of the Corporation or any Authorized Signatory in connection with the matters contemplated by these resolutions, or in carrying out the terms and intentions of the above resolutions, are hereby acknowledged to be duly authorized acts performed on behalf of the Corporation and are hereby ratified, confirmed and adopted as such.

[Signature Page Follows]


IN WITNESS WHEREOF, the undersigned have caused this consent to be duly executed as of the date first written above. This consent may be executed via .pdf, facsimile or other electronic means and in two or more counterparts, each of which will be deemed an original, and all of which together will constitute one and the same instrument.


James D. Standen

Zoe A. Vantzor

IN WITNESS WHEREOF, the undersigned have caused this consent to be duly executed as of the date first written above. This consent may be executed via .pdf, facsimile or other electronic means and in two or more counterparts, each of which will be deemed an original, and all of which together will constitute one and the same instrument.

James D. Standen



Zoe A. Vantzog

Request for Taxpayer Identification Number and Certification

**Give Form to the
requester. Do not
send to the IRS.**

▶ Go to www.irs.gov/FormW9 for instructions and the latest information.

Print or type.
See Specific Instructions on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. Compass Minerals America Inc.	
2 Business name/disregarded entity name, if different from above	
3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes. <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input checked="" type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ _____ Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner. <input type="checkbox"/> Other (see instructions) ▶ _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ <small>(Applies to accounts maintained outside the U.S.)</small>
5 Address (number, street, and apt. or suite no.) See instructions. 9900 West 109th St., Suite 100	Requester's name and address (optional)
6 City, state, and ZIP code Overland Park, KS 66210	
7 List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Social security number									

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

or

Employer identification number									
4	8	-	1	0	4	7	6	3	2

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, Item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person ▶ <i>Mary Wells 11/3/2020</i>	Date ▶
------------------	--	--------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)
Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.
If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.

Product Data Sheet

Production Location

Cote Blanche, Louisiana-USA

Product Description

- Rock salt obtained by conventional mining methods, crushed, and screened to size.
- No more than 30% of product passes 30-mesh screen

Method of Analysis

American Society for Testing and Materials Procedures D632 and E534. All other testing is from Compass Minerals internal quality control procedures, which are available upon request.

Physical Properties

Bulk Density - (72 lbs/ft³)

Admixture

Yellow Prussiate of Soda (YPS) added to a max of 50 ppm

Chemical Analysis				
Constituent	Formula		Typical %	Range
Sodium Chloride	NaCl	(%)	98.44	98.2 - 99.2
Calcium Sulfate	CaSO ₄	(%)	1.27	0.38 - 1.7
Calcium Chloride	CaCl ₂	(%)	0.03	0 - 0.24
Magnesium Chloride	MgCl ₂	(%)	0.01	0 - 0.04
Water Insolubles		(%)	0.2	0.00 - 0.77
Calcium	Ca	ppm	3837	860 - 5535
Magnesium	Mg	ppm	35.5	0 - 101
Sulfate	SO ₄	(%)	9265	2371 - 12273
Moisture	H ₂ O	(%)	0.19	0 - 1

Typical Screen Data				
U.S.S. Mesh	Tyler Mesh	Open (inches)	Typical % Passing	Range % Passing
3/4	0.375	0.375	100	99-100
1/2	1/2	0.5	100	97 - 100
0.375	0.375	0.375	95.3	73 - 100
4	4	0.1875	70	28 - 100
8	8	0.0937	41	5 - 80
16	14	0.0464	16	0 - 47
30	28	0.0234	7	0 - 20

Average particle size 0.162 inches (5.11 mesh)

Packaging			
Bag Size	UPC Code	Old Product Code	New SKU
Bulk	0 67568-76080 7	7608	513624

Compass Minerals
 9900 West 109th Street Suite 100
 Overland Park, KS 66210 800-755-7258
 Fax 800-359-7258



Goderich - US Bulk Deicing Salt

Product Data Sheet

Production Location
Goderich, Ontario - Canada

Product Description
Rock salt obtained by conventional mining methods, crushed, and screened to size.

Method of Analysis
American Society for Testing and Materials Procedures D632 and E534. All other testing is from Compass Minerals internal quality control procedures, which are available upon request.

Physical Properties
Bulk Density - 1220 kg/m³ (76 lbs/ft³), average particle size 0.011"

Admixture
Yellow Prussiate of Soda (YPS) added - If requested by customer

Sodium Chloride	NaCl	(%)	96.5	94.1 - 98.9
Calcium Sulfate	CaSO ₄	(%)	2.7	0.9 - 4.5
Calcium Chloride	CaCl ₂	(%)	0.00	0.00 - 0.01
Magnesium Chloride	MgCl ₂	(%)	0.03	0.00 - 0.08
Sodium Sulphate	NaSO ₄	(%)	0.00	0.00 - 0.03
Moisture		(%)	0.3	0.00 - 1.1
Water Insolubles		(%)	0.6	0.1 - 1.5
Calcium	Ca	ppm	7948	2548 - 13247
Magnesium	Mg	ppm	224	0 - 204
Sulphate	SO ₄	ppm	15051	8350 - 31752

TYPICAL SCREEN ANALYSIS

% Passing (99.7% Confidence)

0.500	0.500	0.500	89.6	98.9 - 100
3/6	0.371	0.374	97.2	93.5 - 100
4	4	0.187	78.6	63.6 - 89.8
8	8	0.093	47.6	34.3 - 60.9
16	14	0.046	27.3	18.4 - 36.2
30	28	0.023	15.6	9.7 - 21.5

Average Particle Size 0.011 inches (7.25 mesh)

Packaging			
UPC Code	Product Code	New Product Code	Bag Size (Lbs.)
	6615	613544	Bulk

Compass Minerals America Inc.
9900 West 109th Street - Suite 100
Overland Park, KS 66210
Phone 800-323-1541 Fax 800-359-7258

This information is based on our present state of knowledge and is intended to provide general notes on the product(s) supplied by us and their uses. The information should not be construed as a specific property promise or guarantee of the product(s).

March 2019

Product Data Sheet



9900 West 109th Street – Suite 100
Overland Park, Kansas 66210
Phone 800-755-7258 Fax 800-359-7258

THAWROX MG PLUS TREATED SALT

PRODUCTION LOCATION

Goderich, Ontario

PRODUCT DESCRIPTION

Rock salt obtained by conventional mining methods, crushed, and screened to size. The salt is then admixed with magnesium chloride that contains a corrosion inhibitor. The corrosion inhibited magnesium chloride is less corrosion than salt when tested using a modified National Association of Corrosion Engineers procedure. Sodium ferrocyanide is added as an anti-caking agent. A dye is added to visually aid in product application. The product is then quality control tested.

Chemical Analysis (99.7% Confidence)			Typical	Range
Sodium Chloride	NaCl	(%)	99.11	98.75 - 99.47
Magnesium Chloride	MgCl ₂	(%)	.03	0.01 - 0.04
Calcium Sulphate	CaSO ₄	(%)	.65	0.41 - 0.90
Moisture		(%)	0.12	0.00 - 0.30
Water Insolubles		(%)	0.22	0.10 - 0.35

METHOD OF ANALYSIS

American Society for Testing and Materials Procedure E534. All other testing is from North American Salt's internal quality control procedures, which are available upon request.

ADMIXTURE

Maximum 50 parts per million yellow Prussiate of Soda (YPS) added to prevent caking. Magnesium chloride is added as a corrosion inhibitor and melting performance enhancer.

TYPICAL SCREEN ANALYSIS

Retained and Cumulative (99.7% Confidence)

USS Mesh	Tyler Mesh	Open. (in.)	Ret %	Range %	Cum %	Range %
0.500	0.500	0.500	0.03	0 - 1	0.03	0 - 1
3/8	0.371	0.374	0.27	0 - 2	0.30	0 - 4
4	4	0.187	15.14	3 - 28	15.45	3-29
8	8	0.0937	32.81	24 - 42	48.25	29 - 70
16	14	0.0464	22.96	11 - 35	71.22	57 - 85
30	28	0.0236	12.58	5 - 20	83.80	76 - 92
Pan	Pan		16.2	8 - 24	100.0	

Average Particle Size 0.013 inches (6.37 mesh)

PHYSICAL PROPERTIES

Bulk Density 1160 kg/m³ (72 lbs/ foot³)

Product Description and Codes	Old Product Code	Product Code
Bulk	613544	6604



SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	Salt
Other means of identification	American Backwoods Animal Nutrition Products Sodium Chloride Sifto Safe Step Standard Salt Sifto Ice Salt Sifto Sodium Chloride Sifto Safe Step EnviroGuard QwikSalt Ice-A-Way IceAway Turbo IceAway Turbo Blue Safe Step 3300 Aspen Aspen Blue Safe Step 4300 Dual Blend Safe Step 4300 Dual Blend Blue EconoBlend 370 Winter Storm Winter Storm Blue Safe Step Pro Series 550 Safe Step Pro Series 570 Safe Step 6300 Enviro Blend Safe Step Pro Series 960 Choice Formula Safe Step Sure Paws Sifto Safe Step Sure Paws American Stockman Animal Nutrition Products Nature's Own water care products Sure Soft water care products Natural Salt water care Pro Soft water care products Salt brine Thawrox Treated salt Commercial bulk rock salt Safe Step Pro Series 950 MaxiFonte Solar salt Canadian Stockman Animal Nutrition products Sifto pool salt Crystal Plus
Recommended use	De-icer. General industrial and water softening/conditioning purposes. Animal Nutrition.
Recommended restrictions	None known.
Manufacturer	Compass Minerals USA Inc. 9900 West 109th Street, Suite 100 Overland Park, KS 66210 US 913-344-9200 CHEMTREC 1-800-424-9300 CANUTEC 1-613-996-6666

2. Hazards Identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The product and/or mixture does not meet the criteria for classification.

Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials, i.e. strong oxidizing agents (see Section 10)
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/Information on Ingredients

Mixture

Composition comments The criteria for listing components in this section are: Carcinogens, Respiratory Sensitizers, Mutagens, Teratogens and Reproductive toxins are listed when present at 0.1% or greater; components which are otherwise hazardous according to WHMIS/OSHA are listed when present at 1.0% or greater. Non hazardous components are not listed. The products pertaining to this SDS have various proportions of components which do not meet the listing criteria.

4. First Aid Measures

Inhalation	Avoid breathing dust. If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, seek medical attention.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.

5. Fire Fighting Measures

Suitable extinguishing media	Salt and salt mixtures are non-combustible.
Unsuitable extinguishing media	Not applicable.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Use appropriate firefighting PPE as a general precaution.
Fire-fighting equipment/instructions	Salt is not combustible and is thus not the material of concern for firefighting equipment or methods.
Specific methods	In the event of a fire, equipment and methods that are consistent with the combusting material should be utilized.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Chlorine. Hydrogen chloride. Oxides of sodium.
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Restrict area to facilitate clean up.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Prevent direct entry into waterways and sewers. Following product recovery, flush area with water if necessary. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid direct release into waterways and sewers.

7. Handling and Storage

Precautions for safe handling	Use care in handling/storage. Avoid breathing dust.
--------------------------------------	---

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials, i.e. strong oxidizing agents (see Section 10)

8. Exposure Controls/Personal Protection

Occupational exposure limits	No exposure limits noted for Ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	TWA PEL: No specific limits have been established for sodium chloride (a soluble substance). As a guideline, OSHA (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates Not Otherwise Regulated (PNOR): 5mg/cu.m. Respirable Dust 8-Hour TWA PEL, 15mg/cu.m. Total Dust 8-Hour TWA PEL. TWA TLV: No specific limits have been established for sodium chloride (a soluble substance). As a guideline, ACGIH (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates (insolubles) Not Otherwise Classified (PNOC): 10mg/cu.m. Inhalable Particulate 8-Hours TWA TLV, 3mg/cu.m. Respirable Particulate TWA TLV. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Individual protection measures, such as personal protective equipment	
Eyeface protection	Safety glasses if eye contact is possible.
Skin protection	
Hand protection	If there is constant skin contact, rubber gloves are recommended.
Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment.

9. Physical and Chemical Properties

Appearance	Crystalline.
Physical state	Solid.
Form	Solid.
Color	Varies
Odor	Odorless
Odor threshold	Not applicable
pH	6 - 8 (Neutral)
Melting point/freezing point	Not applicable
Initial boiling point and boiling range	Not applicable
Pour point	Not applicable
Specific gravity	Not applicable
Partition coefficient (n-octanol/water)	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not applicable
Flammability limit - upper (%)	Not applicable
Explosive limit - lower (%)	Not applicable
Explosive limit - upper (%)	Not applicable
Vapor pressure	Not applicable
Vapor density	Not applicable
Relative density	Not applicable
Solubility(ies)	Not available.
Auto-ignition temperature	Not applicable

Decomposition temperature	Not applicable
Viscosity	Not applicable

10. Stability and Reactivity

Reactivity	None known.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with Incompatible materials, i.e strong oxidizing agents.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Chlorine gas, Hydrogen chloride, Oxides of sodium.

11. Toxicological Information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics
Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not classified.

Product	Species	Test Results
---------	---------	--------------

Salt (CAS Mixture)

Acute

Inhalation

LC50

Rat

21 mg/L, estimated

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening value Not available.

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not classified.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not classified.

Chronic effects	Not classified.
Further information	This product has no known adverse effect on human health.
Name of Toxicologically Synergistic Products	Not available.

12. Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers in accordance with applicable regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)	Not regulated as dangerous goods.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.
WHMIS status	Not Controlled
US federal regulations	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.
CERCLA Hazardous Substance List (40 CFR 302.4)	Not listed.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated.
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List	Not regulated.
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	Not regulated.

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 28-September-2015

Effective date 01-August-2014

Expiry date 01-August-2017

Further Information Not available.

Prepared by Delfi Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.