

Sixth Congressional District Nutrient and Sediment Load Reductions

Accomplished By Private Landowners and the Indiana Conservation Partnership



Comparison of Land Use Across District









Sediment Reduced: 501,690,052 lbs.

Enough to fill 2508 freight cars!



Phosphorus Reduced: 257,540 lbs.

Enough to fill 258 truck beds (8' bed)!



Nitrogen Reduced: 513,232 lbs.

Enough to fill 513 truck beds (8' bed)!



Practices do not include the many unassisted practices designed and installed by private landowners without ICP assistance. Nutrient estimates only consider sediment bound N and P, not dissolved components. Load reductions are calculated using the EPA's Region S Load Reduction Model.

Year	Practices Installed	Active Practices	Sediment Reduction (lbs)	Phosphorus Reduction (lbs)	Nitrogen Reduction (lbs)
2016	1,554	2,742	148,540	149,175	298,660
2017	1,476	3,097	150,861	153,530	307,362
2018	2,026	3,943	185,690	191,380	383,701
2019	2,656	5,152	241,723	250,025	500,822
2020	2,801	5,677	276,675	283,094	567,084
2021	2,395	5,798	250,845	257,540	513,232
2013-21	17,378	0.50	1,639,676	1,672,223	3,346,757

The "practices installed" column indicates the number of newly installed practices within a given year, while the "active practices" column indicates the number of practices that are actively reducing sediment and nutrient loading regardless of the year of installation. Please Note: Calendar year 2013 through 2015 metrics are excluded from the table due to space limitations, but are present in the "2013-21" summations.

Data provided by: Indiana State Department of Agriculture, Indiana Department of Natural Resources, Indiana Department of Environmental Managment, Indiana Soil and Water Conservation Districts, and the USDA Natural Resource Conservation Service.

For more information visit: http://www.in.gov/isda/2991.htm or contact ISDA NutrientReduction@isda.in.gov Last updated: 4/20/2022