Watershed Report

Upper Wabash (05120101)

Land Use

	Total (Ac.)	Crops (Ac.)	% of Total	Forest (Ac.)	% of Total	Water/Wetland (Ac.)	% of Total	Pasture/Hay (Ac.)	% of Total	Urban (Ac.)	% of Total	No Data (Ac.)	% of Total
Adams	50,915	32,044	3.77	1,789	0.21	64	0.01	16,149	1.90	498	0.06	22	0.00
<u>Allen</u>	64,778	25,840	3.04	7,895	0.93	126	0.01	19,942	2.35	9,602	1.13	751	0.09
Cass	33,719	18,376	2.16	4,035	0.48	857	0.10	8,606	1.01	1,603	0.19	5	0.00
Grant	44,112	38,554	4.54	561	0.07	93	0.01	4,173	0.49	559	0.07	60	0.01
<u>Howard</u>	16,829	14,896	1.75	89	0.01	0	0.00	1,782	0.21	15	0.00	19	0.00
<u>Huntington</u>	150,726	94,130	11.09	14,215	1.67	826	0.10	32,068	3.78	7,356	0.87	1,362	0.16
Jay	82,325	57,579	6.78	4,285	0.50	14	0.00	19,155	2.26	436	0.05	46	0.01
<u>Miami</u>	100,376	60,094	7.08	8,957	1.06	1,029	0.12	24,873	2.93	4,855	0.57	36	0.00
Wabash	94,221	55,098	6.49	9,096	1.07	621	0.07	24,478	2.88	3,951	0.47	306	0.04
Wells	187,643	149,505	17.61	7,789	0.92	82	0.01	22,955	2.70	4,790	0.56	1,446	0.17
Whitley	23,222	16,291	1.92	1,902	0.22	17	0.00	4,258	0.50	466	0.05	160	0.02
Totals	848,866	562,407	66.25	60,613	7.14	3,729	0.44	178,438	21.02	34,132	4.02	4,212	0.50

Data Source = National Ag Statistics Service, 2006, http://www.nass.usda.gov/research/Cropland/SARS1a.htm

% Crop = Sum of the acres of corn, soybeans, wheat, other small grains, etc. divided by the total acres in the watershed.

% Pasture/Hay = Sum of the acres of pasture, hay, and idle land divided by the total acres in the watershed.

% Forest = Sum of the acres of forest land divided by the total acres in the watershed. % Urban = Sum of the acres of residential and urban land divided by the total acres in the watershed.

Dublic Lands

% Water/Wetland = Sum of the acres of streams, lakes, ponds, etc. divided by the total acres in the watershed.

% Data Not Available = Sum of the acres of clouds on arial photographs divided by the total acres in the watershed.

(data are viewable on the corresponding watershed map)

	Pu	DIIC Laiius
	Public Lands (Ac.)	% of Total
<u>Adams</u>	578	0.07
<u>Allen</u>	621	0.07
Cass	211	0.02
<u>Grant</u>	12	0.00
<u>Howard</u>	0	0.00
<u>Huntington</u>	7,918	0.93
lay	435	0.05
<u> Miami</u>	3,214	0.38
<u>Wabash</u>	254	0.03
Wells	2,515	0.30
Whitley	0	0.00
Totals	15,758	1.86

Data Source = Indiana Department of Natural Resources (State-Managed Lands), 2004; Hoosier National Forest - U.S. Forest Service, 2004 and Patoka River USFWS, 2003 (Federal-Managed Lands)

% Public = Sum of the acres of federal, state, and local government land divided by the total acres in the watershed.

(data are viewable on the corresponding watershed map)

	Cropland Types														
	Crop (Ac.)	% of Total	Corn (Ac.)	% of Total	Wheat (Ac.)	% of Total	Soybeans(Ac.)	% of Total	Other (Ac.)	% of Total					
<u>Adams</u>	32,044	3.77	10,480	1.23	2,554	0.30	18,920	2.23	88	0.01					
<u>Allen</u>	25,840	3.04	8,526	1.00	2,242	0.26	14,813	1.75	257	0.03					
<u>Cass</u>	18,376	2.16	9,039	1.06	271	0.03	8,287	0.98	331	0.04					
<u>Grant</u>	38,554	4.54	15,852	1.87	451	0.05	22,126	2.61	50	0.01					
<u>Howard</u>	14,896	1.75	7,464	0.88	198	0.02	7,170	0.84	14	0.00					
<u>Huntington</u>	94,130	11.09	36,851	4.34	4,905	0.58	51,619	6.08	745	0.09					
<u>Jay</u>	57,579	6.78	20,711	2.44	4,368	0.51	32,267	3.80	229	0.03					
<u>Miami</u>	60,094	7.08	29,473	3.47	1,373	0.16	27,411	3.23	689	0.08					
<u>Wabash</u>	55,098	6.49	24,676	2.91	3,163	0.37	26,012	3.06	626	0.07					
Wells	149,505	17.61	59,115	6.96	7,852	0.93	82,111	9.67	419	0.05					
Whitley	16,291	1.92	5,698	0.67	1,284	0.15	9,199	1.08	110	0.01					
Totals	562,407	66.25	227,885	26.85	28,663	3.38	299,937	35.33	3,558	0.42					

Data Source = National Ag Statistics Service, 2006, http://www.nass.usda.gov/research/Cropland/SARS1a.htm

% Corn = Acres of corn divided by the acres in the watershed.

% Beans = Acres of soybeans + double-crop soybeans/wheat divided by the acres in the watershed.

% Wheat = Acres of wheat divided by the acres in the watershed.

% Other Row Crop = Difference of the sum of the acres of corn, soybeans, and wheat minus total cropland acres in the watershed divided by the acres in the watershed. (data are viewable on the corresponding watershed map)

Ac.: Acres #: Number >: Greater Than Ft.: Feet %: Percent

All data are the measure of that parameter within the Indiana portion of the watershed.

Mi.: Miles <: Less Than

Page 1 of 5

Beef and Swine Processing									
	Beef Plants	Beef Animals	Swine Plants	Swine Animals					
<u>Adams</u>	0	0	0	0					
Allen	0	0	0	0					
<u>Cass</u>	0	0	0	0					
<u>Grant</u>	0	0	0	0					
<u>Howard</u>	0	0	0	0					
<u>Huntington</u>	1	531	1	142					
ay	0	0	0	0					
<u>liami</u>	0	0	0	0					
<u>/abash</u>	0	0	0	0					
<u>/ells</u>	2	1,051	2	1,806					
/hitley	0	0	0	0					
otals	3	1,582	3	1,948					

Data Source = Indiana Board of Animal Health, 2006 (Slaughter Processing), http://www.in.gov/boah/food_safety/inspection/meat_poulty.html

	Confined Livestock 2006												
	CAFO/CFO*		Dairy Farms Animals		Beef Swine rms Animals Farms An		wine Animals	Poultry nimals Farms A			Sheep rms Animals		
<u>Adams</u>	13	1	540	4	510	8	12,214	5	346,500	0	0		
Allen	2	0	0	1	250	1	1,072	1	60,000	0	0		
<u>Cass</u>	2	0	0	0	0	2	5,000	0	0	0	0		
<u>Grant</u>	4	0	0	0	0	4	6,733	0	0	0	0		
<u>Howard</u>	5	0	0	2	750	4	6,864	0	0	0	0		
<u>Huntington</u>	8	2	2,556	2	834	5	7,325	0	0	0	0		
<u>Jay</u>	40	4	995	4	750	28	67,351	13	2,747,458	0	0		
<u>Miami</u>	13	0	0	1	25	13	26,914	0	0	0	0		
<u>Wabash</u>	29	2	1,560	4	3,030	24	35,854	0	0	0	0		
<u>Wells</u>	29	6	5,945	5	2,769	18	31,101	1	240,000	0	0		
Whitley	0	0	0	0	0	0	0	0	0	0	0		
Totals	145	15	11,596	23	8,918	107	200,428	20	3,393,958	0	0		

*Because a CAFO/CFO permit may include multiple types of animals, the total number of permits in the county might be less than the sum of the farms with each animal type. Data Source = Indiana Department of Environmental Management, Office of Land Quality, 2007, http://www.state.in.us/idem/agriculture/livestock/cfo/index.html (data is viewable on the corresponding watershed map)

Confined Animal Feeding Operation (CAFO) = (U. S. Environmental Protection Agency definition) Operations with at least one of the following: 200 dairy cows; 300 veal calves; 300 beef cattle; 750 swine 55 pounds or more; 3000 swine under 55 pounds; 150 horses; 3000 sheep or lambs; 16,500 turkeys; 9000 chickens (liquid manure); 25,000 chickens laying hens (not liquid manure); 37,500 chickens - not laying hens (not liquid manure); 1,500 ducks (liquid manure); or 10,000 ducks (not liquid manure).

Confined Feeding Operation (CFO) = (Indiana Department of Environmental Management definition) = Operations with at least one of the following: 300 cattle; 600 swine or sheep; or 30,000 poultry.

	Biofuel Pla	ints
	Ethanol	Biodiesel
<u>Adams</u>	0	0
<u>Allen</u>	0	0
<u>Cass</u>	0	0
<u>Grant</u>	0	0
Howard	0	0
<u>Huntingto</u>	<u>n</u> 0	0
<u>Jay</u>	0	0
<u>Miami</u>	0	0
<u>Wabash</u>	0	0
<u>Wells</u>	0	0
Whitley	0	0
Totals	0	0

Data Source = Indiana Department of Transportation, 2006 (Biofuels Processing),

http://www.in.gov/isda/biofuels/

Surrace a	na Grounawate	r kesource	Concern	Areas

	Impaired Streams (Mi.)	Impaired Lakes (Ac.)	Wellhead Protection (Ac.)	Karst (Ac.)	% Karst
<u>Adams</u>	34.26	0	1,146	0	0.00
<u>Allen</u>	5.01	0	2,971	0	0.00
<u>Cass</u>	17.93	0	833	0	0.00
<u>Grant</u>	0.00	0	203	0	0.00
<u>Howard</u>	0.00	0	0	0	0.00
<u>Huntington</u>	39.45	0	5,547	0	0.00
<u>Jay</u>	24.35	0	0	0	0.00
<u>Miami</u>	36.95	0	7,477	0	0.00
<u>Wabash</u>	21.85	0	5,648	0	0.00
<u>Wells</u>	44.41	0	6,462	0	0.00
Whitley	0.00	0	873	0	0.00
Totals	224.20	0	31,161	0	0.00

Data Source (Impaired Water Bodies) = 2006 Indiana Department of Environmental Management 303(d) List, http://www.state.in.us/idem/programs/water/303d/index.html (data is viewable on the corresponding watershed map) 303(d)-listed streams = impaired waterbodies that have been identified by IDEM as exceeding threshold limits of specific

Data Source (Wellhead Protection Areas) = Indiana Department of Environmental Management, 2007, http://www.in.gov/idem/programs/water/swp/whpp/ (data is not available for viewing)

Data Source (Karst) = Karst Data, 2002, Indiana NRCS, data unpublished (data are viewable on the corresponding watershed map)

Mi.: Miles

All data are the measure of that parameter within the Indiana portion of the watershed.

Soils-Based Resource Concerns and Analyses

	Hydric (Ac.)	%	Leaching Index >= 10 (Ac.)	%	Subsurface Drainage= H/VH (Ac.)	%	Soil Erosion (Wind) >500 (Ac.)	%	Potential for Frequent Flooding (Ac.)	%	Surface Runoff Class =H/VH (Ac.)	%	Soil Erosion (Water) >37 (Ac.)	%	Sheet/Rill Erosion Potential Between 1T & 2T (Ac.)	%	Sheet/Rill Erosion Potential >=2 (Ac.)	%
<u>Adams</u>	17,731	2.09	262	0.03	43,010	5.07	19,292	2.27	5,658	0.67	18,032	2.12	5,888	0.69	0	0.00	0	0.00
<u>Allen</u>	19,582	2.31	603	0.07	12,593	1.48	3,253	0.38	4,041	0.48	14,494	1.71	4,103	0.48	554	0.07	42	0.00
<u>Cass</u>	7,990	0.94	1,888	0.22	14,609	1.72	847	0.10	0	0.00	3,881	0.46	9,302	1.10	3,720	0.44	801	0.09
Grant	27,791	3.27	1	0.00	1,568	0.18	1	0.00	0	0.00	5,985	0.71	230	0.03	0	0.00	14	0.00
<u>Howard</u>	9,967	1.17	71	0.01	16,694	1.97	22	0.00	49	0.01	7,512	0.88	4	0.00	0	0.00	0	0.00
<u>Huntington</u>	50,096	5.90	349	0.04	108,032	12.73	345	0.04	144	0.02	26,107	3.08	28,613	3.37	4,950	0.58	3,239	0.38
<u>Jay</u>	24,248	2.86	233	0.03	29,835	3.51	233	0.03	3,852	0.45	76,165	8.97	3,101	0.37	621	0.07	0	0.00
<u>Miami</u>	25,341	2.99	890	0.10	61,503	7.25	1,455	0.17	603	0.07	24,827	2.92	12,160	1.43	534	0.06	4,169	0.49
<u>Wabash</u>	19,631	2.31	9,427	1.11	56,373	6.64	610	0.07	1,587	0.19	23,517	2.77	25,935	3.06	9,138	1.08	4,743	0.56
<u>Wells</u>	76,570	9.02	13,483	1.59	162,184	19.11	0	0.00	6,514	0.77	19,426	2.29	4,338	0.51	269	0.03	0	0.00
Whitley	8,717	1.03	1,906	0.22	19,005	2.24	165	0.02	693	0.08	4,019	0.47	1,472	0.17	213	0.03	37	0.00
Totals	287,664	33.89	29,113	3.43	525,406	61.89	26,223	3.09	23,141	2.73	223,965	26.38	95,146	11.21	19,999	2.36	13,045	1.54

Data Source (Hydric Soils) = NRCS Soil Data Mart (2007) - http://soildatamart.nrcs.usda.gov/. A soil mapunit was considered hydric if a majority of its component soils is hydric.

Data Source (Sheet/Rill Erosion Potential) = NRCS Soil Data Mart, 2007, http://soildatamart.nrcs.usda.gov/ and the Revised Universal Soil Loss Equation, Version 2 (RUSLE2). Erosion potential is based on the RUSLE2 calculation for the soil with a "C" Factor equal to that of a typical cropland management system used in Indiana (no-till soybeans, followed by chisel-plowed corn with an injected anhydrous application). Soils (if used to produce annual crops) under this management system between 1 and 2 times of tolerable limits are eroding above sustainable levels; soils (if used to produce annual crops) under this management system greater than 2 times of tolerable limits may be ineligible for certain USDA benefits. Management systems that leave more residue on the surface, those with less soil disturbance, crop rotations with higher-residue crops, etc. will decrease soil erosion compared to those under the typical cropland system. Management systems that leave less residue, disturb the soil more, and those with crop rotations with lower-residue crops may increase soil erosion above the typical cropland system.

Data Source (Leach Index, Wind Erosion, Water Erosion, Flood Potential, and Surface and Subsurface Drainage) = NRCS Soil Data Mart, 2007, http://soildatamart.nrcs.usda.gov/ and the NRCS Indiana Offsite Risk Index (ORI) (Section II of the Indiana Field Office Technical Guide (FOTG)). http://efotg.nrcs.usda.gov/efotg_locator.aspx?map=IN. NOTE: Because climatic and other data elements may be county-based, threshold values may differ among adjacent counties and result in abrupt data

Hydric soils = Characterized by, relating to, or requiring an abundance of water. Hydric soils may be indicators of wetlands, which represent unique management considerations including groundwater impacts, crop production limitations, wildlife considerations, etc. A soil mapunit was considered hydric if a majority of its component soils is hydric.

Leach Index = soils with a relatively high risk of water percolating below the crop root zone; developed using annual precipitation, rainfall distribution data and hydrologic soil groups.

Subsurface Drainage = soils with a relatively high risk of having subsurface drainage; determined from a matrix based on soil drainage class and depth to seasonal high water, and the presence of artificial subsurface drainage and surface tile inlets. Soil Erosion (Wind) = soils with a relatively high risk of eroding by wind; determined from a location's C (Climate) Factor and a soil's Soil Erodibility Index (I).

Flooding Potential = soils with a relatively frequent risk of being covered by flowing water from any source; determined from the NRCS soil survey.

Surface Runoff Class = soils with a relatively high risk of soil solution movement from the surface of a management unit; determined using soil permeability and percent slope.

Soil Erosion (Water) = soils with a relatively high risk of eroding by water; determined from a location's R (Rainfall-Runoff Erosivity) Factor, and a soil's K (Soil Erodibility) and LS (Length-Slope) factors. (All data are viewable on the corresponding watershed map)

Ac.: Acres

#: Number Ft.: Feet %: Percent Mi.: Miles <: Less Than

			,	Water Re	esources				
	Standing Water (Ac.)	Streams (Mi.)	1st Order (Mi.)	2nd Order (Mi.)	3rd Order (Mi.)	4th Order (Mi.)	5th Order (Mi.)	6th+ Order (Mi.)	Stream Order Unavailable (Mi.)
<u>Adams</u>	168	67.20	33.44	8.85	0.90	3.31	20.69	0.00	0.00
<u>Allen</u>	176	99.42	63.33	19.01	15.66	1.17	0.00	0.00	0.25
<u>Cass</u>	59	72.11	40.50	10.57	6.98	0.00	12.67	0.00	1.39
<u>Grant</u>	6	29.82	18.65	11.17	0.00	0.00	0.00	0.00	0.00
<u>Howard</u>	0	16.21	16.21	0.00	0.00	0.00	0.00	0.00	0.00
<u>Huntington</u>	1,170	135.99	65.79	12.94	17.50	15.61	20.33	0.00	3.82
<u>Jay</u>	236	151.88	92.35	36.30	18.53	1.52	3.18	0.00	0.00
<u>Miami</u>	145	138.26	79.89	24.55	19.87	0.00	13.52	0.00	0.43
<u>Wabash</u>	100	79.66	57.13	4.08	0.00	0.02	18.44	0.00	0.00
<u>Wells</u>	296	153.29	90.58	34.70	7.13	0.00	20.63	0.00	0.25
Whitley	14	30.99	28.75	2.25	0.00	0.00	0.00	0.00	0.00
Totals	2,372	974.83	586.62	164.42	86.57	21.63	109.45	0.00	6.13

Data Source = National Hydrography Data - U.S. Geological Survey, 2006, http://www.horizon-systems.com/nhdplus/

Stream Order = A hierarchal stream classification system. The confluence of two first order streams forms a second order stream; the confluence of two second order streams forms a third order stream; etc. Generally, larger order streams (such as the Ohio or Mississippi Rivers) have more volume, depth and channel width. They also are located in the lower reaches of watersheds. First order streams (unforked or unbranched streams) are in the upper reaches of watersheds. (data are viewable on the corresponding watershed map)

	% of
	Watershed
Adams	0.00
Allen	7.63
Cass	0.00
<u>Grant</u>	0.00
<u>Howard</u>	0.00
<u>Huntington</u>	0.00
lay	0.00
Miami	0.00
<u>Wabash</u>	0.00
Wells	0.00
Whitley	0.00
Totals	7.63

data no longer published. (data are viewable on the corresponding watershed map)

Unique Habitat Areas											
Ac. Within Range of Known T & E Species	% of Watershed Within Range of Known T & E Species	Natural Communities (Ac.)	Permanent Easement (Ac.)	% of Watershed in Permanent Easement							

2,569.80

766.50

Data Source (Threatened & Endangered (T & E) Species and Natural Communities) = Indiana Department of Natural Resources, Division of Nature Preserves; Analysis by NRCS, 2007, data source is not public. Habitat ranges indicate the likely life-history range surrounding known locations of threatened & endangered species (state and federal listed) that have the potential to be used by the species (ranges for plants = point - 0 miles; amphibians/reptiles/insects/aquatic species = 1/4 - 1/2 mile; mammals/birds = 1 mile).

Data Source (Natural Communities) = Areas identified and classified by the IDNR as unique/rare (data include the Natural Community acreage + 1/4 mile buffer), data not

3.80

Data Source (Permanent Easements) = Indiana NRCS (Wetlands Reserve Program), 2008 data not published

Farm Census Data										
	Farms	Farms <10 Ac.	Farms <50 Ac.	Farms <180 Ac.	Farms <500 Ac.	Farms <1000 Ac.	Farms >1000 Ac.	Minority Farmers	Full Time Farmers	Part Time Farmers
<u>Adams</u>	281	39	97	81	37	16	11	2	58	135
<u>Allen</u>	244	25	88	76	32	11	12	6	47	113
Cass	93	12	22	26	16	10	7	1	11	45
Grant	106	10	29	25	19	14	10	1	13	46
<u>Howard</u>	51	7	13	11	10	6	4	1	8	18
<u>Huntington</u>	416	34	128	105	70	43	36	1	58	199
<u>Jay</u>	278	22	88	82	53	18	15	6	38	143
<u>Miami</u>	291	18	88	78	58	31	18	9	43	131
<u>Wabash</u>	286	27	73	91	52	24	18	2	36	135
<u>Wells</u>	486	35	109	133	89	70	50	5	68	213
Whitley	98	7	34	33	15	5	5	1	17	47
Totals	2,630	236	769	741	451	248	186	35	397	1,225

Data Source = National Ag Statistics Service 2002 Census of Agriculture (http://www.nass.usda.gov/census/census02/volume1/in/index2.htm). Estimates for each watershed were derived from county values based on the percentage of each county in the watershed.

32,273.69

NRCS Practices Gully Confined Vegetative Control Gully Livestock Wetland Agronomic Aquatic Grazing Control Wildlife Forestry Grassed Waste Buffers Practices Nutrient CNMPs Habitat **Practices** Upland Other Practices Practices No Till Mulch Till Pest Mat. Waterway Storage Irrigation Year: (Ac.) (Ac.) Mgt. (Ac.) (Ac.) (Ac.) (Ac.) Buffers (Ft.) (#) (Ac.) (Ac.) (Ac.) (Ac.) (Ac.) (#) (#) (Ac.) 2007 1.074 3,512 2.831 30.588 267 4.611 4,951 22 3 982 67 41 25 598 0 620 140 2,583 3.149 2006 148 458 1,357 38,282 383 2,256 13 361 0 53 40.302 129 379 1,869 1,599 25 2005 74 3.620 4.217 0 0 45 188 70 0 56 142 300 80 2004 341 1,764 1,806 8,420 294 0 0 n/a 12 68 184 0 66 2.788 n/a 2003 n/a 1.762 1 922 10.386 297 138 1 186 0 n/a 489 126 1 2002 n/a 36.776 1.770 308 3.223 1.945 n/a n/a 547 52 0 2,166 503 2 5 Totals (2002-2007): 1,637 13,282 12.636 164,754 1,775 15,368 11,937 160 171 801 2.545 8.423 2 1.391

Data Source = NRCS Performance Results System Reports, 2007, http://ias.sc.egov.usda.gov/prshome/index.aspx.

Vegetative Agronomic Practices = Acres of Conservation Cover (327) + 342 (Critical Area Planting) + 340 (Cover Crops) practices installed in the given fiscal year.

No-Till = Acres of Residue & Tillage Management, No-Till/Strip Till/Direct Seed (329) + Residue Management, No-Till/Strip Till (329A) practices installed in the given fiscal year.

Mulch-Till = Acres of Residue & Tillage Management, Mulch Till (345) + Residue Management, Mulch Till (329B) practices installed in the given fiscal year.

Upland Buffers = Feet of Field Border (386) + Windbreak/Shelterbelt Establishment (380) + Hedgerow Planting (422) + Windbreak/Shelterbelt Renovation (650) practices installed in the given fiscal year.

Aquatic Buffers = Acres of Filter Strips (393) + Riparian Forest Buffers (391) practices installed in the given fiscal year.

Grazing Practices = Acres of Prescribed Grazing (528 and 528A) + Pasture and Hayland Planting (512) practices installed in the given fiscal year.

Nutrient Mgmt = Acres of Nutrient Management (590) + Waste Utilization (633) practices installed in the given fiscal year. **Pest Mgmt** = Acres of Pest Management (595) practices installed in the given fiscal year.

Irrigation = Acres of Irrigation System, Microirrigation (441) + Irrigation System, Sprinkler (442) + Irrigation System, System, Microirrigation (441) + Irrigation System, Sprinkler (442) + Irrigation System, Sprinkler (443) + Irrigation System, Microirrigation (441) + Irrigation System, Sprinkler (442) + Irrigation System, Sprinkler (443) + Irrigation System, Sprinkler (443) + Irrigation System, Sprinkler (443) + Irrigation System, Microirrigation (441) + Irrigation System, Sprinkler (442) + Irrigation System, Sprinkler (443) + Irrigation System, Sprinkler (4

CNMPs = Number of Comprehensive Nutrient Management Plans written in the given fiscal year.

Gully Control - grassed waterways = Acres of Grassed Waterway (412) practices installed in the given fiscal year.

Gully Control - other = Acres of Grade Stabilization Structure (410) + Water and Sediment Control Basin (638) practices installed in the given fiscal year.

Wildlife habitat = Acres of Upland Wildlife Habitat Management (645) + Wetland Wildlife Habitat Management (644) + Restoration and Management of Rare and Declining Habitats (653) + Early Successional Habitat Development/Management (647) practices installed in the given fiscal year.

practices installed in the given fiscal year.

Forestry Practices - Acres of Tree/Shrub Establishment (612) + Forest Stand Improvement (666) practices installed in the given fiscal year.

Confined Livestock Waste Storage Facilities = Number of Waste Storage Facility (313) + Composting Facility (317) + Waste Treatment Lagoon (359) practices installed in the given fiscal year.

Wetland Practices = Acres of Wetland Restoration (657) + Wetland Creation (658) + Wetland Enhancement (659) practices installed in the given fiscal year.