

**ORIGINAL**

CIV  
[Signature]  
[Signature]  
Arew  
[Signature]

**STATE OF INDIANA  
INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE ) APPROVED: NOV 02 2016  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )**

**ORDER OF THE COMMISSION**

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

**IT IS SO ORDERED.**

**STEPHAN, HUSTON, ZIEGNER, AND FREEMAN CONCUR; WITH WEBER NOT PARTICIPATING IN VECTREN CASES**

**APPROVED: NOV 02 2016**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

  
**Mary M. Becerra**  
**Secretary of the Commission**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kraft Nursery**  
Other Party: **Vectren**  
Case Number: **11004**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **7/21/2015**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED: \_\_\_\_\_

  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **S & T Bancroft Electric Inc.**  
Other Party: **NIPSCO**  
Case No.: **12013**  
Date of Advisory Meeting: **July 26, 2016**  
Date of Damage: **1/29/2016**


The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter  
*Special instructions:*

Clearance Zone	Failure to Plan	Using Stakes or Post Hole
Damaging Lines	Potholing	Diggers
Dig Tickets	Probing	White Lining
Demolitions	Self-Repair	
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Additional Information: Selking Abstains  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Interstate Truck Sales**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **12144**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/7/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Virgil Tharp**  
Other Party: **NIPSCO**  
Case Number: **12171**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/10/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Summers of Kokomo, Inc.**  
Other Party: **NIPSCO**  
Case Number: **12174**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/10/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Asplundh Construction Corporation**  
Case Number: **12182**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/5/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:



**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **B N B Trenching**  
Other Party: **NIPSCO**  
Case Number: **12183**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J P Developers Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12185**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R & C Fence Co.**  
Other Party: **NIPSCO**  
Case Number: **12186**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Addison Underground Utilities**  
Other Party: **Citizens Energy Group**  
Case Number: **12191**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/24/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Facility Maintenance**  
Other Party: **Citizens Energy Group**  
Case Number: **12192**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Chris J. Garrison**  
Other Party: **Citizens Energy Group**  
Case Number: **12193**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/19/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **MCF House Movers**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **12195**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/26/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Now Electric**  
Other Party: **NIPSCO**  
Case Number: **12198**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Maple City Underground**  
Case Number: **12203**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:



\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jose Montoya**  
Other Party: **NIPSCO**  
Case Number: **12204**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:



**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Peter Heck**  
Other Party: **NIPSCO**  
Case Number: **12205**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Don's Excavating Incorporated**  
Case Number: **12207**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mike Monroe**  
Other Party: **NIPSCO**  
Case Number: **12209**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **John Peirick III**  
Other Party: **NIPSCO**  
Case Number: **12210**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/19/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Outdoor Concepts**  
Other Party: **NIPSCO**  
Case Number: **12212**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **G E Marshall, Inc.**  
Case Number: **12213**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **NIPSCO - Gas Construction**  
Case Number: **12214**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jeff Norment**  
Other Party: **NIPSCO**  
Case Number: **12216**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hobart, City of**  
Other Party: **NIPSCO**  
Case Number: **12217**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/17/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Selge Construction Company**  
Case Number: **12218**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/17/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ken Carey**  
Other Party: **NIPSCO**  
Case Number: **12219**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/16/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mayflower Apostolic Church**  
Other Party: **NIPSCO**  
Case Number: **12222**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **3/16/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Alton Hall**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **12223**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gradex, Inc.**  
Other Party: **Citizens Energy Group**  
Case Number: **12224**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Calumet Civil Construction**  
Other Party: **Citizens Energy Group**  
Case Number: **12227**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Midwest Natural Gas Corporation**  
Other Party: **Pike Electric**  
Case Number: **12228**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 500
- Other \_\_\_\_\_

Abstentions:

Additional Information: unusual circumstances, corrected  
policy to prevent this in the  
future.

APPROVED:

  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Todd Gill**  
Other Party: **Vectren**  
Case Number: **12229**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hydaker Wheatlake Company**  
Other Party: **Vectren**  
Case Number: **12230**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: Walters

Additional Information: \_\_\_\_\_

---

---

APPROVED:



**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Brackney Incorporated**  
Case Number: **12231**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Modern Plumbing**  
Other Party: **Vectren**  
Case Number: **12233**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Sheridan Waterworks**  
Case Number: **12234**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mattingly Excavating, Inc.**  
Other Party: **Vectren**  
Case Number: **12235**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Dotson Construction Incorporated**  
Case Number: **12236**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **S & G Excavating**  
Case Number: **12238**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Custom Signs and Engineering**  
Other Party: **Vectren**  
Case Number: **12239**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: Walters

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hardcore Concrete Sawing Incorporated**  
Other Party: **Vectren**  
Case Number: **12240**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Bowen Engineering Corporation.**  
Other Party: **Vectren**  
Case Number: **12241**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Mattingly Excavating, Inc.**  
Case Number: **12242**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/5/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:



**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Naas and Sons**  
Other Party: **Vectren**  
Case Number: **12243**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/5/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipeline**  
Other Party: **Vectren**  
Case Number: **12245**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other no penalty

Abstentions: **Miller**

Additional Information: mitigated penalty b/c pipe embedded in frozen ground, could not use hot water or heater b/c leaking gas (they were repairing)

APPROVED: Ben Warren  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Snedegar's Construction**  
Case Number: **12246**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Evansville Water Department**  
Case Number: **12247**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **D R Watson**  
Other Party: **Vectren**  
Case Number: **12248**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Johnson's Hauling and Excavating**  
Case Number: **12250**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Onsite Plumbing LLC**  
Other Party: **Vectren**  
Case Number: **12251**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ed Patton Construction Incorporated**  
Other Party: **Vectren**  
Case Number: **12252**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/15/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Baseline Communications**  
Case Number: **12253**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Brackney Incorporated**  
Other Party: **Vectren**  
Case Number: **12254**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED: \_\_\_\_\_

  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Brackney Incorporated**  
Other Party: **Vectren**  
Case Number: **12257**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Axis Fiber Solutions**  
Other Party: **Vectren**  
Case Number: **12258**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Miller Pipeline**  
Case Number: **12260**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Clark Nickels Excavating**  
Other Party: **Vectren**  
Case Number: **12261**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Taylor Construction**  
Other Party: **Vectren**  
Case Number: **12263**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Lykins Contracting Co.**  
Case Number: **12264**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/19/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Koberstein Contracting**  
Other Party: **Vectren**  
Case Number: **12265**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Lewen Line Construction**  
Case Number: **12266**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **David Perez**  
Other Party: **Vectren**  
Case Number: **12268**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **C & S Excavating**  
Case Number: **12270**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **2/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Cayetana Estrada**  
Other Party: **Citizens Energy Group**  
Case Number: **12275**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Edwards & Jones Concrete Incorporated**  
Other Party: **Citizens Energy Group**  
Case Number: **12276**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Edwards & Jones Concrete Incorporated**  
Other Party: **Citizens Energy Group**  
Case Number: **12280**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |   |
|---|--|---|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                                  |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input checked="" type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                                 |
| <input type="checkbox"/> Demolitions    |  |   |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Derry Electric Incorporated**  
Case Number: **12281**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Smittys C R D Concrete Services Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12283**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:



**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gordon Engineering**  
Other Party: **NIPSCO**  
Case Number: **12284**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/14/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_

**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Robert Henry Corp.**  
Case Number: **12286**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/14/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:



**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Asplundh Construction Corporation**  
Other Party: **NIPSCO**  
Case Number: **12287**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **LaPorte County Landscaping**  
Other Party: **NIPSCO**  
Case Number: **12290**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Shult Properties LLC**  
Case Number: **12291**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Dimension Fence Incorporated**  
Case Number: **12292**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Royce Mason**  
Other Party: **NIPSCO**  
Case Number: **12294**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Indiana American Water Co.**  
Case Number: **12295**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **McAllister General Contractors**  
Other Party: **NIPSCO**  
Case Number: **12296**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Elkhart, City of Public Works & Utilities**  
Case Number: **12297**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J J Parent Corporation**  
Other Party: **NIPSCO**  
Case Number: **12299**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **M R Louthian & Associates LLC**  
Other Party: **NIPSCO**  
Case Number: **12300**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Walsh & Kelly Incorporated**  
Case Number: **12303**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/5/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Middlebury Septic Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12304**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Schleppenbach Construction**  
Other Party: **NIPSCO**  
Case Number: **12305**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_

**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kokomo, City of Street Department**  
Other Party: **NIPSCO**  
Case Number: **12307**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pirtano Construction Company**  
Other Party: **NIPSCO**  
Case Number: **12308**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of ~~\$1,500~~ **\$2,500**; can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Watkins & Associates Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12309**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **C & H M Excavating Incorporated**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **12311**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gosport, Town Of**  
Other Party: **Community Natural Gas, Inc.**  
Case Number: **12318**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/5/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Joe Ward**  
Other Party: **Citizens Energy Group**  
Case Number: **12322**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Daystar Directional Drilling, Inc.**  
Other Party: **Citizens Energy Group**  
Case Number: **12323**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/26/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Dan Meiners**  
**Vice Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dotlich Trucking And Excavation Incorporated**  
Other Party: **Citizens Energy Group**  
Case Number: **12325**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair            |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Citizens Energy Group**  
Case Number: **12327**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Blanca Zabala**  
Other Party: **Citizens Energy Group**  
Case Number: **12328**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Smock Fansler Corporation**  
Other Party: **Citizens Energy Group**  
Case Number: **12329**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Telecom Placement, Inc.**  
Other Party: **Citizens Energy Group**  
Case Number: **12330**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J2LR Contractors LLC**  
Other Party: **Citizens Energy Group**  
Case Number: **12333**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Sundown Gardens**  
Other Party: **Citizens Energy Group**  
Case Number: **12334**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **5/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Dan Meiners**  
**Vice Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kessie Davis**  
Other Party: **NIPSCO**  
Case Number: **12338**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Max Beck**  
Other Party: **NIPSCO**  
Case Number: **12340**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Michiana Tree Works Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12341**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **K L S Underground Incorporated**  
Case Number: **12344**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Martin Landscaping & Landscape Center**  
Other Party: **NIPSCO**  
Case Number: **12345**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ernest Helmuth**  
Other Party: **NIPSCO**  
Case Number: **12346**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **T S W Utility Solutions Incorporated**  
Case Number: **12347**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Hines Plumbing Incorporated**  
Case Number: **12348**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Square 1 Builders**  
Other Party: **NIPSCO**  
Case Number: **12350**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/27/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: Bent over service & taped, did not report damage until the following day.

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Bore-It Corporation**  
Case Number: **12352**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/27/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Asplundh Construction Corporation**  
Case Number: **12353**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/27/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A & D Specs Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12355**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/26/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Greg Lehman**  
Other Party: **NIPSCO**  
Case Number: **12356**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/26/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Cores For Less LLC**  
Other Party: **NIPSCO**  
Case Number: **12357**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/26/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **K W Yoder Construction Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12358**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/26/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Valley Fellowship Church**  
Other Party: **NIPSCO**  
Case Number: **12359**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED: \_\_\_\_\_

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana Earth Incorporated**  
Other Party: **NIPSCO**  
Case Number: **12360**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Smit Brothers Excavating**  
Case Number: **12361**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/25/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ron Strzelecki**  
Other Party: **NIPSCO**  
Case Number: **12364**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **City Lights & Signals Incorporated**  
Case Number: **12365**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/24/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana American Water Company (DBA Indiana American)**  
Other Party: **NIPSCO**  
Case Number: **12367**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Countryside Landscaping**  
Other Party: **NIPSCO**  
Case Number: **12368**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Thomas Eckhoff**  
Other Party: **NIPSCO**  
Case Number: **12369**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Arturo Silva**  
Other Party: **NIPSCO**  
Case Number: **12370**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Martin Raab**  
Other Party: **NIPSCO**  
Case Number: **12371**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **David Schweiterman**  
Case Number: **12372**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Scott Schlemmer**  
Other Party: **NIPSCO**  
Case Number: **12374**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Michiana Contracting Company Incorporated**  
Case Number: **12377**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **House Doctor Pros LLC**  
Other Party: **NIPSCO**  
Case Number: **12378**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **K & R General Services**  
Case Number: **12379**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Weigand Construction**  
Other Party: **NIPSCO**  
Case Number: **12380**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Musser Decorative Concrete LLC**  
Other Party: **NIPSCO**  
Case Number: **12382**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Reeves Fence Services**  
Case Number: **12383**  
Date of Advisory Meeting: **August 16, 2016**  
Date of Damage: **4/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
**Ben Warren**  
**Chairman**