

ORIGINAL

[Handwritten signatures and initials: DW, AMW, etc.]

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: APR 25 2018

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, OBER, WEBER, AND ZIEGNER CONCUR:

APPROVED: APR 25 2018

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary E. Becerra
Mary E. Becerra
Secretary of the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Koberstein Contracting**
Other Party: **Vectren Energy Delivery**
Case Number: **15246**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **10/5/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Alt Construction, Inc**
Other Party: **Vectren Energy Delivery**
Case Number: **15299**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **10/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nesseth Concrete**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15569**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **1/30/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **K D Construction Inc.**
Other Party: **Citizens Gas**
Case Number: **15727**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **2/23/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kentuckiana Concrete Construction**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **16178**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vanhoy & Son Contracting**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **16179**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Kasey Martin~~ FX Underground
Other Party: Citizens Gas
Case Number: 16243
Date of Advisory Meeting: 2/13/2018
Date of Damage: 7/10/2017

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Freije Paving, Inc.**
Other Party: **Citizens Gas**
Case Number: **16244**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A P & G**
Other Party: **Jasonville Gas Utility**
Case Number: **16254**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Hudson**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **16255**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/17/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James E Bickley**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **16258**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/26/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bob Greer**
Other Party: **Aurora Utilities**
Case Number: **16316**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Carr Construction**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **16317**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/1/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Patrick Korando**
Other Party: **Citizens Gas**
Case Number: **16397**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C B Unlimited LLC**
Other Party: **Citizens Gas**
Case Number: **16398**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Greenwald Enterprises, Inc.**
Other Party: **Citizens Gas**
Case Number: **16399**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,900
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Greenwald Enterprises, Inc.**
Other Party: **Citizens Gas**
Case Number: **16402**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mr. Plumber (WCA Group, LLC)**
Other Party: **Citizens Gas**
Case Number: **16403**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Larry Foster**
Other Party: **Citizens Gas**
Case Number: **16404**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/19/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  _____
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hartco Cable, Inc.**
Other Party: **Citizens Gas**
Case Number: **16405**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/19/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mr. Plumber (WCA Group, LLC)**
Other Party: **Citizens Gas**
Case Number: **16406**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/19/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Citizens Energy Group**
Case Number: **16408**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Daniel Steele**
Other Party: **Citizens Gas**
Case Number: **16409**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/16/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dietrich Lapsley**
Other Party: **Citizens Gas**
Case Number: **16410**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pyramid Technologies, Inc.**
Other Party: **Citizens Gas**
Case Number: **16412**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: Completed 9/12/17

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Ott Communications, LLC**
Case Number: **16413**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Calumet Civil Contractors, Inc.**
Other Party: **Citizens Gas**
Case Number: **16415**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Maxwell Construction**
Other Party: **Sycamore Gas Company**
Case Number: **16417**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Everdry Waterproofing**
Other Party: **Sycamore Gas Company**
Case Number: **16418**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Aurora**
Other Party: **Aurora Utilities**
Case Number: **16419**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/7/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ no ticket escalation \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David Gorbett Construction**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **16422**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tikal, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16474**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **6/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Lebanon**
Other Party: **Vectren Energy Delivery**
Case Number: **16497**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **6/22/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **TJ Jacobs**
Other Party: **Ohio Valley Gas Corp**
Case Number: **16528**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kinder Electric**
Other Party: **Citizens Gas**
Case Number: **16529**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Freeman's Signs**
Other Party: **Citizens Gas**
Case Number: **16530**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **The Amigos Maintenance, LLC**
Other Party: **Citizens Gas**
Case Number: **16533**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Shawn Sandifer**
Other Party: **Citizens Gas**
Case Number: **16534**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Atlas Excavating, Inc.**
Other Party: **Citizens Gas**
Case Number: **16536**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ellie Driscolle**
Other Party: **Citizens Gas**
Case Number: **16537**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Illinois Constructors Corp.**
Case Number: **16538**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hydro, Inc.**
Other Party: **Citizens Gas**
Case Number: **16539**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H I S Constructors, Inc.**
Other Party: **Citizens Gas**
Case Number: **16540**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: Completed 1/23/18

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wilson Water & Sewer Service, Inc.**
Other Party: **Citizens Gas**
Case Number: **16541**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: Completed 7/27/17

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Weber Concrete Construction**
Case Number: **16544**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Primco, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16546**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Action Plumbing, Inc. (Cedar Lake)**
Case Number: **16547**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16548**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **J C I Bridge Group, Inc.**
Case Number: **16550**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Martin Service Systems**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16551**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Henney Builders**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16552**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: BTL A-1 AA Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 16553
Date of Advisory Meeting: 2/13/2018
Date of Damage: 7/13/2017

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ ~~1,500~~ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: excavator intentionally cut line & stopped flow of gas, did not report damage and re-buried line after attempting to stop flow by pinching it between cinder blocks.

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Larry Jones**
Other Party: **Vectren Energy Delivery**
Case Number: **16624**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Peter Karaivanov**
Other Party: **Vectren Energy Delivery**
Case Number: **16625**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E & B Paving, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16626**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/15/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lucas Richardson**
Other Party: **Vectren Energy Delivery**
Case Number: **16627**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/16/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Sub-Surface of Indiana, Inc.**
Case Number: **16628**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B M B, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16631**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Estes Designs**
Case Number: **16632**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Payton & Son Concrete, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16633**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Paving**
Other Party: **Vectren Energy Delivery**
Case Number: **16636**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: Completed 1/30/18

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hendricks County**
Other Party: **Vectren Energy Delivery**
Case Number: **16637**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Charles F. Bothell**
Case Number: **16638**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: _____


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mr. Fence, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16639**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Hoffman Plumbing**
Case Number: **16641**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: _____


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: City of Evansville (Water & Sewer Departments)
Other Party: Vectren Energy Delivery
Case Number: 16642
Date of Advisory Meeting: 2/13/2018
Date of Damage: 7/18/2017


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Dave O'Mara Construction**
Case Number: **16643**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **D & D Hunt Excavating**
Case Number: **16644**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Deig Brothers**
Case Number: **16645**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/19/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **16647**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/19/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crane Concrete**
Other Party: **Vectren Energy Delivery**
Case Number: **16648**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/19/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Network Electric, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16650**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Bud's Plumbing Service**
Case Number: **16651**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Infrastructure Systems, Inc.**
Case Number: **16652**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **White Construction, Inc.**
Case Number: **16653**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: _____



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Mole, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16655**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/20/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: completed 10/10/17

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Bud's Plumbing Service**
Case Number: **16657**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: _____


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R & R Custom Builders**
Other Party: **Vectren Energy Delivery**
Case Number: **16659**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/21/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D & L Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **16663**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Gradex, Inc.**
Case Number: **16664**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Paving**
Other Party: **Vectren Energy Delivery**
Case Number: **16666**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: Completed 1/30/18

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Keller Development**
Case Number: **16667**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Daystar Directional Drilling, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16669**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
 Other Party: **Culy Contracting, Inc.**
 Case Number: **16671**
 Date of Advisory Meeting: **2/13/2018**
 Date of Damage: **7/25/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)

| | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  _____
 Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robinson Trenching & Boring**
Other Party: **Vectren Energy Delivery**
Case Number: **16672**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wabash Plumbing, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16673**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Culy Contracting, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16674**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R T Moore, Co.**
Other Party: **Vectren Energy Delivery**
Case Number: **16675**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Elevation Excavation**
Other Party: **Vectren Energy Delivery**
Case Number: **16676**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/26/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: _____


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Van Dame Outdoor Maintenance LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **16677**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/26/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Asplundh Construction Corp.**
Other Party: **Vectren Energy Delivery**
Case Number: **16678**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/26/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mark Morron Excavating, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **16680**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: Completed 12/1/17

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Foley Foundations, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16681**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crider & Crider Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **16682**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **B M B, Inc.**
Case Number: **16683**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Simplicity Contracting, Inc.**
Case Number: **16684**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/29/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Milestone Contractors, LP**
Other Party: **Vectren Energy Delivery**
Case Number: **16685**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/29/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000 + \$1,000 no ticket escalation
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lloyd Moyer**
Other Party: **Vectren Energy Delivery**
Case Number: **16689**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/30/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Rieth-Riley Construction Co., Inc.**
Case Number: **16690**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Murrain Excavating, Inc.**
Case Number: **16691**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Bowen Engineering Corporation**
Case Number: **16692**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mahurin Bore Pro, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16693**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Alex Metz Sewer, Inc.**
Case Number: **16774**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/21/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Markland Farms**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16775**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh & Kelly**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16777**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000 + \$1,000 no ticket escalation
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hill Excavation, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16778**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Berry-It, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16779**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **S & S Directional Boring, LTD**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16780**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David & Kristine Electric Limited**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16781**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana Earth, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16782**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James Ousley Well Drilling, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16783**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Columbia City**
Case Number: **16784**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/25/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16785**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/26/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Indiana Earth, Inc.**
Case Number: **16786**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **TMT Enterprises**
Case Number: **16788**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hipskind Concrete**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16789**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rauon Gavda**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16790**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mark Davenport**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16791**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Parkman Excavating, Inc.**
Case Number: **16792**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **INDOT**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16793**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 1,000 no ticket escalation
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Harry Kreps**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16794**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: _____


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Randy Knach**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16795**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Moore Family Farms**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16796**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Baseline Communications**
Case Number: **16797**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/28/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gary Hayes**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16798**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/29/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tim Moyer Excavating**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16799**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/29/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Failure to Plan
 - Self-Repair
 - Damaging Lines
 - Potholing
 - Using Stakes or Post Hole Diggers
 - Dig Tickets
 - Probing
 - White Lining
 - Demolitions
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dennis Ruemler**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16801**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/30/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Raymond Crenshaw**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16802**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/30/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Meade Electric Company, Inc.**
Case Number: **16803**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crown Restoration**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16804**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Electricom, Inc.**
Case Number: **16806**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robertson & Sons Excavating**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16807**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Richard Doyle**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16808**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dunigan Bros., Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16809**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **7/31/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wagler Brothers Excavating**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **16815**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **8/30/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jim Slater**
Other Party: **Jasonville Gas Utility**
Case Number: **16816**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **9/2/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cynthia Childress**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **16817**
Date of Advisory Meeting: **2/13/2018**
Date of Damage: **9/3/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman