

ORIGINAL

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman			√
Krevda	√		
Ober	√		
Ziegner	√		

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: MAR 24 2021

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, KREVDA, OBER, AND ZIEGNER CONCUR; FREEMAN ABSENT

APPROVED: MAR 24 2021

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aaron Bailey
Other Party: Vectren Energy Delivery
Case Number: 22100
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/4/2020
Damage Location: 8314 S Walnut St, Daleville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Reynolds
Other Party: Vectren Energy Delivery
Case Number: 22096
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/2/2020
Damage Location: 676 N Peterman Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: B-Dry Systems of Southwest Indiana
Other Party: Ohio Valley Gas Inc
Case Number: 22289
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/24/2020
Damage Location: 3374 S. Co. Rd. 175 East, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bridge Construction LLC
Other Party: Midwest Natural Gas Corporation
Case Number: 22074
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/1/2020
Damage Location: 2286 Robin Rd, St. Joseph

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bynum Fanyo Utilities, Inc.
Other Party: Community Natural Gas Inc
Case Number: 22190
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/17/2020
Damage Location: 8201 W Main St., Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training (completed 2/25/21)

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Caledonia Concrete Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22243
Date of Advisory Meeting: 1/12/2021
Date of Damage: 3/10/2020
Damage Location: 1742 Marblehead Drive, Caledonia

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Daniel Cummins
Other Party: Vectren Energy Delivery
Case Number: 22293
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/18/2020
Damage Location: 1606 S John St, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel Wingard
Other Party: Northern Indiana Public Service Company
Case Number: 22432
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/16/2020
Damage Location: 15776 County Road 108, Bristol

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: EnviroHeat LLC
Other Party: Vectren Energy Delivery
Case Number: 22103
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/8/2020
Damage Location: 104 Windhorst Ct, Seymour

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greenwald Enterprises, Inc.
Other Party: Citizens Gas
Case Number: 22279
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/16/2020
Damage Location: 9412 Eastwind Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Heyob Rentals LLC
Other Party: Sycamore Gas Company
Case Number: 22290
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/25/2020
Damage Location: 19058 SR 1, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jackson Taylor Contractors, LLC
Other Party: Citizens Gas
Case Number: 22077
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/7/2020
Damage Location: 1235 Terminal Road, Zelenople

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Holger
Other Party: Citizens Gas
Case Number: 22326
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/26/2020
Damage Location: 1244 Blaine Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Lyman
Other Party: Vectren Energy Delivery
Case Number: 22294
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/19/2020
Damage Location: 2416 Lafayette Rd, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Moore
Other Party: Vectren Energy Delivery
Case Number: 22125
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/15/2020
Damage Location: 404 E 4th St, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information: The gas operator reports that the occupant covered up the damage and failed to report it. The gas operator discovered the damage after a neighbor reported a gas odor. The leaking gas could have migrated throughout the neighborhood and created catastrophic damage. Leaking gas must be reported to 811, 911, and the gas operator IMMEDIATELY.

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: K C B Electric, LLC
Other Party: Vectren Energy Delivery
Case Number: 22300
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/22/2020
Damage Location: 1585 W Northfield Dr, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kimberly Hunter
Other Party: Vectren Energy Delivery
Case Number: 22299
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/18/2020
Damage Location: 91 Joseph Ln, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Land Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 22214
Date of Advisory Meeting: 1/12/2021
Date of Damage: 2/20/2020
Damage Location: 1022 Huffman Street, Laotto

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lighthouse Property Solutions 1
Other Party: Citizens Gas
Case Number: 20625
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/3/2019
Damage Location: 4771 Pennington Ct, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Milby
Other Party: Vectren Energy Delivery
Case Number: 22107
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/10/2020
Damage Location: 3913 Paoli Pike, Louisville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matt Kennedy
Other Party: Northern Indiana Public Service Company
Case Number: 22446
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/25/2020
Damage Location: 11775 N 300 W, North Manchester

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matt Taylor
Other Party: Vectren Energy Delivery
Case Number: 22098
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/5/2020
Damage Location: 5633 Martin Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metzinger Construction
Other Party: Citizens Gas
Case Number: 22285
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/9/2020
Damage Location: 304 Beechwood Farm Ln, Kirklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Laird
Other Party: Northern Indiana Public Service Company
Case Number: 22445
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/24/2020
Damage Location: 1111 W 300 S, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Bell
Other Party: Ohio Valley Gas Corp
Case Number: 22288
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/20/2020
Damage Location: 909 E. 5th St. Connersville, Connersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Eickholz
Other Party: Citizens Gas
Case Number: 22283
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/13/2020
Damage Location: 8101 Georgetown Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nancy Yates
Other Party: Vectren Energy Delivery
Case Number: 22109
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/10/2020
Damage Location: 103 Pensive, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nelson Leo
Other Party: Citizens Gas
Case Number: 22278
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/18/2020
Damage Location: 7846 Fall Creek Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Polley Concrete, LLC
Other Party: Vectren Energy Delivery
Case Number: 22110
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/13/2020
Damage Location: 4301 Lithophone Ct, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Reliable Excavation Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 22439
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/22/2020
Damage Location: 6849 State Road 331, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rex Wilson
Other Party: Vectren Energy Delivery
Case Number: 22101
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/9/2020
Damage Location: 4579 SR 61, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richard Moers
Other Party: Vectren Energy Delivery
Case Number: 22310
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/26/2020
Damage Location: 1301 S Saint James, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rick Bogacki
Other Party: Vectren Energy Delivery
Case Number: 22114
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/13/2020
Damage Location: 407 S Lincoln Park Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rinehart's Tree Service LLC
Other Party: Vectren Energy Delivery
Case Number: 22306
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/22/2020
Damage Location: 119 S 6th St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rufus H Smith, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22265
Date of Advisory Meeting: 1/12/2021
Date of Damage: 3/27/2020
Damage Location: 228 Wave Rock Run West, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stacey Flamion
Other Party: Vectren Energy Delivery
Case Number: 22301
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/21/2020
Damage Location: 1318 S Alvord Blvd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Raisanen
Other Party: Northern Indiana Public Service Company
Case Number: 22448
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/26/2020
Damage Location: 4864 E 1047 N Lot 64, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: All Star Paving Inc.
Other Party: Vectren Energy Delivery
Case Number: 22102
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/8/2020
Damage Location: 11th St & Chestnut St, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roto Rooter - Bloomington (Christman Enterprises)
Other Party: Vectren Energy Delivery
Case Number: 22117
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/13/2020
Damage Location: 2418 S Milton Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steve Cooper Excavating, LLC
Other Party: Vectren Energy Delivery
Case Number: 20075
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/11/2019
Damage Location: 800 S Locust St, Fillmore

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: A M P P Construction Inc.
Case Number: 22505
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/30/2020
Damage Location: 7504 N Ditch Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Telecom Placement, Inc.
Case Number: 22507
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/27/2020
Damage Location: 3950 S Keystone Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas
Other Party: Hope Plumbing, LLC
Case Number: 22513
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/14/2020
Damage Location: 902 Iowa St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: S C Case Excavating LLC
Case Number: 22607
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/4/2020
Damage Location: 6590 E 46th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Community Natural Gas Inc
Other Party: Goodman Construction Co., Inc.
Case Number: 22431
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/12/2020
Damage Location: 225 Ohio St., Mt. Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Sanitary District of Michigan City
Case Number: 22550
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/8/2020
Damage Location: 518 York Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Bore-It Corporation
Case Number: 22565
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/12/2020
Damage Location: 424 East Myrtle Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22571
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/13/2020
Damage Location: 2100 Washington Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Town of Bremen
Case Number: 22757
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/1/2020
Damage Location: 437 Woodies Lane, Apartment D Building 3,
Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: K L S Underground, Inc.
Case Number: 22761
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/1/2020
Damage Location: 936 North Main Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 22778
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/5/2020
Damage Location: 407 West Jefferson Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Electric
Case Number: 22787
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/8/2020
Damage Location: 18190 Scarborough Lane Lot 25, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22793
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/9/2020
Damage Location: 786 Mount Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Dakota Technologies Company, LLC
Case Number: 22794
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/9/2020
Damage Location: Old US 33 & Spring Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Wissco Irrigation, Inc.
Case Number: 22799
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/10/2020
Damage Location: 19275 Dilon Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22801
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/10/2020
Damage Location: 2436 Jackson Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 22842
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/21/2020
Damage Location: 212 West Washington Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Nicholas Scheeringa
Case Number: 22848
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/22/2020
Damage Location: 154 Spruce Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Merritt & Son Excavating, LLC
Case Number: 22853
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/22/2020
Damage Location: 2123 Poets Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22855
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/23/2020
Damage Location: 2520 Connecticut Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Newton County Highway Department
Case Number: 22938
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/16/2020
Damage Location: Intersection of CO RD 322 E & 1200 N, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Porter County Highway Department
Case Number: 22941
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/16/2020
Damage Location: 603 North 50 West, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 22945
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/17/2020
Damage Location: 0799 Quail Ridge Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22946
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/17/2020
Damage Location: 2164 Madison Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Grimmer Construction Inc.
Case Number: 22950
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/19/2020
Damage Location: 812 East 6th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Miller Contracting Group, Inc.
Case Number: 22951
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/19/2020
Damage Location: 209 McDonald Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Carlisle Utility Contractors, Inc.
Case Number: 22952
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/19/2020
Damage Location: 3108 North Fairway Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Western Utility LLC
Case Number: 22959
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/22/2020
Damage Location: 4030 Tod Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Brackney, Inc.
Case Number: 22965
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/24/2020
Damage Location: 256 East Van Buren Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22966
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/24/2020
Damage Location: 538 West 22nd Place Apartment 1, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: J D & M B LLC DBA Barnett Contracting
Case Number: 22967
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/24/2020
Damage Location: 229 West Jackson Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: 3 Sons Landscaping, LLC
Case Number: 22973
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/25/2020
Damage Location: 1610 McKinley Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Simplicity Contracting, Inc.
Case Number: 22976
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/25/2020
Damage Location: 11598 West 181st Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Arrow Fence Co., Inc.
Case Number: 22982
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/29/2020
Damage Location: 316 East State Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Woodruff & Sons, Inc.
Case Number: 22983
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/29/2020
Damage Location: 301 South Main Street Apartment A, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: John Boettcher Sewer & Excavating Contractor, LTD
Case Number: 22984
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/29/2020
Damage Location: 201 Indiana Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Milestone Contractors, LP
Case Number: 22990
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/30/2020
Damage Location: 807 Samuel Milroy Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Sunset Septic and Excavating, Inc.
Case Number: 23058
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/2/2020
Damage Location: 1702 Lee Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: H & G Underground Utilities, LLC
Case Number: 23059
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/3/2020
Damage Location: 800 South Park Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Solid Finish Construction Inc.
Case Number: 23065
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/6/2020
Damage Location: 100 Court Park, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 23067
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/7/2020
Damage Location: 1108 East Summit Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 23068
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/7/2020
Damage Location: Summit Street & Millennium Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Precision Utilities Group, Inc.
Case Number: 23074
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/7/2020
Damage Location: 9465 E 570 S, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Gary Longest Construction Company, Inc.
Case Number: 22404
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/5/2020
Damage Location: 1135 Knob Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Thayer Power & Communication Line Construction
Company, LLC
Case Number: 22408
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/7/2020
Damage Location: 117 E Lincoln St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: City of Petersburg
Case Number: 22414
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/11/2020
Damage Location: 419 N 6th St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Lazer Excavating Company
Case Number: 22499
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/31/2020
Damage Location: 15195 Brown Spring Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Weber Concrete Construction
Case Number: 22613
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/2/2020
Damage Location: 490 Elliot Creek Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Arty's Fence & Deck, LLC
Case Number: 22625
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/10/2020
Damage Location: 625 E Buchanan St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Bloomington Heating, Cooling & Electrical, LLC
Case Number: 22640
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/12/2020
Damage Location: 735 S Bosell Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: City of Lafayette
Case Number: 22666
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/16/2020
Damage Location: 2700 Cason Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: C-Tech Corporation Inc.
Case Number: 22671
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/17/2020
Damage Location: 490 Cramertown Loop, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: City of Crawfordsville
Case Number: 22673
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/18/2020
Damage Location: 212 W Wabash Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22678
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/18/2020
Damage Location: Washington Ave & Oak St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22679
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/19/2020
Damage Location: 1235 Washington Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Vigo County Highway Department
Case Number: 22680
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/22/2020
Damage Location: 7998 E Milner Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Sub Terra Solutions, LLC
Case Number: 22692
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/26/2020
Damage Location: 8122 Sharon Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Secure Superstructures LLC
Case Number: 22693
Date of Advisory Meeting: 1/12/2021
Date of Damage: 6/26/2020
Damage Location: 3427 Putnam St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Kiefer-Gibson LLC
Case Number: 22931
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/2/2020
Damage Location: 2525 Wabash Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Kiefer-Gibson LLC
Case Number: 22932
Date of Advisory Meeting: 1/12/2021
Date of Damage: 7/6/2020
Damage Location: 2501 Wabash Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: April Burton
Other Party: Citizens Gas
Case Number: 22277
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/19/2020
Damage Location: 1207 E Bradbury, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brecc Construction Company
Other Party: Northern Indiana Public Service Company
Case Number: 22527
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/2/2020
Damage Location: 8733 Hillside Drive, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Columbia City
Other Party: Northern Indiana Public Service Company
Case Number: 22564
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/12/2020
Damage Location: 613 West Park Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cory Secrist
Other Party: Northern Indiana Public Service Company
Case Number: 22573
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/13/2020
Damage Location: 2714 West Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Falcon Awning & Ornamental
Other Party: Vectren Energy Delivery
Case Number: 22307
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/24/2020
Damage Location: 15333 Union Chapel Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & G Landscape, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22538
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/6/2020
Damage Location: 13232 Lake Shore Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Guy Smith
Other Party: Northern Indiana Public Service Company
Case Number: 22551
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/9/2020
Damage Location: 3015 Faith Avenue, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matthew Lehman
Other Party: Northern Indiana Public Service Company
Case Number: 22522
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/1/2020
Damage Location: 57347 County Road 35, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stephen Bateman
Other Party: Vectren Energy Delivery
Case Number: 22309
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/26/2020
Damage Location: 256 Apraw Rd, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Always Underground, Inc.
Other Party: Citizens Gas
Case Number: 22517
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/12/2020
Damage Location: 5816 Indianola Ave, Lake Village

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andrew King
Other Party: Northern Indiana Public Service Company
Case Number: 22552
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/9/2020
Damage Location: 729 Meridian Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B. Miller Electric
Other Party: Northern Indiana Public Service Company
Case Number: 22560
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/11/2020
Damage Location: 11175 W 400 N, Wolcott

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Buddy's Cable Inc.
Other Party: Vectren Energy Delivery
Case Number: 22298
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/18/2020
Damage Location: 3511 W US 40, Sterling

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22308
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/24/2020
Damage Location: 1630 W Oak St, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Berne
Other Party: Northern Indiana Public Service Company
Case Number: 22574
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/14/2020
Damage Location: 706 Westlichstrasse Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clawson Communications Inc.
Other Party: Citizens Gas
Case Number: 22516
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/13/2020
Damage Location: 2936 E Washington St, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Core Bore, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22542
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/7/2020
Damage Location: 00 East Toll Plaza Building MP-1, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training (completed 12/17/20)

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Creekside Outdoor Living, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22452
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/27/2020
Damage Location: 5317 West 155th Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fox Contractors Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 22373
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/13/2020
Damage Location: 2799 Maplecrest Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gough, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22572
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/13/2020
Damage Location: 356 West Seven Mile Road (700N), Merrillville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greenwald Enterprises, Inc.
Other Party: Citizens Gas
Case Number: 22280
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/14/2020
Damage Location: 6704 Ventnor Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Haskins Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22545
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/7/2020
Damage Location: Intersection Tulip Circle & Pinecrest, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500 or can train instead (trained 2/17/21)

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indigo Renovations Inc.
Other Party: Citizens Gas
Case Number: 22519
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/6/2020
Damage Location: 6465 Harrison Ridge Blvd, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Infrastructure Systems, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22022
Date of Advisory Meeting: 1/12/2021
Date of Damage: 2/26/2020
Damage Location: 1521 S Norman, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jerry Nolan
Other Party: Indiana Utilities Corporation
Case Number: 22273
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/20/2020
Damage Location: 1745 Corydon Ramsey Rd, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & C Underground LLC
Other Party: Citizens Gas
Case Number: 22518
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/12/2020
Damage Location: 4011 W 54Th St, Kansas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M & M Underground LLC
Other Party: Citizens Gas
Case Number: 22329
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/22/2020
Damage Location: 4025 Arquette Drive, Grover

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training (completed 7/23/20)

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Martell Electric LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22535
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/5/2020
Damage Location: 3113 Riverside Drive Building 12, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Vectren Energy Delivery
Case Number: 22401
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/5/2020
Damage Location: 2511 E 29th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Muncie Paving, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22305
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/22/2020
Damage Location: 4815 Candlewick LN, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Murphy Pipeline Contractors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22435
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/21/2020
Damage Location: 4821 Arlington Avenue, Jacksonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone, self-repair

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Excavation
Other Party: Northern Indiana Public Service Company
Case Number: 22453
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/27/2020
Damage Location: 700 West Commercial Avenue, Peru

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Precision Utilities Group, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21360
Date of Advisory Meeting: 1/12/2021
Date of Damage: 9/17/2019
Damage Location: 451 Conifer Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Property X LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22575
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/14/2020
Damage Location: 6708 Old Trail Road, Apartment 105, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500 or can train instead (trained 2/10/21)

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: S S E Utility Group LLC
Other Party: Citizens Gas
Case Number: 22327
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/24/2020
Damage Location: 6902 S Meridian Street, Cannelburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22463
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/29/2020
Damage Location: 806 Middlebury Street, Saline

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Underground Solutions, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22569
Date of Advisory Meeting: 1/12/2021
Date of Damage: 5/13/2020
Damage Location: 72196 State Road 13, Hoagland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: VanArsdale Construction LLC
Other Party: Midwest Natural Gas Corporation
Case Number: 22189
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/21/2020
Damage Location: 606 Mitchell St., New Albany

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Comfort Air (WCA Group, LLC)
Other Party: Citizens Gas
Case Number: 22282
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/14/2020
Damage Location: 2348 English Ave, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hughes Paving Company, Inc.
Other Party: Indiana Natural Gas Corporation
Case Number: 22274
Date of Advisory Meeting: 1/12/2021
Date of Damage: 4/27/2020
Damage Location: 8944 W Maryland Street, French Lick

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman