

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda			√
Ober	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE )  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )**

**APPROVED: APR 21 2021**

**ORDER OF THE COMMISSION**

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

**IT IS SO ORDERED.**

**HUSTON, FREEMAN, OBER, AND ZIEGNER CONCUR; KREVDA ABSENT**

**APPROVED: APR 21 2021**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

\_\_\_\_\_  
**Dana Kosco**  
**Secretary of the Commission**



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Midwest Paving LLC  
Other Party: Vectren Energy Delivery  
Case Number: 21687  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 11/4/2019  
Damage Location: Near 502 W Franklin St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Frankfort  
Other Party: Vectren Energy Delivery  
Case Number: 22025  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 3/2/2020  
Damage Location: W Hackett Street and Columbia, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rod's Quality Concrete, Inc.  
Other Party: Citizens Gas  
Case Number: 22276  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/21/2020  
Damage Location: 2430 Central Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shawn Emberton Carpentry & Millwork LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22313  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/27/2020  
Damage Location: 1000 S Washington St, Shoals

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 10/1/20)**

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schutte Excavating Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22314  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/27/2020  
Damage Location: 1260 N Marr Rd, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gail Bultman  
Other Party: Vectren Energy Delivery  
Case Number: 22315  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/27/2020  
Damage Location: 7547 W 350 N, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G K M Property Services, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22317  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 1026 Birnam Woods Trail, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Novinium, Inc.  
Other Party: Citizens Gas  
Case Number: 22321  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/30/2020  
Damage Location: 3168 River Birch Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A & D Hydra Clean, Inc.  
Other Party: Citizens Gas  
Case Number: 22323  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 8013 Mill Pond Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Luciao Arqueta  
Other Party: Citizens Gas  
Case Number: 22325  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 1930 Sugar Grove Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Zahm Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22345  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/4/2020  
Damage Location: 11838 N 700 E, Huntington

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Midwest Structural, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22454  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 722 West Shore Drive, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Majestic Irrigation, Landscape & Design, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22455  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 19537 Oakdale Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Manuel Moreno  
Other Party: Northern Indiana Public Service Company  
Case Number: 22457  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 7248 Northcote Avenue, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hugo Laube  
Other Party: Northern Indiana Public Service Company  
Case Number: 22458  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/28/2020  
Damage Location: 2981 W 700 S, Morocco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greg Sorg  
Other Party: Northern Indiana Public Service Company  
Case Number: 22460  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/29/2020  
Damage Location: 2036 Winters Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam McCollough  
Other Party: Northern Indiana Public Service Company  
Case Number: 22461  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/29/2020  
Damage Location: 3693 South County Line Road, Westville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:                                       Infrasource Construction, LLC  
Other Party:                                       Northern Indiana Public Service Company  
Case Number:                                     22464  
Date of Advisory Meeting:                    2/9/2021  
Date of Damage:                                4/30/2020  
Damage Location:                               15412 County Road 38, Lenexa

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hughes Paving Company, Inc.  
Other Party: Indiana Natural Gas Corporation  
Case Number: 22465  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 4/27/2020  
Damage Location: 8944 W Maryland Street, French Lick

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Energy Services, LLC  
Other Party: Sycamore Gas Company  
Case Number: 22467  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/29/2020  
Damage Location: 715 Randy Ave., Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22469  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/18/2020  
Damage Location: 4736 Brentford Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22470  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/18/2020  
Damage Location: 2800 Cason St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Martin Marietta Aggregates  
Other Party: Vectren Energy Delivery  
Case Number: 22471  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/18/2020  
Damage Location: 15215 River Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peterman Heating, Cooling & Plumbing, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22472  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/20/2020  
Damage Location: 499 Beech Park Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 11/20/20)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: MAC Construction & Excavating, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22473  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/19/2020  
Damage Location: 325 E Lewis and Clark Pkwy, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Deig Bros Lumber & Construction Co, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22475  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/19/2020  
Damage Location: 3620 E Riverside Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Roberts Boring/Trenching/Excavating LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22476  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/19/2020  
Damage Location: 4604 Eastwick Dr, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bayer's Plumbing, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22478  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/21/2020  
Damage Location: 4744 Roslin Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 10/1/20)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Utility Corp, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22489  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/28/2020  
Damage Location: 1009 Morton Ave, Chandler

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Foso Construction  
Other Party: Citizens Gas  
Case Number: 22502  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/2/2020  
Damage Location: 262 W Thompson Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Buddy's Cable Inc.  
Other Party: Citizens Gas  
Case Number: 22504  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/1/2020  
Damage Location: 5615 Petersburg Pkwy, Sterling

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boyd & Company Construction LLC  
Other Party: Citizens Gas  
Case Number: 22506  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/30/2020  
Damage Location: 1717 W 10Th St, Washington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R T Moore, Co., Inc.  
Other Party: Citizens Gas  
Case Number: 22508  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/27/2020  
Damage Location: 2796 Flowing Creek Place, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boyd & Company Construction LLC  
Other Party: Citizens Gas  
Case Number: 22510  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/21/2020  
Damage Location: 1719 W 10Th St, Washington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kenneth Ward  
Other Party: Northern Indiana Public Service Company  
Case Number: 22524  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/1/2020  
Damage Location: 2151 West Riverside Drive, Sumava Resorts

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Gilles  
Other Party: Northern Indiana Public Service Company  
Case Number: 22525  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/1/2020  
Damage Location: 3853 East Countryview Lane, Monticello

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bruce Freebairn  
Other Party: Northern Indiana Public Service Company  
Case Number: 22526  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/2/2020  
Damage Location: 20035 Smallwood Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ed Seghers  
Other Party: Northern Indiana Public Service Company  
Case Number: 22529  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/3/2020  
Damage Location: 2901 Balkan Drive Lot 26, Schererville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Guaraca  
Other Party: Northern Indiana Public Service Company  
Case Number: 22530  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/4/2020  
Damage Location: 422 South Brookfield Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Syracuse  
Other Party: Northern Indiana Public Service Company  
Case Number: 22533  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/4/2020  
Damage Location: 4255 Duffy Drive Lot 2, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 11/19/20)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Ballard  
Other Party: Northern Indiana Public Service Company  
Case Number: 22539  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/6/2020  
Damage Location: 3597 1150 West, Flora

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Cook  
Other Party: Northern Indiana Public Service Company  
Case Number: 22540  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/6/2020  
Damage Location: 324 Goshen Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Design One Concrete  
Other Party: Northern Indiana Public Service Company  
Case Number: 22547  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/8/2020  
Damage Location: 3639 Stalf Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$3,000, respondent can complete training instead of paying \$3,000 (failed to train in Case 20894); no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: *Delmas J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ross Garber  
Other Party: Northern Indiana Public Service Company  
Case Number: 22548  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/8/2020  
Damage Location: 736 West Lincolnway, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: H G R Group  
Other Party: Northern Indiana Public Service Company  
Case Number: 22549  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/8/2020  
Damage Location: 3305 Lathrop Street Suite 100, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Cook  
Other Party: Northern Indiana Public Service Company  
Case Number: 22555  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/9/2020  
Damage Location: 68199 State Road 331, Bremen

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Quillen Nelson  
Other Party: Northern Indiana Public Service Company  
Case Number: 22556  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/9/2020  
Damage Location: 4 Starr Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Zachary Wilson  
Other Party: Northern Indiana Public Service Company  
Case Number: 22557  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/10/2020  
Damage Location: 17816 Wayne Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gary Ritz  
Other Party: Northern Indiana Public Service Company  
Case Number: 22558  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/10/2020  
Damage Location: 8811 Woodward Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Harper Construction  
Other Party: Northern Indiana Public Service Company  
Case Number: 22559  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/11/2020  
Damage Location: 22 West Ottawa Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hylton Enterprises, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22561  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/11/2020  
Damage Location: 7581 S 700 E, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Drzewiecki  
Other Party: Northern Indiana Public Service Company  
Case Number: 22562  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/11/2020  
Damage Location: 1783 Hale Avenue, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: Northern Indiana Public Service Company  
Case Number: 22563  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/12/2020  
Damage Location: 779 Governor Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Harbour House LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22566  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/12/2020  
Damage Location: 3698 South County Road 210, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Graber Excavating & Trucking, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22570  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/13/2020  
Damage Location: 3725 Heron Preserve Trail, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$4,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teodoro Gamero Lozado Fencing  
Other Party: Northern Indiana Public Service Company  
Case Number: 22577  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/15/2020  
Damage Location: 800 Sunflower Lane, Chicago Heights

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nick Demaegd  
Other Party: Northern Indiana Public Service Company  
Case Number: 22578  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/15/2020  
Damage Location: 1024 East 3rd Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Tri Township Water Corp  
Other Party: Ohio Valley Gas Corp  
Case Number: 22582  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/8/2020  
Damage Location: 26560 Bristlecone Ln., Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.  
Other Party: Citizens Gas  
Case Number: 22599  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 4158 Graceland Ave, Goshen

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.  
Other Party: Citizens Gas  
Case Number: 22602  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/11/2020  
Damage Location: 1165 S Girls School Rd, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: T S W Utility Solutions, Inc.  
Other Party: Citizens Gas  
Case Number: 22604  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/10/2020  
Damage Location: 311 W Thompson, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Excavating, Inc. (Redkey)  
Other Party: Vectren Energy Delivery  
Case Number: 22614  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/2/2020  
Damage Location: 56 E McKeever St, Redkey

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000 (paid)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lamb Excavating LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22618  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/8/2020  
Damage Location: 1703 Danielle Rd, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Environmental Construction, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22620  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/8/2020  
Damage Location: 1307 Ebright St, Yorktown

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22626  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/12/2020  
Damage Location: 10243 Eagle Oaks Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: MAC Construction & Excavating, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22628  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/11/2020  
Damage Location: 116 Pearl St, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bluegrass Underground, LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22632  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/13/2020  
Damage Location: 4769 White Chapel, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Fence, LLC  
Other Party: Vectren Energy Delivery  
Case Number: 22634  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 718 Sunflower Cir, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dan Cristiani Excavating Co., Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22636  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/11/2020  
Damage Location: 4922 Grant Line Rd, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sub-Surface of Indiana, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22639  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 7621 S Indian Ridge Dr, Morgantown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blankenberger Brothers, Inc.  
Other Party: Vectren Energy Delivery  
Case Number: 22642  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 1015 SE 2ND, Cynthiana

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AJ Patrick  
Other Party: Vectren Energy Delivery  
Case Number: 22648  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/7/2020  
Damage Location: 2221 Fletcher Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Breedlove Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22773  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/5/2020  
Damage Location: 4708 Lakeshore Drive, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Heritage Excavating Contractors Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22783  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/6/2020  
Damage Location: 4535 Connecticut Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: Northern Indiana Public Service Company  
Case Number: 22788  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/8/2020  
Damage Location: 379 Raritan Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joyce Allen  
Other Party: Northern Indiana Public Service Company  
Case Number: 22789  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/8/2020  
Damage Location: 400 Haley Drive, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reynolds Construction  
Other Party: Northern Indiana Public Service Company  
Case Number: 22796  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/9/2020  
Damage Location: 333 Grove Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Juan M Sanchez, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22797  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/9/2020  
Damage Location: 4124 Butternut Street, Calumet City

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Charles Concrete, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22813  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 11200 Silver Pheasant Drive, Dowagiac

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cobalt Civil, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22815  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 231 Falls Avenue, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tony McWilliams  
Other Party: Northern Indiana Public Service Company  
Case Number: 22816  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/15/2020  
Damage Location: 1727 Chapin Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Murphy Pipeline Contractors, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22819  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/1/2020  
Damage Location: 4122 & 4126 Arlington Avenue, Jacksonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A A A Sewer Service, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22820  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/10/2020  
Damage Location: 1207 Roosevelt Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 360 Degree Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22823  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/16/2020  
Damage Location: 7051 Arizona Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Beverly Watkins  
Other Party: Northern Indiana Public Service Company  
Case Number: 22825  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/16/2020  
Damage Location: 740 Marquette Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandy Hayes  
Other Party: Northern Indiana Public Service Company  
Case Number: 22826  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/16/2020  
Damage Location: 55348 Moss Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carl Lavine  
Other Party: Northern Indiana Public Service Company  
Case Number: 22827  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/16/2020  
Damage Location: 1005 East Ewing Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel Woofter  
Other Party: Northern Indiana Public Service Company  
Case Number: 22828  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/17/2020  
Damage Location: 316 West Pendle Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: Northern Indiana Public Service Company  
Case Number: 22830  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/18/2020  
Damage Location: 781 Governor Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crystal Herendeen  
Other Party: Northern Indiana Public Service Company  
Case Number: 22833  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/19/2020  
Damage Location: 307 Pearl Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: A C L Construction & Remodeling, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22835  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/19/2020  
Damage Location: 1226 South 27th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evorik Electric Company, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22849  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/22/2020  
Damage Location: 2080 East 38th Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Earth, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22850  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/22/2020  
Damage Location: 2 Redskin Trail, Osceola

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Murphy Pipeline Contractors, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22864  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/27/2020  
Damage Location: 4231 Arlington Avenue, Jacksonville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Maxton Heffner  
Other Party: Northern Indiana Public Service Company  
Case Number: 22874  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/30/2020  
Damage Location: 2614 Kensington Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Abes Plumbing, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22877  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 5/31/2020  
Damage Location: 1117 Beaver Lane, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Biehle Electric, Inc.  
Case Number: 22899  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/13/2020  
Damage Location: 5175 N Warren Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: City of Evansville (Water & Sewer Departments)  
Case Number: 22900  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/10/2020  
Damage Location: Intersection of Fulton Ave & Georgia St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Gary Etter  
Case Number: 22901  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/7/2020  
Damage Location: 110 E Harrison St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: Koberstein Contracting, Inc.  
Case Number: 22902  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/14/2020  
Damage Location: 701 W 8th St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: Vectren Energy Delivery  
Case Number: 22904  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/13/2020  
Damage Location: 72 Woods Edge Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: B & T Drainage, Inc.  
Case Number: 22926  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/14/2020  
Damage Location: 1430 Chestnut, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Berry-It, Inc.  
Case Number: 22927  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/13/2020  
Damage Location: 13003 Campus Pkwy, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Complete Electrical & Communications, Inc.  
Case Number: 22928  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/14/2020  
Damage Location: 8654 E 116th St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: David Price Excavating, Inc.  
Case Number: 22929  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/15/2020  
Damage Location: 33 E 700 S, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: Foley Foundations, Inc.  
Case Number: 22930  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/9/2020  
Damage Location: 4501 Abbeyville Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: Aaron Construction  
Case Number: 22936  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/13/2020  
Damage Location: 4297 Windmill Ln, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Lawrenceburg  
Other Party: Sycamore Gas Company  
Case Number: 22996  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 6/3/2020  
Damage Location: 804 Bode, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Gibson County Highway Department  
Case Number: 23003  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/20/2020  
Damage Location: 9490 E 550 S, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23004  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/27/2020  
Damage Location: 830 Overstreet St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Redman Excavating LLC  
Case Number: 23005  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/29/2020  
Damage Location: 109 W North C St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: Vectren Energy Delivery  
Case Number: 23007  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/21/2020  
Damage Location: 2877 Bullocktown Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Veolia Water Co.  
Case Number: 23008  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/27/2020  
Damage Location: 1244 E New Hope Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: A R W Construction Company, LLC  
Case Number: 23046  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/17/2020  
Damage Location: 447 Ladoga Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: Millennium Contractors, LLC  
Case Number: 23048  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/23/2020  
Damage Location: 11336 Lantern Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Rieth-Riley Construction Co., Inc.  
Case Number: 23080  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/8/2020  
Damage Location: 20506 Johnson Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Larco Construction Inc.  
Case Number: 23081  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/8/2020  
Damage Location: 521 North William Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Walsh & Kelly  
Case Number: 23084  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/9/2020  
Damage Location: Intersection of East South Street & South Main Street,  
Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Hire Construction, Inc.  
Case Number: 23085  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/9/2020  
Damage Location: 2905 Hanna Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Miller Pipeline, LLC  
Case Number: 23088  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/10/2020  
Damage Location: 7523 Harcourt Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Walsh & Kelly  
Case Number: 23089  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/10/2020  
Damage Location: 3803 Oak Grove Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: H & G Underground Utilities, LLC  
Case Number: 23096  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/13/2020  
Damage Location: 840 South Park Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Reichelt Plumbing, Inc.  
Case Number: 23101  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/15/2020  
Damage Location: 10927 Parrish Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Mowery  
Case Number: 23128  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/21/2020  
Damage Location: 4354 Sawyer Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Blackmore Construction LLC  
Case Number: 23136  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/30/2020  
Damage Location: 17364 Graley Pl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Eager Beaver Directional Drilling LLC  
Case Number: 23138  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/16/2020  
Damage Location: 2551 S 700 W, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Town of Chesterton  
Case Number: 23140  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/16/2020  
Damage Location: Intersection of North Calumet Road & Taylor Street,  
Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: On the Level Fence & Deck Inc.  
Case Number: 23144  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/17/2020  
Damage Location: 13455 Finch Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Pemberton-Davis Electric, Inc.  
Case Number: 23150  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/21/2020  
Damage Location: 6279 East State Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Elmer's Service, LLC  
Case Number: 23151  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/21/2020  
Damage Location: 18286 County Road 22, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Starke County Highway Department  
Case Number: 23152  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/21/2020  
Damage Location: 4215 South Range Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Department of Water Works - Michigan City  
Case Number: 23156  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/22/2020  
Damage Location: 301 Overhill Trail, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: City of Peru  
Case Number: 23158  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/22/2020  
Damage Location: 112 Monroe Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: The Robert Henry Corporation  
Case Number: 23159  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/23/2020  
Damage Location: 1950 Bridgeview Trail, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Hendershot Fence Construction, Inc.  
Case Number: 23160  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/23/2020  
Damage Location: 1207 South Washington Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Alan George Excavating  
Case Number: 23167  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/23/2020  
Damage Location: 11848 W 1000 N, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: H R P Construction, Inc.  
Case Number: 23170  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/24/2020  
Damage Location: 520 Fairmount Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Fulton County REMC  
Case Number: 23175  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/27/2020  
Damage Location: 7038 North State Road 25, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: John R Day Company  
Case Number: 23178  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/28/2020  
Damage Location: 2640 N 80 W, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Precision Utilities Group, Inc.  
Case Number: 23181  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/28/2020  
Damage Location: 13554 County Road 22, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Elmer's Service, LLC  
Case Number: 23192  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/31/2020  
Damage Location: 13099 Co Rd 20, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Northern Pipeline Construction Company  
Case Number: 23194  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 7/31/2020  
Damage Location: 216 East Harrison Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23195  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 8/3/2020  
Damage Location: 831 E Chandler Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery  
Other Party: City of Greenwood  
Case Number: 23225  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 8/3/2020  
Damage Location: 437 Maria Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery  
Other Party: B & D Electric, Inc.  
Case Number: 23226  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 8/3/2020  
Damage Location: BLDG 3330, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Indiana American Water Co. DBA Indiana American  
Case Number: 23257  
Date of Advisory Meeting: 2/9/2021  
Date of Damage: 8/2/2020  
Damage Location: 2677 Massachusetts, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Internattional Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22541  
Date of Advisory Meeting: 1/12/2021  
Date of Damage: 5/7/2020  
Damage Location: 903 Jefferson Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Lannan Grain Farms**  
Other Party: **Vectren Energy Delivery**  
Case Number: **17989**  
Date of Advisory Meeting: **4/16/2019**  
Date of Damage: **3/17/2018**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Trimley Construction**  
Other Party: **Citizens Gas**  
Case Number: **18667**  
Date of Advisory Meeting: **1/15/2019**  
Date of Damage: **7/13/2018**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Mark Ritter  
Secretary

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Anderson Arbor Care, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **18817**  
Date of Advisory Meeting: **2/19/2019**  
Date of Damage: **8/3/2018**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **All Terrain Paving & Construction, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19358**  
Date of Advisory Meeting: **5/21/2019**  
Date of Damage: **10/11/2018**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **C A Advanced, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19849**  
Date of Advisory Meeting: **8/12/2019**  
Date of Damage: **2/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Green Veden LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20170**  
Date of Advisory Meeting: **10/15/2019**  
Date of Damage: **4/20/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Total Development Systems, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20352**  
Date of Advisory Meeting: **11/19/2019**  
Date of Damage: **6/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pioneer Masonry, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20434**  
Date of Advisory Meeting: **11/19/2019**  
Date of Damage: **5/30/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman