

Commissioner	Yes	No	Not Participating
Huston	٧		
Freeman	٧		
Veleta	٧		
Ziegner	٧		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)	
APPROVING ADVISORY COMMITTEE)	APPROVED: MAY 17 2023
RECOMMENDATIONS PURSUANT TO)	
INDIANA CODE CHAPTER 8-1-26.)	

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: MAY 17 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Todd Fitzpatrick

Other Party: Northern Indiana Public Service Company

Case Number: 27932

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/1/2022

Damage Location: 1904 North Francis Street, Lot 5, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Motter

Other Party: Northern Indiana Public Service Company

Case Number: 27941

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/5/2022

Damage Location: 2115 Maumee Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ricardo Ascencio

Other Party: Northern Indiana Public Service Company

Case Number: 28063

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/30/2022

Damage Location: 5815 Nicholson Road, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Vanmeter

Other Party: Northern Indiana Public Service Company

Case Number: 28066

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/31/2022

Damage Location: 1925 Rhodes Street, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nicholas Johnson

Other Party: Northern Indiana Public Service Company

Case Number: 28342

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/4/2022

Damage Location: 8808 Windbur, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Floyd Thomas

Other Party: Northern Indiana Public Service Company

Case Number: 28369

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/9/2022

Damage Location: 416 East Short Street, Rolling Prairie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jacek Wolbis

Other Party: Northern Indiana Public Service Company

Case Number: 28377

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/12/2022

Damage Location: 6988 North State Road 25, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ron Riddle

Other Party: Northern Indiana Public Service Company

Case Number: 28428

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/17/2022

Damage Location: 2675 South 700 East, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Doug Baer

Other Party: Northern Indiana Public Service Company

Case Number: 28430

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/18/2022

Damage Location: 9580 North 150 West, Lake Village

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel Jones

Other Party: Northern Indiana Public Service Company

Case Number: 28718

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/1/2022

Damage Location: 1402 Northwood Drive, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Timothy Hardesty

Other Party: Northern Indiana Public Service Company

Case Number: 28720

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/3/2022

Damage Location: 2013 Wood Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Desmarais

Other Party: Northern Indiana Public Service Company

Case Number: 28749

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/8/2022

Damage Location: 60614 Sumption Trail, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Suman

Other Party: Northern Indiana Public Service Company

Case Number: 28750

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/8/2022

Damage Location: 5877 West Old US Highway 24, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Randy Osterloo

Other Party: Northern Indiana Public Service Company

Case Number: 28765

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/12/2022

Damage Location: 21053 Riverbrook Lane, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Keith Winston

Other Party: Northern Indiana Public Service Company

Case Number: 28775

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 553 E Anderson Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kathleen Hambrick

Other Party: Northern Indiana Public Service Company

Case Number: 28783

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/14/2022

Damage Location: 10109 Goshen Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Bobinski

Other Party: Northern Indiana Public Service Company

Case Number: 28806

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/21/2022

Damage Location: 325 East 700 North, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ben Atkinson

Other Party: Northern Indiana Public Service Company

Case Number: 28919

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/23/2022

Damage Location: 10727 Country Wood Trail, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cory Muro

Other Party: Northern Indiana Public Service Company

Case Number: 28925

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/29/2022

Damage Location: 10704 West 1500 South, Wanatah

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jesse McPeak

Other Party: Northern Indiana Public Service Company

Case Number: 27857

Date of Advisory Meeting: 3/16/2023

Date of Damage: 7/18/2022

Damage Location: 6872 West 320 South, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bryan James

Other Party: Northern Indiana Public Service Company

Case Number: 28460

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/26/2022

Damage Location: 9527 North State Road 55, Pine Village

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Z Can Do It

Other Party: Northern Indiana Public Service Company

Case Number: 28741

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/6/2022

Damage Location: 1755 Raccoon Creek Court, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Whitley County Highway Department

Other Party: Northern Indiana Public Service Company

Case Number: 28892

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/15/2022

Damage Location: 2625 East Stalf Road, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Pipeline Construction Company

Other Party: Northern Indiana Public Service Company

Case Number: 28441

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/21/2022

Damage Location: 613 East Taylor Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Electricom, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28478

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/29/2022

Damage Location: 16015 Menominee Drive, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stan Tenbusch Excavating, Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28464

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/26/2022

Damage Location: 2321 South River Road, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Selge Construction Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28469

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/28/2022

Damage Location: 319 West 3rd Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Dickie & Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C-Tech Corporation Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 28610

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/19/2022

Damage Location: Commercial Blvd & Industrial Dr, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Low Voltage Industries, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28729

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/4/2022

Damage Location: 181 North Elkhart Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & J Electric of Indiana, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28762

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/11/2022

Damage Location: 3538 West 50 North, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michels Utility Services, Inc.			
Other Party:	CenterPoint Energy Indiana			
Case Number:	28631			
Date of Advisory Meeting:	3/16/2023			
Date of Damage:	10/19/2022			
Damage Location:	2120 Old Romney Rd, Lafayette			
The IURC Pipeline Safety Division finds the following violation(s): $ \begin{tabular}{l} IC 8-1-26-20(a)(2) \end{tabular} $				
The Advisory Committee recommends the following civil penalty:				
\$4,000				
Abstentions:				
Additional Information:				

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robinson Trenching & Directional Boring, Inc.

Other Party: Citizens Gas

Case Number: 28700

Date of Advisory Meeting: 3/16/2023

Date of Damage: 12/8/2022

Damage Location: 4201 Millersville Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Eric Group, LLC d/b/a Smith Projects, Inc.

Other Party: Citizens Gas

Case Number: 28702

Date of Advisory Meeting: 3/16/2023

Date of Damage: 12/7/2022

Damage Location: 7110 West 10th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction

Other Party: Citizens Gas

Case Number: 28711

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/28/2022

Damage Location: 5040 East 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Summers Plumbing Heating & Cooling

Other Party: Northern Indiana Public Service Company

Case Number: 28902

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/17/2022

Damage Location: 612 Burlington Avenue, Logansporty

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cheyenne Gonzalez

Other Party: Citizens Gas

Case Number: 28679

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 6250 Windsor Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Service League of Michigan City Indiana Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28019

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/19/2022

Damage Location: 301 East Garfield Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elite Electrical, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28353

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/7/2022

Damage Location: 302 East Ireland Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fence Masters Inc. DBA Best Security Fence Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28065

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/31/2022

Damage Location: 3150 West 1100 North, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Forte Waterproofing

Other Party: Northern Indiana Public Service Company

Case Number: 28057

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/29/2022

Damage Location: 3405 Westborough Drive, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Henry Stubbs Construction

Other Party: Northern Indiana Public Service Company

Case Number: 28001

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/16/2022

Damage Location: 1730 Sotuh Indiana Avenue, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mikes Renovation N Home Improvements

Other Party: Northern Indiana Public Service Company

Case Number: 28020

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/19/2022

Damage Location: 511 1/2 East Hanna, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Timberbrook M H C

Other Party: Northern Indiana Public Service Company

Case Number: 28034

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/23/2022

Damage Location: 87 Timberbrook Circle, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dynamic Landscaping, Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28038

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/24/2022

Damage Location: 2730 Eggeman Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dunwiddie Heating & Air Conditioning Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28039

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/24/2022

Damage Location: 3287 South State Road 1, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A Palmer's Paving Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28040

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/24/2022

Damage Location: 359 Jefferson Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ben Eicher Concrete

Other Party: Northern Indiana Public Service Company

Case Number: 28056

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/29/2022

Damage Location: 6787 East Waco Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: County Line Trucking & Excavating LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28061

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/29/2022

Damage Location: 522 North 600 West, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Real Estate Logistics LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28067

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/31/2022

Damage Location: 1911 Govert Drive, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shirk's Custom Fence

Other Party: Northern Indiana Public Service Company

Case Number: 28383

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/13/2022

Damage Location: 627 Manchester Drive, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Delta III Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28453

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/23/2022

Damage Location: 5507 East State Road 231, Bldg Barn, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Martin Brothers Construction

Other Party: Midwest Natural Gas Corporation

Case Number: 28492

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 4994 West Base Road, Switz City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jack Bridgewater Real Estate, Inc.

Other Party: Midwest Natural Gas Corporation

Case Number: 28499

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/3/2022

Damage Location: 180 N. First St., Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ryan Dorrell

Other Party: CenterPoint Energy Indiana

Case Number: 28505

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/3/2022

Damage Location: 6610 West County Road 375 North, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indy Turf and Landscape LLC

Other Party: CenterPoint Energy Indiana

Case Number: 28607

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/18/2022

Damage Location: 12091 N State Road 37, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Franco Landscaping, Inc.

Other Party: Citizens Gas

Case Number: 28664

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/25/2022

Damage Location: 5745 Ridge Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Komplete Landscape Contractors Inc

Other Party: Citizens Gas

Case Number: 28689

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/4/2022

Damage Location: 1425 Sadlier Circle West Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: LG Excavating LLC

Other Party: Citizens Gas

Case Number: 28694

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/16/2022

Damage Location: 5635 Hickory Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Boyd & Son's Machinery, LLC
-	•

Other Party: CenterPoint Energy Indiana

Case Number: 28238

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/6/2022

Damage Location: 16 South 350 East, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training; \$1,500 escalation for recklessness in failing to stop working after being notified by gas utility

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M7 Excavating, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28051

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/26/2022

Damage Location: 712 Wilson Avenue, Beverly Shores

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28049

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/26/2022

Damage Location: 14623 Bluffton Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bob Frame Plumbing & Heating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28027

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/22/2022

Damage Location: 503 East Angela Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K & K Outdoors LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28006

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/17/2022

Damage Location: 15618 Grassy Willow Dr, Huntertown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quality Crafted Homes Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28012

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/18/2022

Damage Location: 6065 South 455 East, Lot 175, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Browning Tree Service Corp

Other Party: Northern Indiana Public Service Company

Case Number: 27957

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/9/2022

Damage Location: 301 East Enota Street, Oxford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cutting Edge Lawn Maintenance

Other Party: Northern Indiana Public Service Company

Case Number: 27967

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/10/2022

Damage Location: 640 George Cohan Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L G S Plumbing, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27949

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/8/2022

Damage Location: 521 East 86th Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rex Construction Company, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28903

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/17/2022

Damage Location: 6039 West 29th Pl., Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pritchard Mechanical Contractors Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28005

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/17/2022

Damage Location: 56620 Spirea Road, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J T Sewer & Drain Cleaning

Other Party: Northern Indiana Public Service Company

Case Number: 27979

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/15/2022

Damage Location: 1931 Welnetz Road, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northeastern REMC

Other Party: Northern Indiana Public Service Company

Case Number: 28029

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/22/2022

Damage Location: 1199 South 600 East, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amor Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27971

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/12/2022

Damage Location: 1200 West Business 30, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pranger Enterprises

Other Party: Northern Indiana Public Service Company

Case Number: 26450

Date of Advisory Meeting: 3/16/2023

Date of Damage: 12/29/2021

Damage Location: 1031 E Us Highway 224, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ellis Electric Inc

Other Party: Northern Indiana Public Service Company

Case Number: 27807

Date of Advisory Meeting: 3/16/2023

Date of Damage: 7/7/2022

Damage Location: 135 Sharon Boulevard, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ayers Basement Systems LLC

Other Party: Northern Indiana Public Service Company

Case Number: 27942

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/5/2022

Damage Location: 909 South Main Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of New Haven

Other Party: Northern Indiana Public Service Company

Case Number: 27969

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/11/2022

Damage Location: 3302 Cedarvalley Drive, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jon's Tree Service Inc

Other Party: Northern Indiana Public Service Company

Case Number: 27974

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/12/2022

Damage Location: 1513 Hickory Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chuck's Custom Concrete LLC

Other Party: Northern Indiana Public Service Company

Case Number: 27938

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/4/2022

Damage Location: 275 Lane & 415 Jimmerson Lk., Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DeYoung's Dirt Works, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27946

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/6/2022

Damage Location: 9990 North 950 West, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: MasTec, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27978

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/15/2022

Damage Location: 57124 County Road 27, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Austgen Equipment, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27940

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/5/2022

Damage Location: 1644 Cardinal Lane Lot 81, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Fort Wayne

Other Party: Northern Indiana Public Service Company

Case Number: 28030

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/23/2022

Damage Location: 7245 Karen Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandon Goodman

Other Party: Northern Indiana Public Service Company

Case Number: 27973

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/12/2022

Damage Location: 284 West 650 South, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Beheyt-Coop Surfaces LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28044

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/25/2022

Damage Location: 613 Bourissa Court, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michiana Contracting Co.

Other Party: Northern Indiana Public Service Company

Case Number: 28007

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/17/2022

Damage Location: 601 E Jefferson Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R V Sutton, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28452

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/22/2022

Damage Location: 101 Oak Leaf Lane, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Altstadt Plumbing Service, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 28513

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/6/2022

Damage Location: 6919 Steeplechase Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Minnesota Limited, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 28613

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/18/2022

Damage Location: 4625 N Congress Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Garv	Robbins
-------------	------	----------------

Other Party: Midwest Natural Gas Corporation

Case Number: 28500

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/4/2022

Damage Location: 2748 E. Trueblood Rd., Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: F A Wilhelm Construction, Co., Inc.

Other Party: Citizens Gas

Case Number: 28683

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/1/2022

Damage Location: 8517 Westfield Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28013

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/18/2022

Damage Location: 118th Pl. & Putnam Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Serenescapes, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28014

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/18/2022

Damage Location: 15870 Branch Water Court, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.

Other Party: Northern Indiana Public Service Company

Case Number: 28358

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/7/2022

Damage Location: 2027 Brandywine Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 27980

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/15/2022

Damage Location: 1112 North Saint Peter Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28000

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/16/2022

Damage Location: 1276 Pueblo Trail, Lot 113, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana

Case Number: 28531

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/11/2022

Damage Location: 5861 West US Rt. 52, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC

Other Party: Citizens Gas

Case Number: 28691

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/8/2022

Damage Location: 1430 West Thompson Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC

Other Party: Citizens Gas

Case Number: 28693

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/16/2022

Damage Location: 7880 Fall Creek Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors North, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28819

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/26/2022

Damage Location: South 500 West & State Road 2, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ziese & Sons Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28915

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/22/2022

Damage Location: 2941 83rd Lane, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Custom Concrete Co., Inc.
Other Party: CenterPoint Energy Indiana

Case Number: 27715

Date of Advisory Meeting: 3/16/2023

Date of Damage: 7/11/2022

Damage Location: 3626 Olde Well Run, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28422

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/16/2022

Damage Location: 406 West Park Avenue, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Medina Concrete
•	

Other Party: Midwest Natural Gas Corporation

Case Number: 28491

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/18/2022

Damage Location: 2878 North State Road 59, Linton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jay Altmeyer
-------------	--------------

Other Party: CenterPoint Energy Indiana

Case Number: 28328

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/30/2022

Damage Location: 1825 Shannon Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent. Diad Wesser	Respondent:	Brad Wessel
-------------------------	-------------	-------------

Other Party: Midwest Natural Gas Corporation

Case Number: 28489

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/23/2022

Damage Location: 1251 West Co. Rd. 100 South, Brownstown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chad Watt
-------------	-----------

Other Party: CenterPoint Energy Indiana

Case Number: 28534

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/12/2022

Damage Location: 803 North Main Street, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Allen

Other Party: CenterPoint Energy Indiana

Case Number: 28642

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/16/2022

Damage Location: 2315 Perry Crossin Rd, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

ixespondent.	Respondent:	Jon Whisenand
--------------	-------------	---------------

Other Party: CenterPoint Energy Indiana

Case Number: 28651

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/22/2022

Damage Location: 1071 S 150 W, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Loran Bohall

Other Party: Citizens Gas

Case Number: 28677

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/15/2022

Damage Location: 1239 North Rural Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Helvie & Sons, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 28645

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/26/2022

Damage Location: 126 W 7Th, Matthews

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Christopher Colson

Other Party: Citizens Gas

Case Number: 28680

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 1753 Christopher Lane, Speedway

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Maddox Industrial Contracting LLC, aka MIC
-------------	--

Contracting

Other Party: Community Natural Gas Inc

Case Number: 28939

Date of Advisory Meeting: 3/16/2023

Date of Damage: 12/2/2022

Damage Location: 28 E Reindeer Circle, Santa Claus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana

Other Party: Artisan Construction and Consulting LLC

Case Number: 26982

Date of Advisory Meeting: 3/16/2023

Date of Damage: 4/11/2022

Damage Location: 9770 E 116th St, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Indiana Underground	Plant Protection Advisory Committe
Respondent:	CenterPoint Energy Indiana
Other Party:	Joe Custis Excavating LLC
Case Number:	28086
Date of Advisory Meeting:	3/16/2023

Damage Location: 903 East US Highway 40, Cloverdale

8/6/2022

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana

Other Party: Steckler Landscaping LLC

Case Number: 28137

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/21/2022

Damage Location: 2433 Hills Road, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana	
Other Party:	Town of Fortville	
Case Number:	28512	
Date of Advisory Meeting:	3/16/2023	
Date of Damage:	10/5/2022	
Damage Location:	510 West Ohio Street, Fortville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		

APPROVED: /for Ben Warren

Additional Information:



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the

Indiana Underground Plant Protection Advisory Committee		
Respondent:	CenterPoint Energy Indiana	
Other Party:	3D Company, Inc.	
Case Number:	28538	
Date of Advisory Meeting:	3/16/2023	
Date of Damage:	10/14/2022	
Damage Location:	10620 North College Avenue, Indianapolis	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

/for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Evansville (Water & Sewer Departments)
Case Number:	28541
Date of Advisory Meeting:	3/16/2023
Date of Damage:	10/14/2022
Damage Location:	1120 North Boeke Road, Evansville
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions: Additional Information:	

/for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Evansville (Water & Sewer Departments
Case Number:	28542

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/14/2022

Damage Location: 1124 North Boeke Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana	
Other Party:	Dave O'Mara Contractor, Inc.	
Case Number:	28604	
Date of Advisory Meeting:	3/16/2023	
Date of Damage:	10/17/2022	
Damage Location:	257 E South St, Franklin	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		

APPROVED: /for Ben Warren

Additional Information:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Libs Paving Company, Inc.
Case Number:	28606
Date of Advisory Meeting:	3/16/2023
Date of Damage:	10/18/2022
Damage Location:	1500 Milton Court, Clarksville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	

APPROVED: /for Ben Warren

Additional Information:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

_	
Respondent:	CenterPoint Energy Indiana
Other Party:	G & G Underground Construction, Inc.
Case Number:	28612

3/16/2023

Date of Damage: 10/20/2022

Date of Advisory Meeting:

Damage Location: 845 W Cutsinger Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the

Indiana Undergrour	nd Plant Protection Advisory Committee
Respondent:	CenterPoint Energy Indiana
Other Party:	Warrick County Highway Department
Case Number:	28615
Date of Advisory Meeting:	3/16/2023

10/18/2022

Damage Location: Zoar Church Rd, Elberfeld

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the

Indiana Undergroun	nd Plant Protection Advisory Committee
Respondent:	CenterPoint Energy Indiana
Other Party:	EAC Fence LLC
Case Number:	28619
Date of Advisory Meeting:	3/16/2023

Damage Location: 7518 Country Line Road, New Albany

10/21/2022

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Indiana Undergroui	nd Plant Protection Advisory Committee
Respondent:	CenterPoint Energy Indiana
Other Party:	George Dewey Adams
Case Number:	28620
Date of Advisory Meeting:	3/16/2023

10/23/2022

Damage Location: 3475 S 200 E, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	A M P P Construction Inc.
Case Number:	28622
Date of Advisory Meeting:	3/16/2023
Date of Damage:	10/20/2022
Damage Location:	3720 N Windmill Rd, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana		
Other Party:	Lubovich Excavating, Inc.		
Case Number:	28624		
Date of Advisory Meeting:	3/16/2023		
Date of Damage:	10/21/2022		
Damage Location:	8559 Wabash Ave, Terre Haute		
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)			
The Advisory Committee recommends the following civil penalty:			
\$1,000			
Abstentions:			

APPROVED: /for Ben Warren

Additional Information:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana		
Other Party:	Dashiell Contracting, Inc.		
Case Number:	28628		
Date of Advisory Meeting:	3/16/2023		
Date of Damage:	10/24/2022		
Damage Location:	East Adams Street, Wheatland		
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)			
The Advisory Committee recommends the following civil penalty:			
\$1,000			
Abstentions:			
Additional Information:			

/for Ben Warren



IC 8-1-26-18(h)

\$1,000

Abstentions:

Additional Information:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

8	·
Respondent:	CenterPoint Energy Indiana
Other Party:	Wills Excavating, Inc.
Case Number:	28644
Date of Advisory Meeting:	3/16/2023
Date of Damage:	10/26/2022
Damage Location:	1717 W 136Th St, Carmel
The IURC Pipeline Safety Divis	sion finds the following violation(s):

/for Ben Warren

The Advisory Committee recommends the following civil penalty:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C & T Construction, Inc.

Other Party: Citizens Gas

Case Number: 28658

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/31/2022

Damage Location: 302 South Warman Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NHTP LLC

Other Party: Citizens Gas

Case Number: 27389

Date of Advisory Meeting: 3/16/2023

Date of Damage: 6/16/2022

Damage Location: 6735 Meadowgreen Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C & T Construction, Inc.

Other Party: Citizens Gas

Case Number: 28703

Date of Advisory Meeting: 3/16/2023

Date of Damage: 12/6/2022

Damage Location: 802 Lord Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Other Party: CenterPoint Energy Indiana

Case Number: 27723

Date of Advisory Meeting: 3/16/2023

Date of Damage: 7/12/2022

Damage Location: 3236 East 67th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid Ohio Utilities LLC

Other Party: CenterPoint Energy Indiana

Case Number: 27757

Date of Advisory Meeting: 3/16/2023

Date of Damage: 7/20/2022

Damage Location: North 12th Street & North B Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Noblesville

Other Party: CenterPoint Energy Indiana

Case Number: 28524

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/10/2022

Damage Location: 840 South 11th Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bryan Stumler Excavating Incorporate	ed
-------------	--------------------------------------	----

Other Party: CenterPoint Energy Indiana

Case Number: 28535

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 2361 State Street, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the

Indiana Undergroun	nd Plant Protection Advisory Committee
Respondent:	Karma Utility Incorporated
Other Party:	Sycamore Gas Company
Case Number:	28495
Date of Advisory Meeting:	3/16/2023

Damage Location: 18553 Whispering Woods Dr, Greendale

10/27/2022

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

Date of Damage:

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

maiana endergroui	id I fant I foteetion May 1501 y Committee
Respondent:	Americrew Workforce Development, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28504
Date of Advisory Meeting:	3/16/2023
Date of Damage:	10/3/2022

101 South Main Street, Griffin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

Damage Location:

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CSU.	, Inc.
------------------	--------

Other Party: CenterPoint Energy Indiana

Case Number: 28540

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/14/2022

Damage Location: 922 East 38th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Development Systems, LLC

Other Party: Citizens Gas

Case Number: 28414

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/30/2022

Damage Location: 11361 Congaree Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elkins Construction

Other Party: Northern Indiana Public Service Company

Case Number: 28719

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/1/2022

Damage Location: 7135 South State Road 237 Milk House, Hudson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Royal Center Lions Club Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28752

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/10/2022

Damage Location: 7100 West 650 North, Royal Center

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dana Miller, Building Solutions, Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28768

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 2325 Revere Drive, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Good Excavating & Hauling, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28873

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/10/2022

Damage Location: 125 EMS C22 Lane, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Millers Junction Mobile Home Community

Other Party: Northern Indiana Public Service Company

Case Number: 28881

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/12/2022

Damage Location: 6632 Melton Road, Lot 88, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & K Remodeling-Construction LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28918

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/23/2022

Damage Location: 30 Midway Court, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sweney Electric Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28722

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/3/2022

Damage Location: 20011 Colfax Street, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quality Excavating Corp

Other Party: Northern Indiana Public Service Company

Case Number: 28724

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/3/2022

Damage Location: 57897 County Road 29, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wigent Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28726

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/4/2022

Damage Location: 10488 South State Road 5, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Moore & Moore Excavating Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28818

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/25/2022

Damage Location: 11297 N Cedar Point Road, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schneck Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28908

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/21/2022

Damage Location: 1819 Savona Court, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Windy City Underground, Inc.

Case Number: 28064

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/30/2022

Damage Location: 759 Dodge Trail, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Berry-It, Inc.

Case Number: 28360

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/7/2022

Damage Location: 68 West 150 South, Bringhurst

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Selge Construction Co., Inc.

Case Number: 28376

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/12/2022

Damage Location: 923 East Northshore Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Dickie & Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Milestone Contractors, L.P.

Case Number: 28385

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/14/2022

Damage Location: 1912 North Byrkit Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Rex Construction Company, Inc.

Case Number: 28386

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/14/2022

Damage Location: 715 East Commercial Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Miller Pipeline, LLC

Case Number: 28392

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/15/2022

Damage Location: 51490 Laurel Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: S & S Directional Boring, LTD

Case Number: 28432

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/19/2022

Damage Location: 22727 State Road 23, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Rain Makers Automatic Irrigation

Case Number: 28466

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/27/2022

Damage Location: 2973 East Saint Andrews Road, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

indiana enderground	Thank I Total Committee 1901 y Commit
Respondent:	Sycamore Gas Company
Other Party:	Karma Utility Incorporated
Case Number:	28496
Date of Advisory Meeting:	3/16/2023
Date of Damage:	11/14/2022
Damage Location:	18524 Running Deer Ln, Greendale
The IURC Pipeline Safety Division finds the following violation(s):	

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A A A Plumbing of Frankfort, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28339

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/2/2022

Damage Location: 305 North 2nd South, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Generator Supercenter

Other Party: Citizens Gas

Case Number: 28697

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/17/2022

Damage Location: 2110 West Stop 11 Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Basement Systems of Indiana, LLC

Other Party: Citizens Gas

Case Number: 28709

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/29/2022

Damage Location: 2325 North Irwin Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Four Seasons Custom Decks & Fences

Other Party: Northern Indiana Public Service Company

Case Number: 28745

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/7/2022

Damage Location: 56631 Sapphire Boulevard, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27970

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/11/2022

Damage Location: 207 West Spencer Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kiefer-Gibson LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28010

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/17/2022

Damage Location: 3285 Willowcreek Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrasource Construction, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28359

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/7/2022

Damage Location: 1100 West Markland Avenue, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Directional Boring, LTD

Other Party: Northern Indiana Public Service Company

Case Number: 28462

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/26/2022

Damage Location: 22641 Prairie Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J C Construction, Inc.

Other Party: Citizens Gas

Case Number: 28681

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 310 Steeples Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Herrman & Goetz, Inc. DBA H & G Services, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28033

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/23/2022

Damage Location: 4615 Wyland Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Countryside Landscaping

Other Party: Northern Indiana Public Service Company

Case Number: 28050

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/26/2022

Damage Location: 10186 Lakota Court, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Exclusive Finishes LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28062

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/30/2022

Damage Location: 7 Stoner Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R Roese Contracting Co Inc

Other Party: Northern Indiana Public Service Company

Case Number: 28424

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/16/2022

Damage Location: 401 West Talmer Avenue, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: New Paris Telephone Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28789

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/17/2022

Damage Location: 5300 East Market Street, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Hamstra Group, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28804

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/20/2022

Damage Location: 620 North Front Street, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K B Electric

Other Party: Northern Indiana Public Service Company

Case Number: 28887

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/15/2022

Damage Location: 1306 West US Highway 20, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Berry-It, Inc.

Case Number: 28356

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/7/2022

Damage Location: 907 South Center Street, Flora

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bell's Excavating, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 27645

Date of Advisory Meeting: 3/16/2023

Date of Damage: 6/24/2022

Damage Location: 108 East Lucas Street, Hillsboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28791

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/18/2022

Damage Location: 3050 East Lake Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: National Underground Systems, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28021

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/20/2022

Damage Location: 8051 Catalpa Street, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Direct Flow Services LLC

Case Number: 27913

Date of Advisory Meeting: 3/16/2023

Date of Damage: 7/28/2022

Damage Location: 7407 Thompson Road, Hoagland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Special instructions: self-repair

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Carlisle Utility Contractors, Inc.

Case Number: 27931

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/1/2022

Damage Location: 155 West US Highway 6, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Rieth-Riley Construction Co., Inc.

Case Number: 27939

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/4/2022

Damage Location: 1001 East Division Road, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Key Concrete, Inc.

Case Number: 27944

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/5/2022

Damage Location: 4534 Monroe Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Teracom, Inc.

Case Number: 27954

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/8/2022

Damage Location: 702 South Line Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Infrasource Construction, LLC

Case Number: 27958

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/9/2022

Damage Location: West Washington Center Road & Le Steel Boulevard,

Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: A P I Construction Corp.

Case Number: 27959

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/9/2022

Damage Location: 150 South Summey Street, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: J & K Drilling LLC

Case Number: 27965

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/10/2022

Damage Location: 9 West Hoop Street, Flora

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Fort Wayne City Utilities

Case Number: 27977

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/15/2022

Damage Location: 7717 Clover Meadow Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Miller Pipeline, LLC

Case Number: 28002

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/16/2022

Damage Location: 415 South California Street, Galveston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: D S M Contractors, LLC

Case Number: 28009

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/17/2022

Damage Location: San Giovanni Court & County Road 17, Laotto

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: A P I Construction Corp.

Case Number: 28011

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/18/2022

Damage Location: 1327 Woodmere Drive, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Town of Geneva

Case Number: 28024

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/22/2022

Damage Location: 405 Ford Street, Geneva

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Legacy Fence & Decks LLC

Case Number: 28025

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/22/2022

Damage Location: 513 South 5th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: L & R Utilities

Case Number: 28026

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/22/2022

Damage Location: 10700 Park Place, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Milestone Contractors, L.P.

Case Number: 28032

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/23/2022

Damage Location: 1401 East Jefferson Boulevard, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: K V Electric, Inc

Case Number: 28037

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/24/2022

Damage Location: 5611 Birdie Drive, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Q C Communications, Inc.

Case Number: 28041

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/25/2022

Damage Location: 1st Street And Kings Highway, Winona Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Key Concrete, Inc.

Case Number: 28045

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/25/2022

Damage Location: 551 East Sherwood Ter., Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: City of Fort Wayne

Case Number: 28059

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/29/2022

Damage Location: 5615 Graber Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Northern Pipeline Construction Company

Case Number: 28060

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/29/2022

Damage Location: 920 East Sycamore Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Indiana Underground Plant Protection Advisory Committee	
Respondent:	Midwest Natural Gas Corporation
Other Party:	Lowder Excavating
Case Number:	28490
Date of Advisory Meeting:	3/16/2023

10/24/2022

Damage Location: 282 Second Street, Switz City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fountaintown Gas Company, Inc

Other Party: Sage Drilling, Inc

Case Number: 28494

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/4/2022

Damage Location: 202 West Martindale Street, Kennard

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana

Other Party: Q C Communications, Inc.

Case Number: 28519

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/7/2022

Damage Location: 1272 Pin Oak Circle, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Walsh Construction Company II LLC dba

Walsh/Herzog Joint Venture

Other Party: Northern Indiana Public Service Company

Case Number: 27960

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/9/2022

Damage Location: 408 West 11th Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grimmer Construction Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28891

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/15/2022

Damage Location: 914 177th Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Knott Drainage & Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27936

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/3/2022

Damage Location: 210 West 19th Street, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: National Underground Systems, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27953

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/8/2022

Damage Location: 13505 80th Avenue, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grimmer Construction Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27963

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/10/2022

Damage Location: 606 Willard Avenue, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gatlin Plumbing & Heating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28471

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/28/2022

Damage Location: 303 Highland Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28795

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/19/2022

Damage Location: 5721 Devils Hollow Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gatlin Plumbing & Heating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 27968

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/11/2022

Damage Location: 13419 Parrish Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Colleen Seeley

Other Party: Northern Indiana Public Service Company

Case Number: 27948

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/7/2022

Damage Location: 829 East 5th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Scott Harris

Other Party: Northern Indiana Public Service Company

Case Number: 28018

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/19/2022

Damage Location: 8707 East Diane Drive, Ossian

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tammy Harwood

Other Party: Northern Indiana Public Service Company

Case Number: 28023

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/21/2022

Damage Location: 53060 Oakmont East Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shirley Perry

Other Party: Northern Indiana Public Service Company

Case Number: 28035

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/23/2022

Damage Location: 4795 North 200 East, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Daulton

Other Party: Northern Indiana Public Service Company

Case Number: 28036

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/23/2022

Damage Location: 3005 Hollywood Avenue, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Taylor Floyd

Other Party: Northern Indiana Public Service Company

Case Number: 28046

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/25/2022

Damage Location: 1136 Napier Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeffrey Dallas

Other Party: Northern Indiana Public Service Company

Case Number: 28052

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/26/2022

Damage Location: 609 Fieldcrest Cir, Lot 35, Wanatah

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joseph Keller

Other Party: Northern Indiana Public Service Company

Case Number: 28054

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/27/2022

Damage Location: 7197 North Detroit Street, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Helmuth

Other Party: Northern Indiana Public Service Company

Case Number: 27975

Date of Advisory Meeting: 3/16/2023

Date of Damage: 8/13/2022

Damage Location: 107 West Grant Street, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Northern Pipeline Construction Company

Case Number: 28440

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/21/2022

Damage Location: 3941 Grant Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Walsh Construction Company II LLC dba

Walsh/Herzog Joint Venture

Case Number: 28474

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/28/2022

Damage Location: West 10th Street & Sheridan Avenue, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Indiana American Water Co. DBA Indiana American

Case Number: 28479

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/29/2022

Damage Location: 533 Stellata Lane, Lot 70, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Bluffton Water Department

Case Number: 28483

Date of Advisory Meeting: 3/16/2023

Date of Damage: 9/29/2022

Damage Location: 128 East Wiley Avenue, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Clarkco, Inc.

Case Number: 28725

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/3/2022

Damage Location: 111 East Ireland Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Q C Communications, Inc.

Case Number: 28728

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/4/2022

Damage Location: 15202 Edgerton Road, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Fritz Bontrager Excavating, LLC

Case Number: 28730

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/5/2022

Damage Location: 445 North Morton Street, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Milestone Contractors, L.P.

Case Number: 28733

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/5/2022

Damage Location: 1812 North Byrkit Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Walsh Construction Company II LLC dba

Walsh/Herzog Joint Venture

Case Number: 28734

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/5/2022

Damage Location: 508 West 11th Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: HRP Construction, Inc.

Case Number: 28742

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/6/2022

Damage Location: 22551 State Road 23, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: A P I Construction Corp.

Case Number: 28744

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/6/2022

Damage Location: 1818 East Wayne Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Milestone Contractors, L.P.

Case Number: 28751

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/10/2022

Damage Location: 1404 Obrien Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: G E Minear Construction Co., Inc

Case Number: 28753

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/10/2022

Damage Location: 12207 Aboite Center Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: PirTano Construction Company, Inc.

Case Number: 28774

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 3484 Connecticut Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Von Excavating, Inc.

Case Number: 28777

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/13/2022

Damage Location: 421 State Road 16, Monon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Ziese & Sons Excavating, Inc.

Case Number: 28786

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/10/2022

Damage Location: 26th Avenue & Broadway, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: A M P P Construction Inc.

Case Number: 28788

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/17/2022

Damage Location: 13730 North Street, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Electricom, Inc.

Case Number: 28792

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/18/2022

Damage Location: 120 East Whipple Road, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: City of Kokomo

Case Number: 28822

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/27/2022

Damage Location: 4109 Dee Ann Drive, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Hawk Enterprises, Inc.

Case Number: 28886

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/14/2022

Damage Location: 53932 Ironwood Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: S & S Directional Boring, LTD

Case Number: 28893

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/15/2022

Damage Location: 1205 Columbia Avenue & North Anthony Boulevard,

Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Fort Wayne City Utilities

Case Number: 28900

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/17/2022

Damage Location: 6327 Trier Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Fleming Excavating, Inc.

Case Number: 28912

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/21/2022

Damage Location: 4322 Becker Road, Woodburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Indiana American Water Co. DBA Indiana American

Case Number: 28920

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/23/2022

Damage Location: 5909 Lute Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Miller Pipeline, LLC

Case Number: 28926

Date of Advisory Meeting: 3/16/2023

Date of Damage: 11/30/2022

Damage Location: 1740 SOUTH BEND AVE (APT COMMON BLDG

EAST), SOUTH BEND

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Down N' Dirty Excavating N' Contracting LLC

Other Party: Northern Indiana Public Service Company

Case Number: 28763

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/11/2022

Damage Location: 116 14th Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peterman Heating, Cooling & Plumbing, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 28766

Date of Advisory Meeting: 3/16/2023

Date of Damage: 10/12/2022

Damage Location: 208 East Lincoln Street, Kentland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren