

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Veleta	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
 APPROVING ADVISORY COMMITTEE)
 RECOMMENDATIONS PURSUANT TO)
 INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: JUN 06 2023

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: JUN 06 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Phillip's Professional Plumbing LLC
Other Party: Midwest Natural Gas Corporation
Case Number: 28332
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/17/2022
Damage Location: 605 West Green Street, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Drent Excavation Co., LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28501
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/1/2022
Damage Location: 2801 South Stone Drive, Lot 67, Marion

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Hathaway Excavating LLC
Case Number: 28502
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/3/2022
Damage Location: 323 West Illinois Street (270 W Main St), Petersburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Powers Welding
Case Number: 28506
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/3/2022
Damage Location: 615 West Oak Street, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 28507
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/3/2022
Damage Location: 714 North 2nd Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: 3D Company, Inc.
Case Number: 28509
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/4/2022
Damage Location: 670 Arthur Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Ben Warren, Chairman


Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Expert Electrical Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28510
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/4/2022
Damage Location: 2801 South Stone Rd, Lot 201, Marion

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Blue Ocean Contractors
Case Number: 28514
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/6/2022
Damage Location: 4310 Huntington Pl., Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P J E Lawncare & Landscaping
Other Party: CenterPoint Energy Indiana
Case Number: 28515
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/6/2022
Damage Location: 12913 Water Ridge Drive, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Carter Management Group LLC
Case Number: 28520
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 34 Wagon Road, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Karl Sparks Construction Inc
Other Party: CenterPoint Energy Indiana
Case Number: 28521
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 160 South Main Street, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: 
Ben Warren, Chairman

Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Energy Group - Water
Other Party: CenterPoint Energy Indiana
Case Number: 28522
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 845 Sugarbush Ridge, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Jim Surd for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Brian Atkinson
Case Number: 28523
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 3300 Locust Street, New Castle

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Excavating, Inc. (Redkey)
Other Party: CenterPoint Energy Indiana
Case Number: 28525
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 165 West North C Street, Elwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: R T Moore, Co., Inc.
Case Number: 28528
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 408 Ehrlich Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: LM5 Underground Corp
Other Party: CenterPoint Energy Indiana
Case Number: 28529
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 11257 Spring Blossom Lane, Fishers

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Concoran Poore
Other Party: CenterPoint Energy Indiana
Case Number: 28530
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 11502 Ruckle Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A B C Cutting Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 28532
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/12/2022
Damage Location: 251 East South Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Oolitic
Other Party: CenterPoint Energy Indiana
Case Number: 28539
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/14/2022
Damage Location: 220 6th Street, Oolitic

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: P & C Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28548
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/2/2022
Damage Location: 3593 State Road 37, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Gehring Underground, Inc.
Case Number: 28549
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/2/2022
Damage Location: 1150 Ja Berry Ln, Madison

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Target One Services LLC
Case Number: 28551
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/2/2022
Damage Location: 1150 Morse Landing Dr, Cicero

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Reed's Plumbing Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 28552
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/2/2022
Damage Location: 1613 S Gharkey St, Muncie

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Axis Fiber Solutions
Case Number: 28553
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/3/2022
Damage Location: E 7Th St And Union St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Halbig Lawn And Landscaping LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28554
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/3/2022
Damage Location: 3300 Robin Hood Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 28557
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/4/2022
Damage Location: 717 Ravenswood Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blue Ocean Contractors
Other Party: CenterPoint Energy Indiana
Case Number: 28559
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/4/2022
Damage Location: 1147 E Boonville New Harmony Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Spaw Electric
Other Party: CenterPoint Energy Indiana
Case Number: 28560
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/4/2022
Damage Location: 5545 Limestone Creek Dr, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: The Hydaker-Wheatlake Company
Case Number: 28562
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/7/2022
Damage Location: 1310 Buntin St, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F & S Underground LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28565
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/7/2022
Damage Location: 4411 S B St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Albert A. Graber Construction
Other Party: CenterPoint Energy Indiana
Case Number: 28569
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/9/2022
Damage Location: 283 E 1St Ave, Alexandria

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Wabash Utilities, Inc.
Case Number: 28574
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/9/2022
Damage Location: 73 Thompson Dr, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: 
Ben Warren, Chairman

Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Elevation Excavation, Inc.
Case Number: 28576
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 10297 Towne Rd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: White Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 28577
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 414 E 114Th St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: _____

Jim Surd for Ben Warren

Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 28578
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: Covert Ave And S Garvin St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gluesenkamp's Designscape Horticultural Services Inc
Other Party: CenterPoint Energy Indiana
Case Number: 28579
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 4048 N Claybrooke Ct, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Electricom, Inc.
Case Number: 28581
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/11/2022
Damage Location: 8212 Krystal Ln, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J M Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28583
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/14/2022
Damage Location: 7348 Cambridge Pl, Avon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alvey's Sign Co Inc
Other Party: CenterPoint Energy Indiana
Case Number: 28584
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/14/2022
Damage Location: 4511 Rosebud Ln, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Service Solutions of Bloomington, Inc.
Case Number: 28586
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/15/2022
Damage Location: 1733 S Olive St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brand Home Service LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28588
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 1413 S 24Th St, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milestone Contractors, L.P.
Other Party: CenterPoint Energy Indiana
Case Number: 28591
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 950 W Stones Crossing Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fernando Tudela
Other Party: CenterPoint Energy Indiana
Case Number: 28596
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/3/2022
Damage Location: 2229 W Lloyd Expy, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brooks Proctor
Other Party: CenterPoint Energy Indiana
Case Number: 28597
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/11/2022
Damage Location: 4721 N Shelburne Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Culy Contracting, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28600
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: East 8th & Blaine Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Walters**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dustin Ward
Other Party: CenterPoint Energy Indiana
Case Number: 28602
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/15/2022
Damage Location: 1718 Driftwood Dr, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Helebo Trenching, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 28611
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/19/2022
Damage Location: 4334 Plainfield Road, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Vertical Underground LLC
Case Number: 28616
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/20/2022
Damage Location: S Jefferson & E 5Th St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wiper Corporation
Other Party: CenterPoint Energy Indiana
Case Number: 28617
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/18/2022
Damage Location: 2443 Broad St, New Castle

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Indys Finest Fence LLC
Case Number: 28623
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/20/2022
Damage Location: 200 Cross Bow St, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steve Roberson
Other Party: CenterPoint Energy Indiana
Case Number: 28625
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 402 Columbia St, Tipton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Techno Drill, LLC
Case Number: 28627
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/17/2022
Damage Location: 1009 S 675 E, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Roberts Boring/Trenching/Excavating LLC
Case Number: 28630
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 1106 E National Hwy, Washington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: 
Ben Warren, Chairman

Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Rivera's Renovations LLC
Case Number: 28632
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/21/2022
Damage Location: 3 Douglas Dr, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Fox Contractors Corp.
Case Number: 28635
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 1255 E Walnut St, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Frontier Communications of Indiana LLC
Case Number: 28636
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/26/2022
Damage Location: 1534 7Th Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H2O Plumbing
Other Party: CenterPoint Energy Indiana
Case Number: 28638
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/27/2022
Damage Location: 1622 State St, New Albany

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: 
Ben Warren, Chairman

Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C S U, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 28639
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/27/2022
Damage Location: 1121 Pearl St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Corner Cable, Inc.
Case Number: 28640
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/27/2022
Damage Location: 2800 S State Road 135, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gold Star Concrete & Excavating of Richmond Inc
Other Party: CenterPoint Energy Indiana
Case Number: 28646
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/28/2022
Damage Location: 1817 Chester Blvd, Richmond

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Feutz Contractors, Inc.
Case Number: 28647
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/28/2022
Damage Location: 1705 E Industrial Dr, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Blue Ocean Contractors
Case Number: 28648
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/28/2022
Damage Location: 13701 Browning Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Arc American, Inc.
Case Number: 28649
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/28/2022
Damage Location: 4853 Devonshire Dr, Pittsboro

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Peacock
Other Party: CenterPoint Energy Indiana
Case Number: 28650
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/29/2022
Damage Location: 701 Binford St, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blue Ocean Contractors
Other Party: CenterPoint Energy Indiana
Case Number: 28652
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/28/2022
Damage Location: 12741 Red Gate Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Butterfield Power Quality
Other Party: CenterPoint Energy Indiana
Case Number: 28653
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 7010 W Whiteland Rd, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Roto Rooter - Bloomington (Woodland Enterprises LLC)
Case Number: 28654
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 624 W 8Th St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 28656
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 13 Roberts Dr, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction
Other Party: Citizens Gas
Case Number: 28657
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/31/2022
Damage Location: 3838 East 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jim Surd for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hazard Construction
Other Party: Citizens Gas
Case Number: 28675
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/19/2022
Damage Location: 2944 East 56th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jim Surd for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Exceptional Excavating, LLC
Other Party: Citizens Gas
Case Number: 28678
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/14/2022
Damage Location: Vera Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jim Surd for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Above The Rest Construction LLC
Case Number: 28682
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 1147 East Troy, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jim Surd for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kevin Kenney
Other Party: Northern Indiana Public Service Company
Case Number: 28716
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/1/2022
Damage Location: 1724 South Grant, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Integrity Fence Group LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28717
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/1/2022
Damage Location: 201 South Garrison Street, Ashley

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 28723
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/3/2022
Damage Location: 3509 Plaza Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C & S Underground Company LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28731
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 3719 Woodfield Lane, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D & M Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28732
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 3208 North 950 West, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D Schmucker Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28735
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 3900 East Mill Street, Hamilton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Shrock Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28736
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 855 West US Highway 6, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Renaissance Management Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28737
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 175 Lane 200A Lake James, Angola

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: James Turnpaugh
Other Party: Northern Indiana Public Service Company
Case Number: 28739
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 512 West 6th Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Josh Wheeler
Other Party: Northern Indiana Public Service Company
Case Number: 28740
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/5/2022
Damage Location: 3324 Pleasant Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Acculevel, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28746
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/7/2022
Damage Location: 9525 Stowaway Cv Lot 77, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Paul Freeman
Other Party: Northern Indiana Public Service Company
Case Number: 28748
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/8/2022
Damage Location: 7002 West 129th Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blue River Environmental & Restoration, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28754
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 1246 Lakeview Avenue, Whiting

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Grove Excavation LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28755
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 1126 McCartney Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Luis Malagon
Other Party: Northern Indiana Public Service Company
Case Number: 28757
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 1837 Michaels Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gary Home Investments LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28759
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 1 The Ledge, Portage

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Deryl Johnson
Other Party: Northern Indiana Public Service Company
Case Number: 28760
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 6401 South 200 West, Peru

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28764
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/11/2022
Damage Location: 840 Valley River Drive, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ferguson Michiana Co.
Case Number: 28771
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 1027 Woodward Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ferguson Michiana Co.
Case Number: 28772
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 1031 Woodward Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28776
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 9609 West 136th Lane, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Julian Collins
Other Party: Northern Indiana Public Service Company
Case Number: 28778
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 528 Harrison Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Nathan Story
Other Party: Northern Indiana Public Service Company
Case Number: 28779
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 618 South 34th Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Selge Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28781
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/14/2022
Damage Location: 100 West 3rd Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Dickie & Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ideal Mobile Home Park and Sales, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28784
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/15/2022
Damage Location: 3433 Colfax Street Lot 7, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Chris Yoder
Other Party: Northern Indiana Public Service Company
Case Number: 28785
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/15/2022
Damage Location: 64265 County Road 35, Goshen

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 28790
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/17/2022
Damage Location: 7895 South State Road 3, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Caribbean Pools, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28793
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/18/2022
Damage Location: 266 Apple Grove Lane, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28794
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/18/2022
Damage Location: 9609 West 136th Lane, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: 
Ben Warren, Chairman

Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J D & M B LLC DBA Barnett Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 28800
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/19/2022
Damage Location: 7519 Winchester Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dig-It Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 28801
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/20/2022
Damage Location: 51559 State Road 19, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jennett Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28802
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/20/2022
Damage Location: 9462 North State Road 19, Lot 16, Etna Green

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Colby & Company, Inc
Other Party: Northern Indiana Public Service Company
Case Number: 28805
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/20/2022
Damage Location: 510 South Lafayette Street, Griffith

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Martin Serbia
Other Party: Northern Indiana Public Service Company
Case Number: 28807
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/22/2022
Damage Location: 1895 South Lynnwood Drive, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 28810
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 412 E Berry St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Alex Gog
Other Party: Northern Indiana Public Service Company
Case Number: 28811
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 6198 East Hoenke Road, Knox

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Scott Organic Products, LLC
Case Number: 28813
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 16996 State Road 23, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Country Landscaping, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28825
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/27/2022
Damage Location: 4495 Brandywine Lane, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D M Henry Corp
Other Party: Northern Indiana Public Service Company
Case Number: 28826
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/27/2022
Damage Location: 204 Ann Street, New Haven

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Paul Hoeckelberg
Other Party: Northern Indiana Public Service Company
Case Number: 28834
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/29/2022
Damage Location: 211 West Goldsboro Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: MasTec, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28836
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/29/2022
Damage Location: 1324 Arborcrest Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: David Kimmel
Case Number: 28839
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/23/2022
Damage Location: 202 Lenox Street, Garrett

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Crosby Excavating, Inc.
Case Number: 28840
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/27/2022
Damage Location: 4121 Oxford Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mint City Underground, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28841
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 1400 McCormick Drive, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mint City Underground, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28842
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 1402 McCormick Drive, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: 
Ben Warren, Chairman

Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hoosierland Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28844
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 65391 Miami Road, Bremen

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 28846
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/1/2022
Damage Location: 2618 West 61st Pl., Merrillville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 28848
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/2/2022
Damage Location: West 29th Pl. & Tompkins St., Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blade Cutters, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28851
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/3/2022
Damage Location: 140 Elmwood Pl., Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: 
Ben Warren, Chairman Jim Surd for Ben Warren



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of South Bend
Other Party: Northern Indiana Public Service Company
Case Number: 28852
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/3/2022
Damage Location: 1252 South Sunnymede Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: JAYH Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28853
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/4/2022
Damage Location: 28 EMS W28, North Webster

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Strawser Bros. Construction, Inc.
Case Number: 28854
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/4/2022
Damage Location: 1214 North Lima Road, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fort Wayne City Utilities
Other Party: Northern Indiana Public Service Company
Case Number: 28856
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/7/2022
Damage Location: 419 East Wildwood Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ziese & Sons Excavating, Inc.
Case Number: 28859
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/7/2022
Damage Location: 5520 West 29th Pl., Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: N W I Builders Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28861
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/8/2022
Damage Location: 12324 Burr Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ben Ross
Other Party: Northern Indiana Public Service Company
Case Number: 28862
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/8/2022
Damage Location: 909 Colfax Avenue, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gabriel T Alvarez
Other Party: Northern Indiana Public Service Company
Case Number: 28863
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/8/2022
Damage Location: 917 Middlebury Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ziese & Sons Excavating, Inc.
Case Number: 28864
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/8/2022
Damage Location: 9903 West 148th Pl., Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 28868
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/9/2022
Damage Location: 2394 West 61st Place, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Crosby Excavating, Inc.
Case Number: 28870
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/9/2022
Damage Location: 11107 Lima Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bleeke Electric, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28871
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 134 Stratford Court, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 28876
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: 6009 West 29th Pl., Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Meade, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28877
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/10/2022
Damage Location: Eagle Nest Drive & Melanie Lane, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Home Restoration, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28880
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/12/2022
Damage Location: 425 Hickory Lane, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: I'm Sexy & I Mow It LLC
Other Party: Northern Indiana Public Service Company
Case Number: 28883
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/13/2022
Damage Location: 226 Lincoln Hills Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Crosby Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 28884
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/14/2022
Damage Location: 6407 Stellhorn Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Crossroads Construction Concepts LLC
Case Number: 28921
Date of Advisory Meeting: 4/6/2023
Date of Damage: 11/26/2022
Damage Location: 409 PULASKI ST, LAPORTE

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ricky Harper's Fence
Other Party: Ohio Valley Gas Corp
Case Number: 28932
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/10/2022
Damage Location: 935 9th Street, Tell City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Deadline Drilling, Ltd.
Other Party: Ohio Valley Gas Corp
Case Number: 28933
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/13/2022
Damage Location: 25043 Jacobs Rd., St. Leon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thieneman Construction, Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 28934
Date of Advisory Meeting: 4/6/2023
Date of Damage: 10/24/2022
Damage Location: 501 Herzelle Street, Cannelton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jim Surd for Ben Warren
Ben Warren, Chairman