



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jason Schelske
Other Party: CenterPoint Energy Indiana
Case Number: 25809
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/12/2021
Damage Location: 203 S Hougland St, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Roger King
Other Party: CenterPoint Energy Indiana
Case Number: 25812
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/12/2021
Damage Location: 12192 E State Road 58, Edwardsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lewis Campbell
Other Party: Northern Indiana Public Service Company
Case Number: 25859
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/5/2021
Damage Location: 1941 Lynwood Dr, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Richard Ilowiecki
Other Party: Northern Indiana Public Service Company
Case Number: 25860
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/5/2021
Damage Location: 11786 W 750 N, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bryan Grieze
Other Party: Northern Indiana Public Service Company
Case Number: 25861
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/6/2021
Damage Location: 4824 E Tillman Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rodney Wolf
Other Party: Northern Indiana Public Service Company
Case Number: 25871
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/8/2021
Damage Location: 12216 W 500 N, Flora

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Eli Etter
Other Party: Northern Indiana Public Service Company
Case Number: 25880
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/10/2021
Damage Location: 150 Otten Road, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandy Maxwell
Other Party: Northern Indiana Public Service Company
Case Number: 25881
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/10/2021
Damage Location: 514 W Washington, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: David Moser
Other Party: Northern Indiana Public Service Company
Case Number: 25888
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 109 Patricia Dr, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matt Wolf
Other Party: Northern Indiana Public Service Company
Case Number: 25893
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/15/2021
Damage Location: 1115 E Clark St, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ramon Aguilera
Other Party: Northern Indiana Public Service Company
Case Number: 25908
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 24010 County Road 16, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Melvin Rowe
Other Party: Northern Indiana Public Service Company
Case Number: 25911
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 2334 Ohio St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Devon Richards
Other Party: Northern Indiana Public Service Company
Case Number: 25919
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/19/2021
Damage Location: 802 Erwin St, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sarah Vetten
Other Party: Northern Indiana Public Service Company
Case Number: 25937
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/25/2021
Damage Location: 411 E 3rd St, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Serrick Sieb
Other Party: Northern Indiana Public Service Company
Case Number: 25938
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/25/2021
Damage Location: 12207 Alexander St, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Phillip Miller
Other Party: Northern Indiana Public Service Company
Case Number: 25939
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/25/2021
Damage Location: 6716 1st Rd, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mark Waldon
Other Party: Southeast Indiana Natural Gas Company
Case Number: 25979
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/12/2021
Damage Location: 14421 Wingate Rd, Moores Hill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Donald Town
Other Party: Northern Indiana Public Service Company
Case Number: 25988
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 30879 Janet Street, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Consola
Other Party: Northern Indiana Public Service Company
Case Number: 25994
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/3/2021
Damage Location: 13510 W 181st Ave, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jennifer Schaefer
Other Party: Northern Indiana Public Service Company
Case Number: 26027
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/9/2021
Damage Location: 5455 E 620 S, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Reynaldo Garcia
Other Party: Northern Indiana Public Service Company
Case Number: 26045
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/13/2021
Damage Location: 1302 Elm St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sean Bergholz
Other Party: Northern Indiana Public Service Company
Case Number: 26076
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/16/2021
Damage Location: 2442 Odell St, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bill Jump
Other Party: Northern Indiana Public Service Company
Case Number: 26082
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/17/2021
Damage Location: 656 N State Rd 149, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Benny Fitzpatrick
Other Party: Northern Indiana Public Service Company
Case Number: 26090
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 621 N Grant St, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kenneth Fry
Other Party: Northern Indiana Public Service Company
Case Number: 26106
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/25/2021
Damage Location: 6655 S 400 W, Topeka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kyle Warnke
Other Party: Northern Indiana Public Service Company
Case Number: 26107
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/25/2021
Damage Location: 3905 N 600 W, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Allen Bontrager
Other Party: Northern Indiana Public Service Company
Case Number: 26112
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 10725 County Road 18, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Julio Arriaga
Other Party: Northern Indiana Public Service Company
Case Number: 26120
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/1/2021
Damage Location: \$1000 Beveridge Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Kenway
Other Party: Northern Indiana Public Service Company
Case Number: 26132
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/4/2021
Damage Location: 818 Chestnut Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Booker T Dunbar Jr
Other Party: Northern Indiana Public Service Company
Case Number: 26136
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/5/2021
Damage Location: 1725 Bright St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brad Klein d/b/a Klein Construction & Waterproofing
Other Party: Northern Indiana Public Service Company
Case Number: 24730
Date of Advisory Meeting: 4/14/2022
Date of Damage: 4/13/2021
Damage Location: 1508 Margaret Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rhye Lottman
Other Party: CenterPoint Energy Indiana
Case Number: 25820
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/11/2021
Damage Location: 15 Lansdowne Ln, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Alex Scheumann
Other Party: Northern Indiana Public Service Company
Case Number: 25928
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/21/2021
Damage Location: 11320 Hoagland Rd, Hoagland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Midway Briquette, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26078
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/16/2021
Damage Location: 2800 E Dunes Hwy, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baltazar Gaytan
Other Party: Northern Indiana Public Service Company
Case Number: 26104
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 2814 Manford St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Richard Atkinson
Other Party: Northern Indiana Public Service Company
Case Number: 26097
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 1508 E Bowman Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training; concealment escalation - additional \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: PR Builds, LLC
Other Party: Citizens Gas
Case Number: 25837
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/28/2021
Damage Location: 315 N Mickley Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Underground Contractors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26000
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 1605 Columbia Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Asplundh Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 26014
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 9747 Bluffs Corner Lot 41, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Majority Builders Inc
Other Party: Northern Indiana Public Service Company
Case Number: 26050
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/15/2021
Damage Location: 5750 W Brick Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bob Kiger
Other Party: Northern Indiana Public Service Company
Case Number: 26052
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/15/2021
Damage Location: 0202 N Forrester, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Young
Other Party: Northern Indiana Public Service Company
Case Number: 26087
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 413 N East St, Kewanna

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: NIPSCO - Gas
Other Party: Northern Indiana Public Service Company
Case Number: 26025
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/8/2021
Damage Location: 858 E 37th Ave, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26115
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/27/2021
Damage Location: 408 Wabash Ave, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K & S Underground, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26020
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 22850 Juneberry Court, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cleary Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26023
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/7/2021
Damage Location: 307 S Beach Dr, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & B Directional Boring LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26088
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 57769 County Road 115, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grimmer Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26092
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: PHEASANT TRACE W & ST RD 10, DEMOTTE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: G E Marshall, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26102
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 305 JEFFERSON ST, VALPARAISO

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Sassano d/b/a Sassano Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 26161
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/28/2021
Damage Location: 3574 W US HIGHWAY 20 LOT A, LAPORTE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rex Miller d/b/a Miller Underground
Other Party: Northern Indiana Public Service Company
Case Number: 26125
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/2/2021
Damage Location: 3722 E Market St, Star City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Garrett
Other Party: Northern Indiana Public Service Company
Case Number: 26140
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/8/2021
Damage Location: 909 S Guilford St, Garrett

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Windy City Waterproofing LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26148
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/10/2021
Damage Location: 1551 Salamonie Ct, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rush Shelby Energy
Other Party: Fountaintown Gas Company, Inc
Case Number: 26163
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/12/2021
Damage Location: W 1100 N, Fountaintown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Great Lakes Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25931
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: 8668 White Oak Ave, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 3M Excavating
Other Party: Ohio Valley Gas Corp
Case Number: 25828
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: 846 W Division St., Union City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Benjamin Jennett
Other Party: Northern Indiana Public Service Company
Case Number: 25852
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/2/2021
Damage Location: 1535 N Michigan St, Lot 231, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northeastern REMC
Other Party: Northern Indiana Public Service Company
Case Number: 26047
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/14/2021
Damage Location: 101 Anmer Hall, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Stern Lecture Plumbing LLC d/b/a Roto-Rooter of Kokomo
Other Party: Northern Indiana Public Service Company
Case Number: 26103
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 710 W Broadway St, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Hartman
Other Party: Northern Indiana Public Service Company
Case Number: 26054
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/15/2021
Damage Location: 10754 N Southshore Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chad Edstrom
Other Party: Northern Indiana Public Service Company
Case Number: 26081
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/17/2021
Damage Location: 703 Gladstone Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J T Sewer & Drain Cleaning
Other Party: Northern Indiana Public Service Company
Case Number: 26083
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/18/2021
Damage Location: 101 Ridge St, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All American General Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26186
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 519 17th St, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mendenhall Lawncare LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26190
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 4523 W Tomahawk Trl, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elio Para-Garcia
Other Party: Northern Indiana Public Service Company
Case Number: 26152
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/13/2021
Damage Location: 26877 Fern Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bryants L & M
Other Party: Northern Indiana Public Service Company
Case Number: 25870
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/8/2021
Damage Location: 27900 Woodview Drive Apt I, Bldg 7, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Limon Landscaping
Other Party: CenterPoint Energy Indiana
Case Number: 24622
Date of Advisory Meeting: 4/14/2022
Date of Damage: 4/8/2021
Damage Location: 13561 Browning Dr, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Hillis
Other Party: Northern Indiana Public Service Company
Case Number: 25894
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/15/2021
Damage Location: 2117 Carter St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26181
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 231 S Franklin St, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rishel Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26195
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 13324 Cumberland Rd, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & C Fence, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26139
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/8/2021
Damage Location: 813 E South St, Albion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Beller
Other Party: Northern Indiana Public Service Company
Case Number: 25992
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/2/2021
Damage Location: 7823 E 122Nd Pl, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Juan Williams
Other Party: Northern Indiana Public Service Company
Case Number: 26113
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 817 E Berry St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Town of Waterloo, Department of Water Works
Other Party: Northern Indiana Public Service Company
Case Number: 26118
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/1/2021
Damage Location: 195 E Chestnut St, Waterloo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M H Concrete LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26051
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/15/2021
Damage Location: 115 Anmer Hall, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Everdry Waterproofing of Michiana
Other Party: Northern Indiana Public Service Company
Case Number: 26108
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 3941 E LINCOLN WAY, MISHAWAKA

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sunnybrook Excavating, LLC
Other Party:
Case Number: 26074
Date of Advisory Meeting: 4/14/2022
Date of Damage: 12/3/2021
Damage Location: 14329 US RT 20, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: True Line Fence (Merrilville)
Other Party: Northern Indiana Public Service Company
Case Number: 25854
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/2/2021
Damage Location: 1830 Govert Dr, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jacob Delong
Other Party: Northern Indiana Public Service Company
Case Number: 25858
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/4/2021
Damage Location: 9435 Leo Rd, Lot 43, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Case Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25951
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/29/2021
Damage Location: 1104 N Webster St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Acorn Fence & Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26001
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 1102 Fran Lin Pkwy, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 26007
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 114 W South St, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brainard Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26029
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/9/2021
Damage Location: 206 Shady Lane Drive, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 26008
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 1149 Pierce St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 26010
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 1148 Fillmore St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana Earth, Inc.
Case Number: 26012
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 906 W Centennial Street, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Steven Craft
Case Number: 26013
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 856 Sanford Dr, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Geri & Steve's Carpentry
Case Number: 26017
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 3582 S 275 W, Morocco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 26021
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 2917 E Jackson Boulevard, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hawk Enterprises, Inc.
Case Number: 26026
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/9/2021
Damage Location: E 69th Ave and Colorado Street, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Majority Builders Inc
Case Number: 26028
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/9/2021
Damage Location: 2046 South Bend Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Perma-Seal Basement Systems, Inc.
Case Number: 26033
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/11/2021
Damage Location: 1127 Stommel Place, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: K & S Underground, LLC
Case Number: 26034
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/12/2021
Damage Location: Sara Ln & Meadowlark Ln, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: J & B Excavating
Case Number: 26037
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/12/2021
Damage Location: 413 E 10th St, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Reichelt Plumbing, Inc.
Case Number: 26038
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/12/2021
Damage Location: 9010 W 141st Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 26048
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/14/2021
Damage Location: 119 E 4th, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: J M Industrial Services
Case Number: 26053
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/15/2021
Damage Location: 4001 Drummond St, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: E & B Paving, Inc.
Case Number: 26075
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/16/2021
Damage Location: 3025 S Lafountain St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: T S W Utility Solutions, Inc.
Case Number: 26089
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: Olive St, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rieth-Riley Construction Co., Inc.
Case Number: 26095
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 1340 Fairfax Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 26096
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: Riley Ct & Greenleaf St, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Osmose Communications Services, LLC
Case Number: 26099
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 437 Cleveland St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Always Underground, Inc.
Case Number: 26100
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 1702 Brookfield Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 26101
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 624 S Lake St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Culy Contracting, LLC
Case Number: 26110
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 406 W Wayne St, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 26111
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 23 Chrysler Ave, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: A P I Construction Corp.
Case Number: 26114
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/27/2021
Damage Location: 521 E Gilmore St, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Sweney Electric Co., Inc.
Case Number: 26117
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/1/2021
Damage Location: 2800 Dallas St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Town of Bremen
Case Number: 26126
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/3/2021
Damage Location: 205 E Lincoln Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 26128
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/3/2021
Damage Location: 23664 Sunnyside Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Elmer's Service, LLC
Case Number: 26129
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/3/2021
Damage Location: 504 E Monroe, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: D & D Fencing
Case Number: 26131
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/4/2021
Damage Location: 55119 County Road 31, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 26142
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/8/2021
Damage Location: 1008 S Main St, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Gary Material Supply LLC
Case Number: 26144
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/9/2021
Damage Location: 7430 Oak Ave, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 26145
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/10/2021
Damage Location: Intersection of Woodlawn Ave & Waverly Rd,
Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Gary Material Supply LLC
Case Number: 26146
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/10/2021
Damage Location: 7436 Oak Ave, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Advanced Excavating, LLC
Case Number: 26155
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/10/2021
Damage Location: 1102 Victory Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ferrell Property Management
Case Number: 26156
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/10/2021
Damage Location: 911 Jenna St, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Hoosier Cable Services, Inc. (Merrillville)
Case Number: 25856
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/3/2021
Damage Location: 6120 W 1000 N Bldg Parsonag, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Miller Pipeline, LLC
Case Number: 25863
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/7/2021
Damage Location: 1518 Huey St, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 25865
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/7/2021
Damage Location: 20901 Cabot St, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Cleary Construction Inc.
Case Number: 25869
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/8/2021
Damage Location: 409 S Beach Dr, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Lawrence Building Corp.
Case Number: 25872
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/9/2021
Damage Location: 3039 Goshen Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: E & B Paving, Inc.
Case Number: 25875
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/9/2021
Damage Location: Monroe St & Illinois St, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rieth-Riley Construction Co., Inc.
Case Number: 25882
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/13/2021
Damage Location: 715 E 9th St, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Duke Energy Indiana
Case Number: 25886
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 249 N Cooper St, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hoosier Fencing Solutions LLC
Case Number: 25896
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/15/2021
Damage Location: 3310 Blackfoot Ct, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: V T F Excavation, LLC
Case Number: 25898
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/2/2021
Damage Location: 450 W Oakdale Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: K & S Underground, LLC
Case Number: 25899
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/3/2021
Damage Location: 202 Tanglewood Dr, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Always Underground, Inc.
Case Number: 25906
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: Blackberry Road, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 25909
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 23989 County Road 16, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Precision Excavation
Case Number: 25913
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/17/2021
Damage Location: 57628 Best Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Bunn Trucking & Excavating, Inc.
Case Number: 25915
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/17/2021
Damage Location: 4432 Ardmore Ave, Suite A, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Precision Excavation
Case Number: 25917
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/17/2021
Damage Location: 57642 Best Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 25922
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/20/2021
Damage Location: 54359 Lagoon Road, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Derry Electric, Inc.
Case Number: 25923
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/21/2021
Damage Location: 294 E 350 N, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: City of South Bend
Case Number: 25932
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: 1222 S 32nd Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rieth-Riley Construction Co., Inc.
Case Number: 25934
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/24/2021
Damage Location: 312 Fulton Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Acorn Fence & Construction, Inc.
Case Number: 25940
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/27/2021
Damage Location: 1824 Rosewood Lane, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Culy Contracting, LLC
Case Number: 25944
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/28/2021
Damage Location: 705 N Hillcrest Dr, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ligonier Tele Communication Consultants, Inc.
(Heartland Cellular)
Case Number: 25945
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/28/2021
Damage Location: 360 N Harrison St, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Culy Contracting, LLC
Case Number: 25952
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/29/2021
Damage Location: 402 Carroll Rd, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Construction Services of Indiana
Case Number: 25956
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/30/2021
Damage Location: 507 W Hill St, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 25981
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 1173 Pierce St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 25982
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 4620 Warsaw St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: H R P Construction, Inc.
Case Number: 25983
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 220 Filbert Street, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Asplundh Construction Corp.
Case Number: 25984
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 108 Lane 151A Hamilton Lake, Lot 2B, Hamilton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Pavey Excavating Company, Inc.
Case Number: 25986
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 1083 E State Road 2, Lot 517, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Troy Thompson Construction
Other Party: Midwest Natural Gas Corporation
Case Number: 25586
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/24/2021
Damage Location: 800 Beuna Vista Dr., Brownston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

-

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rusty Peterson Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25806
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/12/2021
Damage Location: 800 S Pleasant Ridge Rd, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parker Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25813
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/3/2021
Damage Location: 719 W Broadway St, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vineyards Management Group LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25815
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/4/2021
Damage Location: 2009 Hamburg Pike, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dorsey Enterprises Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25817
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/5/2021
Damage Location: 239 Ironbridge Rd, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Royalty Construction Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25818
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/6/2021
Damage Location: 5800 Hogue Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Carrera's Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25821
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/11/2021
Damage Location: 9755 Junction Station, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cabrerera Construction LLC
Other Party: Westfield Gas Corporation
Case Number: 25836
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/28/2021
Damage Location: 476 Allandale Ave, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mavin Concrete LLC
Other Party: Citizens Gas
Case Number: 25838
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/25/2021
Damage Location: 2922 Wade St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brendonwood Historic District Foundation, Inc.
Other Party: Citizens Gas
Case Number: 25972
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/13/2021
Damage Location: 5925 Braewick Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Irrigation, Inc.
Other Party: Citizens Gas
Case Number: 26058
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/5/2021
Damage Location: 8082 Morningside Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H&R Property Group, LLC
Other Party: Citizens Gas
Case Number: 26175
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/11/2021
Damage Location: 1414 N Dearborn St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Restoration and Design Concepts LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26183
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/18/2021
Damage Location: 703 S Fess Ave, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kent Wingham
Other Party: CenterPoint Energy Indiana
Case Number: 24744
Date of Advisory Meeting: 4/14/2022
Date of Damage: 4/23/2021
Damage Location: 1 Crestway Ct, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Newcomb
Other Party: CenterPoint Energy Indiana
Case Number: 25808
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/14/2021
Damage Location: 1910 Newton St, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Mortland
Other Party: Community Natural Gas Inc
Case Number: 25842
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 10844 S 200 W, Huntingburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Melvin's Landscaping, LLC
Other Party: Citizens Gas
Case Number: 26067
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/25/2021
Damage Location: 3054 Ruckle St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jim Biggerstaff Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26178
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/18/2021
Damage Location: 10839 Pete Dye Rdg, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Reclamation & Excavating, Inc.
Other Party: Citizens Gas
Case Number: 25975
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/7/2021
Damage Location: 1539 S Richland St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hydro Vac Services, LLC d/b/a Ground Breakers,
LLC

Other Party: Citizens Gas

Case Number: 26066

Date of Advisory Meeting: 4/14/2022

Date of Damage: 10/26/2021

Damage Location: 7145 Seven Oaks Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quality Concrete Construction LLC
Other Party: Citizens Gas
Case Number: 26169
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/18/2021
Damage Location: 4961 Olympia Cir, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 23992
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/28/2020
Damage Location: 580 W 150 S, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brumbaugh Construction Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 25827
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: E. Sherman St. at west entrance to parking lot, Lynn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James H Drew Corp.
Other Party: Citizens Gas
Case Number: 26071
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 730 E Washington St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Jamie Brooks Underground
Case Number: 25770
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 900 Northline St, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Natural Gas Corporation
Other Party: Douglas Benjamin
Case Number: 25823
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 204 S Sycamore, Odon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Citizens Energy Group - Water
Case Number: 25834
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 1910 Wilcox St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Westfield Gas Corporation
Other Party: Casey-Bertram Construction, Inc.
Case Number: 25835
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/30/2021
Damage Location: 321 S Cherry St, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Robinson Trenching & Directional Boring, Inc.
Case Number: 25965
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 7444 Kickapoo Trl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: H I S Constructors, Inc.
Case Number: 25978
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 5342 Channing Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fountaintown Gas Company, Inc
Other Party: Screaming Green Tree and Turf LLC
Case Number: 25980
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/17/2021
Damage Location: 10952 N 100 W, Fountaintown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Community Natural Gas Inc
Other Party: American Utility Corp, Inc.
Case Number: 26073
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/29/2021
Damage Location: 3994 Little Creek Dr, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Telecom Placement, Inc.
Case Number: 26182
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/18/2021
Damage Location: 10791 E US Hwy 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Simplicity Contracting, Inc.
Case Number: 26185
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 20 Blackberry Pl, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26197
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 811 Adams Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26201
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/25/2021
Damage Location: 3026 Mount Vernon Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: B-Mac Construction LLC
Case Number: 26202
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/25/2021
Damage Location: 3711 E 116th St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: B & B Group Inc.
Other Party: Citizens Gas
Case Number: 25717
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 7570 Morningside Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Fowler Sewer & Drain, LLC
Other Party: Citizens Gas
Case Number: 25840
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: 1643 E Legrande Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eubanks Fencing LLC
Other Party: Citizens Gas
Case Number: 26065
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/28/2021
Damage Location: 25 Dahlia Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mattingly Concrete, Inc.
Other Party: Citizens Gas
Case Number: 25841
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: 4155 N Meridian Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Paving LLC
Other Party: Westfield Gas Corporation
Case Number: 26061
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/3/2021
Damage Location: 11329 E SR 32 Hw, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R T Moore, Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 25303
Date of Advisory Meeting: 4/14/2022
Date of Damage: 7/2/2021
Damage Location: 5140 Rose Dr, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowen Engineering Corporation
Other Party: Citizens Gas
Case Number: 25839
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/24/2021
Damage Location: 398 W 15th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brumbaugh Construction Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 25844
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/29/2021
Damage Location: E. Sherman St., Lynn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Beaty Construction, Inc.
Other Party: Citizens Gas
Case Number: 26167
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/22/2021
Damage Location: 777 Indiana Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Morphey Construction, Inc.
Other Party: Citizens Gas
Case Number: 26172
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/12/2021
Damage Location: 122 N Delaware St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lubovich Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26199
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 9525 N Beech Pl, New Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Patriot Paving & Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25873
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/9/2021
Damage Location: 7511 Lake Shore Dr, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gerbers Electric, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25883
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 11615 Buckboard Ln, Harlan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Foley Foundations, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25884
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 2153 Maple Leaf Dr, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Scroggins Plumbing Inc
Other Party: CenterPoint Energy Indiana
Case Number: 25771
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 206 Emily, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Expert Lawn & Landscape LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25918
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/17/2021
Damage Location: 714 Bluegrass Trl, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D M L Enterprises Inc
Other Party: Northern Indiana Public Service Company
Case Number: 25925
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/21/2021
Damage Location: 22 Rainbow Dr, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mutton Rental Center d/b/a Mutton Party & Tent Rental
Other Party: Northern Indiana Public Service Company
Case Number: 25963
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: E 13th St & S Cedar St, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Direct Flow Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26040
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/13/2021
Damage Location: 9812 Yoder Rd, Yoder

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woody's Electric & Refrigeration Incorporated
Other Party: Northern Indiana Public Service Company
Case Number: 26056
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/12/2021
Damage Location: 14418 State Road 120, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Momo and Stone Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26085
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/18/2021
Damage Location: 1602 Aspen Dr, Lot 56, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Landmark Builders of Shipshewana, Incorporated
Other Party: Northern Indiana Public Service Company
Case Number: 26091
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 1011 Elroy Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sorg Properties, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26105
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 4323 Wayne Trace, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Hutter d/b/a A R P Construction
Other Party: Northern Indiana Public Service Company
Case Number: 26154
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 6949 N Skaggs Ct, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kemp Electric, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26158
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 2010 E Farnsworth Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: L & O Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26159
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 522 W 5th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pinko's Landscaping, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26160
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 11787 Rhode Island St, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vorst Paving, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26162
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 100 N 1100 E, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Carrcrete L.L.C.
Other Party: CenterPoint Energy Indiana
Case Number: 26187
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 2114 Granville, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Pfingston Concrete Contractor Evansville IN d/b/a
Pfingston Concrete & Landscaping Design

Other Party: CenterPoint Energy Indiana

Case Number: 26188

Date of Advisory Meeting: 4/14/2022

Date of Damage: 10/20/2021

Damage Location: 2129 Pollack Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gary Moore Concrete
Other Party: CenterPoint Energy Indiana
Case Number: 26191
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 52 Riverview Addition, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sycamore Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26192
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 14470 Bergen Blvd, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Felipe Gonzalez
Other Party: CenterPoint Energy Indiana
Case Number: 26193
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/21/2021
Damage Location: 9665 Haverstick Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hipskind Concrete Corp
Other Party: Northern Indiana Public Service Company
Case Number: 26006
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 3229 Twisted Branch Pl, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Eicher Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26015
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 1481 Codorna Cove, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Garcia Landscaping & Maintenance LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26039
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/13/2021
Damage Location: 15 W Lake Front Dr, Beverly Shore

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cruz Concrete LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26031
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/11/2021
Damage Location: 270 N Main Street, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Construction Management Corporation of America
dba Briggs Paving

Other Party: Northern Indiana Public Service Company

Case Number: 26046

Date of Advisory Meeting: 4/14/2022

Date of Damage: 10/14/2021

Damage Location: 8900 Broadway Suite A, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mt. Carmel Stabilization Group, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26055
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: E 69th Ave & S Colorado St, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Pioneer Masonry, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25895
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/15/2021
Damage Location: 5001 N 250 E, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Concrete Guys, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25949
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/28/2021
Damage Location: 2290 Legend Circle, Lot 50, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Concrete Guys, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26016
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 2296 Legend Circle Lot 52, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Arroyo
Other Party: Northern Indiana Public Service Company
Case Number: 26080
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/16/2021
Damage Location: 907 W Washington, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Kind Concrete Solutions, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26184
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 239 Kinnick Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blankenberger Brothers, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26196
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 19041 Braeburn Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Careom Concrete Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26198
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/22/2021
Damage Location: 959 Richelle Way, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H I S Constructors, Inc.
Other Party: Citizens Gas
Case Number: 26064
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/29/2021
Damage Location: 5274 Channing Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Perkins Septic & Drain Services
Other Party: Northern Indiana Public Service Company
Case Number: 25874
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/9/2021
Damage Location: 455 Lane 150 Jimmerson Lk, Bldg Pool Hse, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25924
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/21/2021
Damage Location: 212 W Fair Oaks St, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Perkins Septic & Drain Services
Other Party: Northern Indiana Public Service Company
Case Number: 25960
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/17/2021
Damage Location: 3757 N 900 W, Lot 19, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Von Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26119
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/1/2021
Damage Location: 1805 E Commercial Ave, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Verita Telecommunications Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 26123
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/2/2021
Damage Location: 3104 Wimbledon Dr, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ronald Sibley d/b/a Westville Estates Mobile Home
Park
Other Party: Northern Indiana Public Service Company
Case Number: 26127
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/3/2021
Damage Location: 11199 W State Rd 2, Lot 33, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: De Boer Egolf Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 26134
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/5/2021
Damage Location: 6013 E 125th Ave, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26141
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/8/2021
Damage Location: 1931 Wild Rose Lane, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Garcia Concrete Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26143
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/9/2021
Damage Location: 12115 Thornapple Cv, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P & L Backhoe Service, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26151
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/12/2021
Damage Location: 2380 E Kercher Road, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Graber Excavating & Trucking, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25900
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/7/2021
Damage Location: 14608 State Road 1, Leo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rothenberger Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25910
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 3212 N Wells St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Badger Daylighting Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 24656
Date of Advisory Meeting: 4/14/2022
Date of Damage: 3/25/2021
Damage Location: 20th Pl & Grant St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26122
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/2/2021
Damage Location: 2900 2B Rd, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Fishel Company
Other Party: Citizens Gas
Case Number: 26060
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/4/2021
Damage Location: 6241 Carrie Cir, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25936
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/25/2021
Damage Location: 424 S Arnold Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: J E Reedy, Inc.
Case Number: 25259
Date of Advisory Meeting: 4/14/2022
Date of Damage: 6/18/2021
Damage Location: 5323 Daffodil Dr, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Arc American, Inc.
Case Number: 25312
Date of Advisory Meeting: 4/14/2022
Date of Damage: 7/9/2021
Damage Location: 13697 Alvernon Pl, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Bayer's Plumbing, Inc.
Case Number: 25587
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/16/2021
Damage Location: 2525 S Alvord Blvd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Hoffher Landscaping
Case Number: 25588
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/16/2021
Damage Location: 12441 Browning Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lankford Excavating, LLC
Case Number: 25591
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/18/2021
Damage Location: 1971 E 45th ½ Ct, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 25597
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/19/2021
Damage Location: 2701 First Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: M & M Underground LLC
Case Number: 25599
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/17/2021
Damage Location: 920 Walnut St, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J T A Inc. d/b/a Bayckyard Staycations
Case Number: 25602
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/20/2021
Damage Location: 1612 Reidinger Rdg, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dan Cristiani Excavating Co., Inc.
Case Number: 25603
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/20/2021
Damage Location: 1631 Oriole Dr, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: B & T Drainage, Inc.
Case Number: 25605
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/20/2021
Damage Location: 9659 N Stone St, Knightsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: City of Frankfort
Case Number: 25614
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/24/2021
Damage Location: 5795 W State Road 28, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Rustin Edwards Lawn Care
Case Number: 25616
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/24/2021
Damage Location: 915 Campbell St, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Bedford
Case Number: 25618
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/22/2021
Damage Location: 1319 Breckenridge Rd, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: B & H Septic, Inc.
Case Number: 25620
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/20/2021
Damage Location: 8186 W 150 N, Hatfiled

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Total Development Systems, LLC
Case Number: 25623
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/24/2021
Damage Location: 159 Wellington Pkwy, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: J & K Underground Utilities, LLC
Case Number: 25630
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/20/2021
Damage Location: 2656 S Danlyn, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 25631
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/23/2021
Damage Location: 1911 Mcconnell Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: B M B, Inc.
Case Number: 25636
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/24/2021
Damage Location: 5901 Vogel Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: On the Level Excavation Inc
Case Number: 25639
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/30/2021
Damage Location: 5540 E Dayhuff Rd, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: The Snider Group, Inc.
Case Number: 25646
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/30/2021
Damage Location: 10600 Augusta Blvd, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Jeffersonville
Case Number: 25647
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/31/2021
Damage Location: 928 Fulton, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Brazil
Case Number: 25743
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/7/2021
Damage Location: W Knight and S Warren, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: R P Comm, Inc.
Case Number: 25757
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/8/2021
Damage Location: 3008 Crimson Ct, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: United Connections LLC
Case Number: 25766
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/13/2021
Damage Location: 18th & Conner St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C C & T Construction, Inc.
Case Number: 25769
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 13192 Tudor Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Troy Construction, LLC of Texas
Case Number: 25773
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/10/2021
Damage Location: 5310 New Harmony Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 25811
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/13/2021
Damage Location: 628 E 8th St, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Munson Water Works of Madison County, Inc.
Case Number: 25816
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/3/2021
Damage Location: 4013 Fernway Dr, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Windmill Mobile Homes And Contracting
Case Number: 25819
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/4/2021
Damage Location: 361 Shady Brook Heights, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Daviess-Martin County Rural Telephone Corporation,
d/b/a R T C Communications
Case Number: 25822
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/12/2021
Damage Location: 1360 S State Road 257, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Selge Construction Co., Inc.
Case Number: 26138
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/8/2021
Damage Location: 57206 Staci Lane, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Dickie & Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Elmer's Service, LLC
Case Number: 26149
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/11/2021
Damage Location: 110 N Michigan Street, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Bercot, Inc.
Case Number: 26150
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/11/2021
Damage Location: 4507 Coldwater Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Linetec Services, LLC
Case Number: 26153
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/15/2021
Damage Location: 278 S 725 W, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: John Ward Concrete
Case Number: 26157
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/12/2021
Damage Location: 100 Family Fare Drive, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C A Advanced, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 25643
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/30/2021
Damage Location: 10580 Pete Dye Ridge, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Specialties Co. LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25807
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/13/2021
Damage Location: 120 Jim Black Rd, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lentz Paving LLC
Other Party: CenterPoint Energy Indiana
Case Number: 25814
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/4/2021
Damage Location: 8101 W State Road 46, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K B Directional Drilling
Other Party: Ohio Valley Gas Corp
Case Number: 25826
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/13/2021
Damage Location: 2658 Flagstone Dr., West Harrison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Crosby Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25855
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/3/2021
Damage Location: 4220 South Clinton Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Todo Excavation & Grading, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25857
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/3/2021
Damage Location: 3444 Swanson Rd, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

3000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ground Control Lawn and Landscaping, Inc. d/b/a
National Demolition & Contracting LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25862

Date of Advisory Meeting: 4/14/2022

Date of Damage: 9/7/2021

Damage Location: 6228 Saw Mill Woods Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: V T F Excavation, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25901
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/7/2021
Damage Location: 457 W Oakdale Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25943
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/27/2021
Damage Location: 2700 State Road 331, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25991
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/2/2021
Damage Location: 1340 Fairfax Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25999
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 139 Riverview Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Frank Keinz
Case Number: 25993
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/3/2021
Damage Location: 5643 N 300 W, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Fleming Excavating, Inc.
Case Number: 25998
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 3919 W US Highway 224, Preble

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: LaGrange County REMC
Case Number: 26002
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 1330 E 700 S, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: M&J Asphalt Paving Company, Inc.
Case Number: 26003
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 705 W Walnut St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Culy Contracting, LLC
Case Number: 26009
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/5/2021
Damage Location: 204 Carroll Rd, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Elmer's Service, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26036
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/12/2021
Damage Location: 1465 Elm Road, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Darrell Brown
Other Party: Northern Indiana Public Service Company
Case Number: 26077
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/16/2021
Damage Location: 2555 E 150 N, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: MAC Construction & Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26179
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/18/2021
Damage Location: 27 Blanchel Terrace, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Saltsgaver Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26203
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/26/2021
Damage Location: 6612 Sunset Loop, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brenden Jones
Other Party: Northern Indiana Public Service Company
Case Number: 26137
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/6/2021
Damage Location: 3723 Summit View Place, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Arc American, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 25779
Date of Advisory Meeting: 4/14/2022
Date of Damage: 8/2/2021
Damage Location: 211/212 Kellner, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Osrose Communications Services, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25959
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 437 Cleveland, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Berg
Other Party: Citizens Gas
Case Number: 25832
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 2817 Macpherson Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Frank Bonanno
Other Party: Citizens Gas
Case Number: 25973
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/9/2021
Damage Location: 635 Prairie Depot, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25985
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 1354 Cambridge Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Koorsen Fire Protection
Other Party: Citizens Gas
Case Number: 26072
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/20/2021
Damage Location: 5105 W 78th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26005
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 4628 Warsaw St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Core Bore, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25907
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 408 Olive Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Carlisle Utility Contractors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25920
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/20/2021
Damage Location: 813 SHANNON DR, CROWN POINT

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25958
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/30/2021
Damage Location: 3020 TRENTMAN AVE, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Westfield Gas Corporation
Case Number: 26062
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/2/2021
Damage Location: 18338 Pennsy Way, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26086
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/19/2021
Damage Location: 405 N Phillips St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: John Boettcher Sewer & Excavating Contractor, LTD
Other Party: Northern Indiana Public Service Company
Case Number: 25904
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/16/2021
Damage Location: 530 W 5th St, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25947
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/28/2021
Damage Location: 4711 Warsaw St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jam Excavating Services Inc.
Other Party: Citizens Gas
Case Number: 26173
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/15/2021
Damage Location: 9549 Drakeford Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bullseye Directional Boring, LLC
Other Party: Citizens Gas
Case Number: 25968
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/15/2021
Damage Location: 11124 Waterfield Pl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Epic Fiber Underground Construction LLC
Other Party: Citizens Gas
Case Number: 25970
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/13/2021
Damage Location: 8703 Vintner Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Terry Electrical
Other Party: Community Natural Gas Inc
Case Number: 25843
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/14/2021
Damage Location: 19049 N 687 E, Mariah Hill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kosciusko County Highway Department
Other Party: Northern Indiana Public Service Company
Case Number: 25891
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/15/2021
Damage Location: 45 EMS C28C Lane, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Panthers Construction LLC
Other Party: Citizens Gas
Case Number: 26068
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/23/2021
Damage Location: 6461 Saguaro Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K & R Construction, Inc.
Other Party: Community Natural Gas Inc
Case Number: 26165
Date of Advisory Meeting: 4/14/2022
Date of Damage: 12/6/2021
Damage Location: 37 S West St., Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25889
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/14/2021
Damage Location: 402 Melrose St, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gough, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25930
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/23/2021
Damage Location: 5814 Erie Ave, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana Earth, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25933
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/24/2021
Damage Location: 903 W Centennial St, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: B & F Foundation Repair, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25964
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/27/2021
Damage Location: 7127 State Line Ave, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wissco Irrigation, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25941
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/27/2021
Damage Location: 1238 Belmont Ave, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Goshen
Other Party: Northern Indiana Public Service Company
Case Number: 25957
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/30/2021
Damage Location: 224 S 7th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Action Plumbing, Inc. (Cedar Lake)
Other Party: Northern Indiana Public Service Company
Case Number: 25987
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/1/2021
Damage Location: 9124 Sherwood Ct, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gariup Construction Co Inc
Other Party: Northern Indiana Public Service Company
Case Number: 26004
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 404 E Washington St, Culver

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Niblock Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25996
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/4/2021
Damage Location: 2414 Decamp Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 26018
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/6/2021
Damage Location: 3420 Maryland St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26135
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/5/2021
Damage Location: 23700 Wilshire Boulevard East, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 26147
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/10/2021
Damage Location: 717 Verdano Terrace, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors North, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25935
Date of Advisory Meeting: 4/14/2022
Date of Damage: 9/24/2021
Damage Location: 2140 W 57th Ave, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milestone Contractors North, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25990
Date of Advisory Meeting: 4/14/2022
Date of Damage: 10/2/2021
Damage Location: 15341 W 101st Ave, Bldg Pump, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman