

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ober	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER** )  
**APPROVING ADVISORY COMMITTEE** )  
**RECOMMENDATIONS PURSUANT TO** )  
**INDIANA CODE CHAPTER 8-1-26.** )

**APPROVED: JUL 14 2021**

**ORDER OF THE COMMISSION**

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

**IT IS SO ORDERED.**

**HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR:**

**APPROVED: JUL 14 2021**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

\_\_\_\_\_  
**Dana Kosco**  
**Secretary of the Commission**



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Prince Excavating, LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 21081  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/29/2019  
Damage Location: 8280 S Lilly Cn, Heltonville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Randy Gary  
Other Party: CenterPoint Energy Indiana  
Case Number: 21631  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/16/2019  
Damage Location: 2899 Bell Road, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C R A S Development  
Other Party: CenterPoint Energy Indiana  
Case Number: 22406  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 5/7/2020  
Damage Location: 1711 E Main, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cassandra Steigerwald  
Other Party: Northern Indiana Public Service Company  
Case Number: 22447  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 4/25/2020  
Damage Location: 9241 Vallyd Acre Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Baker  
Other Party: Citizens Gas  
Case Number: 22501  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/2/2020  
Damage Location: 7105 Milhouse Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pool Company  
Other Party: Citizens Gas  
Case Number: 22503  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/2/2020  
Damage Location: 7650 Reynolds Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Edrington  
Other Party: Midwest Natural Gas Corporation  
Case Number: 22588  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/24/2020  
Damage Location: 75 Railroad St, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Staples  
Other Party: Midwest Natural Gas Corporation  
Case Number: 22589  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 523 Hoosier St, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jenna Tucker  
Other Party: Citizens Gas  
Case Number: 22591  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/19/2020  
Damage Location: 8412 Prairie Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rahn Manley  
Other Party: Citizens Gas  
Case Number: 22593  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/18/2020  
Damage Location: 4040 N Kercheval Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C M P Trades, Inc.  
Other Party: Citizens Gas  
Case Number: 22594  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/18/2020  
Damage Location: 4800 W Chesterfield Dr, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Hader  
Other Party: Citizens Gas  
Case Number: 22595  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/17/2020  
Damage Location: 6121 S Arlington Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M C Communication  
Other Party: Citizens Gas  
Case Number: 22596  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/16/2020  
Damage Location: 840 S Lynhurst, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pinpoint Services Indy, LLC  
Other Party: Citizens Gas  
Case Number: 22601  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/11/2020  
Damage Location: 7312 Spring Mill Rd, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Smith Projects, Inc.  
Other Party: Citizens Gas  
Case Number: 22603  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/11/2020  
Damage Location: 18097 Veiwpoint Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(other)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Donald Cooper  
Other Party: Midwest Natural Gas Corporation  
Case Number: 22610  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/6/2020  
Damage Location: 5165 S. Co. RD. 1000 E., Crothersville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: InPwr, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22612  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/2/2020  
Damage Location: 3838 State Road 38 E, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Manufactured House Specialist, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 22617  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/5/2020  
Damage Location: 2795 Scotland Dr, Bainbridge

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Homes Plumbing Supply Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22627  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/11/2020  
Damage Location: 2342 N Palomino Dr, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Good Shepherd Fence Company LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22630  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/12/2020  
Damage Location: 3602 Jo Allen Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G W Gehl Heating & Air Conditioning  
Other Party: CenterPoint Energy Delivery  
Case Number: 22631  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/12/2020  
Damage Location: 1147 S 250 W, Princeton

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Justin Deal  
Other Party: CenterPoint Energy Delivery  
Case Number: 22646  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/3/2020  
Damage Location: Justin Deal, Owensville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: PJ Riddle  
Other Party: CenterPoint Energy Delivery  
Case Number: 22652  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/10/2020  
Damage Location: 1116 Park Ave, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(out)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Travis Haugam  
Other Party: CenterPoint Energy Delivery  
Case Number: 22653  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/13/2020  
Damage Location: 402 E Thompson St, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Payton & Son Concrete, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22667  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/16/2020  
Damage Location: 205 Imel Way, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hunter Casey  
Other Party: CenterPoint Energy Delivery  
Case Number: 22668  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/17/2020  
Damage Location: 1034 Springdale Dr, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AAAAAAA Roto Rooter (Muncie)  
Other Party: CenterPoint Energy Delivery  
Case Number: 22669  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/17/2020  
Damage Location: 2504 N Maplewood Ave, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Don Orange  
Other Party: CenterPoint Energy Delivery  
Case Number: 22670  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/17/2020  
Damage Location: 1564 S CR 1050 E, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent:

Other Party:

Case Number:

Date of Advisory Meeting:

Date of Damage:

Damage Location: \_\_\_\_\_,

The IURC Pipeline Safety Division finds the following violation(s):

The Advisory Committee recommends the following civil penalty:

Abstentions:

Additional Information:

APPROVED: Delva J. Poon /for



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Angela Clifton  
Other Party: CenterPoint Energy Delivery  
Case Number: 22674  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/18/2020  
Damage Location: 5891 E 100 S, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J B I Construction, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22676  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/18/2020  
Damage Location: 3324 SR 64, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Russell's Excavating & Septic Tanks, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22677  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/18/2020  
Damage Location: 5950 Serenity Dr, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Don Presdorf  
Other Party: CenterPoint Energy Delivery  
Case Number: 22681  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/22/2020  
Damage Location: 6812 Katie Ct, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training  
Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Roto Rooter - Bloomington (Woodland Enterprises LLC)  
Other Party: CenterPoint Energy Delivery  
Case Number: 22682  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/23/2020  
Damage Location: 8188 S Ketcham Rd, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wagler & Sons Construction  
Other Party: CenterPoint Energy Delivery  
Case Number: 22685  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/23/2020  
Damage Location: 12906 E 150 N, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elaine M Kautz  
Other Party: CenterPoint Energy Delivery  
Case Number: 22687  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 5208 Warren Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sub Terra Solutions, LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22688  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 8088 Sharon Rd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 3/23/20)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Smart Lawns, Landscapes & Hauling Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22689  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/26/2020  
Damage Location: 502 S Brady, Attica

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wagner Signs Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22691  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/26/2020  
Damage Location: 2045 Acorn Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jimmy Inklebarger  
Other Party: CenterPoint Energy Delivery  
Case Number: 22694  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/26/2020  
Damage Location: 2688 Brown Chapel Rd, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bickett Plumbing  
Other Party: CenterPoint Energy Delivery  
Case Number: 22695  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/26/2020  
Damage Location: 1453 Altawood Dr, Louisville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Larry Murray  
Other Party: CenterPoint Energy Delivery  
Case Number: 22696  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/28/2020  
Damage Location: 611 Hwy 550, Wheatland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G T Irrigation  
Other Party: CenterPoint Energy Delivery  
Case Number: 22697  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/29/2020  
Damage Location: 10809 Holliday Farms Blvd, Mount Pleasant

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lamb Excavating LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22698  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/29/2020  
Damage Location: 1620 Danielle Rd, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ed Marshall  
Other Party: CenterPoint Energy Delivery  
Case Number: 22699  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/29/2020  
Damage Location: 252 Bohart Ln, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Delivery  
Case Number: 22701  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/29/2020  
Damage Location: 1700 E Walnut Ave, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kokopelli LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22702  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/30/2020  
Damage Location: 6351 Cherry Creek Ct, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alex Ewing  
Other Party: CenterPoint Energy Delivery  
Case Number: 22703  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/30/2020  
Damage Location: 5556 E CR 350 N, Danville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Culy Contracting, LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22704  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/30/2020  
Damage Location: 225 E Centennial, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hometech  
Other Party: CenterPoint Energy Delivery  
Case Number: 22705  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/30/2020  
Damage Location: 722 7th St, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & S Excavating, LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22722  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/19/2020  
Damage Location: 3386 E Meier Cir, Odon

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22731  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/24/2020  
Damage Location: 1620 Walden Ct, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22733  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 629 E Gum St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vanessa Renteria  
Other Party: Northern Indiana Public Service Company  
Case Number: 22766  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/3/2020  
Damage Location: 55646 Grandview Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Danny Conley  
Other Party: Northern Indiana Public Service Company  
Case Number: 22767  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/3/2020  
Damage Location: 160 Reed Lane, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mariano Garcia  
Other Party: Northern Indiana Public Service Company  
Case Number: 22768  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/3/2020  
Damage Location: 975 South Cicott Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hardiek & Sons Electric, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22770  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/4/2020  
Damage Location: 5503 Cresthill Drive, Ft Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pelsy Septic & Drain Cleaning  
Other Party: Northern Indiana Public Service Company  
Case Number: 22771  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/4/2020  
Damage Location: 303 North Brazil Street, Francessville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kankakee Valley REMC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22772  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/4/2020  
Damage Location: 241 South State Road 2, Wanatah

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Megan Kendall  
Other Party: Northern Indiana Public Service Company  
Case Number: 22800  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/10/2020  
Damage Location: 1508 Poplar Street, Winona Lake

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josette Sindlinger  
Other Party: Northern Indiana Public Service Company  
Case Number: 22803  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/11/2020  
Damage Location: 2519 Vine Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Five-Star Construction  
Other Party: Northern Indiana Public Service Company  
Case Number: 22804  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/11/2020  
Damage Location: 58021 Heritage Point Drive Lot 39, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A M P P Construction Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22805  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/11/2020  
Damage Location: 2639 East Stalf Road, Winchester

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Bailey  
Other Party: Northern Indiana Public Service Company  
Case Number: 22808  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/12/2020  
Damage Location: 2971 Angelina Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rod Dolby  
Other Party: Northern Indiana Public Service Company  
Case Number: 22809  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/13/2020  
Damage Location: 7317 Monroeville Road, Hoagland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stefan Wagner  
Other Party: Northern Indiana Public Service Company  
Case Number: 22810  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/13/2020  
Damage Location: 756 North Calumet Avenue, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stacy English  
Other Party: Northern Indiana Public Service Company  
Case Number: 22811  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/13/2020  
Damage Location: 2007 High Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ron Shue  
Other Party: Northern Indiana Public Service Company  
Case Number: 22812  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/14/2020  
Damage Location: 2148 S 480 W, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Peterson  
Other Party: Northern Indiana Public Service Company  
Case Number: 22814  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/15/2020  
Damage Location: 1 Ski Hill Court, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kerry Morton  
Other Party: Northern Indiana Public Service Company  
Case Number: 22817  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/15/2020  
Damage Location: 5099 East Armstrong Road, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Feliciano Ramirez  
Other Party: Northern Indiana Public Service Company  
Case Number: 22818  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/15/2020  
Damage Location: 921 Helm Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: H R P Construction, Inc.  
Case Number: 22845  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 5/21/2020  
Damage Location: 128 Indiana Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of South Bend  
Other Party: Northern Indiana Public Service Company  
Case Number: 22873  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 5/29/2020  
Damage Location: 4017 Ford Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Salem  
Other Party: Midwest Natural Gas Corporation  
Case Number: 22879  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/16/2020  
Damage Location: 700 Anson St., Salem

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greg Hauser  
Other Party: Midwest Natural Gas Corporation  
Case Number: 22880  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/16/2020  
Damage Location: 9645 West State Road 46, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kevin Ballard  
Other Party: Community Natural Gas Inc  
Case Number: 22881  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/10/2020  
Damage Location: 106 E Saline St., Carlisle

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J2LR Contractors LLC  
Other Party: Citizens Gas  
Case Number: 22882  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/8/2020  
Damage Location: 5060 Southeastern Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:

Other Party:

Case Number:

Date of Advisory Meeting:

Date of Damage:

Damage Location: \_\_\_\_\_,

The IURC Pipeline Safety Division finds the following violation(s):

The Advisory Committee recommends the following civil penalty:

Abstentions:

Additional Information:

APPROVED: Delva J. Poon /for



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shake's Lawn Maintenance, Inc.  
Other Party: Citizens Gas  
Case Number: 22884  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/3/2020  
Damage Location: 6549 Nathan Ln, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Morphey Construction, Inc.  
Other Party: Citizens Gas  
Case Number: 22889  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 5221 E Pleasant Run Pky South Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Filson Earth Work Co., Inc.  
Other Party: Citizens Gas  
Case Number: 22890  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 141 W 161st St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M C Communication  
Other Party: Citizens Gas  
Case Number: 22893  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/13/2020  
Damage Location: 5502 Carvel Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.  
Other Party: Citizens Gas  
Case Number: 22896  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/10/2020  
Damage Location: 7050 E 21st St, Lowell

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boyd & Company Construction LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22906  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/6/2020  
Damage Location: 8045 W SR 46, Washington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boyd & Company Construction LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22907  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/15/2020  
Damage Location: 430 S Clifton Ave, Washington

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cable Connect LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 22909  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/1/2020  
Damage Location: 5233 Brumley Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone, self-repair**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gehring Underground, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22913  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/8/2020  
Damage Location: 6916 Longview Rd, Columbus

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hilltop Farms Excavating, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22914  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/13/2020  
Damage Location: 100 Sun Polymers Dr, West Newton

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & S Underground, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22917  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/9/2020  
Damage Location: 16562 Dominion Dr, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hugh Fulton  
Other Party: CenterPoint Energy Delivery  
Case Number: 22923  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/9/2020  
Damage Location: 501 N Hillcrest St, Patoka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T & D Excavating Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22960  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/22/2020  
Damage Location: 1186 132nd Lane, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dunigan Bros., Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22972  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 235 East Superior Street, Jackson

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wheatcraft Tree & Lawn LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22975  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/25/2020  
Damage Location: 911 Wilt Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Imagiscapes LLC  
Other Party: Indiana Natural Gas Corporation  
Case Number: 22992  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/23/2020  
Damage Location: 4201 S Poplar Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gehring Group Inc.  
Other Party: Sycamore Gas Company  
Case Number: 22994  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/14/2020  
Damage Location: 18732 Whispering Woods, Greendale

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jason Cross  
Other Party: CenterPoint Energy Indiana  
Case Number: 22998  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/15/2020  
Damage Location: 242 Back Creek Cir, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gruber Industries, LLC  
Other Party: Ohio Valley Gas Corp  
Case Number: 23001  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/10/2020  
Damage Location: 9503 Brushy Fork Road, Saint Meinrad

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Goodman Networks  
Other Party: Ohio Valley Gas Corp  
Case Number: 23002  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/18/2020  
Damage Location: 1134 Deer Trail Dr, Frisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Delivery  
Case Number: 23006  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/20/2020  
Damage Location: 14 South Dr, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ace Home Improvement  
Other Party: CenterPoint Energy Delivery  
Case Number: 23010  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/18/2020  
Damage Location: 6033 Glacier Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 11/4/20)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Americrawl Midwest Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 23011  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/24/2020  
Damage Location: 3101 W Devon RD, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowen Engineering Corporation  
Other Party: CenterPoint Energy Delivery  
Case Number: 23012  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/28/2020  
Damage Location: 5639 W Smith Valley Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Case Construction, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 23014  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/24/2020  
Damage Location: 601 E Temperance St, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chase Custom Homes, LTD.  
Other Party: CenterPoint Energy Delivery  
Case Number: 23016  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/30/2020  
Damage Location: 2837 N 200 E, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone, self-repair**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Culy Contracting, LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 23017  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/31/2020  
Damage Location: 3175 Salisbury Rd N, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Deig Bros Lumber & Construction Co, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 23018  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/27/2020  
Damage Location: 1506 Covert Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lan Concrete Technology LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 23024  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/22/2020  
Damage Location: 1387 N CR 950 E, Jasper

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michels Pipeline Construction Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 23026  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/27/2020  
Damage Location: 457 S Main St, Brownsville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M T D Drilling LLC  
Other Party: CenterPoint Energy Delivery  
Case Number: 23028  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/31/2020  
Damage Location: 406 E Lewis and Clark Pkwy, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Super Crete, Inc.  
Case Number: 23047  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/20/2020  
Damage Location: 1312 S Bloomington St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: CenterPoint Energy Indiana  
Case Number: 23293  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/27/2020  
Damage Location: 1614 Saint Phillips Rd S, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Gradex, Inc.  
Case Number: 23333  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/26/2020  
Damage Location: Klondike Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Internattional Inc.  
Case Number: 23334  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/27/2020  
Damage Location: 5276 Wood Field Dr South, Francisco

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Intren, LLC  
Case Number: 23353  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/1/2020  
Damage Location: 11101 Meadows Dr, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23354  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/3/2020  
Damage Location: 515 W Mechanic St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Hobgood Post Frames, Inc.  
Case Number: 23355  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/4/2020  
Damage Location: 1850 Orchard Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Robert Ewers  
Case Number: 23356  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/4/2020  
Damage Location: 8169 Saint John Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23358  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/14/2020  
Damage Location: 309 E south D, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Josh Lamb, Electrician LLC  
Case Number: 23359  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/11/2020  
Damage Location: 600 Law Dr Apt A, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: North Lawrence Water Authority  
Case Number: 23360  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/2/2020  
Damage Location: 1368 N Pike Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Baumgartner & Co Asphalt Services  
Case Number: 23361  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/2/2020  
Damage Location: 701 Brewer Pl, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Delivery  
Other Party: Q C Communications, Inc.  
Case Number: 23362  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/3/2020  
Damage Location: 2650 S Walnut St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23363  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/3/2020  
Damage Location: 2121 McClure St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23364  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/10/2020  
Damage Location: 225 N West St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Swinney Brothers Excavating, Inc.  
Case Number: 23366  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/9/2020  
Damage Location: 17700 Grassy Branch Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Mr. Fence-It  
Case Number: 23392  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/8/2020  
Damage Location: 334 Leslie Ave, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Lake County Highway Department  
Case Number: 23421  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/25/2020  
Damage Location: 1842 East Main Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Q C Communications, Inc.  
Case Number: 23424  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/25/2020  
Damage Location: 3605 West Cleveland Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Geotechnical & Materials Engineers, Inc.  
Case Number: 23425  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/26/2020  
Damage Location: 1133 North Wells Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: T & M Construction & Development LLC  
Case Number: 23426  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/26/2020  
Damage Location: 12122 Witmer Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Electricom, Inc.  
Case Number: 23428  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/26/2020  
Damage Location: 8989 9A Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: M J Pranger Construction LLC  
Case Number: 23430  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/27/2020  
Damage Location: 9404 County Road 72, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Ironclad Excavating, Inc.  
Case Number: 23433  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/27/2020  
Damage Location: Cass Street & Canal Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Fort Wayne City Utilities  
Case Number: 23434  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/28/2020  
Damage Location: 1317 Chute Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Eric Graves  
Case Number: 23438  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/29/2020  
Damage Location: 500 Pratt Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aurora Utilities  
Other Party: C C T Underground, LLC  
Case Number: 23452  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/29/2020  
Damage Location: 5648 Briarwood Drive, Aurora

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp  
Other Party: Greater Heights Corp.  
Case Number: 23455  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/15/2020  
Damage Location: 1005 W. Division St., Winchester

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: D R Watson Co, Inc.  
Case Number: 23474  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/24/2020  
Damage Location: 6848 Ben Riley Ct, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Dixon Construction  
Case Number: 23476  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/23/2020  
Damage Location: 2930 Wilshire Ave, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Dylco Electric Inc.  
Case Number: 23478  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/30/2020  
Damage Location: 10650 Winterwood, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: City of Evansville (Water & Sewer Departments)  
Case Number: 23480  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/27/2020  
Damage Location: 2711 W Maryland St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Internattional Inc.  
Case Number: 23486  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/29/2020  
Damage Location: 5125 Puffin Pl, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Mainstream Fiber Networks, LLC  
Case Number: 23490  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/21/2020  
Damage Location: Highway 66 & Yankeetown Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Town of Bargersville  
Case Number: 23505  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/21/2020  
Damage Location: 500 S Baldwin St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23509  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/21/2020  
Damage Location: 56 Lincoln Ave, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23511  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/22/2020  
Damage Location: Lincoln Dr and Lincoln Ave, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Stabilization Services, Inc.  
Case Number: 23517  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/4/2020  
Damage Location: 255 West Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Citizens Energy Group - Water  
Case Number: 23526  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/2/2020  
Damage Location: 5440 Winthrop Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: The Workz Group  
Case Number: 23721  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 8/30/2020  
Damage Location: 2139 Huey Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Bowen Engineering Corporation  
Case Number: 23722  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/1/2020  
Damage Location: 101 Utility Drive Building Lab, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Town of Churubusco  
Case Number: 23723  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/1/2020  
Damage Location: 323 West Pleasant Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Hoosierland Excavating, LLC  
Case Number: 23724  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/1/2020  
Damage Location: 423 Waterfall Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Town of Avilla  
Case Number: 23731  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/2/2020  
Damage Location: 605 Van Scoyoc Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Gary Material Supply LLC  
Case Number: 23733  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/3/2020  
Damage Location: 5501 West 29th Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Town of Churubusco  
Case Number: 23735  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/3/2020  
Damage Location: 320 West Pleasant Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Indiana American Water Co. DBA Indiana American  
Case Number: 23738  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/4/2020  
Damage Location: 2204 Broadway, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Richard Fowler  
Case Number: 23742  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/6/2020  
Damage Location: 738 South 24th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Kosciusko REMC  
Case Number: 23746  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/9/2020  
Damage Location: 1189 West Wildflower Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Carlisle Utility Contractors, Inc.  
Case Number: 23762  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/14/2020  
Damage Location: 886 Saint Andrews Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Russell Harkness  
Case Number: 23767  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 9/15/2020  
Damage Location: 56993 White Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: All Terrain Paving & Construction, LLC  
Case Number: 23773  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/6/2020  
Damage Location: 909 Longfield Dr, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: All Terrain Paving & Construction, LLC  
Case Number: 23774  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/9/2020  
Damage Location: 809 Longfield Dr, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Award Fence LLC  
Case Number: 23775  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/7/2020  
Damage Location: 1325 E Short St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Chris Cox  
Case Number: 23778  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/10/2020  
Damage Location: 1213 3rd St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Miller Pipeline, LLC  
Case Number: 23796  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/13/2020  
Damage Location: 311 Walnut St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Prater & Sons Inc  
Case Number: 23798  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/1/2020  
Damage Location: 19655 Allisonville Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Precision Utilities Group, Inc.  
Case Number: 23799  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/9/2020  
Damage Location: 3956 S County Rd 700 W, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Putnam Enterprises, LLC  
Case Number: 23800  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/7/2020  
Damage Location: 6178 Foxwood Ct, Francisco

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Ragle, Inc.  
Case Number: 23801  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/6/2020  
Damage Location: 1333 Russell Rd, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Specialties Co. LLC  
Case Number: 23803  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/6/2020  
Damage Location: SE Crnr of E 126th St@Ford Dr, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: T C S Communications, LLC  
Case Number: 23804  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/12/2020  
Damage Location: 185 S 8th St, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Trent Companies, Inc.  
Case Number: 23808  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/14/2020  
Damage Location: 1386 Shootingstar Way, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Delivery  
Other Party: Wilson Water & Sewer Service, Inc.  
Case Number: 23814  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 10/8/2020  
Damage Location: 7057 State Road 144, Francisco

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:

Other Party:

Case Number:

Date of Advisory Meeting:

Date of Damage:

Damage Location: \_\_\_\_\_,

The IURC Pipeline Safety Division finds the following violation(s):

The Advisory Committee recommends the following civil penalty:

Abstentions:

Additional Information:

APPROVED: Delva J. Poon /for