

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: AUG 03 2022

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, AND ZIEGNER CONCUR:

APPROVED: AUG 03 2022

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: C A Advanced, Inc.
Case Number: 26189
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/20/2021
Damage Location: 15316 Long Cove Blvd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C A Advanced, Inc.
Case Number: 26194
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/20/2021
Damage Location: 4581 Woodhaven, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Lykins Contracting Limited Liability Company
Case Number: 26204
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/26/2021
Damage Location: 139 Dill Blvd, Morgantown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 26205
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/26/2021
Damage Location: 2910 N 1st Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Young Plumbing & Mechanical, Inc.
Case Number: 26208
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/27/2021
Damage Location: 1209 N Grant St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Crider & Crider Construction
Case Number: 26209
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/27/2021
Damage Location: 7248 W Stones Crossing Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Service Electric Company
Case Number: 26210
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/27/2021
Damage Location: 4109 Kratzville Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Watson Excavating, Inc. (Redkey)
Case Number: 26213
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/28/2021
Damage Location: 208 E Mulberry St, Gaston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Dave O'Mara Contractor, Inc.
Case Number: 26215
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/1/2021
Damage Location: 785 S State St, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 26219
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/6/2021
Damage Location: 3001 1St Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Sparks Hauling LLC
Case Number: 26221
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/4/2021
Damage Location: 2053 Willowbrook Dr, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information: **2022 Penalty Schedule 7341 - prior 18(h) violation**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26222
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/5/2021
Damage Location: 733 Bellemeade, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Matt Morgan
Case Number: 26223
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/7/2021
Damage Location: 3800 N Saint Joseph Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of New Albany
Case Number: 26230
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/12/2021
Damage Location: 1302 Ekin Ave, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Techno Drill, LLC
Case Number: 26233
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/11/2021
Damage Location: 740 South St, Dayton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Terry Electrical
Case Number: 26236
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/8/2021
Damage Location: 2752 S Amherst, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26241
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/14/2021
Damage Location: 107 N Murphy Ave, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Arc American, Inc.
Case Number: 26246
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/1/2021
Damage Location: 509 Thornberry Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: C S U, Inc.
Case Number: 26254
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/2/2021
Damage Location: 7301 E Indiana St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dave O'Mara Contractor, Inc.
Case Number: 26256
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/4/2021
Damage Location: 546 Washington St, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: J B I Construction, Inc.
Case Number: 26260
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/5/2021
Damage Location: 1409 Churchill Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milestone Contractors, LP
Case Number: 26262
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/5/2021
Damage Location: Bldg 3397, Crane

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: R C Underground, LLC
Case Number: 26268
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/8/2021
Damage Location: 818 Hickory Way, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26269
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/8/2021
Damage Location: Park Ave & University, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Jerry Smith Electric, Inc.
Case Number: 26272
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/9/2021
Damage Location: 2704 Hart St, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Global Construction Management LLC
Case Number: 26273
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/10/2021
Damage Location: 127 Woods Edge Blvd E, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Lineal Contracting, Inc.
Case Number: 26279
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/12/2021
Damage Location: 915 S Pleasant St, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Mr. Fence It, Assumed Business Name of Green T Fencing, Inc.
Case Number: 26280
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/12/2021
Damage Location: 2218 Bridgewater Cir, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Minnich's Lawn Care, Inc.
Case Number: 26291
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 844 Woodlawn St, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Summers Plumbing Heating & Cooling, Inc.
Case Number: 26294
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 13676 Royal Saddle Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Simplicity Contracting, Inc.
Case Number: 26295
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/17/2021
Damage Location: 950 N CR 550 E, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Brackney, Inc.
Case Number: 26297
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/17/2021
Damage Location: S Main St. & S Ave., New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Telecom Placement, Inc.
Case Number: 26301
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/19/2021
Damage Location: 5019 Cambridge Way, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: H + M Customs LLC
Case Number: 26303
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: 6091 Tremont Ln, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Brackney, Inc.
Case Number: 26312
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/29/2021
Damage Location: 1506 S Ave, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dick McCalister & Sons, Inc.
Case Number: 26314
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/21/2021
Damage Location: 1926 S 6th, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C S U, Inc.
Case Number: 26325
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/16/2021
Damage Location: 2191 Airwest Blvd, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Techno Drill, LLC
Case Number: 26331
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/17/2021
Damage Location: 1430 N 550 E, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Koberstein Contracting, Inc.
Case Number: 26332
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/17/2021
Damage Location: 601 Forest Park Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26336
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/20/2021
Damage Location: 560 9th St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Joink LLC
Case Number: 26337
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/21/2021
Damage Location: 2011 N Chamberlain St, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Always Underground, Inc.
Case Number: 26343
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/27/2021
Damage Location: 730 Columbia Rd, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Voorhies Contracting, LLC
Case Number: 26344
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/27/2021
Damage Location: 10 Cedar Run Dr, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Jack Ivers d/b/a Jack of All Spades Landscaping
Case Number: 26349
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/29/2021
Damage Location: 486 Glenview Dr, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Ed Patton Construction, Inc.
Case Number: 26351
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/29/2021
Damage Location: 900 Spann Ave, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Standard Optic General Services Corp
Case Number: 26352
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/30/2021
Damage Location: 13201 Mt Calvary Rd, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Norman Excavating LLC
Case Number: 26355
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/29/2021
Damage Location: 15530 Herriman Blvd, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Merritt Contracting, Inc.
Case Number: 26357
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/30/2021
Damage Location: Point Rd & Woodbridge Way, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Indiana Excavating Services LLC
Case Number: 26358
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/29/2021
Damage Location: 885 W Cutsinger Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 26369
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/13/2021
Damage Location: 2905 N 1st Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana Natural Gas Corporation
Other Party: C & R Construction and Consulting LLC
Case Number: 26383
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/20/2022
Damage Location: 368 Roosevelt Street, Leavenworth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Electricom, Inc.
Case Number: 26403
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/6/2021
Damage Location: 6816 NE Shafer Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: L J Z Excavating LLC
Case Number: 26409
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: N Liberty Dr & W North St, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ligonier Tele Communication Consultants, Inc.
(Heartland Cellular)
Case Number: 26416
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/13/2021
Damage Location: 428 Hawpatch Dr, Topeka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Bore-It Corporation
Case Number: 26423
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/14/2021
Damage Location: 2200 W 129Th Ave, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 26426
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/15/2021
Damage Location: 5393 N 50 E, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Winhoven Pipeline LLC
Case Number: 26444
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/22/2021
Damage Location: 3249 N Anthony Blvd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Bore-It Corporation
Case Number: 26448
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/23/2021
Damage Location: 1079 George Ade Ct, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: L J Z Excavating LLC
Case Number: 26451
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/30/2021
Damage Location: 419 N Indiana St, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Stonewall Contracting LLC
Case Number: 26457
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/15/2021
Damage Location: 213 N Main St, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Sikma & Sons Plumbing Company, Inc.
Case Number: 26459
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 5957 Beacon Ln, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 26460
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 56935 Elk Court, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 26463
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/18/2021
Damage Location: 221 E Bike Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ferguson Michiana Co.
Case Number: 26465
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/19/2021
Damage Location: 54763 Winding Brook Drive, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: L J Z Excavating LLC
Case Number: 26469
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: 405 Industrial Drive, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: D & M Excavating, Inc.
Case Number: 26472
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: 310 Windermere Dr, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Raber Dirtworx
Case Number: 26473
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 5826 S 550 E, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: PinPoint Directional Drilling, Inc.
Case Number: 26478
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/26/2021
Damage Location: 1217 High St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Hill-T Excavating, LLC
Case Number: 26479
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/26/2021
Damage Location: 64200 State Road 19, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 26481
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/29/2021
Damage Location: 4164 Harrison St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Elmer's Service, LLC
Case Number: 26482
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/30/2021
Damage Location: 222 S Lake St, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26499
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: 331 W Madison St, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Snedegar Construction, Inc.
Case Number: 26500
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/6/2021
Damage Location: Stone Crest Dr, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26503
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: 2820 Southeast Blvd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 26506
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/13/2021
Damage Location: 952 E Chestnut St, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Quality Fence Company, Inc.
Case Number: 26511
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/14/2021
Damage Location: 282 Sunrise Cir, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26526
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/21/2021
Damage Location: 575 Teke Burton Dr, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26543
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/4/2022
Damage Location: 4301 Upper Mount Vernon Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26545
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/3/2022
Damage Location: S Morton & E Powell St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26555
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/7/2022
Damage Location: 1400 W 29th St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 26563
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/10/2022
Damage Location: 1400 W 29th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25961
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/18/2021
Damage Location: 2730 Martha Street, Highland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C A Advanced, Inc.
Other Party: Citizens Gas
Case Number: 26170
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/17/2021
Damage Location: 8461 Promontory Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ed Patton Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26299
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/18/2021
Damage Location: 902 Mill St, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reichelt Plumbing, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26389
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/1/2021
Damage Location: 6203 Dune Wood St, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & S Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26510
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/13/2021
Damage Location: 9854 Tampico Chase, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Good Shepherd Fence Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26334
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/20/2021
Damage Location: 216 Larimar Dr, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Peterman Heating, Cooling & Plumbing, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26568
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/11/2022
Damage Location: 120 W St Joseph Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Transamerica Railroad Consulting, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26329
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/17/2021
Damage Location: 625 Kewanna Dr, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D R Watson Co Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26360
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/20/2021
Damage Location: 6860 Aster Dr, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brackney, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26258
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/4/2021
Damage Location: S Main St & Forest Dr, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Weihe Construction Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26309
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/24/2021
Damage Location: 311 N Main St, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Transamerica Railroad Consulting, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26335
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/20/2021
Damage Location: 505 Kewanna Dr, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

\$4,500; self-repair attempt escalation - additional \$1,500

Abstentions:

Additional Information: \$6,000 Total. \$4,500 base plus \$1,500 for bending over line and not notifying anybody. Excavator was told to stop working on previous violation until locator could respond, but excavator did not wait.

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26212
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/27/2021
Damage Location: 6942 Cherry Creek Blvd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26224
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/6/2021
Damage Location: 1673 E Henry Sievers Rd, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Excavating, Inc. (Redkey)
Other Party: CenterPoint Energy Indiana
Case Number: 26253
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/2/2021
Damage Location: 105 E Lincoln St, Gaston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: MAC Construction & Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26255
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/3/2021
Damage Location: 738 E Chestnut St, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Verita Telecommunications Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 26274
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/10/2021
Damage Location: 209 Bluff St, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brackney, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26285
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/15/2021
Damage Location: 2625 S Main St, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26340
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/23/2021
Damage Location: 2215 Park Ave, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 26345
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/28/2021
Damage Location: 201 W Walnut, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26356
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/29/2021
Damage Location: 651 Westfield Rd, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.
Other Party: Sycamore Gas Company
Case Number: 26366
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/8/2021
Damage Location: 516 N High St, Rising Sun

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 26399
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/6/2021
Damage Location: 774-1 Fox River Rd, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26431
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/8/2021
Damage Location: 8703 Prairie Ave, Highland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Always Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26433
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/16/2021
Damage Location: 1750 Johnson St, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26462
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/18/2021
Damage Location: 302 N Lincoln St, Galveston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niblock Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26476
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 19319 County Road 8, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26477
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/24/2021
Damage Location: 2440 Pennsylvania Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26527
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/22/2021
Damage Location: 2515 Cedar Bend Ct, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26532
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/22/2021
Damage Location: 2920 Marr Rd, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26540
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/4/2022
Damage Location: 512 Harmony Way, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26558
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/8/2022
Damage Location: 1672 Dewwy Dr, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26567
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/14/2022
Damage Location: E Main St And Perry Rd, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McCalister Brothers, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26342
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/27/2021
Damage Location: 3986 E Tuttle Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,500 total. \$3,000 base fine; \$1,000 for no ticket; \$1,500 for self-repair

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Addison Underground Utilities LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26293
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 7336 Hopkinson Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$10,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Plymouth
Other Party: Northern Indiana Public Service Company
Case Number: 24578
Date of Advisory Meeting: 5/11/2022
Date of Damage: 3/4/2021
Damage Location: 128 Louisa St, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information: **Previously on March Case List, but penalty was rescinded because excavator did not get notice. City of Plymouth has had one previous violation for case number 4623; the penalty was mandatory training.**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C S U, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26218
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/5/2021
Damage Location: 14300 Hazel Dell Pkwy, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: David Price Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26225
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/9/2021
Damage Location: 1318 W Market St, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **Already trained in 2015.**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Evansville (Water & Sewer Departments)
Other Party: CenterPoint Energy Indiana
Case Number: 26232
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/7/2021
Damage Location: 4201 N 1St Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dave O'Mara Contractor, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26257
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/4/2021
Damage Location: 8527 Brock Rd, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: The Snider Group, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26277
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/10/2021
Damage Location: 2630 Lord Murphy Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

**\$1,500; respondent can complete training instead of paying \$1,500
No ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Schneider Plumbing and Heating Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26289
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 421 Emerson Dr, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Residential Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26306
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 700 Carrolton Blvd, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Petry Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26324
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/16/2021
Damage Location: 945 N Green St, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **reset. Paid AG on prior case 2/18/22**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lamb Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26341
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/24/2021
Damage Location: 1457 Big Leaf Dr, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Altstadt Plumbing Service, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26364
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/29/2021
Damage Location: 129 SE 4th St., Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blackmore Construction LLC
Other Party: Citizens Gas
Case Number: 26374
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/29/2021
Damage Location: 602 Allandale Ave, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Universal Services Company, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26387
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/1/2021
Damage Location: 2104 S Dorothy St, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Creative Design & Construction
Other Party: Northern Indiana Public Service Company
Case Number: 26449
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/28/2021
Damage Location: 1399 Livingston Lakes Way Lot 22, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

**\$1,500; respondent can complete training instead of paying \$1,500
No ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 360 Degree Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26484
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/30/2021
Damage Location: 441 N Washington St, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: K L S Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26485
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/30/2021
Damage Location: 53697 County Road 9, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Town & Country Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26488
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 505 Almond St Sw, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Electricom, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26508
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/13/2021
Damage Location: 4646 N 25 W, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information: **reset**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid-West Builders, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 25060
Date of Advisory Meeting: 5/11/2022
Date of Damage: 6/7/2021
Damage Location: 200 S Main Street, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Graycor Industrial Constructors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26049
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/15/2021
Damage Location: 710 W Wayne Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parish Piping Solutions Inc
Other Party: Citizens Gas
Case Number: 26174
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/11/2021
Damage Location: 10621 E Edgewood Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kraft Nursery, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26207
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/27/2021
Damage Location: 4800 Orchard, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greg Helsell d/b/a Helsell's Lawnscape & More
Other Party: CenterPoint Energy Indiana
Case Number: 26216
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/1/2021
Damage Location: 347 S Broadway, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S C Case Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26228
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/11/2021
Damage Location: 205 N Pennsylvania Ave, Alexandria

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Summers Plumbing Heating & Cooling, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26234
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/12/2021
Damage Location: 1650 Oakwood Dr, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greg Stull Construction Company, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26235
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/12/2021
Damage Location: 850 Lafollette Station, Floyds Knobs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Louisville Paving Company
Other Party: CenterPoint Energy Indiana
Case Number: 26240
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/14/2021
Damage Location: 831 Pratt St, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Beaty Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26245
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/15/2021
Damage Location: 111 1st Street SW, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Precision Cut Lawn Service LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26248
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/2/2021
Damage Location: 444 Newport Ct, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: JJ Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26249
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/2/2021
Damage Location: Conner Of Main St & Hight St, Springport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Delta Foundation Specialists Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26251
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/2/2021
Damage Location: 7049 Provincial Ln, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Prince's Lakes
Other Party: CenterPoint Energy Indiana
Case Number: 26259
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/4/2021
Damage Location: 801 W Gerking Dr, Nineveh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Quality Concrete and Landscaping LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26263
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/6/2021
Damage Location: 6720 Rainwater Lane, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Parke Investment Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26265
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/8/2021
Damage Location: 633 Higgins St, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dalton Gates
Other Party: CenterPoint Energy Indiana
Case Number: 26266
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/8/2021
Damage Location: 1460 Central Ave, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: AAAAAAA Roto Rooter (Muncie)
Other Party: CenterPoint Energy Indiana
Case Number: 26282
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/12/2021
Damage Location: 5609 N County Rd 775 W, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: T V Concrete Solutions, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26288
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 5030 Clay Creek Ln, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cobalt Civil, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26290
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 203 N Broadway St, Summitville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Truster Building & Fence LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26292
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: Costal PL Lot 69, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Clark Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26300
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/18/2021
Damage Location: 800 S College Ave, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rick Mathias
Other Party: CenterPoint Energy Indiana
Case Number: 26307
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 920 N Line St, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Saltsgaver Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26308
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 8468 Aberdeen Ln, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C M E Real Estate Holdings, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26319
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/3/2021
Damage Location: 314 N High St, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Star Construction, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26320
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/15/2021
Damage Location: 6205 Dale Dr, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lennar Homes of Indiana, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26321
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/16/2021
Damage Location: 3679 Gilmore Pl, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brian Hudson d/b/a Hudson Concrete & Construction
LLC

Other Party: CenterPoint Energy Indiana

Case Number: 26322

Date of Advisory Meeting: 5/11/2022

Date of Damage: 11/17/2021

Damage Location: 7320 S US Hwy 41, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parker Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26328
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/16/2021
Damage Location: 1093 W 150 S, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Fisher
Other Party: CenterPoint Energy Indiana
Case Number: 26330
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/18/2021
Damage Location: 322 E Sycamore St, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Edwards Electrical & Mechanical Inc
Other Party: CenterPoint Energy Indiana
Case Number: 26339
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/23/2021
Damage Location: 430 Airtech Parkway, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson's Hauling & Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 26346
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/23/2021
Damage Location: 1140 Sr 135, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Walters**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bel Air Land, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26365
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/30/2021
Damage Location: 7788 Oak Grove Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: LFF Properties LLC
Other Party: Citizens Gas
Case Number: 26376
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/15/2021
Damage Location: 2338 E 16Th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pontem Contractors, Inc.
Other Party: Citizens Gas
Case Number: 26379
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/7/2021
Damage Location: 4050 Rockville Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cathedral Solutions LLC
Other Party: Midwest Natural Gas Corporation
Case Number: 26385
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/20/2021
Damage Location: 710 S Seminary St, Bloomfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dozer Werks LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26386
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/1/2021
Damage Location: 1007 Middle St, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: SSSTING LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26388
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/1/2021
Damage Location: 2664 Morton Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Michels Utility Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26408
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: 870 Floyd St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Nate's Lawn & Landscape, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26419
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/13/2021
Damage Location: 1659 Grand St, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nate Kline d/b/a N K Concrete
Other Party: Northern Indiana Public Service Company
Case Number: 26438
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/17/2021
Damage Location: 4640 E Shady Ln, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: R C Tree Care LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26471
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: 2506 Fisher Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mendoza Concrete LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26474
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 2516 Lake Shore Dr, Long Beach

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26475
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 711 Strong Rd, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Global Construction Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26480
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/26/2021
Damage Location: 872 E Deer Path, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Premier Directional Boring Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26483
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/30/2021
Damage Location: 110 S Townline Rd, Lagrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Steel Carports, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26490
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/30/2021
Damage Location: 620 E State Road 120, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T & R Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26494
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/4/2021
Damage Location: 1032 E Main St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lashure Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26497
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: 902 S B St, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grass Roots Properties LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26498
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: 980 E Hope Dr, Upland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sandusky Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26512
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/13/2021
Damage Location: 541 W US Hwy 36, Rockville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window? Trained on 5/4/22.**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: St. Joseph Catholic Cemetery, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26518
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/14/2021
Damage Location: 2500 Mesker Park Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Providence Directional Boring, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26523
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/17/2021
Damage Location: 3190 Ford Rd N, Mt Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **window**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Foster Brothers, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26525
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/21/2021
Damage Location: 414 N Chestnut Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hoosier Port-A-Jack, LLC d/b/a A-1 Sanitation
Other Party: CenterPoint Energy Indiana
Case Number: 26533
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/27/2021
Damage Location: 6677 E Devonald Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Guernsey Plumbing LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26557
Date of Advisory Meeting: 5/11/2022
Date of Damage: 1/8/2022
Damage Location: 4722 N 500 W, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **2022 Penalty Schedule**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fiber Construction, Inc.
Other Party: Citizens Gas
Case Number: 26070
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/22/2021
Damage Location: 1731 N College Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Selvin Corado
Other Party: CenterPoint Energy Indiana
Case Number: 26206
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/27/2021
Damage Location: 812 S Washington St, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Star Construction, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26217
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/5/2021
Damage Location: 2829 Charlestown Rd, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Colton Rainey
Other Party: CenterPoint Energy Indiana
Case Number: 26226
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/10/2021
Damage Location: 4023 N Tharp Ln, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schrader Well Service LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26227
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/11/2021
Damage Location: 3770 Riley Rd, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T W Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26229
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/8/2021
Damage Location: 5270 W 200 N, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F D R Enterprises LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26239
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/13/2021
Damage Location: 3008 N Ramble Rd W, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Haynes d/b/a HA-Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26243
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/14/2021
Damage Location: 2200 Lynch Unit A, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D P I Commercial Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26244
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/11/2021
Damage Location: 2727 Chase St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reust Lawncare & Landscaping, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26261
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/5/2021
Damage Location: 555 Diamond St, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dusty Guy
Other Party: CenterPoint Energy Indiana
Case Number: 26264
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/6/2021
Damage Location: 857 E Bond Ave, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Charles Futrell
Other Party: CenterPoint Energy Indiana
Case Number: 26270
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/9/2021
Damage Location: 707 W Commercial St., Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jake Olson
Other Party: CenterPoint Energy Indiana
Case Number: 26271
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/9/2021
Damage Location: 1377 Berry Rd., Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: O T S Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26275
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/10/2021
Damage Location: 1590 W Northfield Dr, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Michels Utility Services, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26281
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/12/2021
Damage Location: 2500 N Pauline, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calvin Hensley
Other Party: CenterPoint Energy Indiana
Case Number: 26284
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/13/2021
Damage Location: 4658 W Meadow Lake Dr, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Perma Pools Corporation
Other Party: CenterPoint Energy Indiana
Case Number: 26287
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/15/2021
Damage Location: 4345 N Banta Rd, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jumpstart Communications LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26296
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/17/2021
Damage Location: 254 N Merrill St, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Darrin Johnson
Other Party: CenterPoint Energy Indiana
Case Number: 26302
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/20/2021
Damage Location: 901 W 23rd St, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J S C Fiber Optics LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26304
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: Howe Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rick Mathias
Other Party: CenterPoint Energy Indiana
Case Number: 26305
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/23/2021
Damage Location: 920 N Line St, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dennis Watson
Other Party: CenterPoint Energy Indiana
Case Number: 26311
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/26/2021
Damage Location: 5714 Dr MLK Jr Blvd, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H & N Outdoor Services, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26315
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/26/2021
Damage Location: 7757 Beck Lane, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Harco Plumbing
Other Party: CenterPoint Energy Indiana
Case Number: 26316
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/1/2021
Damage Location: 7764 Sunflower Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jarren Wright d/b/a Innovative Remodeling and Design
Other Party: CenterPoint Energy Indiana
Case Number: 26317
Date of Advisory Meeting: 5/11/2022
Date of Damage: 10/9/2021
Damage Location: 2010 S Perdieu Rd, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Austin Butcher d/b/a B & B Fence and Deck
Other Party: CenterPoint Energy Indiana
Case Number: 26323
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: 1226 Judson St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel McDole
Other Party: CenterPoint Energy Indiana
Case Number: 26327
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/17/2021
Damage Location: 6827 Monroe St, Stockwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Martin Rodriguez
Other Party: CenterPoint Energy Indiana
Case Number: 26347
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/24/2021
Damage Location: 6490 Travis Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Taj M Eaton
Other Party: CenterPoint Energy Indiana
Case Number: 26359
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/19/2021
Damage Location: 2844 S 800 E, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: self-repair

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michels Infrastructure, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26361
Date of Advisory Meeting: 5/11/2022
Date of Damage: 9/21/2021
Damage Location: 805 W Cromer Ave, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cy Schwieterman, Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 26367
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/6/2021
Damage Location: 623 Pierce St., Ridgeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

0

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evans Development Company Inc
Other Party: Citizens Gas
Case Number: 26378
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/10/2021
Damage Location: 4205 N Illinois St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ground Systems LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26390
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/1/2021
Damage Location: 203 1/2 S Michigan, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bowman & Son Heating & Cooling Inc
Other Party: Northern Indiana Public Service Company
Case Number: 26391
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/2/2021
Damage Location: 562 Harrison Ave, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Frain III
Other Party: Northern Indiana Public Service Company
Case Number: 26398
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/3/2021
Damage Location: 12 Water St, Union Mills

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Pavers Plus LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26404
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/7/2021
Damage Location: 6451 E 175 N, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peter Graber
Other Party: Northern Indiana Public Service Company
Case Number: 26410
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/9/2021
Damage Location: 3030 Benham Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Justus Marshall
Other Party: Northern Indiana Public Service Company
Case Number: 26411
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/10/2021
Damage Location: 48 Park Pl, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Construction Company Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26430
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/8/2021
Damage Location: 30750 Inwood Road, North Liberty

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J. Shoffner, General Contractors, Inc
Other Party: Northern Indiana Public Service Company
Case Number: 26432
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/15/2021
Damage Location: 150 Pine Lake Ave, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dale Robbins
Other Party: Northern Indiana Public Service Company
Case Number: 26439
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/19/2021
Damage Location: 628 S Railroad Ave, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Klopfenstein
Other Party: Northern Indiana Public Service Company
Case Number: 26445
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/22/2021
Damage Location: 1221 Campeau St, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information: **homeowner**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Allen Price
Other Party: Northern Indiana Public Service Company
Case Number: 26452
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/30/2021
Damage Location: 20803 Louise Lane, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert E. Crosby, Inc. d/b/a R E Construction
Other Party: Northern Indiana Public Service Company
Case Number: 26466
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/19/2021
Damage Location: 1912 Westside Rd, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeremy Irmeger
Other Party: Northern Indiana Public Service Company
Case Number: 26467
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/20/2021
Damage Location: 7470 S 700 W, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Complete Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26470
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/22/2021
Damage Location: 7954 E 108th Ave, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Frank Soto
Other Party: Northern Indiana Public Service Company
Case Number: 26487
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/30/2021
Damage Location: 4627 Sheffield Ave, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Z & N Excavating Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26489
Date of Advisory Meeting: 5/11/2022
Date of Damage: 11/29/2021
Damage Location: 528 Sweetbay St Lot 44, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Todd
Other Party: CenterPoint Energy Indiana
Case Number: 26504
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/11/2021
Damage Location: 5314 Old Smith Valley Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gregg Greer
Other Party: CenterPoint Energy Indiana
Case Number: 26530
Date of Advisory Meeting: 5/11/2022
Date of Damage: 12/23/2021
Damage Location: 1524 Willshire Ln, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman