

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett	٧		
Freeman	٧		
Veleta	٧		
Ziegner	٧		

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.
ORDER OF THE COMMISSION
Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulator Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upor review of those findings, the Indiana Underground Plant Protection Advisory Committe ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.
The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.
Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.
Any approved civil penalties are due within 90 days of the date of this Order unles payment arrangements are made with the Secretary of the Commission.
Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.
IT IS SO ORDERED.
HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:
APPROVED: OCT 04 2023
I hereby certify that the above is a true and correct copy of the Order as approved.
on behalf of

Dana Kosco

Secretary of the Commission



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	SB Melendez Corp.
Other Party:	Citizens Gas
Case Number:	28701
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/7/2022
Damage Location:	11611 East 75 th Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	McCullough Electric LLC
Other Party:	Westfield Gas Corporation
Case Number:	28989
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/27/2022
Damage Location:	994 Macoun Drive, Westfield
The IURC Pipeline Safety Divi	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty: ent fails to complete training
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	G & J Windows and Doors Corporation
Other Party:	Citizens Gas
Case Number:	28990
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/27/2022
Damage Location:	6240 Crittenden Avenue, Indianapolis
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions: Warren	
Additional Information:	
Sint	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	e Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Polo Lawn Care, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	26972
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/12/2022
Damage Location:	409 Park Street, Morgantown
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(other)	
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Walsh Construction Company II LLC dba Walsh/Milestone JV
Other Party:	Citizens Gas
Case Number:	28660
Date of Advisory Meeting:	8/17/2023
Date of Damage:	10/26/2022
Damage Location:	4617 Tincher Road, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)(expire)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stanley Miller
Other Party:	Northern Indiana Public Service Company
Case Number:	29009
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	15229 County Road 34, Goshen
The IURC Pipeline Safety Division IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	S M B Concrete Construction, Inc.
Case Number:	27966
Date of Advisory Meeting:	8/17/2023
Date of Damage:	8/10/2022
Damage Location:	12 Rainbow Drive, Rossville
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	G & B Directional Boring LLC
Case Number:	28974
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/13/2022
Damage Location:	2970 N 080 E, LaGrange
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	One Underground LLC
Case Number:	29003
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	53074 Wildgarden Court, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Olinger IT Solutions LLC
Case Number:	29011
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/22/2022
Damage Location:	307 East Main Street, Kewanna
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Fort Wayne City Utilities
Case Number:	29014
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/27/2022
Damage Location:	5032 Salem Lane, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	B Cardenas Construction Co Inc
Case Number:	29017
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/17/2022
Damage Location:	13600 Brownwood Lane, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil nenalty:
The Advisory Committee recomm	iends the following ervir penarty.
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	aan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	J E Reedy, Inc.	
Case Number:	29019	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/19/2022	
Damage Location:	4295 Admirals Pointe Drive, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29021
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/19/2022
Damage Location:	East Washington Street & East Jay Street, Dunkirk
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Cha	James R. Surd for Ben Warren irman



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	George Winnie Inc.
Case Number:	29023
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	900 Sim Hodgin Parkway, Richmond
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Smith Well Drilling
Case Number:	29024
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	4412 North 13 th ½ Street, Terre Haute
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Gabbard Underground
Case Number:	29026
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/16/2022
Damage Location:	700 North Boehne Camp Road, Evansville
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana		
Other Party:	Miller Pipeline, LLC		
Case Number:	29029		
Date of Advisory Meeting:	8/17/2023		
Date of Damage:	12/21/2022		
Damage Location:	641 East Main Street, Carmel		
The IURC Pipeline Safety Division	on finds the following violation(s):		
IC 8-1-26-18(h)			
The Advisory Committee recomm	The Advisory Committee recommends the following civil penalty:		
\$1,000			
, , , , , , , ,			
Abstentions:			
Additional Information.			
Additional Information:			
A DDD OVED.	I DO 10 D W		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren		
,			



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Brinks Investments LLC, dba Brinks Boring
Case Number:	29031
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	State Road 61 & East County Road 900, Oakland City
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm \$1,000	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Wallace Construction Inc
Case Number:	29033
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/27/2022
Damage Location:	610 South Home Avenue, Martinsville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Mark Morron Excavating, LLC
Case Number:	29067
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/15/2022
Damage Location:	100 Sun Polymers Drive, Mooresville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Indiana Cardinal, LLC	
Case Number:	29070	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/15/2022	
Damage Location:	1504 North 1st Avenue, Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Blue Ocean Contractors	
Case Number:	29081	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/18/2022	
Damage Location:	10324 Wilmington Drive, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Abell, Inc. d/b/a Abell Nursery & Landscape	
Case Number:	29088	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/21/2022	
Damage Location:	3130 Moores Pike, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Whalen Construction Co., Inc.	
Case Number:	29089	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/21/2022	
Damage Location:	2115 Theobald Street, Shelbyville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
,		
Abstentions:		
A 11'4' 1 T C 4'		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Reynolds Construction of Indiana, LLC	
Case Number:	29094	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/22/2022	
Damage Location:	2825 Blair Lane, Blairsville	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	mends the following civil penalty:	
\$1,000		
,		
Abstentions:		
A 11'.' 17 C'		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairr	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Vertical Underground LLC	
Case Number:	29104	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/28/2022	
Damage Location:	2322 East Rechter Road, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	3D Company, Inc.	
Case Number:	29110	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/29/2022	
Damage Location:	635 East 106th Street, Carmel	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
,		
Abstentions:		
Additional Information:		
Additional information.		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Beaty Construction, Inc.	
Case Number:	29111	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/22/2022	
Damage Location:	151 Yandes Street, Franklin	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	City of New Castle
Case Number:	29112
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/26/2022
Damage Location:	701 North Fairoaks Drive, New Castle
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Indiana Geothermal Earthloop	
Case Number:	29115	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/30/2022	
Damage Location:	100 Terrace Court, Lebanon	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Ψ1,000		
Abstentions:		
rostentions.		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	aan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Community Natural Gas Inc	
Other Party:	S L B Pipe Solutions LLC	
Case Number:	29128	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/7/2022	
Damage Location:	250 McCormicks Creek Dr., Spencer	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rothenberger Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28977
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/14/2022
Damage Location:	4716 Triol Pass, Fort Wayne
The IURC Pipeline Safety Divide IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hope Plumbing, LLC
Other Party:	Citizens Gas
Case Number:	28991
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	6625 Sunnyside Road, Indianapolis
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee reconst4,000	nmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kankakee Valley REMC
Other Party:	Northern Indiana Public Service Company
Case Number:	28979
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/15/2022
Damage Location:	9055 Doubletree Drive North, Crown Point
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blue Ocean Contractors
Other Party:	CenterPoint Energy Indiana
Case Number:	29053
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/7/2022
Damage Location:	8301 Berry Drive, Evansville
The IURC Pipeline Safety Div	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions:	
Additional Information:	
A PPROVED:	James P. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Hydromax Plumbing, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29108
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/29/2022
Damage Location:	608 South Seminary Street, Princetor
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
ADDROVED	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Julio Chavez
Other Party:	Northern Indiana Public Service Company
Case Number:	28980
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/17/2022
Damage Location:	1040 N Old State Road 49, Chesterton
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Terre Haute Quality Fence Company Inc

-	- · ·	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29113	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/30/2022	
Damage Location:	9451 North Weaver Street, Knightsville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Griffs Underground LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29005
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	13552 Pommel Cv., Lot 86, Grabill
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	28993
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/15/2022
Damage Location:	2710 Kessler Boulevard North Drive, Indianapolis
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	A K & M Trenching, Inc.	
Other Party:	Citizens Gas	
Case Number:	28992	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/19/2022	
Damage Location:	8803 Dorill Creek Lane, Indianapolis	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recom	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
Carl C		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice	· Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wisel Enterprise, LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29004	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/20/2022	
Damage Location:	220 West Hamilton Road North, Fort Wayne	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	mmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Pro Drilling, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29035	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/28/2022	
Damage Location:	15400 North Saint Joseph Avenue, Evansville	
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	on finds the following violation(s):	
TI A1: C :		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D & M Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29007
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	9751 West 300 North, Michigan City
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	J E Reedy, Inc.
Other Party:	Community Natural Gas Inc
Case Number:	29130
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/19/2022
Damage Location:	1256 Street Highway 46 West, Spencer
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$3,500	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Empire Contractors, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29020	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/20/2022	
Damage Location:	5301 Daylight Drive, Evansville	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-20(a)(3)(b)		
The Advisory Committee recomr	mends the following civil penalty:	
\$3,000		
φ υ ,000		
Abstentions:		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Empire Contractors, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29083	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/21/2022	
Damage Location:	5301 Daylight Drive, Evansville	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-20(a)(3)(b)		
The Advisory Committee recomm	mends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ren Warren Chairr	_	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nicks Home Repair	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29107	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/29/2022	
Damage Location:	1111 West 10th Street, Anderson	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(3)(b)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Crider & Crider Construction

Other Party:	CenterPoint Energy Indiana
Case Number:	29109
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/29/2022
Damage Location:	5800 West Smith Valley Road, Greenwood
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
\$3,000	
Abstentions:	
A 44141 - m = 1 Tm fr = 411	
Additional Information:	
Sall	
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren
Den warren, Chann	1411



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CBEX, Inc.
Other Party:	Midwest Natural Gas Corporation
Case Number:	28488
Date of Advisory Meeting:	8/17/2023
Date of Damage:	10/24/2022
Damage Location:	1405 Pearl Street, Salem
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if responde	nt fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tatay Well Drilling, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29012
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/27/2022
Damage Location:	11730 Parke County Circle, Granger
The IURC Pipeline Safety Div	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ski Landscape Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	29022
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	5301 South State Road 267, Lebanon
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James D. Sund for Dan Warner
Ben Warren, Cha	James R. Surd for Ben Warren irman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	B & L Construction Services LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29030
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	299 Falls Park Drive, Pendleton
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responden	t fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Fishers
Other Party:	CenterPoint Energy Indiana
Case Number:	29069
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/15/2022
Damage Location:	11062 Fairway Ridge Lane, Fishers
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
Carl S.	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Matlock Plumbing, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29080
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/18/2022
Damage Location:	905 South Walnut Street, Edinburgh
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
Sul	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	ırman



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	United Excavating & General Contracting, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29084	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/18/2022	
Damage Location:	1908 West Allen Street, Bloomington	
The IURC Pipeline Safety Divis	ion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recom	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Evans Property Improvement LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29085	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/18/2022	
Damage Location:	34 Thornhurst Drive, Carmel	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
()		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
raditional information.		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Grounds Maintenance Services LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29119
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/25/2022
Damage Location:	1131 West Wortman Road, Darmstadt
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

The Home Telephone Company of Pittsboro Inc

-	
Other Party:	CenterPoint Energy Indiana
Case Number:	29025
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	6538 North County Road 475 East, Pittsboro
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recomm	nends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Derrick Harter
Other Party:	Northern Indiana Public Service Company
Case Number:	28978
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/15/2022
Damage Location:	8847 South Hill Drive, Silver Lake
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Aaron Wait
Other Party:	Northern Indiana Public Service Company
Case Number:	28999
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/17/2022
Damage Location:	22751 State Road 120, Elkhart
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Gregg Bowling	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29100	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/25/2022	
Damage Location:	1338 West Curry Road, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Victor Raymour	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29102	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/26/2022	
Damage Location:	517 Locust Street, Anderson	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Terry Long	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29041	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/3/2022	
Damage Location:	637 Holiday Drive, Fortville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)(expire)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Anchor Bay Resort, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29006
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/20/2022
Damage Location:	2373 North Untalulti Drive, Monticello
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
Δ PPR ∩VED.	James R. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Mark Morron Excavating, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29028	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/21/2022	
Damage Location:	1257 South Old State Road 67, Mooresville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
$\$1,\!500$, respondent can complete training instead of paying $\$1,\!500$; no ticket escalation - additional $\$1,\!000$		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	T& R Trucking LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29093	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/21/2022	
Damage Location:	820 West State Road 38, New Castle	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Barnes Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29098
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/22/2022
Damage Location:	3592 Bellmore Drive, Brownsburg
The IURC Pipeline Safety Divisi	ion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if responde	nt fails to complete training
Abstentions:	
Additional Information:	
Sul	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Bowen Engineering Corporation	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29117	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/30/2022	
Damage Location:	123 South 7th Street, Lafayette	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$5,000; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
and I		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	S L B Pipe Solutions LLC
Other Party:	Community Natural Gas Inc
Case Number:	29129
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	250 McCormicks Creek Dr., Spencer
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Cand 1	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R & R Sewer Water & Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29008
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	10319 Grand Boulevard, Crown Point
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	5 Star Electric, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29034	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	12/27/2022	
Damage Location:	2511 Creek Bank Road, Columbus	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee reco	mmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mas I ec, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28866
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/8/2022
Damage Location:	2540 Dekalb Street, Lake Station
The IURC Pipeline Safety Divi IC 8-1-26-16(h)(prior)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

National Ondemand, Inc.

-		
Other Party:	CenterPoint Energy Indiana	
Case Number:	29091	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/18/2022	
Damage Location:	5696 West Cantrell, Terre Haute	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:		
\$3,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indys Finest Fence LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29086
Date of Advisory Meeting:	8/17/2023
Date of Damage:	11/18/2022
Damage Location:	9821 North Glen Drive, Mooresville
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(1)	
The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R J Underground Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	27937
Date of Advisory Meeting:	8/17/2023
Date of Damage:	8/4/2022
Damage Location:	585 North Kelly Street, Hobart
The IURC Pipeline Safety Divi	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Berger Hargis Lawn & Tree Care, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	28587	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/16/2022	
Damage Location:	201 Brighton Court, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ed Patton Construction, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	28592	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/16/2022	
Damage Location:	418 Baxter Street, Attica	
The IURC Pipeline Safety Division	n finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$4,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairman		



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mas Tec, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29010
Date of Advisory Meeting:	8/17/2023
Date of Damage:	12/21/2022
Damage Location:	23685 Cedar Knoll Circle, Elkhart
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Helebo Trenching, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29095	
Date of Advisory Meeting:	8/17/2023	
Date of Damage:	11/22/2022	
Damage Location:	8045 Oak Street, Zionsville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$4,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	