

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett	٧		
Freeman	٧		
Veleta	٧		
Ziegner	٧		

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)	
APPROVING ADVISORY COMMITTEE)	APPROVED: NOV 08 2023
RECOMMENDATIONS PURSUANT TO)	
INDIANA CODE CHAPTER 8-1-26.)	

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: NOV 08 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Benjamin Franklin Plumbing
Case Number:	29345
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/1/2023
Damage Location:	3736 East 5 th Street, Indianapolis
The IURC Pipeline Safety Division IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Ohio Valley Gas Corp		
L & D Communication LLC		
29402		
9/14/2023		
3/9/2023		
23582 Mount Meadow Court, Bright		
on finds the following violation(s):		
The Advisory Committee recommends the following civil penalty:		
James R. Surd for Ben Warren		



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	American Paving & Asphalt, Inc.	
Case Number:	29427	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/29/2023	
Damage Location:	3577 Promenade Parkway, Lafayette	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Sycamore Gas Company	
Other Party:	Rocky Harris Excavating LLC	
Case Number:	29456	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/21/2023	
Damage Location:	2335 Pontiac Drive, Bright	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Aurora Utilities	
Other Party:	Brad Miller	
Case Number:	29460	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/27/2023	
Damage Location:	15034 State Road 148, Aurora	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	J G Case Construction, Inc.
Case Number:	29538
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/3/2023
Damage Location:	4620 Woodcroft Avenue, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Calumet Civil Contractors, Inc.
Case Number:	29545
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/29/2023
Damage Location:	South Sheffield Avenue & West Morris Street, Indianapolis
IC 8-1-26-18(h)	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco \$1,000	mmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	K & N Communications LLC	
Case Number:	29567	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/4/2023	
Damage Location:	844 Durkees Ferry Road, Terre Haute	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	L & S Underground, Inc.	
Case Number:	29573	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/7/2023	
Damage Location:	15862 Grand Fir Drive, Fishers	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Priority Plumbing Services, Inc.	
Case Number:	29609	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/18/2023	
Damage Location:	493 Jackson Place, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Vertical Underground LLC	
Case Number:	29611	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/19/2023	
Damage Location:	1982 Cheyenne Lane, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Milldrill, LLC
Case Number:	29612
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	3928 George Washington Drive, Lafayette
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

CenterPoint Energy Indiana

Other Party:	Altstadt Hoffman Plumbing Service, Inc	
Case Number:	29614	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/20/2023	
Damage Location:	4010 Petes Court, Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Vertical Underground LLC
Case Number:	29622
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/24/2023
Damage Location:	1721 East Caradon Hill, Bloomington
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Hopper Excavating LLC	
Case Number:	29630	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/27/2023	
Damage Location:	1909 Syracuse Court, Lebanon	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
ADDROVED		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
,		



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Milenium, Inc.	
Case Number:	29634	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/27/2023	
Damage Location:	401 Regents Park Lane, Noblesville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Render Home Solutions, LLC	
Case Number:	29636	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/28/2023	
Damage Location:	12373 Cool Winds Way, Fishers	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	_	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Telecom Placement, Inc.
Case Number:	29668
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/1/2023
Damage Location:	4288 South 650 West, New Palestine
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Milenium, Inc.	
Case Number:	29676	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/2/2023	
Damage Location:	411 Regents Park Lane, Noblesville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
1,000		
Abstentions:		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Mark Lengacher	
Case Number:	29681	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/4/2023	
Damage Location:	518 South 7th Street, Terre Haute	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
, , , , , , , ,		
Abstentions:		
A 11'4' 1 T., C 4'		
Additional Information:		
Sull		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
Den wanen, Chann	iaii	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Busse's Excavating LLC	
Case Number:	29687	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/3/2023	
Damage Location:	702 Bible Street, Linden	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairman		



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Midwest Paving LLC
Case Number:	29691
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/8/2023
Damage Location:	2270 Greenfield Avenue, Noblesville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Milldrill, LLC	
Case Number:	29707	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/12/2023	
Damage Location:	9855 South Mill Road, Knightstown	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recomm §1,000	nends the following civil penalty:	
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Davis Electric I LLC	
Case Number:	29708	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/9/2023	
Damage Location:	501 Crockett Street, Covington	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Nics Home Doctor	
Case Number:	29717	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/2/2023	
Damage Location:	2220 Perrine Street, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Jumpstart Communications LLC

Other Party:		
Case Number:	29599	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/10/2023	
Damage Location:	North 200 West, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-19(c)		
The Advisory Committee recommends the following civil penalty:		
\$500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Jumpstart Communications LLC

-	-
Other Party:	
Case Number:	29600
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/10/2023
Damage Location:	North 200 West, Columbus
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-19(c)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
Additional information.	
Sall	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren
Don warren, Chann	1411



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Jumpstart Communications LLC

Other Party:		
Case Number:	29601	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/10/2023	
Damage Location:	North 200 West, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-19(c)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
Carl S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ortman Drilling, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29322
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/7/2023
Damage Location:	67 South Chandler Street, Denver
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lykins Contracting LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29603	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/17/2023	
Damage Location:	1107 Cottonwood Drive, Clarksville	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
A 11'4' 1T C 4'		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lykins Contracting LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29629	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/28/2023	
Damage Location:	1059 Cottonwood Drive, Clarksville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty: \$5,000		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A C O Underground Utilities, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29310
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/24/2023
Damage Location:	212 Fox Chapel Court, Valparaiso
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
	mmends the following civil penalty:
·	olete training instead of paying \$1,500.
\$1,500, respondent can comp	rece training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Premier Directional Boring Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29333
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/15/2023
Damage Location:	1401 Sweet Clover Drive, Goshen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	CenterPoint Energy Indiana	
Case Number:	29624	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/20/2023	
Damage Location:	4540 US Highway 52 West, West Lafayette	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		
Sall		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	
Den warren, Chaim	1411	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	29363
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/2/2023
Damage Location:	Pinedale Drive, Avon
The IURC Pipeline Safety Division finds the following violation(s):	
IC 8-1-26-20(a)(2)	
The Advisory Committee recommends the following civil penalty:	
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairman	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29390	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/13/2023	
Damage Location:	7146 West 940 South, Rosedale	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomn	nends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Axis Fiber Solutions	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29426	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/29/2023	
Damage Location:	609 North Walnut Street, Brazil	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) The Advisory Committee recommends the following civil penalty:		
\$3,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	A C O Underground Utilities, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29447
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/13/2023
Damage Location:	188 Ashford Court, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Premier Directional Boring Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29521
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/10/2023
Damage Location:	222 Apple Valley, LaGrange
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Axis Fiber Solutions
Other Party:	Ohio Valley Gas Corp
Case Number:	29640
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/20/2023
Damage Location:	332 West Sylvandell Street, Sullivan
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$3,500	
Abstentions:	
Additional Information:	
Additional information.	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	nan



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thomas Smith
Other Party:	Citizens Gas
Case Number:	29556
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/14/2023
Damage Location:	3721 Erin Drive, Indianapolis
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
The Advisory Committee recor	innereds the following civil penalty.
Warning Letter	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Dagnandant	Hamiery Construction Company Inc
Respondent:	Harvey Construction Company, Inc.
Other Party:	Citizens Gas
Case Number:	29551
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/11/2023
Damage Location:	Senour & Wonderland, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500; no ticket escalation - to mitigate \$1,500.	additional \$1,000. Respondent may complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Conexco Inc.
Other Party:	Citizens Gas
Case Number:	29278
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/15/2023
Damage Location:	5917 Pine Hill Drive, Indianapolis
The IURC Pipeline Safety Divis IC 8-1-26-16(h)	ion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
\$1,500; no ticket escalation - act to mitigate \$1,500.	dditional \$1,000. Respondent may complete training
Abstentions: Warren	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Chair	rman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	D C Construction Services, Inc.
Other Party:	Citizens Gas
Case Number:	29666
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/17/2023
Damage Location:	2733 North Whitcomb Avenue, Indianapolis
The IURC Pipeline Safety Divis IC 8-1-26-16(h)	ion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
\$1,500; no ticket escalation - acto mitigate \$1,500.	dditional \$1,000. Respondent may complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Chair	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	J J Contracting LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29592
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/11/2023
Damage Location:	2539 Perry Crossing Way, Plainfield
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,500; no ticket escalation - add to mitigate \$1,500.	ditional \$1,000. Respondent may complete training
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Josie's Concrete LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29558
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/1/2023
Damage Location:	8106 Palermo Trail, Sellersburg
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,500; no ticket escalation - a to mitigate \$1,500.	additional \$1,000. Respondent may complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	ırman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	River Town Construction, LLC
Other Party:	Indiana Natural Gas Corporation
Case Number:	29648
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/11/2023
Damage Location:	9518 Hillside Drive, French Lick
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,500; no ticket escalation - a to mitigate \$1,500.	additional \$1,000. Respondent may complete training
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chai	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Owen County Highway Department	
Other Party:	Community Natural Gas Inc	
Case Number:	29598	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/20/2023	
Damage Location:	624 Concord Road, Spencer	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: \$1,500; no ticket escalation - additional \$1,000. Respondent may complete training		
to mitigate \$1,500.		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nava's Fencing Co
Other Party:	Northern Indiana Public Service Company
Case Number:	29738
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/22/2023
Damage Location:	426 South Philippa Street, South Bend
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	mends the following civil penalty:
\$1,500; no ticket escalation - act to mitigate \$1,500.	dditional \$1,000. Respondent may complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D C Construction Services, Inc.
Other Party:	Citizens Gas
Case Number:	29663
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	2741 North Whitcomb Avenue, Indianapolis
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000; no ticket escalation -	additional \$1,000
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A M H Solutions
Other Party:	Citizens Gas
Case Number:	29665
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	8420 Shallow Creek Court, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Compass
Other Party:	CenterPoint Energy Indiana
Case Number:	29559
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	282 Airport Road, Anderson
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responden	at fails to complete training.
Abstentions:	
Additional Information:	
ADDDOVED.	Lawren D. Com I Com Dr. W.
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren
Den warren, Chairn	11411



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Griffs Underground LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29741
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/22/2023
Damage Location:	101 West North Street, Delphi
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R Surd for Ren Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	New Age Construction, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29735
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/20/2023
Damage Location:	2805 South Airport Road, Monticello
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	New Style Concrete, Inc.
Other Party:	Citizens Gas
Case Number:	29651
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/9/2023
Damage Location:	8805 Faulkner Drive, Indianapolis
IC 8-1-26-16(h)	
	ision finds the following violation(s):
The Advisory Committee recon	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Olympus Management, LLC	
Other Party:	Citizens Gas	
Case Number:	29659	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/25/2023	
Damage Location:	103 South Catherwood Avenue, Indianapolis	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	

Scott Sontag, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Phoenix & Young Construction & Remodeling
Other Party:	CenterPoint Energy Indiana
Case Number:	29594
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/14/2023
Damage Location:	233 North 13th Street, Elwood
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Russell's Excavating & Septic Tanks, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29675
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/2/2023
Damage Location:	6101 Flight Line Drive, Evansville
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Shamrock Mechanical Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	29690
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/6/2023
Damage Location:	3650 Marketplace Drive, Zionsville
The IURC Pipeline Safety Div. IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Yarberry Landscape Excavating	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29372	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/7/2023	
Damage Location: Walnut Street, Frankton	Northeast Corner of North Center Street & West	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	1411	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Wardlow Construction
Other Party:	Northern Indiana Public Service Company
Case Number:	29726
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/18/2023
Damage Location:	1342 Sorin Street, South Bend
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gonzalez Directional Drilling LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29764
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/30/2023
Damage Location:	2004 North Wayne Street, Angola
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	National Underground Systems, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29334
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/15/2023
Damage Location:	3815 Greenmont Drive, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Milenium, Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	29418
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/27/2023
Damage Location:	7234 Shag Oak Drive, Noblesville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recomn	nends the following civil penalty:
\$5,000	
40,000	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	шп



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Southmid Fiber LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29688
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/5/2023
Damage Location:	848 Antler Court, Evansville
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee recomm	mends the following civil penalty:
\$1,500, respondent can comple	te training instead of paying \$1,500.
Abstentions:	
Additional Information:	
ADDROVED SAILS	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairr	nan



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Conexco Inc.
Other Party:	Citizens Gas
Case Number:	29270
Date of Advisory Meeting:	9/14/2023
Date of Damage:	1/20/2023
Damage Location:	5907 Pine Hill Drive, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Y arberry Landscape Excavating
Other Party:	CenterPoint Energy Indiana
Case Number:	29396
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/15/2023
Damage Location:	105 Center Street, Frankton
The IURC Pipeline Safety Division IC 8-1-26-20(a)(1)	ion finds the following violation(s):
The Advisory Committee recomm	mends the following civil penalty:
\$1,500, respondent can comple	te training instead of paying \$1,500.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	•



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Colin Vance
Other Party:	Northern Indiana Public Service Company
Case Number:	29300
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/18/2023
Damage Location:	1147 Old Lincoln Highway, Schererville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Baseline N X C LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29461
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/16/2023
Damage Location:	306 Armory Road, Delphi
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Carlisle Utility Contractors, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29445
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/13/2023
Damage Location:	10135 South Branch, St. John
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Southmid Fiber LLC
CenterPoint Energy Indiana
29620
9/14/2023
4/22/2023
10631 Brush Ridge Road, Evansville
sion finds the following violation(s):
nmends the following civil penalty:
ent fails to complete training.
James P. Surd for Box Warren
James R. Surd for Ben Warren irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wilmer Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29463
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/16/2023
Damage Location:	4730 South 930 East, Wolcottville
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lake Park Estates
Other Party:	Northern Indiana Public Service Company
Case Number:	29316
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/1/2023
Damage Location:	910 Jenna Street, Lot 57, South Whitley
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
Sales	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G M S Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29435
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/7/2023
Damage Location:	5370 North State Road 3, Howe
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gonzalez Directional Drilling LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29431
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/6/2023
Damage Location:	1401 West Mill Street, Angola
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crossroads Construction Concepts LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29309
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/21/2023
Damage Location:	333 Bosserman Street, LaPorte
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
•	nmends the following civil penalty:
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dead Center Underground, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29313
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/28/2023
Damage Location:	503 West Wildwood Drive, Syracuse
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responden	t fails to complete training.
Abstentions: Smith Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L G S Plumbing, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29501
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	16040 Morse, Lowell
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Milenium, Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	29615
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/20/2023
Damage Location:	1401 South Paul Dresser Street, Terre Haute
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
\$3,000	
Abstentions:	
rostemons.	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Hopper Trucking
Westfield Gas Corporation
29552
9/14/2023
4/11/2023
15745 Kohut Lane, Westfield
sion finds the following violation(s):
ent fails to complete training.
James R. Surd for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tyler Ritchie
Other Party:	Northern Indiana Public Service Company
Case Number:	29301
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/19/2023
Damage Location:	2941 East US Highway 6/35, Hamlet
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calvin Raider
Other Party:	Northern Indiana Public Service Company
Case Number:	29434
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/6/2023
Damage Location:	82 South Emmons, Denver
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
ADDROLLID	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Josh Barnett
Other Party:	Northern Indiana Public Service Company
Case Number:	29438
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/7/2023
Damage Location:	4619 Blum Drive, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jairo V Meja Rodes
Other Party:	Northern Indiana Public Service Company
Case Number:	29450
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/15/2023
Damage Location:	127 West Ottawa, Logansport
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Leonard Brownlee
Other Party:	Northern Indiana Public Service Company
Case Number:	29466
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/19/2023
Damage Location:	936 Fairway Street, South Bend
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Charles Hanks
Other Party:	Northern Indiana Public Service Company
Case Number:	29487
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/26/2023
Damage Location:	33 East 36th Place, Hobart
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
The Advisory Committee reco	infinences the following civil penalty.
Warning Letter	
Abstentions: Smith	
Additional Information:	
Caral C	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rafael Garcia
Other Party:	Northern Indiana Public Service Company
Case Number:	29516
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/8/2023
Damage Location:	1140 Wilson Street, Gary
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Curtis Stoltzfus
Other Party:	Northern Indiana Public Service Company
Case Number:	29517
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/8/2023
Damage Location:	304 North 23 rd Street, Goshen
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Karl Vesecky
Other Party:	Northern Indiana Public Service Company
Case Number:	29518
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/9/2023
Damage Location:	5890 Lute Road, Portage
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	William Green
Other Party:	Northern Indiana Public Service Company
Case Number:	29526
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/11/2023
Damage Location:	14345 Lakeshore Drive, Cedar Lake
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Nicholas Beamon
Other Party:	Northern Indiana Public Service Company
Case Number:	29535
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/15/2023
Damage Location:	2522 West State Road 2, LaPorte
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jerry Smith
Other Party:	Northern Indiana Public Service Company
Case Number:	29537
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/10/2023
Damage Location:	3645 North State Road 13, Pierceton
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Greg Harden
Other Party:	Northern Indiana Public Service Company
Case Number:	29718
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/16/2023
Damage Location:	400 Oak Street, L6, Windfall
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Daniel DeSantos
Other Party:	Northern Indiana Public Service Company
Case Number:	29732
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/20/2023
Damage Location:	1710 Frances Avenue, Elkhart
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Randy Fowler
Other Party:	Northern Indiana Public Service Company
Case Number:	29736
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/21/2023
Damage Location:	118 West 13 th Street, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Christopher Fritzen
Other Party:	Northern Indiana Public Service Company
Case Number:	29761
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/29/2023
Damage Location:	6225 North 125 West, LaPorte
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Charles Barber
Other Party:	Northern Indiana Public Service Company
Case Number:	29762
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/29/2023
Damage Location:	2755 East 1071 North, DeMotte
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Terry Shepard
Other Party:	Northern Indiana Public Service Company
Case Number:	29763
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/30/2023
Damage Location:	4087 South 565 West, Delphi
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Aaron's Fence Solutions, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29331
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/14/2023
Damage Location:	137 West 625 North, Valparaiso
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Notchaway Tree Service	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29421	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/29/2023	
Damage Location:	309 East Plum Street, Centerville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training.		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren	
Den wanen, enann	.1411	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Maintenance Free Fence Co. LLC
Other Party:	Citizens Gas
Case Number:	29550
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/11/2023
Damage Location:	3406 Alpine Place, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ace Fence & Roofing
Other Party:	Indiana Natural Gas Corporation
Case Number:	29646
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/15/2023
Damage Location:	885 North Kempf Avenue, Celestine
The IURC Pipeline Safety Div. IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Durabilt Fence Company II, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29795
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/10/2023
Damage Location:	911 Joliet Street, Dyer
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R Surd for Ren Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Eads & Son Bulldozing Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	29468
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	3673 West Old US Highway 24, Wabash
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	LaPorte Construction Company Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	29510
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/6/2023
Damage Location:	509 North Byrkit Street, Mishawaka
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Terre Haute Quality Fence Company Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	29632
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/28/2023
Damage Location:	713 East Cambridge Drive, Terre Haute
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Fort Wayne City Utilities
Other Party:	Northern Indiana Public Service Company
Case Number:	29719
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/16/2023
Damage Location:	8427 Newfield Drive, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Duerrs Plumbing Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29160	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	1/11/2023	
Damage Location:	1707 Crestview Drive, New Albany	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training.		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Precision Construction & Contracting, LLC	
Other Party:	Citizens Gas	
Case Number:	29338	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	2/17/2023	
Damage Location:	1801 East 86 th Street, Indianapolis	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Cha	airman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jose Martinez	
Other Party:	Citizens Gas	
Case Number:	29346	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/2/2023	
Damage Location:	6312 Deerhurst Way, Indianapolis	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Cha	nirman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Cheesman, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29361	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/1/2023	
Damage Location:	2655 State Road 26, West Lafayette	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training.		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nick Sigler		
Other Party:	CenterPoint Energy Indiana		
Case Number:	29406		
Date of Advisory Meeting:	9/14/2023		
Date of Damage:	3/16/2023		
Damage Location:	2421 South 300 East, Anderson		
The IURC Pipeline Safety Division finds the following violation(s):			
IC 8-1-26-16(h)			
The Advisory Committee recommends the following civil penalty:			
Training or \$5,000 if respondent fails to complete training.			
A1			
Abstentions:			
Additional Information:			
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren		



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lopez & Sons Concrete, LLC	
Other Party:	Citizens Gas	
Case Number:	29543	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/23/2023	
Damage Location:	7520 Sunset Ridge Parkway, Indianapolis	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Warren		
Additional Information:		
Caral S		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Oneline Solutions, LLC	
Other Party:	Citizens Gas	
Case Number:	29548	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/4/2023	
Damage Location:	428 E Southern Avenue, Indianapolis	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jason Skaggs
Other Party:	CenterPoint Energy Indiana
Case Number:	29678
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/2/2023
Damage Location:	511 West Washington Street, Greensburg
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	R L Johnson, LLC	
Other Party:	Citizens Gas	
Case Number:	29353	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/13/2023	
Damage Location:	3850 Depauw Boulevard, Indianapolis	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500; no ticket escalation - pay additional \$1,000. Respondent may complete training to mitigate \$1,500.		
Abstentions: Warren		
Additional Information:		
ADDROVED		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Chairn	IIaII	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Acculevel, Inc.	
Other Party:	Citizens Gas	
Case Number:	29549	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/6/2023	
Damage Location:	2738 North Temple Avenue, Indianapolis	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
\$4,500; no ticket escalation - additional \$1,000		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Henry Morales
Other Party:	Citizens Gas
Case Number:	29339
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/17/2023
Damage Location:	1219 North Warman, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning Letter	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Cody Erwin	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29370	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/4/2023	
Damage Location:	2426 West State Road 66, Rockport	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning Letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Dennis Hunt
Other Party:	CenterPoint Energy Indiana
Case Number:	29386
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/13/2023
Damage Location:	434 North Peterman Road, Greenwood
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Warning Letter	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Daniel Metz	
Other Party:	Ohio Valley Gas Corp	
Case Number:	29401	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	2/24/2023	
Damage Location:	23224 Blue Ridge Drive, Lawrenceburg	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning Letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Darrel Johnson	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29422	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/29/2023	
Damage Location:	12833 Gore Road, Lynnville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning Letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Timothy Hutchens	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29577	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/10/2023	
Damage Location:	1609 Stafford Road, Plainfield	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning Letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nick Gasparino	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29578	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/10/2023	
Damage Location:	721 South Anderson Street, Elwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning Letter		
Abstentions:		
Additional Information:		
Call (
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jason Sanders	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29590	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/14/2023	
Damage Location:	151 Workman Drive, Edinburgh	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning Letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Morten Bruhn	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29607	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/18/2023	
Damage Location:	3450 South 575 East, Whitestown	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning Letter		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Dakota Lane	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29686	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/6/2023	
Damage Location:	818 Butterfield Trail, Mooresville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)	8 ()	
,		
The Advisory Committee recommends the following civil penalty:		
Warning Letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

William Feaster

-	
Other Party:	CenterPoint Energy Indiana
Case Number:	29695
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/9/2023
Damage Location:	3485 South State Road 103, New Castle
The IURC Pipeline Safety Divisi	ion finds the following violation(s):
The Advisory Committee recomm	mends the following civil penalty:
Warning Letter	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren
,	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	J M C Communications LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29383
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/11/2023
Damage Location:	998 Kara Lane, Greenwood
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	<u> </u>



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Drent Excavation Co., LLC
Other Party:	Citizens Gas
Case Number:	29653
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/6/2023
Damage Location:	407 Choctaw Way, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
•	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500.
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Total Development Systems, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29392	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/10/2023	
Damage Location:	19488 Amber Way, Noblesville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty:		
\$3,500		
· ,		
Abstentions:		
A 11'4' 1 T C 4'		
Additional Information:		
Sall S		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
Don wanten, Chann	av	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Epic Fiber Solutions LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29568	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/4/2023	
Damage Location:	2701 East 3 rd Street, Bloomington	
The IURC Pipeline Safety Divi IC 8-1-26-16(h)(expire)	ision finds the following violation(s):	
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	

Ben Warren, Chairman



APPROVED:

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Greendale
Other Party:	Sycamore Gas Company
Case Number:	29649
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/5/2023
Damage Location:	500 Block Nowlin Avenue, Greendale
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	ommends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions:	
Additional Information:	

James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Salem
Other Party:	Midwest Natural Gas Corporation
Case Number:	29203
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/28/2023
Damage Location:	209 South Posey Street, Salem
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
\$1,500, respondent can compl	lete training instead of paying \$1,500.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wharff Excavating, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29234	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	2/15/2023	
Damage Location:	4392 Eastside Drive, Brownsburg	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500.		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Oles Engineering Corp
Other Party:	Citizens Gas
Case Number:	29340
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/20/2023
Damage Location:	324 North Rural Street, Indianapolis
•	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500.
Abstentions: Warren	
Additional Information:	
APPROVED:	James P. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Infrastructure Systems, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29377	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/8/2023	
Damage Location:	4800 North Old State Road 37, Bloomington	
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):	
.,.,	man and a the fellowing civil namelty.	
The Advisory Committee recon	mmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500.		
Abstentions:		
Additional Information:		
APPROVED:	James D. Cund for Dan Warner	
Ben Warren, Cha	James R. Surd for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	The Westfield Sprinkler Company LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29389
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/13/2023
Damage Location:	5306 Charles Court, Carmel
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cano's Services, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29393
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/14/2023
Damage Location:	2807 S Elizabeth Court, Bloomington
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500.
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Olco, Inc.	
Other Party:	Citizens Gas	
Case Number:	29553	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/12/2023	
Damage Location:	2520 Fairfax Road, Indianapolis	
The IURC Pipeline Safety Dividic Science Science Science Safety Dividic Science	ision finds the following violation(s):	
The Advisory Committee recor	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500.		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S L B Pipe Solutions LLC
Other Party:	Citizens Gas
Case Number:	29347
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/6/2023
Damage Location:	4751 North Franklin Road, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	B Cardenas Construction Co Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29374	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	3/8/2023	
Damage Location:	8909 Vienna Road, Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$3,000		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Prince Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29411
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/21/2023
Damage Location:	1814 North Ridgeway Drive, Ellettsville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$3,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Internattional INC.
Other Party:	Citizens Gas
Case Number:	29348
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/8/2023
Damage Location:	8340 East 47th Street, Lawrence
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	29544
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/29/2023
Damage Location: Indianapolis	South Emerson Avenue & Rosegate Avenue,
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
Sales	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Ch	airman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	J E W Inc., d/b/a Weber Concrete Construction
Other Party:	CenterPoint Energy Indiana
Case Number:	29359
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/1/2023
Damage Location:	840 Commerce Parkway, Fortville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	M J S Enterprises LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29360
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/2/2023
Damage Location:	4123 West Carmola Drive, Bloomington
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	vision finds the following violation(s):
The Advisory Committee reco	emmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Air Networks, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29304
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/20/2023
Damage Location:	1509 Kankamp Road, Angola
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pauls Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29439
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/7/2023
Damage Location:	2433 Oliver Street, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Schmucker's Custom Brush Hogging & Dirt Work LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29442
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/9/2023
Damage Location:	1324 Codorna Cove, Fort Wayne
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nissen Excavating Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29449
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/14/2023
Damage Location:	7480 Willliams Street, Merrillville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Schwartz Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29473
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	3411 Sherman Boulevard, Fort Wayne
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training.
Abstentions: Smith	
Additional Information:	
and S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	BamBam Lawn & Services
Other Party:	Northern Indiana Public Service Company
Case Number:	29477
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	126 North Hawthorne Drive, South Bend
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training.
Abstentions: Smith	
Additional Information:	
and S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Installations Unlimited
Other Party:	Northern Indiana Public Service Company
Case Number:	29508
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/4/2023
Damage Location:	12723 Bethel Road, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Florence Concrete Construction, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29514
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/7/2023
Damage Location:	714 North Main Street, Crown Point
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Elkhart County Highway Department
Other Party:	Northern Indiana Public Service Company
Case Number:	29524
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/11/2023
Damage Location:	29934 Riviera Drive, Elkhart
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training.
Abstentions: Smith	
Additional Information:	
AM &	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Gasoline Equipment Petroleum Contractors	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29525	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/11/2023	
Damage Location:	4811 West 100 North, Warsaw	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Smith Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
Den wanten, Challin	iaii	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jose Antonio Perez Ortiz, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29743
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/24/2023
Damage Location:	58705 River Forest Drive, Lot 25, Goshen
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Alexs Finished Carpentry, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29746
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/25/2023
Damage Location:	2914 West 63 rd Place, Merrillville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Nathan Scheumann
Other Party:	Northern Indiana Public Service Company
Case Number:	29757
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/27/2023
Damage Location:	360 Lane 280 Lake James, Angola
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
Sales	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Slattery Builders
Other Party:	Northern Indiana Public Service Company
Case Number:	29758
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/27/2023
Damage Location:	\$1,000 Lane 221B, Hamilton Lake
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
rostentions. Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ervin Cable Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29770
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/1/2023
Damage Location:	100 Lane 650C Snow Lake, Fremont
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lee Landscaping, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29754
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/27/2023
Damage Location:	930 North Independence Street, Windfall
The IURC Pipeline Safety Division IC 8-1-26-16(h)(expire)	on finds the following violation(s):
The Advisory Committee recomm	
Abstentions: Smith Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kreager Group, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29437
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/7/2023
Damage Location:	4820 East State Boulevard, Fort Wayne
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	B L Wilson Construction LLC dba BLW Concrete
Other Party:	Northern Indiana Public Service Company
Case Number:	29495
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/29/2023
Damage Location:	1303 West Cherry Street, Bluffton
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,500, no ticket escalation - add mitigate \$1,500.	ditional \$1,000. Respondent can complete training to
Abstentions: Smith	
Additional Information:	
Sal S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	C & D Concrete Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29507
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	110 Red Tail Court, Walkerton
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,500, no ticket escalation - add mitigate \$1,500.	ditional \$1,000. Respondent can complete training to
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ben Schmucker Construction, LLP
Other Party:	Northern Indiana Public Service Company
Case Number:	29747
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/25/2023
Damage Location:	1811 Savona Court, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000; no ticket escalation -	additional \$1,000
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Quality Excavating Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	29787
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/9/2023
Damage Location:	59572 County Road 27, Goshen
The IURC Pipeline Safety Div IC 8-1-26-16(h)	vision finds the following violation(s):
	mmands the following civil penalty:
The Advisory Committee reco	mmends the following civil penalty:
\$3,000; no ticket escalation -	additional \$1,000
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Maroska Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29570
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/6/2023
Damage Location:	977 Marsh Aster Drive, Greenfield
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Pauls Heating & Cooling LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29627
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/26/2023
Damage Location:	409 West North Street, Crawfordsville
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if responde	nt fails to complete training.
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Arkenau Landscape & Lighting
Other Party:	CenterPoint Energy Indiana
Case Number:	29635
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/27/2023
Damage Location:	10500 Crosspoint Boulevard, Indianapolis
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recommittee	mends the following civil penalty:
Training or \$5,000 if responde	nt fails to complete training.
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Circle City Pipe Lining
Other Party:	Citizens Gas
Case Number:	29654
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/5/2023
Damage Location:	644 East 13 th Street, Indianapolis
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responden	t fails to complete training.
Abstentions: Warren Additional Information:	
APPROVED: Scott Sontag, Chairn	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	T L T Underground, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29682
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/4/2023
Damage Location:	8601 West Boonville New Harmony Road, Evansville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Cha	James R. Surd for Ben Warren irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	On the Level Excavation Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	29699
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/5/2023
Damage Location:	1780 10 th Street, Danville
The IURC Pipeline Safety Divisio	n finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	ends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions:	
Trostements.	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Tippecanoe County Highway Dept
Other Party:	CenterPoint Energy Indiana
Case Number:	29715
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/10/2023
Damage Location:	1730 North River Road, West Lafayette
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	mends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Professional Edge Lawn Care
Other Party:	CenterPoint Energy Indiana
Case Number:	29572
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/7/2023
Damage Location:	5180 East Orchard Road, Mooresville
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500.	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Greenwald Enterprises, Inc.
Other Party:	Citizens Gas
Case Number:	29652
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/4/2023
Damage Location:	6868 Brendon Way N Drive, Indianapolis
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can compl	ete training instead of paying \$1,500.
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Char	irman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Berry-It, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29298
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/17/2023
Damage Location:	1241 North 800 East, Greentown
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000; no ticket escalation -	additional \$1,000
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hunt's Drainage, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 29324

Date of Advisory Meeting: 9/14/2023

Date of Damage: 2/7/2023

Damage Location: 4889 South Strawtown Pike, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training. Self-repair attempt escalation - additional \$1,500.

Abstentions: Smith

Additional Information: Escalated with an additional \$1,500 due the excavator's attempt to engage in self-repair of the gas line and concealment of the damage.

APPROVED: James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alex Glazman
Other Party:	Northern Indiana Public Service Company
Case Number:	29751
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/26/2023
Damage Location:	121 West Lawrence Street, Mishawaka
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Midwest Landscaping Specialists Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29729
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	1548 Crooked Creek Trail, Crown Point
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
Sall	
Δ PPR ∩VED.	James P. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mid-States Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29750
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/26/2023
Damage Location:	1827 County Road 6, Elkhart
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Eric Williams	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29574	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/7/2023	
Damage Location:	13440 Shakamac Drive, Carmel	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Warning Letter		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lineal Contracting, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29610
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	300 South State Road 446, Bloomington
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$4,500	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29533
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/14/2023
Damage Location:	1204 Valdosta Drive, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jam Excavating Services Inc.
Other Party:	Citizens Gas
Case Number:	29546
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/31/2023
Damage Location:	3437 Graceland Avenue, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	29299
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/17/2023
Damage Location:	110 Cale, Lapaz
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Pezlo Utility Construction Incorporated
Case Number:	29306
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/20/2023
Damage Location:	179 Windridge Road, Valparaiso
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Griffs Underground LLC
Case Number:	29433
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/6/2023
Damage Location:	115 East Summit Street, Delphi
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	29448
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/13/2023
Damage Location:	160 Lane 620 Lake James, Fremont
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	29454
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/15/2023
Damage Location:	200 Wabash Street, Culver
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
Sala	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rex Construction Company, Inc.
Case Number:	29469
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	230 North Liberty Street, Lowell
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	J & J Electric of Indiana, Inc.
Case Number:	29472
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	2605 Wolfs Point Drive, Rochester
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Olinger IT Solutions LLC
Case Number:	29474
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	7359 North County Road 900 West, Delong
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James P. Surd for Ran Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Northeastern REMC
Case Number:	29475
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/20/2023
Damage Location:	1904 Billy Drive, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
ALLINO VED.	James K. Suid for Dell Warten



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Vela Precision Drilling
Case Number:	29478
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/21/2023
Damage Location:	23360 County Road 10, Elkhart
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Fort Wayne City Utilities
Case Number:	29488
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/27/2023
Damage Location:	921 Monroe Street, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Austgen Equipment, Inc.
Case Number:	29489
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/27/2023
Damage Location:	714 Cottage Grove Street, Lot 30, Lowell
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Hi-Line Communications
Case Number:	29496
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/29/2023
Damage Location:	397 Sassafrass Drive, Valparaiso
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Techno Drill, LLC
Case Number:	29499
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/31/2023
Damage Location:	3867 West 250 South, Kokomo
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Selge Construction Co., Inc.
Case Number:	29500
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	92 EMS C24E Lane, Warsaw
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Dickie & Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Dead Center Underground, LLC
Case Number:	29504
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	407 West Hillside Drive, Syracuse
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Windy City Underground, Inc.
Case Number:	29506
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	176 Goodview Drive, Valparaiso
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	J & E Utilities
Case Number:	29511
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/6/2023
Damage Location:	302 West Waterford Street, Wakarusa
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James P. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Precision Utilities Group, Inc.
Case Number:	29513
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/6/2023
Damage Location:	6035 South 300 West, North Judson
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Garrett
Case Number:	29519
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/10/2023
Damage Location:	502 Harold Street, Garrett
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James R. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Always Underground, Inc.
Case Number:	29530
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/12/2023
Damage Location:	226 South Elder Street, Mishawaka
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Henn & Sons Construction Services, Inc.
Case Number:	29534
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/14/2023
Damage Location:	130 East Joliet Street, Schererville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	The Robert Henry Corporation
Case Number:	29723
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/17/2023
Damage Location:	6107 North Hampton Place, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Site Worx Services LLC
Case Number:	29724
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/18/2023
Damage Location:	1402 Mishawaka Avenue, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Paulding Putnam Electric Cooperative Inc.
Case Number:	29725
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/18/2023
Damage Location:	2802 Ryan Road, New Haven
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	29271
Date of Advisory Meeting:	9/14/2023
Date of Damage:	1/31/2023
Damage Location:	3415 East 38th Street, Indianapolis
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee recors \$5,000	nmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hipskind Concrete Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	29783
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/8/2023
Damage Location:	8804 Beacon Woods Place, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



Scott Sontag, Chairman

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	29343
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/24/2023
Damage Location:	East 38th Street & North Riley Avenue, Indianapolis
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Hipskind Concrete Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	29512
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/6/2023
Damage Location:	3922 Chancery Place, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
Carall	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	M & M Underground Construction, Inc.	
Other Party:	Sycamore Gas Company	
Case Number:	29642	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/26/2023	
Damage Location:	2311 Bigwater Court, Bright	
The IURC Pipeline Safety Divisio	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	29650
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/9/2023
Damage Location:	5626 Regency Drive, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	29655
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/5/2023
Damage Location:	4007 East 38th Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
·	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Calumet Civil Contractors, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29706	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/10/2023	
Damage Location:	3142 East Main Street, Plainfield	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hipskind Concrete Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	29784
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/8/2023
Damage Location:	3806 Chancery Place, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	M G Underground LLC (Lockport)
Other Party:	Northern Indiana Public Service Company
Case Number:	29329
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/13/2023
Damage Location:	434 West 100 North, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(a)	
•	mmends the following civil penalty: lent fails to complete training.
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	White Construction, LLC
Other Party:	Citizens Gas
Case Number:	29341
Date of Advisory Meeting:	9/14/2023
Date of Damage:	2/20/2023
Damage Location:	3155 English Avenue, Indianapolis
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(3)(a)	
The Advisory Committee recor \$4,500	mmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Shawn Mills
Northern Indiana Public Service Company
29481
9/14/2023
3/21/2023
7008 Saint Joe Road, Fort Wayne
on finds the following violation(s):
nends the following civil penalty:
t fails to complete training.
James R. Surd for Ben Warren
an



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Otis Minnesota Services, LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29728	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/19/2023	
Damage Location:	201 Mississippi Street, Building 22, Gary	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-20(a)(3)(a)		
The Advisory Committee recom	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Griffen Plumbing & Heating
Other Party:	Northern Indiana Public Service Company
Case Number:	29788
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/9/2023
Damage Location:	3 Malcolm Drive, Apartment C, Elkhart
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(a)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training.
Abstentions: Smith	
Additional Information:	
And S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Andrew Carey
Other Party:	Northern Indiana Public Service Company
Case Number:	29779
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/6/2023
Damage Location:	23107 Park Lane, Woodburn
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Vernon Lehman
Other Party:	Northern Indiana Public Service Company
Case Number:	29780
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/6/2023
Damage Location:	15208 County Road 22, Goshen
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Guth
Other Party:	Northern Indiana Public Service Company
Case Number:	29781
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/6/2023
Damage Location:	1275 Chapman Lake Drive, Warsaw
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
11110 LD.	James R. Surd for Den Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Victor Preston
Other Party:	Northern Indiana Public Service Company
Case Number:	29796
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/10/2023
Damage Location:	219 East Grove Street, Mishawaka
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith Additional Information:	
Additional information.	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Robert Barter	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29633	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	4/29/2023	
Damage Location:	10666 State Route 57, Elberfeld	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(out)		
The Advisory Committee recommends the following civil penalty:		
Warning Letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Diego Burciaga
Other Party:	Northern Indiana Public Service Company
Case Number:	29803
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/11/2023
Damage Location:	539 Kimberton Drive, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Pezlo Utility Construction Incorporated
Other Party:	Northern Indiana Public Service Company
Case Number:	29483
Date of Advisory Meeting:	9/14/2023
Date of Damage:	3/22/2023
Damage Location:	3252 Brighton Lane, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
rostentions. Sinten	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

HA - Construction, LLC	
CenterPoint Energy Indiana	
29670	
9/14/2023	
5/1/2023	
2205 Belmar Lane, Evansville	
on finds the following violation(s):	
nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training.	
James R. Surd for Ben Warren	
an	



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Red Ball Recycling, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29700
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/10/2023
Damage Location:	2020 Hospitality Way, Jeffersonville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Temple & Temple Excavating & Paving Inc.
Other Party:	Midwest Natural Gas Corporation
Case Number:	29644
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/4/2023
Damage Location:	603 Martinsburg Road, Salem
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee recon	nmends the following civil penalty:
\$3,500	
φο,500	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	ırman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Delta III Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	29737
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/21/2023
Damage Location:	7803 Hendricks Street, Merrillville
The IURC Pipeline Safety Div IC 8-1-26-16(h)(out)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
A PPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Elkhart
Case Number:	29730
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	3901 Doral Lane, Elkhart
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED.	James R Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Berry-It, Inc.
Case Number:	29745
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/25/2023
Damage Location:	1118 South 750 West, Russiaville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Crossroads Construction Concepts LLC
Case Number:	29752
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/26/2023
Damage Location:	15366 Tuxedo Drive, Plymouth
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Other Party: City of Decatur Case Number: 29768 Date of Advisory Meeting: 9/14/2023 Date of Damage: 5/1/2023 Damage Location: 2 Homestead, Decatur The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000 Abstentions: Smith Additional Information:	Respondent:	Northern Indiana Public Service Company
Date of Advisory Meeting: 9/14/2023 Date of Damage: 5/1/2023 Damage Location: 2 Homestead, Decatur The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000 Abstentions: Smith	Other Party:	City of Decatur
Date of Damage: 5/1/2023 Damage Location: 2 Homestead, Decatur The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000 Abstentions: Smith	Case Number:	29768
Damage Location: 2 Homestead, Decatur The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000 Abstentions: Smith	Date of Advisory Meeting:	9/14/2023
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000 Abstentions: Smith	Date of Damage:	5/1/2023
IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000 Abstentions: Smith	Damage Location:	2 Homestead, Decatur
\$1,000 Abstentions: Smith		vision finds the following violation(s):
Abstentions: Smith	The Advisory Committee reco	ommends the following civil penalty:
	\$1,000	
Additional Information:	Abstentions: Smith	
	Additional Information:	
APPROVED: James R. Surd for Ben Warren	A PPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Leonael Torres
Case Number:	29775
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/4/2023
Damage Location:	2917 Dunham Street, South Bend
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James R. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Carlisle Utility Contractors, Inc.
Case Number:	29785
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/8/2023
Damage Location:	2399 East 15th Avenue, Gary
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	G & B Directional Boring LLC
Case Number:	29797
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/10/2023
Damage Location:	12921 County Road 26, Middlebury
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Electricom, Inc.
Case Number:	29801
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/11/2023
Damage Location:	17841 12 th Road, Plymouth
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Steven's Handyman Service
Case Number:	29802
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/11/2023
Damage Location:	2120 North Brookfield Street, South Bend
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	New Paris Telephone Inc.
Case Number:	29815
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/9/2023
Damage Location:	24462 County Road 38, Goshen
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A DDD OVED.	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rieth-Riley Construction Co., Inc.
Case Number:	29816
Date of Advisory Meeting:	9/14/2023
Date of Damage:	5/12/2023
Damage Location:	611 West Wilden Avenue, Goshen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Internattional INC.
Case Number:	29731
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/19/2023
Damage Location:	55918 Pheasant Covey Court, Osceola
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Midwest Paving LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29696	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/9/2023	
Damage Location:	1830 Kossuth Street, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(1) The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500.		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Dave O'Mara Contractor, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29698	
Date of Advisory Meeting:	9/14/2023	
Date of Damage:	5/5/2023	
Damage Location:	931 Buds Court, Franklin	
The IURC Pipeline Safety Divisio	n finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recomm	ends the following civil penalty:	
\$3,000		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Target One Services LLC		
CenterPoint Energy Indiana		
29154		
9/14/2023		
1/6/2023		
3674 Tamarron Drive, Bloomington		
The IURC Pipeline Safety Division finds the following violation(s):		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training.		
James R. Surd for Ben Warren		



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Eager Beaver Directional Drilling LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29178
Date of Advisory Meeting:	9/14/2023
Date of Damage:	1/17/2023
Damage Location:	3180 Wernle Road, Richmond
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if respondent fails to complete training.	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Burns Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29520
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/10/2023
Damage Location:	4911 South 600 East, Kokomo
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	on finds the following violation(s):
The Advisory Committee recomm Training or \$5,000 if respondent	
Abstentions: Smith Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Miami County Highway Department
Other Party:	Northern Indiana Public Service Company
Case Number:	29527
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/12/2023
Damage Location:	859 West Riverside Drive, Peru
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	nirman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Irrigation Guys
Other Party:	Northern Indiana Public Service Company
Case Number:	29528
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/12/2023
Damage Location:	385 West Clearwater Drive, Warsaw
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brooks Construction Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29502
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	6049 East State Boulevard, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lake County Highway Department
Other Party:	Northern Indiana Public Service Company
Case Number:	29503
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/3/2023
Damage Location:	17722 Parrish Avenue, Lowell
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Matt Taylor
Other Party:	Northern Indiana Public Service Company
Case Number:	29536
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/8/2023
Damage Location:	395 Alena Street, Wabash
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	29721
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/17/2023
Damage Location:	301 South Wayne Street, Fremont
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Reeves Fence Services, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29722
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/17/2023
Damage Location:	7609 Taylor Street, Schererville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	plete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chuck Whiteman
Other Party:	Northern Indiana Public Service Company
Case Number:	29734
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/20/2023
Damage Location:	1005 Parkwood Drive, Nappanee
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recom	nmends the following civil penalty:
Warning Letter	
Abstentions: Smith	
Additional Information:	
ADDROVED	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	M S Concrete & Remodeling
Other Party:	Northern Indiana Public Service Company
Case Number:	29742
Date of Advisory Meeting:	9/14/2023
Date of Damage:	4/24/2023
Damage Location:	145 Chickadee Lane, Warsaw
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
\$1,500, respondent can compl	lete training instead of paying \$1,500.
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman