

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Veleta	√		
Ziegner			√

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: DEC 28 2022

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, AND VELETA CONCUR; ZIEGNER ABSENT:

APPROVED: DEC 28 2022

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: American Electric Power DBA Indiana Michigan Power
Case Number: 27192
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/18/2022
Damage Location: 2914 South Jefferson Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: A M P P Construction Inc.
Case Number: 27194
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/19/2022
Damage Location: 9118 West 300 South, Swayzee

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: M T D Drilling LLC
Case Number: 27195
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/19/2022
Damage Location: 7203 East US Hwy 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: City of Anderson
Case Number: 27206
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/26/2022
Damage Location: 2919 Rhus Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Stonewall Contracting LLC
Case Number: 27211
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/27/2022
Damage Location: 3271 West County Road 650 North, Columbus

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: National Ondemand, Inc.
Case Number: 27239
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 8614 New Harmony Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Adam Luigs
Case Number: 27249
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/7/2022
Damage Location: 245 North 1st Street, Elberfeld

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Lankford Excavating, LLC
Case Number: 27252
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 3217 South Wells Street, Mecca

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Milldrill, LLC
Case Number: 27265
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/11/2022
Damage Location: Lincoln Hill Road & Wolf Den Lane, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 27273
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/12/2022
Damage Location: 1201 North Red Bank Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: J G Case Construction, Inc.
Case Number: 27278
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/1/2022
Damage Location: West 17th Street & South Elliott Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Milldrill, LLC
Case Number: 27279
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/1/2022
Damage Location: 369 North Main Street, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Lankford Excavating, LLC
Case Number: 27289
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/3/2022
Damage Location: 1818 Blaine Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Dish Network Service LLC
Case Number: 27313
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/14/2022
Damage Location: 4390 Cart Path, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Utility Management and Construction LLC
Case Number: 27625
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/21/2022
Damage Location: 3868 Bellmore Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Case Construction, Inc.
Case Number: 27634
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/20/2022
Damage Location: 409 Eastview Drive, Bedford

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Blackmore Construction LLC
Case Number: 27639
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/24/2022
Damage Location: 15643 Breenan Circle, Fishers

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Q C Communications, Inc.
Case Number: 27662
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/28/2022
Damage Location: 788 Whispering Trail, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Verita Telecommunications Corp.
Other Party: Citizens Gas
Case Number: 27115
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/10/2022
Damage Location: 3215 Keystone Lakes Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: US Radius Services Inc
Other Party: Citizens Gas
Case Number: 27124
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/19/2022
Damage Location: 6909 Rutherford Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: US Radius Services Inc
Other Party: Citizens Gas
Case Number: 27228
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/31/2022
Damage Location: 8526 Rapp Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27331
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/17/2022
Damage Location: 805 East Clark Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27343
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/23/2022
Damage Location: 310 East Clark Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Verita Telecommunications Corp.
Other Party: Citizens Gas
Case Number: 27395
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/10/2022
Damage Location: 8419 Gallant Fox Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: T C S Communications, LLC
Other Party:
Case Number: 27184
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/15/2022
Damage Location: Hancel Circle, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A A A Sewer & Drain Cleaning Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27166
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/11/2022
Damage Location: 613 East Market Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation - additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Outdoor Environments Group LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27285
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/3/2022
Damage Location: 1150 West 116th Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Fort Wayne City Utilities
Case Number: 27132
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 1004 Rivermet Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Jerry Reed Excavating, LLC
Case Number: 27135
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 304 North Jackson Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Fort Wayne City Utilities
Case Number: 27136
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 1026 East Pontiac Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Y M C A Camp Potawotami
Case Number: 27137
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 7255 East 700 South, Wolcotville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Zion Fence Company
Case Number: 27144
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 8629 East 123rd Place, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 27151
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/7/2022
Damage Location: 3860 Polk Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Dimension Fence, Inc.
Case Number: 27159
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 7943 West 92nd Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Winhoven Pipeline LLC
Case Number: 27167
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/11/2022
Damage Location: 7754 Saint Joe Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Verita Telecommunications Corp.
Case Number: 27172
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/13/2022
Damage Location: 3227 West Coliseum Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Handy Dad Fencing LLC
Case Number: 27336
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/19/2022
Damage Location: 4112 Hickory Drive, Woodburn

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 27338
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/19/2022
Damage Location: 7520 Cedarcrest Drive, Leo

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 27351
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/24/2022
Damage Location: 404 Grove Street, Laporte

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Precision Excavation
Case Number: 27360
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/26/2022
Damage Location: 2235 West 950 North, Lake Village

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Supreme Remodeling Services, Inc.
Other Party: Citizens Gas
Case Number: 27120
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/15/2022
Damage Location: 2526 Eagledale Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Frontier Communications
Other Party: Northern Indiana Public Service Company
Case Number: 27043
Date of Advisory Meeting: 10/17/2022
Date of Damage: 4/27/2022
Damage Location: 1540 West US Highway 20, Angola

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J G Case Construction, Inc.
Other Party: Citizens Gas
Case Number: 27128
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/23/2022
Damage Location: 7300 East 56th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Outdoor Environments Group LLC
Other Party: Citizens Gas
Case Number: 27386
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/20/2022
Damage Location: 7940 Spring Mill Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lewen Line Construction Inc.
Other Party: Indiana Utilities Corporation
Case Number: 27100
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/26/2022
Damage Location: 2606 Montgomery Road, Corydon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A A A Sewer Service, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27347
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/23/2022
Damage Location: 1627 East Rudisill Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blankenberger Brothers, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27241
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 2428 Bement Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: Westfield Gas Corporation
Case Number: 27421
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/29/2022
Damage Location: 19219 Foley Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27637
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/23/2022
Damage Location: 6409 Norwich Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blankenberger Brothers, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27659
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/30/2022
Damage Location: 500 East Jennings Street, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: David Clemons
Other Party: Midwest Natural Gas Corporation
Case Number: 27004
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/15/2022
Damage Location: 1445 South Eric Drive, Salem

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jeff Underdahl
Other Party: Northern Indiana Public Service Company
Case Number: 27150
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/7/2022
Damage Location: 5105 Marquette Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fountaintown Gas Company, Inc
Other Party: C and J Underground
Case Number: 27056
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/16/2022
Damage Location: 204 North Railroad Street, Shirley

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas
Other Party: Citizens Energy Group - Water
Case Number: 27123
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/18/2022
Damage Location: 2018 Kildare Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Midwest Natural Gas Corporation
Other Party: Bart Paige
Case Number: 27425
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/15/2022
Damage Location: 1330 South Southway Drive, Salem

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Kevin Foster dba FOSCO Services
Case Number: 27445
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/3/2022
Damage Location: 445 West Washington Street, Monroe

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Huston Electric Inc.
Case Number: 27459
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 3924 East Market Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Fleming Excavating, Inc.
Case Number: 27461
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 3355 Hickory Road, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Winhoven Pipeline LLC
Case Number: 27465
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 12700 Dawkins Road, New Haven

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Always Underground, Inc.
Case Number: 27466
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 1916 Morris Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Always Underground, Inc.
Case Number: 27473
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/8/2022
Damage Location: 2211 South Walnut Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: H & G Underground Utilities, LLC
Case Number: 27482
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/10/2022
Damage Location: 4664 Virginia Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Selge Construction Co., Inc.
Case Number: 27492
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/13/2022
Damage Location: 57026 Westlake Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Dickie & Smith**

Additional Information: **Dual Abstention**

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: City of Elkhart
Case Number: 27502
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/15/2022
Damage Location: 16 Sunrise Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Traffic Control Specialists, Inc.
Case Number: 27505
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/15/2022
Damage Location: 0855 North State Road 5, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rensselaer Municipal Gas System, City of
Other Party: Autumn Builders
Case Number: 27610
Date of Advisory Meeting: 10/17/2022
Date of Damage: 8/13/2022
Damage Location: 208 South Van Rensselaer Street, Rensselaer

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27140
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 1147 Warana Drive, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: NIPSCO - Gas
Other Party: Northern Indiana Public Service Company
Case Number: 27353
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/25/2022
Damage Location: 212 West 10th Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27479
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/9/2022
Damage Location: 4665 Maryland Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ground Systems LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27327
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/17/2022
Damage Location: 513 Filbert Street, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J D & M B LLC DBA Barnett Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 27350
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/24/2022
Damage Location: 275 Clark Street, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Henry Smith Plumbing & Heating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27430
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/1/2022
Damage Location: 1628 East Mckinley Avenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fleming Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27439
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/2/2022
Damage Location: 3411 Hickory Road, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Crossroads Foundation Repair LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27462
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 10521 Wadsworth Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Selge Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27490
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/13/2022
Damage Location: 57019 Westlake Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Dickie & Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vision Concrete Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26969
Date of Advisory Meeting: 10/17/2022
Date of Damage: 4/11/2022
Damage Location: 1900 North Lebanon Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dreams to Reality Construction LLC
Other Party: Batesville Water & Gas
Case Number: 27102
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/1/2022
Damage Location: 22104 Pocket Road, Batesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Eaton and Stipp Custom Homes Inc.
Other Party: Citizens Gas
Case Number: 27108
Date of Advisory Meeting: 10/17/2022
Date of Damage: 4/29/2022
Damage Location: 7912 Spring Mill Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D.C. Licht Construction, Inc.
Other Party: Citizens Gas
Case Number: 27113
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 1818 West 16th Street, Unit 1, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fix Fuentes
Other Party: Citizens Gas
Case Number: 27117
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/11/2022
Damage Location: 1413 South New Jersey Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Total Home Maintenance
Other Party: Citizens Gas
Case Number: 27127
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/21/2022
Damage Location: 4702 Century Plaza Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Black Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 27215
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/23/2022
Damage Location: 5020 South Monroe School Road, Monroe City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: B and B Pools, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27240
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 2857 Mullinix Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Todobuild LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27247
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 7143 West Frederick Circle, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cliff's Asphalt Specialist LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27292
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 10747 East US Hwy 136, Clermont

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Artisan Carpenters LLC
Other Party: Citizens Gas
Case Number: 27376
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/25/2022
Damage Location: 151 Leota Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Galindo Brothers LLC
Other Party: Citizens Gas
Case Number: 27387
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/18/2022
Damage Location: 349 North Cole Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J P Property & Construction
Other Party: Citizens Gas
Case Number: 27392
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/13/2022
Damage Location: 10308 Stormhaven Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F X Underground
Other Party: Fountaintown Gas Company, Inc
Case Number: 27057
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/19/2022
Damage Location: 445 Main Street, Wilkinson

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H P Masonry & Remodeling LLC
Other Party: Citizens Gas
Case Number: 27106
Date of Advisory Meeting: 10/17/2022
Date of Damage: 4/28/2022
Damage Location: 635 East Vermont Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Narrow Path Land Management LLC
Other Party: Midwest Natural Gas Corporation
Case Number: 27104
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/31/2022
Damage Location: 364 West Green Street, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions:

Additional Information: **Penalty history issue - Why did it not populate in the penalty history?**

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Helebo Trenching, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27185
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/16/2022
Damage Location: Westhaven Way and Bill Allen Way, Avon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation-pay additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: G & G Underground Construction, Inc.
Case Number: 27656
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/29/2022
Damage Location: War Admiral Court, Lot 124, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sedam Contracting Co., LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27616
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/17/2022
Damage Location: 120 East 2nd Street, Madison

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Tri-State Fire Protection, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27629
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/22/2022
Damage Location: 4209 US Highway 41 North, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Apex Electric & Sign Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27631
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/20/2022
Damage Location: Arbor Lane, Danville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dennis Gray
Other Party: CenterPoint Energy Indiana
Case Number: 27650
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/24/2022
Damage Location: 6575 East County Road 151 North, Avon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Caye Electric Company
Other Party: CenterPoint Energy Indiana
Case Number: 27246
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 2105 Hamburg Pike, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Feutz Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27630
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/22/2022
Damage Location: 811 Washington Street, Clay City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Homestead Property Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27134
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 15 EMS T52C Lane, North Webster

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Home Construction And Remodeling, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27176
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/13/2022
Damage Location: 253 East Centennial Street, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Christopher Albright
Other Party: Northern Indiana Public Service Company
Case Number: 27342
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/22/2022
Damage Location: 3292 County Road 28, Waterloo

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Roderick Kumba
Other Party: Northern Indiana Public Service Company
Case Number: 27366
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/28/2022
Damage Location: 420 East 7th Street, Burlington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Yandry Zamrano
Other Party: Citizens Gas
Case Number: 27415
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/5/2022
Damage Location: 5001 Thrush Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Harvey Luna
Other Party: Northern Indiana Public Service Company
Case Number: 27499
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/14/2022
Damage Location: 3937 Newport Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Site Services Inc
Other Party: Northern Indiana Public Service Company
Case Number: 27436
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/2/2022
Damage Location: 8001 Kennedy Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A A A Concrete Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27644
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/27/2022
Damage Location: 7003 Patriot Court, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wood Groovers, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27653
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/23/2022
Damage Location: 37 East Main Street, Jamestown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Chad Graf
Other Party: Citizens Gas
Case Number: 27112
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 321 North Union Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Willis Excavating, Inc.
Other Party: Westfield Gas Corporation
Case Number: 27374
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/27/2022
Damage Location: 1513 Moose Ridge Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Top Line Hands LLC
Other Party: Sycamore Gas Company
Case Number: 27407
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/29/2022
Damage Location: 95 Catalpa Avenue, Greendale

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Otto-Meyer Inc
Other Party: CenterPoint Energy Indiana
Case Number: 27658
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/29/2022
Damage Location: 3798 Sycamore Bend, Columbus

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indianapolis Concrete
Other Party: Citizens Gas
Case Number: 27592
Date of Advisory Meeting: 10/17/2022
Date of Damage: 8/1/2022
Damage Location: 2024 Central Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: United Connections LLC
Other Party: Citizens Gas
Case Number: 27107
Date of Advisory Meeting: 10/17/2022
Date of Damage: 4/29/2022
Damage Location: 7905 Rosa Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fox Contractors Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 27205
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/24/2022
Damage Location: 1100 West Walnut Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Good Shepherd Fence Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27208
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/27/2022
Damage Location: 235 Avon Village Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriFence, Inc.
Other Party: Citizens Gas
Case Number: 27114
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 11312 Winding Wood Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Internattional Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27170
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/12/2022
Damage Location: 17711 Woodridge Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vonalas Incorporated
Other Party: Northern Indiana Public Service Company
Case Number: 27324
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/16/2022
Damage Location: 59 EMS B24 Lane, Lot 9, Pierceton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northwest Indiana Fence Co.
Other Party: Northern Indiana Public Service Company
Case Number: 27433
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/1/2022
Damage Location: 521 Raven Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: T C Electric
Other Party: Citizens Gas
Case Number: 27598
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/20/2022
Damage Location: 960 Indiana Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Swinney Brothers Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27613
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/16/2022
Damage Location: 100 North & Whisperwood Trail, Danville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Triple A Construction and Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27321
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/16/2022
Damage Location: 14833 Metea Valley Parkway, Leo

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Aaron's Perfect Cut Tree Service, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27138
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/4/2022
Damage Location: 764 West Shore Drive, Culver

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steve Bontrager dba Bontrager Bobcat Service
Other Party: Northern Indiana Public Service Company
Case Number: 27154
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 436 Brookside Manor, Goshen

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cousins Concrete Solutions LLP
Other Party: Northern Indiana Public Service Company
Case Number: 27169
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/12/2022
Damage Location: 173 Aviana Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cody Bryant Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27302
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/8/2022
Damage Location: 611 Garden Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Stonewall Contracting LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27333
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/17/2022
Damage Location: 9325 Broadway, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lakeside Landscape LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27348
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/24/2022
Damage Location: 12302 North Pawnee Road, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wolfert Construction LLC
Other Party: Ohio Valley Gas Corp
Case Number: 27399
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/5/2022
Damage Location: 7621 North Dearborn Road, Guilford

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rango Electric & Multi-Service LLC
Other Party: Citizens Gas
Case Number: 27419
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/30/2022
Damage Location: 1329 Olive Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Dreamscapes, LLC
Other Party: Huntingburg Gas Utility, City of
Case Number: 27427
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/12/2022
Damage Location: 110 West Wilson Circle, Huntingburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A & M Home Services Inc
Other Party: Northern Indiana Public Service Company
Case Number: 27464
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/6/2022
Damage Location: 6920 Pointe Inverness Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 3-D Structural Solutions, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27175
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/13/2022
Damage Location: 139 North Middleboro Avenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fort Wayne Trees LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27344
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/23/2022
Damage Location: 5345 County Road 68, Spencerville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A & R Wastewater Management
Other Party: Northern Indiana Public Service Company
Case Number: 27372
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/31/2022
Damage Location: 18921 East Indiana Lake Road, Bristol

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Fort Wayne
Other Party: Northern Indiana Public Service Company
Case Number: 27435
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/2/2022
Damage Location: 830 Elmer Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500; no ticket escalation-pay additional \$1,000. Respondent may complete training to mitigate \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: English Excavating and Plumbing Co Inc
Other Party: Citizens Gas
Case Number: 27385
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/20/2022
Damage Location: 1006 Udell Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hope Plumbing, LLC
Other Party: Citizens Gas
Case Number: 27229
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/31/2022
Damage Location: 5485 East 82nd Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J & L Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27310
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/14/2022
Damage Location: 2539 Perry Crossing Way, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; self-repair attempt escalation - additional \$1,500. Respondent may complete training to mitigate \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F A Wilhelm Construction, Co., Inc.
Other Party: Citizens Gas
Case Number: 27390
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/16/2022
Damage Location: 1417 North Harding Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Raber Enterprise
Other Party: Midwest Natural Gas Corporation
Case Number: 27408
Date of Advisory Meeting: 10/17/2022
Date of Damage: 8/1/2022
Damage Location: 9735 East 1200 North, Odon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana Reclamation & Excavating, Inc.
Other Party: Citizens Gas
Case Number: 27411
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/7/2022
Damage Location: 3670 National Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Crider & Crider Construction
Other Party: Citizens Gas
Case Number: 27414
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/5/2022
Damage Location: 7206 East 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rich Coan
Other Party: CenterPoint Energy Indiana
Case Number: 27614
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/16/2022
Damage Location: 4610 Alford Locust Street, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: self-repair

Abstentions:

Additional Information: **impeded flow of gas**

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thompson Plumbing LLC
Other Party: Citizens Gas
Case Number: 27380
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/24/2022
Damage Location: 1609 North Lynhurst Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Get Dri. LLC
Other Party: Southeast Indiana Natural Gas Company
Case Number: 27220
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/29/2022
Damage Location: 751 West Street, Versailles

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Robert Paterson
Other Party: Northern Indiana Public Service Company
Case Number: 27371
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/30/2022
Damage Location: 1015 East Dubail Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: National Ondemand, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27248
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 5400 Koressel Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Misbah Suboh
Other Party: Northern Indiana Public Service Company
Case Number: 27130
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/1/2022
Damage Location: 9321 Waymond Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kathleen Messmann
Other Party: Northern Indiana Public Service Company
Case Number: 27162
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 5530 Fernwood Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roger Romig
Other Party: Northern Indiana Public Service Company
Case Number: 27179
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/14/2022
Damage Location: 29753 US Highway 20, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kevin Pflum
Other Party: Sycamore Gas Company
Case Number: 27183
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/21/2022
Damage Location: 1261 Fairfield Avenue, Brookville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Charles Riley
Other Party: CenterPoint Energy Indiana
Case Number: 27213
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/31/2022
Damage Location: 1507 East 24th Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jason Allender
Other Party: CenterPoint Energy Indiana
Case Number: 27242
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/2/2022
Damage Location: 150 Yandes Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jaime Padila
Other Party: Northern Indiana Public Service Company
Case Number: 27340
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/21/2022
Damage Location: 7368 East 650 North, North Webster

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Andy Santos
Other Party: Northern Indiana Public Service Company
Case Number: 27367
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/29/2022
Damage Location: 1228 North 3rd Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: William Smith
Other Party: Rensselaer Municipal Gas System, City of
Case Number: 27400
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/7/2022
Damage Location: 7682 South US Highway 231, Rensselaer

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Troy Stone
Other Party: Rensselaer Municipal Gas System, City of
Case Number: 27401
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/1/2022
Damage Location: 4821 Locksley Drive, Rensselaer

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mark Welch
Other Party: Community Natural Gas Inc
Case Number: 27402
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/24/2022
Damage Location: 2140 East County Road 1600 North, Lincoln City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lindell Howard
Other Party: Northern Indiana Public Service Company
Case Number: 27437
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/2/2022
Damage Location: 4641 Monroe Street, Ft. Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ruth Delorme
Other Party: Northern Indiana Public Service Company
Case Number: 27443
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/2/2022
Damage Location: 1680 Stone Lake Drive, La Porte

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jason Moon
Other Party: CenterPoint Energy Indiana
Case Number: 27620
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/19/2022
Damage Location: 1841 South 10th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Norma Kouns
Other Party: CenterPoint Energy Indiana
Case Number: 27640
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/24/2022
Damage Location: 825 North Meridian Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Max Bland
Other Party: CenterPoint Energy Indiana
Case Number: 27641
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/25/2022
Damage Location: 2803 East Lilac Court, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dan Clark
Other Party: Lapel, Town of
Case Number: 27424
Date of Advisory Meeting: 10/17/2022
Date of Damage: 7/26/2022
Damage Location: 229 West 7th Street, Lapel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; pay \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: MAC Construction & Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27188
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/17/2022
Damage Location: 221 Meigs Avenue, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Clay Siesky
Other Party: CenterPoint Energy Indiana
Case Number: 27199
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/20/2022
Damage Location: 11605 Roedel Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thomas Gravelie dba Tom Gravelie Masonry
Other Party: CenterPoint Energy Indiana
Case Number: 27250
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/9/2022
Damage Location: 12032 Clay Center Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C C T Underground, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27256
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/10/2022
Damage Location: 1724 Bell Ford Drive West, Seymour

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rice Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27258
Date of Advisory Meeting: 10/17/2022
Date of Damage: 5/11/2022
Damage Location: 7541 Tia Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A-Team Trenching & HDD LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27282
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/2/2022
Damage Location: 53 Oak Tree Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rogers Sewer & Drain Cleaning
Other Party: CenterPoint Energy Indiana
Case Number: 27309
Date of Advisory Meeting: 10/17/2022
Date of Damage: 6/14/2022
Damage Location: 418 15th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent may complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman