

ORIGINAL

[Handwritten Signature]
DUC
SNK

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: SEP 18 2019

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, KREVDA, OBER, AND ZIEGNER CONCUR; FREEMAN ABSENT :

APPROVED: SEP 18 2019

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary M. Becerra
Mary M. Becerra
Secretary of the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C B S Service LLC (Mishawaka)**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19528**
Date of Advisory Meeting: **6/18/2019**
Date of Damage: **10/29/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **William Harrison Contracting LLC**
Other Party: **Citizens Gas**
Case Number: **18358**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **6/24/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John Martin**
Other Party: **Citizens Gas**
Case Number: **18944**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **8/27/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Draper Construction Company LLC**
Other Party: **Citizens Gas**
Case Number: **19170**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **9/5/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Failure to Plan
 - Self-Repair
 - Damaging Lines
 - Potholing
 - Using Stakes or Post Hole Diggers
 - Dig Tickets
 - Probing
 - White Lining
 - Demolitions
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: _____
Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Universal Services Company, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19609**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/9/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Carmell Sanchez**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19610**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/10/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Richard Witte**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19611**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/11/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth-Riley Construction Co., Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19613**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/12/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **F & K Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19614**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/12/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bruce Feingold**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19615**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/12/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Network Cable Tec**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19616**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/13/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Schneck Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19617**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/14/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Custom Signs Unlimited**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19618**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/14/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Justen Cable Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19620**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/15/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Ervin Knepp~~ **ELM Construction**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **19621**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/10/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Mark M Holeman Inc.**
Case Number: **19623**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/16/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A M L, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19624**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/17/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Steven Bucci~~ Shady Rest Mobile Park
Other Party: Vectren Energy Delivery
Case Number: 19625
Date of Advisory Meeting: 7/23/2019
Date of Damage: 11/17/2018

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mike Bridges**
Other Party: **Vectren Energy Delivery**
Case Number: **19626**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/19/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **United Dynamics**
Other Party: **Vectren Energy Delivery**
Case Number: **19627**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/19/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes or Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~David Essex~~ *Quality Block Masonry*
Other Party: **Vectren Energy Delivery**
Case Number: **19628**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: *Ben Warren*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Phillips Pattern & Casting, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19629**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/20/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Landscapes by Dallas Foster, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19630**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **K & W Fueling Systems, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19631**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/21/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Next Solutions, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19632**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/24/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gordon Reeves**
Other Party: **Vectren Energy Delivery**
Case Number: **19633**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/26/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John Hall Construction, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19634**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/28/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant- Protection Advisory Committee Recommendation to IURC

Respondent: **Brewer Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **19635**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/29/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Tyler Excavating**
Case Number: **19636**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/29/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Monroe County Hwy.**
Other Party: **Vectren Energy Delivery**
Case Number: **19637**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:


~~Warning letter (Special instructions):~~

- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **T W H Concrete, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19638**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Total Development Systems**
Other Party: **Vectren Energy Delivery**
Case Number: **19639**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Destin Hubble**
Other Party: **Vectren Energy Delivery**
Case Number: **19642**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Blankenberger Brothers, Inc.**
Case Number: **19643**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Berco Construction**
Other Party: **Ohio Valley Gas Corp**
Case Number: **19644**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/29/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Regional Pool Group, Inc.**
Other Party: **Sycamore Gas Company**
Case Number: **19645**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/28/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Comer Contractor, Inc.**
Other Party: **Sycamore Gas Company**
Case Number: **19646**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/7/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Action Plumbing, Inc. (Cedar Lake)**
Case Number: **19647**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/16/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Kevin Gerhardt~~ *Kevin's Wheels*
Other Party: **Northern Indiana Public Service Company**
Case Number: **19649**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A T & T**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19650**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Noah Miller & Sons, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19651**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A 1 Tree Service**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19652**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/21/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Conrad Hochstetler**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19653**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/21/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bill Benefiel**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19654**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/21/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wheatcraft Tree & Lawn LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19655**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/23/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Scott Zimmerman**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19656**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/23/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Galik Construction, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19657**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/24/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Indiana American Water Co. DBA Indiana American**
Case Number: **19659**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/27/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crosby Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19660**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/28/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Barnes Septic & Excavating LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19661**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/28/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Smitty's CRD Concrete Services, Inc.**
Case Number: **19662**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/28/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Superior Energy Solutions LLP**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19663**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/28/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dunigan Bros., Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19664**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/29/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Infrasource Construction, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19665**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/29/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Glover Cable Construction LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19667**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/29/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: Completed 1/10/19

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Almac-Sotebeer, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19668**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dunigan Bros., Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19670**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Indiana American Water Co. DBA Indiana American**
Case Number: **19671**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **NIPSCO - Gas**
Case Number: **19673**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/21/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Minnesota Limited, LLC**
Case Number: **19674**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/3/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Frontier Communications**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19677**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/4/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dirt Trucking, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19678**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/4/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Glover Cable Construction LLC**
Case Number: **19679**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/4/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **American Concrete Raising**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19680**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/5/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000**
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan**
- Civil penalty of \$ _____**
- No ticket escalation - additional civil penalty of \$1,000**
- Other _____**

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Founders Contracting, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19681**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/5/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Miller Pipeline, LLC**
Case Number: **19682**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/5/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller & Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Land Construction Corp. (API)**
Case Number: **19684**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/6/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bontrager & Sons Excavating LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19685**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/7/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Yoder Construction, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19686**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/7/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Failure to Plan
 - Self-Repair
 - Damaging Lines
 - Potholing
 - Using Stakes or Post Hole Diggers
 - Dig Tickets
 - Probing
 - White Lining
 - Demolitions
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hooper Corp.**
Case Number: **19687**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/7/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Electricom, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19688**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/8/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Precision Excavation**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19689**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/8/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Mexus of Illinois**
Case Number: **19690**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/10/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **NIPSCO - Electric**
Case Number: **19691**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/10/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paulding Putnam Electric Cooperative Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19692**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/10/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Chuck's Custom Concrete LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19694**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/13/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Meade Electric Company, Inc.**
Case Number: **19695**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/14/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Greenwald Enterprises, Inc.**
Other Party: **Citizens Gas**
Case Number: **19697**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/19/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fox Contractors Corp.**
Other Party: **Citizens Gas**
Case Number: **19699**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: _____


Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Green & White Lines Lawn Care LLC**
Other Party: **Citizens Gas**
Case Number: **19700**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: _____

Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **1888 Industrial Services, LLC**
Other Party: **Citizens Gas**
Case Number: **19701**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/17/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Telecom Placement, Inc.**
Other Party: **Citizens Gas**
Case Number: **19703**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/14/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Diamond Underground Utility Construction**
Other Party: **Citizens Gas**
Case Number: **19705**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/3/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weber Concrete Construction**
Other Party: **Citizens Gas**
Case Number: **19706**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/30/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Verita Telecommunications**
Other Party: **Citizens Gas**
Case Number: **19707**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/27/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: Completed 6/13/19

APPROVED:



Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Adams Water & Sewer Service, Inc.**
Case Number: **19708**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **11/27/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: _____

Scott Sontag
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Community Natural Gas Inc**
Other Party: **Smithville Telephone Company, Inc.**
Case Number: **19709**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **1/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Jesse Pierson**
Case Number: **19710**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/2/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hutchins Telecom**
Other Party: **Vectren Energy Delivery**
Case Number: **19711**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/3/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wallace Environmental Services LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19712**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/4/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Chandler**
Other Party: **Vectren Energy Delivery**
Case Number: **19713**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/4/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Collins Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **19716**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/5/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Arc American, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19718**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/6/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **G & G Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **19719**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/7/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: Completed 1/16/19

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Victor Lengacher Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **19721**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/7/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rudig Paving & Maintenance, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19724**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/10/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Upland**
Other Party: **Vectren Energy Delivery**
Case Number: **19725**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/11/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Vectren Energy**
Case Number: **19726**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/11/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mike's Concrete**
Other Party: **Vectren Energy Delivery**
Case Number: **19727**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/11/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Charles Kerschen**
Other Party: **Vectren Energy Delivery**
Case Number: **19729**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/13/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Louiedogg LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19730**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/14/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Smoot Landscaping LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19731**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/17/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave O'Mara Contractor, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19732**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/17/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kerns Excavating, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19734**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: Completed 1/31/19

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Powers Welding & Underground Utility**
Other Party: **Vectren Energy Delivery**
Case Number: **19735**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **American Utility Corp, Inc.**
Case Number: **19736**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/19/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Greenwell Plumbing**
Case Number: **19737**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/19/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R P Cochran, LLC DBA Mowery Heating & Cooling**
Other Party: **Vectren Energy Delivery**
Case Number: **19739**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Enterprise Excavating, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19740**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/20/2018**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C S U, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19741**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19742**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/21/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Blankenberger Brothers, Inc.**
Case Number: **19744**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/22/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Precision Trenching, Inc.**
Case Number: **19745**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/29/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Bayers Plumbing, Inc.**
Case Number: **19746**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/28/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **The Fishel Company**
Other Party: **Vectren Energy Delivery**
Case Number: **19747**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/26/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **City of Anderson**
Case Number: **19748**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/26/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Gordon Engineering**
Case Number: **19750**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Rex Construction**
Case Number: **19751**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawnscape Site Development, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19752**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hunter Transit, LLC**
Case Number: **19753**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/18/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cleary Construction Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19754**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/19/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ron Peterson**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19755**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jack Owen Excavating**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19756**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/20/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Michael Untemahrer**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19758**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/26/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Joseph Pollick**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19759**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/26/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawrence Building Corp.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19760**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/26/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C K S Farms LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **19761**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **12/28/2018**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Patton Plumbing LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **19768**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **1/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Masters Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **19769**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **1/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **M C F Construction, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **19770**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **1/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E D K Company**
Other Party: **Vectren Energy Delivery**
Case Number: **19771**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **1/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- No ticket escalation - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy**
Other Party: **Vectren Energy Delivery**
Case Number: **19772**
Date of Advisory Meeting: **7/23/2019**
Date of Damage: **1/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman