

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE) APPROVED: APR 17 2013
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.


Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

ATTERHOLT, MAYS AND ZIEGNER CONCUR; BENNETT AND LANDIS ABSENT:

APPROVED: APR 17 2013

I hereby certify that the above is a true and correct copy of the Order as approved.



Shala M. Coe
Acting Secretary to the Commission

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **NIPSCO**
Other Party: **Teloptic Cable**
Case No.: **3210**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-18(f): Operator failed to locate or provided incorrect
locate markings**

Violation No Violation

Recommended Penalty:
Training

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Warsaw Party Rental**
Case No.: **3280**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-18(f): Operator failed to locate or provided incorrect locate markings

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **NIPSCO**
Other Party: **South Bend Waterworks**
Case No.: **3347**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-18(f): Operator failed to locate or provided incorrect locate markings

Violation No Violation

Recommended Penalty: Training (second)

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **McKibbin Excavating**
Other Party: **NIPSCO**
Case No.: **3374**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Hipskind Concrete**
Other Party: **NIPSCO**
Case No.: **3414**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:
Training

Additional Information: _____

APPROVED: RS
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **True North Landscaping**
Other Party: **Citizens Gas**
Case No.: **3430**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: Warren abstains.

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dale Brewer**
Other Party: **Citizens Gas**
Case No.: **3431**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: Slagle abstains.

APPROVED:
(initialed)

B.S.W.
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Watts Brothers Construction**
Other Party: **Community Natural Gas, Inc.**
Case No.: **3451**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: _____

(initialed)


Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Christopher Baker**
Other Party: **NIPSCO**
Case No.: **3460**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Meredith Excavating**
Other Party: **NIPSCO**
Case No.: **3472**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Woodruff & Sons, Inc.**
Other Party: **NIPSCO**
Case No.: **3473**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Robert Phelps Construction**
Other Party: **NIPSCO**
Case No.: **3474**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Creek Enterprises, Inc.**
Other Party: **NIPSCO**
Case No.: **3478**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B-Mac Wireless Inc**
Other Party: **NIPSCO**
Case No.: **3482**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **North Easter Group**
Other Party: **NIPSCO**
Case No.: **3489**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:
Warning letter.

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **S & S Construction**
Other Party: **NIPSCO**
Case No.: **3510**
Date of Advisory Meeting: **February 25, 2013**


Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **Berry-It, Inc.**
Other Party: **NIPSCO**
Case No.: **3515**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:
Training

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hawk Enterprises**
Other Party: **NIPSCO**
Case No.: **3520**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Niezdowski Plumbing**
Other Party: **NIPSCO**
Case No.: **3561**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Training

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bennetts Plumbing**
Other Party: **NIPSCO**
Case No.: **3572**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Area Plumbing & Sewer**
Other Party: **NIPSCO**
Case No.: **3573**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R And C Fence Company**
Other Party: **NIPSCO**
Case No.: **3576**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Mason Engineering And Construction**
Other Party: **NIPSCO**
Case No.: **3580**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Casey Boord**
Other Party: **NIPSCO**
Case No.: **3587**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation


Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED:
(initialed)



Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Jose Zambrana**
Other Party: **NIPSCO**
Case No.: **3595**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Midwest Excavating**
Other Party: **NIPSCO**
Case No.: **3605**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Electric**
Other Party: **NIPSCO**
Case No.: **3612**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Porter County Highway Department**
Other Party: **NIPSCO**
Case No.: **3613**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Woodruff & Sons, Inc.**
Other Party: **NIPSCO**
Case No.: **3614**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Training (second)

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Dave O'mara Contractor, Inc.**
Other Party: **Community Natural Gas, Inc.**
Case No.: **3629**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:

Training (second)

Additional Information: _____

APPROVED:
(initialed)



Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **Mehling Construction**
Other Party: **Huntingburg Municipal Utilities**
Case No.: **3631**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty: *warning letter*

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dons Lawn Service And Landscaping Inc**

Other Party: **NIPSCO**

Case No.: **3646**

Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **City Of Fort Wayne Utilities - Water**
Other Party: **NIPSCO**
Case No.: **3652**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Land Excavating**
Other Party: **NIPSCO**
Case No.: **3666**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth-Riley**
Other Party: **NIPSCO**
Case No.: **3669**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gatlin Plumbing And Heating Inc**
Other Party: **NIPSCO**
Case No.: **3670**
Date of Advisory Meeting: **February 25, 2013**


Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bryan Powers**
Other Party: **NIPSCO**
Case No.: **3672**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: NIPSCO - GAS
Other Party: NIPSCO
Case No.: 3679
Date of Advisory Meeting: February 25, 2013

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment

Violation No Violation

Recommended Penalty:
Training (second)

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ziese & Sons Excavating, Inc.**
Other Party: **NIPSCO**
Case No.: **3690**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training (second)

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **All Bore**
Other Party: **NIPSCO**
Case No.: **3691**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jim Dammann**
Other Party: **Citizens Gas**
Case No.: **3719**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: Warren abstains.

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Joel Riffel Contracting**
Other Party: **Community Natural Gas, Inc.**
Case No.: **3722**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: _____

(initialed)


Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Mishawaka**
Other Party: **NIPSCO**
Case No.: **3727**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jim Oswalt**
Other Party: **NIPSCO**
Case No.: **3730**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kimberly Kemper**
Other Party: **NIPSCO**
Case No.: **3731**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Overbeck Excavation**
Other Party: **NIPSCO**
Case No.: **3733**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **Rothenberger Company, Inc.**
Other Party: **NIPSCO**
Case No.: **3734**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fiekeme Sanitation**
Other Party: **NIPSCO**
Case No.: **3735**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:

IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC


Respondent: **Asplundh Construction**
Other Party: **NIPSCO**
Case No.: **3738**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nikola Vidovic**
Other Party: **NIPSCO**
Case No.: **3740**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **Lansing Heating And Air Conditioning**
Other Party: **NIPSCO**
Case No.: **3741**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:
Warning letter

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Walsh And Kelly**
Other Party: **NIPSCO**
Case No.: **3746**
Date of Advisory Meeting: **February 25, 2013**


Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Training

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John Simatovich**
Other Party: **NIPSCO**
Case No.: **3747**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-16(g): Failure to provide notice of excavation

Violation No Violation

Recommended Penalty:

Warning letter

Additional Information: _____

APPROVED: _____

(initialed)


Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **CC&T Construction Inc**
Other Party: **Citizens Gas**
Case No.: **3756**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
**IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with
mechanized equipment**

Violation No Violation

Recommended Penalty:
Training

Additional Information: Warren abstains.

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Coahran, Lisa

From: Poon, DeAnna
Sent: Tuesday, April 16, 2013 3:14 PM
To: Coahran, Lisa
Subject: Legal Assistant Manual.doc
Attachments: Legal Assistant Manual.doc

Follow Up Flag: Follow up
Flag Status: Flagged

Lisa,

I have updated your manual to reflect how to do the No Violation letters and how to do the forms that go to the Advisory Committee meetings. The forms are under "Step 9: Committee Preparation" on pg. 7. Can you please go ahead and **create the forms for the April meeting**? If you can complete them **by the end of this week**, that will give me plenty of time to help if you need it and to double check everything.

DeAnna