

ORIGINAL

AMM
B
ARW

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: SEP 24 2014

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

MAYS-MEDLEY, WEBER AND ZIEGNER CONCUR; STEPHAN ABSENT:

APPROVED: SEP 24 2014

I hereby certify that the above is a true and correct copy of the Order as approved.

Brenda A. Howe

Brenda A. Howe
Secretary to the Commission

Revised PSD Case Index for Conference on September 24, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
3413	Calumet Civil	Citizens Energy Group	Training (or \$750 if fail to train)	3 priors (Warning Letter, Training)
3563	D.R. Watson Co.	Citizens Energy Group	Training	4 priors (Warning Letter, Training)
3570	Citizens Energy Group	Garver Utilities Svcs.	Training	49 priors (Warning Letter, Training)
3689	NIPSCO	Meyers Plumbing	Training	327 priors (Warning Letter, Training, Written Plan)
3713	Citizens Energy Group	Calumet Civil	Training	49 priors (Warning Letter, Training)
3720	Citizens Energy Group	Rieth-Riley	Training	49 priors (Warning Letter, Training)
3765	Smith Bros.	Citizens Energy Group	Warning Letter	n/a
3769	3D Company Inc.	Citizens Energy Group	Warning Letter	n/a
3771	Citizens Energy Group	Rieth-Riley	Training	49 priors (Warning Letter, Training)
3772	Garcia Construction	Citizens Energy Group	Warning Letter	n/a
3773	E & J Contractor	Citizens Energy Group	Warning Letter	n/a
3774	Big Guy Signs	Citizens Energy Group	Warning Letter	n/a
3776	Joseph Walton	Citizens Energy Group	Warning Letter	n/a
3812	Citizens Energy Group	Millennium Contractors	Training (or \$750 if fail to train)	49 priors (Warning Letter, Training)
3814	NIPSCO	Walsh and Kelly	Training	327 priors (Warning Letter, Training, Written Plan)
3818	Jason Sturgeon Superior	Aurora Utilities	Training	1 Prior (Warning Letter)

Revised PSD Case Index for Conference on September 24, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
3972	NIPSCO	City of Ft. Wayne	Training	327 priors (Warning Letter, Training, Written Plan)
4006	NIPSCO	NIPSCO	Training	327 priors (Warning Letter, Training, Written Plan)
4010	NIPSCO	Crosby Excavating	Training	327 priors (Warning Letter, Training, Written Plan)
4014	NIPSCO	3D company	Training	327 priors (Warning Letter, Training, Written Plan)
4030	NIPSCO	City of Ft. Wayne-Sewer	Training	327 priors (Warning Letter, Training, Written Plan)
4165	Layne Heavy Civil	Citizens Energy Group	Training (or \$750 if fail to train)	2 Priors (Warning Letter, Training)
4166	Rieth-Riley	Citizens Energy Group	Training	17 priors (Warning Letter, Training)
4169	Stone Jackson	Citizens Energy Group	Warning Letter	n/a
4173	A C Electric	Citizens Energy Group	Warning Letter	n/a
4187	NIPSCO	American Electric	Training	327 priors (Warning Letter, Training, Written Plan)
4197	James Moon	Citizens Energy Group	Warning Letter	n/a
4199	Rob Smith	Citizens Energy Group	Warning Letter	n/a
4200	Harold Dietz	Citizens Energy Group	Warning Letter	n/a
4212	Eagle Valley	Citizens Energy Group	Warning Letter	n/a
4214	Robert Kealing	Citizens Energy Group	Warning Letter	n/a
4215	Citizens Energy Group	Edward & Jones	Training	49 priors (Warning Letter, Training)
4216	Weber Concrete	Citizens Energy Group	Training (or \$750 if fail to train)	1 prior (Warning Letter)

Revised PSD Case Index for Conference on September 24, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
4439	NIPSCO	NIPSCO	Training	327 priors (Warning Letter, Training, Written Plan)
4457	Adams Water/Sewer	Citizens Energy Group	Training	1 prior (Warning Letter)
4464	All Bore Inc.	NIPSCO	Training (or \$750 if fail to train)	4 priors (Warning Letter, Training)
4482	All Bore Inc.	NIPSCO	Training (or \$750 if fail to train)	4 priors (Warning Letter, Training)
4490	Integrity Inc.	Citizens Energy Group	Warning Letter	n/a
4494	Clear Path Co.	Citizens Energy Group	Warning Letter	n/a
4495	Badger Underground	Citizens Energy Group	Warning Letter	n/a
4502	Ron McIntosh	Midwest Natural Gas	Warning Letter	n/a
4524	Land Construction	NIPSCO	Training	5 priors (Warning Letter, Training)
4580	American Utility Corp.	Citizens Energy Group	Warning Letter	n/a
4617	Rieth-Riley	NIPSCO	Training (or \$750 if fail to train)	17 priors (Warning Letter, Training)
4662	NIPSCO	Cypher Logic	Training	327 priors (Warning Letter, Training, Written Plan)
4667	Jason Poe	Indiana Utilities Corp.	Warning Letter	n/a
4669	Eric Carpenter	NIPSCO	Warning Letter	n/a
4678	Rex Construction	NIPSCO	Training (or \$750 if fail to train)	3 priors (Warning Letter, Training)
4692	D&E Construction	Citizens Energy Group	Training (or \$750 if fail to train)	1 prior (Warning Letter)
4695	Jeff Wibbler	Community Natural Gas	Warning Letter	n/a
4696	Todd Hoph	Huntington Muni	Warning Letter	n/a

Revised PSD Case Index for Conference on September 24, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
4977	Misch Trucking	NIPSCO	Warning Letter	n/a
4980	D and R Sight Services	NIPSCO	Warning Letter	n/a
4981	Elkhart Street Dept.	NIPSCO	Warning Letter	n/a
4982	Heartland Farm Svcs.	NIPSCO	Warning Letter	n/a
4983	Hambrock Electric	NIPSCO	Training (or \$750 if fail to train)	1 prior (Warning Letter)
4984	NIPSCO	Havmack Construction	Training (or \$750 if fail to train)	327 priors (Warning Letter, Training, Written Plan)
4985	Lef Enterprises	NIPSCO	Warning Letter	n/a
4988	Jay Jalovecky	NIPSCO	Warning Letter	n/a
4989	Tony Beard	NIPSCO	Warning Letter	n/a
4990	Andrew Heck	NIPSCO	Warning Letter	n/a
4991	Dek Construction	NIPSCO	Warning Letter	n/a
5018	NIPSCO	C A T Excavating	Training	327 priors (Warning Letter, Training, Written Plan)
5024	Toddco Excavating	NIPSCO	Warning Letter	n/a
5028	H and H Construction	Citizens Energy Group	Warning Letter	n/a
5034	Keith Neff	NIPSCO	Warning Letter	n/a
5111	Gudenkauf Corp.	Ohio Valley Gas Corp.	Warning Letter	n/a
5112	Crown Hill Cemetery	Citizens Energy Group	Warning Letter	n/a
5113	ABC Sawcutting	Community Natural Gas	Warning Letter	n/a
5115	Dubois Rural Electric Corp.	Indiana Natural Gas Corp.	Warning Letter	n/a
5136	UMH Properties Inc.	NIPSCO	Warning Letter	n/a
5138	E. Yoder & Associates	NIPSCO	Warning Letter	n/a

Revised PSD Case Index for Conference on September 24, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5406	Cris-N Power	Citizens Energy Group	Warning Letter	n/a
5407	Cep Concrete Construction	Citizens Energy Group	Warning Letter	n/a
5411	Dusty Schrader	Citizens Energy Group	Warning Letter	n/a
5412	Handwork Mitow	Citizens Energy Group	Warning Letter	n/a
5413	Kurt Vondersaar	Citizens Energy Group	Warning Letter	n/a
5418	Alonzo Smiley	Citizens Energy Group	Warning Letter	n/a
5419	Citizens Energy Group	Baumgartner Asphalt	Training (or \$750 if fail to train)	49 priors (Warning Letter, Training)
5425	Citizens Energy Group	JC Ripberger Construction	Training (or \$750 if fail to train)	49 priors (Warning Letter, Training)
5427	Citizens Energy Group	E & J Concrete	Training (or \$750 if fail to train)	49 priors (Warning Letter, Training)
5435	Timothy Mark Fagan	Citizens Energy Group	Warning Letter	n/a
5437	Millennium Contractors	Citizens Energy Group	Warning Letter	n/a
5441	John Fivecoats	Citizens Energy Group	Warning Letter	n/a
5444	Citizens Energy Group	Rieth-Riley	Training	49 priors (Warning Letter, Training)
5446	AR Development	Citizens Energy Group	Warning Letter	n/a
5449	Fraday Excavating	Citizens Energy Group	Warning Letter	n/a
5450	John M. Gannon	Citizens Energy Group	Warning Letter	n/a
5451	Suburban Contracting	Citizens Energy Group	Warning Letter	n/a
5457	Dirtworx	Citizens Energy Group	Warning Letter	n/a
5458	Royalty Excavating	Citizens Energy Group	Warning Letter	n/a
5459	Ray's Sewer and Drain	Citizens Energy Group	Warning Letter	n/a

Revised PSD Case Index for Conference on September 24, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
7024	AAA Rental System	NIPSCO	Warning Letter	n/a
7025	Aavator Enterprises	NIPSCO	Warning Letter	n/a
7026	Eric Holsworth	NIPSCO	Warning Letter	n/a
7028	Mendoza Concrete	NIPSCO	Warning Letter	n/a
7030	Atlas Excavating	NIPSCO	Training (or \$750 if fail to train)	1 prior (Warning Letter)
7031	Teresa Steele	NIPSCO	Warning Letter	n/a
7032	Walsh & Kelly-South Bend	NIPSCO	Training (or \$750 if fail to train)	2 priors (Training 1)
7033	Entermissions Inc.	NIPSCO	Warning Letter	n/a
7034	Tim Elston	NIPSCO	Warning Letter	n/a
7035	Phend and Brown	NIPSCO	Training (or \$750 if fail to train)	1 prior (Warning Letter)
7036	City of Gary-Law Dept.	NIPSCO	Training (or \$750 if fail to train)	2 priors (Warning Letter, Training 1)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **CALUMET CIVIL CONTRACTORS**
Other Party: **CITIZENS ENERGY GROUP**
Case No.: **3413**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **7/26/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

*Training or \$750 if fail to
train*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D. R. Watson Company**
Other Party: **Citizens Energy Group**
Case No.: **3563**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, August 12, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair		

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Garver Utilities Services**
Case No.: **3570**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, August 15, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **MEYERS PLUMBING**
Case No.: **3689**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **8/30/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **CITIZENS ENERGY GROUP**
Other Party: **CALUMET CIVIL CONTRACTORS**
Case No.: **3713**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/6/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **CITIZENS ENERGY GROUP**
Other Party: **RIETH-RILEY**
Case No.: **3720**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **8/23/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Smith Bros. Ultimate Builders**
Other Party: **Citizens Energy Group**
Case No.: **3765**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, August 28, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **3D Company Inc**
Other Party: **Citizens Energy Group**
Case No.: **3769**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, September 06, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Reith - Riley**
Case No.: **3771**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, September 13, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

treating

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Garcia Construction**
Other Party: **Citizens Energy Group**
Case No.: **3772**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, September 18, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E & J Contractor**
Other Party: **Citizens Energy Group**
Case No.: **3773**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, September 20, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: *DM*
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Big Guy Signs - Asher Collins**
Other Party: **Citizens Energy Group**
Case No.: **3774**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, September 22, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Joseph B Walton**
Other Party: **Citizens Energy Group**
Case No.: **3776**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, September 27, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Millenium Contractors**
Case No.: **3812**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, September 12, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **WALSH AND KELLY - South Bend**
Case No.: **3814**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/12/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed)
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Sturgeon Superior Services**
Other Party: **Aurora Utilities**
Case No.: **3818**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, September 14, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

*Training or \$750 fine to
train*

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **EAGLES NEST ESTATES MOBILE HOME COMMUNITY**
Case No.: **3843**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/19/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	<i>White Lining</i>	<i>Potholing</i>	<i>Contacting</i>	<i>811</i>
<i>Clearance Zone (Two-Foot Rule)</i>	<i>Damaging Lines</i>	<i>Self Repair</i>		

Additional Information: *Selking abstains*

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **PRECISION UTILITIES GROUP INC**
Case No.: **3852**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/20/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **CULY CONTRACTING**
Case No.: **3855**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/21/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting</u>	<u>811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>		

Additional Information: Selking abstains

APPROVED: _____

(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **NIPSCO**
Case No.: **3863**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/24/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Black Diamond Contracting**
Other Party: **Citizens Energy Group**
Case No.: **3886**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, September 13, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brian Billman**
Other Party: **NIPSCO**
Case No.: **3901**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, August 24, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Michael Garcia**
Other Party: **NIPSCO**
Case No.: **3902**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, August 14, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robbco Inc.**
Other Party: **NIPSCO**
Case No.: **3903**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, August 24, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Melvin Eric Mosley**
Other Party: **NIPSCO**
Case No.: **3905**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, August 21, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rex Construction**
Other Party: **NIPSCO**
Case No.: **3926**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, August 15, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$ 750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Selge Construction Company Inc**
Case No.: **3931**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, August 20, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selging abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Gaunt and Son Asphalt**
Case No.: **3938**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **8/24/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Steve Miller Construction**
Case No.: **3940**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, August 23, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Featherstone Concrete**
Other Party: **Citizens Energy Group**
Case No.: **3944**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, October 03, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Awake Construction Ent., Inc**
Other Party: **Citizens Energy Group**
Case No.: **3946**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, October 02, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Corbitt & Sons Construction**
Other Party: **Citizens Energy Group**
Case No.: **3948**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, October 19, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lauramie Excavating**
Other Party: **Rensselaer Municipal Gas System, City Of**
Case No.: **3953**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, November 08, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **City of Fort Wayne Water Department**
Case No.: **3970**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/6/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **City Of Fort Wayne Water Department**
Case No.: **3972**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, September 13, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4006**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/8/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **CROSBY EXCAVATING INCORPORATED**
Case No.: **4010**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/9/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **3D COMPANY**
Case No.: **4014**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/9/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed)
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **FORT WAYNE CITY UTILITIES**
 SEWER DEPARTMENT
Case No.: **4030**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/15/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

_____ *Training* _____

Special instructions if warning letter: **White Lining** **Potholing** **Contacting** **811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**

Additional Information: _____ **Selking abstains** _____

APPROVED: _____ *[Signature]* _____
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **LAYNE HEAVY CIVIL**
Other Party: **CITIZENS ENERGY GROUP**
Case No.: **4165**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/16/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **RIETH RILEY**
Other Party: **CITIZENS ENERGY GROUP**
Case No.: **4166**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/17/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Stone Jackson**
Other Party: **Citizens Energy Group**
Case No.: **4169**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, October 31, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A C Electric**
Other Party: **Citizens Energy Group**
Case No.: **4173**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, November 09, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **American Electric Contractors**
Case No.: **4187**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/9/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James C. Moon**
Other Party: **Citizens Energy Group**
Case No.: **4197**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, October 28, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rod T. Smith**
Other Party: **Citizens Energy Group**
Case No.: **4199**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, November 17, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dietz, Harold George**
Other Party: **Citizens Energy Group**
Case No.: **4200**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, November 26, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eagle Valley**
Other Party: **Citizens Energy Group**
Case No.: **4212**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, August 17, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert J Kealing**
Other Party: **Citizens Energy Group**
Case No.: **4214**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, November 01, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Edward & Jones Concrete**
Case No.: **4215**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, November 17, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weber Concrete**
Other Party: **Citizens Energy Group**
Case No.: **4216**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, November 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

~~# penalty~~ *training or \$750*
if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **RIETH RILEY**
Other Party: **CITIZENS ENERGY GROUP**
Case No.: **4217**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **11/17/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **MARTELL ELECTRIC LLC**
Case No.: **4226**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **11/19/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **City of Elkhart**
Case No.: **4242**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **11/26/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

~~\$7~~ Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
 Other Party: **MAPLE CITY UNDERGROUND**
 Case No.: **4265**
 Date of Advisory Meeting: **May 20, 2014**
 Date of Damage: **12/5/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
 (initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **LOW VOLTAGE INC**
Case No.: **4269**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **12/6/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Energy Group**
Case No.: **4337**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, January 24, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H And H Construction Services Incorporated**
Other Party: **Citizens Energy Group**
Case No.: **4340**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, January 24, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Asplundh Construction**
Case No.: **4343**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, January 24, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Russel Whetsel**
Other Party: **Citizens Energy Group**
Case No.: **4344**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, November 11, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Merriweather, Clayton**
Other Party: **Citizens Energy Group**
Case No.: **4345**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, November 28, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Huff Electric**
Other Party: **Citizens Energy Group**
Case No.: **4347**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, November 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **RIETH-RILEY**
Other Party: **CITIZENS ENERGY GROUP**
Case No.: **4354**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **12/17/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **RIETH-RILEY**
Other Party: **CITIZENS ENERGY GROUP**
Case No.: **4355**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **12/17/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4363**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, October 01, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: *Ben Warren*

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Haskins Underground, Inc.**
Other Party: **NIPSCO**
Case No.: **4373**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, September 10, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh and Kelly - South Bend**
Other Party: **NIPSCO**
Case No.: **4392**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **11/15/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Training of \$ 750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4439**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **1/29/2013**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Adams Water And Sewer Service Inc**
Other Party: **Citizens Energy Group**
Case No.: **4457**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, February 07, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter *training*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **All Bore, Inc.**
Other Party: **NIPSCO**
Case No.: **4464**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **2/11/2013**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **All Bore, Inc.**
Other Party: **NIPSCO**
Case No.: **4482**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **2/23/2013**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

*training or \$750 if fail to
train*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Mike Peters % Integrity Inc~~
Other Party: **Citizens Energy Group**
Case No.: **4490**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, January 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ringler, Ryan % Clear Path Co**
Other Party: **Citizens Energy Group**
Case No.: **4494**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, January 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: *DM*
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Badger Underground**
Other Party: **Citizens Energy Group**
Case No.: **4495**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, December 17, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ron McIntosh**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **4502**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, February 13, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Land Construction Corp**
Other Party: **NIPSCO**
Case No.: **4524**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **2/7/2013**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **American Utility Corporation**
Other Party: **Citizens Energy Group**
Case No.: **4580**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, March 26, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **RIETH RILEY CONSTRUCTION COMPANY**
Other Party: **NIPSCO**
Case No.: **4617**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **4/9/2013**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$750 if fail to
train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Cypher Logic**
Case No.: **4662**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, April 25, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Poe**
Other Party: **Indiana Utilities Corporation**
Case No.: **4667**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, May 13, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eric Carpenter**
Other Party: **NIPSCO**
Case No.: **4669**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, April 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **REX CONSTRUCTION**
Other Party: **NIPSCO**
Case No.: **4678**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **5/1/2013**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to
train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D&E Construction LLC**
Other Party: **Citizens Energy Group**
Case No.: **4692**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, December 23, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

training or \$750 if fail to training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: *DM*
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Wibbler**
Other Party: **Community Natural Gas, Inc.**
Case No.: **4695**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, May 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Todd Hoph**
Other Party: **Huntingburg Municipal Utilities**
Case No.: **4696**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 28, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: *Miller abstains.*

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gariup Construction Co Inc**
Other Party: **NIPSCO**
Case No.: **4737**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **6/19/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

*Warning of \$750 if fail to
train*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **William Conrad**
Other Party: **NIPSCO**
Case No.: **4749**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, May 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: _____

(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Land, Inc**
Other Party: **NIPSCO**
Case No.: **4757**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **9/5/2012**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **MILLER PIPE LINE**
Other Party: **NIPSCO**
Case No.: **4860**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **5/24/2013**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains & Miller**
abstains.

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave Omara Contractor**
Other Party: **Sycamore Gas Company**
Case No.: **4875**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, May 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ardizzone Enterprises, Inc.**
Other Party: **Citizens Energy Group**
Case No.: **4896**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 04, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Oles Engineering Corp.**
Case No.: **4900**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, June 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Selge Construction Company Inc**
Other Party: **NIPSCO**
Case No.: **4906**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, June 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

*Training or \$750 if fail to
training*

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selging abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **GE Marshall**
Other Party: **NIPSCO**
Case No.: **4913**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **6/10/2013**

The IURC Pipeline Safety Division finds the following violation:


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Michiana Tents**
Other Party: **NIPSCO**
Case No.: **4960**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, June 20, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Best Excavating - Scott Best Owner**
Other Party: **Indiana Natural Gas Corporation**
Case No.: **4962**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ronnie Floyd Construction**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **4963**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Baker**
Other Party: **NIPSCO**
Case No.: **4969**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, April 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Greg Trigg/Joe Davis**
Other Party: **NIPSCO**
Case No.: **4972**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, April 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Good**
Other Party: **NIPSCO**
Case No.: **4974**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, April 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:


warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Directv**
Other Party: **NIPSCO**
Case No.: **4976**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, May 09, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Training or \$ 750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Misch Trucking And Excavating**
Other Party: **NIPSCO**
Case No.: **4977**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D And R Sight Services**
Other Party: **NIPSCO**
Case No.: **4980**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, May 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: _____

(initialed)

BW

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Elkhart Street Department**
Other Party: **NIPSCO**
Case No.: **4981**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, May 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Heartland Farm Services Inc**
Other Party: **NIPSCO**
Case No.: **4982**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, May 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:


warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hambrock Electric Inc**
Other Party: **NIPSCO**
Case No.: **4983**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, May 08, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Havmack Construction**
Case No.: **4984**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, May 06, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lcf Enterprises Inc**
Other Party: **NIPSCO**
Case No.: **4985**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, May 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jay Jalovecky**
Other Party: **NIPSCO**
Case No.: **4988**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, May 05, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tony Beard**
Other Party: **NIPSCO**
Case No.: **4989**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Andrew Heck**
Other Party: **NIPSCO**
Case No.: **4990**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, May 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dck Construction**
Other Party: **NIPSCO**
Case No.: **4991**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H And H Construction Services Incorporated**
Other Party: **Citizens Energy Group**
Case No.: **5028**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, June 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Keith Neff**
Other Party: **NIPSCO**
Case No.: **5034**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, July 01, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gudenkauf Corporation**
Other Party: **Ohio Valley Gas Corporation**
Case No.: **5111**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, June 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crown Hill Cemetary**
Other Party: **Citizens Energy Group**
Case No.: **5112**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, May 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Abc Sawcutting And Core Drilling
(Subcontractor)**
Other Party: **Community Natural Gas, Inc.**
Case No.: **5113**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 18, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dubois Rural Electric Cooperative Inc.**
Other Party: **Indiana Natural Gas Corporation**
Case No.: **5115**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, May 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Umh Properties Inc-Broadmore Estates**
Other Party: **NIPSCO**
Case No.: **5136**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, July 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E. Yoder & Associates**
Other Party: **NIPSCO**
Case No.: **5138**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 10, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sherri James**
Other Party: **NIPSCO**
Case No.: **5144**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, June 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: *Ben Warren*

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gene Glick**
Other Party: **NIPSCO**
Case No.: **5172**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, July 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Big Jim's Concrete, Inc.**
Other Party: **NIPSCO**
Case No.: **5176**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, July 23, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D R Watson Company**
Other Party: **Citizens Energy Group**
Case No.: **5212**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

training or \$ 750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rohe**
Other Party: **Sycamore Gas Company**
Case No.: **5373**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, July 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Freeman Custom Homes**
Other Party: **Westfield Gas Corporation**
Case No.: **5374**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, July 13, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mitchell & Starks Construction Co**
Other Party: **Community Natural Gas, Inc.**
Case No.: **5376**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$250 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Chris Bridgewater**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **5383**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, August 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gary Comer Contractor, Inc.**
Other Party: **Ohio Valley Gas Corporation**
Case No.: **5384**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, August 27, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jesus Ramirez**
Other Party: **NIPSCO**
Case No.: **5389**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, August 08, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Brandon Magor**
Case No.: **5393**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, February 24, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Muegge Plumbing**
Other Party: **Citizens Energy Group**
Case No.: **5394**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, February 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: *DM*

(initialed)

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fabricio Perez**
Other Party: **Citizens Energy Group**
Case No.: **5395**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, March 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: _____

(initialed)

DM
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Murphy Construction**
Case No.: **5396**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, March 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren Abstains

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff C Williams**
Other Party: **Citizens Energy Group**
Case No.: **5399**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, April 05, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Steve K Hawks**
Other Party: **Citizens Energy Group**
Case No.: **5400**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, April 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Shane M Turner**
Other Party: **Citizens Energy Group**
Case No.: **5404**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, April 22, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<u>Special instructions if warning letter:</u>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Horace Medcalf**
Other Party: **Citizens Energy Group**
Case No.: **5405**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, April 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cris-N Power**
Other Party: **Citizens Energy Group**
Case No.: **5406**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, April 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cep Concrete Construction Corp.**
Other Party: **Citizens Energy Group**
Case No.: **5407**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, May 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dusty Schrader**
Other Party: **Citizens Energy Group**
Case No.: **5411**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, May 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Handwork Mitow**
Other Party: **Citizens Energy Group**
Case No.: **5412**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 21, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kurt Vondersaar**
Other Party: **Citizens Energy Group**
Case No.: **5413**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, May 23, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Alonzo Smiley**
Other Party: **Citizens Energy Group**
Case No.: **5418**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren abstains

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Baumgartner Asphalt**
Case No.: **5419**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 04, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training or \$ 750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Jc Ripberger Construction**
Case No.: **5425**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, June 14, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **E & J Concrete**
Case No.: **5427**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: _____

(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Timothy Mark Fagan**
Other Party: **Citizens Energy Group**
Case No.: **5435**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Millenium Contractors Llc**
Other Party: **Citizens Energy Group**
Case No.: **5437**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John O Fivecoats**
Other Party: **Citizens Energy Group**
Case No.: **5441**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, July 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

Special instructions if warning letter:	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Rieth Riley**
Case No.: **5444**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, August 13, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ar Development**
Other Party: **Citizens Energy Group**
Case No.: **5446**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, March 27, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Frady Excavating & Transport**
Other Party: **Citizens Energy Group**
Case No.: **5449**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, May 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John M Gannon**
Other Party: **Citizens Energy Group**
Case No.: **5450**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 28, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Randall W Biddle~~ Suburban
Other Party: Citizens Energy Group Contracting
Case No.: 5451
Date of Advisory Meeting: May 20, 2014
Date of Damage: Wednesday, May 29, 2013

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dirtworx**
Other Party: **Citizens Energy Group**
Case No.: **5457**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Royalty Excavation**
Other Party: **Citizens Energy Group**
Case No.: **5458**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, August 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ray's Sewer & Drain Service**
Other Party: **Citizens Energy Group**
Case No.: **5459**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **August Mack**
Case No.: **5460**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, May 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Boulevard Development Group**
Other Party: **Citizens Energy Group**
Case No.: **5465**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 03, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Augusta Underground**
Case No.: **6320**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, August 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Warren Abstains

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Bore-It**
Case No.: **6776**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, April 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting</u>	<u>811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>		

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoffman Brothers Inc.**
Other Party: **NIPSCO**
Case No.: **6875**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, May 30, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter training or
\$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hendricks Construction**
Case No.: **6876**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, May 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: *RW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **George Baker**
Other Party: **NIPSCO**
Case No.: **6878**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, June 02, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pr Steff Construction**
Other Party: **NIPSCO**
Case No.: **6887**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 04, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Water**
Case No.: **6944**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, August 19, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren Abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Williams Tree Service**
Other Party: **NIPSCO**
Case No.: **7010**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, June 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)


The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Deyoung's Nursery And Landscaping**
Other Party: **NIPSCO**
Case No.: **7012**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, August 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hunter Transit**
Case No.: **7020**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Misch Trucking & Excavating**
Other Party: **NIPSCO**
Case No.: **7021**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 10, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$ 750 fail to
from

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John's Excavating**
Other Party: **NIPSCO**
Case No.: **7022**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **All Season's General Contracting**
Other Party: **NIPSCO**
Case No.: **7023**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, June 12, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **AAA Rental System**
Other Party: **NIPSCO**
Case No.: **7024**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, June 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Aavator Enterprises**
Other Party: **NIPSCO**
Case No.: **7025**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, June 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eric Holsworth**
Other Party: **NIPSCO**
Case No.: **7026**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, June 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: _____

(initialed)

B Warren

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mendoza Concrete**
Other Party: **NIPSCO**
Case No.: **7028**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: _____



(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Atlas Excavating Inc**
Other Party: **NIPSCO**
Case No.: **7030**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, June 19, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

training or \$750 fine to
train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Teresa Steele**
Other Party: **NIPSCO**
Case No.: **7031**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, June 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: _____

(initialed)

B Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh And Kelly** - South Bend
Other Party: **NIPSCO**
Case No.: **7032**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, June 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

~~warning letter~~ **training or \$750**
fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Entermissions Inc**
Other Party: **NIPSCO**
Case No.: **7033**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Saturday, June 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tim Elston**
Other Party: **NIPSCO**
Case No.: **7034**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Sunday, June 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Phend And Brown**
Other Party: **NIPSCO**
Case No.: **7035**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, June 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Gary - Law Department**
Other Party: **NIPSCO**
Case No.: **7036**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter *training or*
fine *to train*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman