



INDIANA UTILITY REGULATORY COMMISSION
101 WEST WASHINGTON STREET, SUITE 1500 EAST
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

MEMORANDUM

TO: Commission Chairman James F. Huston
Commissioners Freeman, Krevda, Ober, and Ziegner

FROM: Commission Technical Divisions

DATE: June 15, 2018

RE: 30-Day Utility Articles for Conference on *Wednesday June 20, 2018 @ 2:00 p.m.*

The following thirty-day filings have been submitted to the Commission. Each item was reviewed by the appropriate Commission Technical Divisions and all regulations were met in accordance with 170 IAC 1-6 Thirty-Day Administrative Filing Procedures and Guidelines. Therefore, the following filings listed below and attached hereto are recommended to be considered by the Commission at the next conference:

Attachment Number	30-Day Filing No.	Name of Utility Company	Type of Request	Date Received
1	50137	Aqua Indiana, Inc. - Darlington Division	45032 TCJA Phase 1 Filing	3/26/2018
2	50138	Sani Tech, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
3	50139	Aqua Indiana South Haven	45032 TCJA Phase 1 Filing	3/26/2018
4	50140	Southeastern Utilities, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
5	50141	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
6	50142	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
7	50143	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
8	50144	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018

9	50145	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
10	50146	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
11	50147	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
12	50148	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	3/26/2018
13	50197	J.B. Waterworks, Inc.	45032 TCJA Phase 1 Filing	5/14/2018
14	50198	Aqua Indiana, Inc.	45032 TCJA Phase 1 Filing	5/18/2018

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Darlington Division
30-Day Filing ID No.: 50137
Dates Filed: March 26, 2018, May 18, 2018
Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032
Request: Main Extension Cost Option Election
The utility requests approval of Water Main Extension Cost Option 2 set forth in 170 IAC 6-1.5-33(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Water Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana - Sani Tech, Inc.

30-Day Filing ID No.: 50138

Dates Filed: March 26, 2018; May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: No Rate Reduction

The tax rate embedded in the utility's recurring rates is 15%, which is less than the new 21% tax rate per the Tax Cuts and Jobs Act of 2017. Thus, the utility requests to maintain its recurring rates.

Main Extension Cost Option Election

The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2).

Customer Impact: No rate change.

Tariff Page(s) Affected: Page No. 1 and 2

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana - South Haven, Inc.
30-Day Filing ID No.: 50139
Dates Filed: March 26, 2018; May 18, 2018
Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032
Request: Main Extension Cost Option Election
The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2).

Customer Impact: No rate change.

Terms and Conditions Pages Affected: Pages 26 and 27.

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana - Southeastern Utilities, Inc.

30-Day Filing ID No.: 50140

Dates Filed: March 26, 2018; May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: No Rate Reduction

The tax rate embedded in the utility's recurring rates is 15%, which is less than the new 21% tax rate per the Tax Cuts and Jobs Act of 2017. Thus, the utility requests to maintain its recurring rates.

Main Extension Cost Option Election

The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2).

Customer Impact: No rate change.

Terms and Conditions Page(s) Affected: Page 19

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Southern Hills Division

30-Day Filing ID No.: 50141

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: Main Extension Cost Option Election
The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Sewer Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Wedgewood Park Division

30-Day Filing ID No.: 50142

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: No Rate Reduction

The tax rate embedded in the utility's recurring rates is 0%, which is less than the new 21% tax rate per the Tax Cuts and Jobs Act of 2017. Thus, the utility requests to maintain its recurring rates.

Main Extension Cost Option Election

The utility requests approval of Water Main Extension Cost Option 2 set forth in 170 IAC 6-1.5-33(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Water Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Wildwood Shores Division

30-Day Filing ID No.: 50143

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: Main Extension Cost Option Election

The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Sewer Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Wymberly Division

30-Day Filing ID No.: 50144

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: Main Extension Cost Option Election

The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Sewer Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Aboite Wastewater Division

30-Day Filing ID No.: 50145

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: Main Extension Cost Option Election
The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Sewer Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Lake County (Sewer) Division

30-Day Filing ID No.: 50146

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: Main Extension Cost Option Election
The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Sewer Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - Lake County (Water) Division
30-Day Filing ID No.: 50147
Dates Filed: March 26, 2018, May 18, 2018
Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032
Request: Main Extension Cost Option Election
The utility requests approval of Water Main Extension Cost Option 2 set forth in 170 IAC 6-1.5-33(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Water Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc. - White Oak Division

30-Day Filing ID No.: 50148

Dates Filed: March 26, 2018, May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: No Rate Reduction

The tax rate embedded in the utility's recurring rates is 0%, which is less than the new 21% tax rate per the Tax Cuts and Jobs Act of 2017. Thus, the utility requests to maintain its recurring rates.

Main Extension Cost Option Election

The utility requests approval of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2). This election is reflected in Aqua Indiana's separate 30-day filing #50198 which approves changes to the utility's existing Rules, Regulations and Conditions of Sewer Service.

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: JB Waterworks, Inc.

30-Day Filing ID No.: 50197

Date Filed: May 14, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: No Rate Reduction

The tax rate embedded in the utility's recurring rates is 15%, which is less than the new 21% tax rate per the Tax Cuts and Jobs Act of 2017. Thus, the utility requests to maintain its recurring rates.

Main Extension Cost Option Election

The utility requests approval of Main Extension Cost Option 1 set forth in 170 IAC 6-1.5-33(a)(1).

Customer Impact: No rate change.

Tariff Pages Affected: N/A

Staff Recommendations: Requirements met. Staff recommends approval.

Submitted By: E. Curtis Gassert
Director, Water/Sewer Division

Filing Party: Aqua Indiana, Inc.

30-Day Filing ID No.: 50198

Dates Filed: May 18, 2018

Filed Pursuant To: 170 IAC 1-6 and Cause No. 45032

Request: Water Main Extension Cost Option Election

The utility requests approval to change the utility's existing Rules, Regulations and Conditions of Water Service to reflect the election of Water Main Extension Cost Option 2 set forth in 170 IAC 6-1.5-33(a)(2) for its Darlington (#50137), Wedgewood Park (#50142), and Lake County Water Divisions (#50147).

Wastewater Main Extension Cost Option Election

The utility requests approval to change the utility's existing Rules, Regulations and Conditions of Sewer Service to reflect the election of Wastewater Main Extension Cost Option 2 set forth in 170 IAC 8.5-4-32(a)(2) for its Southern Hills (#50141), Wildwood Shores (#50143), Wymberly (#50144), Aboite Wastewater (#50145), Lake County Sewer (#50146) and White Oak Divisions (#50148).

Customer Impact: No rate change.

Rules Pages Affected: Water Rules - pg. 35; Wastewater Rules - pg. 29

Staff Recommendations: Requirements met. Staff recommends approval.