


INDIANA

2019 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2020



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019

MODULE 2: DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1404	625,606	487	35.8	32.7-38.9	917	64.2	61.1-67.3
Male	694	334,872	257	37.0	32.7-41.3	437	63.0	58.7-67.3
Female	710	290,734	230	34.5	29.8-39.2	480	65.5	60.8-70.2
White/Non-Hisp	1125	481,734	386	36.0	32.5-39.5	739	64.0	60.5-67.5
Black or Afr. Am./Non-Hisp	135	78,371	46	35.9	24.9-46.9	89	64.1	53.1-75.1
35-44	67	58,558	23	40.0	25.7-54.3	44	60.0	45.7-74.3
45-54	158	98,019	56	35.4	27.2-43.6	102	64.6	56.4-72.8
55-64	343	164,833	125	38.2	32.3-44.1	218	61.8	55.9-67.7
65+	813	274,651	275	34.5	30.6-38.4	538	65.5	61.6-69.4
Less Than H.S.	135	98,691	46	33.7	23.9-43.5	89	66.3	56.5-76.1
H.S. or G.E.D.	547	237,100	193	36.2	31.5-40.9	354	63.8	59.1-68.5
Some Post-H.S.	381	191,429	127	36.1	30.2-42.0	254	63.9	58.0-69.8
College Graduate	332	95,719	117	36.6	30.1-43.1	215	63.4	56.9-69.9
Less than \$15,000	161	75,362	67	39.0	29.4-48.6	94	61.0	51.4-70.6
\$15,000- 24,999	297	131,997	116	38.1	30.8-45.4	181	61.9	54.6-69.2
\$25,000- 34,999	131	56,096	39	32.3	22.1-42.5	92	67.7	57.5-77.9
\$35,000- 49,999	137	64,548	45	34.8	24.8-44.8	92	65.2	55.2-75.2
\$50,000- 74,999	153	71,581	46	32.3	23.5-41.1	107	67.7	58.9-76.5
\$75,000+	201	101,063	68	36.5	28.1-44.9	133	63.5	55.1-71.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	694	334,872	257	37.0	32.7-41.3	437	63.0	58.7-67.3
White/Non-Hisp	556	259,652	205	38.3	33.4-43.2	351	61.7	56.8-66.6
Black or Afr. Am./Non-Hisp	54	35,998	19	33.7	18.4-49.0	35	66.3	51.0-81.6
45-54	86	53,600	31	35.8	25.0-46.6	55	64.2	53.4-75.0
55-64	179	86,998	63	35.6	27.6-43.6	116	64.4	56.4-72.4
65+	386	150,624	150	40.9	34.8-47.0	236	59.1	53.0-65.2
Less Than H.S.	58	48,845	19	32.4	18.5-46.3	39	67.6	53.7-81.5
H.S. or G.E.D.	264	127,219	101	38.8	32.1-45.5	163	61.2	54.5-67.9
Some Post-H.S.	183	98,133	63	33.9	26.1-41.7	120	66.1	58.3-73.9
College Graduate	184	59,058	72	42.3	33.5-51.1	112	57.7	48.9-66.5
Less than \$15,000	75	36,553	30	40.1	26.8-53.4	45	59.9	46.6-73.2
\$15,000- 24,999	129	62,684	49	35.4	25.8-45.0	80	64.6	55.0-74.2
\$25,000- 34,999	63	29,534	24	41.6	26.1-57.1	39	58.4	42.9-73.9
\$35,000- 49,999	80	41,130	26	32.5	19.4-45.6	54	67.5	54.4-80.6
\$50,000- 74,999	86	44,330	31	37.4	25.2-49.6	55	62.6	50.4-74.8
\$75,000+	139	69,186	51	35.6	26.4-44.8	88	64.4	55.2-73.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	710	290,734	230	34.5	29.8-39.2	480	65.5	60.8-70.2
White/Non-Hisp	569	222,082	181	33.3	28.4-38.2	388	66.7	61.8-71.6
Black or Afr. Am./Non-Hisp	81	42,373	27	37.8	22.3-53.3	54	62.2	46.7-77.7
45-54	72	44,419	25	34.9	22.4-47.4	47	65.1	52.6-77.6
55-64	164	77,835	62	41.0	32.4-49.6	102	59.0	50.4-67.6
65+	427	124,027	125	26.8	21.9-31.7	302	73.2	68.3-78.1
Less Than H.S.	77	49,846	27	34.9	20.8-49.0	50	65.1	51.0-79.2
H.S. or G.E.D.	283	109,881	92	33.2	26.7-39.7	191	66.8	60.3-73.3
Some Post-H.S.	198	93,296	64	38.5	29.7-47.3	134	61.5	52.7-70.3
College Graduate	148	36,661	45	27.4	19.2-35.6	103	72.6	64.4-80.8
Less than \$15,000	86	38,809	37	37.9	24.4-51.4	49	62.1	48.6-75.6
\$15,000- 24,999	168	69,314	67	40.6	30.2-51.0	101	59.4	49.0-69.8
\$25,000- 34,999	68	26,562	15	22.0	10.4-33.6	53	78.0	66.4-89.6
\$35,000- 49,999	57	23,418	19	38.9	24.0-53.8	38	61.1	46.2-76.0
\$50,000- 74,999	67	27,251	15	23.9	11.4-36.4	52	76.1	63.6-88.6
\$75,000+	62	31,877	17	38.5	20.9-56.1	45	61.5	43.9-79.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1379	614,739	149	11.8	09.4-14.2	375	25.3	22.6-28.0	823	60.0	56.9-63.1	32	2.9	01.7-04.1
Male	676	327,511	68	11.2	07.9-14.5	202	28.3	24.2-32.4	383	56.4	51.9-60.9	23	4.0	02.2-05.8
Female	703	287,228	81	12.5	09.0-16.0	173	21.9	18.4-25.4	440	64.0	59.5-68.5	9	1.6	00.4-02.8
White/Non-Hisp	1110	474,991	112	10.4	08.0-12.8	295	24.7	21.8-27.6	676	61.9	58.4-65.4	27	3.0	01.8-04.2
Black or Afr. Am./Non-Hisp	133	77,610	17	19.5	08.5-30.5	42	25.5	16.7-34.3	74	55.0	43.4-66.6			
35-44	63	56,474	10	12.2	03.4-21.0	13	16.8	07.0-26.6	37	67.0	54.1-79.9	3	4.0	00.0-08.5
45-54	157	98,413	19	10.9	05.6-16.2	42	25.2	17.9-32.5	90	59.6	51.2-68.0	6	4.3	00.6-08.0
55-64	336	161,248	36	9.7	06.2-13.2	85	25.4	20.1-30.7	204	61.8	55.9-67.7	11	3.1	01.1-05.1
65+	800	269,058	77	9.8	07.3-12.3	227	26.8	23.3-30.3	485	61.4	57.3-65.5	11	2.0	00.6-03.4
Less Than H.S.	131	95,515	15	13.9	05.3-22.5	29	20.4	12.8-28.0	85	64.8	54.6-75.0	2	0.9	00.0-02.3
H.S. or G.E.D.	536	232,164	57	11.9	08.2-15.6	139	24.3	20.2-28.4	335	62.6	57.7-67.5	5	1.2	00.2-02.2
Some Post-H.S.	377	190,273	40	9.8	05.9-13.7	105	26.7	21.4-32.0	221	59.0	52.9-65.1	11	4.5	01.8-07.2
College Graduate	327	94,359	37	14.0	09.1-18.9	100	29.7	23.6-35.8	176	50.3	43.6-57.0	14	6.0	02.5-09.5
Less than \$15,000	158	73,439	20	18.2	08.6-27.8	29	18.1	10.7-25.5	108	62.7	52.5-72.9	1	1.0	00.0-03.0
\$15,000- 24,999	297	132,799	26	10.3	04.8-15.8	75	24.3	18.4-30.2	195	64.9	57.8-72.0	1	0.5	00.0-01.5
\$25,000- 34,999	130	55,349	19	14.0	07.1-20.9	32	18.7	11.1-26.3	76	64.8	55.0-74.6	3	2.4	00.0-05.1
\$35,000- 49,999	135	63,499	13	9.6	02.0-17.2	49	33.0	23.4-42.6	70	55.1	44.5-65.7	3	2.3	00.0-05.2
\$50,000- 74,999	151	70,967	16	10.7	05.0-16.4	47	31.0	21.8-40.2	85	54.9	45.3-64.5	3	3.4	00.0-07.3
\$75,000+	196	98,843	17	11.0	05.1-16.9	57	24.9	18.2-31.6	106	55.7	47.3-64.1	16	8.5	04.0-13.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	676	327,511	68	11.2	07.9-14.5	202	28.3	24.2-32.4	383	56.4	51.9-60.9	23	4.0	02.2-05.8
White/Non-Hisp	543	254,348	49	10.0	06.5-13.5	158	26.5	22.2-30.8	317	59.3	54.4-64.2	19	4.3	02.1-06.5
Black or Afr. Am./Non-Hisp	55	36,651	8	17.1	03.2-31.0	20	32.7	18.0-47.4	27	50.3	33.8-66.8			
45-54	85	53,993	8	8.3	02.0-14.6	24	28.3	17.9-38.7	48	57.9	46.5-69.3	5	5.5	00.4-10.6
55-64	174	84,285	20	10.7	05.6-15.8	48	29.3	21.7-36.9	100	56.9	48.7-65.1	6	3.1	00.4-05.8
65+	375	145,978	33	9.0	05.7-12.3	116	27.1	21.8-32.4	217	60.6	54.7-66.5	9	3.3	00.9-05.7
Less Than H.S.	55	45,949	4	8.3	00.0-18.5	18	27.0	14.3-39.7	32	63.6	49.1-78.1	1	1.2	00.0-03.6
H.S. or G.E.D.	258	124,936	31	13.9	08.4-19.4	65	23.0	17.3-28.7	158	61.1	54.2-68.0	4	1.9	00.0-03.9
Some Post-H.S.	181	97,795	18	10.3	03.8-16.8	61	33.1	25.1-41.1	95	50.7	42.1-59.3	7	5.9	01.6-10.2
College Graduate	178	57,453	15	9.6	04.1-15.1	56	31.8	23.4-40.2	96	50.8	41.8-59.8	11	7.7	02.4-13.0
Less than \$15,000	73	34,888	8	13.3	03.7-22.9	18	25.7	13.4-38.0	46	59.0	45.3-72.7	1	2.1	00.0-06.2
\$15,000- 24,999	128	63,365	10	9.9	01.3-18.5	42	30.7	21.5-39.9	75	58.4	47.8-69.0	1	1.0	00.0-03.0
\$25,000- 34,999	62	29,021	9	13.9	03.9-23.9	15	17.6	07.2-28.0	37	66.8	53.3-80.3	1	1.6	00.0-04.7
\$35,000- 49,999	79	40,572	5	9.5	00.0-20.9	34	35.6	22.7-48.5	38	52.6	38.3-66.9	2	2.2	00.0-05.7
\$50,000- 74,999	85	44,090	8	8.4	01.7-15.1	25	33.8	20.9-46.7	49	52.3	39.4-65.2	3	5.5	00.0-11.8
\$75,000+	134	66,967	11	11.6	03.6-19.6	38	25.5	17.5-33.5	72	51.8	42.0-61.6	13	11.0	04.7-17.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	703	287,228	81	12.5	09.0-16.0	173	21.9	18.4-25.4	440	64.0	59.5-68.5	9	1.6	00.4-02.8
White/Non-Hisp	567	220,643	63	10.9	07.8-14.0	137	22.7	18.6-26.8	359	64.9	60.2-69.6	8	1.5	00.3-02.7
Black or Afr. Am./Non-Hisp	78	40,959	9	21.8	05.5-38.1	22	19.1	09.3-28.9	47	59.2	43.1-75.3			
45-54	72	44,419	11	14.0	05.2-22.8	18	21.4	11.4-31.4	42	61.7	49.2-74.2	1	2.9	00.0-08.4
55-64	162	76,964	16	8.7	04.0-13.4	37	21.2	14.1-28.3	104	67.0	59.0-75.0	5	3.1	00.4-05.8
65+	425	123,081	44	10.8	07.3-14.3	111	26.5	21.6-31.4	268	62.3	56.8-67.8	2	0.4	00.0-01.0
Less Than H.S.	76	49,567	11	19.1	06.0-32.2	11	14.3	05.5-23.1	53	66.0	51.9-80.1	1	0.7	00.0-02.1
H.S. or G.E.D.	278	107,229	26	9.5	04.6-14.4	74	25.8	19.5-32.1	177	64.4	57.3-71.5	1	0.3	00.0-00.9
Some Post-H.S.	196	92,477	22	9.2	05.1-13.3	44	20.0	13.9-26.1	126	67.8	60.4-75.2	4	3.0	00.0-06.1
College Graduate	149	36,906	22	20.8	12.0-29.6	44	26.3	18.5-34.1	80	49.5	39.9-59.1	3	3.4	00.0-07.5
Less than \$15,000	85	38,552	12	22.6	07.1-38.1	11	11.3	03.9-18.7	62	66.1	50.8-81.4			
\$15,000- 24,999	169	69,434	16	10.6	03.5-17.7	33	18.5	10.9-26.1	120	70.9	61.5-80.3			
\$25,000- 34,999	68	26,328	10	14.1	04.7-23.5	17	20.0	08.8-31.2	39	62.6	48.7-76.5	2	3.3	00.0-08.0
\$35,000- 49,999	56	22,927	8	9.6	01.8-17.4	15	28.4	13.7-43.1	32	59.5	44.0-75.0	1	2.4	00.0-07.1
\$50,000- 74,999	66	26,877	8	14.5	04.7-24.3	22	26.5	15.1-37.9	36	59.1	45.8-72.4			
\$75,000+	62	31,877	6	9.7	01.9-17.5	19	23.5	11.9-35.1	34	63.7	49.4-78.0	3	3.1	00.0-07.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1351	605,911	728	55.3	52.0-58.6	251	17.1	14.7-19.5	110	6.9	05.3-08.5	67	4.8	03.4-06.2	185	15.2	12.7-17.7	10	0.8	00.2-01.4
Male	672	326,063	357	54.8	50.3-59.3	116	16.6	13.3-19.9	46	5.7	03.7-07.7	40	4.7	03.1-06.3	105	17.1	13.4-20.8	8	1.1	00.1-02.1
Female	679	279,848	371	55.9	51.0-60.8	135	17.7	14.2-21.2	64	8.3	05.8-10.8	27	4.9	02.5-07.3	80	12.9	09.6-16.2	2	0.3	00.0-00.7
White/Non-Hisp	1089	468,294	586	54.5	51.0-58.0	208	18.1	15.4-20.8	85	6.8	05.0-08.6	54	4.4	03.0-05.8	148	15.4	12.7-18.1	8	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	130	76,677	73	63.0	52.0-74.0	22	13.3	06.4-20.2	12	4.2	01.5-06.9	8	7.2	00.5-13.9	15	12.3	04.7-19.9			
35-44	65	56,733	39	59.2	45.1-73.3	9	15.5	04.7-26.3	2	3.1	00.0-07.4	2	2.4	00.0-05.7	13	19.7	08.5-30.9			
45-54	157	97,752	94	60.4	52.0-68.8	18	10.6	05.3-15.9	13	6.3	02.4-10.2	5	2.9	00.4-05.4	24	17.9	11.0-24.8	3	1.8	00.0-04.0
55-64	333	161,033	180	53.8	47.7-59.9	67	21.2	16.1-26.3	29	8.5	05.2-11.8	11	3.0	01.0-05.0	44	12.7	08.8-16.6	2	0.7	00.0-01.7
65+	773	260,847	404	54.8	50.5-59.1	153	17.7	14.6-20.8	64	6.9	04.9-08.9	47	6.3	04.3-08.3	100	13.7	10.8-16.6	5	0.6	00.0-01.2
Less Than H.S.	128	94,839	67	57.1	46.9-67.3	17	12.6	05.7-19.5	10	7.6	02.5-12.7	4	1.7	00.0-03.5	29	20.5	12.5-28.5	1	0.5	00.0-01.5
H.S. or G.E.D.	526	228,519	298	57.2	52.1-62.3	94	17.1	13.2-21.0	38	5.9	03.7-08.1	26	4.9	02.7-07.1	66	13.9	10.0-17.8	4	0.9	00.0-01.9
Some Post-H.S.	366	186,659	192	53.4	47.3-59.5	72	18.5	14.0-23.0	28	6.7	03.6-09.8	18	5.8	02.5-09.1	54	15.0	10.5-19.5	2	0.6	00.0-01.6
College Graduate	324	94,138	168	52.5	45.8-59.2	67	19.2	14.3-24.1	33	8.7	05.4-12.0	19	5.5	02.6-08.4	34	13.1	08.0-18.2	3	0.9	00.0-01.9
Less than \$15,000	148	68,723	91	66.8	57.2-76.4	22	14.5	06.9-22.1	8	2.6	00.6-04.6	7	2.7	00.3-05.1	19	12.7	06.6-18.8	1	0.6	00.0-01.8
\$15,000- 24,999	283	128,065	155	55.1	47.5-62.7	58	18.7	13.2-24.2	21	6.5	03.2-09.8	12	4.0	01.5-06.5	36	15.6	09.1-22.1	1	0.1	00.0-00.3
\$25,000- 34,999	131	56,096	67	53.4	42.8-64.0	31	17.0	09.6-24.4	7	6.4	00.7-12.1	7	8.0	02.1-13.9	17	13.5	05.7-21.3	2	1.7	00.0-04.2
\$35,000- 49,999	133	62,715	78	62.9	52.9-72.9	17	11.4	05.5-17.3	18	9.8	04.3-15.3	9	6.1	01.4-10.8	10	9.4	02.7-16.1	1	0.3	00.0-00.9
\$50,000- 74,999	152	71,283	74	47.5	37.9-57.1	36	23.7	15.5-31.9	12	7.3	01.6-13.0	8	4.4	01.1-07.7	20	15.4	08.3-22.5	2	1.8	00.0-04.3
\$75,000+	201	101,063	110	54.1	45.7-62.5	35	15.6	10.1-21.1	19	8.7	04.4-13.0	8	4.9	00.0-09.8	28	16.2	09.7-22.7	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	672	326,063	357	54.8	50.3-59.3	116	16.6	13.3-19.9	46	5.7	03.7-07.7	40	4.7	03.1-06.3	105	17.1	13.4-20.8	8	1.1	00.1-02.1
White/Non-Hisp	542	253,671	284	52.2	47.1-57.3	96	17.9	14.2-21.6	36	5.4	03.0-07.8	35	5.1	03.1-07.1	84	18.2	13.9-22.5	7	1.2	00.2-02.2
Black or Afr. Am./Non-Hisp	53	36,154	32	70.9	56.8-85.0	9	13.6	02.8-24.4	3	2.7	00.0-06.2	2	2.7	00.0-07.0	7	10.2	01.4-19.0			
45-54	86	53,964	54	61.2	49.8-72.6	13	15.2	06.6-23.8	5	3.9	00.4-07.4	2	2.6	00.0-06.1	10	14.6	06.0-23.2	2	2.5	00.0-06.0
55-64	176	85,974	94	53.3	45.1-61.5	33	21.3	14.2-28.4	12	5.7	02.0-09.4	5	2.4	00.0-04.8	31	16.3	10.6-22.0	1	0.9	00.0-02.7
65+	368	143,442	185	54.3	48.2-60.4	65	16.0	11.9-20.1	27	5.9	03.2-08.6	32	7.6	04.7-10.5	54	15.1	10.6-19.6	5	1.1	00.0-02.3
Less Than H.S.	56	47,569	28	57.6	43.1-72.1	7	10.7	02.1-19.3	3	4.8	00.0-10.7	2	1.9	00.0-04.4	16	25.0	12.3-37.7			
H.S. or G.E.D.	256	123,308	149	59.2	52.1-66.3	43	16.6	11.3-21.9	12	4.1	01.6-06.6	15	4.9	02.2-07.6	33	13.5	08.2-18.8	4	1.7	00.0-03.7
Some Post-H.S.	177	96,478	85	47.8	39.2-56.4	33	20.0	12.9-27.1	12	6.3	01.8-10.8	11	5.2	01.9-08.5	35	19.9	12.5-27.3	1	0.8	00.0-02.4
College Graduate	180	58,002	95	55.4	46.6-64.2	32	15.9	09.8-22.0	18	8.2	03.9-12.5	12	5.7	02.0-09.4	20	13.4	06.5-20.3	3	1.4	00.0-03.2
Less than \$15,000	68	32,359	42	68.9	56.9-80.9	9	12.0	04.7-19.3	2	1.1	00.0-02.7	3	2.5	00.0-05.6	12	15.4	06.0-24.8			
\$15,000- 24,999	124	61,605	66	52.3	41.5-63.1	27	20.9	12.7-29.1	6	5.7	01.0-10.4	6	3.5	00.6-06.4	18	17.4	07.2-27.6	1	0.1	00.0-00.3
\$25,000- 34,999	63	29,534	32	49.5	34.2-64.8	13	18.0	07.0-29.0	1	2.1	00.0-06.2	5	10.4	01.6-19.2	10	16.8	03.9-29.7	2	3.1	00.0-07.8
\$35,000- 49,999	78	40,270	48	68.3	56.0-80.6	8	9.1	02.4-15.8	10	9.3	02.2-16.4	6	5.7	00.0-11.4	5	7.1	00.0-14.2	1	0.5	00.0-01.5
\$50,000- 74,999	85	44,032	41	48.0	35.3-60.7	20	23.8	12.4-35.2	5	6.1	00.0-14.1	5	3.5	00.0-07.0	13	16.8	07.2-26.4	1	1.9	00.0-05.6
\$75,000+	139	69,186	80	55.9	46.3-65.5	23	16.3	09.2-23.4	13	8.1	03.2-13.0	5	2.7	00.0-05.4	17	16.5	08.5-24.5	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	679	279,848	371	55.9	51.0-60.8	135	17.7	14.2-21.2	64	8.3	05.8-10.8	27	4.9	02.5-07.3	80	12.9	09.6-16.2	2	0.3	00.0-00.7
White/Non-Hisp	547	214,623	302	57.2	52.1-62.3	112	18.4	14.5-22.3	49	8.5	05.8-11.2	19	3.7	01.7-05.7	64	12.1	08.8-15.4	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	77	40,524	41	56.0	39.9-72.1	13	13.1	04.5-21.7	9	5.5	01.2-09.8	6	11.3	00.0-22.9	8	14.2	02.2-26.2			
45-54	71	43,788	40	59.3	46.6-72.0	5	5.0	00.3-09.7	8	9.3	01.9-16.7	3	3.3	00.0-07.2	14	22.0	11.2-32.8	1	1.0	00.0-03.0
55-64	157	75,059	86	54.4	45.6-63.2	34	21.1	14.0-28.2	17	11.7	05.8-17.6	6	3.6	00.3-06.9	13	8.5	03.6-13.4	1	0.6	00.0-01.8
65+	405	117,406	219	55.4	49.5-61.3	88	19.8	15.3-24.3	37	8.1	05.2-11.0	15	4.7	02.0-07.4	46	12.0	08.3-15.7			
Less Than H.S.	72	47,270	39	56.6	42.1-71.1	10	14.4	04.0-24.8	7	10.5	02.1-18.9	2	1.5	00.0-03.7	13	16.1	07.1-25.1	1	0.9	00.0-02.7
H.S. or G.E.D.	270	105,211	149	54.9	47.5-62.3	51	17.7	11.8-23.6	26	8.1	04.4-11.8	11	5.0	01.9-08.1	33	14.3	08.4-20.2			
Some Post-H.S.	189	90,181	107	59.5	50.9-68.1	39	16.8	11.1-22.5	16	7.1	03.2-11.0	7	6.4	00.5-12.3	19	9.7	04.8-14.6	1	0.5	00.0-01.5
College Graduate	144	36,136	73	47.9	38.3-57.5	35	24.6	16.4-32.8	15	9.4	04.1-14.7	7	5.3	00.8-09.8	14	12.7	05.6-19.8			
Less than \$15,000	80	36,364	49	64.9	50.6-79.2	13	16.6	04.6-28.6	6	4.0	00.5-07.5	4	2.9	00.0-06.2	7	10.4	02.6-18.2	1	1.2	00.0-03.6
\$15,000- 24,999	159	66,459	89	57.7	47.1-68.3	31	16.5	09.1-23.9	15	7.3	02.8-11.8	6	4.4	00.3-08.5	18	14.0	06.0-22.0			
\$25,000- 34,999	68	26,562	35	57.7	43.2-72.2	18	15.8	06.4-25.2	6	11.3	00.9-21.7	2	5.4	00.0-13.0	7	9.8	01.6-18.0			
\$35,000- 49,999	55	22,446	30	53.3	37.6-69.0	9	15.6	04.6-26.6	8	10.7	02.5-18.9	3	7.0	00.5-13.5	5	13.5	00.4-26.6			
\$50,000- 74,999	67	27,251	33	46.7	32.8-60.6	16	23.6	12.2-35.0	7	9.2	02.5-15.9	3	5.8	00.0-12.5	7	13.0	02.6-23.4	1	1.6	00.0-04.7
\$75,000+	62	31,877	30	50.2	33.5-66.9	12	14.3	05.7-22.9	6	10.0	01.4-18.6	3	9.9	00.0-23.8	11	15.7	05.9-25.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1343	601,974	202	13.9	11.7-16.1	344	26.1	23.2-29.0	178	12.5	10.3-14.7	320	23.7	20.8-26.6	148	11.5	9.3-13.7	151	12.2	9.8-14.6
Male	670	323,632	106	14.6	11.5-17.7	179	27.5	23.4-31.6	91	12.4	9.5-15.3	148	21.6	17.9-25.3	74	11.3	8.6-14.0	72	12.6	9.3-15.9
Female	673	278,343	96	13.0	10.1-15.9	165	24.4	20.1-28.7	87	12.7	9.8-15.6	172	26.3	21.8-30.8	74	11.8	8.7-14.9	79	11.8	8.7-14.9
White/Non-Hisp	1087	468,688	166	14.4	12.0-16.8	292	27.4	24.1-30.7	144	12.4	10.2-14.6	253	23.2	20.1-26.3	111	10.9	8.5-13.3	121	11.7	9.3-14.1
Black or Afr. Am./Non-Hisp	128	74,930	22	12.0	05.9-18.1	25	22.5	11.7-33.3	17	13.7	05.9-21.5	34	26.5	15.9-37.1	18	13.2	06.5-19.9	12	12.1	04.1-20.1
35-44	63	54,093	8	9.6	02.0-17.2	14	20.7	09.5-31.9	7	9.4	02.0-16.8	17	31.1	16.6-45.6	8	13.9	04.5-23.3	9	15.3	04.3-26.3
45-54	155	96,782	23	15.4	09.3-21.5	40	27.6	19.8-35.4	15	9.5	04.4-14.6	42	22.3	15.4-29.2	18	13.5	07.2-19.8	17	11.8	06.1-17.5
55-64	327	158,653	53	16.6	12.1-21.1	71	20.8	16.1-25.5	51	15.4	11.1-19.7	83	26.7	21.2-32.2	29	9.4	05.9-12.9	40	11.1	07.6-14.6
65+	775	262,900	116	13.7	11.0-16.4	208	26.7	23.0-30.4	104	13.4	10.3-16.5	175	21.8	18.3-25.3	90	12.3	09.4-15.2	82	12.1	09.2-15.0
Less Than H.S.	122	89,420	16	7.8	03.3-12.3	23	20.4	11.4-29.4	15	11.4	04.7-18.1	27	24.8	15.0-34.6	23	17.3	09.9-24.7	18	18.3	09.5-27.1
H.S. or G.E.D.	517	227,609	73	13.2	10.1-16.3	130	25.4	20.9-29.9	64	13.8	10.3-17.3	121	22.1	18.0-26.2	64	11.9	08.8-15.0	65	13.6	09.9-17.3
Some Post-H.S.	373	189,277	62	17.1	12.6-21.6	93	27.9	22.2-33.6	51	11.1	07.8-14.4	91	25.2	19.7-30.7	34	10.5	06.6-14.4	42	8.2	05.5-10.9
College Graduate	323	93,334	50	14.9	10.2-19.6	97	30.0	23.9-36.1	47	13.8	09.1-18.5	79	23.9	18.4-29.4	25	6.7	03.6-09.8	25	10.7	06.0-15.4
Less than \$15,000	145	68,535	18	11.4	05.3-17.5	25	20.7	10.7-30.7	15	10.2	04.5-15.9	41	21.9	14.1-29.7	28	20.0	12.0-28.0	18	15.8	07.6-24.0
\$15,000- 24,999	284	127,355	37	13.2	08.5-17.9	68	26.5	19.4-33.6	37	12.3	07.8-16.8	69	24.8	17.9-31.7	47	14.6	09.9-19.3	26	8.6	04.9-12.3
\$25,000- 34,999	129	54,498	17	12.1	05.2-19.0	36	28.3	18.9-37.7	19	12.3	06.0-18.6	29	23.8	14.4-33.2	9	7.5	02.4-12.6	19	15.9	08.3-23.5
\$35,000- 49,999	136	63,960	18	11.3	05.6-17.0	44	27.4	18.8-36.0	16	15.5	06.9-24.1	32	23.0	14.4-31.6	13	9.2	03.3-15.1	13	13.6	04.4-22.8
\$50,000- 74,999	148	69,734	29	18.3	11.2-25.4	38	26.4	17.4-35.4	22	14.0	07.3-20.7	39	27.3	18.5-36.1	7	6.2	01.3-11.1	13	7.8	03.1-12.5
\$75,000+	199	99,815	33	16.4	10.5-22.3	63	31.6	23.8-39.4	33	13.2	08.1-18.3	40	22.7	14.9-30.5	13	6.6	02.5-10.7	17	9.6	04.5-14.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	670	323,632	106	14.6	11.5-17.7	179	27.5	23.4-31.6	91	12.4	09.5-15.3	148	21.6	17.9-25.3	74	11.3	08.6-14.0	72	12.6	09.3-15.9
White/Non-Hisp	540	252,518	90	15.6	12.1-19.1	152	29.9	25.2-34.6	74	12.2	09.1-15.3	117	20.9	17.0-24.8	51	9.7	06.8-12.6	56	11.7	08.4-15.0
Black or Afr. Am./Non-Hisp	52	34,787	6	9.8	00.8-18.8	9	13.6	03.0-24.2	5	13.7	00.2-27.2	14	25.2	11.3-39.1	11	17.4	06.6-28.2	7	20.3	04.8-35.8
45-54	85	53,576	13	17.2	08.6-25.8	27	33.7	22.7-44.7	8	8.9	02.8-15.0	20	18.0	09.8-26.2	9	11.3	03.7-18.9	8	10.9	03.3-18.5
55-64	172	83,892	29	17.2	10.7-23.7	39	22.4	15.7-29.1	28	15.5	09.4-21.6	41	26.0	18.6-33.4	16	8.1	03.8-12.4	19	10.8	05.9-15.7
65+	371	144,359	57	13.1	09.4-16.8	101	26.7	21.4-32.0	53	14.2	09.5-18.9	79	21.1	16.0-26.2	43	12.7	08.6-16.8	38	12.3	08.0-16.6
Less Than H.S.	53	43,156	6	6.6	00.1-13.1	10	18.6	07.2-30.0	8	16.0	04.0-28.0	12	23.3	10.4-36.2	8	15.5	04.7-26.3	9	19.9	06.6-33.2
H.S. or G.E.D.	253	124,396	36	13.5	09.0-18.0	73	27.4	21.1-33.7	31	12.7	08.0-17.4	45	17.2	11.9-22.5	33	12.8	08.3-17.3	35	16.5	10.8-22.2
Some Post-H.S.	178	96,680	29	18.1	11.4-24.8	45	30.4	21.8-39.0	25	10.5	06.0-15.0	47	25.3	17.9-32.7	17	9.8	04.9-14.7	15	5.9	02.6-09.2
College Graduate	182	58,115	34	17.2	10.5-23.9	51	30.2	22.0-38.4	26	12.3	06.2-18.4	44	24.0	16.7-31.3	15	7.4	02.9-11.9	12	8.9	03.0-14.8
Less than \$15,000	64	31,487	9	14.2	04.6-23.8	14	22.1	10.3-33.9	8	10.5	02.5-18.5	13	17.5	06.7-28.3	12	22.0	09.7-34.3	8	13.7	03.9-23.5
\$15,000- 24,999	128	62,617	19	13.4	06.9-19.9	28	25.9	15.7-36.1	18	11.5	05.6-17.4	29	23.7	14.7-32.7	23	15.9	08.6-23.2	11	9.7	03.6-15.8
\$25,000- 34,999	60	27,346	9	16.5	04.5-28.5	15	29.4	15.5-43.3	10	10.2	02.4-18.0	13	22.5	09.2-35.8	6	10.0	01.8-18.2	7	11.5	02.5-20.5
\$35,000- 49,999	79	40,542	13	13.8	05.8-21.8	25	25.9	14.9-36.9	10	17.6	05.4-29.8	15	16.5	06.5-26.5	8	9.1	01.5-16.7	8	17.2	03.5-30.9
\$50,000- 74,999	82	42,836	16	17.6	08.4-26.8	20	24.7	12.9-36.5	11	13.5	04.3-22.7	28	34.2	21.9-46.5	2	3.9	00.0-09.6	5	6.1	00.0-12.2
\$75,000+	137	67,938	23	15.7	08.8-22.6	46	34.9	25.5-44.3	23	14.5	07.8-21.2	29	21.9	14.1-29.7	8	5.0	01.1-08.9	8	7.9	01.8-14.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	673	278,343	96	13.0	10.3-15.7	165	24.4	20.1-28.7	87	12.7	09.8-15.6	172	26.3	21.8-30.8	74	11.8	08.7-14.9	79	11.8	08.7-14.9
White/Non-Hisp	547	216,170	76	13.1	10.0-16.2	140	24.3	20.0-28.6	70	12.5	09.2-15.8	136	25.9	21.0-30.8	60	12.3	08.8-15.8	65	11.9	08.8-15.0
Black or Afr. Am./Non-Hisp	76	40,143	16	14.0	06.0-22.0	16	30.2	13.5-46.9	12	13.8	04.8-22.8	20	27.6	12.1-43.1	7	9.6	01.4-17.8	5	4.9	00.2-09.6
45-54	70	43,206	10	13.1	04.7-21.5	13	20.0	09.2-30.8	7	10.3	02.1-18.5	22	27.6	16.2-39.0	9	16.2	05.8-26.6	9	12.9	04.3-21.5
55-64	155	74,761	24	15.9	09.6-22.2	32	18.9	12.2-25.6	23	15.4	09.1-21.7	42	27.4	19.4-35.4	13	10.9	05.0-16.8	21	11.4	06.1-16.7
65+	404	118,541	59	14.5	10.6-18.4	107	26.7	21.4-32.0	51	12.6	08.9-16.3	96	22.6	17.9-27.3	47	11.8	07.9-15.7	44	11.9	08.0-15.8
Less Than H.S.	69	46,264	10	9.0	02.7-15.3	13	22.0	08.1-35.9	7	7.2	01.1-13.3	15	26.2	11.7-40.7	15	18.9	08.7-29.1	9	16.8	05.2-28.4
H.S. or G.E.D.	264	103,212	37	12.8	08.3-17.3	57	23.1	16.4-29.8	33	15.1	09.6-20.6	76	28.0	21.5-34.5	31	10.8	06.5-15.1	30	10.2	06.1-14.3
Some Post-H.S.	195	92,598	33	15.9	10.2-21.6	48	25.3	18.0-32.6	26	11.7	06.8-16.6	44	25.1	16.7-33.5	17	11.2	05.3-17.1	27	10.7	06.2-15.2
College Graduate	141	35,219	16	11.2	05.3-17.1	46	29.8	20.8-38.8	21	16.2	08.9-23.5	35	23.6	15.6-31.6	10	5.5	02.0-09.0	13	13.6	06.0-21.2
Less than \$15,000	81	37,047	9	9.0	02.7-15.3	11	19.5	04.0-35.0	7	10.0	02.0-18.0	28	25.7	14.3-37.1	16	18.3	07.9-28.7	10	17.5	04.8-30.2
\$15,000- 24,999	156	64,738	18	13.0	06.3-19.7	40	27.0	17.2-36.8	19	13.0	06.1-19.9	40	26.0	15.8-36.2	24	13.3	07.0-19.6	15	7.6	03.1-12.1
\$25,000- 34,999	69	27,152	8	7.7	01.2-14.2	21	27.3	15.0-39.6	9	14.3	04.3-24.3	16	25.2	11.9-38.5	3	5.1	00.0-11.0	12	20.4	08.4-32.4
\$35,000- 49,999	57	23,418	5	6.9	00.0-14.0	19	29.9	16.0-43.8	6	12.0	01.6-22.4	17	34.3	19.8-48.8	5	9.5	00.1-18.9	5	7.3	00.0-14.6
\$50,000- 74,999	66	26,898	13	19.5	08.7-30.3	18	29.0	15.7-42.3	11	14.9	05.9-23.9	11	16.4	06.0-26.8	5	9.8	00.6-19.0	8	10.6	03.0-18.2
\$75,000+	62	31,877	10	17.8	06.6-29.0	17	24.4	11.5-37.3	10	10.5	03.4-17.6	11	24.5	06.7-42.3	5	9.8	00.0-19.8	9	13.0	04.0-22.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1322	591,794	653	48.5	45.2-51.8	485	36.2	32.9-39.5	51	3.7	02.5-04.9	38	3.0	01.8-04.2	71	6.6	04.8-08.4	24	1.9	00.9-02.9
Male	661	320,777	340	50.9	46.4-55.4	239	35.4	31.1-39.7	19	3.1	01.5-04.7	14	2.0	00.8-03.2	38	7.1	04.6-09.6	11	1.5	00.3-02.7
Female	661	271,017	313	45.7	40.8-50.6	246	37.2	32.3-42.1	32	4.5	02.5-06.5	24	4.2	02.2-06.2	33	6.1	03.6-08.6	13	2.4	00.6-04.2
White/Non-Hisp	1075	461,001	547	50.5	46.8-54.2	387	35.7	32.2-39.2	39	3.3	02.1-04.5	29	3.0	01.8-04.2	54	5.6	04.0-07.2	19	1.8	00.8-02.8
Black or Afr. Am./Non-Hisp	123	73,375	52	40.5	28.9-52.1	52	38.9	27.3-50.5	7	6.6	01.3-11.9	5	3.7	00.0-07.4	4	6.4	00.0-13.5	3	3.9	00.0-09.6
35-44	62	54,656	27	43.2	28.9-57.5	25	42.9	28.2-57.6	1	1.2	00.0-03.6	2	1.4	00.0-03.4	7	11.4	01.8-21.0			
45-54	153	94,332	77	53.8	45.2-62.4	55	31.6	23.8-39.4	5	3.7	00.2-07.2	6	4.6	00.7-08.5	9	5.7	02.0-09.4	1	0.7	00.0-02.1
55-64	327	158,258	169	49.5	43.4-55.6	121	38.0	31.9-44.1	14	4.9	02.2-07.6	6	2.2	00.2-04.2	15	4.6	02.1-07.1	2	0.8	00.0-02.0
65+	757	255,003	368	47.4	43.1-51.7	278	36.2	32.1-40.3	30	3.7	01.9-05.5	24	3.6	02.0-05.2	38	6.8	04.4-09.2	19	2.3	01.1-03.5
Less Than H.S.	112	83,246	41	37.0	26.0-48.0	39	36.1	24.9-47.3	4	1.6	00.0-03.6	8	6.4	01.3-11.5	16	16.5	07.7-25.3	4	2.3	00.0-05.0
H.S. or G.E.D.	507	223,464	246	48.0	42.7-53.3	178	35.2	30.3-40.1	28	5.4	03.2-07.6	13	2.3	00.9-03.7	29	6.0	03.5-08.5	13	3.1	00.7-05.5
Some Post-H.S.	367	187,477	192	50.7	44.6-56.8	134	38.3	32.2-44.4	13	3.8	01.3-06.3	11	3.0	01.0-05.0	13	3.3	01.3-05.3	4	1.0	00.0-02.0
College Graduate	328	95,043	171	56.3	49.8-62.8	132	34.9	29.0-40.8	6	1.7	00.1-03.3	5	1.4	00.2-02.6	11	5.1	01.6-08.6	3	0.7	00.0-01.7
Less than \$15,000	143	66,349	61	43.4	32.6-54.2	52	33.9	24.1-43.7	10	5.2	01.5-08.9	6	4.9	00.8-09.0	13	12.3	04.3-20.3	1	0.2	00.0-00.6
\$15,000- 24,999	280	125,653	118	41.7	34.3-49.1	116	41.7	34.3-49.1	15	3.2	01.0-05.4	11	4.3	01.4-07.2	11	4.5	01.6-07.4	9	4.6	00.7-08.5
\$25,000- 34,999	128	54,102	72	56.2	45.8-66.6	41	30.7	21.1-40.3	2	3.6	00.0-08.7	3	1.9	00.0-04.1	6	5.8	01.1-10.5	4	1.9	00.0-04.1
\$35,000- 49,999	133	62,112	77	52.9	41.9-63.9	43	34.7	24.1-45.3	3	2.6	00.0-05.5	3	1.8	00.0-04.0	6	7.1	00.0-14.9	1	0.9	00.0-02.7
\$50,000- 74,999	151	70,857	76	50.3	40.7-59.9	61	37.5	28.3-46.7	5	4.7	00.6-08.8	3	2.2	00.0-04.7	5	5.1	00.0-10.2	1	0.2	00.0-00.6
\$75,000+	197	98,515	111	55.8	47.2-64.4	76	39.3	30.7-47.9	3	0.6	00.0-01.4	2	0.8	00.0-02.0	4	2.0	00.0-04.0	1	1.5	00.0-04.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	661	320,777	340	50.9	46.4-55.4	239	35.4	31.1-39.7	19	3.1	01.5-04.7	14	2.0	00.8-03.2	38	7.1	04.4-09.8	11	1.5	00.3-02.7
White/Non-Hisp	539	252,050	285	53.2	48.3-58.1	195	35.1	30.4-39.8	15	2.7	01.1-04.3	9	1.8	00.4-03.2	26	5.4	03.0-07.8	9	1.9	00.3-03.5
45-54	85	53,283	46	59.0	48.0-70.0	27	28.2	18.2-38.2	2	1.6	00.0-04.0	2	2.2	00.0-05.5	7	7.8	01.9-13.7	1	1.2	00.0-03.6
55-64	169	82,736	89	50.9	42.5-59.3	66	40.2	32.0-48.4	5	3.1	00.4-05.8	1	0.4	00.0-01.2	6	4.0	00.7-07.3	2	1.5	00.0-03.5
65+	367	143,459	186	47.4	41.3-53.5	132	37.0	30.9-43.1	11	3.9	01.2-06.6	11	3.4	01.0-05.8	20	7.1	03.6-10.6	7	1.1	00.1-02.1
H.S. or G.E.D.	248	121,309	129	51.3	44.2-58.4	81	32.8	26.1-39.5	13	5.5	02.4-08.6	4	1.4	00.0-03.0	15	6.2	02.7-09.7	6	2.8	00.1-05.5
Some Post-H.S.	178	97,322	91	52.3	43.7-60.9	74	40.4	32.0-48.8	2	2.0	00.0-04.9	2	1.0	00.0-02.4	7	3.4	00.7-06.1	2	0.9	00.0-02.3
College Graduate	182	58,762	98	58.8	50.4-67.2	69	32.2	24.6-39.8	4	2.1	00.0-04.5	4	1.7	00.0-03.5	4	4.1	00.0-08.4	3	1.1	00.0-02.7
Less than \$15,000	66	32,137	36	49.7	35.6-63.8	16	28.6	15.1-42.1	4	5.3	00.0-11.0	3	6.4	00.0-13.7	6	9.5	00.7-18.3	1	0.4	00.0-01.2
\$15,000- 24,999	125	61,868	50	41.3	30.5-52.1	57	43.6	33.0-54.2	4	2.6	00.0-05.3	4	3.5	00.0-07.8	8	7.3	02.0-12.6	2	1.7	00.0-04.2
\$25,000- 34,999	59	26,949	32	54.1	38.4-69.8	20	34.3	19.4-49.2	1	4.8	00.0-13.8	2	2.2	00.0-05.3	1	2.7	00.0-08.0	3	1.9	00.0-04.3
\$35,000- 49,999	77	39,462	46	56.7	41.8-71.6	22	26.7	13.6-39.8	3	4.1	00.0-08.8	2	2.0	00.0-05.1	3	9.0	00.0-21.0	1	1.5	00.0-04.4
\$50,000- 74,999	86	44,330	44	52.9	40.2-65.6	35	37.2	25.0-49.4	2	3.4	00.0-07.9	1	0.6	00.0-01.8	3	5.6	00.0-12.5	1	0.3	00.0-00.9
\$75,000+	136	67,364	75	55.2	45.4-65.0	59	42.2	32.6-51.8	1	0.5	00.0-01.5				1	2.1	00.0-06.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	661	271,017	313	45.7	40.8-50.6	246	37.2	32.3-42.1	32	4.5	02.5-06.5	24	4.2	02.2-06.2	33	6.1	03.6-08.6	13	2.4	00.4-04.4
White/Non-Hisp	536	208,951	262	47.3	42.0-52.6	192	36.6	31.3-41.9	24	4.0	02.0-06.0	20	4.5	02.3-06.7	28	6.0	03.6-08.4	10	1.7	00.3-03.1
Black or Afr. Am./Non-Hisp	74	39,163	32	40.6	24.3-56.9	35	43.5	27.2-59.8	3	4.3	00.0-09.8	1	3.0	00.0-08.9	1	1.6	00.0-04.7	2	7.0	00.0-17.6
45-54	68	41,049	31	46.9	33.4-60.4	28	36.2	23.7-48.7	3	6.3	00.0-13.7	4	7.8	00.0-15.8	2	2.8	00.0-06.7			
55-64	158	75,522	80	47.9	39.1-56.7	55	35.5	26.9-44.1	9	7.0	02.3-11.7	5	4.3	00.4-08.2	9	5.3	01.6-09.0			
65+	390	111,544	182	47.3	41.4-53.2	146	35.3	29.8-40.8	19	3.4	01.6-05.2	13	3.8	01.6-06.0	18	6.3	03.0-09.6	12	3.9	01.4-06.4
Less Than H.S.	63	41,378	21	37.4	21.1-53.7	24	35.4	19.5-51.3	4	3.3	00.0-07.2	4	6.5	00.0-13.8	6	12.7	01.3-24.1	4	4.7	00.0-10.2
H.S. or G.E.D.	259	102,154	117	44.1	36.7-51.5	97	38.1	30.8-45.4	15	5.2	02.1-08.3	9	3.3	00.9-05.7	14	5.7	02.4-09.0	7	3.6	00.0-07.7
Some Post-H.S.	189	90,155	101	48.9	40.3-57.5	60	35.9	27.1-44.7	11	5.8	01.5-10.1	9	5.2	01.5-08.9	6	3.3	00.8-05.8	2	1.0	00.0-02.4
College Graduate	146	36,280	73	52.4	42.8-62.0	63	39.2	30.0-48.4	2	1.0	00.0-02.4	1	0.7	00.0-02.1	7	6.7	01.2-12.2			
Less than \$15,000	77	34,213	25	37.5	21.0-54.0	36	38.9	24.4-53.4	6	5.1	00.2-10.0	3	3.5	00.0-07.6	7	15.0	02.1-27.9			
\$15,000- 24,999	155	63,785	68	42.1	31.5-52.7	59	40.0	29.0-51.0	11	3.8	00.7-06.9	7	5.0	00.7-09.3	3	1.8	00.0-04.0	7	7.4	00.1-14.7
\$25,000- 34,999	69	27,152	40	58.3	44.2-72.4	21	27.1	14.9-39.3	1	2.4	00.0-06.9	1	1.5	00.0-04.4	5	8.9	01.1-16.7	1	1.8	00.0-05.3
\$35,000- 49,999	56	22,650	31	46.2	31.3-61.1	21	48.6	33.3-63.9				1	1.4	00.0-04.1	3	3.9	00.0-08.8			
\$50,000- 74,999	65	26,527	32	46.1	32.2-60.0	26	37.9	24.2-51.6	3	7.1	00.0-14.9	2	4.8	00.0-11.3	2	4.2	00.0-11.1			
\$75,000+	61	31,151	36	57.1	39.9-74.3	17	33.2	15.0-51.4	2	1.0	00.0-02.4	2	2.4	00.0-05.9	4	6.3	00.0-12.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS ? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1350	606,860	330	23.4	20.7-26.1	267	19.5	17.0-22.0	109	7.8	06.0-09.6	212	15.8	13.3-18.3	112	8.1	06.3-09.9	320	25.5	22.6-28.4
Male	673	327,389	174	25.5	21.6-29.4	129	19.7	16.0-23.4	59	8.0	05.6-10.4	109	15.2	12.1-18.3	48	6.7	04.3-09.1	154	25.0	20.7-29.3
Female	677	279,471	156	20.9	17.2-24.6	138	19.2	15.7-22.7	50	7.5	05.1-09.9	103	16.5	12.4-20.6	64	9.9	07.0-12.8	166	26.0	21.7-30.3
White/Non-Hisp	1089	469,800	283	25.0	22.1-27.9	214	19.2	16.5-21.9	82	7.5	05.7-09.3	166	15.9	13.2-18.6	83	7.4	05.4-09.4	261	25.1	22.0-28.2
Black or Afr. Am./Non-Hisp	130	76,890	25	16.9	08.7-25.1	29	21.6	12.8-30.4	16	10.2	04.5-15.9	20	13.8	05.0-22.6	14	10.8	04.5-17.1	26	26.7	15.3-38.1
35-44	67	58,558	19	23.7	12.9-34.5	9	12.6	04.2-21.0	5	6.8	00.5-13.1	12	24.3	10.6-38.0	5	8.2	00.2-16.2	17	24.4	12.2-36.6
45-54	153	95,224	34	21.1	14.2-28.0	31	22.8	15.2-30.4	11	7.2	02.7-11.7	23	12.0	06.7-17.3	15	11.9	05.6-18.2	39	25.0	17.4-32.6
55-64	329	159,389	83	23.7	18.6-28.8	63	18.7	14.2-23.2	29	8.8	05.3-12.3	49	16.1	11.4-20.8	22	7.0	03.9-10.1	83	25.7	20.4-31.0
65+	778	264,145	188	24.0	20.5-27.5	162	21.5	17.8-25.2	63	7.9	05.7-10.1	126	15.7	12.8-18.6	69	8.3	05.9-10.7	170	22.6	18.9-26.3
Less Than H.S.	128	95,321	22	14.4	07.9-20.9	19	15.4	08.0-22.8	11	7.2	02.3-12.1	21	18.1	09.3-26.9	15	10.3	04.4-16.2	40	34.6	24.2-45.0
H.S. or G.E.D.	516	225,067	123	24.8	20.3-29.3	100	19.1	15.0-23.2	47	9.9	06.8-13.0	79	14.0	10.7-17.3	36	6.8	04.3-09.3	131	25.5	21.0-30.0
Some Post-H.S.	376	190,640	95	23.6	18.7-28.5	74	19.4	14.7-24.1	31	7.1	04.4-09.8	59	17.3	12.4-22.2	34	10.2	06.3-14.1	83	22.4	17.1-27.7
College Graduate	322	93,499	89	29.1	23.0-35.2	73	24.9	18.8-31.0	19	4.5	02.1-06.9	51	14.3	10.0-18.6	27	5.2	02.8-07.6	63	22.0	16.3-27.7
Less than \$15,000	152	72,312	32	19.8	12.4-27.2	25	12.3	06.8-17.8	19	10.5	04.8-16.2	22	12.7	06.6-18.8	15	10.7	04.6-16.8	39	34.0	23.0-45.0
\$15,000- 24,999	283	128,810	48	17.9	12.2-23.6	51	18.0	12.3-23.7	28	11.5	06.8-16.2	51	17.8	11.7-23.9	33	10.0	05.9-14.1	72	24.8	18.1-31.5
\$25,000- 34,999	127	53,816	36	24.9	16.5-33.3	26	19.9	11.1-28.7	8	4.9	00.8-09.0	14	14.7	06.3-23.1	12	12.4	03.8-21.0	31	23.2	14.6-31.8
\$35,000- 49,999	133	63,074	36	26.6	17.4-35.8	31	22.4	13.4-31.4	15	11.4	04.9-17.9	15	9.1	03.2-15.0	8	5.5	01.0-10.0	28	25.0	14.8-35.2
\$50,000- 74,999	149	69,610	41	27.1	18.5-35.7	32	20.2	12.8-27.6	11	7.7	02.8-12.6	23	13.7	07.6-19.8	7	2.9	00.4-05.4	35	28.4	19.0-37.8
\$75,000+	199	99,862	64	28.2	21.1-35.3	46	25.4	18.1-32.7	8	3.1	00.7-05.5	35	20.0	12.4-27.6	10	4.6	01.1-08.1	36	18.6	12.1-25.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS ? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	673	327,389	174	25.5	21.6-29.4	129	19.7	16.2-23.2	59	8.0	05.6-10.4	109	15.2	12.1-18.3	48	6.7	04.3-09.1	154	25.0	20.9-29.1
White/Non-Hisp	541	254,379	151	27.4	23.1-31.7	102	19.2	15.3-23.1	45	8.2	05.5-10.9	88	15.9	12.4-19.4	34	5.8	03.3-08.3	121	23.5	19.0-28.0
Black or Afr. Am./Non-Hisp	54	36,123	9	16.6	04.8-28.4	12	23.0	08.7-37.3	7	9.9	01.3-18.5	6	5.7	00.2-11.2	8	12.7	03.1-22.3	12	32.1	15.4-48.8
45-54	84	52,900	18	21.8	12.6-31.0	18	25.8	15.4-36.2	7	8.6	01.9-15.3	12	9.6	03.7-15.5	6	7.8	01.3-14.3	23	26.5	16.3-36.7
55-64	175	85,493	47	25.6	18.5-32.7	33	18.6	12.3-24.9	20	11.9	06.4-17.4	28	18.3	11.4-25.2	10	4.8	01.5-08.1	37	20.8	14.1-27.5
65+	371	145,346	94	25.5	20.2-30.8	74	21.2	15.7-26.7	32	7.9	04.6-11.2	63	16.2	11.9-20.5	30	7.5	04.4-10.6	78	21.6	16.3-26.9
Less Than H.S.	56	48,250	12	18.9	08.1-29.7	9	18.8	06.6-31.0	4	6.2	00.0-12.7	9	16.7	05.9-27.5	4	6.8	00.0-14.8	18	32.5	18.4-46.6
H.S. or G.E.D.	250	121,005	66	27.8	21.3-34.3	41	16.8	11.5-22.1	24	10.1	05.8-14.4	36	12.5	08.2-16.8	20	8.0	04.3-11.7	63	24.8	18.3-31.3
Some Post-H.S.	183	99,005	48	24.4	17.1-31.7	33	18.9	12.2-25.6	15	7.6	03.5-11.7	34	17.2	11.1-23.3	11	6.3	02.2-10.4	42	25.6	17.6-33.6
College Graduate	180	57,845	47	28.3	20.3-36.3	46	28.0	19.6-36.4	15	5.8	02.5-09.1	30	16.3	10.2-22.4	13	4.5	01.6-07.4	29	17.0	09.9-24.1
Less than \$15,000	70	35,292	17	25.4	13.2-37.6	8	8.1	01.8-14.4	10	13.4	03.8-23.0	8	11.3	02.5-20.1	6	8.7	01.1-16.3	21	33.1	19.8-46.4
\$15,000- 24,999	126	62,515	22	17.8	10.0-25.6	17	15.6	07.8-23.4	16	12.8	06.1-19.5	24	18.2	10.6-25.8	14	9.3	03.6-15.0	33	26.4	16.2-36.6
\$25,000- 34,999	59	27,608	19	28.5	15.6-41.4	13	23.0	09.7-36.3	1	0.3	00.0-00.9	8	14.2	02.6-25.8	6	16.1	01.6-30.6	12	17.9	06.3-29.5
\$35,000- 49,999	78	40,498	23	30.0	17.5-42.5	20	22.3	10.3-34.3	10	12.0	03.6-20.4	9	9.7	01.7-17.7	3	3.5	00.0-07.8	13	22.4	08.7-36.1
\$50,000- 74,999	85	43,503	25	29.1	17.5-40.7	12	12.9	04.5-21.3	8	9.5	02.4-16.6	15	15.2	07.2-23.2	4	3.1	00.0-06.8	21	30.2	17.5-42.9
\$75,000+	137	67,985	41	27.6	19.2-36.0	38	30.6	21.6-39.6	6	3.2	00.5-05.9	24	17.4	10.3-24.5	5	2.2	00.0-04.4	23	19.1	10.9-27.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS ? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	677	279,471	156	20.9	17.2-24.6	138	19.2	15.5-22.9	50	7.5	05.1-09.9	103	16.5	12.4-20.6	64	9.9	07.0-12.8	166	26.0	21.7-30.3
White/Non-Hisp	548	215,421	132	22.1	18.0-26.2	112	19.3	15.2-23.4	37	6.6	04.2-09.0	78	15.8	11.5-20.1	49	9.3	06.2-12.4	140	27.0	22.5-31.5
Black or Afr. Am./Non-Hisp	76	40,767	16	17.2	05.6-28.8	17	20.4	09.6-31.2	9	10.4	02.8-18.0	14	21.1	06.0-36.2	6	9.1	00.9-17.3	14	21.9	06.6-37.2
45-54	69	42,324	16	20.3	10.3-30.3	13	19.1	08.3-29.9	4	5.4	00.0-10.9	11	15.1	05.9-24.3	9	17.0	05.8-28.2	16	23.1	11.9-34.3
55-64	154	73,896	36	21.4	14.3-28.5	30	18.8	12.1-25.5	9	5.3	01.6-09.0	21	13.6	07.1-20.1	12	9.5	04.0-15.0	46	31.4	23.2-39.6
65+	407	118,798	94	22.2	17.5-26.9	88	21.9	17.0-26.8	31	7.9	05.0-10.8	63	15.1	11.2-19.0	39	9.1	05.6-12.6	92	23.9	19.0-28.8
Less Than H.S.	72	47,071	10	9.7	03.0-16.4	10	12.0	04.0-20.0	7	8.2	00.8-15.6	12	19.6	05.7-33.5	11	13.8	05.0-22.6	22	36.7	21.6-51.8
H.S. or G.E.D.	266	104,062	57	21.2	14.9-27.5	59	21.7	15.4-28.0	23	9.6	05.3-13.9	43	15.8	10.5-21.1	16	5.5	02.6-08.4	68	26.2	19.7-32.7
Some Post-H.S.	193	91,635	47	22.8	15.9-29.7	41	20.0	13.5-26.5	16	6.6	03.1-10.1	25	17.3	09.3-25.3	23	14.3	07.6-21.0	41	18.9	12.6-25.2
College Graduate	142	35,654	42	30.4	21.4-39.4	27	19.8	12.2-27.4	4	2.5	00.0-05.2	21	11.0	05.5-16.5	14	6.2	02.5-09.9	34	30.1	20.7-39.5
Less than \$15,000	82	37,020	15	14.4	06.2-22.6	17	16.4	07.4-25.4	9	7.8	01.5-14.1	14	14.0	05.6-22.4	9	12.6	03.2-22.0	18	34.8	17.9-51.7
\$15,000- 24,999	157	66,295	26	18.1	09.7-26.5	34	20.4	12.2-28.6	12	10.2	03.5-16.9	27	17.4	07.8-27.0	19	10.7	05.0-16.4	39	23.3	15.1-31.5
\$25,000- 34,999	68	26,209	17	21.2	10.4-32.0	13	16.7	05.3-28.1	7	9.8	01.8-17.8	6	15.1	02.6-27.6	6	8.4	00.8-16.0	19	28.8	16.3-41.3
\$35,000- 49,999	55	22,576	13	20.5	08.0-33.0	11	22.6	09.9-35.3	5	10.3	00.5-20.1	6	8.0	00.6-15.4	5	9.1	00.0-18.9	15	29.6	14.7-44.5
\$50,000- 74,999	64	26,107	16	23.7	11.4-36.0	20	32.5	19.4-45.6	3	4.8	00.0-10.3	8	11.2	01.8-20.6	3	2.4	00.0-05.5	14	25.4	12.5-38.3
\$75,000+	62	31,877	23	29.4	16.1-42.7	8	14.5	03.7-25.3	2	3.0	00.0-07.5	11	25.8	08.0-43.6	5	9.8	00.0-19.8	13	17.4	07.2-27.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1382	613,844	312	21.2	18.7-23.7	658	45.1	41.8-48.4	179	14.1	11.7-16.5	187	15.6	13.1-18.1	46	4.1	02.7-05.5
Male	682	328,772	144	20.4	16.7-24.1	332	46.9	42.4-51.4	91	13.5	10.4-16.6	91	14.8	11.5-18.1	24	4.4	02.2-06.6
Female	700	285,072	168	22.1	18.4-25.8	326	42.9	38.2-47.6	88	14.7	11.0-18.4	96	16.5	12.6-20.4	22	3.8	02.0-05.6
White/Non-Hisp	1111	474,781	256	22.4	19.5-25.3	539	46.4	42.9-49.9	139	13.3	10.8-15.8	150	15.2	12.5-17.9	27	2.7	01.5-03.9
Black or Afr. Am./Non-Hisp	131	75,742	34	22.2	13.6-30.8	56	40.0	28.6-51.4	18	16.8	07.2-26.4	15	12.1	04.3-19.9	8	8.9	01.5-16.3
35-44	64	56,063	11	14.1	05.1-23.1	29	42.4	28.3-56.5	7	12.1	03.5-20.7	12	25.6	11.3-39.9	5	5.8	00.0-11.7
45-54	155	96,854	30	18.5	11.8-25.2	59	36.7	28.5-44.9	28	20.2	12.9-27.5	28	17.9	11.2-24.6	10	6.6	02.3-10.9
55-64	336	161,130	81	23.9	18.8-29.0	139	43.8	37.7-49.9	48	13.5	09.4-17.6	55	15.7	11.6-19.8	13	3.0	01.2-04.8
65+	804	270,251	186	22.1	18.6-25.6	422	51.2	46.9-55.5	94	12.5	09.6-15.4	87	11.8	09.1-14.5	15	2.4	00.8-04.0
Less Than H.S.	128	94,796	28	18.5	11.4-25.6	48	33.4	23.8-43.0	18	15.7	07.3-24.1	24	22.4	12.8-32.0	10	10.0	03.1-16.9
H.S. or G.E.D.	536	231,243	107	20.0	15.9-24.1	264	46.1	41.0-51.2	62	12.5	09.0-16.0	82	17.3	13.2-21.4	21	4.2	02.2-06.2
Some Post-H.S.	380	191,613	87	22.9	17.8-28.0	182	47.2	41.1-53.3	55	14.8	10.7-18.9	47	12.9	08.8-17.0	9	2.2	00.6-03.8
College Graduate	329	93,526	89	23.6	18.3-28.9	162	50.8	44.3-57.3	40	13.6	08.9-18.3	32	10.1	06.2-14.0	6	1.8	00.2-03.4
Less than \$15,000	159	75,059	39	23.0	15.0-31.0	75	43.9	34.1-53.7	11	8.6	00.4-16.8	23	18.3	09.7-26.9	11	6.2	01.5-10.9
\$15,000- 24,999	295	130,637	60	22.0	15.5-28.5	125	39.1	32.0-46.2	50	17.0	11.7-22.3	48	16.5	10.2-22.8	12	5.3	02.0-08.6
\$25,000- 34,999	128	54,392	35	19.7	12.1-27.3	53	39.5	29.1-49.9	17	17.4	08.6-26.2	20	19.5	10.5-28.5	3	3.9	00.0-08.4
\$35,000- 49,999	136	64,323	28	20.4	12.2-28.6	67	45.8	35.2-56.4	18	12.5	05.8-19.2	21	17.3	09.5-25.1	2	4.0	00.0-11.1
\$50,000- 74,999	152	70,450	35	21.7	14.1-29.3	82	50.6	41.0-60.2	15	11.8	05.3-18.3	19	15.1	07.8-22.4	1	0.8	00.0-02.4
\$75,000+	195	97,654	45	19.4	13.3-25.5	96	50.1	41.5-58.7	34	19.1	12.4-25.8	16	9.3	04.4-14.2	4	2.2	00.0-04.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	682	328,772	144	20.4	16.7-24.1	332	46.9	42.4-51.4	91	13.5	10.4-16.6	91	14.8	11.5-18.1	24	4.4	02.2-06.6
White/Non-Hisp	547	255,501	117	21.1	17.0-25.2	276	49.6	44.7-54.5	68	12.2	09.1-15.3	70	13.8	10.3-17.3	16	3.2	01.4-05.0
Black or Afr. Am./Non-Hisp	53	34,867	17	28.7	14.2-43.2	19	31.6	16.1-47.1	7	13.4	03.0-23.8	8	15.5	03.5-27.5	2	10.8	00.0-25.1
45-54	84	53,353	17	19.1	10.3-27.9	33	39.4	28.2-50.6	16	19.3	10.1-28.5	14	16.7	08.3-25.1	4	5.5	00.0-11.0
55-64	175	84,734	41	26.2	18.8-33.6	80	46.0	37.8-54.2	21	11.0	06.1-15.9	26	14.2	08.7-19.7	7	2.6	00.2-05.0
65+	382	148,706	83	20.4	15.5-25.3	199	51.4	45.3-57.5	49	13.1	09.0-17.2	42	11.7	07.6-15.8	9	3.3	00.8-05.8
Less Than H.S.	54	47,092	11	19.6	08.4-30.8	20	39.2	24.3-54.1	6	8.1	00.7-15.5	13	21.1	09.1-33.1	4	12.1	00.3-23.9
H.S. or G.E.D.	258	124,061	48	19.1	13.4-24.8	125	46.3	39.2-53.4	30	12.2	07.5-16.9	42	17.6	12.1-23.1	13	4.9	02.0-07.8
Some Post-H.S.	184	99,327	37	22.0	14.4-29.6	92	46.3	37.9-54.7	33	18.1	11.8-24.4	19	12.1	06.2-18.0	3	1.6	00.0-03.6
College Graduate	181	56,675	47	21.4	14.7-28.1	95	57.3	48.7-65.9	20	11.4	05.3-17.5	15	8.1	03.4-12.8	4	1.8	00.0-03.8
Less than \$15,000	74	36,439	17	21.8	11.6-32.0	32	45.4	31.9-58.9	4	2.7	00.0-05.8	15	23.3	11.1-35.5	6	6.8	00.0-14.6
\$15,000- 24,999	129	62,796	31	29.8	19.2-40.4	52	39.3	29.3-49.3	23	15.0	08.3-21.7	19	12.3	06.0-18.6	4	3.6	00.1-07.1
\$25,000- 34,999	61	28,644	11	15.0	04.0-26.0	31	45.8	30.5-61.1	9	17.7	05.4-30.0	8	15.4	02.5-28.3	2	6.1	00.0-14.3
\$35,000- 49,999	80	40,961	13	15.1	05.9-24.3	44	51.2	37.1-65.3	9	11.1	02.3-19.9	13	16.9	06.7-27.1	1	5.8	00.0-16.8
\$50,000- 74,999	85	43,199	16	18.5	08.5-28.5	49	53.7	40.8-66.6	9	12.1	03.5-20.7	11	15.8	05.8-25.8			
\$75,000+	133	65,778	32	19.7	12.6-26.8	65	47.9	37.9-57.9	24	20.8	12.6-29.0	9	9.2	02.9-15.5	3	2.5	00.0-05.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	700	285,072	168	22.1	18.4-25.8	326	42.9	38.2-47.6	88	14.7	11.0-18.4	96	16.5	12.6-20.4	22	3.8	02.0-05.6
White/Non-Hisp	564	219,280	139	23.8	19.5-28.1	263	42.7	37.8-47.6	71	14.6	10.7-18.5	80	16.8	12.5-21.1	11	2.1	00.7-03.5
Black or Afr. Am./Non-Hisp	78	40,875	17	16.8	07.6-26.0	37	47.2	31.1-63.3	11	19.7	04.6-34.8	7	9.2	00.0-19.4	6	7.2	00.9-13.5
45-54	71	43,502	13	17.9	07.7-28.1	26	33.4	21.2-45.6	12	21.3	09.7-32.9	14	19.4	09.0-29.8	6	8.0	01.5-14.5
55-64	161	76,396	40	21.5	14.6-28.4	59	41.4	32.8-50.0	27	16.2	09.5-22.9	29	17.4	10.9-23.9	6	3.5	00.6-06.4
65+	422	121,545	103	24.0	19.1-28.9	223	50.9	45.2-56.6	45	11.7	07.8-15.6	45	12.0	08.3-15.7	6	1.4	00.2-02.6
Less Than H.S.	74	47,704	17	17.4	08.4-26.4	28	27.7	16.1-39.3	12	23.3	09.0-37.6	11	23.7	08.8-38.6	6	7.9	00.6-15.2
H.S. or G.E.D.	278	107,182	59	21.1	15.2-27.0	139	45.9	38.6-53.2	32	12.7	07.4-18.0	40	16.9	11.0-22.8	8	3.4	00.9-05.9
Some Post-H.S.	196	92,285	50	23.9	16.8-31.0	90	48.2	39.6-56.8	22	11.2	05.9-16.5	28	13.8	08.1-19.5	6	2.9	00.4-05.4
College Graduate	148	36,851	42	27.0	18.6-35.4	67	40.8	31.6-50.0	20	17.2	09.6-24.8	17	13.2	06.7-19.7	2	1.8	00.0-04.3
Less than \$15,000	85	38,620	22	24.2	12.4-36.0	43	42.4	28.7-56.1	7	14.2	00.0-29.1	8	13.5	01.3-25.7	5	5.7	00.4-11.0
\$15,000- 24,999	166	67,842	29	14.9	08.2-21.6	73	38.9	29.3-48.5	27	18.8	10.6-27.0	29	20.5	10.1-30.9	8	6.9	01.4-12.4
\$25,000- 34,999	67	25,748	24	24.9	13.9-35.9	22	32.5	18.2-46.8	8	17.0	04.5-29.5	12	24.2	11.7-36.7	1	1.4	00.0-04.1
\$35,000- 49,999	56	23,363	15	29.8	15.5-44.1	23	36.3	21.6-51.0	9	15.0	04.6-25.4	8	18.1	06.1-30.1	1	0.8	00.0-02.4
\$50,000- 74,999	67	27,251	19	26.9	14.9-38.9	33	45.6	31.7-59.5	6	11.5	01.5-21.5	8	14.1	04.3-23.9	1	2.0	00.0-05.9
\$75,000+	62	31,877	13	18.8	07.0-30.6	31	54.8	38.7-70.9	10	15.5	04.5-26.5	7	9.4	01.8-17.0	1	1.4	00.0-04.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1393	620,045	246	18.6	16.1-21.1	1147	81.4	78.9-83.9
Male	687	331,208	135	20.2	16.5-23.9	552	79.8	76.1-83.5
Female	706	288,837	111	16.7	13.0-20.4	595	83.3	79.6-87.0
White/Non-Hisp	1114	476,466	186	17.5	14.8-20.2	928	82.5	79.8-85.2
Black or Afr. Am./Non-Hisp	135	78,310	29	20.5	11.7-29.3	106	79.5	70.7-88.3
35-44	66	57,829	10	13.5	02.3-24.7	56	86.5	75.3-97.7
45-54	158	98,532	37	23.4	16.0-30.8	121	76.6	69.2-84.0
55-64	339	162,745	69	21.5	16.6-26.4	270	78.5	73.6-83.4
65+	807	271,394	126	16.1	13.0-19.2	681	83.9	80.8-87.0
Less Than H.S.	132	97,169	34	28.6	18.8-38.4	98	71.4	61.6-81.2
H.S. or G.E.D.	543	234,206	93	17.0	13.3-20.7	450	83.0	79.3-86.7
Some Post-H.S.	379	191,201	69	17.7	13.2-22.2	310	82.3	77.8-86.8
College Graduate	330	94,802	49	14.2	10.1-18.3	281	85.8	81.7-89.9
Less than \$15,000	159	74,044	43	23.9	15.9-31.9	116	76.1	68.1-84.1
\$15,000- 24,999	294	130,649	64	23.5	16.8-30.2	230	76.5	69.8-83.2
\$25,000- 34,999	131	56,335	16	12.8	05.9-19.7	115	87.2	80.3-94.1
\$35,000- 49,999	136	64,271	20	21.7	11.7-31.7	116	78.3	68.3-88.3
\$50,000- 74,999	152	71,100	23	15.5	08.6-22.4	129	84.5	77.6-91.4
\$75,000+	200	100,237	28	12.6	07.5-17.7	172	87.4	82.3-92.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	687	331,208	135	20.2	16.5-23.9	552	79.8	76.1-83.5
White/Non-Hisp	548	255,567	107	19.6	15.7-23.5	441	80.4	76.5-84.3
Black or Afr. Am./Non-Hisp	55	36,651	11	21.3	07.0-35.6	44	78.7	64.4-93.0
45-54	87	54,593	23	24.5	14.7-34.3	64	75.5	65.7-85.3
55-64	176	85,625	41	24.9	17.6-32.2	135	75.1	67.8-82.4
65+	382	148,069	63	16.6	12.1-21.1	319	83.4	78.9-87.9
Less Than H.S.	56	47,511	15	31.5	17.2-45.8	41	68.5	54.2-82.8
H.S. or G.E.D.	260	124,699	56	20.7	15.0-26.4	204	79.3	73.6-85.0
Some Post-H.S.	183	98,801	33	17.6	11.5-23.7	150	82.4	76.3-88.5
College Graduate	183	58,581	31	14.9	09.4-20.4	152	85.1	79.6-90.6
Less than \$15,000	73	35,235	19	23.3	11.9-34.7	54	76.7	65.3-88.1
\$15,000- 24,999	127	62,095	28	23.6	14.6-32.6	99	76.4	67.4-85.4
\$25,000- 34,999	62	29,183	10	19.1	07.3-30.9	52	80.9	69.1-92.7
\$35,000- 49,999	80	41,058	14	25.7	12.0-39.4	66	74.3	60.6-88.0
\$50,000- 74,999	86	44,330	17	19.1	09.3-28.9	69	80.9	71.1-90.7
\$75,000+	138	68,360	21	13.3	07.4-19.2	117	86.7	80.8-92.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	706	288,837	111	16.7	13.0-20.4	595	83.3	79.6-87.0
White/Non-Hisp	566	220,899	79	15.1	11.0-19.2	487	84.9	80.8-89.0
Black or Afr. Am./Non-Hisp	80	41,659	18	19.8	09.4-30.2	62	80.2	69.8-90.6
45-54	71	43,939	14	22.1	10.5-33.7	57	77.9	66.3-89.5
55-64	163	77,120	28	17.7	11.2-24.2	135	82.3	75.8-88.8
65+	425	123,325	63	15.5	11.4-19.6	362	84.5	80.4-88.6
Less Than H.S.	76	49,659	19	25.8	12.5-39.1	57	74.2	60.9-87.5
H.S. or G.E.D.	283	109,508	37	12.8	08.3-17.3	246	87.2	82.7-91.7
Some Post-H.S.	196	92,400	36	17.9	11.2-24.6	160	82.1	75.4-88.8
College Graduate	147	36,221	18	13.1	06.8-19.4	129	86.9	80.6-93.2
Less than \$15,000	86	38,809	24	24.5	13.7-35.3	62	75.5	64.7-86.3
\$15,000- 24,999	167	68,554	36	23.4	13.6-33.2	131	76.6	66.8-86.4
\$25,000- 34,999	69	27,152	6	6.0	00.5-11.5	63	94.0	88.5-99.5
\$35,000- 49,999	56	23,213	6	14.5	03.5-25.5	50	85.5	74.5-96.5
\$50,000- 74,999	66	26,770	6	9.6	01.4-17.8	60	90.4	82.2-98.6
\$75,000+	62	31,877	7	11.0	00.6-21.4	55	89.0	78.6-99.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1403	624,770	840	59.5	56.2-62.8	563	40.5	37.2-43.8
Male	694	334,966	393	57.6	53.1-62.1	301	42.4	37.9-46.9
Female	709	289,804	447	61.6	56.9-66.3	262	38.4	33.7-43.1
White/Non-Hisp	1125	481,997	674	60.0	56.5-63.5	451	40.0	36.5-43.5
Black or Afr. Am./Non-Hisp	133	77,170	91	66.4	55.0-77.8	42	33.6	22.2-45.0
35-44	66	57,733	39	60.4	46.5-74.3	27	39.6	25.7-53.5
45-54	159	99,013	94	56.3	47.7-64.9	65	43.7	35.1-52.3
55-64	341	164,771	210	63.6	57.9-69.3	131	36.4	30.7-42.1
65+	814	273,708	485	59.8	55.7-63.9	329	40.2	36.1-44.3
Less Than H.S.	133	96,883	53	41.7	31.1-52.3	80	58.3	47.7-68.9
H.S. or G.E.D.	544	235,741	318	59.4	54.5-64.3	226	40.6	35.7-45.5
Some Post-H.S.	384	193,538	244	64.3	58.4-70.2	140	35.7	29.8-41.6
College Graduate	333	95,941	220	68.4	62.5-74.3	113	31.6	25.7-37.5
Less than \$15,000	158	73,332	89	51.9	41.7-62.1	69	48.1	37.9-58.3
\$15,000- 24,999	299	133,217	169	55.3	48.0-62.6	130	44.7	37.4-52.0
\$25,000- 34,999	130	55,511	82	63.8	53.4-74.2	48	36.2	25.8-46.6
\$35,000- 49,999	138	64,672	81	61.5	51.3-71.7	57	38.5	28.3-48.7
\$50,000- 74,999	153	71,581	97	65.2	56.2-74.2	56	34.8	25.8-43.8
\$75,000+	201	101,063	136	64.0	55.8-72.2	65	36.0	27.8-44.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	694	334,966	393	57.6	53.1-62.1	301	42.4	37.9-46.9
White/Non-Hisp	556	260,636	314	57.5	52.6-62.4	242	42.5	37.6-47.4
Black or Afr. Am./Non-Hisp	53	35,005	37	71.7	57.4-86.0	16	28.3	14.0-42.6
45-54	87	54,593	50	55.6	44.2-67.0	37	44.4	33.0-55.8
55-64	178	87,327	101	59.3	51.1-67.5	77	40.7	32.5-48.9
65+	386	149,395	221	60.0	54.1-65.9	165	40.0	34.1-45.9
Less Than H.S.	57	47,475	23	48.3	33.2-63.4	34	51.7	36.6-66.8
H.S. or G.E.D.	263	126,841	144	56.0	49.1-62.9	119	44.0	37.1-50.9
Some Post-H.S.	185	99,998	109	59.3	50.9-67.7	76	40.7	32.3-49.1
College Graduate	184	59,035	115	66.7	58.9-74.5	69	33.3	25.5-41.1
Less than \$15,000	74	35,183	43	58.1	45.0-71.2	31	41.9	28.8-55.0
\$15,000- 24,999	130	63,783	68	52.3	41.9-62.7	62	47.7	37.3-58.1
\$25,000- 34,999	62	29,183	30	50.9	35.2-66.6	32	49.1	33.4-64.8
\$35,000- 49,999	81	41,254	44	59.8	46.3-73.3	37	40.2	26.7-53.7
\$50,000- 74,999	86	44,330	52	64.4	52.4-76.4	34	35.6	23.6-47.6
\$75,000+	139	69,186	90	62.4	52.8-72.0	49	37.6	28.0-47.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	709	289,804	447	61.6	56.9-66.3	262	38.4	33.7-43.1
White/Non-Hisp	569	221,360	360	63.0	58.1-67.9	209	37.0	32.1-41.9
Black or Afr. Am./Non-Hisp	80	42,165	54	61.9	45.4-78.4	26	38.1	21.6-54.6
45-54	72	44,419	44	57.1	44.2-70.0	28	42.9	30.0-55.8
55-64	163	77,444	109	68.5	60.5-76.5	54	31.5	23.5-39.5
65+	428	124,313	264	59.4	53.7-65.1	164	40.6	34.9-46.3
Less Than H.S.	76	49,408	30	35.4	21.3-49.5	46	64.6	50.5-78.7
H.S. or G.E.D.	281	108,900	174	63.2	56.1-70.3	107	36.8	29.7-43.9
Some Post-H.S.	199	93,540	135	69.7	61.9-77.5	64	30.3	22.5-38.1
College Graduate	149	36,906	105	71.2	62.6-79.8	44	28.8	20.2-37.4
Less than \$15,000	84	38,149	46	46.2	31.5-60.9	38	53.8	39.1-68.5
\$15,000- 24,999	169	69,434	101	58.0	47.8-68.2	68	42.0	31.8-52.2
\$25,000- 34,999	68	26,328	52	78.1	65.8-90.4	16	21.9	09.6-34.2
\$35,000- 49,999	57	23,418	37	64.4	49.7-79.1	20	35.6	20.9-50.3
\$50,000- 74,999	67	27,251	45	66.4	53.3-79.5	22	33.6	20.5-46.7
\$75,000+	62	31,877	46	67.5	51.2-83.8	16	32.5	16.2-48.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019

MODULE 14: HEALTH CARE ACCESS CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT? (HLTHCVR	
1	MALES AND FEMALES	33
2	MALES ONLY	34
3	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 14: HEALTH CARE ACCESS**

TABLE 1: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT (HLTHCVR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7626	4,201,782	3088	49.4	48.0-50.8	600	9.2	08.2-10.2	3453	34.4	33.0-35.8	192	2.6	02.2-03.0	284	4.2	03.6-04.8	9	0.1	00.1-00.1
Male	3357	1,996,003	1508	53.2	51.0-55.4	268	9.8	08.4-11.2	1304	28.6	26.8-30.4	153	4.3	03.5-05.1	122	4.2	03.2-05.2	2	0.1	00.0-00.3
Female	4269	2,205,780	1580	45.9	43.9-47.9	332	8.7	07.5-09.9	2149	39.7	37.9-41.5	39	1.1	00.5-01.7	162	4.3	03.3-05.3	7	0.2	00.0-00.4
White/Non-Hisp	6483	3,447,711	2637	50.5	48.9-52.1	503	9.2	08.2-10.2	2955	33.8	32.4-35.2	157	2.6	02.0-03.2	226	3.8	03.2-04.4	5	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	497	349,428	187	44.1	38.6-49.6	37	6.6	03.9-09.3	230	40.2	34.9-45.5	16	3.6	01.4-05.8	27	5.5	02.6-08.4			
Oth. Race/Non-Hisp.	185	118,875	78	45.7	35.7-55.7	15	11.2	04.3-18.1	75	30.9	21.9-39.9	9	3.4	00.7-06.1	8	8.8	00.6-17.0			
MultiRacial/Non-Hisp.	97	31,539	39	42.0	29.8-54.2	11	15.9	06.1-25.7	41	37.8	25.8-49.8	3	1.5	00.0-03.3	3	2.9	00.0-06.4			
Hispanic	233	183,746	105	46.3	38.9-53.7	22	10.1	05.6-14.6	83	33.5	26.2-40.8	2	0.8	00.0-01.8	17	7.7	03.4-12.0	4	1.7	00.0-03.5
18-24	304	453,357	145	45.4	39.1-51.7	79	24.7	19.4-30.0	53	19.5	14.4-24.6	7	2.7	00.3-05.1	20	7.6	04.1-11.1			
25-34	601	633,655	381	62.1	57.8-66.4	44	7.7	05.3-10.1	121	21.2	17.5-24.9	16	2.5	01.1-03.9	35	6.0	03.6-08.4	4	0.5	00.0-01.1
35-44	784	649,408	542	68.5	64.8-72.2	55	6.7	04.7-08.7	148	19.6	16.3-22.9	8	1.3	00.3-02.3	30	3.7	02.3-05.1	1	0.1	00.0-00.3
45-54	1136	703,351	797	70.9	68.0-73.8	81	7.6	05.8-09.4	183	15.7	13.3-18.1	29	2.2	01.4-03.0	45	3.7	02.5-04.9	1	0.0	00.0-00.0
55-64	1605	758,863	926	56.8	54.1-59.5	179	10.8	09.0-12.6	372	24.5	22.0-27.0	48	3.1	02.1-04.1	79	4.8	03.6-06.0	1	0.0	00.0-00.0
65+	3196	1,003,148	297	10.0	08.6-11.4	162	4.8	04.0-05.6	2576	79.6	77.8-81.4	84	3.4	02.4-04.4	75	2.0	01.4-02.6	2	0.1	00.0-00.3
Less Than H.S.	477	420,312	78	21.1	16.4-25.8	36	6.8	04.3-09.3	325	61.1	55.4-66.8	8	2.2	00.0-04.6	27	8.3	04.8-11.8	3	0.5	00.0-01.1
H.S. or G.E.D.	2390	1,365,484	767	43.7	41.2-46.2	188	9.3	07.7-10.9	1282	40.6	38.2-43.0	52	2.0	01.4-02.6	101	4.3	03.3-05.3			
Some Post-H.S.	1987	1,329,263	791	50.8	48.1-53.5	170	10.8	09.0-12.6	878	30.8	28.4-33.2	72	3.6	02.6-04.6	73	3.9	02.7-05.1	3	0.1	00.0-00.3
College Graduate	2735	1,069,718	1444	66.4	64.4-68.4	202	8.0	06.6-09.4	945	20.2	18.6-21.8	60	2.4	01.6-03.2	81	2.9	02.1-03.7	3	0.1	00.0-00.3
Less than \$15,000	512	304,741	27	8.8	05.1-12.5	36	7.4	04.5-10.3	401	71.3	65.6-77.0	19	3.7	01.5-05.9	26	8.0	03.7-12.3	3	0.8	00.0-01.8
\$15,000- 24,999	993	526,383	124	17.5	14.2-20.8	96	9.9	07.5-12.3	686	62.8	58.7-66.9	32	2.7	01.5-03.9	55	7.2	04.8-09.6			
\$25,000- 34,999	662	351,904	158	34.4	29.3-39.5	56	9.1	06.2-12.0	393	48.3	43.2-53.4	20	3.0	01.4-04.6	34	4.9	02.9-06.9	1	0.2	00.0-00.6
\$35,000- 49,999	886	491,396	351	51.1	46.8-55.4	58	7.2	04.8-09.6	411	34.4	30.7-38.1	36	3.6	02.2-05.0	30	3.6	01.8-05.4			
\$50,000- 74,999	1011	605,984	551	64.3	60.8-67.8	82	9.6	07.1-12.1	324	20.0	17.3-22.7	24	3.0	01.4-04.6	28	2.8	01.6-04.0	2	0.2	00.0-00.6
\$75,000+	1939	1,152,543	1388	77.4	75.2-79.6	136	8.9	07.1-10.7	337	9.4	08.2-10.6	35	2.0	01.2-02.8	42	2.3	01.5-03.1	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 14: HEALTH CARE ACCESS**

TABLE 2: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT (HLTHCVR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3357	1,996,003	1508	53.2	51.0-55.4	268	9.8	08.4-11.2	1304	28.6	26.8-30.4	153	4.3	03.5-05.1	122	4.2	03.2-05.2	2	0.1	00.0-00.3
White/Non-Hisp	2849	1,626,397	1292	54.5	52.3-56.7	226	9.8	08.4-11.2	1103	27.5	25.7-29.3	125	4.2	03.4-05.0	103	4.0	03.0-05.0			
Black or Afr. Am./Non-Hisp	186	156,010	73	47.1	38.1-56.1	11	6.2	01.7-10.7	81	35.2	27.0-43.4	13	6.8	02.1-11.5	8	4.6	00.0-09.5			
Oth. Race/Non-Hisp.	104	72,071	51	53.4	41.1-65.7	10	14.3	04.3-24.3	32	23.8	14.0-33.6	8	5.5	01.0-10.0	3	2.9	00.0-07.4			
Hispanic	104	92,255	49	44.6	33.6-55.6	13	12.7	05.3-20.1	33	31.7	20.7-42.7	1	0.9	00.0-02.7	6	8.2	00.9-15.5	2	1.8	00.0-04.3
18-24	166	227,240	82	47.0	38.8-55.2	50	29.0	21.6-36.4	20	15.0	08.5-21.5	4	2.2	00.0-04.4	10	6.8	02.7-10.9			
25-34	273	303,626	187	67.2	60.9-73.5	24	9.4	05.7-13.1	29	11.2	06.9-15.5	11	4.0	01.3-06.7	20	7.6	03.9-11.3	2	0.5	00.0-01.3
35-44	351	311,704	272	76.4	71.3-81.5	21	6.6	03.7-09.5	44	12.5	08.6-16.4	7	2.5	00.5-04.5	7	2.0	00.4-03.6			
45-54	526	347,206	381	73.0	68.9-77.1	37	7.3	04.8-09.8	69	13.0	09.9-16.1	22	3.5	01.9-05.1	17	3.3	01.5-05.1			
55-64	759	362,142	446	57.2	53.1-61.3	79	9.8	07.4-12.2	166	24.2	20.5-27.9	31	4.2	02.6-05.8	37	4.6	02.8-06.4			
65+	1282	444,086	140	11.7	09.5-13.9	57	4.3	03.1-05.5	976	74.4	71.5-77.3	78	7.3	05.3-09.3	31	2.3	01.3-03.3			
Less Than H.S.	202	208,542	45	28.5	20.7-36.3	17	8.8	04.3-13.3	118	50.2	42.2-58.2	6	2.3	00.0-04.7	15	9.7	04.6-14.8	1	0.5	00.0-01.5
H.S. or G.E.D.	1058	691,394	438	51.3	47.6-55.0	85	9.9	07.5-12.3	451	31.0	27.9-34.1	45	3.7	02.5-04.9	39	4.1	02.5-05.7			
Some Post-H.S.	847	607,498	382	54.8	50.9-58.7	77	11.5	08.8-14.2	298	24.1	21.0-27.2	60	6.4	04.4-08.4	29	3.0	01.6-04.4	1	0.1	00.0-00.3
College Graduate	1236	480,845	641	65.3	62.4-68.2	86	7.4	05.6-09.2	429	21.1	18.9-23.3	42	3.2	02.2-04.2	38	3.0	01.8-04.2			
Less than \$15,000	186	113,832	12	10.6	04.3-16.9	14	9.3	04.0-14.6	131	61.4	52.0-70.8	15	7.4	02.5-12.3	12	9.9	02.6-17.2	2	1.4	00.0-03.4
\$15,000- 24,999	374	224,823	48	18.2	12.9-23.5	40	10.6	06.9-14.3	236	57.3	50.8-63.8	29	5.8	03.3-08.3	21	8.0	03.9-12.1			
\$25,000- 34,999	256	151,626	62	34.8	26.8-42.8	25	11.1	05.6-16.6	137	43.6	36.0-51.2	19	6.8	03.5-10.1	13	3.7	01.3-06.1			
\$35,000- 49,999	427	255,433	173	52.9	46.8-59.0	29	7.3	04.2-10.4	184	31.2	26.1-36.3	31	6.3	03.8-08.8	10	2.4	00.4-04.4			
\$50,000- 74,999	490	313,386	267	63.8	58.5-69.1	40	9.7	06.2-13.2	149	17.7	14.2-21.2	17	4.7	02.0-07.4	17	4.0	01.8-06.2			
\$75,000+	1056	631,079	728	76.0	72.9-79.1	76	9.3	06.9-11.7	204	10.0	08.4-11.6	23	2.4	01.2-03.6	25	2.4	01.2-03.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 14: HEALTH CARE ACCESS**

TABLE 3: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT (HLTHCVR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4269	2,205,780	1580	45.9	43.9-47.9	332	8.7	07.5-09.9	2149	39.7	37.9-41.5	39	1.1	00.5-01.7	162	4.3	03.3-05.3	7	0.2	00.0-00.4
White/Non-Hisp	3634	1,821,313	1345	46.8	44.6-49.0	277	8.7	07.5-09.9	1852	39.4	37.4-41.4	32	1.2	00.6-01.8	123	3.7	02.9-04.5	5	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	311	193,418	114	41.7	34.6-48.8	26	6.9	03.4-10.4	149	44.2	37.3-51.1	3	1.0	00.0-02.2	19	6.2	02.9-09.5			
Oth. Race/Non-Hisp.	81	46,805	27	33.8	19.1-48.5	5	6.5	00.0-13.4	43	41.7	25.4-58.0	1	0.1	00.0-00.3	5	17.8	00.0-35.8			
MultiRacial/Non-Hisp.	54	17,880	23	39.8	24.1-55.5	7	21.5	06.4-36.6	20	32.8	17.7-47.9	2	2.0	00.0-04.9	2	4.0	00.0-09.9			
Hispanic	129	91,492	56	48.0	38.0-58.0	9	7.4	02.3-12.5	50	35.3	25.9-44.7	1	0.6	00.0-01.8	11	7.1	02.2-12.0	2	1.6	00.0-03.8
18-24	138	226,116	63	43.9	34.7-53.1	29	20.5	13.1-27.9	33	24.1	16.3-31.9	3	3.2	00.0-07.3	10	8.3	02.6-14.0			
25-34	328	330,030	194	57.4	51.5-63.3	20	6.1	03.4-08.8	92	30.3	24.8-35.8	5	1.2	00.2-02.2	15	4.4	01.9-06.9	2	0.5	00.0-01.3
35-44	433	337,704	270	61.1	55.8-66.4	34	6.8	04.4-09.2	104	26.2	21.3-31.1	1	0.3	00.0-00.9	23	5.3	03.1-07.5	1	0.2	00.0-00.6
45-54	610	356,145	416	68.8	64.7-72.9	44	7.9	05.4-10.4	114	18.3	15.0-21.6	7	0.9	00.1-01.7	28	4.1	02.3-05.9	1	0.1	00.0-00.3
55-64	846	396,721	480	56.3	52.4-60.2	100	11.8	09.4-14.2	206	24.9	21.6-28.2	17	2.1	00.9-03.3	42	4.9	03.1-06.7	1	0.0	00.0-00.0
65+	1914	559,063	157	8.8	07.2-10.4	105	5.1	03.9-06.3	1600	83.8	81.8-85.8	6	0.3	00.1-00.5	44	1.8	01.2-02.4	2	0.2	00.0-00.4
Less Than H.S.	275	211,770	33	13.8	08.9-18.7	19	4.8	02.4-07.2	207	71.8	64.5-79.1	2	2.1	00.0-06.0	12	7.0	01.9-12.1	2	0.5	00.0-01.3
H.S. or G.E.D.	1332	674,089	329	36.0	32.5-39.5	103	8.8	06.4-11.2	831	50.5	47.0-54.0	7	0.3	00.1-00.5	62	4.5	03.1-05.9			
Some Post-H.S.	1140	721,765	409	47.4	43.7-51.1	93	10.2	07.8-12.6	580	36.5	33.2-39.8	12	1.2	00.4-02.0	44	4.6	02.8-06.4	2	0.2	00.0-00.4
College Graduate	1499	588,873	803	67.2	64.5-69.9	116	8.5	06.7-10.3	516	19.4	17.4-21.4	18	1.8	00.8-02.8	43	2.9	01.7-04.1	3	0.2	00.0-00.6
Less than \$15,000	326	190,909	15	7.8	03.3-12.3	22	6.3	03.0-09.6	270	77.2	70.3-84.1	4	1.4	00.0-03.0	14	6.9	01.6-12.2	1	0.4	00.0-01.2
\$15,000- 24,999	619	301,559	76	16.9	12.8-21.0	56	9.3	06.4-12.2	450	66.8	61.7-71.9	3	0.4	00.0-00.8	34	6.5	03.6-09.4			
\$25,000- 34,999	406	200,278	96	34.2	27.5-40.9	31	7.6	04.3-10.9	256	51.9	45.2-58.6	1	0.1	00.0-00.3	21	5.9	02.8-09.0	1	0.3	00.0-00.9
\$35,000- 49,999	459	235,963	178	49.2	43.3-55.1	29	7.2	03.9-10.5	227	37.9	32.4-43.4	5	0.8	00.0-01.6	20	4.9	02.2-07.6			
\$50,000- 74,999	521	292,598	284	64.9	59.8-70.0	42	9.5	06.0-13.0	175	22.5	18.4-26.6	7	1.2	00.2-02.2	11	1.5	00.5-02.5	2	0.4	00.0-01.0
\$75,000+	883	521,464	660	79.0	75.7-82.3	60	8.4	05.9-10.9	133	8.7	06.7-10.7	12	1.6	00.4-02.8	17	2.3	00.9-03.7	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019**

MODULE 20: COGNITIVE DECLINE CONTENTS

*** NOTE * * * * ***
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
*** * * * ***

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45
WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10 MALES AND FEMALES	46
11 MALES ONLY	47
12 FEMALES ONLY	48
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13 MALES AND FEMALES	49
14 MALES ONLY	50
15 FEMALES ONLY	51
HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16 MALES AND FEMALES	52
17 MALES ONLY	53
18 FEMALES ONLY	54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5601	2,343,438	637	11.4	10.4-12.4	4964	88.6	87.6-89.6
Male	2420	1,101,021	267	10.8	09.4-12.2	2153	89.2	87.8-90.6
Female	3181	1,242,417	370	11.9	10.5-13.3	2811	88.1	86.7-89.5
White/Non-Hisp	4857	1,986,074	535	10.9	09.9-11.9	4322	89.1	88.1-90.1
Black or Afr. Am./Non-Hisp	338	179,224	40	11.6	07.5-15.7	298	88.4	84.3-92.5
Oth. Race/Non-Hisp.	117	52,967	20	16.9	07.9-25.9	97	83.1	74.1-92.1
MultiRacial/Non-Hisp.	72	17,229	15	20.9	09.5-32.3	57	79.1	67.7-90.5
Hispanic	119	67,317	13	13.8	05.8-21.8	106	86.2	78.2-94.2
45-54	1065	659,536	106	9.7	07.7-11.7	959	90.3	88.3-92.3
55-64	1579	743,694	181	11.8	09.8-13.8	1398	88.2	86.2-90.2
65+	2957	940,208	350	12.2	10.8-13.6	2607	87.8	86.4-89.2
Less Than H.S.	388	261,965	75	21.2	16.5-25.9	313	78.8	74.1-83.5
H.S. or G.E.D.	1825	787,891	236	11.5	09.9-13.1	1589	88.5	86.9-90.1
Some Post-H.S.	1440	724,477	167	10.9	09.1-12.7	1273	89.1	87.3-90.9
College Graduate	1925	563,261	156	7.1	05.7-08.5	1769	92.9	91.5-94.3
Less than \$15,000	399	172,519	86	24.2	18.9-29.5	313	75.8	70.5-81.1
\$15,000- 24,999	796	320,458	122	15.2	12.1-18.3	674	84.8	81.7-87.9
\$25,000- 34,999	513	206,168	81	15.0	11.3-18.7	432	85.0	81.3-88.7
\$35,000- 49,999	671	276,857	58	8.9	06.4-11.4	613	91.1	88.6-93.6
\$50,000- 74,999	711	311,902	67	9.3	06.9-11.7	644	90.7	88.3-93.1
\$75,000+	1318	600,975	85	5.9	04.5-07.3	1233	94.1	92.7-95.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (C1MEMLOS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2420	1,101,021	267	10.8	09.4-12.2	2153	89.2	87.8-90.6
White/Non-Hisp	2088	916,297	221	10.5	08.9-12.1	1867	89.5	87.9-91.1
Black or Afr. Am./Non-Hisp	138	90,926	16	9.8	04.3-15.3	122	90.2	84.7-95.7
Oth. Race/Non-Hisp.	65	33,073	10	14.7	04.3-25.1	55	85.3	74.9-95.7
45-54	487	321,013	43	7.8	05.3-10.3	444	92.2	89.7-94.7
55-64	752	361,621	85	12.1	09.4-14.8	667	87.9	85.2-90.6
65+	1181	418,387	139	12.0	09.8-14.2	1042	88.0	85.8-90.2
Less Than H.S.	168	135,626	32	18.9	12.2-25.6	136	81.1	74.4-87.8
H.S. or G.E.D.	767	373,711	95	11.3	08.9-13.7	672	88.7	86.3-91.1
Some Post-H.S.	601	335,060	69	10.2	07.7-12.7	532	89.8	87.3-92.3
College Graduate	874	253,995	69	6.6	04.8-08.4	805	93.4	91.6-95.2
Less than \$15,000	151	75,114	36	26.0	17.0-35.0	115	74.0	65.0-83.0
\$15,000- 24,999	316	149,587	50	14.8	10.5-19.1	266	85.2	80.9-89.5
\$25,000- 34,999	199	91,935	37	17.9	11.6-24.2	162	82.1	75.8-88.4
\$35,000- 49,999	310	136,369	31	10.0	05.9-14.1	279	90.0	85.9-94.1
\$50,000- 74,999	331	149,682	33	9.8	06.1-13.5	298	90.2	86.5-93.9
\$75,000+	728	332,032	43	5.0	03.2-06.8	685	95.0	93.2-96.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3181	1,242,417	370	11.9	10.5-13.3	2811	88.1	86.7-89.5
White/Non-Hisp	2769	1,069,777	314	11.3	09.9-12.7	2455	88.7	87.3-90.1
Black or Afr. Am./Non-Hisp	200	88,298	24	13.4	07.3-19.5	176	86.6	80.5-92.7
Oth. Race/Non-Hisp.	52	19,894	10	20.4	03.7-37.1	42	79.6	62.9-96.3
Hispanic	73	36,060	7	14.2	03.2-25.2	66	85.8	74.8-96.8
45-54	578	338,523	63	11.5	08.6-14.4	515	88.5	85.6-91.4
55-64	827	382,073	96	11.6	09.1-14.1	731	88.4	85.9-90.9
65+	1776	521,821	211	12.4	10.4-14.4	1565	87.6	85.6-89.6
Less Than H.S.	220	126,339	43	23.6	16.7-30.5	177	76.4	69.5-83.3
H.S. or G.E.D.	1058	414,180	141	11.8	09.6-14.0	917	88.2	86.0-90.4
Some Post-H.S.	839	389,417	98	11.6	09.1-14.1	741	88.4	85.9-90.9
College Graduate	1051	309,267	87	7.6	05.8-09.4	964	92.4	90.6-94.2
Less than \$15,000	248	97,405	50	22.9	16.4-29.4	198	77.1	70.6-83.6
\$15,000- 24,999	480	170,872	72	15.4	11.3-19.5	408	84.6	80.5-88.7
\$25,000- 34,999	314	114,233	44	12.6	08.3-16.9	270	87.4	83.1-91.7
\$35,000- 49,999	361	140,488	27	7.8	04.5-11.1	334	92.2	88.9-95.5
\$50,000- 74,999	380	162,219	34	8.8	05.7-11.9	346	91.2	88.1-94.3
\$75,000+	590	268,943	42	6.9	04.5-09.3	548	93.1	90.7-95.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	619	258,118	39	7.2	04.5-09.9	35	5.2	03.2-07.2	149	25.7	21.4-30.0	107	17.8	14.1-21.5	289	44.1	39.4-48.8			
Male	259	115,452	15	6.6	02.3-10.9	16	5.8	02.7-08.9	53	22.4	16.3-28.5	47	20.3	14.2-26.4	128	44.9	37.6-52.2			
Female	360	142,666	24	7.6	04.3-10.9	19	4.6	02.1-07.1	96	28.5	22.6-34.4	60	15.8	11.1-20.5	161	43.6	37.3-49.9			
White/Non-Hisp	520	210,897	35	8.1	05.0-11.2	29	4.7	02.7-06.7	118	24.3	19.8-28.8	90	17.4	13.3-21.5	248	45.3	40.2-50.4			
45-54	105	62,860	10	10.0	02.9-17.1	7	5.5	01.0-10.0	33	34.5	24.1-44.9	13	13.7	06.3-21.1	42	36.2	26.0-46.4			
55-64	177	86,397	16	9.8	04.7-14.9	13	6.5	02.4-10.6	46	24.7	17.4-32.0	27	18.4	11.1-25.7	75	40.6	32.4-48.8			
65+	337	108,861	13	3.4	01.0-05.8	15	3.9	01.5-06.3	70	21.5	16.0-27.0	67	19.6	14.3-24.9	172	51.6	45.1-58.1			
Less Than H.S.	71	52,200	9	13.3	04.1-22.5	4	5.5	00.2-10.8	25	34.4	22.2-46.6	11	19.2	08.2-30.2	22	27.6	16.2-39.0			
H.S. or G.E.D.	230	88,150	15	6.2	02.5-09.9	14	5.4	02.3-08.5	60	26.1	19.4-32.8	46	20.1	14.0-26.2	95	42.1	34.7-49.5			
Some Post-H.S.	163	77,563	11	6.7	02.4-11.0	9	5.8	01.7-09.9	44	26.1	18.5-33.7	27	16.4	09.7-23.1	72	45.0	36.4-53.6			
College Graduate	153	39,754	4	2.2	00.0-04.6	7	2.5	00.3-04.7	20	12.9	06.8-19.0	23	13.8	07.1-20.5	99	68.5	60.1-76.9			
Less than \$15,000	82	39,684	7	12.7	01.9-23.5	8	10.1	02.3-17.9	27	35.6	22.5-48.7	16	16.8	07.4-26.2	24	24.8	13.6-36.0			
\$15,000- 24,999	119	46,981	16	9.7	04.0-15.4	12	6.7	02.4-11.0	34	31.6	21.4-41.8	18	19.6	09.8-29.4	39	32.4	22.2-42.6			
\$25,000- 34,999	80	30,317	3	5.0	00.0-11.1	1	3.1	00.0-09.2	23	28.4	16.4-40.4	22	30.2	17.1-43.3	31	33.3	21.3-45.3			
\$35,000- 49,999	56	23,727	1	1.4	00.0-04.1	2	2.8	00.0-06.9	14	27.0	12.9-41.1	7	14.7	03.3-26.1	32	54.1	38.4-69.8			
\$50,000- 74,999	65	28,308	1	1.9	00.0-05.6	4	4.5	00.0-09.4	8	16.2	04.8-27.6	12	14.4	05.8-23.0	40	63.0	50.1-75.9			
\$75,000+	84	34,823	3	5.7	00.0-12.0	1	0.6	00.0-01.8	12	19.8	08.4-31.2	12	15.6	05.8-25.4	56	58.2	45.3-71.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	259	115,452	15	6.6	02.5-10.7	16	5.8	02.7-08.9	53	22.4	16.3-28.5	47	20.3	14.0-26.6	128	44.9	37.8-52.0
White/Non-Hisp	214	93,033	13	7.6	02.7-12.5	12	5.0	01.9-08.1	41	21.9	15.2-28.6	39	19.6	12.9-26.3	109	46.0	38.4-53.6
55-64	84	43,313	7	7.4	02.1-12.7	5	6.2	00.1-12.3	23	27.1	15.9-38.3	16	22.8	11.8-33.8	33	36.4	24.4-48.4
65+	133	48,091	4	3.4	00.0-07.1	7	4.6	00.5-08.7	20	15.3	08.2-22.4	27	22.8	13.6-32.0	75	54.0	43.6-64.4
H.S. or G.E.D.	93	40,900	7	7.1	01.0-13.2	6	7.5	01.4-13.6	19	20.8	11.8-29.8	18	22.4	12.4-32.4	43	42.1	30.9-53.3
Some Post-H.S.	68	33,654	1	0.6	00.0-01.8	3	2.7	00.0-05.8	18	24.6	13.6-35.6	12	20.5	08.7-32.3	34	51.5	38.2-64.8
College Graduate	66	16,280	1	1.3	00.0-03.8	3	1.9	00.0-04.3	8	13.2	04.2-22.2	12	16.6	06.4-26.8	42	67.0	54.3-79.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	360	142,666	24	7.6	04.3-10.9	19	4.6	02.1-07.1	96	28.5	22.6-34.4	60	15.8	11.1-20.5	161	43.6	37.3-49.9
White/Non-Hisp	306	117,864	22	8.6	04.7-12.5	17	4.6	02.1-07.1	77	26.3	20.2-32.4	51	15.7	10.6-20.8	139	44.8	38.1-51.5
45-54	63	38,812	6	8.9	02.0-15.8	3	4.4	00.0-10.1	23	38.5	24.8-52.2	9	15.5	05.3-25.7	22	32.7	20.0-45.4
55-64	93	43,084	9	12.2	04.2-20.2	8	6.8	01.3-12.3	23	22.2	12.8-31.6	11	14.0	04.6-23.4	42	44.8	33.2-56.4
65+	204	60,770	9	3.5	00.4-06.6	8	3.3	00.6-06.0	50	26.4	18.8-34.0	40	17.1	11.2-23.0	97	49.7	41.3-58.1
H.S. or G.E.D.	137	47,250	8	5.4	01.1-09.7	8	3.6	00.9-06.3	41	30.8	21.2-40.4	28	18.1	10.8-25.4	52	42.1	32.1-52.1
Some Post-H.S.	95	43,909	10	11.4	04.1-18.7	6	8.2	01.5-14.9	26	27.3	16.7-37.9	15	13.2	05.8-20.6	38	39.9	28.7-51.1
College Graduate	87	23,474	3	2.8	00.0-06.3	4	3.0	00.0-06.3	12	12.8	04.8-20.8	11	11.9	03.3-20.5	57	69.5	58.1-80.9
\$15,000- 24,999	72	26,394	11	12.2	03.8-20.6	5	3.3	00.0-06.6	22	34.8	20.9-48.7	9	14.7	02.9-26.5	25	34.9	21.2-48.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	630	263,879	31	5.1	03.1-07.1	33	3.8	02.2-05.4	121	23.1	19.0-27.2	127	19.4	15.7-23.1	318	48.7	44.0-53.4
Male	264	117,877	7	2.1	00.3-03.9	11	3.1	01.1-05.1	50	23.3	16.8-29.8	57	21.4	15.3-27.5	139	50.1	42.8-57.4
Female	366	146,002	24	7.4	04.1-10.7	22	4.3	02.1-06.5	71	22.9	17.4-28.4	70	17.8	13.1-22.5	179	47.6	41.5-53.7
White/Non-Hisp	528	214,514	23	4.6	02.4-06.8	28	4.2	02.4-06.0	96	21.6	17.3-25.9	109	20.3	16.0-24.6	272	49.3	44.2-54.4
45-54	105	62,860	6	5.8	01.1-10.5	6	4.1	00.2-08.0	24	22.2	13.4-31.0	21	23.6	14.0-33.2	48	44.3	33.7-54.9
55-64	180	87,708	9	4.9	01.2-08.6	12	4.7	01.8-07.6	49	30.9	22.9-38.9	26	14.0	08.5-19.5	84	45.5	37.1-53.9
65+	345	113,311	16	4.8	02.1-07.5	15	2.9	01.1-04.7	48	17.5	12.2-22.8	80	21.2	15.9-26.5	186	53.6	47.1-60.1
Less Than H.S.	73	54,185	4	5.4	00.0-11.1	2	3.0	00.0-07.3	27	39.3	26.8-51.8	10	13.2	03.8-22.6	30	39.1	26.6-51.6
H.S. or G.E.D.	234	90,370	12	4.5	01.6-07.4	12	4.0	01.5-06.5	50	22.7	16.4-29.0	53	22.2	16.1-28.3	107	46.7	39.3-54.1
Some Post-H.S.	166	78,862	11	7.0	02.7-11.3	10	4.0	01.3-06.7	28	18.5	11.6-25.4	36	21.6	14.3-28.9	81	48.9	40.3-57.5
College Graduate	155	40,011	4	2.1	00.0-04.6	9	3.9	01.2-06.6	15	11.2	05.3-17.1	28	17.2	10.3-24.1	99	65.6	57.0-74.2
Less than \$15,000	84	40,764	5	3.3	00.0-06.8	5	3.7	00.0-07.6	26	39.9	26.8-53.0	15	20.3	08.7-31.9	33	32.8	21.0-44.6
\$15,000- 24,999	119	47,487	7	4.7	00.8-08.6	13	9.8	03.5-16.1	33	27.8	18.4-37.2	24	17.4	09.4-25.4	42	40.3	29.3-51.3
\$25,000- 34,999	81	30,903	3	2.7	00.0-05.8	3	1.3	00.0-02.9	12	22.7	09.6-35.8	20	26.8	14.8-38.8	43	46.4	33.3-59.5
\$35,000- 49,999	58	24,571	2	3.7	00.0-08.8	2	2.7	00.0-06.6	10	18.4	06.8-30.0	14	24.9	11.6-38.2	30	50.3	34.6-66.0
\$50,000- 74,999	67	29,047	1	1.0	00.0-03.0	4	3.1	00.0-06.6	4	6.8	00.1-13.5	16	23.2	11.8-34.6	42	65.9	53.4-78.4
\$75,000+	85	35,205	3	4.8	00.0-10.3				11	14.9	04.9-24.9	10	13.8	05.0-22.6	61	66.5	54.2-78.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	264	117,877	7	2.1	00.3-03.9	11	3.1	01.1-05.1	50	23.3	16.8-29.8	57	21.4	15.3-27.5	139	50.1	42.8-57.4	
White/Non-Hisp	218	94,840	6	2.5	00.1-04.9	11	3.9	01.4-06.4	38	21.7	14.6-28.8	47	21.4	14.7-28.1	116	50.5	42.7-58.3	
55-64	85	43,931	1	0.8	00.0-02.4	3	2.7	00.0-05.8	25	34.9	22.7-47.1	17	19.6	10.2-29.0	39	42.0	29.7-54.3	
65+	137	49,898	4	2.7	00.0-06.2	7	3.8	00.9-06.7	16	15.6	07.6-23.6	33	21.4	13.4-29.4	77	56.6	46.4-66.8	
H.S. or G.E.D.	94	41,992	3	3.1	00.0-07.2	4	4.3	00.0-08.6	21	25.5	15.5-35.5	22	24.2	14.6-33.8	44	43.0	31.8-54.2	
Some Post-H.S.	69	34,113	2	2.2	00.0-05.1	5	4.8	00.5-09.1	8	11.0	02.8-19.2	16	26.5	14.3-38.7	38	55.6	42.5-68.7	
College Graduate	68	16,537	2	2.9	00.0-08.0	2	1.6	00.0-03.8	6	9.4	01.6-17.2	15	18.3	08.1-28.5	43	67.9	55.2-80.6	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	366	146,002	24	7.4	04.1-10.7	22	4.3	02.1-06.5	71	22.9	17.4-28.4	70	17.8	13.1-22.5	179	47.6	41.5-53.7	
White/Non-Hisp	310	119,675	17	6.2	02.9-09.5	17	4.5	01.8-07.2	58	21.5	16.0-27.0	62	19.5	14.2-24.8	156	48.3	41.8-54.8	
45-54	63	38,812	4	7.2	00.1-14.3	5	5.0	00.0-10.7	15	24.8	12.6-37.0	14	23.0	11.6-34.4	25	40.0	26.7-53.3	
55-64	95	43,777	8	9.0	02.1-15.9	9	6.6	01.7-11.5	24	27.0	16.6-37.4	9	8.3	02.6-14.0	45	49.1	37.7-60.5	
65+	208	63,413	12	6.4	02.3-10.5	8	2.3	00.3-04.3	32	19.0	12.1-25.9	47	21.1	14.2-28.0	109	51.2	42.8-59.6	
H.S. or G.E.D.	140	48,378	9	5.7	01.6-09.8	8	3.8	00.9-06.7	29	20.3	12.1-28.5	31	20.5	12.9-28.1	63	49.9	40.1-59.7	
Some Post-H.S.	97	44,749	9	10.8	03.5-18.1	5	3.4	00.0-07.1	20	24.2	13.8-34.6	20	17.8	09.4-26.2	43	43.8	32.6-55.0	
College Graduate	87	23,474	2	1.4	00.0-03.6	7	5.6	01.1-10.1	9	12.6	04.2-21.0	13	16.5	07.1-25.9	56	63.9	51.9-75.9	
\$15,000- 24,999	72	26,394	6	7.0	00.5-13.5	8	11.0	01.8-20.2	18	26.2	13.7-38.7	16	19.3	08.1-30.5	24	36.5	22.0-51.0	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	184	84,123	73	42.6	34.4-50.8	42	20.8	14.3-27.3	44	21.2	14.5-27.9	18	10.6	05.1-16.1	7	4.8	00.5-09.1
Male	67	33,541	26	43.5	29.8-57.2	16	20.4	09.8-31.0	14	18.7	08.3-29.1	6	7.5	01.0-14.0	5	9.8	00.2-19.4
Female	117	50,582	47	42.0	31.4-52.6	26	21.1	12.7-29.5	30	22.9	14.3-31.5	12	12.6	04.6-20.6	2	1.5	00.0-03.7
White/Non-Hisp	147	65,217	62	45.1	35.5-54.7	35	22.6	15.0-30.2	32	17.9	11.2-24.6	13	9.8	04.1-15.5	5	4.7	00.0-09.6
55-64	70	35,544	20	37.6	24.1-51.1	19	24.1	13.3-34.9	20	23.1	12.3-33.9	8	10.0	02.7-17.3	3	5.2	00.0-13.0
65+	78	28,425	36	44.6	31.5-57.7	18	24.2	12.6-35.8	17	23.2	11.4-35.0	5	4.0	00.5-07.5	2	4.0	00.0-09.9
H.S. or G.E.D.	73	27,979	28	35.7	23.0-48.4	15	21.7	10.7-32.7	19	23.0	11.6-34.4	9	16.4	05.0-27.8	2	3.2	00.0-07.7
\$15,000- 24,999	53	20,079	18	33.6	18.5-48.7	13	24.2	11.1-37.3	16	31.3	16.2-46.4	5	8.5	00.1-16.9	1	2.4	00.0-07.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	67	33,541	26	43.5	30.0-57.0	16	20.4	09.6-31.2	14	18.7	08.3-29.1	6	7.5	01.0-14.0	5	9.8	00.0-19.6
White/Non-Hisp	55	26,653	24	48.3	32.8-63.8	15	25.2	12.5-37.9	8	10.0	02.0-18.0	4	7.2	00.0-14.8	4	9.3	00.0-20.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	117	50,582	47	42.0	31.2-52.8	26	21.1	12.7-29.5	30	22.9	14.1-31.7	12	12.6	05.0-20.2	2	1.5	00.0-03.7
White/Non-Hisp	92	38,564	38	42.9	31.1-54.7	20	20.8	11.6-30.0	24	23.3	13.5-33.1	9	11.5	03.3-19.7	1	1.4	00.0-04.1
65+	52	17,571	24	41.2	25.7-56.7	13	29.8	14.5-45.1	11	24.1	09.2-39.0	4	4.9	00.0-09.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	624	260,361	47	9.0	05.9-12.1	40	6.4	04.2-08.6	104	19.1	15.4-22.8	125	18.4	14.7-22.1	308	47.1	42.4-51.8
Male	258	114,159	14	7.0	02.7-11.3	19	6.9	03.6-10.2	42	20.1	14.2-26.0	55	19.1	13.4-24.8	128	46.9	39.8-54.0
Female	366	146,201	33	10.5	06.4-14.6	21	6.0	03.3-08.7	62	18.3	13.4-23.2	70	18.0	13.3-22.7	180	47.3	41.2-53.4
White/Non-Hisp	526	212,024	39	8.9	05.6-12.2	34	6.5	04.1-08.9	86	19.0	14.9-23.1	105	18.3	14.4-22.2	262	47.4	42.3-52.5
45-54	105	62,860	12	12.6	05.0-20.2	11	10.0	03.9-16.1	19	18.9	10.5-27.3	15	13.8	06.7-20.9	48	44.6	33.8-55.4
55-64	176	86,426	22	13.2	06.7-19.7	12	6.1	02.4-09.8	45	27.9	20.3-35.5	35	19.7	12.4-27.0	62	33.1	25.3-40.9
65+	343	111,075	13	3.6	01.1-06.1	17	4.6	02.2-07.0	40	12.3	07.8-16.8	75	20.0	14.9-25.1	198	59.5	53.2-65.8
Less Than H.S.	74	54,554	7	14.1	04.5-23.7	7	8.2	01.9-14.5	19	23.4	13.2-33.6	7	9.7	01.7-17.7	34	44.6	31.9-57.3
H.S. or G.E.D.	230	87,722	17	7.7	03.2-12.2	16	8.2	04.1-12.3	35	17.6	11.5-23.7	46	19.0	13.1-24.9	116	47.5	40.1-54.9
Some Post-H.S.	164	77,819	17	10.4	05.1-15.7	9	4.4	01.3-07.5	32	21.5	14.1-28.9	37	23.9	16.5-31.3	69	39.9	31.7-48.1
College Graduate	154	39,814	6	2.2	00.4-04.0	8	3.7	01.0-06.4	17	11.6	05.7-17.5	35	18.9	11.8-26.0	88	63.7	55.1-72.3
Less than \$15,000	83	40,088	11	18.8	07.0-30.6	6	8.0	01.3-14.7	19	24.3	13.5-35.1	10	6.5	01.4-11.6	37	42.4	29.1-55.7
\$15,000- 24,999	118	46,705	15	9.6	03.9-15.3	12	8.4	02.7-14.1	28	28.0	17.8-38.2	22	20.5	11.1-29.9	41	33.4	23.0-43.8
\$25,000- 34,999	80	30,255	4	6.3	00.0-13.0	6	8.7	00.9-16.5	10	16.3	05.5-27.1	23	29.7	16.6-42.8	37	38.9	26.6-51.2
\$35,000- 49,999	58	24,571	2	4.6	00.0-11.9	3	3.8	00.0-08.1	7	14.2	03.0-25.4	9	17.3	05.1-29.5	37	60.0	44.7-75.3
\$50,000- 74,999	66	28,588	3	2.8	00.0-06.5	6	10.4	02.0-18.8	5	7.9	01.0-14.8	15	25.8	13.5-38.1	37	53.1	39.4-66.8
\$75,000+	85	35,205	4	9.0	00.0-18.0	3	2.7	00.0-06.2	10	12.1	03.5-20.7	18	19.1	09.5-28.7	50	57.1	44.6-69.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	258	114,159	14	7.0	02.7-11.3	19	6.9	03.6-10.2	42	20.1	14.4-25.8	55	19.1	13.4-24.8	128	46.9	39.8-54.0
White/Non-Hisp	214	91,820	13	7.4	02.7-12.1	13	5.4	02.1-08.7	32	19.5	13.0-26.0	47	19.0	12.9-25.1	109	48.7	40.9-56.5
55-64	83	43,083	9	14.7	04.5-24.9	7	7.5	01.2-13.8	21	28.4	17.4-39.4	19	20.9	10.5-31.3	27	28.6	18.2-39.0
65+	133	47,029	2	0.3	00.0-00.7	6	3.2	01.0-05.4	12	9.4	03.7-15.1	32	23.2	14.4-32.0	81	63.9	54.1-73.7
H.S. or G.E.D.	91	39,581	5	6.5	00.4-12.6	7	10.0	02.7-17.3	14	20.9	10.9-30.9	19	18.7	10.3-27.1	46	43.9	32.7-55.1
Some Post-H.S.	66	32,806	4	4.6	00.1-09.1	4	2.9	00.0-05.8	14	24.7	12.5-36.9	16	27.6	15.1-40.1	28	40.1	27.4-52.8
College Graduate	68	16,537	2	0.9	00.0-02.3	4	4.9	00.2-09.6	6	8.9	01.6-16.2	18	19.4	09.4-29.4	38	65.9	53.6-78.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	366	146,201	33	10.5	06.4-14.6	21	6.0	03.3-08.7	62	18.3	13.4-23.2	70	18.0	13.3-22.7	180	47.3	41.2-53.4
White/Non-Hisp	312	120,204	26	10.1	05.6-14.6	21	7.3	04.0-10.6	54	18.6	13.3-23.9	58	17.8	12.7-22.9	153	46.3	40.0-52.6
45-54	63	38,812	9	16.5	05.1-27.9	5	8.1	01.0-15.2	10	14.4	04.8-24.0	11	17.7	07.5-27.9	28	43.3	29.8-56.8
55-64	93	43,343	13	11.7	04.3-19.1	5	4.7	00.2-09.2	24	27.4	17.0-37.8	16	18.6	08.6-28.6	35	37.6	26.4-48.8
65+	210	64,046	11	6.0	01.7-10.3	11	5.6	01.9-09.3	28	14.4	07.9-20.9	43	17.7	12.0-23.4	117	56.3	48.1-64.5
H.S. or G.E.D.	139	48,141	12	8.7	02.2-15.2	9	6.8	02.3-11.3	21	14.8	07.7-21.9	27	19.2	10.8-27.6	70	50.5	40.5-60.5
Some Post-H.S.	98	45,013	13	14.6	06.2-23.0	5	5.5	00.6-10.4	18	19.1	09.7-28.5	21	21.1	12.1-30.1	41	39.7	28.7-50.7
College Graduate	86	23,277	4	3.1	00.2-06.0	4	2.9	00.0-06.2	11	13.4	04.6-22.2	17	18.5	08.7-28.3	50	62.1	49.9-74.3
\$15,000- 24,999	72	26,394	11	11.4	03.2-19.6	6	9.0	00.6-17.4	14	20.0	08.4-31.6	15	24.8	11.3-38.3	26	34.9	21.0-48.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	629	262,922	292	48.0	43.3-52.7	337	52.0	47.3-56.7
Male	264	117,691	103	38.2	31.1-45.3	161	61.8	54.7-68.9
Female	365	145,232	189	55.9	49.8-62.0	176	44.1	38.0-50.2
White/Non-Hisp	527	213,558	244	48.6	43.5-53.7	283	51.4	46.3-56.5
45-54	105	62,860	53	52.2	41.4-63.0	52	47.8	37.0-58.6
55-64	178	87,225	92	52.0	43.6-60.4	86	48.0	39.6-56.4
65+	346	112,837	147	42.5	36.2-48.8	199	57.5	51.2-63.8
Less Than H.S.	74	54,554	28	39.1	26.8-51.4	46	60.9	48.6-73.2
H.S. or G.E.D.	231	88,955	106	47.4	39.8-55.0	125	52.6	45.0-60.2
Some Post-H.S.	167	79,126	85	55.0	46.6-63.4	82	45.0	36.6-53.4
College Graduate	155	39,836	71	46.6	37.2-56.0	84	53.4	44.0-62.8
Less than \$15,000	83	40,550	45	47.9	34.8-61.0	38	52.1	39.0-65.2
\$15,000- 24,999	121	47,735	58	47.5	36.5-58.5	63	52.5	41.5-63.5
\$25,000- 34,999	80	30,449	36	50.0	36.5-63.5	44	50.0	36.5-63.5
\$35,000- 49,999	58	24,571	25	47.1	31.6-62.6	33	52.9	37.4-68.4
\$50,000- 74,999	66	28,723	28	40.8	27.7-53.9	38	59.2	46.1-72.3
\$75,000+	85	35,205	44	57.7	45.5-69.9	41	42.3	30.1-54.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	264	117,691	103	38.2	31.3-45.1	161	61.8	54.9-68.7
White/Non-Hisp	218	94,653	80	35.9	28.5-43.3	138	64.1	56.7-71.5
55-64	84	43,821	45	51.4	39.2-63.6	39	48.6	36.4-60.8
65+	138	49,822	43	28.2	19.2-37.2	95	71.8	62.8-80.8
H.S. or G.E.D.	94	41,981	37	38.0	27.0-49.0	57	62.0	51.0-73.0
Some Post-H.S.	69	34,113	28	42.0	28.7-55.3	41	58.0	44.7-71.3
College Graduate	68	16,362	27	40.9	27.4-54.4	41	59.1	45.6-72.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	365	145,232	189	55.9	49.6-62.2	176	44.1	37.8-50.4
White/Non-Hisp	309	118,904	164	58.8	52.3-65.3	145	41.2	34.7-47.7
45-54	63	38,812	38	62.9	49.8-76.0	25	37.1	24.0-50.2
55-64	94	43,405	47	52.7	40.9-64.5	47	47.3	35.5-59.1
65+	208	63,015	104	53.8	45.4-62.2	104	46.2	37.8-54.6
H.S. or G.E.D.	137	46,974	69	55.9	45.7-66.1	68	44.1	33.9-54.3
Some Post-H.S.	98	45,013	57	64.9	54.7-75.1	41	35.1	24.9-45.3
College Graduate	87	23,474	44	50.6	37.9-63.3	43	49.4	36.7-62.1
\$15,000- 24,999	72	26,394	36	50.9	36.0-65.8	36	49.1	34.2-64.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019**

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1	MALES AND FEMALES	57
2	MALES ONLY	58
3	FEMALES ONLY	59
	DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4	MALES AND FEMALES	60
5	MALES ONLY	61
6	FEMALES ONLY	62
	DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7	MALES AND FEMALES	63
8	MALES ONLY	64
9	FEMALES ONLY	65
	DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10	MALES AND FEMALES	66
11	MALES ONLY	67
12	FEMALES ONLY	68
	WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13	MALES AND FEMALES	69
14	MALES ONLY	70
15	FEMALES ONLY	71
	HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)	
16	MALES AND FEMALES	72
17	MALES ONLY	73
18	FEMALES ONLY	74
	NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT? (ACEHURT)	
19	MALES AND FEMALES	75
20	MALES ONLY	76
21	FEMALES ONLY	77
	HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)	
22	MALES AND FEMALES	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
23	MALES ONLY	79
24	FEMALES ONLY	80
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)	
25	MALES AND FEMALES	81
26	MALES ONLY	82
27	FEMALES ONLY	83
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)	
28	MALES AND FEMALES	84
29	MALES ONLY	85
30	FEMALES ONLY	86
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)	
31	MALES AND FEMALES	87
32	MALES ONLY	88
33	FEMALES ONLY	89

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7425	4,236,666	1175	20.1	18.9-21.3	6250	79.9	78.7-81.1
Male	3290	2,044,186	428	16.7	14.9-18.5	2862	83.3	81.5-85.1
Female	4135	2,192,480	747	23.2	21.4-25.0	3388	76.8	75.0-78.6
White/Non-Hisp	6205	3,393,269	1008	21.4	20.0-22.8	5197	78.6	77.2-80.0
Black or Afr. Am./Non-Hisp	482	355,119	56	14.1	09.8-18.4	426	85.9	81.6-90.2
Oth. Race/Non-Hisp.	191	131,051	25	12.9	06.8-19.0	166	87.1	81.0-93.2
MultiRacial/Non-Hisp.	117	42,421	33	35.0	23.8-46.2	84	65.0	53.8-76.2
Hispanic	297	245,093	36	12.2	07.9-16.5	261	87.8	83.5-92.1
18-24	359	547,641	124	32.9	27.6-38.2	235	67.1	61.8-72.4
25-34	615	666,611	200	31.4	27.3-35.5	415	68.6	64.5-72.7
35-44	777	651,814	190	24.0	20.7-27.3	587	76.0	72.7-79.3
45-54	1113	691,921	214	19.3	16.8-21.8	899	80.7	78.2-83.2
55-64	1568	736,842	236	14.5	12.5-16.5	1332	85.5	83.5-87.5
65+	2993	941,837	211	6.8	05.8-07.8	2782	93.2	92.2-94.2
Less Than H.S.	538	513,712	72	17.0	12.9-21.1	466	83.0	78.9-87.1
H.S. or G.E.D.	2362	1,396,000	317	18.9	16.7-21.1	2045	81.1	78.9-83.3
Some Post-H.S.	1935	1,317,047	357	22.8	20.4-25.2	1578	77.2	74.8-79.6
College Graduate	2547	989,675	425	20.0	18.0-22.0	2122	80.0	78.0-82.0
Less than \$15,000	537	334,433	106	23.8	19.1-28.5	431	76.2	71.5-80.9
\$15,000- 24,999	1029	579,563	167	19.8	16.5-23.1	862	80.2	76.9-83.5
\$25,000- 34,999	672	380,230	120	25.1	20.2-30.0	552	74.9	70.0-79.8
\$35,000- 49,999	878	497,763	123	20.1	16.4-23.8	755	79.9	76.2-83.6
\$50,000- 74,999	967	588,722	172	21.8	18.3-25.3	795	78.2	74.7-81.7
\$75,000+	1833	1,093,438	301	19.2	16.8-21.6	1532	80.8	78.4-83.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3290	2,044,186	428	16.7	14.9-18.5	2862	83.3	81.5-85.1
White/Non-Hisp	2743	1,621,799	363	17.6	15.6-19.6	2380	82.4	80.4-84.4
Black or Afr. Am./Non-Hisp	194	172,621	15	10.2	04.3-16.1	179	89.8	83.9-95.7
Oth. Race/Non-Hisp.	105	76,909	14	14.3	06.1-22.5	91	85.7	77.5-93.9
MultiRacial/Non-Hisp.	51	18,693	11	36.3	18.5-54.1	40	63.7	45.9-81.5
Hispanic	129	121,160	16	12.5	06.2-18.8	113	87.5	81.2-93.8
18-24	206	284,902	65	28.2	21.7-34.7	141	71.8	65.3-78.3
25-34	289	331,835	83	28.2	22.3-34.1	206	71.8	65.9-77.7
35-44	347	316,558	73	20.6	15.9-25.3	274	79.4	74.7-84.1
45-54	512	337,807	68	13.4	10.1-16.7	444	86.6	83.3-89.9
55-64	742	355,322	85	10.9	08.4-13.4	657	89.1	86.6-91.6
65+	1194	417,762	54	4.4	03.0-05.8	1140	95.6	94.2-97.0
Less Than H.S.	248	277,026	32	17.2	11.3-23.1	216	82.8	76.9-88.7
H.S. or G.E.D.	1055	709,965	135	17.1	14.2-20.0	920	82.9	80.0-85.8
Some Post-H.S.	817	607,297	113	17.1	13.8-20.4	704	82.9	79.6-86.2
College Graduate	1148	437,977	145	15.5	13.0-18.0	1003	84.5	82.0-87.0
Less than \$15,000	201	131,653	32	17.3	10.8-23.8	169	82.7	76.2-89.2
\$15,000- 24,999	415	265,189	51	16.0	11.1-20.9	364	84.0	79.1-88.9
\$25,000- 34,999	265	167,139	37	20.6	13.7-27.5	228	79.4	72.5-86.3
\$35,000- 49,999	429	265,955	61	20.8	15.3-26.3	368	79.2	73.7-84.7
\$50,000- 74,999	468	304,494	62	16.4	12.1-20.7	406	83.6	79.3-87.9
\$75,000+	982	585,891	122	14.7	11.8-17.6	860	85.3	82.4-88.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4135	2,192,480	747	23.2	21.4-25.0	3388	76.8	75.0-78.6
White/Non-Hisp	3462	1,771,471	645	24.8	22.8-26.8	2817	75.2	73.2-77.2
Black or Afr. Am./Non-Hisp	288	182,498	41	17.8	11.5-24.1	247	82.2	75.9-88.5
Oth. Race/Non-Hisp.	86	54,141	11	11.0	01.8-20.2	75	89.0	79.8-98.2
MultiRacial/Non-Hisp.	66	23,728	22	34.0	19.9-48.1	44	66.0	51.9-80.1
Hispanic	168	123,933	20	12.0	06.3-17.7	148	88.0	82.3-93.7
18-24	153	262,739	59	37.9	29.5-46.3	94	62.1	53.7-70.5
25-34	326	334,776	117	34.5	29.0-40.0	209	65.5	60.0-71.0
35-44	430	335,256	117	27.3	22.6-32.0	313	72.7	68.0-77.4
45-54	601	354,114	146	25.0	21.1-28.9	455	75.0	71.1-78.9
55-64	826	381,520	151	17.9	15.0-20.8	675	82.1	79.2-85.0
65+	1799	524,075	157	8.8	07.2-10.4	1642	91.2	89.6-92.8
Less Than H.S.	290	236,686	40	16.7	10.8-22.6	250	83.3	77.4-89.2
H.S. or G.E.D.	1307	686,035	182	20.8	17.5-24.1	1125	79.2	75.9-82.5
Some Post-H.S.	1118	709,749	244	27.7	24.4-31.0	874	72.3	69.0-75.6
College Graduate	1399	551,698	280	23.7	20.8-26.6	1119	76.3	73.4-79.2
Less than \$15,000	336	202,780	74	28.1	21.6-34.6	262	71.9	65.4-78.4
\$15,000- 24,999	614	314,374	116	22.9	18.2-27.6	498	77.1	72.4-81.8
\$25,000- 34,999	407	213,091	83	28.7	22.0-35.4	324	71.3	64.6-78.0
\$35,000- 49,999	449	231,808	62	19.3	14.2-24.4	387	80.7	75.6-85.8
\$50,000- 74,999	499	284,228	110	27.5	22.2-32.8	389	72.5	67.2-77.8
\$75,000+	851	507,547	179	24.4	20.7-28.1	672	75.6	71.9-79.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7461	4,252,291	1569	23.2	22.0-24.4	5892	76.8	75.6-78.0
Male	3316	2,057,350	625	21.4	19.6-23.2	2691	78.6	76.8-80.4
Female	4145	2,194,941	944	25.0	23.2-26.8	3201	75.0	73.2-76.8
White/Non-Hisp	6236	3,407,724	1324	24.0	22.6-25.4	4912	76.0	74.6-77.4
Black or Afr. Am./Non-Hisp	485	357,384	91	19.7	15.0-24.4	394	80.3	75.6-85.0
Oth. Race/Non-Hisp.	190	130,434	37	18.7	11.6-25.8	153	81.3	74.2-88.4
MultiRacial/Non-Hisp.	115	41,559	34	32.9	21.9-43.9	81	67.1	56.1-78.1
Hispanic	299	248,207	58	19.9	14.4-25.4	241	80.1	74.6-85.6
18-24	359	545,510	89	23.8	19.1-28.5	270	76.2	71.5-80.9
25-34	618	669,071	154	24.8	21.1-28.5	464	75.2	71.5-78.9
35-44	783	656,431	205	27.7	24.2-31.2	578	72.3	68.8-75.8
45-54	1120	696,196	277	24.9	22.0-27.8	843	75.1	72.2-78.0
55-64	1576	738,669	358	24.0	21.6-26.4	1218	76.0	73.6-78.4
65+	3005	946,414	486	16.9	15.3-18.5	2519	83.1	81.5-84.7
Less Than H.S.	540	517,244	141	26.7	22.0-31.4	399	73.3	68.6-78.0
H.S. or G.E.D.	2370	1,396,041	528	24.7	22.3-27.1	1842	75.3	72.9-77.7
Some Post-H.S.	1942	1,322,209	465	24.8	22.4-27.2	1477	75.2	72.8-77.6
College Graduate	2564	996,155	428	17.7	15.9-19.5	2136	82.3	80.5-84.1
Less than \$15,000	539	334,420	147	29.6	24.7-34.5	392	70.4	65.5-75.3
\$15,000- 24,999	1033	581,094	240	23.5	20.2-26.8	793	76.5	73.2-79.8
\$25,000- 34,999	673	382,262	169	29.5	24.8-34.2	504	70.5	65.8-75.2
\$35,000- 49,999	885	503,773	192	25.0	21.1-28.9	693	75.0	71.1-78.9
\$50,000- 74,999	971	590,394	209	23.8	20.3-27.3	762	76.2	72.7-79.7
\$75,000+	1839	1,096,007	354	21.1	18.7-23.5	1485	78.9	76.5-81.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3316	2,057,350	625	21.4	19.6-23.2	2691	78.6	76.8-80.4
White/Non-Hisp	2766	1,631,246	525	22.0	20.0-24.0	2241	78.0	76.0-80.0
Black or Afr. Am./Non-Hisp	195	173,614	33	19.7	12.4-27.0	162	80.3	73.0-87.6
Oth. Race/Non-Hisp.	105	76,909	21	19.9	11.1-28.7	84	80.1	71.3-88.9
MultiRacial/Non-Hisp.	50	18,273	10	25.9	09.8-42.0	40	74.1	58.0-90.2
Hispanic	130	123,233	22	17.3	09.3-25.3	108	82.7	74.7-90.7
18-24	206	285,124	52	24.9	18.4-31.4	154	75.1	68.6-81.6
25-34	291	333,253	62	21.7	16.2-27.2	229	78.3	72.8-83.8
35-44	351	320,098	85	26.2	20.9-31.5	266	73.8	68.5-79.1
45-54	516	340,110	106	20.7	16.8-24.6	410	79.3	75.4-83.2
55-64	751	358,299	156	22.9	19.4-26.4	595	77.1	73.6-80.6
65+	1201	420,465	164	14.4	11.9-16.9	1037	85.6	83.1-88.1
Less Than H.S.	249	278,179	60	27.7	21.0-34.4	189	72.3	65.6-79.0
H.S. or G.E.D.	1063	714,780	217	22.6	19.5-25.7	846	77.4	74.3-80.5
Some Post-H.S.	820	609,566	184	22.6	19.3-25.9	636	77.4	74.1-80.7
College Graduate	1161	442,588	163	14.5	12.1-16.9	998	85.5	83.1-87.9
Less than \$15,000	203	131,982	50	28.6	20.8-36.4	153	71.4	63.6-79.2
\$15,000- 24,999	418	266,429	88	20.7	16.0-25.4	330	79.3	74.6-84.0
\$25,000- 34,999	266	169,212	61	27.9	20.8-35.0	205	72.1	65.0-79.2
\$35,000- 49,999	432	269,454	86	24.3	18.6-30.0	346	75.7	70.0-81.4
\$50,000- 74,999	471	305,839	99	22.2	17.3-27.1	372	77.8	72.9-82.7
\$75,000+	988	588,167	161	18.0	14.9-21.1	827	82.0	78.9-85.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4145	2,194,941	944	25.0	23.2-26.8	3201	75.0	73.2-76.8
White/Non-Hisp	3470	1,776,478	799	25.9	23.9-27.9	2671	74.1	72.1-76.1
Black or Afr. Am./Non-Hisp	290	183,770	58	19.8	13.9-25.7	232	80.2	74.3-86.1
Oth. Race/Non-Hisp.	85	53,525	16	17.0	06.2-27.8	69	83.0	72.2-93.8
MultiRacial/Non-Hisp.	65	23,287	24	38.4	23.3-53.5	41	61.6	46.5-76.7
Hispanic	169	124,974	36	22.5	14.9-30.1	133	77.5	69.9-85.1
18-24	153	260,385	37	22.6	15.5-29.7	116	77.4	70.3-84.5
25-34	327	335,817	92	27.8	22.5-33.1	235	72.2	66.9-77.5
35-44	432	336,333	120	29.2	24.3-34.1	312	70.8	65.9-75.7
45-54	604	356,086	171	29.0	24.9-33.1	433	71.0	66.9-75.1
55-64	825	380,370	202	25.0	21.7-28.3	623	75.0	71.7-78.3
65+	1804	525,949	322	18.9	16.7-21.1	1482	81.1	78.9-83.3
Less Than H.S.	291	239,066	81	25.5	19.4-31.6	210	74.5	68.4-80.6
H.S. or G.E.D.	1307	681,261	311	26.9	23.6-30.2	996	73.1	69.8-76.4
Some Post-H.S.	1122	712,644	281	26.7	23.6-29.8	841	73.3	70.2-76.4
College Graduate	1403	553,567	265	20.2	17.7-22.7	1138	79.8	77.3-82.3
Less than \$15,000	336	202,439	97	30.2	23.7-36.7	239	69.8	63.3-76.3
\$15,000- 24,999	615	314,665	152	25.8	21.3-30.3	463	74.2	69.7-78.7
\$25,000- 34,999	407	213,051	108	30.8	24.5-37.1	299	69.2	62.9-75.5
\$35,000- 49,999	453	234,319	106	25.8	20.5-31.1	347	74.2	68.9-79.5
\$50,000- 74,999	500	284,555	110	25.6	20.5-30.7	390	74.4	69.3-79.5
\$75,000+	851	507,841	193	24.8	21.3-28.3	658	75.2	71.7-78.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7440	4,246,805	642	12.6	11.4-13.8	6798	87.4	86.2-88.6
Male	3309	2,051,911	307	13.0	11.4-14.6	3002	87.0	85.4-88.6
Female	4131	2,194,895	335	12.2	10.6-13.8	3796	87.8	86.2-89.4
White/Non-Hisp	6218	3,397,571	512	12.7	11.5-13.9	5706	87.3	86.1-88.5
Black or Afr. Am./Non-Hisp	485	357,504	59	15.4	10.9-19.9	426	84.6	80.1-89.1
Oth. Race/Non-Hisp.	188	130,788	18	8.8	03.5-14.1	170	91.2	85.9-96.5
MultiRacial/Non-Hisp.	115	41,737	20	22.0	12.0-32.0	95	78.0	68.0-88.0
Hispanic	299	248,207	27	10.4	06.3-14.5	272	89.6	85.5-93.7
18-24	358	546,816	74	20.6	16.1-25.1	284	79.4	74.9-83.9
25-34	615	667,811	128	22.4	18.7-26.1	487	77.6	73.9-81.3
35-44	780	654,297	141	18.9	15.8-22.0	639	81.1	78.0-84.2
45-54	1116	693,868	104	9.9	07.9-11.9	1012	90.1	88.1-92.1
55-64	1576	739,530	131	8.3	06.7-09.9	1445	91.7	90.1-93.3
65+	2995	944,482	64	1.9	01.3-02.5	2931	98.1	97.5-98.7
Less Than H.S.	537	515,494	61	17.0	12.7-21.3	476	83.0	78.7-87.3
H.S. or G.E.D.	2374	1,402,581	208	12.7	10.7-14.7	2166	87.3	85.3-89.3
Some Post-H.S.	1933	1,316,637	200	13.6	11.6-15.6	1733	86.4	84.4-88.4
College Graduate	2554	991,881	173	9.1	07.7-10.5	2381	90.9	89.5-92.3
Less than \$15,000	538	333,871	74	17.4	13.1-21.7	464	82.6	78.3-86.9
\$15,000- 24,999	1031	580,520	111	14.4	11.3-17.5	920	85.6	82.5-88.7
\$25,000- 34,999	670	380,406	61	14.6	10.5-18.7	609	85.4	81.3-89.5
\$35,000- 49,999	882	502,819	76	14.7	11.2-18.2	806	85.3	81.8-88.8
\$50,000- 74,999	969	587,230	89	12.0	09.3-14.7	880	88.0	85.3-90.7
\$75,000+	1836	1,094,212	149	11.5	09.5-13.5	1687	88.5	86.5-90.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3309	2,051,911	307	13.0	11.4-14.6	3002	87.0	85.4-88.6
White/Non-Hisp	2759	1,625,915	250	13.1	11.3-14.9	2509	86.9	85.1-88.7
Black or Afr. Am./Non-Hisp	195	173,614	23	15.0	08.3-21.7	172	85.0	78.3-91.7
Oth. Race/Non-Hisp.	105	76,909	11	10.1	03.0-17.2	94	89.9	82.8-97.0
MultiRacial/Non-Hisp.	51	18,693	7	22.5	06.6-38.4	44	77.5	61.6-93.4
Hispanic	130	123,233	14	11.9	05.4-18.4	116	88.1	81.6-94.6
18-24	204	281,795	45	22.1	16.0-28.2	159	77.9	71.8-84.0
25-34	289	332,451	61	22.2	16.7-27.7	228	77.8	72.3-83.3
35-44	350	319,195	62	18.5	14.0-23.0	288	81.5	77.0-86.0
45-54	516	340,110	44	9.2	06.3-12.1	472	90.8	87.9-93.7
55-64	751	358,435	72	9.3	06.9-11.7	679	90.7	88.3-93.1
65+	1199	419,925	23	1.7	00.9-02.5	1176	98.3	97.5-99.1
Less Than H.S.	247	276,610	33	19.2	12.9-25.5	214	80.8	74.5-87.1
H.S. or G.E.D.	1064	716,354	112	13.9	11.2-16.6	952	86.1	83.4-88.8
Some Post-H.S.	819	606,254	86	12.7	09.8-15.6	733	87.3	84.4-90.2
College Graduate	1157	440,693	76	8.4	06.2-10.6	1081	91.6	89.4-93.8
Less than \$15,000	203	131,982	28	14.9	09.0-20.8	175	85.1	79.2-91.0
\$15,000- 24,999	417	266,190	49	13.1	08.8-17.4	368	86.9	82.6-91.2
\$25,000- 34,999	264	168,073	27	16.6	10.1-23.1	237	83.4	76.9-89.9
\$35,000- 49,999	432	269,424	43	16.5	11.2-21.8	389	83.5	78.2-88.8
\$50,000- 74,999	470	302,799	57	15.2	10.9-19.5	413	84.8	80.5-89.1
\$75,000+	987	587,602	69	9.8	07.3-12.3	918	90.2	87.7-92.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4131	2,194,895	335	12.2	10.6-13.8	3796	87.8	86.2-89.4
White/Non-Hisp	3459	1,771,656	262	12.3	10.7-13.9	3197	87.7	86.1-89.3
Black or Afr. Am./Non-Hisp	290	183,890	36	15.8	09.5-22.1	254	84.2	77.9-90.5
Oth. Race/Non-Hisp.	83	53,879	7	7.1	00.0-14.9	76	92.9	85.1-0100
MultiRacial/Non-Hisp.	64	23,044	13	21.5	09.0-34.0	51	78.5	66.0-91.0
Hispanic	169	124,974	13	8.8	03.3-14.3	156	91.2	85.7-96.7
18-24	154	265,022	29	19.1	12.4-25.8	125	80.9	74.2-87.6
25-34	326	335,360	67	22.6	17.5-27.7	259	77.4	72.3-82.5
35-44	430	335,102	79	19.3	15.0-23.6	351	80.7	76.4-85.0
45-54	600	353,758	60	10.6	07.7-13.5	540	89.4	86.5-92.3
55-64	825	381,096	59	7.4	05.2-09.6	766	92.6	90.4-94.8
65+	1796	524,557	41	2.2	01.4-03.0	1755	97.8	97.0-98.6
Less Than H.S.	290	238,884	28	14.5	08.6-20.4	262	85.5	79.6-91.4
H.S. or G.E.D.	1310	686,226	96	11.5	09.0-14.0	1214	88.5	86.0-91.0
Some Post-H.S.	1114	710,383	114	14.4	11.7-17.1	1000	85.6	82.9-88.3
College Graduate	1397	551,188	97	9.6	07.6-11.6	1300	90.4	88.4-92.4
Less than \$15,000	335	201,890	46	19.1	13.2-25.0	289	80.9	75.0-86.8
\$15,000- 24,999	614	314,330	62	15.4	10.9-19.9	552	84.6	80.1-89.1
\$25,000- 34,999	406	212,333	34	13.1	07.8-18.4	372	86.9	81.6-92.2
\$35,000- 49,999	450	233,395	33	12.8	08.1-17.5	417	87.2	82.5-91.9
\$50,000- 74,999	499	284,431	32	8.7	05.6-11.8	467	91.3	88.2-94.4
\$75,000+	849	506,609	80	13.4	10.3-16.5	769	86.6	83.5-89.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7458	4,251,246	485	9.9	08.9-10.9	6973	90.1	89.1-91.1
Male	3311	2,050,691	224	9.9	08.5-11.3	3087	90.1	88.7-91.5
Female	4147	2,200,556	261	9.9	08.5-11.3	3886	90.1	88.7-91.5
White/Non-Hisp	6232	3,403,083	356	8.9	07.9-09.9	5876	91.1	90.1-92.1
Black or Afr. Am./Non-Hisp	486	358,099	55	16.1	11.4-20.8	431	83.9	79.2-88.6
Oth. Race/Non-Hisp.	190	130,951	19	11.5	05.4-17.6	171	88.5	82.4-94.6
MultiRacial/Non-Hisp.	117	42,421	20	23.9	13.7-34.1	97	76.1	65.9-86.3
Hispanic	297	245,166	29	12.2	07.5-16.9	268	87.8	83.1-92.5
18-24	359	545,909	74	19.3	15.0-23.6	285	80.7	76.4-85.0
25-34	616	667,641	93	16.3	13.0-19.6	523	83.7	80.4-87.0
35-44	781	654,014	99	13.7	10.8-16.6	682	86.3	83.4-89.2
45-54	1119	695,198	84	8.8	06.8-10.8	1035	91.2	89.2-93.2
55-64	1580	741,951	64	4.2	03.0-05.4	1516	95.8	94.6-97.0
65+	3003	946,532	71	2.6	01.8-03.4	2932	97.4	96.6-98.2
Less Than H.S.	540	515,892	66	16.7	12.4-21.0	474	83.3	79.0-87.6
H.S. or G.E.D.	2376	1,402,547	184	11.1	09.3-12.9	2192	88.9	87.1-90.7
Some Post-H.S.	1940	1,317,442	142	9.7	07.9-11.5	1798	90.3	88.5-92.1
College Graduate	2559	994,915	93	5.2	04.0-06.4	2466	94.8	93.6-96.0
Less than \$15,000	541	335,011	63	16.1	11.8-20.4	478	83.9	79.6-88.2
\$15,000- 24,999	1031	580,544	95	13.9	10.8-17.0	936	86.1	83.0-89.2
\$25,000- 34,999	674	382,720	50	12.1	08.4-15.8	624	87.9	84.2-91.6
\$35,000- 49,999	884	502,298	53	9.9	06.8-13.0	831	90.1	87.0-93.2
\$50,000- 74,999	970	587,328	58	8.3	05.9-10.7	912	91.7	89.3-94.1
\$75,000+	1838	1,095,510	93	7.4	05.8-09.0	1745	92.6	91.0-94.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3311	2,050,691	224	9.9	08.5-11.3	3087	90.1	88.7-91.5
White/Non-Hisp	2761	1,626,166	163	8.6	07.2-10.0	2598	91.4	90.0-92.8
Black or Afr. Am./Non-Hisp	195	173,614	21	16.7	09.4-24.0	174	83.3	76.0-90.6
Oth. Race/Non-Hisp.	105	76,909	14	15.2	06.8-23.6	91	84.8	76.4-93.2
MultiRacial/Non-Hisp.	51	18,693	10	30.7	13.6-47.8	41	69.3	52.2-86.4
Hispanic	129	121,233	13	13.0	05.9-20.1	116	87.0	79.9-94.1
18-24	205	280,887	41	19.2	13.5-24.9	164	80.8	75.1-86.5
25-34	291	333,253	36	13.4	08.9-17.9	255	86.6	82.1-91.1
35-44	350	318,804	48	14.6	10.5-18.7	302	85.4	81.3-89.5
45-54	513	338,332	38	8.8	05.9-11.7	475	91.2	88.3-94.1
55-64	751	358,649	34	5.0	03.0-07.0	717	95.0	93.0-97.0
65+	1201	420,764	27	2.6	01.4-03.8	1174	97.4	96.2-98.6
Less Than H.S.	248	276,179	38	17.6	11.7-23.5	210	82.4	76.5-88.3
H.S. or G.E.D.	1062	714,335	92	11.6	09.1-14.1	970	88.4	85.9-90.9
Some Post-H.S.	819	605,781	58	9.0	06.5-11.5	761	91.0	88.5-93.5
College Graduate	1159	442,158	36	4.0	02.6-05.4	1123	96.0	94.6-97.4
Less than \$15,000	203	131,982	23	13.0	07.3-18.7	180	87.0	81.3-92.7
\$15,000- 24,999	416	265,633	41	12.2	08.1-16.3	375	87.8	83.7-91.9
\$25,000- 34,999	266	169,212	21	12.4	06.7-18.1	245	87.6	81.9-93.3
\$35,000- 49,999	431	267,864	29	11.2	06.5-15.9	402	88.8	84.1-93.5
\$50,000- 74,999	469	302,109	34	9.7	06.2-13.2	435	90.3	86.8-93.8
\$75,000+	988	588,167	45	6.7	04.5-08.9	943	93.3	91.1-95.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4147	2,200,556	261	9.9	08.5-11.3	3886	90.1	88.7-91.5
White/Non-Hisp	3471	1,776,917	193	9.3	07.7-10.9	3278	90.7	89.1-92.3
Black or Afr. Am./Non-Hisp	291	184,485	34	15.5	09.6-21.4	257	84.5	78.6-90.4
Oth. Race/Non-Hisp.	85	54,042	5	6.2	00.0-14.0	80	93.8	86.0-100.0
MultiRacial/Non-Hisp.	66	23,728	10	18.6	06.8-30.4	56	81.4	69.6-93.2
Hispanic	168	123,933	16	11.4	05.3-17.5	152	88.6	82.5-94.7
18-24	154	265,022	33	19.5	13.0-26.0	121	80.5	74.0-87.0
25-34	325	334,388	57	19.3	14.4-24.2	268	80.7	75.8-85.6
35-44	431	335,209	51	13.0	09.1-16.9	380	87.0	83.1-90.9
45-54	606	356,866	46	8.8	06.1-11.5	560	91.2	88.5-93.9
55-64	829	383,302	30	3.3	01.9-04.7	799	96.7	95.3-98.1
65+	1802	525,768	44	2.5	01.5-03.5	1758	97.5	96.5-98.5
Less Than H.S.	292	239,713	28	15.6	09.3-21.9	264	84.4	78.1-90.7
H.S. or G.E.D.	1314	688,212	92	10.5	08.0-13.0	1222	89.5	87.0-92.0
Some Post-H.S.	1121	711,662	84	10.3	07.9-12.7	1037	89.7	87.3-92.1
College Graduate	1400	552,757	57	6.1	04.3-07.9	1343	93.9	92.1-95.7
Less than \$15,000	338	203,029	40	18.1	12.0-24.2	298	81.9	75.8-88.0
\$15,000- 24,999	615	314,911	54	15.4	10.9-19.9	561	84.6	80.1-89.1
\$25,000- 34,999	408	213,508	29	11.9	07.0-16.8	379	88.1	83.2-93.0
\$35,000- 49,999	453	234,434	24	8.4	04.5-12.3	429	91.6	87.7-95.5
\$50,000- 74,999	501	285,219	24	6.9	04.0-09.8	477	93.1	90.2-96.0
\$75,000+	850	507,343	48	8.1	05.6-10.6	802	91.9	89.4-94.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE
TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7393	4,221,864	1765	30.6	29.2-32.0	5522	67.4	66.0-68.8	106	1.9	01.5-02.3
Male	3284	2,035,774	784	30.2	28.0-32.4	2460	68.3	66.1-70.5	40	1.6	01.0-02.2
Female	4109	2,186,090	981	31.1	29.1-33.1	3062	66.6	64.6-68.6	66	2.3	01.5-03.1
White/Non-Hisp	6184	3,380,901	1374	29.0	27.4-30.6	4749	69.7	68.1-71.3	61	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	476	351,227	176	44.0	38.1-49.9	271	49.2	43.3-55.1	29	6.8	03.7-09.9
Oth. Race/Non-Hisp.	190	130,951	40	26.4	17.6-35.2	146	72.2	63.4-81.0	4	1.5	00.0-03.5
MultiRacial/Non-Hisp.	116	42,268	40	40.1	28.5-51.7	67	43.2	31.8-54.6	9	16.7	05.9-27.5
Hispanic	298	247,795	97	33.9	27.6-40.2	198	65.5	59.2-71.8	3	0.6	00.0-01.4
18-24	360	550,162	150	41.0	35.3-46.7	196	55.1	49.4-60.8	14	3.9	01.5-06.3
25-34	614	664,732	253	43.9	39.6-48.2	343	52.9	48.4-57.4	18	3.2	01.6-04.8
35-44	777	651,309	298	39.6	35.7-43.5	459	57.6	53.7-61.5	20	2.7	01.3-04.1
45-54	1111	691,836	359	33.3	30.2-36.4	739	65.6	62.5-68.7	13	1.1	00.5-01.7
55-64	1561	733,614	324	21.8	19.4-24.2	1219	77.2	74.8-79.6	18	1.0	00.4-01.6
65+	2970	930,211	381	13.7	12.1-15.3	2566	85.6	84.0-87.2	23	0.7	00.3-01.1
Less Than H.S.	525	507,990	155	32.5	27.4-37.6	352	63.2	57.9-68.5	18	4.3	01.9-06.7
H.S. or G.E.D.	2351	1,388,604	635	34.3	31.8-36.8	1675	63.8	61.3-66.3	41	1.9	01.1-02.7
Some Post-H.S.	1929	1,315,447	509	33.0	30.3-35.7	1389	64.9	62.2-67.6	31	2.1	01.3-02.9
College Graduate	2549	990,040	456	21.7	19.7-23.7	2078	77.8	75.8-79.8	15	0.5	00.1-00.9
Less than \$15,000	531	330,087	177	41.5	36.0-47.0	333	54.0	48.3-59.7	21	4.5	02.0-07.0
\$15,000- 24,999	1022	572,414	275	31.5	27.8-35.2	723	65.1	61.2-69.0	24	3.3	01.5-05.1
\$25,000- 34,999	665	378,200	176	35.3	30.2-40.4	483	63.3	58.2-68.4	6	1.4	00.2-02.6
\$35,000- 49,999	878	499,412	222	34.6	30.3-38.9	645	63.7	59.4-68.0	11	1.6	00.4-02.8
\$50,000- 74,999	965	587,042	230	30.2	26.5-33.9	724	68.5	64.6-72.4	11	1.3	00.5-02.1
\$75,000+	1833	1,091,972	406	26.5	24.0-29.0	1415	72.8	70.3-75.3	12	0.7	00.3-01.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3284	2,035,774	784	30.2	28.0-32.4	2460	68.3	66.1-70.5	40	1.6	01.0-02.2
White/Non-Hisp	2743	1,616,316	604	27.9	25.7-30.1	2110	70.8	68.6-73.0	29	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	188	168,148	73	48.2	39.2-57.2	109	47.5	38.7-56.3	6	4.3	00.6-08.0
Oth. Race/Non-Hisp.	105	76,909	23	25.6	14.8-36.4	81	72.9	61.9-83.9	1	1.4	00.0-04.1
MultiRacial/Non-Hisp.	51	18,693	20	49.2	31.6-66.8	28	40.8	24.3-57.3	3	9.9	00.0-20.7
Hispanic	130	123,233	45	33.5	24.5-42.5	84	66.2	57.2-75.2	1	0.3	00.0-00.9
18-24	206	285,140	85	41.2	33.8-48.6	113	56.1	48.7-63.5	8	2.8	00.8-04.8
25-34	289	331,232	110	40.6	34.1-47.1	175	57.5	51.0-64.0	4	1.9	00.0-03.9
35-44	348	316,879	133	38.1	32.4-43.8	206	58.8	53.1-64.5	9	3.1	01.1-05.1
45-54	509	336,359	160	33.4	28.7-38.1	345	66.2	61.5-70.9	4	0.4	00.0-00.8
55-64	745	355,249	149	21.5	18.0-25.0	590	77.4	73.9-80.9	6	1.2	00.2-02.2
65+	1187	410,913	147	12.8	10.4-15.2	1031	86.6	84.2-89.0	9	0.7	00.3-01.1
Less Than H.S.	240	270,935	74	32.7	25.6-39.8	159	64.6	57.3-71.9	7	2.7	00.3-05.1
H.S. or G.E.D.	1050	706,916	311	36.2	32.5-39.9	719	61.8	58.1-65.5	20	2.0	01.0-03.0
Some Post-H.S.	817	606,614	209	30.3	26.4-34.2	600	68.3	64.4-72.2	8	1.4	00.4-02.4
College Graduate	1154	439,070	184	19.2	16.3-22.1	966	80.6	77.7-83.5	4	0.2	00.0-00.4
Less than \$15,000	198	130,137	65	37.9	29.3-46.5	125	57.8	49.2-66.4	8	4.3	00.8-07.8
\$15,000- 24,999	409	258,896	107	30.3	24.6-36.0	294	66.5	60.6-72.4	8	3.2	00.5-05.9
\$25,000- 34,999	263	167,228	75	36.4	28.8-44.0	188	63.6	56.0-71.2			
\$35,000- 49,999	430	267,263	116	36.2	30.1-42.3	311	63.0	56.9-69.1	3	0.8	00.0-01.8
\$50,000- 74,999	468	303,420	119	31.0	25.5-36.5	346	68.4	62.9-73.9	3	0.6	00.0-01.4
\$75,000+	983	584,629	186	23.2	19.9-26.5	788	75.7	72.2-79.2	9	1.1	00.3-01.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4109	2,186,090	981	31.1	29.1-33.1	3062	66.6	64.6-68.6	66	2.3	01.5-03.1
White/Non-Hisp	3441	1,764,584	770	29.9	27.7-32.1	2639	68.7	66.5-70.9	32	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	288	183,079	103	40.1	32.5-47.7	162	50.8	43.2-58.4	23	9.1	04.4-13.8
Oth. Race/Non-Hisp.	85	54,042	17	27.4	12.7-42.1	65	71.1	56.2-86.0	3	1.5	00.0-03.7
MultiRacial/Non-Hisp.	65	23,576	20	32.8	18.5-47.1	39	45.1	29.6-60.6	6	22.1	05.4-38.8
Hispanic	168	124,562	52	34.2	25.8-42.6	114	64.8	56.2-73.4	2	1.0	00.0-02.6
18-24	154	265,022	65	40.8	32.4-49.2	83	54.1	45.5-62.7	6	5.1	01.0-09.2
25-34	325	333,499	143	47.2	41.3-53.1	168	48.4	42.5-54.3	14	4.4	02.0-06.8
35-44	429	334,430	165	41.0	35.7-46.3	253	56.5	51.2-61.8	11	2.4	00.8-04.0
45-54	602	355,477	199	33.3	29.0-37.6	394	64.9	60.6-69.2	9	1.8	00.6-03.0
55-64	816	378,365	175	22.1	18.8-25.4	629	77.1	73.8-80.4	12	0.8	00.2-01.4
65+	1783	519,298	234	14.5	12.5-16.5	1535	84.8	82.6-87.0	14	0.8	00.4-01.2
Less Than H.S.	285	237,054	81	32.3	25.0-39.6	193	61.6	54.0-69.2	11	6.1	01.8-10.4
H.S. or G.E.D.	1301	681,688	324	32.3	28.8-35.8	956	65.9	62.4-69.4	21	1.8	00.6-03.0
Some Post-H.S.	1112	708,833	300	35.4	31.7-39.1	789	62.0	58.3-65.7	23	2.6	01.4-03.8
College Graduate	1395	550,970	272	23.6	20.9-26.3	1112	75.6	72.9-78.3	11	0.8	00.2-01.4
Less than \$15,000	333	199,950	112	43.8	36.5-51.1	208	51.6	44.3-58.9	13	4.6	00.9-08.3
\$15,000- 24,999	613	313,518	168	32.6	27.5-37.7	429	64.0	58.7-69.3	16	3.4	00.9-05.9
\$25,000- 34,999	402	210,972	101	34.5	27.8-41.2	295	63.1	56.4-69.8	6	2.4	00.2-04.6
\$35,000- 49,999	448	232,150	106	32.8	26.9-38.7	334	64.5	58.4-70.6	8	2.6	00.4-04.8
\$50,000- 74,999	497	283,621	111	29.3	24.0-34.6	378	68.7	63.2-74.2	8	2.0	00.4-03.6
\$75,000+	850	507,343	220	30.4	26.5-34.3	627	69.4	65.5-73.3	3	0.2	00.0-00.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7345	4,196,938	6202	82.0	80.8-83.2	262	3.9	03.3-04.5	881	14.1	13.1-15.1
Male	3268	2,029,804	2813	84.0	82.4-85.6	110	3.8	03.0-04.6	345	12.2	10.6-13.8
Female	4077	2,167,134	3389	80.0	78.2-81.8	152	4.1	03.3-04.9	536	15.9	14.3-17.5
White/Non-Hisp	6156	3,363,214	5235	82.5	81.3-83.7	212	3.9	03.3-04.5	709	13.6	12.4-14.8
Black or Afr. Am./Non-Hisp	469	349,359	380	79.5	74.6-84.4	24	5.5	02.8-08.2	65	15.0	10.5-19.5
Oth. Race/Non-Hisp.	187	130,649	159	81.6	73.6-89.6	5	2.6	00.0-05.5	23	15.9	08.3-23.5
MultiRacial/Non-Hisp.	109	39,677	83	71.6	60.6-82.6	5	5.6	00.1-11.1	21	22.8	12.6-33.0
Hispanic	293	244,288	234	79.2	73.9-84.5	13	3.8	01.4-06.2	46	17.0	11.9-22.1
18-24	357	547,481	290	81.0	76.5-85.5	17	5.1	02.6-07.6	50	13.9	10.0-17.8
25-34	610	660,653	478	77.1	73.4-80.8	21	3.4	01.8-05.0	111	19.4	15.9-22.9
35-44	767	643,338	624	80.3	77.2-83.4	29	4.7	02.7-06.7	114	15.0	12.3-17.7
45-54	1107	687,831	902	80.9	78.4-83.4	44	3.7	02.5-04.9	161	15.4	13.0-17.8
55-64	1550	727,334	1281	81.9	79.7-84.1	63	4.3	03.1-05.5	206	13.9	11.9-15.9
65+	2954	930,302	2627	87.9	86.5-89.3	88	3.0	02.2-03.8	239	9.0	07.6-10.4
Less Than H.S.	530	511,981	410	75.5	71.0-80.0	24	4.3	02.3-06.3	96	20.3	16.0-24.6
H.S. or G.E.D.	2326	1,379,829	1951	82.0	80.0-84.0	72	3.4	02.4-04.4	303	14.6	12.8-16.4
Some Post-H.S.	1907	1,298,340	1564	80.2	78.0-82.4	80	4.7	03.5-05.9	263	15.1	13.1-17.1
College Graduate	2545	988,414	2244	87.4	85.8-89.0	86	3.7	02.7-04.7	215	9.0	07.6-10.4
Less than \$15,000	533	331,476	398	71.9	66.8-77.0	29	5.6	03.1-08.1	106	22.5	17.8-27.2
\$15,000- 24,999	1010	568,079	833	80.6	77.3-83.9	38	3.3	01.9-04.7	139	16.1	13.0-19.2
\$25,000- 34,999	665	379,655	540	77.7	73.4-82.0	32	4.4	02.6-06.2	93	17.9	13.8-22.0
\$35,000- 49,999	871	496,026	727	79.9	76.2-83.6	44	6.6	04.1-09.1	100	13.5	10.4-16.6
\$50,000- 74,999	964	585,933	813	82.7	79.6-85.8	32	3.6	02.0-05.2	119	13.6	10.9-16.3
\$75,000+	1825	1,086,851	1583	84.7	82.5-86.9	51	3.3	02.1-04.5	191	12.0	10.0-14.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3268	2,029,804	2813	84.0	82.4-85.6	110	3.8	03.0-04.6	345	12.2	10.6-13.8
White/Non-Hisp	2735	1,611,544	2370	84.6	82.8-86.4	91	3.7	02.7-04.7	274	11.7	10.1-13.3
Black or Afr. Am./Non-Hisp	189	170,015	159	82.7	75.6-89.8	8	5.6	01.1-10.1	22	11.7	05.8-17.6
Oth. Race/Non-Hisp.	102	76,607	85	80.4	70.4-90.4	4	4.2	00.9-07.5	13	15.4	05.8-25.0
Hispanic	127	121,187	106	82.6	75.3-89.9	4	2.5	00.0-05.2	17	14.8	07.9-21.7
18-24	205	284,101	170	83.4	77.9-88.9	8	3.8	01.1-06.5	27	12.8	07.7-17.9
25-34	285	327,771	230	79.1	73.6-84.6	14	5.1	02.2-08.0	41	15.8	10.7-20.9
35-44	344	313,089	287	83.5	79.2-87.8	11	3.7	01.3-06.1	46	12.9	09.2-16.6
45-54	510	337,214	430	83.8	80.3-87.3	18	3.4	01.6-05.2	62	12.8	09.5-16.1
55-64	738	352,753	623	83.3	80.2-86.4	26	3.9	02.1-05.7	89	12.8	09.9-15.7
65+	1186	414,876	1073	89.5	87.3-91.7	33	3.1	01.9-04.3	80	7.4	05.4-09.4
Less Than H.S.	247	275,873	191	77.0	70.9-83.1	13	4.7	02.0-07.4	43	18.3	12.6-24.0
H.S. or G.E.D.	1042	704,252	882	83.6	80.9-86.3	30	3.2	01.8-04.6	130	13.2	10.7-15.7
Some Post-H.S.	805	597,939	686	83.7	80.6-86.8	34	4.5	02.7-06.3	85	11.8	09.1-14.5
College Graduate	1154	440,633	1035	89.2	87.0-91.4	33	3.3	01.9-04.7	86	7.5	05.7-09.3
Less than \$15,000	200	130,204	155	79.4	72.9-85.9	7	2.6	00.2-05.0	38	18.0	11.9-24.1
\$15,000- 24,999	408	260,336	343	82.8	78.3-87.3	18	4.7	02.3-07.1	47	12.6	08.7-16.5
\$25,000- 34,999	262	167,765	220	81.7	75.8-87.6	11	3.2	01.0-05.4	31	15.1	09.4-20.8
\$35,000- 49,999	427	266,123	356	79.7	74.2-85.2	19	6.1	02.6-09.6	52	14.2	09.5-18.9
\$50,000- 74,999	466	302,991	396	82.9	78.6-87.2	16	4.0	01.6-06.4	54	13.1	09.2-17.0
\$75,000+	981	584,670	873	87.2	84.5-89.9	24	2.7	01.5-03.9	84	10.1	07.6-12.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4077	2,167,134	3389	80.0	78.2-81.8	152	4.1	03.3-04.9	536	15.9	14.3-17.5
White/Non-Hisp	3421	1,751,670	2865	80.5	78.7-82.3	121	4.1	03.1-05.1	435	15.4	13.8-17.0
Black or Afr. Am./Non-Hisp	280	179,344	221	76.5	69.4-83.6	16	5.4	02.1-08.7	43	18.1	11.4-24.8
Oth. Race/Non-Hisp.	85	54,042	74	83.2	71.0-95.4	1	0.2	00.0-00.6	10	16.5	04.3-28.7
MultiRacial/Non-Hisp.	63	22,761	49	76.8	64.3-89.3	2	2.6	00.0-06.3	12	20.7	08.5-32.9
Hispanic	166	123,101	128	75.9	68.3-83.5	9	5.0	01.3-08.7	29	19.2	11.9-26.5
18-24	152	263,380	120	78.3	71.0-85.6	9	6.5	02.0-11.0	23	15.2	08.9-21.5
25-34	325	332,882	248	75.2	69.9-80.5	7	1.8	00.4-03.2	70	23.0	17.9-28.1
35-44	423	330,249	337	77.4	72.7-82.1	18	5.6	02.7-08.5	68	17.0	12.9-21.1
45-54	597	350,616	472	78.1	74.4-81.8	26	4.0	02.2-05.8	99	17.9	14.4-21.4
55-64	812	374,581	658	80.6	77.5-83.7	37	4.6	02.8-06.4	117	14.8	12.1-17.5
65+	1768	515,426	1554	86.7	84.7-88.7	55	3.0	02.0-04.0	159	10.3	08.5-12.1
Less Than H.S.	283	236,108	219	73.8	66.9-80.7	11	3.8	01.1-06.5	53	22.5	16.0-29.0
H.S. or G.E.D.	1284	675,577	1069	80.3	77.2-83.4	42	3.6	02.0-05.2	173	16.1	13.4-18.8
Some Post-H.S.	1102	700,401	878	77.2	74.1-80.3	46	4.8	03.0-06.6	178	17.9	15.2-20.6
College Graduate	1391	547,781	1209	85.9	83.7-88.1	53	3.9	02.7-05.1	129	10.2	08.2-12.2
Less than \$15,000	333	201,272	243	67.1	60.0-74.2	22	7.5	03.6-11.4	68	25.4	18.9-31.9
\$15,000- 24,999	602	307,743	490	78.7	74.2-83.2	20	2.2	00.8-03.6	92	19.1	14.6-23.6
\$25,000- 34,999	403	211,890	320	74.4	68.3-80.5	21	5.3	02.6-08.0	62	20.2	14.3-26.1
\$35,000- 49,999	444	229,904	371	80.2	75.1-85.3	25	7.2	03.5-10.9	48	12.5	08.4-16.6
\$50,000- 74,999	498	282,942	417	82.5	78.2-86.8	16	3.2	01.2-05.2	65	14.2	10.3-18.1
\$75,000+	844	502,182	710	81.8	78.5-85.1	27	4.0	02.0-06.0	107	14.3	11.4-17.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT (ACEHURT

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7348	4,198,778	5604	74.4	73.0-75.8	458	6.2	05.4-07.0	1286	19.4	18.2-20.6
Male	3266	2,030,638	2439	73.1	71.1-75.1	209	6.8	05.6-08.0	618	20.1	18.3-21.9
Female	4082	2,168,140	3165	75.5	73.7-77.3	249	5.7	04.9-06.5	668	18.7	17.1-20.3
White/Non-Hisp	6157	3,368,659	4758	75.8	74.4-77.2	377	5.8	05.0-06.6	1022	18.5	17.1-19.9
Black or Afr. Am./Non-Hisp	469	347,269	354	75.9	71.0-80.8	24	5.5	02.6-08.4	91	18.6	14.1-23.1
Oth. Race/Non-Hisp.	183	127,569	132	65.5	55.9-75.1	13	7.7	02.6-12.8	38	26.9	17.7-36.1
MultiRacial/Non-Hisp.	116	42,287	75	61.3	49.9-72.7	5	5.4	00.5-10.3	36	33.3	22.3-44.3
Hispanic	295	244,387	185	60.1	53.4-66.8	32	12.1	07.6-16.6	78	27.8	21.7-33.9
18-24	357	546,137	271	75.9	71.0-80.8	24	6.6	03.9-09.3	62	17.5	13.0-22.0
25-34	609	658,886	446	72.9	69.0-76.8	42	6.6	04.4-08.8	121	20.6	16.9-24.3
35-44	774	648,966	548	70.6	67.1-74.1	63	7.9	05.9-09.9	163	21.5	18.2-24.8
45-54	1109	689,376	820	71.8	68.7-74.9	60	5.4	03.8-07.0	229	22.8	19.9-25.7
55-64	1551	727,115	1158	74.4	71.9-76.9	81	5.1	03.9-06.3	312	20.5	18.1-22.9
65+	2948	928,300	2361	79.1	77.3-80.9	188	6.0	05.0-07.0	399	14.9	13.3-16.5
Less Than H.S.	532	511,207	369	64.8	59.7-69.9	34	7.1	04.4-09.8	129	28.1	23.2-33.0
H.S. or G.E.D.	2329	1,381,066	1765	74.7	72.5-76.9	134	5.5	04.3-06.7	430	19.8	17.8-21.8
Some Post-H.S.	1910	1,301,044	1407	72.6	70.2-75.0	128	7.1	05.7-08.5	375	20.3	18.1-22.5
College Graduate	2538	986,765	2029	80.9	79.1-82.7	160	5.6	04.6-06.6	349	13.5	11.9-15.1
Less than \$15,000	530	332,661	348	65.3	60.2-70.4	35	6.0	03.6-08.4	147	28.7	23.8-33.6
\$15,000- 24,999	1019	573,029	729	69.2	65.5-72.9	73	7.5	05.1-09.9	217	23.2	19.9-26.5
\$25,000- 34,999	663	377,960	476	69.3	64.6-74.0	56	7.8	05.3-10.3	131	22.9	18.4-27.4
\$35,000- 49,999	871	492,401	650	73.3	69.4-77.2	64	7.5	05.3-09.7	157	19.2	15.7-22.7
\$50,000- 74,999	963	586,376	733	75.0	71.5-78.5	59	5.4	03.8-07.0	171	19.5	16.4-22.6
\$75,000+	1827	1,089,140	1459	79.0	76.6-81.4	96	5.0	03.8-06.2	272	15.9	13.7-18.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT (ACEHURT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3266	2,030,638	2439	73.1	71.1-75.1	209	6.8	05.6-08.0	618	20.1	18.3-21.9
White/Non-Hisp	2729	1,613,585	2071	75.1	72.9-77.3	168	6.0	04.8-07.2	490	18.9	16.9-20.9
Black or Afr. Am./Non-Hisp	187	167,432	136	71.8	63.8-79.8	11	8.0	02.5-13.5	40	20.1	13.2-27.0
Oth. Race/Non-Hisp.	102	76,248	72	65.1	53.1-77.1	8	8.1	02.4-13.8	22	26.7	15.1-38.3
MultiRacial/Non-Hisp.	51	18,693	35	64.5	47.3-81.7	1	2.7	00.0-08.0	15	32.8	15.7-49.9
Hispanic	129	121,477	74	56.4	46.4-66.4	19	15.2	07.9-22.5	36	28.4	19.4-37.4
18-24	206	286,730	149	72.4	65.7-79.1	21	10.7	06.0-15.4	36	16.9	11.4-22.4
25-34	285	326,090	212	73.9	68.0-79.8	20	6.3	03.2-09.4	53	19.9	14.4-25.4
35-44	346	314,956	246	70.8	65.5-76.1	31	9.1	06.0-12.2	69	20.1	15.4-24.8
45-54	513	339,090	371	70.1	65.6-74.6	24	5.1	02.9-07.3	118	24.8	20.5-29.1
55-64	740	352,575	536	71.9	68.2-75.6	39	4.7	02.9-06.5	165	23.4	19.9-26.9
65+	1176	411,197	925	78.3	75.4-81.2	74	5.9	04.3-07.5	177	15.8	13.1-18.5
Less Than H.S.	248	277,151	169	63.8	56.5-71.1	20	8.9	04.4-13.4	59	27.3	20.6-34.0
H.S. or G.E.D.	1039	704,271	736	71.3	68.0-74.6	69	6.5	04.7-08.3	234	22.2	19.3-25.1
Some Post-H.S.	809	599,029	595	73.2	69.7-76.7	57	7.5	05.3-09.7	157	19.3	16.2-22.4
College Graduate	1148	438,847	921	81.4	78.9-83.9	62	5.0	03.6-06.4	165	13.6	11.2-16.0
Less than \$15,000	200	133,284	122	65.8	58.0-73.6	13	6.5	02.6-10.4	65	27.7	20.4-35.0
\$15,000- 24,999	410	261,282	283	69.4	63.7-75.1	34	8.5	05.0-12.0	93	22.2	17.1-27.3
\$25,000- 34,999	262	167,234	186	68.0	60.7-75.3	24	9.1	05.0-13.2	52	22.9	16.2-29.6
\$35,000- 49,999	430	265,487	307	69.5	63.8-75.2	31	7.7	04.6-10.8	92	22.8	17.5-28.1
\$50,000- 74,999	467	303,946	354	73.1	68.0-78.2	23	4.3	02.3-06.3	90	22.6	17.7-27.5
\$75,000+	982	584,804	770	77.8	74.5-81.1	52	5.5	03.7-07.3	160	16.7	13.8-19.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT (ACEHURT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4082	2,168,140	3165	75.5	73.7-77.3	249	5.7	04.9-06.5	668	18.7	17.1-20.3
White/Non-Hisp	3428	1,755,073	2687	76.4	74.4-78.4	209	5.6	04.6-06.6	532	18.0	16.2-19.8
Black or Afr. Am./Non-Hisp	282	179,837	218	79.6	73.7-85.5	13	3.2	01.2-05.2	51	17.2	11.5-22.9
Oth. Race/Non-Hisp.	81	51,321	60	66.0	50.1-81.9	5	6.9	00.0-14.9	16	27.1	12.0-42.2
MultiRacial/Non-Hisp.	65	23,595	40	58.8	43.7-73.9	4	7.5	00.0-15.3	21	33.7	19.4-48.0
Hispanic	166	122,909	111	63.8	54.8-72.8	13	9.0	03.7-14.3	42	27.2	18.8-35.6
18-24	151	259,406	122	79.8	72.5-87.1	3	2.1	00.0-04.5	26	18.1	11.0-25.2
25-34	324	332,795	234	71.9	66.4-77.4	22	6.9	03.8-10.0	68	21.2	16.3-26.1
35-44	428	334,010	302	70.4	65.5-75.3	32	6.9	04.4-09.4	94	22.7	18.2-27.2
45-54	596	350,286	449	73.4	69.3-77.5	36	5.8	03.8-07.8	111	20.8	17.1-24.5
55-64	811	374,540	622	76.7	73.4-80.0	42	5.4	03.6-07.2	147	17.8	14.9-20.7
65+	1772	517,103	1436	79.7	77.3-82.1	114	6.1	04.7-07.5	222	14.2	12.2-16.2
Less Than H.S.	284	234,056	200	65.8	58.4-73.2	14	5.0	02.1-07.9	70	29.2	21.9-36.5
H.S. or G.E.D.	1290	676,794	1029	78.3	75.4-81.2	65	4.4	03.0-05.8	196	17.3	14.6-20.0
Some Post-H.S.	1101	702,015	812	72.1	68.8-75.4	71	6.8	05.0-08.6	218	21.1	18.2-24.0
College Graduate	1390	547,917	1108	80.5	78.0-83.0	98	6.2	04.6-07.8	184	13.4	11.2-15.6
Less than \$15,000	330	199,377	226	65.0	58.1-71.9	22	5.7	03.0-08.4	82	29.3	22.8-35.8
\$15,000- 24,999	609	311,747	446	69.1	64.0-74.2	39	6.7	03.8-09.6	124	24.1	19.4-28.8
\$25,000- 34,999	401	210,726	290	70.3	63.8-76.8	32	6.8	03.9-09.7	79	22.9	16.6-29.2
\$35,000- 49,999	441	226,913	343	77.7	72.8-82.6	33	7.3	04.4-10.2	65	15.0	10.7-19.3
\$50,000- 74,999	496	282,430	379	77.1	72.6-81.6	36	6.7	04.2-09.2	81	16.2	12.3-20.1
\$75,000+	845	504,335	689	80.5	77.2-83.8	44	4.5	02.9-06.1	112	15.0	11.9-18.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7332	4,192,082	4981	63.7	62.3-65.1	385	5.7	04.9-06.5	1966	30.5	29.1-31.9
Male	3256	2,027,426	2178	63.1	60.9-65.3	190	6.7	05.5-07.9	888	30.1	28.1-32.1
Female	4076	2,164,656	2803	64.3	62.3-66.3	195	4.8	04.0-05.6	1078	30.9	28.9-32.9
White/Non-Hisp	6133	3,356,796	4163	63.2	61.6-64.8	313	5.6	04.8-06.4	1657	31.2	29.6-32.8
Black or Afr. Am./Non-Hisp	474	353,124	334	65.7	60.0-71.4	30	6.9	03.8-10.0	110	27.4	22.1-32.7
Oth. Race/Non-Hisp.	184	127,323	127	65.2	55.6-74.8	10	5.6	01.5-09.7	47	29.2	19.8-38.6
MultiRacial/Non-Hisp.	116	42,287	65	48.9	37.1-60.7	4	3.3	00.0-06.8	47	47.8	36.0-59.6
Hispanic	295	243,049	205	70.6	64.5-76.7	17	5.4	02.5-08.3	73	24.0	18.3-29.7
18-24	357	544,175	180	52.9	47.2-58.6	30	8.6	05.3-11.9	147	38.5	33.0-44.0
25-34	613	662,837	362	59.8	55.5-64.1	35	5.6	03.6-07.6	216	34.6	30.5-38.7
35-44	775	649,863	449	58.0	54.1-61.9	43	5.1	03.5-06.7	283	36.9	33.0-40.8
45-54	1102	684,224	670	60.3	57.0-63.6	63	5.5	03.9-07.1	369	34.3	31.2-37.4
55-64	1550	725,644	1038	66.9	64.2-69.6	76	5.4	04.0-06.8	436	27.7	25.2-30.2
65+	2935	925,340	2282	77.0	75.2-78.8	138	5.1	04.1-06.1	515	17.9	16.1-19.7
Less Than H.S.	534	511,500	371	63.2	57.9-68.5	24	5.2	02.7-07.7	139	31.6	26.5-36.7
H.S. or G.E.D.	2327	1,378,363	1627	65.7	63.2-68.2	125	5.6	04.4-06.8	575	28.6	26.2-31.0
Some Post-H.S.	1906	1,300,317	1231	59.5	56.8-62.2	96	6.1	04.7-07.5	579	34.4	31.7-37.1
College Graduate	2523	982,495	1723	66.6	64.4-68.8	136	5.7	04.5-06.9	664	27.7	25.5-29.9
Less than \$15,000	531	332,338	332	61.0	55.5-66.5	28	4.4	02.2-06.6	171	34.6	29.3-39.9
\$15,000- 24,999	1023	575,487	679	62.9	59.0-66.8	57	6.5	04.5-08.5	287	30.6	26.9-34.3
\$25,000- 34,999	660	373,273	445	62.9	57.8-68.0	43	7.6	04.9-10.3	172	29.6	24.9-34.3
\$35,000- 49,999	866	494,372	580	62.0	57.7-66.3	45	5.3	03.3-07.3	241	32.7	28.6-36.8
\$50,000- 74,999	961	584,925	625	61.7	57.8-65.6	46	5.3	03.3-07.3	290	33.0	29.3-36.7
\$75,000+	1816	1,084,100	1207	63.2	60.5-65.9	95	5.4	04.0-06.8	514	31.4	28.7-34.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3256	2,027,426	2178	63.1	60.9-65.3	190	6.7	05.5-07.9	888	30.1	28.1-32.1
White/Non-Hisp	2717	1,608,401	1809	62.6	60.2-65.0	156	6.5	05.3-07.7	752	31.0	28.8-33.2
Black or Afr. Am./Non-Hisp	190	172,100	131	63.3	54.5-72.1	15	10.2	04.3-16.1	44	26.5	18.5-34.5
Oth. Race/Non-Hisp.	103	76,127	70	64.0	51.8-76.2	7	7.9	01.4-14.4	26	28.1	16.3-39.9
MultiRacial/Non-Hisp.	51	18,693	31	51.6	34.0-69.2	2	4.6	00.0-10.9	18	43.9	26.3-61.5
Hispanic	127	118,981	91	72.0	62.8-81.2	8	6.1	01.4-10.8	28	21.9	13.3-30.5
18-24	207	286,522	95	47.0	39.4-54.6	21	11.4	06.3-16.5	91	41.5	34.2-48.8
25-34	288	329,940	179	62.9	56.6-69.2	16	5.9	02.8-09.0	93	31.2	25.1-37.3
35-44	348	316,898	218	61.8	56.1-67.5	21	5.8	03.3-08.3	109	32.4	26.9-37.9
45-54	507	334,485	303	59.6	54.9-64.3	27	5.7	03.3-08.1	177	34.7	30.0-39.4
55-64	736	350,278	477	64.0	59.9-68.1	40	6.4	04.2-08.6	219	29.6	25.7-33.5
65+	1170	409,302	906	77.8	74.9-80.7	65	5.9	04.1-07.7	199	16.3	13.8-18.8
Less Than H.S.	245	274,342	169	63.9	56.6-71.2	15	7.0	02.9-11.1	61	29.1	22.2-36.0
H.S. or G.E.D.	1047	707,079	690	61.9	58.2-65.6	71	7.0	05.0-09.0	286	31.0	27.5-34.5
Some Post-H.S.	802	598,576	509	59.6	55.5-63.7	49	7.5	05.1-09.9	244	33.0	29.1-36.9
College Graduate	1139	435,954	794	69.0	65.9-72.1	53	5.1	03.5-06.7	292	25.8	22.9-28.7
Less than \$15,000	197	130,848	120	66.4	58.6-74.2	7	3.4	00.3-06.5	70	30.2	22.6-37.8
\$15,000- 24,999	413	263,624	270	64.7	58.8-70.6	33	7.4	04.5-10.3	110	27.9	22.4-33.4
\$25,000- 34,999	263	167,562	179	60.8	53.0-68.6	17	7.1	03.0-11.2	67	32.1	24.5-39.7
\$35,000- 49,999	424	264,541	285	61.2	55.1-67.3	24	7.3	03.8-10.8	115	31.4	25.5-37.3
\$50,000- 74,999	465	303,077	290	58.8	53.1-64.5	29	7.4	04.1-10.7	146	33.8	28.3-39.3
\$75,000+	977	583,921	652	62.9	59.2-66.6	46	5.3	03.3-07.3	279	31.8	28.1-35.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4076	2,164,656	2803	64.3	62.3-66.3	195	4.8	04.0-05.6	1078	30.9	28.9-32.9
White/Non-Hisp	3416	1,748,395	2354	63.8	61.6-66.0	157	4.8	03.8-05.8	905	31.4	29.2-33.6
Black or Afr. Am./Non-Hisp	284	181,024	203	68.0	60.7-75.3	15	3.8	01.6-06.0	66	28.2	20.9-35.5
Oth. Race/Non-Hisp.	81	51,196	57	67.0	51.5-82.5	3	2.0	00.0-04.7	21	30.9	15.6-46.2
MultiRacial/Non-Hisp.	65	23,595	34	46.8	30.9-62.7	2	2.3	00.0-06.0	29	50.9	35.0-66.8
Hispanic	168	124,068	114	69.2	61.0-77.4	9	4.7	01.0-08.4	45	26.1	18.5-33.7
18-24	150	257,652	85	59.4	50.8-68.0	9	5.5	01.6-09.4	56	35.1	26.7-43.5
25-34	325	332,896	183	56.8	50.9-62.7	19	5.2	02.7-07.7	123	37.9	32.2-43.6
35-44	427	332,965	231	54.4	49.1-59.7	22	4.4	02.4-06.4	174	41.2	35.9-46.5
45-54	595	349,739	367	60.9	56.4-65.4	36	5.3	03.3-07.3	192	33.8	29.5-38.1
55-64	814	375,366	561	69.6	66.1-73.1	36	4.5	02.7-06.3	217	25.9	22.6-29.2
65+	1765	516,038	1376	76.5	74.1-78.9	73	4.4	03.2-05.6	316	19.2	16.8-21.6
Less Than H.S.	289	237,157	202	62.4	54.8-70.0	9	3.2	00.7-05.7	78	34.4	26.8-42.0
H.S. or G.E.D.	1280	671,283	937	69.7	66.4-73.0	54	4.1	02.7-05.5	289	26.1	22.8-29.4
Some Post-H.S.	1104	701,741	722	59.4	55.7-63.1	47	5.0	03.2-06.8	335	35.6	32.1-39.1
College Graduate	1384	546,541	929	64.7	61.6-67.8	83	6.1	04.5-07.7	372	29.2	26.3-32.1
Less than \$15,000	334	201,490	212	57.5	50.2-64.8	21	5.1	02.4-07.8	101	37.4	30.3-44.5
\$15,000- 24,999	610	311,863	409	61.3	55.8-66.8	24	5.8	03.1-08.5	177	32.9	27.6-38.2
\$25,000- 34,999	397	205,711	266	64.5	58.0-71.0	26	8.0	04.5-11.5	105	27.5	21.4-33.6
\$35,000- 49,999	442	229,831	295	62.8	56.9-68.7	21	3.1	01.5-04.7	126	34.1	28.2-40.0
\$50,000- 74,999	496	281,847	335	64.9	59.6-70.2	17	3.0	00.8-05.2	144	32.1	26.8-37.4
\$75,000+	839	500,179	555	63.6	59.7-67.5	49	5.5	03.7-07.3	235	30.9	27.0-34.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7334	4,194,502	6489	87.3	86.3-88.3	302	4.1	03.5-04.7	543	8.6	07.8-09.4
Male	3283	2,041,080	3094	93.5	92.3-94.7	84	2.8	02.0-03.6	105	3.7	02.9-04.5
Female	4051	2,153,422	3395	81.5	79.9-83.1	218	5.2	04.2-06.2	438	13.3	11.9-14.7
White/Non-Hisp	6136	3,358,593	5441	87.6	86.4-88.8	252	3.9	03.3-04.5	443	8.5	07.5-09.5
Black or Afr. Am./Non-Hisp	475	353,863	414	85.1	80.6-89.6	20	4.0	01.6-06.4	41	10.9	06.8-15.0
Oth. Race/Non-Hisp.	187	129,168	160	81.9	74.1-89.7	9	8.3	02.0-14.6	18	9.8	04.5-15.1
MultiRacial/Non-Hisp.	112	41,024	91	78.7	68.9-88.5	6	3.2	00.3-06.1	15	18.1	08.5-27.7
Hispanic	289	240,903	260	90.4	86.7-94.1	12	4.6	01.9-07.3	17	5.0	02.3-07.7
18-24	359	548,340	315	87.4	83.5-91.3	14	3.5	01.5-05.5	30	9.1	05.6-12.6
25-34	614	665,119	520	84.6	81.5-87.7	31	5.0	03.0-07.0	63	10.4	07.7-13.1
35-44	768	645,306	655	85.4	82.7-88.1	34	4.2	02.6-05.8	79	10.4	07.9-12.9
45-54	1101	683,687	959	86.3	83.9-88.7	39	3.7	02.5-04.9	103	10.0	08.0-12.0
55-64	1541	723,395	1335	87.0	85.0-89.0	76	4.5	03.3-05.7	130	8.5	06.9-10.1
65+	2951	928,655	2705	91.5	90.3-92.7	108	3.5	02.7-04.3	138	4.9	03.9-05.9
Less Than H.S.	518	507,021	435	81.6	77.3-85.9	29	5.6	03.2-08.0	54	12.8	09.1-16.5
H.S. or G.E.D.	2327	1,379,455	2054	87.6	85.8-89.4	94	4.0	03.0-05.0	179	8.3	06.9-09.7
Some Post-H.S.	1903	1,299,697	1663	86.9	85.1-88.7	75	3.9	02.9-04.9	165	9.2	07.6-10.8
College Graduate	2543	988,023	2294	90.0	88.6-91.4	104	3.7	02.9-04.5	145	6.3	05.1-07.5
Less than \$15,000	525	329,891	426	78.9	74.4-83.4	31	6.7	04.0-09.4	68	14.3	10.4-18.2
\$15,000- 24,999	1017	572,511	855	82.0	78.7-85.3	46	5.1	03.3-06.9	116	12.8	09.9-15.7
\$25,000- 34,999	656	374,092	557	83.0	78.9-87.1	36	5.5	03.0-08.0	63	11.4	08.1-14.7
\$35,000- 49,999	867	493,440	778	89.0	86.3-91.7	34	3.0	01.8-04.2	55	8.0	05.5-10.5
\$50,000- 74,999	962	583,727	850	87.9	85.2-90.6	43	4.3	02.7-05.9	69	7.8	05.4-10.2
\$75,000+	1824	1,087,652	1665	90.7	89.1-92.3	57	2.6	01.8-03.4	102	6.6	05.2-08.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3283	2,041,080	3094	93.5	92.3-94.7	84	2.8	02.0-03.6	105	3.7	02.9-04.5
White/Non-Hisp	2738	1,618,737	2586	93.9	92.7-95.1	68	2.6	01.8-03.4	84	3.5	02.5-04.5
Black or Afr. Am./Non-Hisp	193	173,080	181	91.9	86.6-97.2	4	2.0	00.0-04.2	8	6.2	01.3-11.1
Oth. Race/Non-Hisp.	105	76,909	93	87.6	79.4-95.8	6	7.9	00.8-15.0	6	4.5	00.2-08.8
MultiRacial/Non-Hisp.	50	18,600	47	86.9	72.0-0100				3	13.1	00.0-28.0
Hispanic	127	119,974	121	94.0	89.1-98.9	4	4.6	00.1-09.1	2	1.4	00.0-03.4
18-24	208	288,522	193	93.2	89.5-96.9	8	3.2	00.8-05.6	7	3.6	00.7-06.5
25-34	290	331,498	262	89.8	85.9-93.7	14	4.7	02.2-07.2	14	5.5	02.4-08.6
35-44	346	316,532	329	94.8	92.3-97.3	5	1.9	00.3-03.5	12	3.3	01.3-05.3
45-54	510	334,971	482	94.7	92.5-96.9	6	1.4	00.2-02.6	22	3.9	02.1-05.7
55-64	741	353,633	686	92.2	89.8-94.6	24	3.1	01.7-04.5	31	4.7	02.9-06.5
65+	1188	415,925	1142	95.5	93.9-97.1	27	2.7	01.5-03.9	19	1.7	00.9-02.5
Less Than H.S.	243	275,905	217	89.1	84.6-93.6	11	4.9	02.0-07.8	15	6.0	02.5-09.5
H.S. or G.E.D.	1053	712,102	997	94.6	93.0-96.2	25	2.7	01.5-03.9	31	2.7	01.5-03.9
Some Post-H.S.	808	600,054	757	93.1	90.9-95.3	22	2.7	01.3-04.1	29	4.2	02.4-06.0
College Graduate	1155	440,646	1099	94.7	93.1-96.3	26	2.0	01.2-02.8	30	3.3	01.9-04.7
Less than \$15,000	202	133,746	181	87.2	81.5-92.9	8	5.5	01.6-09.4	13	7.3	03.0-11.6
\$15,000- 24,999	411	262,956	378	92.6	89.5-95.7	10	2.7	00.7-04.7	23	4.7	02.2-07.2
\$25,000- 34,999	263	168,245	243	90.5	86.0-95.0	6	3.2	00.3-06.1	14	6.3	03.0-09.6
\$35,000- 49,999	423	264,690	400	94.2	91.3-97.1	12	2.5	00.9-04.1	11	3.3	00.9-05.7
\$50,000- 74,999	468	303,079	440	92.7	89.4-96.0	15	3.3	01.1-05.5	13	3.9	01.2-06.6
\$75,000+	982	584,656	939	95.6	94.0-97.2	19	1.5	00.7-02.3	24	3.0	01.6-04.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4051	2,153,422	3395	81.5	79.9-83.1	218	5.2	04.2-06.2	438	13.3	11.9-14.7
White/Non-Hisp	3398	1,739,856	2855	81.7	79.9-83.5	184	5.2	04.2-06.2	359	13.1	11.5-14.7
Black or Afr. Am./Non-Hisp	282	180,783	233	78.5	71.4-85.6	16	5.9	01.8-10.0	33	15.5	09.2-21.8
Oth. Race/Non-Hisp.	82	52,258	67	73.5	59.0-88.0	3	8.8	00.0-20.2	12	17.7	06.5-28.9
MultiRacial/Non-Hisp.	62	22,423	44	71.9	58.2-85.6	6	5.9	00.4-11.4	12	22.3	09.6-35.0
Hispanic	162	120,929	139	86.8	81.1-92.5	8	4.5	01.2-07.8	15	8.7	03.8-13.6
18-24	151	259,818	122	80.9	74.0-87.8	6	3.8	00.5-07.1	23	15.3	09.0-21.6
25-34	324	333,621	258	79.4	74.5-84.3	17	5.2	02.5-07.9	49	15.4	11.1-19.7
35-44	422	328,774	326	76.4	71.7-81.1	29	6.4	03.9-08.9	67	17.1	12.8-21.4
45-54	591	348,716	477	78.2	74.3-82.1	33	6.0	03.8-08.2	81	15.9	12.4-19.4
55-64	800	369,762	649	82.0	79.1-84.9	52	5.9	03.9-07.9	99	12.1	09.6-14.6
65+	1763	512,730	1563	88.3	86.5-90.1	81	4.2	03.2-05.2	119	7.5	05.9-09.1
Less Than H.S.	275	231,116	218	72.7	65.4-80.0	18	6.4	02.9-09.9	39	20.9	14.0-27.8
H.S. or G.E.D.	1274	667,353	1057	80.2	77.3-83.1	69	5.4	03.8-07.0	148	14.3	11.6-17.0
Some Post-H.S.	1095	699,643	906	81.6	78.7-84.5	53	4.9	03.3-06.5	136	13.5	11.0-16.0
College Graduate	1388	547,377	1195	86.3	84.1-88.5	78	5.1	03.7-06.5	115	8.6	06.8-10.4
Less than \$15,000	323	196,145	245	73.3	66.8-79.8	23	7.5	03.6-11.4	55	19.2	13.5-24.9
\$15,000- 24,999	606	309,555	477	73.0	67.9-78.1	36	7.2	04.3-10.1	93	19.8	15.1-24.5
\$25,000- 34,999	393	205,848	314	76.9	70.8-83.0	30	7.5	03.6-11.4	49	15.7	10.2-21.2
\$35,000- 49,999	444	228,750	378	83.0	78.3-87.7	22	3.6	01.6-05.6	44	13.4	08.9-17.9
\$50,000- 74,999	494	280,648	410	82.7	78.6-86.8	28	5.3	02.9-07.7	56	12.1	08.4-15.8
\$75,000+	842	502,995	726	85.1	82.2-88.0	38	4.0	02.6-05.4	78	10.9	08.2-13.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7340	4,191,888	6697	90.1	89.1-91.1	240	3.2	02.8-03.6	403	6.7	05.9-07.5
Male	3277	2,033,303	3116	94.7	93.7-95.7	74	2.0	01.4-02.6	87	3.3	02.5-04.1
Female	4063	2,158,585	3581	85.8	84.4-87.2	166	4.2	03.4-05.0	316	10.0	08.6-11.4
White/Non-Hisp	6142	3,358,178	5627	90.3	89.3-91.3	194	3.1	02.5-03.7	321	6.6	05.8-07.4
Black or Afr. Am./Non-Hisp	479	354,786	429	89.1	85.4-92.8	15	2.4	01.0-03.8	35	8.5	05.0-12.0
Oth. Race/Non-Hisp.	185	127,704	164	87.9	81.4-94.4	8	4.9	00.2-09.6	13	7.1	02.4-11.8
MultiRacial/Non-Hisp.	114	41,170	95	81.4	72.2-90.6	5	2.3	00.0-04.7	14	16.3	07.3-25.3
Hispanic	288	240,759	263	92.4	89.3-95.5	11	3.5	01.3-05.7	14	4.2	01.8-06.6
18-24	357	546,766	328	91.9	88.8-95.0	9	2.2	00.6-03.8	20	5.9	03.2-08.6
25-34	610	661,127	534	87.3	84.4-90.2	24	3.5	01.9-05.1	52	9.2	06.7-11.7
35-44	766	644,519	678	88.2	85.7-90.7	22	2.8	01.6-04.0	66	9.0	06.6-11.4
45-54	1099	683,039	978	88.6	86.4-90.8	32	3.3	02.1-04.5	89	8.1	06.3-09.9
55-64	1540	722,645	1385	89.5	87.7-91.3	64	4.1	02.9-05.3	91	6.4	05.0-07.8
65+	2968	933,792	2794	94.0	93.0-95.0	89	2.9	02.1-03.7	85	3.1	02.3-03.9
Less Than H.S.	522	507,016	456	86.7	83.2-90.2	17	3.4	01.6-05.2	49	9.9	06.8-13.0
H.S. or G.E.D.	2332	1,380,797	2126	90.6	89.0-92.2	82	3.4	02.4-04.4	124	6.0	04.6-07.4
Some Post-H.S.	1905	1,299,584	1705	88.7	86.9-90.5	70	3.4	02.4-04.4	130	8.0	06.4-09.6
College Graduate	2538	984,185	2368	93.0	91.8-94.2	70	2.5	01.7-03.3	100	4.5	03.5-05.5
Less than \$15,000	518	325,235	440	82.1	77.8-86.4	30	6.8	03.9-09.7	48	11.2	07.7-14.7
\$15,000- 24,999	1020	574,017	895	86.7	84.0-89.4	45	4.6	03.0-06.2	80	8.8	06.4-11.2
\$25,000- 34,999	662	375,538	588	87.7	84.2-91.2	23	3.1	01.3-04.9	51	9.2	06.1-12.3
\$35,000- 49,999	869	493,698	805	91.2	88.7-93.7	25	2.5	01.3-03.7	39	6.3	03.9-08.7
\$50,000- 74,999	962	582,850	872	89.6	87.1-92.1	37	3.9	02.3-05.5	53	6.5	04.3-08.7
\$75,000+	1822	1,086,034	1700	92.6	91.0-94.2	42	1.9	01.3-02.5	80	5.5	04.1-06.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3277	2,033,303	3116	94.7	93.7-95.7	74	2.0	01.4-02.6	87	3.3	02.5-04.1
White/Non-Hisp	2734	1,613,507	2606	95.0	94.0-96.0	63	2.2	01.6-02.8	65	2.8	02.0-03.6
Black or Afr. Am./Non-Hisp	195	173,614	182	92.1	87.0-97.2	3	1.2	00.0-02.8	10	6.6	01.5-11.7
Oth. Race/Non-Hisp.	104	75,680	93	90.5	83.6-97.4	5	4.0	00.0-08.5	6	5.6	00.3-10.9
Hispanic	127	119,974	125	98.6	96.6-0100				2	1.4	00.0-03.4
18-24	206	286,948	199	96.4	93.5-99.3	3	1.2	00.0-02.6	4	2.4	00.0-04.9
25-34	287	328,312	269	93.2	89.9-96.5	6	2.0	00.2-03.8	12	4.8	01.9-07.7
35-44	342	313,018	327	95.3	92.8-97.8	3	1.2	00.0-02.6	12	3.5	01.3-05.7
45-54	508	334,077	478	94.4	92.2-96.6	6	1.2	00.2-02.2	24	4.5	02.5-06.5
55-64	740	353,017	696	93.4	91.2-95.6	25	3.5	01.9-05.1	19	3.1	01.5-04.7
65+	1194	417,930	1147	95.6	94.2-97.0	31	2.7	01.5-03.9	16	1.6	00.8-02.4
Less Than H.S.	242	273,899	223	93.0	89.3-96.7	6	1.9	00.1-03.7	13	5.1	01.8-08.4
H.S. or G.E.D.	1053	711,068	1003	95.7	94.3-97.1	27	2.3	01.3-03.3	23	2.0	01.0-03.0
Some Post-H.S.	808	599,772	761	93.4	91.2-95.6	19	2.3	01.1-03.5	28	4.3	02.3-06.3
College Graduate	1150	436,192	1106	95.8	94.4-97.2	21	1.3	00.7-01.9	23	2.8	01.4-04.2
Less than \$15,000	198	130,494	178	88.3	82.8-93.8	9	5.4	01.7-09.1	11	6.3	02.2-10.4
\$15,000- 24,999	413	262,989	387	94.3	91.6-97.0	11	2.0	00.6-03.4	15	3.7	01.3-06.1
\$25,000- 34,999	265	169,106	250	93.5	90.0-97.0	4	1.9	00.0-04.1	11	4.6	01.9-07.3
\$35,000- 49,999	423	263,479	403	95.2	92.7-97.7	11	2.1	00.7-03.5	9	2.6	00.4-04.8
\$50,000- 74,999	468	302,528	439	93.0	89.9-96.1	17	3.3	01.3-05.3	12	3.6	01.1-06.1
\$75,000+	978	582,085	946	96.4	94.8-98.0	12	0.8	00.2-01.4	20	2.8	01.4-04.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4063	2,158,585	3581	85.8	84.4-87.2	166	4.2	03.4-05.0	316	10.0	08.6-11.4
White/Non-Hisp	3408	1,744,671	3021	85.9	84.3-87.5	131	4.0	03.2-04.8	256	10.1	08.7-11.5
Black or Afr. Am./Non-Hisp	284	181,172	247	86.2	80.7-91.7	12	3.4	01.2-05.6	25	10.4	05.3-15.5
Oth. Race/Non-Hisp.	81	52,024	71	84.3	72.1-96.5	3	6.3	00.0-15.5	7	9.4	00.6-18.2
MultiRacial/Non-Hisp.	65	23,502	49	78.5	66.9-90.1	4	2.2	00.0-04.6	12	19.3	07.9-30.7
Hispanic	161	120,785	138	86.2	80.3-92.1	11	6.9	02.6-11.2	12	6.9	02.8-11.0
18-24	151	259,818	129	86.8	81.1-92.5	6	3.4	00.7-06.1	16	9.8	04.7-14.9
25-34	323	332,815	265	81.5	76.8-86.2	18	5.0	02.5-07.5	40	13.5	09.4-17.6
35-44	424	331,501	351	81.5	77.2-85.8	19	4.3	02.1-06.5	54	14.2	10.1-18.3
45-54	591	348,962	500	83.0	79.5-86.5	26	5.4	03.2-07.6	65	11.6	08.7-14.5
55-64	800	369,627	689	85.7	82.8-88.6	39	4.7	02.9-06.5	72	9.5	07.1-11.9
65+	1774	515,862	1647	92.7	91.3-94.1	58	3.0	02.0-04.0	69	4.2	03.0-05.4
Less Than H.S.	280	233,117	233	79.4	73.1-85.7	11	5.2	01.9-08.5	36	15.4	09.7-21.1
H.S. or G.E.D.	1279	669,729	1123	85.1	82.4-87.8	55	4.6	03.0-06.2	101	10.3	07.9-12.7
Some Post-H.S.	1097	699,812	944	84.6	82.1-87.1	51	4.3	02.9-05.7	102	11.1	08.7-13.5
College Graduate	1388	547,994	1262	90.7	88.9-92.5	49	3.4	02.2-04.6	77	5.9	04.3-07.5
Less than \$15,000	320	194,741	262	77.9	71.6-84.2	21	7.7	03.6-11.8	37	14.4	09.3-19.5
\$15,000- 24,999	607	311,028	508	80.2	75.9-84.5	34	6.7	04.0-09.4	65	13.0	09.3-16.7
\$25,000- 34,999	397	206,432	338	82.9	77.4-88.4	19	4.2	01.7-06.7	40	13.0	07.9-18.1
\$35,000- 49,999	446	230,218	402	86.6	82.1-91.1	14	2.9	01.1-04.7	30	10.5	06.2-14.8
\$50,000- 74,999	494	280,322	433	85.9	82.0-89.8	20	4.5	02.1-06.9	41	9.5	06.0-13.0
\$75,000+	844	503,949	754	88.3	85.6-91.0	30	3.1	01.9-04.3	60	8.6	06.2-11.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7341	4,189,692	6970	93.5	92.7-94.3	133	2.3	01.7-02.9	238	4.2	03.6-04.8
Male	3277	2,036,585	3194	96.8	96.0-97.6	30	1.1	00.5-01.7	53	2.0	01.4-02.6
Female	4064	2,153,107	3776	90.4	89.0-91.8	103	3.4	02.6-04.2	185	6.2	05.0-07.4
White/Non-Hisp	6142	3,359,751	5868	94.2	93.4-95.0	94	1.8	01.4-02.2	180	4.0	03.2-04.8
Black or Afr. Am./Non-Hisp	477	354,826	439	90.0	85.9-94.1	17	5.8	02.5-09.1	21	4.2	01.7-06.7
Oth. Race/Non-Hisp.	187	129,168	175	89.9	83.2-96.6	2	3.0	00.0-07.3	10	7.1	01.6-12.6
MultiRacial/Non-Hisp.	112	39,666	98	84.4	75.6-93.2	5	4.7	00.0-10.4	9	10.9	03.6-18.2
Hispanic	291	240,815	267	92.9	89.8-96.0	11	3.3	01.1-05.5	13	3.8	01.4-06.2
18-24	356	542,793	332	92.2	88.9-95.5	11	3.4	01.2-05.6	13	4.4	01.9-06.9
25-34	612	662,637	561	90.9	88.4-93.4	22	3.7	01.9-05.5	29	5.4	03.2-07.6
35-44	767	645,170	708	91.7	89.3-94.1	16	2.5	00.9-04.1	43	5.7	03.7-07.7
45-54	1100	684,216	1030	93.0	91.2-94.8	20	1.9	01.1-02.7	50	5.1	03.5-06.7
55-64	1542	723,203	1457	94.6	93.2-96.0	30	1.6	00.8-02.4	55	3.8	02.6-05.0
65+	2964	931,672	2882	96.9	96.1-97.7	34	1.4	00.8-02.0	48	1.7	01.1-02.3
Less Than H.S.	520	504,959	461	87.4	83.7-91.1	24	4.3	02.1-06.5	35	8.3	05.2-11.4
H.S. or G.E.D.	2330	1,377,519	2203	93.7	92.3-95.1	44	2.3	01.5-03.1	83	3.9	02.9-04.9
Some Post-H.S.	1909	1,302,723	1803	93.3	91.7-94.9	39	2.5	01.5-03.5	67	4.2	03.0-05.4
College Graduate	2539	984,184	2460	96.5	95.5-97.5	26	1.0	00.6-01.4	53	2.5	01.7-03.3
Less than \$15,000	522	328,604	461	86.3	82.4-90.2	23	4.6	02.2-07.0	38	9.1	05.8-12.4
\$15,000- 24,999	1017	571,329	939	90.8	88.3-93.3	30	3.9	02.1-05.7	48	5.4	03.4-07.4
\$25,000- 34,999	660	375,000	616	91.5	88.4-94.6	12	2.5	00.5-04.5	32	6.0	03.5-08.5
\$35,000- 49,999	870	493,978	843	95.2	92.8-97.6	8	1.3	00.1-02.5	19	3.6	01.6-05.6
\$50,000- 74,999	966	587,886	914	93.2	90.8-95.6	25	3.0	01.6-04.4	27	3.8	02.0-05.6
\$75,000+	1819	1,083,763	1768	96.3	95.1-97.5	16	1.2	00.4-02.0	35	2.5	01.5-03.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3277	2,036,585	3194	96.8	96.0-97.6	30	1.1	00.5-01.7	53	2.0	01.4-02.6
White/Non-Hisp	2734	1,616,376	2671	97.3	96.5-98.1	23	0.9	00.5-01.3	40	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	193	172,485	182	92.0	86.5-97.5	4	3.3	00.0-07.0	7	4.7	00.4-09.0
Oth. Race/Non-Hisp.	105	76,909	102	97.1	93.2-0100	1	1.9	00.0-05.6	2	1.1	00.0-02.7
Hispanic	127	119,974	125	98.6	96.6-0100				2	1.4	00.0-03.4
18-24	206	287,611	202	97.8	95.3-0100	2	0.8	00.0-01.8	2	1.5	00.0-03.9
25-34	287	328,432	275	95.0	92.1-97.9	4	1.5	00.0-03.1	8	3.5	01.0-06.0
35-44	344	314,858	335	96.8	94.4-99.2	3	1.7	00.0-03.9	6	1.4	00.2-02.6
45-54	510	336,002	492	96.5	94.7-98.3	5	1.0	00.0-02.0	13	2.5	01.1-03.9
55-64	741	353,614	717	96.6	95.0-98.2	9	1.0	00.2-01.8	15	2.4	01.0-03.8
65+	1189	416,068	1173	98.2	97.2-99.2	7	0.8	00.2-01.4	9	1.0	00.2-01.8
Less Than H.S.	242	273,990	228	94.7	91.4-98.0	3	0.5	00.0-01.1	11	4.9	01.6-08.2
H.S. or G.E.D.	1053	712,020	1027	97.6	96.6-98.6	14	1.3	00.5-02.1	12	1.1	00.5-01.7
Some Post-H.S.	810	601,752	785	96.1	94.1-98.1	10	1.8	00.4-03.2	15	2.1	00.7-03.5
College Graduate	1148	436,449	1130	97.8	96.6-99.0	3	0.4	00.0-01.0	15	1.8	00.8-02.8
Less than \$15,000	199	132,220	188	94.4	90.9-97.9	3	1.6	00.0-03.6	8	4.0	00.9-07.1
\$15,000- 24,999	413	263,600	397	96.8	94.8-98.8	7	1.3	00.3-02.3	9	2.0	00.4-03.6
\$25,000- 34,999	264	168,688	255	96.3	93.6-99.0	2	0.5	00.0-01.5	7	3.1	00.6-05.6
\$35,000- 49,999	423	263,479	416	96.8	93.9-99.7	2	1.3	00.0-03.5	5	1.9	00.0-03.9
\$50,000- 74,999	471	305,907	451	94.3	91.2-97.4	11	2.9	00.9-04.9	9	2.9	00.5-05.3
\$75,000+	976	580,540	964	98.2	97.0-99.4	2	0.2	00.0-00.6	10	1.6	00.4-02.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4064	2,153,107	3776	90.4	89.0-91.8	103	3.4	02.6-04.2	185	6.2	05.0-07.4
White/Non-Hisp	3408	1,743,375	3197	91.4	90.0-92.8	71	2.6	01.8-03.4	140	6.0	04.8-07.2
Black or Afr. Am./Non-Hisp	284	182,341	257	88.0	82.1-93.9	13	8.1	02.6-13.6	14	3.8	01.3-06.3
Oth. Race/Non-Hisp.	82	52,258	73	79.4	64.9-93.9	1	4.7	00.0-13.7	8	15.9	03.4-28.4
MultiRacial/Non-Hisp.	63	21,997	50	76.6	63.5-89.7	4	3.7	00.0-08.2	9	19.7	07.2-32.2
Hispanic	164	120,840	142	87.2	81.5-92.9	11	6.6	02.5-10.7	11	6.3	02.0-10.6
18-24	150	255,182	130	85.9	79.6-92.2	9	6.4	01.9-10.9	11	7.7	03.0-12.4
25-34	325	334,205	286	86.8	82.7-90.9	18	5.8	02.9-08.7	21	7.3	04.2-10.4
35-44	423	330,313	373	86.9	83.0-90.8	13	3.3	01.1-05.5	37	9.8	06.3-13.3
45-54	590	348,214	538	89.7	86.8-92.6	15	2.7	01.3-04.1	37	7.6	05.1-10.1
55-64	801	369,589	740	92.7	90.7-94.7	21	2.3	01.1-03.5	40	5.1	03.3-06.9
65+	1775	515,604	1709	95.9	94.7-97.1	27	1.8	01.0-02.6	39	2.3	01.3-03.3
Less Than H.S.	278	230,969	233	78.7	72.0-85.4	21	8.9	04.2-13.6	24	12.4	07.1-17.7
H.S. or G.E.D.	1277	665,499	1176	89.6	87.2-92.0	30	3.4	01.8-05.0	71	7.0	05.0-09.0
Some Post-H.S.	1099	700,971	1018	90.8	88.4-93.2	29	3.2	01.6-04.8	52	6.0	04.2-07.8
College Graduate	1391	547,735	1330	95.5	94.1-96.9	23	1.5	00.7-02.3	38	3.0	01.8-04.2
Less than \$15,000	323	196,384	273	80.8	74.9-86.7	20	6.6	03.1-10.1	30	12.6	07.7-17.5
\$15,000- 24,999	604	307,729	542	85.6	81.3-89.9	23	6.1	03.0-09.2	39	8.3	05.2-11.4
\$25,000- 34,999	396	206,312	361	87.5	82.4-92.6	10	4.1	00.6-07.6	25	8.4	04.3-12.5
\$35,000- 49,999	447	230,498	427	93.3	89.8-96.8	6	1.2	00.0-02.4	14	5.5	02.2-08.8
\$50,000- 74,999	495	281,979	463	92.0	88.7-95.3	14	3.2	01.0-05.4	18	4.8	02.1-07.5
\$75,000+	843	503,223	804	94.1	91.9-96.3	14	2.4	00.8-04.0	25	3.5	02.1-04.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019**

MODULE 23: Family Planning CONTENTS

*** NOTE *** *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
THE LAST TIME YOU HAD SEX WITH A MAN, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN3)	
1 FEMALES ONLY	91
2 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)	92
3	93
4	
WHAT WAS YOUR MAIN REASON FOR NOT USING A METHOD TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEX WITH A MAN? (NOBCUSE7)	
4 FEMALES ONLY	94
5 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)	95
6	96
4	
9	
7 FEMALES ONLY	97
8 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)	98
9	99
4	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 1: THE LAST TIME YOU HAD SEX WITH A MAN, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPFRV N3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	1084	998,307	573	53.4	49.9-56.9	462	41.3	37.8-44.8	44	4.8	03.2-06.4	5	0.4	00.0-00.8
Female	1084	998,307	573	53.4	49.9-56.9	462	41.3	37.8-44.8	44	4.8	03.2-06.4	5	0.4	00.0-00.8
White/Non-Hisp	814	751,194	435	53.3	49.4-57.2	345	42.1	38.2-46.0	32	4.5	02.7-06.3	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	106	104,341	64	65.5	55.1-75.9	34	25.9	16.9-34.9	7	7.4	01.1-13.7	1	1.2	00.0-03.6
Hispanic	97	88,011	43	45.6	34.2-57.0	49	48.5	37.3-59.7	3	3.5	00.0-07.8	2	2.4	00.0-05.7
18-24	135	226,424	78	58.4	49.2-67.6	33	25.7	17.3-34.1	23	15.3	09.0-21.6	1	0.5	00.0-01.5
25-34	298	309,990	187	60.9	54.8-67.0	104	36.8	30.7-42.9	4	1.3	00.0-02.7	3	1.0	00.0-02.2
35-44	394	309,759	199	48.4	42.9-53.9	186	49.9	44.4-55.4	9	1.7	00.5-02.9			
45-54	257	152,135	109	41.0	34.3-47.7	139	56.1	49.4-62.8	8	2.7	00.5-04.9	1	0.2	00.0-00.6
Less Than H.S.	74	112,738	34	45.6	32.5-58.7	37	52.0	38.9-65.1	3	2.3	00.0-05.4			
H.S. or G.E.D.	266	275,882	129	52.2	45.3-59.1	124	42.0	35.3-48.7	13	5.8	02.3-09.3			
Some Post-H.S.	322	342,386	140	46.5	40.4-52.6	161	45.7	39.6-51.8	17	6.6	03.3-09.9	4	1.2	00.0-02.4
College Graduate	420	266,223	269	67.1	62.2-72.0	139	30.3	25.6-35.0	11	2.5	00.9-04.1	1	0.1	00.0-00.3
Less than \$15,000	106	110,094	51	50.8	39.6-62.0	45	40.5	29.5-51.5	8	6.6	01.3-11.9	2	2.1	00.0-05.0
\$15,000- 24,999	152	147,678	80	51.8	42.4-61.2	66	43.7	34.3-53.1	5	3.8	00.1-07.5	1	0.7	00.0-02.1
\$25,000- 34,999	101	103,808	54	57.5	46.3-68.7	44	39.3	28.3-50.3	3	3.3	00.0-07.4			
\$35,000- 49,999	106	102,386	55	53.5	42.5-64.5	47	41.4	30.8-52.0	4	5.1	00.0-10.8			
\$50,000- 74,999	151	136,371	84	53.9	44.7-63.1	62	43.2	34.0-52.4	4	2.7	00.0-05.8	1	0.2	00.0-00.6
\$75,000+	327	268,434	188	56.0	49.7-62.3	134	41.3	35.0-47.6	5	2.7	00.0-05.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 2: THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-6)			Drugs (7,8)			Condoms (11,12,13)			External Contraceptives (9,10,11,16)			Withdrawal, Rhythm, No Sex(14,15)			Emergencies or Other (17,18)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	547	512,527	211	34.0	29.7-38.3	132	27.9	23.2-32.6	160	30.8	26.1-35.5	4	0.8	00.0-01.8	13	2.3	00.9-03.7	27	4.3	02.5-06.1
White/Non-Hisp	411	383,283	177	38.9	33.6-44.2	101	29.0	23.7-34.3	99	25.0	20.1-29.9	4	1.0	00.0-02.2	12	2.8	01.0-04.6	18	3.3	01.5-05.1
Black or Afr. Am./Non-Hisp	63	65,852	12	13.8	05.8-21.8	15	28.1	14.0-42.2	32	51.2	36.3-66.1				1	1.6	00.0-04.7	3	5.2	00.0-11.3
18-24	74	125,887	9	11.1	03.7-18.5	34	47.3	34.6-60.0	28	38.4	26.1-50.7							3	3.2	00.0-06.9
25-34	180	182,792	59	31.1	24.0-38.2	52	28.9	21.6-36.2	54	31.4	24.0-38.8	1	1.0	00.0-03.0	5	2.6	00.2-05.0	9	5.0	01.7-08.3
35-44	194	147,670	95	50.4	42.6-58.2	31	15.0	09.9-20.1	53	26.3	19.4-33.2	2	1.1	00.0-02.9	8	4.7	01.2-08.2	5	2.6	00.2-05.0
45-54	99	56,178	48	51.7	40.9-62.5	15	15.4	07.6-23.2	25	23.6	14.6-32.6	1	0.8	00.0-02.4				10	8.4	02.9-13.9
H.S. or G.E.D.	124	138,995	39	27.0	18.6-35.4	30	29.8	20.0-39.6	48	37.6	27.8-47.4	1	0.3	00.0-00.9	1	1.3	00.0-03.8	5	4.0	00.3-07.7
Some Post-H.S.	133	150,574	49	33.5	24.9-42.1	33	31.0	21.8-40.2	41	28.8	20.4-37.2	1	1.2	00.0-03.6	4	3.0	00.0-06.1	5	2.4	00.0-04.9
College Graduate	255	171,087	111	42.6	35.9-49.3	63	24.8	19.1-30.5	61	24.7	18.8-30.6	1	0.2	00.0-00.6	8	3.1	00.7-05.5	11	4.6	01.7-07.5
\$15,000- 24,999	78	74,895	25	28.0	17.0-39.0	10	18.8	06.8-30.8	35	44.7	31.2-58.2				1	0.9	00.0-02.7	7	7.6	01.3-13.9
\$25,000- 34,999	51	56,979	16	26.7	13.8-39.6	15	33.6	18.1-49.1	16	31.2	15.1-47.3	1	0.5	00.0-01.5	2	6.1	00.0-14.1	1	1.8	00.0-05.3
\$35,000- 49,999	55	54,809	16	28.8	15.1-42.5	11	19.1	07.5-30.7	24	42.7	27.8-57.6	1	3.4	00.0-09.9	2	3.2	00.0-07.7	1	2.8	00.0-08.1
\$50,000- 74,999	80	68,037	28	30.5	19.5-41.5	30	41.4	28.7-54.1	16	21.2	10.8-31.6				1	1.3	00.0-03.8	5	5.6	00.0-11.3
\$75,000+	180	145,258	90	46.8	38.6-55.0	43	25.9	18.1-33.7	36	22.5	15.2-29.8				7	3.4	00.7-06.1	4	1.5	00.0-03.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 3: WHAT WAS YOUR MAIN REASON FOR NOT USING A METHOD TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEX WITH A MAN? (NOBCUSE 7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, same sex partner(1,18)			Want to get pregnant currently pregnant (2,3,4,17)			Don't want to use, can't use BC, can't pay for BC (5,6,7,8)			Surgical (12,13,14)			Religious Physical (09,11,15,16)			Lapse Method, Same Sex or Other (10,19)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	424	373,308	8	2.4	00.4-04.4	104	29.6	24.3-34.9	12	2.8	01.0-04.6	165	35.7	30.6-40.8	63	12.6	09.5-15.7	72	16.9	12.8-21.0
White/Non-Hisp	320	291,072	4	0.9	00.0-01.9	75	29.5	23.2-35.8	6	2.0	00.2-03.8	131	37.5	31.4-43.6	48	12.1	08.6-15.6	56	18.1	13.0-23.2
25-34	92	102,492	1	1.6	00.0-04.7	41	45.2	34.2-56.2	5	4.2	00.3-08.1	26	28.5	18.3-38.7	7	7.2	02.5-11.9	12	13.2	05.4-21.0
35-44	171	143,675	2	1.1	00.0-02.7	42	25.2	17.8-32.6	2	1.0	00.0-02.6	69	41.1	32.9-49.3	27	15.0	09.7-20.3	29	16.5	10.0-23.0
45-54	134	83,015	2	1.1	00.0-02.9	8	4.9	01.4-08.4	3	2.3	00.0-05.0	70	54.3	45.1-63.5	26	17.2	10.5-23.9	25	20.2	12.4-28.0
H.S. or G.E.D.	109	100,565	2	3.3	00.0-08.6	22	25.4	15.4-35.4	5	5.0	00.3-09.7	44	39.2	29.2-49.2	15	11.4	06.1-16.7	21	15.8	08.7-22.9
Some Post-H.S.	152	148,846	4	3.1	00.0-06.2	34	27.2	19.0-35.4	3	1.1	00.0-02.5	68	38.8	30.4-47.2	20	12.2	07.3-17.1	23	17.6	10.3-24.9
College Graduate	129	74,277	2	1.0	00.0-02.8	37	34.3	25.1-43.5	2	1.7	00.0-04.1	43	30.8	22.2-39.4	23	16.1	09.4-22.8	22	16.0	09.3-22.7
\$15,000- 24,999	63	60,687				9	20.1	07.2-33.0	4	5.8	00.1-11.5	27	35.7	22.8-48.6	11	16.6	06.6-26.6	12	21.9	08.6-35.2
\$50,000- 74,999	61	57,225				13	23.0	10.5-35.5	2	2.2	00.0-05.3	28	44.5	30.2-58.8	11	15.1	05.7-24.5	7	15.1	03.3-26.9
\$75,000+	127	104,275	1	1.3	00.0-03.8	37	32.9	23.5-42.3				50	38.3	28.9-47.7	17	11.8	07.5-16.1	22	15.7	08.6-22.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2019**

End of Module Data Report