

INDIANA

2021 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 25: RANDOM CHILD SELECTION CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISL1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2003-2004			Birthyr 2005-2008			Birthyr 2009-2012			Birthyr 2013-2016			Birthyr 2017-2019			Birthyr 2020-2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1619	1,282,134	285	14.6	12.4-16.8	432	19.2	16.8-21.6	349	23.3	20.8-25.8	295	24.6	21.9-27.3	221	16.1	13.7-18.5	37	2.2	0.1-03.0
Male	628	485,753	116	14.7	11.0-18.4	169	20.0	16.1-23.9	140	23.9	19.8-28.0	110	25.5	20.6-30.4	77	13.7	10.6-16.8	16	2.2	0.1-03.4
Female	991	796,381	169	14.5	12.0-17.0	263	18.7	16.0-21.4	209	22.9	19.6-26.2	185	24.1	20.6-27.6	144	17.6	14.5-20.7	21	2.3	0.1-03.3
White/Non-Hisp	1199	856,602	222	14.9	12.5-17.3	325	19.3	16.9-21.7	262	24.0	21.1-26.9	205	23.7	20.4-27.0	158	15.6	13.1-18.1	27	2.5	0.1-03.5
Black or Afr. Am./Non-Hisp	145	197,201	24	18.1	09.7-26.5	31	15.2	08.7-21.7	33	20.5	13.1-27.9	36	29.8	20.8-38.8	20	16.1	08.5-23.7	1	0.3	0.0-00.9
Oth. Race/Non-Hisp.	57	64,319	6	7.2	00.5-13.9	15	26.6	09.2-44.0	11	22.3	08.8-35.8	10	22.0	08.1-35.9	11	17.2	05.8-28.6	4	4.6	0.0-09.7
Hispanic	158	121,687	28	12.9	07.6-18.2	41	19.8	12.2-27.4	30	22.7	14.1-31.3	30	24.0	15.8-32.2	25	18.6	11.3-25.9	4	2.0	0.0-04.2
18-24	101	60,780	27	25.7	15.1-36.3	30	21.2	13.2-29.2	10	10.4	02.8-18.0	11	14.5	05.7-23.3	20	24.5	14.3-34.7	3	3.7	0.0-08.0
25-34	384	338,269	13	2.7	00.9-04.5	31	6.8	03.3-10.3	79	18.7	14.4-23.0	125	35.7	30.0-41.4	112	31.1	25.6-36.6	24	5.0	02.8-07.2
35-44	558	465,984	79	12.6	08.9-16.3	167	21.6	17.7-25.5	140	25.9	21.6-30.2	105	26.5	21.6-31.4	61	12.5	09.2-15.8	6	0.9	0.0-01.7
45-54	401	293,100	118	25.6	19.9-31.3	147	27.1	22.2-32.0	79	25.1	19.4-30.8	39	15.3	10.0-20.6	15	5.7	02.4-09.0	3	1.2	0.0-02.6
55-64	114	76,937	34	27.3	18.9-35.7	38	28.7	17.3-40.1	21	18.0	10.0-26.0	9	12.4	04.0-20.8	11	11.4	03.4-19.4	1	2.1	0.0-06.2
65+	61	47,063	14	17.0	06.6-27.4	19	16.0	06.8-25.2	20	43.6	25.0-62.2	6	17.2	01.1-33.3	2	6.2	00.0-15.4			
Less Than H.S.	130	113,965	23	18.8	12.7-24.9	41	23.8	13.8-33.8	17	12.1	04.8-19.4	25	23.1	14.5-31.7	19	18.1	10.1-26.1	5	4.1	0.4-07.8
H.S. or G.E.D.	409	328,161	60	11.0	06.7-15.3	106	15.5	12.0-19.0	84	21.9	16.6-27.2	92	32.5	26.0-39.0	57	16.4	11.9-20.9	10	2.7	0.0-04.5
Some Post-H.S.	414	313,931	68	13.1	09.4-16.8	119	23.2	18.3-28.1	94	24.3	19.2-29.4	66	19.6	14.9-24.3	57	17.4	12.5-22.3	10	2.4	0.0-04.0
College Graduate	662	521,626	134	16.9	13.2-20.6	166	18.2	14.9-21.5	153	26.1	22.2-30.0	112	23.2	18.9-27.5	85	14.1	10.8-17.4	12	1.5	0.0-02.5
Less than \$15,000	64	73,392	6	12.6	07.5-17.7	13	11.1	02.1-20.1	18	26.5	13.8-39.2	11	27.5	13.4-41.6	14	19.1	08.7-29.5	2	3.3	0.0-07.8
\$15,000- 24,999	139	105,678	19	10.9	05.4-16.4	35	21.0	12.8-29.2	28	18.9	11.5-26.3	33	31.0	21.4-40.6	20	15.9	08.3-23.5	4	2.3	0.0-04.7
\$25,000- 34,999	168	153,847	32	14.6	09.1-20.1	39	21.5	12.5-30.5	37	19.7	12.6-26.8	29	19.5	11.7-27.3	27	22.6	14.0-31.2	4	2.0	0.0-04.2
\$35,000- 49,999	168	141,930	23	10.7	05.6-15.8	42	13.6	08.7-18.5	37	23.8	15.2-32.4	38	31.9	22.5-41.3	26	18.5	11.1-25.9	2	1.4	0.0-03.4
\$50,000- 99,999	424	304,697	74	14.6	09.9-19.3	123	21.3	16.8-25.8	86	21.7	17.0-26.4	66	21.6	16.5-26.7	64	18.1	13.4-22.8	11	2.7	0.0-04.5
\$100,000- 199,999	389	294,789	85	17.6	12.3-22.9	98	18.2	14.1-22.3	88	27.2	21.3-33.1	72	23.6	18.3-28.9	38	11.7	07.8-15.6	8	1.8	0.0-03.2
\$200,000+	93	87,408	20	16.5	08.5-24.5	26	19.5	11.1-27.9	19	26.6	17.8-35.4	14	23.7	11.4-36.0	12	11.1	04.6-17.6	2	2.5	0.0-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2003-2004			Birthyr 2005-2008			Birthyr 2009-2012			Birthyr 2013-2016			Birthyr 2017-2019			Birthyr 2020-2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	628	485,753	116	14.7	11.0-18.4	169	20.0	16.3-23.7	140	23.9	20.0-27.8	110	25.5	20.6-30.4	77	13.7	10.6-16.8	16	2.2	01.0-03.4
White/Non-Hisp	482	344,338	91	12.3	09.4-15.2	132	19.6	15.7-23.5	109	25.8	21.1-30.5	83	26.6	20.9-32.3	55	13.4	09.7-17.1	12	2.3	00.9-03.7
Hispanic	60	41,807	11	16.8	06.0-27.6	18	25.1	09.0-41.2	11	14.8	05.4-24.2	8	22.9	07.8-38.0	10	18.2	06.4-30.0	2	2.3	00.0-05.6
25-34	134	112,059	3	1.1	00.0-02.5	8	5.9	00.0-12.4	29	20.4	12.2-28.6	37	33.3	22.7-43.9	46	32.6	23.2-42.0	11	6.8	02.5-11.1
35-44	212	177,470	27	12.4	05.0-19.8	55	18.9	12.8-25.0	56	25.2	18.5-31.9	49	30.7	22.9-38.5	21	11.6	06.3-16.9	4	1.2	00.0-02.4
45-54	169	125,829	48	21.7	14.6-28.8	63	27.2	19.8-34.6	33	24.2	17.1-31.3	18	20.3	10.5-30.1	6	5.8	01.1-10.5	1	0.9	00.0-02.7
Less Than H.S.	50	39,676	12	22.7	09.6-35.8	16	27.2	16.8-37.6	7	10.4	00.0-21.2	6	12.6	02.0-23.2	7	22.8	07.7-37.9	2	4.3	00.0-10.4
H.S. or G.E.D.	162	125,008	27	10.8	05.7-15.9	46	17.8	11.7-23.9	37	25.9	16.3-35.5	30	30.4	19.6-41.2	19	13.5	07.0-20.0	3	1.5	00.0-03.5
Some Post-H.S.	139	95,954	21	9.7	04.8-14.6	41	23.7	15.1-32.3	33	26.6	17.6-35.6	23	23.9	14.5-33.3	15	11.5	05.4-17.6	6	4.6	00.5-08.7
College Graduate	277	225,115	56	17.5	10.6-24.4	66	18.5	13.0-24.0	63	24.0	18.7-29.3	51	25.7	18.4-33.0	36	13.1	08.6-17.6	5	1.3	00.1-02.5
\$35,000- 49,999	67	55,357	12	16.5	06.1-26.9	13	10.3	03.6-17.0	19	35.2	19.7-50.7	14	23.6	12.0-35.2	9	14.5	03.9-25.1			
\$50,000- 99,999	193	140,812	32	12.7	07.8-17.6	49	20.5	13.4-27.6	39	20.7	14.0-27.4	34	24.7	17.1-32.3	34	19.0	12.5-25.5	5	2.4	00.0-04.8
\$100,000- 199,999	181	134,404	38	15.8	06.6-25.0	54	21.3	14.4-28.2	41	26.2	17.8-34.6	31	25.2	16.6-33.8	13	9.5	03.8-15.2	4	1.9	00.0-03.9
\$200,000+	50	49,909	9	13.7	03.9-23.5	13	16.0	06.8-25.2	10	27.2	16.8-37.6	9	27.8	10.0-45.6	8	14.3	04.5-24.1	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2003-2004			Birthyr 2005-2008			Birthyr 2009-2012			Birthyr 2013-2016			Birthyr 2017-2019			Birthyr 2020-2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	991	796,381	169	14.5	12.0-17.0	263	18.7	16.0-21.4	209	22.9	19.6-26.2	185	24.1	20.6-27.6	144	17.6	14.5-20.7	21	2.3	0.1-3-03.3
White/Non-Hisp	717	512,264	131	16.6	13.3-19.9	193	19.0	15.9-22.1	153	22.8	19.1-26.5	122	21.8	17.9-25.7	103	17.1	13.6-20.6	15	2.6	0.1-2-04.0
Black or Afr. Am./Non-Hisp	104	137,802	15	13.1	06.0-20.2	24	14.6	07.3-21.9	22	21.2	12.0-30.4	27	32.4	21.4-43.4	15	18.3	08.5-28.1	1	0.4	00.0-01.2
Hispanic	98	79,880	17	10.8	05.1-16.5	23	17.1	09.3-24.9	19	26.8	15.0-38.6	22	24.6	14.8-34.4	15	18.8	09.6-28.0	2	1.9	00.0-04.8
18-24	64	42,095	13	20.5	08.0-33.0	13	12.9	05.1-20.7	6	9.5	00.3-18.7	10	18.3	06.7-29.9	19	33.3	19.6-47.0	3	5.3	00.0-11.6
25-34	250	226,210	10	3.4	01.0-05.8	23	7.3	03.2-11.4	50	17.8	12.7-22.9	88	36.9	30.0-43.8	66	30.4	23.3-37.5	13	4.2	01.8-06.6
35-44	346	288,514	52	12.7	09.2-16.2	112	23.3	18.2-28.4	84	26.4	20.7-32.1	56	23.8	17.7-29.9	40	13.1	08.6-17.6	2	0.8	00.0-02.0
45-54	232	167,271	70	28.5	20.3-36.7	84	27.0	20.3-33.7	46	25.8	17.6-34.0	21	11.6	06.3-16.9	9	5.6	00.9-10.3	2	1.4	00.0-03.4
55-64	66	46,947	18	26.8	18.4-35.2	20	22.7	12.1-33.3	13	18.7	09.7-27.7	6	12.3	01.5-23.1	8	16.0	03.7-28.3	1	3.5	00.0-10.2
Less Than H.S.	80	74,289	11	16.7	11.2-22.2	25	22.0	10.6-33.4	10	13.1	03.7-22.5	19	28.8	17.2-40.4	12	15.5	06.7-24.3	3	3.9	00.0-08.6
H.S. or G.E.D.	247	203,153	33	11.1	04.8-17.4	60	14.1	10.0-18.2	47	19.4	13.3-25.5	62	33.7	25.9-41.5	38	18.2	12.3-24.1	7	3.5	01.0-06.0
Some Post-H.S.	275	217,977	47	14.6	10.1-19.1	78	23.0	16.9-29.1	61	23.2	17.1-29.3	43	17.7	12.2-23.2	42	20.0	13.3-26.7	4	1.5	00.0-03.1
College Graduate	385	296,510	78	16.5	12.4-20.6	100	18.1	14.0-22.2	90	27.7	22.0-33.4	61	21.3	16.0-26.6	49	14.8	10.3-19.3	7	1.6	00.2-03.0
\$15,000- 24,999	111	87,568	12	8.5	03.0-14.0	28	20.9	11.7-30.1	21	18.8	10.6-27.0	27	30.6	20.2-41.0	20	19.2	10.2-28.2	3	2.1	00.0-04.6
\$25,000- 34,999	134	126,802	24	15.1	08.8-21.4	32	19.8	10.6-29.0	31	20.2	12.2-28.2	25	21.6	12.6-30.6	20	21.9	12.1-31.7	2	1.4	00.0-03.4
\$35,000- 49,999	101	86,573	11	7.0	02.1-11.9	29	15.7	08.8-22.6	18	16.6	08.0-25.2	24	37.3	24.6-50.0	17	21.1	11.1-31.1	2	2.3	00.0-05.6
\$50,000- 99,999	231	163,885	42	16.3	08.7-23.9	74	21.9	16.2-27.6	47	22.7	16.2-29.2	32	19.0	12.3-25.7	30	17.3	10.4-24.2	6	2.9	00.4-05.4
\$100,000- 199,999	208	160,384	47	19.0	13.1-24.9	44	15.5	10.2-20.8	47	28.0	19.8-36.2	41	22.2	15.5-28.9	25	13.6	08.1-19.1	4	1.7	00.0-03.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION
TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1965	1,506,481	1012	50.9	48.2-53.6	953	49.1	46.4-51.8
Male	799	595,386	435	53.1	48.8-57.4	364	46.9	42.6-51.2
Female	1166	911,094	577	49.5	46.0-53.0	589	50.5	47.0-54.0
White/Non-Hisp	1436	984,480	736	51.1	48.0-54.2	700	48.9	45.8-52.0
Black or Afr. Am./Non-Hisp	186	249,611	96	48.1	39.3-56.9	90	51.9	43.1-60.7
Oth. Race/Non-Hisp.	74	76,504	38	48.6	33.5-63.7	36	51.4	36.3-66.5
Hispanic	196	145,504	104	53.9	45.5-62.3	92	46.1	37.7-54.5
18-24	132	75,786	70	54.1	43.7-64.5	62	45.9	35.5-56.3
25-34	430	362,443	210	49.9	44.2-55.6	220	50.1	44.4-55.8
35-44	651	528,967	336	51.8	47.1-56.5	315	48.2	43.5-52.9
45-54	502	361,944	266	52.3	46.6-58.0	236	47.7	42.0-53.4
55-64	162	110,044	90	51.9	42.1-61.7	72	48.1	38.3-57.9
65+	88	67,296	40	37.2	23.1-51.3	48	62.8	48.7-76.9
Less Than H.S.	164	135,880	92	48.7	39.5-57.9	72	51.3	42.1-60.5
H.S. or G.E.D.	525	408,215	264	47.1	41.4-52.8	261	52.9	47.2-58.6
Some Post-H.S.	490	359,668	255	53.7	48.0-59.4	235	46.3	40.6-52.0
College Graduate	779	596,695	399	52.7	48.6-56.8	380	47.3	43.2-51.4
Less than \$15,000	82	82,391	48	56.6	44.3-68.9	34	43.4	31.1-55.7
\$15,000- 24,999	161	122,020	80	47.9	38.5-57.3	81	52.1	42.7-61.5
\$25,000- 34,999	200	177,318	99	45.6	36.4-54.8	101	54.4	45.2-63.6
\$35,000- 49,999	210	174,031	100	46.2	37.8-54.6	110	53.8	45.4-62.2
\$50,000- 99,999	491	346,324	256	55.1	49.8-60.4	235	44.9	39.6-50.2
\$100,000- 199,999	457	332,035	245	55.3	49.6-61.0	212	44.7	39.0-50.4
\$200,000+	103	94,203	55	50.6	39.6-61.6	48	49.4	38.4-60.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Male Child		N	Female Child	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	799	595,386	435	53.1	48.8-57.4	364	46.9	42.6-51.2
White/Non-Hisp	598	409,482	326	52.8	47.9-57.7	272	47.2	42.3-52.1
Black or Afr. Am./Non-Hisp	57	81,674	34	57.1	40.6-73.6	23	42.9	26.4-59.4
Hispanic	83	56,461	43	50.0	36.5-63.5	40	50.0	36.5-63.5
18-24	54	25,851	30	60.0	44.1-75.9	24	40.0	24.1-55.9
25-34	156	120,523	83	57.6	47.6-67.6	73	42.4	32.4-52.4
35-44	259	209,968	139	54.8	47.4-62.2	120	45.2	37.8-52.6
45-54	218	162,753	120	48.9	40.3-57.5	98	51.1	42.5-59.7
55-64	74	46,767	45	58.0	45.7-70.3	29	42.0	29.7-54.3
Less Than H.S.	69	51,248	42	54.0	40.9-67.1	27	46.0	32.9-59.1
H.S. or G.E.D.	228	166,212	117	45.0	36.6-53.4	111	55.0	46.6-63.4
Some Post-H.S.	176	118,982	91	52.5	42.7-62.3	85	47.5	37.7-57.3
College Graduate	325	258,594	184	58.4	52.5-64.3	141	41.6	35.7-47.5
\$25,000- 34,999	54	43,218	24	33.7	18.8-48.6	30	66.3	51.4-81.2
\$35,000- 49,999	88	70,901	48	57.7	44.6-70.8	40	42.3	29.2-55.4
\$50,000- 99,999	226	164,055	122	54.1	46.5-61.7	104	45.9	38.3-53.5
\$100,000- 199,999	221	154,633	125	58.5	50.1-66.9	96	41.5	33.1-49.9
\$200,000+	54	52,605	31	50.8	36.1-65.5	23	49.2	34.5-63.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1166	911,094	577	49.5	46.0-53.0	589	50.5	47.0-54.0
White/Non-Hisp	838	574,998	410	49.9	45.8-54.0	428	50.1	46.0-54.2
Black or Afr. Am./Non-Hisp	129	167,936	62	43.7	33.5-53.9	67	56.3	46.1-66.5
Hispanic	113	89,044	61	56.4	45.6-67.2	52	43.6	32.8-54.4
18-24	78	49,935	40	51.1	37.8-64.4	38	48.9	35.6-62.2
25-34	274	241,920	127	46.1	39.0-53.2	147	53.9	46.8-61.0
35-44	392	319,000	197	49.8	43.7-55.9	195	50.2	44.1-56.3
45-54	284	199,191	146	55.0	47.6-62.4	138	45.0	37.6-52.4
55-64	88	63,276	45	47.3	35.1-59.5	43	52.7	40.5-64.9
65+	50	37,772	22	40.9	21.1-60.7	28	59.1	39.3-78.9
Less Than H.S.	95	84,632	50	45.5	33.9-57.1	45	54.5	42.9-66.1
H.S. or G.E.D.	297	242,003	147	48.5	41.1-55.9	150	51.5	44.1-58.9
Some Post-H.S.	314	240,686	164	54.4	47.5-61.3	150	45.6	38.7-52.5
College Graduate	454	338,101	215	48.4	42.7-54.1	239	51.6	45.9-57.3
Less than \$15,000	58	60,571	31	49.8	35.5-64.1	27	50.2	35.9-64.5
\$15,000- 24,999	126	100,138	61	47.1	36.5-57.7	65	52.9	42.3-63.5
\$25,000- 34,999	146	134,100	75	49.5	38.9-60.1	71	50.5	39.9-61.1
\$35,000- 49,999	122	103,130	52	38.2	27.4-49.0	70	61.8	51.0-72.6
\$50,000- 99,999	265	182,269	134	55.9	48.5-63.3	131	44.1	36.7-51.5
\$100,000- 199,999	236	177,403	120	52.5	44.9-60.1	116	47.5	39.9-55.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1947	1,485,267	138	6.1	04.9-07.3	18	0.7	00.3-01.1	4	0.1	00.0-00.3	59	2.7	01.9-03.5	1714	89.7	88.1-91.3	14	0.7	00.3-01.1
Male	797	588,920	61	6.0	04.2-07.8	8	0.8	00.0-01.6				23	2.2	01.0-03.4	698	90.2	88.0-92.4	7	0.7	00.1-01.3
Female	1150	896,347	77	6.2	04.6-07.8	10	0.6	00.2-01.0	4	0.2	00.0-00.4	36	3.0	01.8-04.2	1016	89.3	87.3-91.3	7	0.6	00.0-01.2
White/Non-Hisp	1441	982,985	35	2.2	01.4-03.0	5	0.3	00.0-00.7	1	0.1	00.0-00.3	10	0.5	00.1-00.9	1387	96.7	95.7-97.7	3	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	187	251,704	1	0.5	00.0-01.5									186	99.5	98.5-0100				
Oth. Race/Non-Hisp.	73	76,342	3	2.5	00.0-05.4							1	0.5	00.3-00.7	69	97.1	94.2-0100			
Hispanic	185	129,020	98	50.0	41.4-58.6	13	5.5	01.8-09.2	1	0.1	00.0-00.3	47	25.9	18.5-33.3	15	12.7	05.4-20.0	11	5.9	02.0-09.8
18-24	130	75,239	10	7.1	02.4-11.8	2	0.8	00.0-02.0	1	0.2	00.0-00.6	5	3.8	00.1-07.5	109	86.2	79.9-92.5	3	1.8	00.0-04.0
25-34	430	360,940	43	9.1	06.2-12.0	5	1.2	00.0-02.4	1	0.1	00.0-00.3	17	2.8	01.2-04.4	359	85.6	81.9-89.3	5	1.2	00.0-02.4
35-44	642	518,804	47	5.9	03.9-07.9	5	0.4	00.0-00.8	1	0.1	00.0-00.3	19	2.4	01.0-03.8	566	90.5	88.1-92.9	4	0.7	00.0-01.5
45-54	499	354,637	26	4.3	02.3-06.3	2	0.4	00.0-01.0	1	0.2	00.0-00.6	13	2.8	01.0-04.6	457	92.2	89.7-94.7			
55-64	161	111,204	8	4.5	01.0-08.0	3	0.7	00.0-01.5				3	2.2	00.0-04.9	145	92.1	87.4-96.8	2	0.5	00.0-01.3
65+	85	64,445	4	2.2	00.0-04.6	1	1.7	00.0-05.0				2	3.5	00.0-09.2	78	92.6	85.7-99.5			
Less Than H.S.	157	128,570	47	24.4	17.0-31.8	2	0.5	00.0-01.1				21	12.0	06.3-17.7	86	62.8	54.0-71.6	1	0.3	00.0-00.9
H.S. or G.E.D.	516	402,298	44	7.4	05.0-09.8	4	0.7	00.0-01.5				12	1.7	00.5-02.9	448	89.3	86.4-92.2	8	1.0	00.2-01.8
Some Post-H.S.	488	356,899	22	4.1	02.1-06.1	7	1.0	00.2-01.8	2	0.3	00.0-00.7	10	1.5	00.3-02.7	445	92.4	89.9-94.9	2	0.7	00.0-01.7
College Graduate	780	591,829	25	2.5	01.3-03.7	5	0.6	00.0-01.2	2	0.2	00.0-00.4	16	2.2	01.0-03.4	729	94.1	92.3-95.9	3	0.5	00.0-01.1
Less than \$15,000	80	80,155	7	9.8	02.2-17.4	1	0.4	00.0-01.2	1	0.2	00.0-00.6	4	3.7	00.0-07.4	66	85.7	77.3-94.1	1	0.2	00.0-00.6
\$15,000- 24,999	156	117,682	25	12.7	07.4-18.0	3	1.7	00.0-03.9				13	8.7	03.4-14.0	115	76.9	69.5-84.3			
\$25,000- 34,999	199	177,678	18	7.0	03.3-10.7							13	4.8	01.9-07.7	166	87.0	81.9-92.1	2	1.3	00.0-03.1
\$35,000- 49,999	208	171,096	17	6.1	03.0-09.2	2	1.2	00.0-02.8				6	2.4	00.2-04.6	181	89.8	85.7-93.9	2	0.6	00.0-01.4
\$50,000- 99,999	491	346,453	28	5.6	03.2-08.0	7	1.1	00.1-02.1	2	0.3	00.0-00.9	10	1.8	00.4-03.2	442	90.8	87.9-93.7	2	0.4	00.0-01.0
\$100,000- 199,999	455	328,348	15	2.7	01.1-04.3	1	0.1	00.0-00.3				5	1.2	00.0-02.4	432	95.5	93.3-97.7	2	0.5	00.0-01.3
\$200,000+	105	94,997	2	1.0	00.0-02.4	2	1.6	00.0-04.0				1	1.1	00.0-03.3	99	95.4	91.5-99.3	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	797	588,920	61	6.0	04.2-07.8	8	0.8	00.0-01.6	23	2.2	01.0-03.4	698	90.2	88.0-92.4	7	0.7	00.1-01.3
White/Non-Hisp	605	410,069	15	2.3	00.9-03.7	3	0.5	00.0-01.1	4	0.2	00.0-00.4	580	96.4	94.8-98.0	3	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	57	82,069	1	1.5	00.0-04.4							56	98.5	95.6-0100			
Hispanic	82	53,221	44	45.3	32.0-58.6	5	5.5	00.0-11.8	19	23.1	12.1-34.1	10	22.4	08.1-36.7	4	3.7	00.0-07.4
18-24	52	25,188	4	5.6	00.0-11.5							47	93.0	86.5-99.5	1	1.4	00.0-04.1
25-34	158	121,144	18	8.6	04.1-13.1	2	1.7	00.0-04.4	9	3.3	00.9-05.7	126	85.2	79.3-91.1	3	1.3	00.0-02.9
35-44	256	206,684	16	5.3	02.6-08.0	2	0.3	00.0-00.7	8	2.2	00.2-04.2	228	91.1	87.4-94.8	2	1.0	00.0-02.4
45-54	222	162,500	15	5.3	02.0-08.6	1	0.3	00.0-00.9	3	1.3	00.0-02.9	203	93.1	89.4-96.8			
55-64	73	46,585	4	4.9	00.0-10.6	2	1.0	00.0-02.6	2	4.8	00.0-11.5	64	88.5	79.9-97.1	1	0.8	00.0-02.4
Less Than H.S.	67	49,330	20	23.7	12.3-35.1				9	8.9	02.6-15.2	38	67.4	55.2-79.6			
H.S. or G.E.D.	225	163,108	22	8.2	04.5-11.9	2	1.2	00.0-03.2	5	2.2	00.0-04.4	192	87.5	82.8-92.2	4	0.9	00.0-01.9
Some Post-H.S.	178	119,471	9	4.7	01.2-08.2	3	0.7	00.0-01.7	4	0.8	00.0-01.8	162	93.7	90.0-97.4			
College Graduate	327	257,011	10	1.8	00.4-03.2	3	0.8	00.0-01.8	5	1.6	00.0-03.2	306	94.7	92.2-97.2	3	1.1	00.0-02.5
\$25,000- 34,999	53	43,056	7	8.1	00.8-15.4				7	8.6	01.7-15.5	38	81.5	71.1-91.9	1	1.7	00.0-05.0
\$35,000- 49,999	89	70,999	9	6.7	02.0-11.4	1	1.5	00.0-04.4	4	4.0	00.0-08.5	74	87.3	80.0-94.6	1	0.5	00.0-01.5
\$50,000- 99,999	227	164,301	19	7.4	03.7-11.1	4	1.6	00.0-03.6	3	0.9	00.0-02.1	200	89.9	85.6-94.2	1	0.2	00.0-00.6
\$100,000- 199,999	221	154,139	6	1.9	00.1-03.7	1	0.3	00.0-00.9	2	1.2	00.0-03.2	211	95.8	92.7-98.9	1	0.8	00.0-02.4
\$200,000+	55	53,106	2	1.7	00.0-04.1	1	0.9	00.0-02.7	1	2.0	00.0-05.9	50	93.9	88.2-99.6	1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1150	896,347	77	6.2	04.6-07.8	10	0.6	00.2-01.0	4	0.2	00.0-00.4	36	3.0	01.8-04.2	1016	89.3	87.3-91.3	7	0.6	00.0-01.2
White/Non-Hisp	836	572,917	20	2.1	01.1-03.1	2	0.3	00.0-00.7	1	0.1	00.0-00.3	6	0.6	00.0-01.2	807	96.8	95.6-98.0			
Black or Afr. Am./Non-Hisp	130	169,636													130	100.0	0100-0100			
Hispanic	103	75,799	54	53.3	42.3-64.3	8	5.5	01.2-09.8	1	0.2	00.0-00.6	28	27.8	18.0-37.6	5	5.9	00.4-11.4	7	7.3	01.0-13.6
18-24	78	50,051	6	7.9	01.4-14.4	2	1.2	00.0-03.0	1	0.4	00.0-01.2	5	5.7	00.2-11.2	62	82.8	74.0-91.6	2	2.1	00.0-05.0
25-34	272	239,795	25	9.3	05.4-13.2	3	1.0	00.0-02.2	1	0.1	00.0-00.3	8	2.6	00.6-04.6	233	85.8	81.1-90.5	2	1.2	00.0-03.0
35-44	386	312,120	31	6.3	03.8-08.8	3	0.4	00.0-01.0	1	0.2	00.0-00.6	11	2.5	00.7-04.3	338	90.1	87.0-93.2	2	0.4	00.0-01.2
45-54	277	192,136	11	3.5	01.1-05.9	1	0.6	00.0-01.8	1	0.4	00.0-01.2	10	4.2	01.5-06.9	254	91.4	87.7-95.1			
55-64	88	64,619	4	4.1	00.8-07.4	1	0.5	00.0-01.5				1	0.3	00.0-00.9	81	94.8	91.3-98.3	1	0.3	00.0-00.9
Less Than H.S.	90	79,241	27	24.9	15.5-34.3	2	0.8	00.0-02.0				12	13.9	05.9-21.9	48	59.9	48.7-71.1	1	0.5	00.0-01.5
H.S. or G.E.D.	291	239,189	22	6.8	03.7-09.9	2	0.3	00.0-00.7				7	1.3	00.3-02.3	256	90.5	87.0-94.0	4	1.1	00.0-02.5
Some Post-H.S.	310	237,427	13	3.7	01.5-05.9	4	1.1	00.0-02.3	2	0.5	00.0-01.3	6	1.8	00.2-03.4	283	91.8	88.5-95.1	2	1.1	00.0-02.7
College Graduate	453	334,818	15	3.1	01.3-04.9	2	0.5	00.0-01.3	2	0.3	00.0-00.7	11	2.6	00.8-04.4	423	93.6	91.1-96.1			
Less than \$15,000	56	58,335	4	7.8	00.0-15.6	1	0.5	00.0-01.5	1	0.3	00.0-00.9	3	4.2	00.0-09.1	46	86.8	77.8-95.8	1	0.3	00.0-00.9
\$15,000- 24,999	123	98,427	17	10.5	05.4-15.6	3	2.1	00.0-04.6				11	9.7	03.6-15.8	92	77.8	69.8-85.8			
\$25,000- 34,999	146	134,622	11	6.6	02.3-10.9							6	3.5	00.4-06.6	128	88.8	83.1-94.5	1	1.1	00.0-03.3
\$35,000- 49,999	119	100,097	8	5.6	01.3-09.9	1	0.9	00.0-02.7				2	1.2	00.0-03.0	107	91.7	86.8-96.6	1	0.6	00.0-01.8
\$50,000- 99,999	264	182,152	9	4.0	01.1-06.9	3	0.6	00.0-01.2	2	0.6	00.0-01.6	7	2.5	00.1-04.9	242	91.6	87.7-95.5	1	0.6	00.0-01.8
\$100,000- 199,999	234	174,210	9	3.4	00.9-05.9							3	1.3	00.0-02.9	221	95.2	92.3-98.1	1	0.2	00.0-00.6
\$200,000+	50	41,892				1	2.6	00.0-07.5							49	97.4	92.5-0100			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRACE1 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1931	1,477,985	1761	91.4	89.8-93.0	90	4.5	03.3-05.7	6	0.3	00.0-00.7	1	0.0	00.0-00.0	73	3.8	02.6-05.0
Male	789	581,854	724	91.5	89.0-94.0	29	3.6	02.0-05.2	3	0.4	00.0-00.8	1	0.1	00.0-00.3	32	4.4	02.2-06.6
Female	1142	896,131	1037	91.3	89.3-93.3	61	5.0	03.4-06.6	3	0.3	00.0-00.7				41	3.4	02.2-04.6
White/Non-Hisp	1448	987,575	1386	96.2	95.0-97.4	51	3.0	02.0-04.0	1	0.2	00.0-00.6				10	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	187	251,704	174	93.9	90.2-97.6	8	3.6	00.9-06.3	2	0.6	00.0-01.6				3	1.9	00.0-04.3
Oth. Race/Non-Hisp.	73	76,220	50	70.0	54.9-85.1	8	13.9	01.4-26.4							15	16.1	04.3-27.9
Hispanic	164	120,809	117	72.3	64.1-80.5	8	4.9	01.0-08.8							39	22.8	15.4-30.2
18-24	128	75,228	118	93.0	88.3-97.7	3	2.9	00.0-06.6							7	4.1	01.0-07.2
25-34	423	354,345	372	88.4	84.9-91.9	28	6.5	03.8-09.2	2	0.7	00.0-01.7				21	4.5	02.3-06.7
35-44	636	517,856	583	92.9	90.4-95.4	26	3.6	01.4-05.8	3	0.4	00.0-00.8	1	0.1	00.0-00.3	23	3.0	01.4-04.6
45-54	498	356,223	464	92.3	89.4-95.2	20	4.7	02.3-07.1							14	3.1	01.3-04.9
55-64	160	109,664	145	89.2	81.0-97.4	8	3.2	00.8-05.6	1	0.3	00.0-00.9				6	7.3	00.0-15.3
65+	86	64,669	79	93.2	86.5-99.9	5	2.9	00.0-06.0							2	3.9	00.0-09.8
Less Than H.S.	143	119,974	121	83.6	75.0-92.2	4	2.3	00.0-05.2							18	14.1	05.7-22.5
H.S. or G.E.D.	510	397,703	465	91.7	89.0-94.4	23	3.9	02.1-05.7	2	0.5	00.0-01.3				20	3.9	01.7-06.1
Some Post-H.S.	489	358,260	439	89.2	85.3-93.1	26	6.4	02.9-09.9	3	0.7	00.0-01.5				21	3.7	01.7-05.7
College Graduate	783	596,377	731	94.1	92.3-95.9	37	4.1	02.7-05.5	1	0.1	00.0-00.3	1	0.1	00.0-00.3	13	1.6	00.6-02.6
Less than \$15,000	78	79,366	69	89.6	81.6-97.6	6	8.4	01.0-15.8							3	2.0	00.0-05.1
\$15,000- 24,999	153	117,343	137	90.5	85.4-95.6	6	3.8	00.3-07.3							10	5.7	01.8-09.6
\$25,000- 34,999	197	175,583	171	87.3	79.9-94.7	11	4.9	00.0-10.2	1	0.5	00.0-01.5				14	7.3	01.6-13.0
\$35,000- 49,999	208	171,993	191	92.8	89.3-96.3	10	3.8	01.3-06.3							7	3.4	00.9-05.9
\$50,000- 99,999	488	343,767	446	89.6	86.1-93.1	24	5.2	02.8-07.6	2	0.7	00.0-01.7				16	4.5	02.0-07.0
\$100,000- 199,999	454	330,001	431	95.9	93.9-97.9	10	2.0	00.6-03.4	2	0.2	00.0-00.4	1	0.2	00.0-00.6	10	1.7	00.3-03.1
\$200,000+	104	94,093	94	92.0	86.7-97.3	8	6.2	01.5-10.9							2	1.8	00.0-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE1 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	789	581,854	724	91.5	89.3-93.7	29	3.6	02.0-05.2	3	0.4	00.0-00.8	1	0.1	00.0-00.3	32	4.4	02.8-06.0
White/Non-Hisp	609	411,538	591	96.7	94.9-98.5	12	2.4	00.8-04.0							6	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	57	82,069	50	90.8	82.8-98.8	3	2.4	00.0-05.3	1	1.0	00.0-03.0				3	5.8	00.0-13.1
Hispanic	70	45,200	50	72.0	58.7-85.3	5	7.9	00.0-16.3							15	20.1	08.7-31.5
18-24	51	24,653	48	97.3	94.2-0100	1	0.8	00.0-02.4							2	1.9	00.0-04.6
25-34	155	118,170	138	88.8	82.9-94.7	9	6.3	01.8-10.8							8	4.8	00.9-08.7
35-44	252	205,007	232	93.6	90.1-97.1	7	2.1	00.3-03.9	2	0.8	00.0-02.0	1	0.3	00.0-00.9	10	3.2	00.3-06.1
45-54	222	161,935	207	92.1	87.8-96.4	8	4.6	01.1-08.1							7	3.3	00.6-06.0
55-64	72	45,045	64	81.4	73.8-89.0	3	2.9	00.0-06.4	1	0.7	00.0-02.1				4	15.1	08.4-21.8
Less Than H.S.	60	44,076	49	75.2	64.2-86.2	3	5.4	00.0-13.2							8	19.4	11.0-27.8
H.S. or G.E.D.	222	161,125	207	91.1	86.0-96.2	6	3.0	00.3-05.7							9	5.9	01.4-10.4
Some Post-H.S.	178	119,378	158	90.2	85.3-95.1	7	4.2	00.7-07.7	2	1.5	00.0-03.5				11	4.1	01.2-07.0
College Graduate	329	257,275	310	95.2	92.8-97.6	13	3.5	01.3-05.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6	4	0.9	00.0-01.9
\$25,000- 34,999	51	40,961	41	78.6	69.0-88.2	2	3.1	00.0-07.4	1	2.0	00.0-05.9				7	16.3	09.2-23.4
\$35,000- 49,999	88	69,621	83	95.1	90.6-99.6	2	1.4	00.0-03.4							3	3.5	00.0-07.6
\$50,000- 99,999	226	163,248	208	89.2	83.7-94.7	10	5.0	01.7-08.3							8	5.8	01.3-10.3
\$100,000- 199,999	222	154,363	210	95.7	93.0-98.4	3	1.5	00.0-03.3	1	0.2	00.0-00.6	1	0.4	00.0-01.2	7	2.2	00.4-04.0
\$200,000+	55	52,639	50	92.0	84.6-99.4	5	8.0	00.6-15.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE1 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1142	896,131	1037	91.3	89.3-93.3	61	5.0	03.4-06.6	3	0.3	00.0-00.7	41	3.4	02.2-04.6
White/Non-Hisp	839	576,037	795	95.9	94.5-97.3	39	3.4	02.2-04.6	1	0.3	00.0-00.9	4	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	130	169,636	124	95.4	91.3-99.5	5	4.2	00.3-08.1	1	0.5	00.0-01.5			
Hispanic	94	75,609	67	72.5	62.1-82.9	3	3.2	00.0-06.9				24	24.4	14.4-34.4
18-24	77	50,575	70	91.0	84.1-97.9	2	3.9	00.0-09.2				5	5.1	00.6-09.6
25-34	268	236,175	234	88.1	83.6-92.6	19	6.6	03.3-09.9	2	1.0	00.0-02.6	13	4.3	01.6-07.0
35-44	384	312,849	351	92.4	88.7-96.1	19	4.6	01.3-07.9	1	0.1	00.0-00.3	13	2.9	01.1-04.7
45-54	276	194,288	257	92.3	88.4-96.2	12	4.8	01.7-07.9				7	2.9	00.4-05.4
55-64	88	64,619	81	94.7	90.4-99.0	5	3.5	00.4-06.6				2	1.8	00.0-04.7
Less Than H.S.	83	75,899	72	88.5	81.1-95.9	1	0.6	00.0-01.8				10	11.0	03.6-18.4
H.S. or G.E.D.	288	236,578	258	92.1	89.0-95.2	17	4.6	02.2-07.0	2	0.8	00.0-02.2	11	2.5	00.9-04.1
Some Post-H.S.	311	238,881	281	88.6	83.3-93.9	19	7.5	02.6-12.4	1	0.3	00.0-00.9	10	3.5	01.1-05.9
College Graduate	454	339,102	421	93.3	90.8-95.8	24	4.5	02.5-06.5				9	2.2	00.4-04.0
Less than \$15,000	57	59,558	50	90.6	81.8-99.4	4	6.7	00.0-14.5				3	2.7	00.0-06.8
\$15,000- 24,999	121	96,992	107	90.0	84.3-95.7	6	4.6	00.5-08.7				8	5.4	01.5-09.3
\$25,000- 34,999	146	134,622	130	89.9	82.5-97.3	9	5.5	00.0-12.2				7	4.6	00.7-08.5
\$35,000- 49,999	120	102,372	108	91.3	86.2-96.4	8	5.4	01.5-09.3				4	3.3	00.0-06.6
\$50,000- 99,999	262	180,519	238	90.0	85.5-94.5	14	5.3	02.2-08.4	2	1.3	00.0-03.3	8	3.4	00.7-06.1
\$100,000- 199,999	232	175,638	221	96.2	93.7-98.7	7	2.4	00.6-04.2	1	0.2	00.0-00.6	3	1.3	00.0-03.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRAC2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black or African American			Am. Indian or Alaskan Native			Asian			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	66	49,892	30	43.0	29.9-56.1	22	27.2	15.8-38.6	2	9.7	07.9-11.5	7	14.3	02.7-25.9	5	5.9	01.4-10.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRAC2 were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRAC2 were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1997	1,520,351	1598	81.0	78.8-83.2	174	9.1	07.5-10.7	32	1.3	00.7-01.9	107	4.3	03.1-05.5	54	2.8	01.8-03.8	32	1.4	00.8-02.0
Male	826	605,087	655	81.0	77.3-84.7	57	6.6	04.2-09.0	11	1.0	00.4-01.6	61	6.4	03.9-08.9	21	2.5	00.9-04.1	21	2.5	01.3-03.7
Female	1171	915,263	943	81.0	78.3-83.7	117	10.7	08.3-13.1	21	1.6	00.6-02.6	46	2.9	01.9-03.9	33	3.0	01.8-04.2	11	0.7	00.3-01.1
White/Non-Hisp	1460	992,461	1197	83.0	80.6-85.4	124	8.8	07.0-10.6	20	1.4	00.6-02.2	67	3.5	02.1-04.9	28	1.8	00.8-02.8	24	1.6	00.8-02.4
Black or Afr. Am./Non-Hisp	186	250,338	130	76.8	69.9-83.7	26	12.0	06.3-17.7	6	1.6	00.0-03.2	10	3.9	01.2-06.6	11	4.8	01.7-07.9	3	0.9	00.0-01.9
Oth. Race/Non-Hisp.	73	75,593	54	77.1	64.2-90.0	7	11.6	00.0-23.2	2	0.9	00.0-02.3	8	7.9	01.6-14.2	2	2.5	00.0-06.8			
Hispanic	198	148,198	151	76.2	68.8-83.6	12	5.5	02.0-09.0	3	0.9	00.0-02.1	19	10.0	03.9-16.1	10	5.9	02.0-09.8	3	1.4	00.0-03.0
18-24	133	76,883	33	30.3	20.7-39.9				1	0.7	00.0-02.1	87	58.9	48.7-69.1	8	7.1	01.4-12.8	4	3.1	00.0-06.6
25-34	441	366,814	397	90.2	86.3-94.1				8	1.0	00.2-01.8	10	3.6	00.3-06.9	15	2.8	01.2-04.4	11	2.4	00.8-04.0
35-44	658	533,143	627	95.9	94.3-97.5	4	0.6	00.0-01.2	4	0.4	00.0-01.0	5	0.6	00.0-01.2	11	1.6	00.4-02.8	7	0.8	00.2-01.4
45-54	517	367,332	449	85.2	81.3-89.1	40	8.4	05.3-11.5	10	2.4	00.4-04.4	4	0.8	00.0-01.8	7	1.9	00.7-03.1	7	1.3	00.1-02.5
55-64	162	111,510	81	41.0	31.8-50.2	65	50.9	41.3-60.5	6	2.9	00.4-05.4	1	0.5	00.0-01.5	6	3.4	00.3-06.5	3	1.2	00.0-02.6
65+	86	64,669	11	11.7	01.1-22.3	65	73.6	58.5-88.7	3	2.6	00.0-06.5				7	12.0	00.0-24.9			
Less Than H.S.	162	134,402	122	69.6	60.8-78.4	19	16.3	09.0-23.6	3	2.8	00.0-06.9	8	5.0	00.7-09.3	8	5.3	02.2-08.4	2	1.0	00.0-02.6
H.S. or G.E.D.	533	412,468	362	70.1	64.8-75.4	72	13.3	09.6-17.0	15	2.0	00.8-03.2	50	7.7	04.6-10.8	21	4.5	01.8-07.2	13	2.4	00.8-04.0
Some Post-H.S.	499	363,180	394	82.9	79.0-86.8	45	8.3	05.4-11.2	5	0.9	00.0-01.9	29	3.7	01.9-05.5	14	2.0	00.6-03.4	12	2.1	00.7-03.5
College Graduate	797	604,807	717	90.0	87.3-92.7	37	5.1	02.9-07.3	9	0.8	00.2-01.4	18	2.1	00.7-03.5	11	1.6	00.6-02.6	5	0.4	00.0-00.8
Less than \$15,000	82	82,224	56	69.7	58.9-80.5	14	16.7	10.4-23.0	4	4.7	00.0-11.6	3	3.1	00.0-07.6	3	4.0	00.0-09.7	2	1.8	00.0-04.5
\$15,000- 24,999	160	121,849	120	79.5	71.9-87.1	24	13.7	06.8-20.6	2	0.5	00.0-01.3	5	1.6	00.0-03.2	4	2.3	00.0-05.0	5	2.4	00.0-04.8
\$25,000- 34,999	199	176,992	140	73.2	65.2-81.2	33	15.5	08.4-22.6	6	1.7	00.1-03.3	8	4.0	00.7-07.3	9	4.8	01.9-07.7	3	0.8	00.0-01.8
\$35,000- 49,999	216	175,918	165	75.3	67.3-83.3	27	14.6	07.9-21.3	6	2.3	00.0-04.7	9	3.5	00.8-06.2	6	3.7	00.0-08.2	3	0.6	00.0-01.4
\$50,000- 99,999	503	355,481	419	81.5	77.0-86.0	32	7.9	04.6-11.2	7	1.2	00.2-02.2	25	4.2	01.7-06.7	10	2.5	00.9-04.1	10	2.8	00.8-04.8
\$100,000- 199,999	461	333,636	417	91.9	89.2-94.6	17	3.2	01.4-05.0	4	0.8	00.0-01.8	13	2.2	00.6-03.8	5	0.8	00.0-01.8	5	1.0	00.0-02.0
\$200,000+	105	94,719	92	93.9	89.6-98.2	3	2.2	00.0-05.5				8	3.2	00.8-05.6	2	0.7	00.0-01.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	826	605,087	655	81.0	77.5-84.5	57	6.6	04.8-08.4	11	1.0	00.4-01.6	61	6.4	03.9-08.9	21	2.5	00.9-04.1	21	2.5	01.3-03.7
White/Non-Hisp	618	415,538	505	83.3	79.4-87.2	39	5.5	03.5-07.5	7	1.0	00.2-01.8	41	5.4	02.7-08.1	10	1.9	00.0-03.9	16	2.8	01.2-04.4
Black or Afr. Am./Non-Hisp	57	81,117	44	86.9	78.3-95.5	4	4.4	00.0-10.3	1	0.3	00.0-00.9	3	3.1	00.0-07.0	3	3.4	00.0-07.5	2	2.0	00.0-04.9
Hispanic	85	59,209	58	64.2	50.5-77.9	7	7.2	01.1-13.3	2	1.6	00.0-03.8	10	17.4	04.1-30.7	6	6.8	01.1-12.5	2	2.8	00.0-06.7
18-24	54	25,689	2	4.3	00.0-11.0				1	2.1	00.0-06.2	45	86.0	76.2-95.8	4	5.6	00.0-11.5	2	2.0	00.0-04.9
25-34	165	124,521	141	81.6	71.8-91.4				3	1.4	00.0-03.0	8	9.6	00.2-19.0	6	2.4	00.2-04.6	7	5.1	01.0-09.2
35-44	265	214,982	250	95.7	93.3-98.1				2	0.4	00.0-01.0	4	1.0	00.0-02.0	3	1.1	00.0-02.5	6	1.9	00.3-03.5
45-54	231	166,105	205	89.1	84.4-93.8	13	5.7	02.4-09.0	2	0.7	00.0-01.7	3	1.4	00.0-03.6	3	1.0	00.0-02.4	5	2.2	00.0-04.6
55-64	74	46,747	48	58.1	45.4-70.8	18	32.8	20.8-44.8	2	0.9	00.0-02.1	1	1.3	00.9-01.7	4	6.1	00.0-12.8	1	0.9	00.0-02.7
Less Than H.S.	69	51,248	50	66.9	54.9-78.9	7	16.8	09.4-24.2				8	13.2	02.8-23.6	3	2.7	00.0-05.8	1	0.4	00.0-01.2
H.S. or G.E.D.	234	168,404	154	68.9	60.5-77.3	26	9.1	05.0-13.2	6	1.8	00.2-03.4	29	10.8	04.3-17.3	10	5.1	00.2-10.0	9	4.4	01.1-07.7
Some Post-H.S.	182	121,060	141	81.4	75.1-87.7	14	6.6	02.7-10.5	4	1.9	00.0-04.3	11	3.7	01.0-06.4	3	1.1	00.0-02.5	9	5.3	01.6-09.0
College Graduate	340	264,024	310	91.4	87.3-95.5	10	3.1	00.7-05.5	1	0.1	00.0-00.3	12	3.5	00.4-06.6	5	1.5	00.1-02.9	2	0.4	00.0-01.0
\$25,000- 34,999	53	42,986	36	71.7	59.7-83.7	7	16.2	08.8-23.6	2	2.3	00.0-05.6	4	4.5	00.0-10.0	3	4.0	00.0-09.1	1	1.2	00.0-03.6
\$35,000- 49,999	91	71,853	67	70.3	57.6-83.0	11	13.3	05.1-21.5	2	2.0	00.0-05.3	6	4.9	00.0-09.8	3	8.4	00.0-19.0	2	1.1	00.0-02.9
\$50,000- 99,999	238	172,580	201	82.0	75.5-88.5	13	5.6	02.3-08.9	1	0.2	00.0-00.6	11	5.7	01.0-10.4	4	1.6	00.0-03.2	8	4.9	01.4-08.4
\$100,000- 199,999	224	154,368	203	92.7	89.2-96.2	6	2.0	00.2-03.8	1	0.5	00.0-01.5	7	1.9	00.3-03.5	3	1.1	00.0-02.9	4	1.8	00.0-03.6
\$200,000+	56	53,264	51	96.4	93.1-99.7	1	0.3	00.0-00.9				3	2.4	00.0-05.1	1	1.0	00.0-03.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 25: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1171	915,263	943	81.0	78.3-83.7	117	10.7	08.3-13.1	21	1.6	00.6-02.6	46	2.9	01.9-03.9	33	3.0	01.8-04.2	11	0.7	00.3-01.1
White/Non-Hisp	842	576,923	692	82.7	79.8-85.6	85	11.1	08.6-13.6	13	1.7	00.5-02.9	26	2.0	01.0-03.0	18	1.7	00.9-02.5	8	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	129	169,221	86	72.0	63.0-81.0	22	15.7	08.1-23.3	5	2.3	00.0-04.7	7	4.2	00.7-07.7	8	5.5	01.2-09.8	1	0.3	00.0-00.9
Hispanic	113	88,989	93	84.2	76.6-91.8	5	4.3	00.0-08.6	1	0.5	00.0-01.5	9	5.1	01.2-09.0	4	5.4	00.1-10.7	1	0.5	00.0-01.5
18-24	79	51,194	31	43.3	30.2-56.4							42	45.3	32.2-58.4	4	7.8	00.0-15.6	2	3.6	00.0-08.9
25-34	276	242,293	256	94.6	91.9-97.3				5	0.9	00.1-01.7	2	0.6	00.0-01.6	9	3.0	00.6-05.4	4	0.9	00.0-02.1
35-44	393	318,161	377	96.1	93.9-98.3	4	0.9	00.0-01.9	2	0.5	00.0-01.3	1	0.4	00.0-01.2	8	2.0	00.2-03.8	1	0.1	00.0-00.3
45-54	286	201,227	244	82.0	76.1-87.9	27	10.6	05.7-15.5	8	3.8	00.3-07.3	1	0.3	00.0-00.9	4	2.6	00.8-04.4	2	0.6	00.0-01.6
55-64	88	64,763	33	28.6	18.2-39.0	47	64.1	53.1-75.1	4	4.3	00.0-08.6				2	1.5	00.0-03.7	2	1.5	00.0-03.7
Less Than H.S.	93	83,154	72	71.4	61.8-81.0	12	16.0	09.7-22.3	3	4.5	00.0-11.2				5	6.8	02.3-11.3	1	1.3	00.0-03.8
H.S. or G.E.D.	299	244,064	208	70.9	64.2-77.6	46	16.2	10.5-21.9	9	2.1	00.3-03.9	21	5.5	02.6-08.4	11	4.1	01.2-07.0	4	1.1	00.0-02.3
Some Post-H.S.	317	242,120	253	83.7	79.0-88.4	31	9.1	05.2-13.0	1	0.4	00.0-01.2	18	3.8	01.6-06.0	11	2.5	00.7-04.3	3	0.6	00.0-01.4
College Graduate	457	340,782	407	88.9	85.2-92.6	27	6.6	03.5-09.7	8	1.3	00.1-02.5	6	1.0	00.0-02.0	6	1.7	00.1-03.3	3	0.4	00.0-00.8
Less than \$15,000	57	60,076	41	68.2	55.5-80.9	10	19.6	11.6-27.6	3	6.1	00.0-15.3	1	0.3	00.0-00.9	1	4.0	00.0-11.6	1	1.8	00.0-05.3
\$15,000- 24,999	125	99,968	101	82.3	74.1-90.5	17	12.9	05.5-20.3	1	0.4	00.0-01.2	2	1.0	00.0-02.6	2	2.0	00.0-05.3	2	1.4	00.0-03.4
\$25,000- 34,999	146	134,006	104	73.7	65.1-82.3	26	15.2	08.1-22.3	4	1.5	00.0-03.1	4	3.8	00.0-07.7	6	5.1	01.6-08.6	2	0.7	00.0-01.7
\$35,000- 49,999	125	104,064	98	78.7	68.7-88.7	16	15.5	06.1-24.9	4	2.6	00.0-05.9	3	2.6	00.0-05.7	3	0.4	00.0-01.0	1	0.2	00.0-00.6
\$50,000- 99,999	265	182,901	218	81.1	74.8-87.4	19	10.0	04.5-15.5	6	2.1	00.1-04.1	14	2.8	01.2-04.4	6	3.3	00.6-06.0	2	0.8	00.0-02.2
\$100,000- 199,999	237	179,268	214	91.3	87.2-95.4	11	4.2	01.5-06.9	3	1.1	00.0-02.7	6	2.5	00.0-05.0	2	0.6	00.0-01.4	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021

MODULE 26: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1948	1,486,838	210	10.3	08.5-12.1	1738	89.7	87.9-91.5
Male	796	585,052	64	7.8	05.4-10.2	732	92.2	89.8-94.6
Female	1152	901,787	146	11.9	09.5-14.3	1006	88.1	85.7-90.5
White/Non-Hisp	1427	975,751	144	8.9	07.1-10.7	1283	91.1	89.3-92.9
Black or Afr. Am./Non-Hisp	180	243,698	34	15.9	10.0-21.8	146	84.1	78.2-90.0
Oth. Race/Non-Hisp.	73	75,629	12	15.7	03.4-28.0	61	84.3	72.0-96.6
Hispanic	190	139,767	12	6.0	01.9-10.1	178	94.0	89.9-98.1
18-24	121	71,121	12	10.6	03.7-17.5	109	89.4	82.5-96.3
25-34	431	358,908	42	10.7	07.2-14.2	389	89.3	85.8-92.8
35-44	646	524,070	60	8.7	05.8-11.6	586	91.3	88.4-94.2
45-54	508	361,706	60	10.6	07.5-13.7	448	89.4	86.3-92.5
55-64	160	108,158	19	10.6	05.1-16.1	141	89.4	83.9-94.9
65+	82	62,875	17	18.4	05.5-31.3	65	81.6	68.7-94.5
Less Than H.S.	159	131,536	12	6.5	02.0-11.0	147	93.5	89.0-98.0
H.S. or G.E.D.	511	398,467	63	11.7	08.0-15.4	448	88.3	84.6-92.0
Some Post-H.S.	493	358,920	61	13.0	09.1-16.9	432	87.0	83.1-90.9
College Graduate	779	592,243	74	8.6	06.2-11.0	705	91.4	89.0-93.8
Less than \$15,000	79	80,477	15	14.8	06.0-23.6	64	85.2	76.4-94.0
\$15,000- 24,999	155	117,516	17	10.2	04.7-15.7	138	89.8	84.3-95.3
\$25,000- 34,999	196	174,049	22	12.0	05.1-18.9	174	88.0	81.1-94.9
\$35,000- 49,999	210	171,648	28	14.0	07.5-20.5	182	86.0	79.5-92.5
\$50,000- 99,999	495	347,637	50	9.1	06.4-11.8	445	90.9	88.2-93.6
\$100,000- 199,999	458	331,597	44	10.1	06.6-13.6	414	89.9	86.4-93.4
\$200,000+	103	94,059	12	7.1	02.2-12.0	91	92.9	88.0-97.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	796	585,052	64	7.8	05.4-10.2	732	92.2	89.8-94.6
White/Non-Hisp	597	405,499	50	8.3	05.4-11.2	547	91.7	88.8-94.6
Black or Afr. Am./Non-Hisp	53	76,587	8	10.5	02.7-18.3	45	89.5	81.7-97.3
Hispanic	81	54,435	5	6.5	00.0-13.6	76	93.5	86.4-0100
25-34	159	120,957	11	7.5	02.6-12.4	148	92.5	87.6-97.4
35-44	258	209,182	17	4.6	02.1-07.1	241	95.4	92.9-97.9
45-54	227	163,082	17	7.1	03.2-11.0	210	92.9	89.0-96.8
55-64	72	44,121	8	12.9	02.9-22.9	64	87.1	77.1-97.1
Less Than H.S.	68	49,986	5	5.8	00.0-12.9	63	94.2	87.1-0100
H.S. or G.E.D.	219	159,519	23	12.2	05.7-18.7	196	87.8	81.3-94.3
Some Post-H.S.	180	120,186	16	9.4	04.3-14.5	164	90.6	85.5-95.7
College Graduate	329	255,361	20	4.6	02.4-06.8	309	95.4	93.2-97.6
\$25,000- 34,999	52	42,567	4	3.7	00.0-08.0	48	96.3	92.0-0100
\$35,000- 49,999	88	68,670	9	15.3	03.1-27.5	79	84.7	72.5-96.9
\$50,000- 99,999	231	167,332	19	7.4	03.7-11.1	212	92.6	88.9-96.3
\$100,000- 199,999	222	152,774	17	7.4	03.5-11.3	205	92.6	88.7-96.5
\$200,000+	54	52,605	4	4.9	00.0-11.0	50	95.1	89.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1152	901,787	146	11.9	09.5-14.3	1006	88.1	85.7-90.5
White/Non-Hisp	830	570,252	94	9.3	07.1-11.5	736	90.7	88.5-92.9
Black or Afr. Am./Non-Hisp	127	167,111	26	18.4	10.8-26.0	101	81.6	74.0-89.2
Hispanic	109	85,332	7	5.6	00.7-10.5	102	94.4	89.5-99.3
18-24	75	48,868	8	10.0	02.2-17.8	67	90.0	82.2-97.8
25-34	272	237,951	31	12.3	07.4-17.2	241	87.7	82.8-92.6
35-44	388	314,888	43	11.4	07.1-15.7	345	88.6	84.3-92.9
45-54	281	198,625	43	13.5	08.8-18.2	238	86.5	81.8-91.2
55-64	88	64,037	11	9.0	04.1-13.9	77	91.0	86.1-95.9
Less Than H.S.	91	81,550	7	6.9	00.8-13.0	84	93.1	87.0-99.2
H.S. or G.E.D.	292	238,948	40	11.3	07.0-15.6	252	88.7	84.4-93.0
Some Post-H.S.	313	238,734	45	14.8	09.5-20.1	268	85.2	79.9-90.5
College Graduate	450	336,883	54	11.6	07.9-15.3	396	88.4	84.7-92.1
Less than \$15,000	54	58,329	12	16.1	05.5-26.7	42	83.9	73.3-94.5
\$15,000- 24,999	123	98,712	13	10.4	04.5-16.3	110	89.6	83.7-95.5
\$25,000- 34,999	144	131,482	18	14.7	05.9-23.5	126	85.3	76.5-94.1
\$35,000- 49,999	122	102,978	19	13.1	05.8-20.4	103	86.9	79.6-94.2
\$50,000- 99,999	264	180,306	31	10.6	06.3-14.9	233	89.4	85.1-93.7
\$100,000- 199,999	236	178,822	27	12.3	07.0-17.6	209	87.7	82.4-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	205	150,140	131	69.5	61.5-77.5	74	30.5	22.5-38.5
Male	62	44,331	36	61.1	44.4-77.8	26	38.9	22.2-55.6
Female	143	105,809	95	73.1	64.5-81.7	48	26.9	18.3-35.5
White/Non-Hisp	140	85,078	83	61.6	51.2-72.0	57	38.4	28.0-48.8
35-44	59	45,158	44	79.8	67.5-92.1	15	20.2	07.9-32.5
45-54	58	37,577	28	53.6	37.7-69.5	30	46.4	30.5-62.3
H.S. or G.E.D.	62	45,473	40	67.0	50.5-83.5	22	33.0	16.5-49.5
Some Post-H.S.	59	46,116	36	72.6	60.1-85.1	23	27.4	14.9-39.9
College Graduate	72	49,997	45	64.5	51.0-78.0	27	35.5	22.0-49.0
\$50,000- 99,999	50	31,509	26	60.8	45.5-76.1	24	39.2	23.9-54.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	62	44,331	36	61.1	48.2-74.0	26	38.9	26.0-51.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	143	105,809	95	73.1	64.5-81.7	48	26.9	18.3-35.5
White/Non-Hisp	92	52,679	54	61.4	49.4-73.4	38	38.6	26.6-50.6
College Graduate	53	38,980	33	65.0	49.3-80.7	20	35.0	19.3-50.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2021**

End of Module Data Report