

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-29871

Stream : St. Joseph River

Applicant : City of Fort Wayne Utilities  
Anne Marie Smrchek, PE  
200 East Berry Street, Suite 250  
Fort Wayne, IN 46802

Description : Approximately 1,240' of 12" and 14" diameter HDPE force main will be installed, with approximately 275' installed in the floodway of the St. Joseph River. The proposed force main will be installed by Horizontal Directional Drill method. The existing ground cover elevation and top of the pipe will be a minimum of 5' at the boring pits and 15.33' at the streambed. The bore pits will be restored to the pre-disturbance ground contours following construction. Details of the project are contained in information and plans received at the Division of Water on March 25, 2019 and May 15, 2019.

Location : Approximately 3200' upstream of the Mayhem Road crossing  
near Fort Wayne, St. Joseph Township, Allen County  
Section 3, T 31N, R 13E, Cedarville Quadrangle  
Quad Code: 4108521  
UTM Coordinates: Downstream 4559563 North, 662355 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-29875

Stream : Little Deer Creek

Applicant : John Cotner  
10412 West 500 North  
Kokomo, IN 46901

Description : Approximately 75' of stream bank and earthen pond dam will be stabilized with riprap over geotextile fabric. Riprap will vary in thickness from 1' to 2'. The rip rap will be keyed into the streambank and will conform to the existing bank at the project limits. It will have a maximum height of 5', a maximum streamward projection of 3' beyond the existing bank with side slopes varying from 2:1 to 3:1. Also, a 5" trickle tube will be installed to maintain water level of the pond. Additionally, an area that has been compromise by burrowing animals and tree roots will be excavated and filled with impervious compacted fill. Five (5) trees will be removed during the construction. Details of the project are contained in information and plans received at the Division of Water on March 27, 2019.

Location : South bank of Little Deer Creek  
near Kokomo, Ervin Township, Howard County  
Section 5, T 24N, R 2E, Young America Quadrangle  
Quad Code: 4008653  
UTM Coordinates: Downstream 4488905 North, 556970 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-29942

Stream : William Lehr Ditch

Applicant : City of Noblesville Street Department  
Jim Hellmann  
16 South 10th Street, Suite 155  
Noblesville, IN 46060-2809

Description : The existing 14' x 7.5' x 30' three sided culvert carrying Greenfield Avenue over William Lehr Ditch will be replaced with a new culvert system. The new crossing will consist of a 14' x 9' x 100' long reinforced concrete box culvert set in 2 headwalls. The new culvert will have upstream and downstream invert elevations of 796.87', NGVD and 796', NGVD respectively. The inlet end of the culvert will be beveled. The culvert and headwalls will be skewed 10 degrees to align with streamflow. Minor channel shaping (will occur/occurred) both downstream and upstream of the new culvert to improve the flow transition at the crossing. The shaping will be confined to the construction right-of- way. The reshaped areas (will be/were) stabilized with an 18" thick layer of riprap. The roadway will be elevated approximately 0ft above the existing road elevations. The crown of the roadway over the new culvert will be at 806.31', NGVD. No guardrails will be placed along each side of the roadway over the channel. Details of the project are contained in information received electronically at the Division of Water on May 9, 2019 and in plans and information received at the Division of Water on

Location : Along William Lehr Ditch at Greenfield Avenue (State Road 238)  
near Noblesville, Wayne Township, Hamilton County  
Section 15, T 18N, R 5E, Riverwood Quadrangle  
Quad Code: 4008518

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-29944

Stream : Little Ditch

Applicant : Lake County Board of Commissioners  
Duane A Alverson  
1100 East Monitor Street  
Crown Point, IN 46307-3521

Description : The existing crossing carrying Clay Street over Little Jesse Ditch will be replaced with a new structure on essentially the same alignment to mitigate existing problems. The existing structure is comprised of a singular primary corrugated metal pipe with one smaller overflow pipe. According to the SI& A report, there are numerous rust through holes along the primary pipe. There is a drop in the primary pipe at the outlet and a scour hole at the outlet. The structure is to be replaced in 2019, new guardrail and rip rap will also be installed. The replacement structure will be a precast reinforced concrete three-sided structure with span length of 16' and height of 9'. The structure will have an out-to-out length of 40'. The culvert will be skewed 7°, and the wingwalls 45° to align with the streamflow. The new approach roads will not be raised above the existing approaches. The existing structure will be completely removed. The existing crossing carrying Clay Street over Little Jesse Ditch has timber wingwalls and substructure that are in need of replacement due to shifting that has occurred over time. The guardrail connection to the deck is deteriorating which, along with the short length of the guardrail, creates a safety hazard for motorists. Details of the project are contained in information received electronically at the Division of Water on May 9, 2019 and in plans and information received at the Division of Water on

Location : The culvert to be replaced is Lake County Bridge, Clay Street over Little Jesse Ditch  
near Dinwiddie, Eagle Creek Township, Lake County  
Section 6, T 32N, R 7W, Leroy Quadrangle  
Quad Code: 4108733

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-29947

Stream : St. Joseph River

Applicant : Thomas Cutler  
22798 Selby Drive  
Elkhart, IN 46514

Description : An existing, wood seawall will be replaced with a new glacial stone seawall along 95' of the river to deter bank erosion. The new wall will be approximately 3' high, as measured from the riverbed and will have the same alignment as the existing wall. Glacial stone will be placed on top of geotextile fabric and washed river rock. Details of the project are contained in information received electronically at the Division of Water on May 10, 2019 and in plans and information received at the Division of Water on

Location : 22798 Selby Dr. Elkhart IN 46514  
near Elkhart, Osolo Township, Elkhart County  
Section 36, T 38N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568  
UTM Coordinates: Downstream 4616955 North, 591203 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-29948

Stream : Wabash River

Applicant : Duke Energy Indiana LLC  
William Taylor  
1000 East Main Street  
Plainfield, IN 46168

Description : This project is for the final cover grading plan associated with the Closure Plan for the Duke Energy Indiana, Inc. Legacy Dresser Generating Station. The project areas are located in Sections 1, 2, 11, and 14, Township 11 North, and Range 10 West as shown on the Terre Haute, IN USGS Quads and Aerial Maps on the following pages. We received permit approval for this project from IDNR on January 10, 2019 (see Certificate of Approval for FW-29523). Since then, some of the erosion and sediment control features including perimeter silt fence have been installed but the primary land disturbing activities have not yet begun at the project site except for tree clearing activities prior to April 1, 2019 in accordance with the Special Conditions of permit #FW-29523. Following installation of the silt fence, we discovered during site inspection that the perimeter silt fence boundary was extended in some areas such that the total Limits of Disturbance (LOD) acreage for the project has increased. In addition, the tree clearing activities included the clearance of an approximate 6.2 acre area located on top of the mine refuse pile cap area above elevation 480 and above the 100 year flood elevation of 466.0 NAVD but within the historic floodplain boundary. This was due to a decision made in the field to meet the permit Special Condition date of tree clearance prior to April 1st and in order to facilitate the proposed installation of perimeter erosion control features for this cap area. Details of the project are contained in information received electronically at the Division of Water on May 10, 2019 and in plans and information received at the Division of Water on

Location : At the Duke Energy Indiana LLC Legacy Dresser Generating Station at 5152 Darwin Road

Specifically, this project is for the final cover grading plan associated with the Closure Plan for the Duke Energy Indiana, Inc. Legacy Dresser Generating Station. The project areas are located in Sections 1, 2, 11, and 14, Township 11 North, and Range 10 West as shown on the Terre Haute, IN USGS Quads and Aerial Maps that will be attached to our submittal.

at West Terre Haute, Sugar Creek Township, Vigo County  
T 11N, R 10W, Terre Haute Quadrangle  
Quad Code: 3908744  
UTM Coordinates: Downstream 4361688 North, 457398 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : PL-23668
- Lake : Terry Lake
- Applicant : Steuben County Drainage Board  
Larry Gilbert  
317 South Wayne Street, Suite 3K  
Angola, IN 46703-1958
- Description : Excavation is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on February 11, 2019, March 11, 2019 and April 15, 2019.
- Location : Excavation will occur in the open channel ditch and marl pit located east of the northeast bay of Terry Lake. The project site is located approximately 600 feet west of the intersection of SR 1 and CR 61.  
Lat. 41° 31' 42.23" N Long. 84° 54' 19.70" W  
NW ¼ Sec. 3, Franklin Township, DeKalb County  
near Hamilton, Franklin Township, DeKalb County  
Section 3, T 35N, R 14E, Hamilton Quadrangle  
Quad Code: 4108458  
UTM Coordinates: Downstream 4599534 North, 674742 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-23719
- Lake : Cedar Lake
- Applicant : John and Irene Rokaitis  
13418 Cedar Street  
Cedar Lake, IN 46303
- Description : A new vinyl seawall will be constructed along the shoreline. The lakeward face of the wall will be located along the lake's legal. Details of the project are contained in information and plans received at the Division of Water on April 29, 2019.
- Location : 13418 Cedar Street  
near Cedar Lake, Center Township, Lake County  
Section 26, T 34N, R 9W, Lowell Quadrangle  
Quad Code: 4108734  
UTM Coordinates: Downstream 4580389 North, 464121 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-23720

Lake : Pine Lake

Applicant : Don and Rhea Ferrell  
142 Bluffside Road  
LaPorte, IN 46350

Description : A new vinyl seawall will be constructed along the shoreline. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on April 29, 2019.

Location : 142 Bluffside Road  
near LaPorte, Center Township, LaPorte County  
Section 22, T 37N, R 3W, Michigan City East Quadrangle  
Quad Code: 4108667  
UTM Coordinates: Downstream 4609565 North, 520612 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-23721

Lake : Sylvan Lake

Applicant : Doug Cox  
1206 Saint Andrews Place  
Auburn, IN 46706

Description : A new concrete seawall will be constructed along 65' of the shoreline. The lakeward face of the wall will be located along the lake's legal shoreline.  
Details of the project are contained in information and plans received at the Division of Water on April 30, 2019.

Location : 920 Lakeside Drive  
near Rome City, Orange Township, Noble County  
Section 15, T 35N, R 10E, Kendallville Quadrangle  
Quad Code: 4108543  
UTM Coordinates: Downstream 4594317 North, 636777 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-23723

Lake : Webster Lake

Applicant : Beth and Patrick O'Connell  
6348 Romeo Drive  
Avon, IN 46123

Description : A 30' by 60' underwater beach will be constructed across 30' of the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on April 30, 2019 and May 9, 2019.

Location : 425 East Greenwalt Extension  
near North Webster, Tippecanoe Township, Kosciusko County  
Section 10, T 33N, R 7E, North Webster Quadrangle  
Quad Code: 4108536  
UTM Coordinates: Downstream 4575565 North, 609384 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-23724

Lake : Simonton Lake

Applicant : John Milliken  
51081 CR 11  
Elkhart, IN 46514

Description : A new glacial stone seawall will be constructed along 30' of the shoreline. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on April 30, 2019 and May 8, 2019.

Location : 51081 County Road 11  
near Elkhart, Osolo Township, Elkhart County  
Section 15, T 38N, R 5E, Adamsville, MI-IN Quadrangle  
Quad Code: 4108578  
UTM Coordinates: Downstream 4622786 North, 587888 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-23726

Lake : Hamilton Lake

Applicant : Judy Baer  
20436 County Road D  
Archbold, OH 43502

Description : A concrete seawall will be refaced with a layer of concrete along 46' of the shoreline. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on May 1, 2019 and May 13, 2019.

Location : 1680 Lane 120 Hamilton Lake  
near Hamilton, Otsego Township, Steuben County  
Section 27, T 36N, R 14E, Hamilton Quadrangle  
Quad Code: 4108458  
UTM Coordinates: Downstream 4601986 North, 674724 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-23730

Lake : Hamilton Lake

Applicant : Stephen Schaaf  
550 Windmere Drive  
Troy, OH 45373

Description : A new glacial stone seawall will be constructed along 40' of the shoreline. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 8, 2019.

Location :  
near Hamilton, Otsego Township, Steuben County  
Section 28, T 36N, R 14E, Hamilton Quadrangle  
Quad Code: 4108458  
UTM Coordinates: Downstream 4601442 North, 672570 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-23731

Lake : Indiana Lake

Applicant : Richard Jessup  
50697 East Indiana Lake Road  
Bristol, IN 46507

Description : A new glacial stone seawall will be constructed along 54' of the shoreline. The lakeward face of the wall will be located along the lake's legal shoreline. The glacial stone will measure between 6" to 24" in diameter and will be placed on top of geotextile fabric and river rock. Details of the project are contained in information received electronically at the Division of Water on May 10, 2019 and in plans and information received at the Division of Water on

Location : 50697 East Indiana Lake Road  
at Bristol, Washington Township, Elkhart County  
Section 10, T 38N, R 6E, Mottville, MI-IN Quadrangle  
Quad Code: 4108577  
UTM Coordinates: Downstream 4623451 North, 597239 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-23732

Lake : Lake Wawasee

Applicant : Glen McCormick  
9207 East Ross Drive  
Syracuse, IN 46567

Description : A 30' by 50' underwater beach will be constructed across 30' of the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information received electronically at the Division of Water on May 13, 2019 and in plans and information received at the Division of Water on

Location : 9207 East Ross Drive  
near Syracuse, Turkey Creek Township, Kosciusko County  
Section 24, T 34N, R 7E, Lake Wawasee Quadrangle  
Quad Code: 4108546  
UTM Coordinates: Downstream 4582331 North, 611241 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11