



APPLICATION FOR VARIANCE

State Form 44400 (R4 / 6-10)

Approved by State Board of Accounts, 2008

INDIANA DEPARTMENT OF HOMELAND SECURITY CODE SERVICE SECTION

402 West Washington Street, Room W246

Indianapolis, IN 46204-2739

http://www.in.gov/dhs/fire/fp_bs_comm_code/



INSTRUCTION: Please refer to the attached four (4) page instructions.
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)

15-01-08 (a)

1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of the applicant Sally Leyes	Title Indiana Corporate Services Director
Name of organization Cummins Inc.	Telephone number (812) 377-5000
Address (number and street, city, state, and Zip code) 500 Jackson Street Columbus, Indiana 47201	

2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (if not submitted by the applicant)

Name of person on behalf of the applicant Edwin L. Rensink	Title Principal
Name of organization RTM Consultants, Inc.	Telephone number (317) 329-7700
Address (number and street, city, state, and Zip code) 6640 Parkdale Place, Suite J., Indianapolis, Indiana 46254	

3. DESIGN PROFESSIONAL OF RECORD (If applicable)

Name of design professional William A. Browne, Jr., FAIA	License number 4154
Name of organization Ratio Architects	Telephone number (317) 633-4040
Address (number and street, city, state, and Zip code) 107 South Pennsylvania Street Indianapolis, Indiana 46204	

4. PROJECT IDENTIFICATION

Name of project Cummins Indianapolis Distribution Headquarters	State project number	County Marion County
Site Address (number and street, city, state, and Zip code) Alabama and East Market Street Indianapolis, Indiana 46204		
Type of project: <input checked="" type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input type="checkbox"/> Change of Occupancy <input type="checkbox"/> Existing		

5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire & Building Safety issued a Correction Order?

Yes (if yes, attach a copy of the Correction Order) No

Has a violation been issued? Yes (if yes, attach a copy of the Violation and answer the following) No

Violation Issued by: Local Building Department State Fire and Building Code Enforcement Section
 Local Fire Department

7. DESCRIPTION OF REQUESTED VARIANCE

Name of code or standard and edition involved 2014 Indiana Building Code	Specific code section 503.1, 510.7, 403.1, exc. 2
--	---

Nature of non-compliance (Include a description of spaces, equipment, etc. involved as necessary)

The 10-story office Tower and the 3-story open parking garage will be separated by a 2-hour occupancy separation, but will be evaluated as separate buildings for purposes of applying high rise building and automatic sprinkler requirements. The code requires a 3-hour fire wall to be used to determine separate buildings, except for the Special Provisions in Sec. 510, which includes Sec. 510.7.1, exc., for an open parking garage located beneath or adjoining buildings of other occupancies, where an occupancy separation is permitted to separate the structures for purposes of allowable area and height. This request is to permit this method to be used for separation of separate buildings for purposes of applying high rise building and automatic sprinkler requirements, but not for allowable area and height.

The office tower will include B and A Occupancies. The office tower and the open parking garage will both be of Type IB Construction.

8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED

Select one of the following statements:

- Non-compliance with the rule will not be adverse to the public health, safety or welfare; or
- Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:

- 1. The "reduction in fire-resistance rating" permitted in Sec. 403.2.1, is not utilized for this project. The office tower and the open parking garage are both of Type IB Construction throughout - the proposed separation is not used to reduce the construction type of either building.**
- 2. Sec. 403.1, exc. 2, IBC, exempts open parking garages from compliance with high rise building requirements, though this section does not directly address the question of an open parking garage as part of a mixed-occupancy high rise building.**
- 3. The office tower will be protected throughout with a sprinkler system per NFPA 13, and will otherwise be provided with all high rise building fire protection features and systems, including a voice-alarm system, emergency power systems, and pressurized stair enclosures.**

9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE

Select one of the following statements:



- Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services
- Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure
- Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements
- Imposition of the rule would prevent the preservation of An architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:

The 1st floor of the office tower extends underneath two (2) stories of the parking garage. Based upon this configuration, it is not possible to provide a completely vertical separation between the office tower and the open parking garage.

10. STATEMENT OF ACCURACY

I hereby certify under penalty of perjury that the information contained in this application is accurate

Signature of applicant or person submitting application 	Please print name Edwin L. Rensink	Date of signature (month, day, year) 12-9-2014
Signature of design professional (if applicable) 	Please print name William A. Browne, Jr., FAIA	Date of signature (month, day, year) 12-9-14

11. STATEMENT OF AWARENESS (If the application is submitted on the applicant's behalf, the applicant must sign the following statement)

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name Sally Leyes	Date of signature (month, day, year) 12-8-14
---	---	--

**APPLICATION FOR VARIANCE**

State Form 44400 (R4 / 6-10)

Approved by State Board of Accounts, 2008

**INDIANA DEPARTMENT OF HOMELAND SECURITY
CODE SERVICE SECTION**

402 West Washington Street, Room W246

Indianapolis, IN 46204-2739

http://www.in.gov/dhs/fire/fp_bs_comm_code/**INSTRUCTION:** Please refer to the attached four (4) page instructions.
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)

15-01-08 (b)

1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of the applicant Sallie Leyes	Title Indiana Corporate Services Director
Name of organization Cummins Inc.	Telephone number (812) 377-5000
Address (number and street, city, state, and Zip code) 500 Jackson Street Columbus, Indiana 47201	

2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (if not submitted by the applicant)

Name of person on behalf of the applicant Edwin L. Rensink	Title Principal
Name of organization RTM Consultants, Inc.	Telephone number (317) 329-7700
Address (number and street, city, state, and Zip code) 6640 Parkdale Place, Suite J., Indianapolis, Indiana 46254	

3. DESIGN PROFESSIONAL OF RECORD (If applicable)

Name of design professional William A. Browne, Jr., FAIA	License number 4154
Name of organization Ratio Architects	Telephone number (317) 633-4040
Address (number and street, city, state, and Zip code) 107 South Pennsylvania Street Indianapolis, Indiana 46204	

4. PROJECT IDENTIFICATION

Name of project Cummins Indianapolis Distribution Headquarters	State project number	County Marion County
Site Address (number and street, city, state, and Zip code) Alabama and East Market Street Indianapolis, Indiana 46204		
Type of project: <input checked="" type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input type="checkbox"/> Change of Occupancy <input type="checkbox"/> Existing		

5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire & Building Safety issued a Correction Order?

 Yes (if yes, attach a copy of the Correction Order) NoHas a violation been issued? Yes (if yes, attach a copy of the Violation and answer the following) NoViolation Issued by: Local Building Department State Fire and Building Code Enforcement Section
 Local Fire Department

7. DESCRIPTION OF REQUESTED VARIANCE

Name of code or standard and edition involved 2014 Indiana Building Code	Specific code section 712.1
--	---------------------------------------

Nature of non-compliance (include a description of spaces, equipment, etc. involved as necessary)

The 3-story opening created by the open stair in the 2-story Lobby on 1st and 2nd floor and the opening from the 2nd floor Commons to the 3rd floor Library/Lounge does not comply with any of the vertical opening applications enumerated in Sec. 712.1.

The office tower will include B and A Occupancies. The 10-story office tower and the 3-story garage will both be of Type IB Construction.

8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED

Select one of the following statements:

Non-compliance with the rule will not be adverse to the public health, safety or welfare; or

Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:

- A bulkhead and row of close-spaced sprinklers will be provided at the ceiling level at each floor opening.**
- Two (2) enclosed exit stairs are provided independent of the floor openings involved on each of the 2nd and 3rd floor levels.**
- The office tower will be protected throughout with a sprinkler system per NFPA 13, and will otherwise be provided with all high rise building fire protection features and systems, including a voice-alarm system, emergency power systems, and pressurized stair enclosures.**

9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE

Select one of the following statements:

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements


Imposition of the rule would prevent the preservation of An architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:

Design as an atrium is not technically achievable due to the fact that the interconnecting openings between the 1st and 2nd floors and the 2nd and 3rd floors do not align vertically, and provision of a smoke control system would not be of any benefit to safety. The proposed configuration will promote employee interaction.


10. STATEMENT OF ACCURACY

I hereby certify under penalty of perjury that the information contained in this application is accurate

Signature of applicant or person submitting application 	Please print name Edwin L. Rensink	Date of signature (month, day, year) 12-9-2014
Signature of design professional (if applicable) 	Please print name William A. Browne, Jr., FAIA	Date of signature (month, day, year) 12.9.14

11. STATEMENT OF AWARENESS (If the application is submitted on the applicant's behalf, the applicant must sign the following statement)

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name Sally Leyes	Date of signature (month, day, year) 12-8-14
---	---	--

**APPLICATION FOR VARIANCE**

State Form 44400 (R4 / 6-10)

Approved by State Board of Accounts, 2008

**INDIANA DEPARTMENT OF HOMELAND SECURITY
CODE SERVICE SECTION**

402 West Washington Street, Room W246

Indianapolis, IN 46204-2739

http://www.in.gov/dhs/fire/fp_bs_comm_code/

**INSTRUCTION:** Please refer to the attached four (4) page instructions.
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)

15-01-08 (c)

1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of the applicant Sally Leyes	Title Indiana Corporate Services Director
Name of organization Cummins Inc.	Telephone number (812) 377-5000
Address (number and street, city, state, and Zip code) 500 Jackson Street Columbus, Indiana 47201	

2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (if not submitted by the applicant)

Name of person on behalf of the applicant Edwin L. Rensink	Title Principal
Name of organization RTM Consultants, Inc.	Telephone number (317) 329-7700
Address (number and street, city, state, and Zip code) 6640 Parkdale Place, Suite J., Indianapolis, Indiana 46254	

3. DESIGN PROFESSIONAL OF RECORD (if applicable)

Name of design professional William A. Browne, Jr., FAIA	License number 4154
Name of organization Ratio Architects	Telephone number (317) 633-4040
Address (number and street, city, state, and Zip code) 107 South Pennsylvania Street Indianapolis, Indiana 46204	

4. PROJECT IDENTIFICATION

Name of project Cummins Indianapolis Distribution Headquarters	State project number	County Marion County
Site Address (number and street, city, state, and Zip code) Alabama and East Market Street Indianapolis, Indiana 46204		
Type of project: <input checked="" type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input type="checkbox"/> Change of Occupancy <input type="checkbox"/> Existing		

5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire & Building Safety issued a Correction Order?

 Yes (if yes, attach a copy of the Correction Order) NoHas a violation been issued? Yes (if yes, attach a copy of the Violation and answer the following) NoViolation Issued by: Local Building Department State Fire and Building Code Enforcement Section
 Local Fire Department

7. DESCRIPTION OF REQUESTED VARIANCE

Name of code or standard and edition involved 2014 Indiana Building Code	Specific code section 713.14.1
--	--

Nature of non-compliance (include a description of spaces, equipment, etc. involved as necessary)

Enclosed elevator lobby vestibules will not be provided on each floor of the 10-story office building, which are required due to classification of the building as high rise per current code.

The 10-story office tower will include B and A Occupancies. The office tower and the 3-story garage will both be of Type IB Construction.

8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED

Select one of the following statements:

- Non-compliance with the rule will not be adverse to the public health, safety or welfare; or
- Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:

- 1. The building will be protected throughout with an automatic sprinkler system per NFPA 13. Automatic sprinklers have proven effective to control the effects of a fire to the room of origin, significantly limit fire size, and prevent smoke migration from floor to floor.**
- 2. A NIST-contracted study of elevator lobbies in tall buildings concluded in part that "enclosed elevator lobbies are not necessary in buildings with operational sprinkler systems".**
- 3. Variances have been granted for this issue on several high rise buildings in Indiana within the last several years, including 14-03-15f, 14-03-17b, 14-06-25b, 14-1-48, 12-10-22i, 12-03-29a and 10-07-21a.**

9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE

Select one of the following statements:


- Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services
- Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure
- Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements
- Imposition of the rule would prevent the preservation of An architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:

Imposition of the rule would result in reduced plan efficiency on the upper floor levels of the building, due to the relatively small floor plates.

10. STATEMENT OF ACCURACY

I hereby certify under penalty of perjury that the information contained in this application is accurate

Signature of applicant or person submitting application 	Please print name Edwin L. Rensink	Date of signature (month, day, year) 12-9-2014
Signature of design professional (if applicable) 	Please print name William A. Browne, Jr., FAIA	Date of signature (month, day, year) 12-9-14

11. STATEMENT OF AWARENESS (If the application is submitted on the applicant's behalf, the applicant must sign the following statement)

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name Sally Leyes	Date of signature (month, day, year) 12-8-14
---	---	--



APPLICATION FOR VARIANCE

State Form 44400 (R4 / 6-10)

Approved by State Board of Accounts, 2008

INDIANA DEPARTMENT OF HOMELAND SECURITY CODE SERVICE SECTION

402 West Washington Street, Room W246

Indianapolis, IN 46204-2739

http://www.in.gov/dhs/fire/fp_bs_comm_code/



INSTRUCTION: Please refer to the attached four (4) page instructions.
Attach additional pages as needed to complete this application.

Variance number (Assigned by department)

15-01-08(d)

1. APPLICANT INFORMATION (Person who would be in violation if variance is not granted; usually this is the owner)

Name of the applicant

Sally Leyes

Title

Indiana Corporate Services Director

Name of organization

Cummins Inc.

Telephone number

(812) 377-5000

Address (number and street, city, state, and Zip code)

500 Jackson Street Columbus, Indiana 47201

2. PERSON SUBMITTING APPLICATION ON BEHALF OF THE APPLICANT (if not submitted by the applicant)

Name of person on behalf of the applicant

Edwin L. Rensink

Title

Principal

Name of organization

RTM Consultants, Inc.

Telephone number

(317) 329-7700

Address (number and street, city, state, and Zip code)

6640 Parkdale Place, Suite J., Indianapolis, Indiana 46254

3. DESIGN PROFESSIONAL OF RECORD (If applicable)

Name of design professional

William A. Browne, Jr., FAIA

License number

4154

Name of organization

Ratio Architects

Telephone number

(317) 633-4040

Address (number and street, city, state, and Zip code)

107 South Pennsylvania Street Indianapolis, Indiana 46204

4. PROJECT IDENTIFICATION

Name of project

Cummins Indianapolis Distribution Headquarters

State project number

County

Marion County

Site Address (number and street, city, state, and Zip code)

Alabama and East Market Street Indianapolis, Indiana 46204

Type of project: New Addition Alteration Change of Occupancy Existing

5. REQUIRED ADDITIONAL INFORMATION

The following required information has been included with this application (check as applicable):

- A check made payable to the Indiana Department of Homeland Security for the appropriate amount. (see instructions)
- One (1) set of plans or drawings and supporting data that describe the area affected by the requested variance and any proposed alternatives.
- Written documentation showing that the local fire official has received a copy of the variance application.
- Written documentation showing that the local building official has received a copy of the variance application.

6. VIOLATION INFORMATION

Has the Plan Review Section of the Division of Fire & Building Safety issued a Correction Order?

Yes (if yes, attach a copy of the Correction Order) No

Has a violation been issued? Yes (if yes, attach a copy of the Violation and answer the following) No

Violation Issued by: Local Building Department State Fire and Building Code Enforcement Section
 Local Fire Department

7. DESCRIPTION OF REQUESTED VARIANCE

Name of code or standard and edition involved 2014 Indiana Building Code	Specific code section 909.20.5
--	--

Nature of non-compliance (include a description of spaces, equipment, etc. involved as necessary)

The stair pressurization system provided for the two (2) enclosed stairs serving the office tower will be designed to provide a design pressure difference of 0.05 w.g. in lieu of the required 0.10 w.g.

The 10-story office tower will include B and A Occupancies. The office tower and the 3-story garage will both be of Type IB Construction.

8. DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE WILL BE PROTECTED

Select one of the following statements:

Non-compliance with the rule will not be adverse to the public health, safety or welfare; or

Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts demonstrating that the above selected statement is true:

- The design pressure proposed is permitted per NFPA 92A, "Standard for Smoke Control Systems", Table 4.4.2.1.1 in buildings protected with an automatic sprinkler system.**
- The stair pressurization system will be designed per NFPA 92A (which provides design detail beyond the minimum prescriptive requirements in Sec. 909, IBC).**
- The building will be protected throughout with an automatic sprinkler system per NFPA 13, including parking garage levels.**
- This variance was granted for two (2) recent high rise buildings- 14-3-15(e) and 14-05-44(a).**

9. DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE

Select one of the following statements:

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements

Imposition of the rule would prevent the preservation of An architecturally or a historically significant part of the building or structure.

Facts demonstrating that the above selected statement is true:

The design pressure difference specified by NFPA 92A will accommodate door opening considerations in the design of the system. Design pressures exceeding 0.05 can create excessive pressure against egress doors into stairs.

10. STATEMENT OF ACCURACY


I hereby certify under penalty of perjury that the information contained in this application is accurate

Signature of applicant or person submitting application 	Please print name Edwin L. Rensink	Date of signature (month, day, year) 12-9-2014
Signature of design professional (if applicable) 	Please print name William A. Browne, Jr., FAIA	Date of signature (month, day, year) 12-9-14

11. STATEMENT OF AWARENESS (If the application is submitted on the applicant's behalf, the applicant must sign the following statement)

I hereby certify under penalty of perjury that I am aware of this request for variance and that this application is being submitted on my behalf.

Signature of applicant 	Please print name Sally Leyes	Date of signature (month, day, year) 12-8-14
---	---	--



- 1- GREENSPACE AMENITY
- 2- CULTURAL TRAIL
- 3- DEVELOPMENT PARCEL
- 4- NEW JERSEY STREET PASS-THROUGH
- 5- LOBBY
- 6- RETAIL
- 7- PARKING
- 8- COMMONS AND TERRACE
- 9- CONFERENCE CENTER AND TERRACE
- 10- GREENROOF
- 11- URBAN FARM
- 12- OFFICE
- 13- ROOFTOP LOOKOUT




1. AERIAL VIEW FROM CORNER OF ALABAMA & WASHINGTON STREET
NTS



2. VIEW OF GREENSPAC E



3. MARKET STREET ENTRANCE



4. MARKET STREET ENTRANCE



5. PLAZA ENTRANCE

**CUMMINS
INDIANAPOLIS
DISTRIBUTION
HEADQUARTERS**
Indianapolis, IN

Owner
Cummins
900 Jackson Street
Columbus, Indiana 47201
(317) 577-6000

Design Architect
DEBORAH BERNIE PARTNERS
230 Park Avenue
New York, New York 10001
212-693-6211

Executive Architect
RATIO ARCHITECTS, INC.
101 Pennsylvania Street
Indianapolis, Indiana 46204
317-633-4000

Structural Engineer
Fritz Bobbitt & Petrie
8443 Priority Way West Drive, Suite 200
Indianapolis, Indiana 46240
(317) 873-8400

Mechanical / Electrical Engineer
Circle Design Group
5300 S. East Street, Suite F
Indianapolis, Indiana 46227
(317) 781-0200

Civil Engineer
CIC
530 E. Ohio Street, Suite G
Indianapolis, Indiana 46204
(317) 956-7777

3D - CORE & SHELL
12/08/14

REVISION

CHECKED BY

APPROVED BY

PROJECT NO.
14120.000

RATIO
ARCHITECTS, INC.
101 PENNSYLVANIA STREET
INDIANAPOLIS, IN 46204
317-633-4000
WWW.RATIOARCHITECTS.COM


SHEET TITLE
3D REPRESENTATIONS

SHEET NUMBER
G-100

DRAFT

NOT FOR CONSTRUCTION

12/08/14 4:03:10 PM



GENERAL NOTES
 A FLOORS 4 THROUGH 10 TO HAVE RABBED FLOORS, WITH EXCEPTION OF THE BATHROOMS AND SERVICE ELEVATOR LOBBY WHICH ARE TO BE BUILT-UP.

FLOOR PLAN LEGEND
 ● STRUCTURAL GRID ELECTION POINT

CUMMINS INDIANAPOLIS DISTRIBUTION HEADQUARTERS
 Indianapolis, IN

Owner
 Cummins
 502 Andrew Street
 Columbus, Indiana 47201
 (317) 377-6000


Design Architect
 DEBORAH BERKE PARTNERS
 220 Park Avenue
 New York, New York 10001
 212-682-0211

Executive Architect
 RATIO Architects, Inc.
 151 Pennsylvania Street
 Indianapolis, Indiana 46204
 317-433-4043

Structural Engineer
 Clark Roberts & Pietrz
 5440 Priority Way West Drive, Suite 200
 Indianapolis, Indiana 46240
 (317) 876-8000

Mechanical / Electrical Engineer
 Circle Design Group
 3302 S. East Street, Suite 9
 Indianapolis, Indiana 46227
 (317) 781-4293

Civil Engineer
 CEC
 630 E. Ohio Street, Suite G
 Indianapolis, Indiana 46204
 (317) 655-7777



3D - CORE & SHELL
 12/08/14

REVISION

CHECKED BY

APPROVED BY

PROJECT NO.
 14120.000

RATIO
Copyright 2014. All rights reserved. This document is the property of RATIO Architects, Inc. and is to be used only for the project and location specified herein. Any other use, reproduction, or distribution of this document without the written consent of RATIO Architects, Inc. is prohibited. All other rights reserved.

SHEET TITLE
OVERALL FIRST FLOOR PLAN


SHEET NUMBER

A-101

FIRST LEVEL FLOOR PLAN
 1/8" = 1'-0"

DRAFT

NOT FOR CONSTRUCTION



2-Hour Separation

GENERAL NOTES
 FLOORS 4 THROUGH 10 TO HAVE RAISED FLOORS, WITH EXCEPTION OF THE BATHROOMS AND SERVICE ELEVATOR LOBBY WHICH ARE TO BE BUILT-UP.

FLOOR PLAN LEGEND
 STRUCTURAL GRID INTERSECTION POINT

CUMMINS INDIANAPOLIS DISTRIBUTION HEADQUARTERS
 Indianapolis, IN

Owner
 Cummins
 600 Avenue Street
 Columbus, Indiana 47201
 (317) 477-6000


Design Architect
 DEBORAH BERNE PARTNERS
 223 Park Avenue
 New York, New York 10001
 212-779-8211

Executive Architect
 RATIO Architects, Inc.
 101 Pennsylvania Street
 Indianapolis, Indiana 46204
 317-433-4540

Structural Engineer
 Erik Rossette & Parris
 6416 Pinsky Way West, Suite 200
 Indianapolis, Indiana 46249
 (317) 473-8629

Mechanical / Electrical Engineer
 Circle Design Group
 6510 E. East Street, Suite F
 Indianapolis, Indiana 46227
 (317) 781-4200

Civil Engineer
 C.E.C.
 130 E. Ohio Street, Suite G
 Indianapolis, Indiana 46204
 (317) 655-7777



SD - CORE & SHELL
 12/08/14

REVISION

CHECKED BY

APPROVED BY

PROJECT NO.
 14120.000

RATIO
 REGISTERED ARCHITECTS AND ENGINEERS
 101 PENNSYLVANIA STREET
 INDIANAPOLIS, INDIANA 46204
 (317) 433-4540

SHEET TITLE
 OVERALL SECOND FLOOR PLAN

SHEET NUMBER
 A-102

SECOND LEVEL FLOOR PLAN
 1/8" = 1'-0"

DRAFT

NOT FOR CONSTRUCTION

GENERAL NOTES_SECTION
 A LEVEL 1 FINISH FLOOR TO BE SET AT
 ELEVATION +713.00 (NGVD 29)

KEYNOTE LEGEND

**CUMMINS
 INDIANAPOLIS
 DISTRIBUTION
 HEADQUARTERS**
 Indianapolis, IN

Owner:
 Cummins
 500 Ardmore Street
 Columbus, Indiana 47201
 (317) 877-5000


Design Architect:
 DESIGNPLAN INTERIORS PARTNERS
 220 Park Avenue
 New York, New York 10001
 212-693-8211

Structural Architect:
 RATIO Architects, Inc.
 100 Pennsylvania Street
 Indianapolis, Indiana 46204
 317-633-4440


Structural Engineer:
 Fink Roberts & Peirle
 6448 Priority Way West Drive, Suite 200
 Indianapolis, Indiana 46206
 (317) 873-8489

Mechanical / Electrical Engineer:
 Circle Design Group
 2510 E. East Street, Suite F
 Indianapolis, Indiana 46227
 (317) 791-4200

Civil Engineer:
 CESC
 100 E. Ohio Street, Suite G
 Indianapolis, Indiana 46204
 (317) 695-7777



2 Building Section- EastWest (2)
 1/8" = 1'-0"




1 Building Section- EastWest (1)
 1/8" = 1'-0"

SD - CORE & SHELL 12/08/14	
REVISION	
CHECKED BY	
APPROVED BY	
PROJECT NO.	14120,000
<small>EXPIRES: 12/31/2015. THIS DOCUMENT IS THE PROPERTY OF RATIO ARCHITECTS, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF RATIO ARCHITECTS, INC. ALL RIGHTS RESERVED.</small>	
RATIO ARCHITECTS, INC. SHEET TITLE BUILDING SECTIONS	
SHEET NUMBER A-301	

DRAFT

NOT FOR CONSTRUCTION



SECOND LEVEL FLOOR PLAN
1/2" = 1' = 0"

GENERAL NOTES
A FLOORS 4 THROUGH 10 TO HAVE RAISED FLOORS, WITH EXCEPTION OF THE BATHROOMS AND SERVICE ELEVATOR LOBBY WHICH ARE TO BE BUILT-UP.

FLOOR PLAN LEGEND
● STRUCTURAL GRID INFLECTION POINT

Bulkhead with close-spaced sprinklers at ceiling below

Bulkhead with close-spaced sprinklers at ceiling above

CUMMINS INDIANAPOLIS DISTRIBUTION HEADQUARTERS
Indianapolis, IN

Owner
Cummins
550 Jackson Street
Columbus, Indiana 47201
(317) 577-5000

Design Architect
DEBORAH BERKE PARTNERS
225 Park Avenue
New York, New York 10001
212-229-8211

Executive Architect
RATIO Architects, Inc.
101 Pennsylvania Road
Indianapolis, Indiana 46204
317-433-4040

Structural Engineer
Fink Roberts & Peifer
6449 Priority Way West Drive, Suite 200
Indianapolis, Indiana 46240
(317) 673-6400

Mechanical / Electrical Engineer
Circo Design Group
5910 S. East Street, Suite C
Indianapolis, Indiana 46221
(317) 781-4200

Civil Engineer
CSC
530 E. Ohio Street, Suite G
Indianapolis, Indiana 46204
(317) 855-7777

KEY PLAN

SD - CORE & SHELL
12/08/14

REVISION

CHECKED BY

APPROVED BY

PROJECT NO.
14126.000

RATIO
RATIO ARCHITECTS, INC. IS AN EQUAL OPPORTUNITY AFFIRMATIVE ACTION EMPLOYER. WE ENCOURAGE DIVERSITY IN OUR WORKPLACE. WE ARE COMMITTED TO PROVIDING AN ENVIRONMENT WHERE ALL EMPLOYEES CAN THRIVE AND CONTRIBUTE TO THE SUCCESS OF OUR ORGANIZATION.


SHEET TITLE
SECOND FLOOR PLAN - WEST

SHEET NUMBER
A-102A

DRAFT

NOT FOR CONSTRUCTION

12/20/14 6:23:44 PM



THIRD FLOOR PLAN - WEST
 12/08/14

GENERAL NOTES
 FLOORS 4 THROUGH 10 TO HAVE RAISED FLOORS WITH EXCEPTION OF THE BATHROOMS AND SERVICE ELEVATOR LOBBY WHICH ARE TO BE BUILT-UP.

FLOOR PLAN LEGEND
 STRUCTURAL GRID REFLECTION POINT

2-Story Space

Bulkhead with close-spaced sprinklers at ceiling below

CUMMINS INDIANAPOLIS DISTRIBUTION HEADQUARTERS
 Indianapolis, IN

Owner
 Cummins
 200 Indiana Street
 Columbus, Indiana 47201
 (317) 377-0993

Design Architect
 DEBORAH BERKE PARTNERS
 220 Park Avenue
 New York, New York 10021
 212-694-2111

General Architect
 RATIO Architects, Inc.
 101 Pennsylvania Street
 Indianapolis, Indiana 46204
 317-433-0000

Structural Engineer
 Flint Roberts & Pettit
 6445 Princeton Street, Suite 200
 Indianapolis, Indiana 47240
 (317) 873-6423

Mechanical / Electrical Engineer
 Circle Design Group
 9510 S. East Street, Suite F
 Indianapolis, Indiana 46227
 (317) 781-4250

Civil Engineer
 CEC
 530 E. Ohio Street, Suite G
 Indianapolis, Indiana 46204
 (317) 433-7777

KEY PLAN

3D - CORE & SHELL
 12/08/14

REVISION

CHECKED BY

APPROVED BY

PROJECT NO.
 14120.000

RATIO
 SHEET TITLE
 THIRD FLOOR PLAN - WEST

SHEET NUMBER
 A-103A

DRAFT

NOT FOR CONSTRUCTION

12/08/14 6:33:59 PM

