


**SQUARE POST**


2.66 Thickness



**REINFORCED ANCHOR BASE**

**SQUARE POST**

2.66 Thickness




**REINFORCED ANCHOR BASE**

**GENERAL NOTES:**

1. See Standard Drawing 802-SNGS-09 for sign size and mounting height table.

**SQUARE POST**


2.66 Thickness




**UNREINFORCED ANCHOR BASE**

**SQUARE POST**

2.66 Thickness



**UNREINFORCED ANCHOR BASE**



POST	TYPE	WALL THICKNESS	NO. OF POSTS PERMITTED IN 2.1 m PATH	EMBEDMENT LENGTH
U-CHANNEL	A, B		1 OR 2	1010
SQUARE	1	2.66 ga.	1	ANCHOR BASE
	2	2.66 ga.	1 OR 2	


All Dimension are in mm unless otherwise specified

INDIANA DEPARTMENT OF TRANSPORTATION

STEEL SIGN POSTS



**SQUARE POST**

12 ga. Thickness



**SQUARE POST**


12 ga. Thickness



**REINFORCED ANCHOR BASE**

**SQUARE POST**


12 ga. Thickness



**UNREINFORCED ANCHOR BASE**

**SQUARE POST**

12 ga. Thickness



POST	TYPE	WALL THICKNESS	NO. OF POSTS PERMITTED IN 7 ft PATH	EMBEDMENT LENGTH
U-CHANNEL	A, B		1 OR 2	3'-4"
SQUARE	1	12 ga.	1	ANCHOR BASE
	2	12 ga.	1 OR 2	

**REINFORCED ANCHOR BASE**

**UNREINFORCED ANCHOR BASE**

**GENERAL NOTES:**

1. See Standard Drawing E-802-SNGS-09 for sign size and mounting height table.

INDIANA DEPARTMENT OF TRANSPORTATION

STEEL SIGN POSTS