

# **ANNUAL SYNAR REPORT**

**42 U.S.C. 300x-26**

**OMB No 0930-0222**

**FFY 2010**

**State: Indiana**



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Substance Abuse and Mental Health Services Administration  
Center for Substance Abuse Prevention  
[www.samhsa.gov](http://www.samhsa.gov)

## Table of Contents

Introduction .....	i
FFY 2010: Funding Agreements/Certifications .....	1
Section I: FFY 2009 (Compliance Progress) .....	2
Section II: FFY 2010 (Intended Use) .....	8
Appendix A: Forms 1–5.....	9
Appendices B & C: Forms .....	16
Appendix B: Synar Survey Sampling Methodology .....	17
Appendix C: Synar Survey Inspection Protocol.....	19
Appendix D: List Sampling Frame Coverage Study .....	21

## INTRODUCTION

The Annual Synar Report (ASR) format provides the means for States to comply with the reporting provisions of the Public Health Service Act (42 U.S.C. 300x-26) and the Tobacco Regulation for the SAPT Block Grant (45 C.F.R. 96.130 (e)).

Public reporting burden for the collection of information is estimated to average 15 hours for Section I and 3 hours for Section II, including the time for reviewing instructions, completing and reviewing the collection of information, searching existing data sources, and gathering and maintaining the data needed. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to SAMHSA Reports Clearance Officer; Paperwork Reduction Project; 1 Choke Cherry Road, 7th Floor Rockville, Maryland 20857.

An agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. The OMB control number for this project is 0930-0222 with an expiration date of 10-31-2010.

### **How the Synar report helps the Center for Substance Abuse Prevention**

In accordance with the tobacco regulations, States are required to provide detailed information on progress made in enforcing youth tobacco access laws (FFY 2009 Compliance Progress) and future plans to ensure compliance with the Synar requirements to reduce youth tobacco access rates (FFY 2010 Intended Use Plan). These data are required by 42 U.S.C. 300x-26 and will be used by the Secretary to evaluate State compliance with the statute. Part of the mission of the Center for Substance Abuse Prevention (CSAP) is to assist States<sup>1</sup> by supporting Synar activities and providing technical assistance helpful in determining the type of enforcement measures and control strategies that are most effective. This information is helpful to CSAP in improving technical assistance resources and expertise on enforcement efforts and tobacco control program support activities, including State Synar Program support services, through an enhanced technical assistance program involving conferences and workshops, development of training materials and guidance documents, and on-site technical assistance consultation.

### **How the Synar report can help States**

The information gathered for the Synar report can help States describe and analyze sub-State needs for program enhancements. These data can also be used to report to the State legislature and other State and local organizations on progress made to date in enforcing youth tobacco access laws when aggregated statistical data from State Synar reports can demonstrate to the Secretary the national progress in reducing youth tobacco access problems. This information will also provide Congress with a better understanding of State progress in implementing Synar, including State difficulties and successes in enforcing retailer compliance with youth tobacco access laws.

---

<sup>1</sup>The term State is used to refer to all the States and territories required to comply with Synar as part of the Substance Abuse Prevention and Treatment Block Grant Program requirements (42 U.S.C. 300x-64 and 45 C.F.R. 96.121).

## **Getting assistance in completing the Synar report**

If you have questions about programmatic issues, you may call CSAP's Division of State Programs at (240) 276-2413 and ask for your respective State Project Officer, or contact your State Project Officer directly by telephone or e-mail using the directory provided in the FY 2010 Uniform Application, Appendix A. If you have questions about fiscal or grants management issues, you may call the Grants Management Officer, Office of Program Services, Division of Grants Management, at (240) 276-1422.

## **Where and when to submit the Synar report**

The Annual Synar Report (ASR) must be received by SAMHSA no later than December 31, 2009. The ASR must be submitted in the **approved OMB report format**. Use of the approved format will avoid delays in the review and approval process. The chief executive officer (or an authorized designee) of the applicant organization must sign page 1 of the ASR certifying that the State has complied with all reporting requirements.

The State must upload one copy of the ASR using the online WebBGAS (Block Grant Application System). In addition, the following items must be uploaded to WebBGAS:

- FFY 2010 Synar Survey Results: States that use the Synar Survey Estimation System (SSES) must upload one copy of SSES Tables 1-5 (in Excel) to WebBGAS. States that do not use SSES must upload one copy of ASR Forms 1, 4 and 5, and Forms 2 and 3, if applicable, (in Excel) to WebBGAS.
- Synar Inspection Form: States must upload one blank copy of the inspection form used to record the result of each Synar inspection.
- Synar Inspection Protocol: States must upload a copy of the protocol used to train inspection teams on conducting and reporting the results of the Synar inspections.

Each State SSA Director has been e-mailed a login ID and password to log onto the Synar section of the WebBGAS site.

Additionally, the State must submit one signed original of the report (including the signed Funding Agreements/Certifications), as well as one additional copy of the signed Funding Agreements/Certifications, to the Grants Management Officer at the address below:

Ms. Barbara Orlando  
Grants Management Officer  
Office of Program Services  
Division of Grants Management  
Substance Abuse and Mental Health Services Administration

### **Regular Mail:**

1 Choke Cherry Road, Rm.7-1091  
Rockville, Maryland 20857

### **Overnight Mail:**

1 Choke Cherry Road, Rm.7-1091  
Rockville, Maryland 20850

## FFY 2010: FUNDING AGREEMENTS/CERTIFICATIONS

The following form must be signed by the Chief Executive Officer or an authorized designee and submitted with this application. Documentation authorizing a designee must be attached to the application.

### PUBLIC HEALTH SERVICES ACT AND SYNAR AMMENDMENT

42 U.S.C. 300x-26 requires each State to submit an annual report of its progress in meeting the requirements of the Synar Amendment and its implementing regulation (45 C.F.R. 96.130) to the Secretary of the Department of Health and Human Services. By signing below, the chief executive officer (or an authorized designee) of the applicant organization certifies that the State has complied with these reporting requirements and the certifications as set forth below.

### SYNAR SURVEY SAMPLING METHODOLOGY

The State certifies that the Synar survey sampling methodology on file with the Center for Substance Abuse Prevention and submitted with the Annual Synar Report for FFY 2010 is up-to-date and approved by the Center for Substance Abuse Prevention.

### SYNAR SURVEY INSPECTION PROTOCOL

The State certifies that the Synar Survey Inspection Protocol on file with the Center for Substance Abuse Prevention and submitted with the Annual Synar Report for FFY 2010 is up-to-date and approved by the Center for Substance Abuse Prevention.

State: **Indiana**

Name of Chief Executive Officer or Designee: **Gina Eckart**

Signature of CEO or Designee:



Title: **Director, Division of Mental Health and Addiction**

Date Signed: **December 21, 2009**

**If signed by a designee, a copy of the designation must be attached.**



STATE OF INDIANA  
OFFICE OF THE GOVERNOR  
State House, Second Floor  
Indianapolis, Indiana 46204

---

Mitchell E. Daniels, Jr.  
Governor

October 26, 2006

To Whom It May Concern:

Under I.C. 12-21-5, the Indiana Family and Social Services Administration, Division of Mental Health and Addiction (IFSSA/DMHA) is responsible for mental health and addiction services for the State of Indiana. The division is designated as the state mental health authority to disburse money appropriated to the division for mental health services. IFSSA/DMHA is also the agency within Indiana state government responsible for the administration of the Community Mental Health Services Block Grant.

I hereby delegate authority to the Director of the Indiana Family and Social Services Administration, Division of Mental Health and Addiction, to sign funding agreements and certifications, provide assurances of compliance, and to perform similar acts relevant to the administration of the Community Mental Health Services Block Grant until such time as this delegation of authority is rescinded.

Sincerely,

Mitchell E. Daniels, Jr.  
Governor

CC: E. Mitchell Roob Jr., IFSSA  
Cathy J. Boggs, IFSSA/DMHA

**SECTION I: FFY 2009 (Compliance Progress)****YOUTH ACCESS LAWS, ACTIVITIES, AND ENFORCEMENT**

42 U.S.C. 300x-26 requires the States to report information regarding the sale/distribution of tobacco products to individuals under age 18.

- 1. Please indicate any changes or additions to the State tobacco statute(s) relating to youth access since the last reporting year. If any changes were made to the State law(s) since the last reporting year, please attach a photocopy of the law to the hard copy of the ASR and also upload a copy of the State law to WebBGAS. (see 42 U.S.C. 300x-26).**

- a. Has there been a change in the *minimum sale age* for tobacco products?**

Yes  No

If Yes, current minimum age:  19  20  21

- b. Have there been any changes in State law that impact the State's *protocol for conducting Synar inspections*?  Yes  No**

If Yes, indicate change. (Check all that apply.)

Changed to require that law enforcement conduct inspections of tobacco outlets

Changed to make it illegal for youth to possess, purchase or receive tobacco

Changed to require ID to purchase tobacco

Other change(s) (Please describe.) \_\_\_\_\_

- c. Have there been any changes in the law concerning *vending machines*?**

Yes  No

If Yes, indicate change. (Check all that apply.)

Total ban enacted

Banned from location(s) accessible to youth

Locking device or supervision required

Other change(s) (Please describe.) \_\_\_\_\_

- d. Have there been any changes in State law that impact the following?**

Licensing of tobacco vendors  Yes  No

Penalties for sales to minors  Yes  No

- 2. Describe how the Annual Synar Report (see 45 C.F.R. 96.130(e)) and the State Plan (see 42 U.S.C. 300x-51) were made public within the State prior to submission of the ASR. (Check all that apply.)**

Placed on file for public review

Posted on a State agency Web site (Please provide exact Web address.)

[www.in.gov/fssa/dmha/files/Synar\\_Report2010.pdf](http://www.in.gov/fssa/dmha/files/Synar_Report2010.pdf)

- Notice published in a newspaper or newsletter
- Public hearing
- Announced in a news release, a press conference, or discussed in a media interview
- Distributed for review as part of the SAPT Block Grant application process
- Distributed through the public library system
- Published in an annual register
- Other change(s) (Please describe.) \_\_\_\_\_

**3. Identify the following agency or agencies (see 42 U.S.C. 300x-26 and 45 C.F.R. 96.130).**

- a. The State agency(ies) designated by the Governor for oversight of the Synar requirements:**

Indiana Family and Social Services Administration – Division of Mental Health and Addiction

Has this changed since last year's Annual Synar Report?  Yes  No

- b. The State agency(ies) responsible for conducting random, unannounced Synar inspections:**

Indiana Alcohol and Tobacco Commission – State Excise Police through a Memorandum of Understanding with the Division of Mental Health and Addiction

Has this changed since last year's Annual Synar Report?  Yes  No

- c. The State agency(ies) responsible for enforcing youth tobacco access law(s):**

Indiana Alcohol and Tobacco Commission – State Excise Police

Has this changed since last year's Annual Synar Report?  Yes  No

**4. Identify the State agency(ies) responsible for tobacco prevention activities.**

Indiana Tobacco Prevention and Cessation Agency

Has the responsible agency changed since last year's Annual Synar Report?

Yes  No

- a. Describe the coordination and collaboration that occur between the agency responsible for tobacco prevention and the agency responsible for oversight of the Synar requirements. (Check all that apply.) The two agencies**

Are the same

Have a formal written memorandum of agreement

Have an informal partnership

Conduct joint planning activities

Combine resources

Have other collaborative arrangement(s) (Please describe.) \_\_\_\_\_

5. Please answer the following questions regarding the State's activities to enforce the youth access to tobacco law(s) in FFY 2009 (see 42 U.S.C. 300x-26 and 45 C.F.R. 96.130(e)).

a. Which one of the following describes the enforcement of youth access to tobacco laws carried out in your State? (Check one category only.)

- Enforcement is conducted exclusively by local law enforcement agencies.
- Enforcement is conducted exclusively by State agency(ies).
- Enforcement is conducted by both local and State agencies.

b. The following items concern penalties imposed for violations of youth access to tobacco laws by **LOCAL AND/OR STATE LAW ENFORCEMENT AGENCIES**. Please fill in the number requested. If State law does not allow for an item, please mark "NA" (not applicable). If a response for an item is unknown, please mark "UNK." The chart must be filled in completely.

PENALTY	OWNERS	CLERKS	TOTAL
Number of citations issued	634	634	1268
Number of fines assessed	549	449	998
Number of permits/licenses suspended	0		0
Number of permits/licenses revoked	0		0
Other (Please describe.)			

c. What additional activities are conducted in your State to support enforcement and compliance with State tobacco access law(s)? (Check all that apply.)

- Merchant education and/or training
- Incentives for merchants who are in compliance (e.g., reward and reminder)
- Community education regarding youth access laws
- Media use to publicize compliance inspection results
- Community mobilization to increase support for retailer compliance with youth access laws
- Other activities (Please list.) Signage concerning the minimum age (18) for tobacco purchases in tobacco retail sales sites is provided by the Indiana State Excise Police

Briefly describe all checked activities:

Community prevention/awareness efforts are provided by the Indiana Prevention Resource Center at Indiana University (Bloomington) utilizing funding from a contract with the Division of Mental Health and Addiction.

d. Are citations or warnings issued to retailers or clerks who sell tobacco to minors for inspections that are part of the Synar survey?  Yes  No

If "Yes" to 5d, please describe the State's procedure for minimizing risk of bias to the survey results from retailers alerting each other to the presence of the survey teams:

Yes, fines are administered to store owners and to the clerk who sold tobacco to minors. However, the only data that are used in the Synar Report are the results of inspections done in stores that had not been inspected in the previous two months. Officers conduct inspections 12 months per year. Most have been doing inspections for several years and are aware of the areas that have set up "phone trees" in which store owners warn one-another. Officers will normally only do one or two inspections in such an area and move on to another area. Stores of the same chain are also avoided during an inspection outing to avoid similar problems of advance warning.

### SYNAR SURVEY METHODS AND RESULTS

The following questions pertain to the survey methodology and results of the Synar survey used by the State to meet the requirements of the Synar Regulation in FFY 2009 (see 42 U.S.C. 300x-26 and 45 C.F.R. 96.130).

6. Has the sampling methodology changed from the previous year?  Yes  No

*The State is required to have an approved up-to-date description of the Synar sampling methodology on file with CSAP. Please submit a copy of your Synar Survey Sampling Methodology (Appendix B). If the sampling methodology changed from the previous reporting year, these changes must be reflected in the methodology submitted.*

7. Please answer the following questions regarding the State's annual random, unannounced inspections of tobacco outlets (see 45 C.F.R. 96.130(d)(2)).

- a. Did the State use the optional Synar Survey Estimation System (SSES) to analyze the Synar survey data?  Yes  No

*If Yes, attach SSES summary tables 1, 2, 3, and 4 to the hard copy of the ASR and upload a copy of SSES tables 1-5 (in Excel) to WebBGAS. Then go to Question 8. If No, continue to Question 7b.*

- b. Report the weighted and unweighted Retailer Violation Rate (RVR) estimates, and the standard error.

Unweighted RVR \_\_\_\_\_

Weighted RVR \_\_\_\_\_

Standard error (s.e.) of the (weighted) RVR \_\_\_\_\_

Fill in the blanks to calculate the right limit of the right-sided 95% confidence interval.

$$\frac{\text{RVR Estimate}}{\text{plus}} + \frac{(1.645 \times \text{Standard Error})}{\text{times}} = \text{Right Limit}$$

c. **Fill out Form 1 in Appendix A (Forms).** (Required regardless of the sample design.)

d. **How were the (weighted) RVR estimate and its standard error obtained?** (Check the one that applies.)

- Form 2 (Optional) in Appendix A (Forms) (Attach completed Form 2.)
- Other (Please specify. Provide formulae and calculations or attach and explain the program code and output with description of all variable names.)

e. **If stratification was used, did any strata in the sample contain only one outlet or cluster this year?**  Yes  No  No stratification

If Yes, explain how this situation was dealt with in variance estimation.

f. **Was a cluster sample design used?**  Yes  No

If Yes, fill out and attach Form 3 in Appendix A (Forms 1–5), and answer the following question.

If No, go to Question 7g.

**Were any certainty primary sampling units selected this year?**  Yes  No

If Yes, explain how the certainty clusters were dealt with in variance estimation.

g. **Report the following outlet sample sizes for the Synar survey.**

	Sample Size
<b>Effective sample size</b> (sample size needed to meet the SAMHSA precision requirement assuming simple random sampling)	
<b>Target sample size</b> (the product of the effective sample size and the design effect)	
<b>Original sample size</b> (inflated sample size of the target sample to counter the sample attrition due to ineligibility and non-completion)	
<b>Eligible sample size</b> (number of outlets found to be eligible in the sample)	
<b>Final sample size</b> (number of eligible outlets in the sample for which an inspection was completed)	

h. **Fill out Form 4 in Appendix A (Forms 1–5).**

8. **Did the State's Synar survey use a list frame?**  Yes  No

If Yes, answer the following questions about its coverage.

- a. The calendar year of the latest frame coverage study: 2008
- b. Percent coverage from the latest frame coverage study: 93.7%
- c. Was a new study conducted in this reporting period?  Yes  No  
*If Yes, please complete Appendix D (List Sampling Frame Coverage Study) and submit it with the Annual Synar Report.*
- d. The calendar year of the next coverage study planned: 2011

9. Has the Synar survey inspection protocol changed from the previous year?

Yes  No

*The State is required to have an approved up-to-date description of the Synar inspection protocol on file with CSAP. Please submit a copy of your Synar Survey Inspection Protocol (Appendix C). If the inspection protocol changed from the previous year, these changes must be reflected in the protocol submitted.*

a. Provide the inspection period: From 10/01/2008 To 9/30/2009  
MM/DD/YY MM/DD/YY

b. Provide the number of youth inspectors used in the current inspection year:

31

NOTE: If the State uses SSES, please ensure that the number reported in 9b matches that reported in SSES Table 4, or explain any difference.

c. Fill out and attach Form 5 in Appendix A (Forms 1–5). (Not required if the State used the Synar Survey Estimation System (SSES) to analyze the Synar survey data.)

## SECTION II: FFY 2010 (Intended Use):

Public law 42 U.S.C. 300x-26 of the Public Health Service Act and 45 C.F.R. 96.130 (e) (4, 5) require that the States provide information on future plans to ensure compliance with the Synar requirements to reduce youth tobacco access.

**1. In the upcoming year, does the State anticipate any changes in the:**

Synar sampling methodology  Yes  No

Synar inspection protocol  Yes  No

*If changes are made in either the Synar sampling methodology or the Synar inspection protocol, the State is required to obtain approval from CSAP prior to implementation of the change and file an updated Synar Survey Sampling Methodology (Appendix B) or an updated Synar Survey Inspection Protocol (Appendix C), as appropriate.*

**2. Please describe the State's plans to maintain and/or reduce the target rate for Synar inspections to be completed in FFY 2010. Include a brief description of plans for law enforcement efforts to enforce youth tobacco access laws, activities that support law enforcement efforts to enforce youth tobacco access laws, and any anticipated changes in youth tobacco access legislation or regulation in the State.**

Prevention/awareness statewide activities regarding tobacco use by youth will continue to be funded through a contract with the Indiana Prevention Resource Center and the Division of Mental Health and Addiction's (DMHA) Afternoons R.O.C.K. in Indiana model. Afternoons R.O.C.K. in Indiana is a statewide alcohol, tobacco, and other drug prevention after school program for middle school aged youth. The State is divided into 14 Defined Service Areas (DSA's) and DMHA has contracts with 8 Primary Contractors who operate the 14 DSA's. The Alcohol and Tobacco Commission/Indiana State Excise Police will continue to address youth tobacco sales to minors through the Tobacco Retailer Inspection Program (TRIP). The TRIP program is designed to systematically monitor the effectiveness of tobacco retail compliance with Indiana's laws to restrict the sales and distribution of tobacco products to minors. The activities have increased the awareness of youth tobacco use by minors and, as a result, have reduced the availability and use of tobacco by youth in Indiana.

**3. Describe any challenges the State faces in complying with the Synar regulation. (Check all that apply.)**

- Limited resources for law enforcement of youth access laws
- Limited resources for activities to support enforcement and compliance with youth tobacco access laws
- Limitations in the State youth tobacco access laws
- Limited public support for enforcement of youth tobacco access laws
- Limitations on completeness/accuracy of list of tobacco outlets
- Limited expertise in survey methodology
- Laws/regulations limiting the use of minors in tobacco inspections
- Difficulties recruiting youth inspectors

- Geographic, demographic, and logistical considerations in conducting inspections
- Cultural factors (e.g., language barriers, young people purchasing for their elders)
- Issues regarding sources of tobacco under tribal jurisdiction
- Other challenges (*Please list.*) \_\_\_\_\_

*Briefly describe all checked challenges and propose a plan for each, or indicate the State's need for TA related to each relevant challenge.*

Due to an approximate 33% cut in their budget the Indiana Tobacco Prevention and Cessation Agency (ITPC) ended their financial support of the the Tobacco Retailer Inspection Program (TRIP). DMHA was able to identify funding to replace some, but not all, of the funding lost from ITPC. While the Indiana State Excise Police continues to enforce youth tobacco use laws through the TRIP program and assist in the Synar study through a Memorandum of Understanding with the Division of Mental Health and Addiction, all State funding remains tight.

## APPENDIX A: FORMS 1–5

### **FORM 1 (Required for all States not using the Synar Survey Estimation System (SSES) to analyze the Synar Survey data)**

Complete Form 1 to report sampling frame and sample information and to calculate the unweighted retailer violation rate using results from the current year's Synar survey inspections.

**Instructions for Completing Form 1:** In the top right hand corner of the form, provide the State name and reporting Federal fiscal year (FFY 2010). Provide the remaining information by stratum if stratification was used. Make copies of the form if additional rows are needed to list all the strata.

Column 1: *If stratification was used:*

- 1(a) Sequentially number each row.
- 1(b) Write in the name of each stratum. All strata in the State must be listed.

*If no stratification was used:*

- 1(a) Leave blank.
- 1(b) Write "State" in the first row (indicates that the whole state is a single stratum).

*Note for unstratified samples: for columns 2-5, wherever the instruction refers to "each stratum," report the specified information for the State as a whole.*

- Column 2: 2(a) Report the number of over-the-counter (OTC) outlets in the sampling frame in each stratum.  
2(b) Report the number of vending machine (VM) outlets in the sampling frame in each stratum.  
2(c) Report the combined total of OTC and VM outlets in the sampling frame in each stratum.

- Column 3: 3(a) Report the estimated number of eligible OTC outlets in the OTC outlet population in each stratum.  
3(b) Report the estimated number of eligible VM outlets in the VM outlet population in each stratum.  
3(c) Report the combined total estimated number of eligible OTC and VM outlets in the total outlet population in each stratum.

*The estimates for Column 3 can be obtained from the Synar survey sample as the weighted sum of eligible outlets by outlet type.*

- Column 4: 4(a) Report the number of eligible OTC outlets for which an inspection was completed, for each stratum.  
4(b) Report the numbers of eligible VM outlets for which an inspection was completed, for each stratum.  
4(c) Report the combined total of eligible OTC and VM outlets for which an inspection was completed, for each stratum.

- Column 5: 5(a) Report the number of OTC outlets found in violation of the law as a result of completed inspections, for each stratum.  
5(b) Report the number of VM outlets found in violation of the law as a result of completed inspections, for each stratum.  
5(c) Report the combined total of OTC and VM outlets found in violation of the law as a result of completed inspections, for each stratum.

Totals: For each sub-column (a-c) in Columns 2-5, provide totals for the State as a whole in the last row of the table. These numbers will be the sum of the numbers in each row for the respective column.

**SSES Table 1 (Synar Survey Estimates and Sample Sizes)**

**CSAP-SYNAR REPORT**

State	IN
Federal Fiscal Year (FFY)	2010
Date	12/11/2009 0:46
Data	Synar Inspections 08-09.xlsx
Analysis Option	Stratified SRS with FPC

**Estimates**

Unweighted Retailer Violation Rate	9.5%
Weighted Retailer Violation Rate	9.5%
Standard Error	0.1%
Is SAMHSA Precision Requirement met?	YES
Right-sided 95% Confidence Interval	[0.0%, 9.7%]
Two-sided 95% Confidence Interval	[9.3%, 9.8%]
Design Effect	1.0
Accuracy Rate (unweighted)	100.0%
Accuracy Rate (weighted)	100.0%
Completion Rate (unweighted)	93.0%

**Sample Size for Current Year**

Effective Sample Size	278
Target (Minimum) Sample Size	278
Original Sample Size	3,915
Eligible Sample Size	3,915
Final Sample Size	3,640
Overall Sampling Rate	93.0%

STATE: IN

**SSES Table 2 (Synar Survey Results by Stratum and by OTC/VM)**

FFY: 2010

Samp. Stratum	Var. Stratum	Outlet Frame Size	Estimated Outlet Population Size	Number of PSU Clusters Created	Number of PSU Clusters in Sample	Outlet Sample Size	Number of Eligible Outlets in Sample	Number of Sample Outlets Inspected	Number of Sample Outlets in Violation	Retailer Violation Rate (%)	Standard Error (%)
<b>All Outlets</b>											
1	1	3,915	3,915	N/A	N/A	3,915	3,915	3,640	347	9.5%	
<b>Total</b>		3,915	3,915			3,915	3,915	3,640	347	9.5%	0.1%
<b>Over the Counter Outlets</b>											
1	1	3,915	3,915	N/A	N/A	3,915	3,915	3,640	347	9.5%	
<b>Total</b>		3,915	3,915			3,915	3,915	3,640	347	9.5%	0.1%
<b>Vending Machines</b>											
1	1	0	0	N/A	N/A	0	0	0	0	0.0%	
<b>Total</b>		0	0			0	0	0	0	0.0%	0.0%

STATE:  
IN

**SSES Table 3 (Synar Survey Sample Tally Summary)**

FFY:  
2010

Disposition Code	Description	Count	Subtotal
EC	Eligible and inspection complete outlet	3640	
<b>Total (Eligible Completes)</b>			<b>3640</b>
N1	In operation but closed at time of visit	0	
N2	Unsafe to access	0	
N3	Presence of police	0	
N4	Youth inspector knows salesperson	0	
N5	Moved to new location but not inspected	0	
N6	Drive thru only/youth inspector has no drivers license	0	
N7	Tobacco out of stock	0	
N8	Run out of time	0	
N9	Other noncompletion (see below)	275	
<b>Total (Eligible Noncompletes)</b>			<b>275</b>
I1	Out of Business	0	
I2	Does not sell tobacco products	0	
I3	Inaccessible by youth	0	
I4	Private club or private residence	0	
I5	Temporary closure	0	
I6	Can't be located	0	
I7	Wholesale only/Carton sale only	0	
I8	Vending machine broken	0	
I9	Duplicate	0	
I10	Other ineligibility	0	
<b>Total (Ineligibles)</b>			<b>0</b>
<b>Grand Total</b>			<b>3915</b>

**Give reasons and counts for other noncompletion:**

Reason	Count
Out of business	28
Doesn't sell tobacco	178
Unsafe situation	2
Inaccessible by youth	67

**SSES Table 4 (Synar Survey Inspection Results by Youth Inspector Characteristics)**

STATE:  
IN  
FFY:  
2010

**Frequency Distribution**

Gender	Age	Number of Inspectors	Attempted Buys	Successful Buys
Male	14	0	0	0
	15	3	124	14
	16	7	929	61
	17	6	1217	129
	18	0	0	0
	Subtotal	16	2270	204
Female	14	0	0	0
	15	2	114	3
	16	3	748	49
	17	10	508	91
	18	0	0	0
	Subtotal	15	1370	143
Other		0	0	0
Grand Total		31	3640	347

**Buy Rate in Percent by Age and Gender**

Age	Male	Female	Total
14	0.0%	0.0%	0.0%
15	11.3%	2.6%	7.1%
16	6.6%	6.6%	6.6%
17	10.6%	17.9%	12.8%
18	0.0%	0.0%	0.0%
Other			0.0%
Total	9.0%	10.4%	9.5%

Outlet ID	Sampling Stratum	Population Size in Sampling Stratum	Variance Stratum	Population Size in Variance Stratum	Response Dispostiton Code	Violation Flag	Outlet Type	Youth Inspector ID	Youth Inspector Gender
1	1	3915	1	3915	EC	0	OTC	30001	F
2	1	3915	1	3915	EC	0	OTC	30001	F
3	1	3915	1	3915	EC	1	OTC	30000	F
11	1	3915	1	3915	EC	0	OTC	30001	F
12	1	3915	1	3915	EC	0	OTC	30001	F
13	1	3915	1	3915	EC	0	OTC	30000	F
15	1	3915	1	3915	EC	0	OTC	30001	F
17	1	3915	1	3915	EC	0	OTC	30001	F
20	1	3915	1	3915	N9	0	OTC	30001	F
26	1	3915	1	3915	EC	0	OTC	30001	F
30	1	3915	1	3915	EC	0	OTC	30000	F
35	1	3915	1	3915	EC	0	OTC	30001	F
36	1	3915	1	3915	EC	0	OTC	30001	F
38	1	3915	1	3915	EC	0	OTC	30000	F
39	1	3915	1	3915	EC	0	OTC	30001	F
40	1	3915	1	3915	EC	0	OTC	442	M
43	1	3915	1	3915	EC	0	OTC	30000	F
46	1	3915	1	3915	EC	0	OTC	30001	F
47	1	3915	1	3915	EC	1	OTC	30000	F
48	1	3915	1	3915	EC	0	OTC	30001	F
50	1	3915	1	3915	EC	0	OTC	30000	F
51	1	3915	1	3915	EC	0	OTC	30000	F
53	1	3915	1	3915	EC	1	OTC	30000	F
55	1	3915	1	3915	EC	0	OTC	442	M
58	1	3915	1	3915	EC	0	OTC	30000	F
63	1	3915	1	3915	EC	0	OTC	30001	F
64	1	3915	1	3915	EC	0	OTC	30001	F
65	1	3915	1	3915	N9	0	OTC	30001	F
72	1	3915	1	3915	EC	0	OTC	30001	F
79	1	3915	1	3915	EC	0	OTC	30000	F
83	1	3915	1	3915	EC	0	OTC	30001	F
89	1	3915	1	3915	EC	0	OTC	30001	F
91	1	3915	1	3915	EC	0	OTC	30001	F
92	1	3915	1	3915	EC	0	OTC	30001	F
93	1	3915	1	3915	EC	0	OTC	30001	F
94	1	3915	1	3915	EC	0	OTC	30001	F
101	1	3915	1	3915	EC	0	OTC	442	M

102	1	3915	1	3915	EC	0	OTC	30001	F
107	1	3915	1	3915	EC	0	OTC	30001	F
108	1	3915	1	3915	EC	0	OTC	30001	F
109	1	3915	1	3915	EC	0	OTC	30001	F
110	1	3915	1	3915	EC	0	OTC	30001	F
115	1	3915	1	3915	EC	0	OTC	30000	F
124	1	3915	1	3915	EC	0	OTC	30001	F
129	1	3915	1	3915	EC	0	OTC	30001	F
130	1	3915	1	3915	N9	0	OTC	30001	F
131	1	3915	1	3915	EC	0	OTC	30001	F
135	1	3915	1	3915	EC	0	OTC	30000	F
136	1	3915	1	3915	EC	0	OTC	30001	F
137	1	3915	1	3915	EC	0	OTC	30001	F
139	1	3915	1	3915	EC	0	OTC	30001	F
141	1	3915	1	3915	EC	0	OTC	30001	F
142	1	3915	1	3915	EC	0	OTC	30001	F
143	1	3915	1	3915	EC	0	OTC	30000	F
144	1	3915	1	3915	EC	0	OTC	30001	F
145	1	3915	1	3915	EC	0	OTC	442	M
148	1	3915	1	3915	EC	0	OTC	442	M
152	1	3915	1	3915	EC	0	OTC	30005	F
154	1	3915	1	3915	EC	0	OTC	30005	F
160	1	3915	1	3915	EC	0	OTC	30005	F
165	1	3915	1	3915	EC	0	OTC	30005	F
167	1	3915	1	3915	EC	1	OTC	30005	F
175	1	3915	1	3915	EC	0	OTC	30005	F
177	1	3915	1	3915	EC	0	OTC	30005	F
178	1	3915	1	3915	EC	0	OTC	30005	F
185	1	3915	1	3915	N9	0	OTC	30005	F
192	1	3915	1	3915	EC	0	OTC	30005	F
194	1	3915	1	3915	EC	0	OTC	30005	F
201	1	3915	1	3915	EC	0	OTC	30005	F
202	1	3915	1	3915	EC	0	OTC	30005	F
204	1	3915	1	3915	EC	0	OTC	30005	F
205	1	3915	1	3915	EC	0	OTC	30005	F
206	1	3915	1	3915	EC	0	OTC	30005	F
211	1	3915	1	3915	EC	0	OTC	30005	F
212	1	3915	1	3915	EC	0	OTC	30005	F
216	1	3915	1	3915	EC	0	OTC	30000	F
217	1	3915	1	3915	EC	0	OTC	30000	F
221	1	3915	1	3915	EC	1	OTC	30000	F
222	1	3915	1	3915	EC	0	OTC	30000	F
223	1	3915	1	3915	EC	0	OTC	30000	F
224	1	3915	1	3915	EC	0	OTC	30000	F
226	1	3915	1	3915	EC	1	OTC	30000	F

229	1	3915	1	3915	EC	0	OTC	30000	F
230	1	3915	1	3915	EC	0	OTC	30005	F
239	1	3915	1	3915	EC	0	OTC	30005	F
243	1	3915	1	3915	EC	1	OTC	30005	F
253	1	3915	1	3915	EC	0	OTC	30005	F
256	1	3915	1	3915	EC	0	OTC	30005	F
258	1	3915	1	3915	EC	1	OTC	30005	F
262	1	3915	1	3915	EC	0	OTC	30005	F
264	1	3915	1	3915	EC	0	OTC	30000	F
265	1	3915	1	3915	N9	0	OTC	30001	F
266	1	3915	1	3915	EC	0	OTC	30000	F
269	1	3915	1	3915	EC	0	OTC	30000	F
272	1	3915	1	3915	EC	0	OTC	30001	F
273	1	3915	1	3915	EC	1	OTC	30001	F
281	1	3915	1	3915	EC	0	OTC	30001	F
282	1	3915	1	3915	EC	0	OTC	30001	F
287	1	3915	1	3915	EC	0	OTC	30030	M
290	1	3915	1	3915	N9	0	OTC	30001	F
292	1	3915	1	3915	EC	0	OTC	30001	F
294	1	3915	1	3915	EC	1	OTC	30001	F
301	1	3915	1	3915	EC	0	OTC	30001	F
306	1	3915	1	3915	EC	0	OTC	30001	F
307	1	3915	1	3915	N9	0	OTC	30001	F
308	1	3915	1	3915	EC	1	OTC	30001	F
309	1	3915	1	3915	EC	1	OTC	30001	F
310	1	3915	1	3915	EC	0	OTC	30001	F
313	1	3915	1	3915	N9	0	OTC	30001	F
315	1	3915	1	3915	EC	0	OTC	30000	F
317	1	3915	1	3915	N9	0	OTC	30001	F
319	1	3915	1	3915	EC	0	OTC	30001	F
320	1	3915	1	3915	EC	0	OTC	30001	F
323	1	3915	1	3915	EC	0	OTC	30001	F
356	1	3915	1	3915	EC	0	OTC	30001	F
369	1	3915	1	3915	EC	0	OTC	30005	F
370	1	3915	1	3915	EC	1	OTC	30005	F
373	1	3915	1	3915	EC	0	OTC	30005	F
379	1	3915	1	3915	EC	0	OTC	30005	F
389	1	3915	1	3915	EC	0	OTC	30005	F
396	1	3915	1	3915	EC	0	OTC	30005	F
397	1	3915	1	3915	EC	0	OTC	30005	F
398	1	3915	1	3915	EC	0	OTC	30005	F
402	1	3915	1	3915	EC	0	OTC	30005	F
408	1	3915	1	3915	EC	0	OTC	30000	F
414	1	3915	1	3915	EC	0	OTC	30001	F
415	1	3915	1	3915	EC	0	OTC	30000	F

417	1	3915	1	3915	EC	0	OTC	30000	F
418	1	3915	1	3915	EC	0	OTC	30000	F
419	1	3915	1	3915	EC	0	OTC	30001	F
425	1	3915	1	3915	EC	0	OTC	30001	F
427	1	3915	1	3915	EC	0	OTC	30005	F
429	1	3915	1	3915	EC	0	OTC	30005	F
430	1	3915	1	3915	EC	0	OTC	30001	F
439	1	3915	1	3915	EC	1	OTC	30001	F
440	1	3915	1	3915	EC	1	OTC	30001	F
444	1	3915	1	3915	EC	0	OTC	30001	F
445	1	3915	1	3915	EC	0	OTC	30001	F
449	1	3915	1	3915	EC	0	OTC	30001	F
451	1	3915	1	3915	EC	0	OTC	30001	F
454	1	3915	1	3915	EC	0	OTC	30001	F
455	1	3915	1	3915	EC	0	OTC	30001	F
459	1	3915	1	3915	EC	0	OTC	30001	F
460	1	3915	1	3915	EC	0	OTC	30005	F
461	1	3915	1	3915	EC	0	OTC	30005	F
465	1	3915	1	3915	EC	0	OTC	30005	F
473	1	3915	1	3915	EC	0	OTC	30001	F
493	1	3915	1	3915	EC	0	OTC	397	M
498	1	3915	1	3915	EC	0	OTC	397	M
505	1	3915	1	3915	EC	0	OTC	397	M
506	1	3915	1	3915	EC	0	OTC	397	M
508	1	3915	1	3915	EC	0	OTC	397	M
510	1	3915	1	3915	EC	0	OTC	397	M
511	1	3915	1	3915	EC	0	OTC	397	M
512	1	3915	1	3915	EC	0	OTC	30018	M
537	1	3915	1	3915	EC	0	OTC	30018	M
542	1	3915	1	3915	EC	0	OTC	30035	F
545	1	3915	1	3915	EC	0	OTC	30035	F
547	1	3915	1	3915	EC	0	OTC	30035	F
560	1	3915	1	3915	EC	0	OTC	30035	F
562	1	3915	1	3915	EC	0	OTC	30035	F
563	1	3915	1	3915	N9	0	OTC	30035	F
565	1	3915	1	3915	EC	0	OTC	30035	F
566	1	3915	1	3915	EC	0	OTC	30035	F
567	1	3915	1	3915	N9	0	OTC	30035	F
570	1	3915	1	3915	EC	0	OTC	30035	F
573	1	3915	1	3915	EC	0	OTC	30035	F
578	1	3915	1	3915	EC	0	OTC	30035	F
580	1	3915	1	3915	EC	0	OTC	30035	F
587	1	3915	1	3915	EC	0	OTC	30035	F
591	1	3915	1	3915	EC	0	OTC	30035	F
594	1	3915	1	3915	EC	0	OTC	30035	F

597	1	3915	1	3915	EC	0	OTC	397	M
598	1	3915	1	3915	EC	0	OTC	397	M
603	1	3915	1	3915	EC	0	OTC	397	M
605	1	3915	1	3915	EC	0	OTC	397	M
612	1	3915	1	3915	EC	0	OTC	397	M
648	1	3915	1	3915	EC	0	OTC	30002	M
649	1	3915	1	3915	EC	0	OTC	30035	F
650	1	3915	1	3915	EC	0	OTC	30035	F
653	1	3915	1	3915	EC	0	OTC	30035	F
656	1	3915	1	3915	EC	0	OTC	30035	F
657	1	3915	1	3915	EC	0	OTC	30035	F
659	1	3915	1	3915	EC	0	OTC	30035	F
660	1	3915	1	3915	EC	0	OTC	30035	F
662	1	3915	1	3915	N9	0	OTC	30035	F
666	1	3915	1	3915	EC	0	OTC	30035	F
669	1	3915	1	3915	EC	0	OTC	30035	F
670	1	3915	1	3915	EC	0	OTC	30001	F
674	1	3915	1	3915	EC	0	OTC	30001	F
679	1	3915	1	3915	EC	0	OTC	30001	F
683	1	3915	1	3915	EC	0	OTC	30001	F
684	1	3915	1	3915	EC	1	OTC	30001	F
685	1	3915	1	3915	EC	0	OTC	30001	F
690	1	3915	1	3915	EC	0	OTC	30001	F
691	1	3915	1	3915	EC	0	OTC	30001	F
692	1	3915	1	3915	EC	0	OTC	30001	F
701	1	3915	1	3915	EC	0	OTC	30001	F
702	1	3915	1	3915	EC	0	OTC	30001	F
703	1	3915	1	3915	EC	0	OTC	30001	F
706	1	3915	1	3915	EC	0	OTC	30001	F
709	1	3915	1	3915	EC	0	OTC	30001	F
711	1	3915	1	3915	N9	0	OTC	30001	F
712	1	3915	1	3915	EC	0	OTC	30001	F
713	1	3915	1	3915	EC	0	OTC	30001	F
717	1	3915	1	3915	EC	0	OTC	397	M
718	1	3915	1	3915	EC	0	OTC	397	M
721	1	3915	1	3915	EC	0	OTC	397	M
722	1	3915	1	3915	EC	0	OTC	397	M
731	1	3915	1	3915	EC	0	OTC	397	M
737	1	3915	1	3915	EC	0	OTC	397	M
739	1	3915	1	3915	EC	0	OTC	397	M
740	1	3915	1	3915	EC	0	OTC	397	M
744	1	3915	1	3915	EC	1	OTC	397	M
758	1	3915	1	3915	EC	0	OTC	397	M
759	1	3915	1	3915	EC	0	OTC	397	M
760	1	3915	1	3915	EC	0	OTC	397	M

761	1	3915	1	3915	EC	0	OTC	397	M
763	1	3915	1	3915	EC	0	OTC	397	M
772	1	3915	1	3915	EC	0	OTC	397	M
775	1	3915	1	3915	EC	0	OTC	397	M
783	1	3915	1	3915	EC	0	OTC	397	M
784	1	3915	1	3915	EC	0	OTC	397	M
786	1	3915	1	3915	EC	0	OTC	397	M
790	1	3915	1	3915	EC	0	OTC	30000	F
792	1	3915	1	3915	EC	0	OTC	30001	F
794	1	3915	1	3915	EC	0	OTC	30000	F
795	1	3915	1	3915	EC	0	OTC	30000	F
798	1	3915	1	3915	EC	0	OTC	30000	F
799	1	3915	1	3915	EC	0	OTC	30000	F
803	1	3915	1	3915	EC	0	OTC	328	M
804	1	3915	1	3915	EC	1	OTC	328	M
807	1	3915	1	3915	N9	0	OTC	30018	M
808	1	3915	1	3915	EC	0	OTC	328	M
814	1	3915	1	3915	EC	0	OTC	328	M
823	1	3915	1	3915	EC	0	OTC	328	M
824	1	3915	1	3915	EC	0	OTC	328	M
827	1	3915	1	3915	EC	0	OTC	328	M
830	1	3915	1	3915	EC	0	OTC	328	M
835	1	3915	1	3915	EC	1	OTC	328	M
836	1	3915	1	3915	EC	0	OTC	328	M
837	1	3915	1	3915	EC	0	OTC	328	M
844	1	3915	1	3915	EC	0	OTC	30018	M
845	1	3915	1	3915	EC	0	OTC	30018	M
851	1	3915	1	3915	EC	0	OTC	30018	M
853	1	3915	1	3915	EC	0	OTC	30018	M
855	1	3915	1	3915	EC	0	OTC	30018	M
856	1	3915	1	3915	EC	0	OTC	30018	M
859	1	3915	1	3915	EC	0	OTC	30018	M
862	1	3915	1	3915	EC	0	OTC	30018	M
867	1	3915	1	3915	EC	0	OTC	328	M
869	1	3915	1	3915	EC	0	OTC	328	M
875	1	3915	1	3915	EC	0	OTC	30001	F
877	1	3915	1	3915	EC	0	OTC	30001	F
878	1	3915	1	3915	N9	0	OTC	30001	F
890	1	3915	1	3915	EC	0	OTC	30035	F
892	1	3915	1	3915	EC	0	OTC	30035	F
893	1	3915	1	3915	EC	0	OTC	30035	F
894	1	3915	1	3915	EC	0	OTC	30035	F
901	1	3915	1	3915	EC	0	OTC	30035	F
903	1	3915	1	3915	EC	0	OTC	30035	F
909	1	3915	1	3915	EC	0	OTC	30035	F

910	1	3915	1	3915	EC	0	OTC	30035	F
914	1	3915	1	3915	EC	0	OTC	30035	F
916	1	3915	1	3915	EC	0	OTC	30035	F
917	1	3915	1	3915	EC	0	OTC	30035	F
924	1	3915	1	3915	EC	0	OTC	447	F
925	1	3915	1	3915	EC	1	OTC	447	F
931	1	3915	1	3915	EC	0	OTC	447	F
932	1	3915	1	3915	EC	0	OTC	447	F
936	1	3915	1	3915	EC	0	OTC	447	F
937	1	3915	1	3915	N9	0	OTC	447	F
944	1	3915	1	3915	EC	1	OTC	447	F
945	1	3915	1	3915	EC	0	OTC	447	F
946	1	3915	1	3915	EC	0	OTC	447	F
949	1	3915	1	3915	EC	0	OTC	30047	F
950	1	3915	1	3915	EC	0	OTC	30047	F
955	1	3915	1	3915	EC	0	OTC	30047	F
958	1	3915	1	3915	EC	0	OTC	30047	F
960	1	3915	1	3915	EC	0	OTC	30047	F
967	1	3915	1	3915	EC	0	OTC	30047	F
969	1	3915	1	3915	EC	0	OTC	30047	F
971	1	3915	1	3915	EC	0	OTC	30047	F
972	1	3915	1	3915	EC	0	OTC	30047	F
975	1	3915	1	3915	EC	0	OTC	30047	F
978	1	3915	1	3915	EC	0	OTC	30047	F
979	1	3915	1	3915	EC	0	OTC	30047	F
981	1	3915	1	3915	EC	0	OTC	30047	F
982	1	3915	1	3915	EC	0	OTC	30047	F
984	1	3915	1	3915	EC	0	OTC	30047	F
985	1	3915	1	3915	EC	0	OTC	30047	F
990	1	3915	1	3915	EC	0	OTC	397	M
991	1	3915	1	3915	EC	0	OTC	397	M
992	1	3915	1	3915	EC	0	OTC	397	M
993	1	3915	1	3915	EC	0	OTC	397	M
995	1	3915	1	3915	EC	0	OTC	397	M
996	1	3915	1	3915	EC	0	OTC	397	M
997	1	3915	1	3915	EC	0	OTC	397	M
998	1	3915	1	3915	EC	0	OTC	397	M
1000	1	3915	1	3915	EC	0	OTC	397	M
1001	1	3915	1	3915	EC	0	OTC	397	M
1003	1	3915	1	3915	EC	0	OTC	397	M
1009	1	3915	1	3915	EC	0	OTC	397	M
1010	1	3915	1	3915	EC	0	OTC	397	M
1011	1	3915	1	3915	EC	0	OTC	397	M
1012	1	3915	1	3915	EC	0	OTC	397	M
1021	1	3915	1	3915	EC	0	OTC	397	M

1023	1	3915	1	3915	EC	0	OTC	397	M
1024	1	3915	1	3915	EC	0	OTC	397	M
1032	1	3915	1	3915	EC	0	OTC	397	M
1034	1	3915	1	3915	EC	0	OTC	397	M
1035	1	3915	1	3915	EC	0	OTC	397	M
1036	1	3915	1	3915	EC	0	OTC	397	M
1038	1	3915	1	3915	EC	0	OTC	397	M
1041	1	3915	1	3915	EC	0	OTC	397	M
1042	1	3915	1	3915	N9	0	OTC	397	M
1043	1	3915	1	3915	EC	0	OTC	397	M
1044	1	3915	1	3915	EC	0	OTC	397	M
1045	1	3915	1	3915	EC	0	OTC	397	M
1046	1	3915	1	3915	EC	1	OTC	397	M
1047	1	3915	1	3915	EC	0	OTC	397	M
1051	1	3915	1	3915	EC	0	OTC	397	M
1066	1	3915	1	3915	EC	0	OTC	397	M
1079	1	3915	1	3915	EC	0	OTC	397	M
1085	1	3915	1	3915	EC	0	OTC	397	M
1090	1	3915	1	3915	EC	0	OTC	397	M
1094	1	3915	1	3915	EC	0	OTC	397	M
1095	1	3915	1	3915	EC	0	OTC	397	M
1105	1	3915	1	3915	EC	0	OTC	397	M
1107	1	3915	1	3915	EC	0	OTC	397	M
1111	1	3915	1	3915	EC	0	OTC	397	M
1114	1	3915	1	3915	EC	0	OTC	397	M
1116	1	3915	1	3915	EC	0	OTC	397	M
1118	1	3915	1	3915	EC	0	OTC	397	M
1119	1	3915	1	3915	EC	0	OTC	397	M
1121	1	3915	1	3915	EC	0	OTC	397	M
1232	1	3915	1	3915	EC	0	OTC	397	M
1233	1	3915	1	3915	EC	0	OTC	397	M
1236	1	3915	1	3915	EC	0	OTC	397	M
1237	1	3915	1	3915	EC	0	OTC	397	M
1240	1	3915	1	3915	N9	0	OTC	397	M
1242	1	3915	1	3915	EC	0	OTC	397	M
1251	1	3915	1	3915	EC	0	OTC	397	M
1256	1	3915	1	3915	EC	1	OTC	397	M
1257	1	3915	1	3915	EC	0	OTC	397	M
1259	1	3915	1	3915	EC	0	OTC	397	M
1260	1	3915	1	3915	EC	0	OTC	397	M
1261	1	3915	1	3915	EC	0	OTC	397	M
1262	1	3915	1	3915	EC	0	OTC	397	M
1263	1	3915	1	3915	EC	0	OTC	397	M
1265	1	3915	1	3915	EC	0	OTC	397	M
1268	1	3915	1	3915	EC	0	OTC	397	M

1269	1	3915	1	3915	EC	0	OTC	397	M
1270	1	3915	1	3915	EC	0	OTC	397	M
1273	1	3915	1	3915	EC	0	OTC	397	M
1296	1	3915	1	3915	EC	0	OTC	397	M
1313	1	3915	1	3915	EC	0	OTC	30005	F
1319	1	3915	1	3915	EC	0	OTC	30005	F
1320	1	3915	1	3915	EC	0	OTC	397	M
1327	1	3915	1	3915	EC	0	OTC	397	M
1332	1	3915	1	3915	EC	0	OTC	397	M
1339	1	3915	1	3915	EC	0	OTC	397	M
1345	1	3915	1	3915	EC	0	OTC	397	M
1347	1	3915	1	3915	EC	0	OTC	397	M
1352	1	3915	1	3915	EC	0	OTC	397	M
1358	1	3915	1	3915	EC	0	OTC	397	M
1362	1	3915	1	3915	EC	0	OTC	397	M
1373	1	3915	1	3915	EC	0	OTC	397	M
1374	1	3915	1	3915	EC	0	OTC	397	M
1375	1	3915	1	3915	EC	0	OTC	30005	F
1379	1	3915	1	3915	EC	0	OTC	397	M
1380	1	3915	1	3915	EC	0	OTC	397	M
1381	1	3915	1	3915	EC	0	OTC	30005	F
1383	1	3915	1	3915	EC	0	OTC	397	M
1385	1	3915	1	3915	EC	0	OTC	397	M
1386	1	3915	1	3915	EC	0	OTC	397	M
1387	1	3915	1	3915	EC	0	OTC	397	M
1388	1	3915	1	3915	EC	0	OTC	397	M
1392	1	3915	1	3915	EC	0	OTC	30005	F
1411	1	3915	1	3915	EC	0	OTC	30005	F
1427	1	3915	1	3915	EC	1	OTC	30005	F
1444	1	3915	1	3915	N9	0	OTC	30005	F
1445	1	3915	1	3915	EC	1	OTC	30005	F
1457	1	3915	1	3915	EC	0	OTC	397	M
1461	1	3915	1	3915	N9	0	OTC	397	M
1462	1	3915	1	3915	EC	0	OTC	397	M
1470	1	3915	1	3915	EC	0	OTC	397	M
1472	1	3915	1	3915	EC	0	OTC	397	M
1479	1	3915	1	3915	EC	0	OTC	397	M
1480	1	3915	1	3915	EC	0	OTC	397	M
1481	1	3915	1	3915	EC	0	OTC	397	M
1482	1	3915	1	3915	EC	0	OTC	397	M
1483	1	3915	1	3915	EC	0	OTC	397	M
1484	1	3915	1	3915	EC	0	OTC	397	M
1487	1	3915	1	3915	EC	0	OTC	397	M
1489	1	3915	1	3915	EC	0	OTC	397	M
1497	1	3915	1	3915	EC	0	OTC	397	M

1498	1	3915	1	3915	EC	0	OTC	397	M
1499	1	3915	1	3915	EC	0	OTC	30041	F
1507	1	3915	1	3915	EC	0	OTC	397	M
1509	1	3915	1	3915	EC	0	OTC	397	M
1517	1	3915	1	3915	EC	0	OTC	30041	F
1524	1	3915	1	3915	EC	0	OTC	397	M
1526	1	3915	1	3915	EC	0	OTC	30041	F
1527	1	3915	1	3915	EC	0	OTC	397	M
1530	1	3915	1	3915	EC	0	OTC	397	M
1532	1	3915	1	3915	EC	0	OTC	397	M
1533	1	3915	1	3915	EC	0	OTC	30041	F
1534	1	3915	1	3915	EC	0	OTC	397	M
1535	1	3915	1	3915	EC	0	OTC	397	M
1539	1	3915	1	3915	EC	0	OTC	30041	F
1552	1	3915	1	3915	EC	0	OTC	397	M
1559	1	3915	1	3915	EC	0	OTC	397	M
1561	1	3915	1	3915	EC	0	OTC	397	M
1562	1	3915	1	3915	EC	0	OTC	397	M
1569	1	3915	1	3915	EC	0	OTC	397	M
1570	1	3915	1	3915	EC	0	OTC	397	M
1573	1	3915	1	3915	EC	0	OTC	397	M
1581	1	3915	1	3915	EC	0	OTC	397	M
1584	1	3915	1	3915	EC	0	OTC	397	M
1591	1	3915	1	3915	EC	0	OTC	397	M
1593	1	3915	1	3915	EC	0	OTC	397	M
1594	1	3915	1	3915	EC	0	OTC	397	M
1595	1	3915	1	3915	EC	0	OTC	397	M
1605	1	3915	1	3915	EC	0	OTC	30005	F
1622	1	3915	1	3915	EC	0	OTC	30005	F
1634	1	3915	1	3915	EC	0	OTC	30005	F
1635	1	3915	1	3915	EC	0	OTC	30005	F
1649	1	3915	1	3915	EC	0	OTC	30005	F
1662	1	3915	1	3915	EC	0	OTC	397	M
1670	1	3915	1	3915	EC	0	OTC	397	M
1681	1	3915	1	3915	EC	0	OTC	397	M
1694	1	3915	1	3915	EC	0	OTC	397	M
1695	1	3915	1	3915	EC	0	OTC	397	M
1697	1	3915	1	3915	EC	0	OTC	397	M
1698	1	3915	1	3915	EC	0	OTC	397	M
1699	1	3915	1	3915	EC	0	OTC	397	M
1708	1	3915	1	3915	EC	0	OTC	397	M
1710	1	3915	1	3915	EC	0	OTC	397	M
1711	1	3915	1	3915	EC	0	OTC	397	M
1716	1	3915	1	3915	EC	0	OTC	397	M
1726	1	3915	1	3915	EC	0	OTC	397	M

1727	1	3915	1	3915	EC	0	OTC	397	M
1728	1	3915	1	3915	EC	0	OTC	397	M
1729	1	3915	1	3915	EC	1	OTC	397	M
1730	1	3915	1	3915	EC	0	OTC	397	M
1733	1	3915	1	3915	EC	0	OTC	397	M
1740	1	3915	1	3915	EC	0	OTC	397	M
1741	1	3915	1	3915	N9	0	OTC	397	M
1743	1	3915	1	3915	EC	0	OTC	397	M
1745	1	3915	1	3915	N9	0	OTC	397	M
1746	1	3915	1	3915	EC	0	OTC	397	M
1747	1	3915	1	3915	EC	0	OTC	397	M
1748	1	3915	1	3915	EC	0	OTC	397	M
1762	1	3915	1	3915	EC	0	OTC	397	M
1771	1	3915	1	3915	EC	0	OTC	397	M
1774	1	3915	1	3915	EC	0	OTC	397	M
1775	1	3915	1	3915	EC	0	OTC	397	M
1785	1	3915	1	3915	EC	0	OTC	397	M
1789	1	3915	1	3915	EC	0	OTC	397	M
1792	1	3915	1	3915	EC	0	OTC	397	M
1794	1	3915	1	3915	EC	0	OTC	397	M
1796	1	3915	1	3915	EC	0	OTC	397	M
1799	1	3915	1	3915	EC	0	OTC	397	M
1801	1	3915	1	3915	EC	0	OTC	397	M
1802	1	3915	1	3915	EC	0	OTC	30041	F
1803	1	3915	1	3915	EC	0	OTC	397	M
1806	1	3915	1	3915	EC	0	OTC	397	M
1807	1	3915	1	3915	EC	0	OTC	397	M
1809	1	3915	1	3915	EC	0	OTC	397	M
1815	1	3915	1	3915	EC	0	OTC	397	M
1821	1	3915	1	3915	EC	0	OTC	30005	F
1826	1	3915	1	3915	EC	0	OTC	30005	F
1833	1	3915	1	3915	EC	0	OTC	397	M
1835	1	3915	1	3915	EC	0	OTC	397	M
1836	1	3915	1	3915	EC	0	OTC	397	M
1837	1	3915	1	3915	EC	0	OTC	397	M
1838	1	3915	1	3915	EC	0	OTC	397	M
1839	1	3915	1	3915	EC	0	OTC	397	M
1840	1	3915	1	3915	EC	0	OTC	397	M
1841	1	3915	1	3915	EC	0	OTC	397	M
1842	1	3915	1	3915	EC	0	OTC	397	M
1844	1	3915	1	3915	EC	0	OTC	397	M
1847	1	3915	1	3915	EC	0	OTC	397	M
1851	1	3915	1	3915	EC	0	OTC	30041	F
1852	1	3915	1	3915	EC	1	OTC	397	M
1853	1	3915	1	3915	EC	0	OTC	397	M

1855	1	3915	1	3915	EC	0	OTC	397	M
1857	1	3915	1	3915	EC	0	OTC	397	M
1858	1	3915	1	3915	EC	0	OTC	397	M
1861	1	3915	1	3915	EC	0	OTC	397	M
1866	1	3915	1	3915	EC	0	OTC	30005	F
1867	1	3915	1	3915	EC	1	OTC	30005	F
1870	1	3915	1	3915	EC	0	OTC	30005	F
1888	1	3915	1	3915	EC	0	OTC	30005	F
1892	1	3915	1	3915	EC	0	OTC	30005	F
1901	1	3915	1	3915	EC	0	OTC	30005	F
1910	1	3915	1	3915	EC	0	OTC	397	M
1921	1	3915	1	3915	EC	0	OTC	397	M
1922	1	3915	1	3915	EC	0	OTC	397	M
1923	1	3915	1	3915	EC	1	OTC	397	M
1924	1	3915	1	3915	EC	0	OTC	397	M
1927	1	3915	1	3915	EC	0	OTC	397	M
1928	1	3915	1	3915	EC	0	OTC	397	M
1933	1	3915	1	3915	EC	0	OTC	397	M
1935	1	3915	1	3915	EC	0	OTC	397	M
1938	1	3915	1	3915	EC	0	OTC	397	M
1939	1	3915	1	3915	EC	1	OTC	397	M
1940	1	3915	1	3915	EC	0	OTC	397	M
1942	1	3915	1	3915	EC	0	OTC	397	M
1943	1	3915	1	3915	EC	1	OTC	30005	F
1954	1	3915	1	3915	EC	0	OTC	30005	F
1966	1	3915	1	3915	EC	0	OTC	30005	F
1973	1	3915	1	3915	EC	0	OTC	30005	F
1978	1	3915	1	3915	EC	0	OTC	30005	F
1994	1	3915	1	3915	EC	0	OTC	30005	F
1998	1	3915	1	3915	EC	0	OTC	30005	F
2002	1	3915	1	3915	EC	0	OTC	30005	F
2068	1	3915	1	3915	EC	0	OTC	30005	F
2073	1	3915	1	3915	EC	0	OTC	30005	F
2076	1	3915	1	3915	EC	1	OTC	30005	F
2079	1	3915	1	3915	EC	0	OTC	397	M
2081	1	3915	1	3915	EC	0	OTC	397	M
2085	1	3915	1	3915	EC	0	OTC	30005	F
2092	1	3915	1	3915	EC	0	OTC	30005	F
2099	1	3915	1	3915	EC	0	OTC	30005	F
2100	1	3915	1	3915	EC	0	OTC	30005	F
2105	1	3915	1	3915	EC	1	OTC	30005	F
2108	1	3915	1	3915	EC	1	OTC	30005	F
2113	1	3915	1	3915	EC	0	OTC	30005	F
2118	1	3915	1	3915	EC	0	OTC	30005	F
2132	1	3915	1	3915	EC	1	OTC	30005	F

2139	1	3915	1	3915	EC	1	OTC	30005	F
2153	1	3915	1	3915	EC	0	OTC	30005	F
2172	1	3915	1	3915	EC	0	OTC	30005	F
2173	1	3915	1	3915	EC	0	OTC	352	M
2174	1	3915	1	3915	EC	0	OTC	30020	M
2175	1	3915	1	3915	EC	0	OTC	352	M
2177	1	3915	1	3915	EC	0	OTC	30020	M
2180	1	3915	1	3915	EC	0	OTC	30020	M
2193	1	3915	1	3915	EC	1	OTC	352	M
2194	1	3915	1	3915	EC	0	OTC	352	M
2196	1	3915	1	3915	EC	0	OTC	352	M
2201	1	3915	1	3915	EC	0	OTC	352	M
2202	1	3915	1	3915	EC	0	OTC	352	M
2210	1	3915	1	3915	EC	0	OTC	352	M
2213	1	3915	1	3915	EC	0	OTC	352	M
2214	1	3915	1	3915	EC	0	OTC	352	M
2217	1	3915	1	3915	EC	1	OTC	352	M
2218	1	3915	1	3915	EC	0	OTC	352	M
2219	1	3915	1	3915	EC	0	OTC	30020	M
2228	1	3915	1	3915	EC	0	OTC	30020	M
2230	1	3915	1	3915	EC	0	OTC	30020	M
2231	1	3915	1	3915	EC	0	OTC	30020	M
2232	1	3915	1	3915	EC	0	OTC	30020	M
2237	1	3915	1	3915	EC	0	OTC	30020	M
2240	1	3915	1	3915	EC	0	OTC	30020	M
2244	1	3915	1	3915	EC	0	OTC	30020	M
2245	1	3915	1	3915	EC	0	OTC	30020	M
2251	1	3915	1	3915	EC	0	OTC	30020	M
2252	1	3915	1	3915	EC	0	OTC	30020	M
2257	1	3915	1	3915	EC	0	OTC	30020	M
2258	1	3915	1	3915	EC	0	OTC	30020	M
2259	1	3915	1	3915	EC	0	OTC	30020	M
2260	1	3915	1	3915	EC	0	OTC	30020	M
2262	1	3915	1	3915	EC	0	OTC	30020	M
2263	1	3915	1	3915	EC	0	OTC	30020	M
2265	1	3915	1	3915	EC	0	OTC	30020	M
2269	1	3915	1	3915	EC	0	OTC	352	M
2270	1	3915	1	3915	EC	0	OTC	352	M
2277	1	3915	1	3915	EC	1	OTC	352	M
2279	1	3915	1	3915	EC	0	OTC	352	M
2280	1	3915	1	3915	EC	0	OTC	352	M
2288	1	3915	1	3915	EC	0	OTC	352	M
2291	1	3915	1	3915	EC	1	OTC	30020	M
2293	1	3915	1	3915	EC	1	OTC	352	M
2295	1	3915	1	3915	EC	0	OTC	352	M

2296	1	3915	1	3915	EC	0	OTC	352	M
2297	1	3915	1	3915	EC	0	OTC	30020	M
2299	1	3915	1	3915	EC	0	OTC	352	M
2300	1	3915	1	3915	EC	0	OTC	352	M
2301	1	3915	1	3915	EC	0	OTC	352	M
2302	1	3915	1	3915	EC	0	OTC	352	M
2306	1	3915	1	3915	EC	0	OTC	352	M
2309	1	3915	1	3915	EC	0	OTC	30020	M
2312	1	3915	1	3915	EC	0	OTC	30020	M
2316	1	3915	1	3915	EC	0	OTC	30020	M
2317	1	3915	1	3915	EC	0	OTC	30020	M
2321	1	3915	1	3915	EC	0	OTC	30020	M
2325	1	3915	1	3915	EC	0	OTC	30020	M
2333	1	3915	1	3915	EC	0	OTC	30020	M
2339	1	3915	1	3915	EC	0	OTC	30020	M
2340	1	3915	1	3915	EC	0	OTC	30020	M
2341	1	3915	1	3915	EC	0	OTC	30020	M
2343	1	3915	1	3915	EC	0	OTC	30020	M
2346	1	3915	1	3915	EC	0	OTC	30020	M
2347	1	3915	1	3915	EC	0	OTC	30020	M
2348	1	3915	1	3915	EC	0	OTC	352	M
2358	1	3915	1	3915	EC	0	OTC	352	M
2361	1	3915	1	3915	EC	0	OTC	352	M
2365	1	3915	1	3915	EC	0	OTC	352	M
2372	1	3915	1	3915	EC	0	OTC	352	M
2373	1	3915	1	3915	EC	1	OTC	352	M
2374	1	3915	1	3915	EC	0	OTC	352	M
2375	1	3915	1	3915	EC	0	OTC	352	M
2378	1	3915	1	3915	EC	0	OTC	352	M
2388	1	3915	1	3915	EC	0	OTC	352	M
2390	1	3915	1	3915	EC	0	OTC	352	M
2391	1	3915	1	3915	EC	0	OTC	352	M
2392	1	3915	1	3915	EC	0	OTC	352	M
2393	1	3915	1	3915	EC	0	OTC	352	M
2394	1	3915	1	3915	EC	0	OTC	352	M
2396	1	3915	1	3915	EC	1	OTC	352	M
2398	1	3915	1	3915	EC	1	OTC	352	M
2399	1	3915	1	3915	EC	0	OTC	352	M
2404	1	3915	1	3915	EC	0	OTC	352	M
2405	1	3915	1	3915	EC	0	OTC	352	M
2407	1	3915	1	3915	EC	0	OTC	352	M
2408	1	3915	1	3915	EC	0	OTC	352	M
2409	1	3915	1	3915	EC	0	OTC	352	M
2413	1	3915	1	3915	EC	0	OTC	30020	M
2418	1	3915	1	3915	EC	0	OTC	30020	M

2424	1	3915	1	3915	EC	0	OTC	352	M
2426	1	3915	1	3915	EC	0	OTC	352	M
2427	1	3915	1	3915	EC	1	OTC	352	M
2430	1	3915	1	3915	EC	0	OTC	352	M
2432	1	3915	1	3915	EC	0	OTC	352	M
2434	1	3915	1	3915	EC	0	OTC	352	M
2435	1	3915	1	3915	EC	0	OTC	30020	M
2436	1	3915	1	3915	EC	0	OTC	30020	M
2437	1	3915	1	3915	EC	0	OTC	352	M
2438	1	3915	1	3915	EC	1	OTC	352	M
2439	1	3915	1	3915	EC	0	OTC	30020	M
2440	1	3915	1	3915	EC	0	OTC	352	M
2442	1	3915	1	3915	EC	1	OTC	352	M
2443	1	3915	1	3915	EC	0	OTC	352	M
2449	1	3915	1	3915	EC	0	OTC	30020	M
2457	1	3915	1	3915	EC	0	OTC	352	M
2467	1	3915	1	3915	EC	0	OTC	352	M
2472	1	3915	1	3915	N9	0	OTC	352	M
2473	1	3915	1	3915	EC	1	OTC	352	M
2478	1	3915	1	3915	EC	1	OTC	352	M
2483	1	3915	1	3915	EC	1	OTC	352	M
2485	1	3915	1	3915	EC	0	OTC	352	M
2486	1	3915	1	3915	EC	0	OTC	352	M
2490	1	3915	1	3915	EC	0	OTC	352	M
2491	1	3915	1	3915	EC	0	OTC	30020	M
2492	1	3915	1	3915	EC	1	OTC	352	M
2495	1	3915	1	3915	EC	0	OTC	352	M
2498	1	3915	1	3915	EC	0	OTC	352	M
2500	1	3915	1	3915	EC	0	OTC	30020	M
2502	1	3915	1	3915	EC	0	OTC	352	M
2503	1	3915	1	3915	EC	0	OTC	352	M
2507	1	3915	1	3915	EC	0	OTC	30020	M
2508	1	3915	1	3915	EC	0	OTC	30020	M
2512	1	3915	1	3915	EC	0	OTC	30020	M
2513	1	3915	1	3915	EC	0	OTC	30020	M
2516	1	3915	1	3915	EC	0	OTC	30020	M
2517	1	3915	1	3915	EC	0	OTC	30020	M
2519	1	3915	1	3915	EC	0	OTC	352	M
2521	1	3915	1	3915	EC	1	OTC	30020	M
2522	1	3915	1	3915	EC	0	OTC	30020	M
2523	1	3915	1	3915	EC	0	OTC	30020	M
2524	1	3915	1	3915	EC	0	OTC	352	M
2530	1	3915	1	3915	N9	0	OTC	352	M
2531	1	3915	1	3915	EC	0	OTC	30020	M
2533	1	3915	1	3915	EC	1	OTC	352	M

2534	1	3915	1	3915	EC	0	OTC	352	M
2537	1	3915	1	3915	EC	0	OTC	352	M
2540	1	3915	1	3915	EC	0	OTC	352	M
2541	1	3915	1	3915	EC	0	OTC	352	M
2543	1	3915	1	3915	EC	0	OTC	352	M
2544	1	3915	1	3915	EC	1	OTC	352	M
2546	1	3915	1	3915	EC	0	OTC	352	M
2548	1	3915	1	3915	EC	0	OTC	352	M
2549	1	3915	1	3915	EC	0	OTC	30020	M
2550	1	3915	1	3915	EC	0	OTC	352	M
2551	1	3915	1	3915	EC	0	OTC	352	M
2558	1	3915	1	3915	EC	0	OTC	352	M
2560	1	3915	1	3915	EC	0	OTC	352	M
2562	1	3915	1	3915	EC	1	OTC	352	M
2564	1	3915	1	3915	EC	0	OTC	352	M
2565	1	3915	1	3915	EC	0	OTC	352	M
2566	1	3915	1	3915	EC	0	OTC	352	M
2569	1	3915	1	3915	EC	0	OTC	352	M
2570	1	3915	1	3915	EC	0	OTC	352	M
2575	1	3915	1	3915	EC	0	OTC	352	M
2576	1	3915	1	3915	EC	1	OTC	30020	M
2579	1	3915	1	3915	EC	0	OTC	352	M
2581	1	3915	1	3915	EC	0	OTC	352	M
2584	1	3915	1	3915	EC	0	OTC	352	M
2585	1	3915	1	3915	EC	0	OTC	352	M
2589	1	3915	1	3915	EC	0	OTC	352	M
2592	1	3915	1	3915	EC	0	OTC	352	M
2593	1	3915	1	3915	EC	0	OTC	30020	M
2594	1	3915	1	3915	EC	0	OTC	352	M
2601	1	3915	1	3915	EC	0	OTC	352	M
2602	1	3915	1	3915	EC	1	OTC	352	M
2603	1	3915	1	3915	EC	0	OTC	352	M
2612	1	3915	1	3915	EC	1	OTC	352	M
2619	1	3915	1	3915	EC	0	OTC	352	M
2621	1	3915	1	3915	EC	0	OTC	352	M
2623	1	3915	1	3915	EC	0	OTC	352	M
2625	1	3915	1	3915	EC	0	OTC	352	M
2626	1	3915	1	3915	EC	0	OTC	352	M
2628	1	3915	1	3915	EC	0	OTC	352	M
2629	1	3915	1	3915	EC	0	OTC	352	M
2631	1	3915	1	3915	EC	0	OTC	352	M
2632	1	3915	1	3915	EC	0	OTC	352	M
2634	1	3915	1	3915	EC	0	OTC	352	M
2638	1	3915	1	3915	N9	0	OTC	352	M
2639	1	3915	1	3915	EC	1	OTC	352	M

2640	1	3915	1	3915	EC	0	OTC	352	M
2641	1	3915	1	3915	EC	0	OTC	352	M
2644	1	3915	1	3915	EC	0	OTC	352	M
2646	1	3915	1	3915	EC	0	OTC	352	M
2647	1	3915	1	3915	EC	0	OTC	352	M
2651	1	3915	1	3915	EC	0	OTC	352	M
2652	1	3915	1	3915	EC	0	OTC	352	M
2653	1	3915	1	3915	EC	0	OTC	352	M
2658	1	3915	1	3915	EC	0	OTC	352	M
2662	1	3915	1	3915	EC	0	OTC	352	M
2664	1	3915	1	3915	EC	0	OTC	352	M
2665	1	3915	1	3915	EC	0	OTC	352	M
2667	1	3915	1	3915	EC	0	OTC	352	M
2674	1	3915	1	3915	EC	0	OTC	352	M
2675	1	3915	1	3915	EC	0	OTC	352	M
2679	1	3915	1	3915	EC	0	OTC	352	M
2681	1	3915	1	3915	EC	1	OTC	352	M
2682	1	3915	1	3915	EC	0	OTC	352	M
2686	1	3915	1	3915	EC	0	OTC	352	M
2687	1	3915	1	3915	EC	0	OTC	352	M
2690	1	3915	1	3915	EC	1	OTC	352	M
2691	1	3915	1	3915	EC	0	OTC	352	M
2694	1	3915	1	3915	EC	0	OTC	352	M
2695	1	3915	1	3915	EC	0	OTC	352	M
2696	1	3915	1	3915	EC	0	OTC	352	M
2702	1	3915	1	3915	EC	0	OTC	352	M
2703	1	3915	1	3915	EC	0	OTC	352	M
2705	1	3915	1	3915	EC	0	OTC	352	M
2707	1	3915	1	3915	EC	0	OTC	352	M
2714	1	3915	1	3915	EC	0	OTC	30020	M
2715	1	3915	1	3915	N9	0	OTC	30020	M
2719	1	3915	1	3915	EC	0	OTC	30020	M
2721	1	3915	1	3915	EC	0	OTC	30020	M
2724	1	3915	1	3915	EC	0	OTC	30020	M
2725	1	3915	1	3915	EC	0	OTC	30020	M
2726	1	3915	1	3915	EC	0	OTC	30020	M
2729	1	3915	1	3915	EC	0	OTC	352	M
2738	1	3915	1	3915	EC	0	OTC	352	M
2741	1	3915	1	3915	EC	0	OTC	352	M
2745	1	3915	1	3915	EC	0	OTC	352	M
2746	1	3915	1	3915	EC	1	OTC	352	M
2754	1	3915	1	3915	EC	0	OTC	352	M
2757	1	3915	1	3915	EC	1	OTC	352	M
2758	1	3915	1	3915	EC	0	OTC	352	M
2759	1	3915	1	3915	EC	0	OTC	352	M

2760	1	3915	1	3915	EC	0	OTC	352	M
2763	1	3915	1	3915	EC	0	OTC	352	M
2764	1	3915	1	3915	EC	0	OTC	352	M
2768	1	3915	1	3915	EC	0	OTC	352	M
2769	1	3915	1	3915	EC	1	OTC	352	M
2773	1	3915	1	3915	EC	0	OTC	352	M
2774	1	3915	1	3915	EC	0	OTC	352	M
2778	1	3915	1	3915	EC	0	OTC	352	M
2781	1	3915	1	3915	EC	0	OTC	352	M
2782	1	3915	1	3915	EC	0	OTC	352	M
2783	1	3915	1	3915	EC	0	OTC	352	M
2787	1	3915	1	3915	EC	0	OTC	352	M
2789	1	3915	1	3915	EC	0	OTC	352	M
2792	1	3915	1	3915	EC	0	OTC	352	M
2794	1	3915	1	3915	EC	1	OTC	352	M
2798	1	3915	1	3915	EC	0	OTC	352	M
2801	1	3915	1	3915	EC	1	OTC	352	M
2804	1	3915	1	3915	EC	0	OTC	352	M
2806	1	3915	1	3915	EC	0	OTC	352	M
2807	1	3915	1	3915	EC	1	OTC	352	M
2808	1	3915	1	3915	EC	0	OTC	352	M
2810	1	3915	1	3915	EC	0	OTC	352	M
2815	1	3915	1	3915	EC	0	OTC	352	M
2824	1	3915	1	3915	EC	0	OTC	368	M
2825	1	3915	1	3915	EC	0	OTC	368	M
2826	1	3915	1	3915	EC	0	OTC	368	M
2827	1	3915	1	3915	EC	0	OTC	368	M
2829	1	3915	1	3915	EC	0	OTC	368	M
2831	1	3915	1	3915	EC	0	OTC	368	M
2833	1	3915	1	3915	EC	1	OTC	368	M
2836	1	3915	1	3915	EC	0	OTC	368	M
2841	1	3915	1	3915	EC	0	OTC	352	M
2842	1	3915	1	3915	EC	0	OTC	352	M
2846	1	3915	1	3915	EC	0	OTC	352	M
2850	1	3915	1	3915	EC	1	OTC	352	M
2851	1	3915	1	3915	EC	1	OTC	352	M
2852	1	3915	1	3915	EC	0	OTC	352	M
2853	1	3915	1	3915	EC	0	OTC	352	M
2854	1	3915	1	3915	EC	0	OTC	352	M
2856	1	3915	1	3915	EC	0	OTC	352	M
2861	1	3915	1	3915	EC	1	OTC	352	M
2862	1	3915	1	3915	EC	0	OTC	352	M
2863	1	3915	1	3915	EC	0	OTC	352	M
2864	1	3915	1	3915	EC	0	OTC	352	M
2865	1	3915	1	3915	EC	1	OTC	352	M

2866	1	3915	1	3915	EC	0	OTC	352	M
2867	1	3915	1	3915	EC	0	OTC	352	M
2868	1	3915	1	3915	EC	1	OTC	352	M
2870	1	3915	1	3915	EC	0	OTC	352	M
2875	1	3915	1	3915	EC	0	OTC	352	M
2876	1	3915	1	3915	EC	0	OTC	352	M
2880	1	3915	1	3915	EC	0	OTC	352	M
2881	1	3915	1	3915	EC	0	OTC	352	M
2885	1	3915	1	3915	EC	0	OTC	352	M
2886	1	3915	1	3915	EC	0	OTC	352	M
2887	1	3915	1	3915	EC	0	OTC	352	M
2888	1	3915	1	3915	EC	0	OTC	352	M
2902	1	3915	1	3915	EC	0	OTC	352	M
2904	1	3915	1	3915	EC	0	OTC	352	M
2910	1	3915	1	3915	EC	1	OTC	352	M
2911	1	3915	1	3915	EC	0	OTC	352	M
2912	1	3915	1	3915	EC	1	OTC	352	M
2913	1	3915	1	3915	EC	1	OTC	352	M
2914	1	3915	1	3915	EC	0	OTC	352	M
2915	1	3915	1	3915	EC	0	OTC	30020	M
2917	1	3915	1	3915	EC	0	OTC	352	M
2918	1	3915	1	3915	EC	1	OTC	352	M
2919	1	3915	1	3915	EC	0	OTC	30020	M
2920	1	3915	1	3915	EC	1	OTC	352	M
2921	1	3915	1	3915	EC	0	OTC	352	M
2927	1	3915	1	3915	EC	0	OTC	352	M
2928	1	3915	1	3915	EC	0	OTC	352	M
2929	1	3915	1	3915	EC	0	OTC	352	M
2934	1	3915	1	3915	EC	0	OTC	352	M
2943	1	3915	1	3915	EC	0	OTC	352	M
2945	1	3915	1	3915	EC	0	OTC	352	M
2946	1	3915	1	3915	EC	0	OTC	352	M
2948	1	3915	1	3915	EC	0	OTC	352	M
2955	1	3915	1	3915	EC	0	OTC	352	M
2956	1	3915	1	3915	EC	1	OTC	352	M
2958	1	3915	1	3915	EC	1	OTC	352	M
2965	1	3915	1	3915	EC	0	OTC	352	M
2966	1	3915	1	3915	EC	0	OTC	352	M
2968	1	3915	1	3915	EC	0	OTC	352	M
2973	1	3915	1	3915	EC	0	OTC	352	M
2974	1	3915	1	3915	EC	0	OTC	352	M
2977	1	3915	1	3915	EC	0	OTC	30020	M
2978	1	3915	1	3915	EC	0	OTC	352	M
2980	1	3915	1	3915	EC	0	OTC	30020	M
2981	1	3915	1	3915	EC	0	OTC	352	M

2985	1	3915	1	3915	EC	0	OTC	352	M
2987	1	3915	1	3915	EC	0	OTC	352	M
2988	1	3915	1	3915	EC	0	OTC	30020	M
2990	1	3915	1	3915	EC	0	OTC	352	M
2991	1	3915	1	3915	EC	1	OTC	352	M
2993	1	3915	1	3915	EC	0	OTC	352	M
2994	1	3915	1	3915	EC	0	OTC	30020	M
2995	1	3915	1	3915	EC	0	OTC	30020	M
2996	1	3915	1	3915	EC	0	OTC	352	M
2999	1	3915	1	3915	EC	0	OTC	30020	M
3002	1	3915	1	3915	EC	0	OTC	352	M
3007	1	3915	1	3915	EC	1	OTC	352	M
3009	1	3915	1	3915	EC	0	OTC	30020	M
3010	1	3915	1	3915	EC	0	OTC	30020	M
3012	1	3915	1	3915	EC	0	OTC	30020	M
3013	1	3915	1	3915	EC	0	OTC	30020	M
3015	1	3915	1	3915	EC	0	OTC	352	M
3018	1	3915	1	3915	EC	0	OTC	352	M
3021	1	3915	1	3915	EC	0	OTC	352	M
3022	1	3915	1	3915	EC	0	OTC	352	M
3023	1	3915	1	3915	EC	0	OTC	352	M
3024	1	3915	1	3915	EC	1	OTC	352	M
3025	1	3915	1	3915	EC	0	OTC	352	M
3026	1	3915	1	3915	EC	0	OTC	352	M
3027	1	3915	1	3915	EC	0	OTC	352	M
3028	1	3915	1	3915	EC	0	OTC	352	M
3030	1	3915	1	3915	EC	0	OTC	352	M
3031	1	3915	1	3915	EC	0	OTC	352	M
3034	1	3915	1	3915	EC	0	OTC	352	M
3035	1	3915	1	3915	EC	0	OTC	352	M
3036	1	3915	1	3915	EC	0	OTC	352	M
3040	1	3915	1	3915	EC	0	OTC	352	M
3042	1	3915	1	3915	EC	0	OTC	352	M
3045	1	3915	1	3915	EC	0	OTC	352	M
3047	1	3915	1	3915	EC	0	OTC	352	M
3049	1	3915	1	3915	EC	0	OTC	352	M
3053	1	3915	1	3915	EC	0	OTC	352	M
3054	1	3915	1	3915	EC	0	OTC	352	M
3055	1	3915	1	3915	EC	0	OTC	352	M
3056	1	3915	1	3915	EC	0	OTC	352	M
3057	1	3915	1	3915	EC	0	OTC	352	M
3058	1	3915	1	3915	EC	0	OTC	352	M
3059	1	3915	1	3915	EC	1	OTC	352	M
3065	1	3915	1	3915	EC	0	OTC	352	M
3070	1	3915	1	3915	EC	0	OTC	352	M

3073	1	3915	1	3915	EC	0	OTC	352	M
3079	1	3915	1	3915	EC	0	OTC	30020	M
3080	1	3915	1	3915	EC	0	OTC	352	M
3082	1	3915	1	3915	EC	0	OTC	352	M
3084	1	3915	1	3915	EC	0	OTC	352	M
3085	1	3915	1	3915	N9	0	OTC	352	M
3086	1	3915	1	3915	EC	0	OTC	352	M
3087	1	3915	1	3915	EC	0	OTC	352	M
3088	1	3915	1	3915	EC	0	OTC	352	M
3090	1	3915	1	3915	EC	0	OTC	352	M
3092	1	3915	1	3915	EC	1	OTC	352	M
3095	1	3915	1	3915	EC	0	OTC	352	M
3103	1	3915	1	3915	EC	0	OTC	352	M
3106	1	3915	1	3915	EC	0	OTC	352	M
3110	1	3915	1	3915	EC	0	OTC	352	M
3113	1	3915	1	3915	EC	0	OTC	30020	M
3115	1	3915	1	3915	EC	0	OTC	30020	M
3116	1	3915	1	3915	EC	0	OTC	352	M
3118	1	3915	1	3915	EC	0	OTC	30020	M
3119	1	3915	1	3915	EC	1	OTC	30020	M
3120	1	3915	1	3915	EC	0	OTC	30020	M
3121	1	3915	1	3915	EC	0	OTC	30020	M
3123	1	3915	1	3915	EC	0	OTC	30020	M
3124	1	3915	1	3915	EC	0	OTC	30020	M
3127	1	3915	1	3915	EC	0	OTC	30020	M
3128	1	3915	1	3915	EC	0	OTC	30020	M
3132	1	3915	1	3915	EC	0	OTC	352	M
3134	1	3915	1	3915	EC	0	OTC	352	M
3137	1	3915	1	3915	EC	1	OTC	352	M
3138	1	3915	1	3915	EC	1	OTC	352	M
3139	1	3915	1	3915	EC	0	OTC	352	M
3142	1	3915	1	3915	EC	0	OTC	352	M
3143	1	3915	1	3915	EC	0	OTC	352	M
3148	1	3915	1	3915	EC	0	OTC	352	M
3149	1	3915	1	3915	EC	0	OTC	30020	M
3155	1	3915	1	3915	EC	0	OTC	352	M
3162	1	3915	1	3915	EC	0	OTC	352	M
3165	1	3915	1	3915	EC	0	OTC	352	M
3166	1	3915	1	3915	EC	0	OTC	352	M
3170	1	3915	1	3915	EC	0	OTC	352	M
3176	1	3915	1	3915	EC	0	OTC	30020	M
3179	1	3915	1	3915	EC	0	OTC	352	M
3181	1	3915	1	3915	EC	0	OTC	352	M
3193	1	3915	1	3915	EC	0	OTC	352	M
3195	1	3915	1	3915	EC	0	OTC	30020	M

3197	1	3915	1	3915	EC	0	OTC	352	M
3198	1	3915	1	3915	EC	0	OTC	352	M
3200	1	3915	1	3915	EC	0	OTC	352	M
3201	1	3915	1	3915	EC	0	OTC	352	M
3207	1	3915	1	3915	EC	0	OTC	352	M
3211	1	3915	1	3915	EC	0	OTC	352	M
3212	1	3915	1	3915	EC	0	OTC	352	M
3213	1	3915	1	3915	EC	0	OTC	352	M
3214	1	3915	1	3915	EC	0	OTC	352	M
3215	1	3915	1	3915	EC	1	OTC	352	M
3221	1	3915	1	3915	EC	0	OTC	352	M
3228	1	3915	1	3915	EC	1	OTC	352	M
3232	1	3915	1	3915	EC	0	OTC	352	M
3239	1	3915	1	3915	EC	0	OTC	30020	M
3240	1	3915	1	3915	EC	0	OTC	30020	M
3245	1	3915	1	3915	EC	0	OTC	352	M
3250	1	3915	1	3915	EC	0	OTC	30020	M
3268	1	3915	1	3915	EC	0	OTC	352	M
3271	1	3915	1	3915	EC	0	OTC	30020	M
3277	1	3915	1	3915	EC	0	OTC	30020	M
3280	1	3915	1	3915	EC	0	OTC	30020	M
3281	1	3915	1	3915	EC	0	OTC	30020	M
3283	1	3915	1	3915	EC	0	OTC	30020	M
3290	1	3915	1	3915	EC	0	OTC	30020	M
3292	1	3915	1	3915	EC	0	OTC	352	M
3293	1	3915	1	3915	EC	0	OTC	30020	M
3297	1	3915	1	3915	EC	0	OTC	352	M
3299	1	3915	1	3915	EC	0	OTC	352	M
3302	1	3915	1	3915	EC	0	OTC	352	M
3306	1	3915	1	3915	EC	0	OTC	352	M
3309	1	3915	1	3915	EC	0	OTC	368	M
3313	1	3915	1	3915	EC	0	OTC	368	M
3318	1	3915	1	3915	EC	0	OTC	368	M
3320	1	3915	1	3915	EC	0	OTC	368	M
3325	1	3915	1	3915	EC	0	OTC	368	M
3327	1	3915	1	3915	EC	0	OTC	368	M
3328	1	3915	1	3915	EC	0	OTC	432	M
3329	1	3915	1	3915	EC	0	OTC	432	M
3332	1	3915	1	3915	EC	0	OTC	432	M
3333	1	3915	1	3915	EC	0	OTC	432	M
3336	1	3915	1	3915	EC	0	OTC	432	M
3339	1	3915	1	3915	EC	0	OTC	368	M
3340	1	3915	1	3915	EC	0	OTC	368	M
3343	1	3915	1	3915	EC	0	OTC	368	M
3344	1	3915	1	3915	EC	0	OTC	360	M

3346	1	3915	1	3915	EC	0	OTC	360	M
3347	1	3915	1	3915	EC	0	OTC	360	M
3348	1	3915	1	3915	EC	0	OTC	432	M
3351	1	3915	1	3915	EC	0	OTC	360	M
3353	1	3915	1	3915	EC	0	OTC	360	M
3354	1	3915	1	3915	EC	0	OTC	432	M
3355	1	3915	1	3915	EC	0	OTC	360	M
3360	1	3915	1	3915	EC	0	OTC	360	M
3372	1	3915	1	3915	EC	0	OTC	360	M
3373	1	3915	1	3915	EC	0	OTC	360	M
3374	1	3915	1	3915	EC	0	OTC	360	M
3375	1	3915	1	3915	EC	0	OTC	432	M
3376	1	3915	1	3915	EC	0	OTC	360	M
3377	1	3915	1	3915	EC	0	OTC	360	M
3378	1	3915	1	3915	EC	0	OTC	360	M
3379	1	3915	1	3915	EC	0	OTC	360	M
3389	1	3915	1	3915	EC	0	OTC	360	M
3393	1	3915	1	3915	N9	0	OTC	360	M
3394	1	3915	1	3915	EC	0	OTC	360	M
3396	1	3915	1	3915	EC	0	OTC	360	M
3397	1	3915	1	3915	EC	0	OTC	360	M
3398	1	3915	1	3915	EC	0	OTC	360	M
3402	1	3915	1	3915	EC	0	OTC	360	M
3411	1	3915	1	3915	EC	0	OTC	360	M
3412	1	3915	1	3915	EC	0	OTC	360	M
3418	1	3915	1	3915	EC	0	OTC	360	M
3422	1	3915	1	3915	N9	0	OTC	360	M
3423	1	3915	1	3915	EC	0	OTC	360	M
3424	1	3915	1	3915	EC	0	OTC	360	M
3426	1	3915	1	3915	EC	0	OTC	360	M
3427	1	3915	1	3915	EC	0	OTC	360	M
3429	1	3915	1	3915	EC	0	OTC	360	M
3432	1	3915	1	3915	EC	0	OTC	360	M
3433	1	3915	1	3915	EC	0	OTC	360	M
3435	1	3915	1	3915	EC	0	OTC	360	M
3438	1	3915	1	3915	EC	0	OTC	360	M
3439	1	3915	1	3915	EC	0	OTC	360	M
3440	1	3915	1	3915	EC	0	OTC	360	M
3441	1	3915	1	3915	EC	0	OTC	360	M
3442	1	3915	1	3915	EC	0	OTC	360	M
3446	1	3915	1	3915	EC	0	OTC	360	M
3451	1	3915	1	3915	EC	0	OTC	360	M
3458	1	3915	1	3915	EC	0	OTC	360	M
3460	1	3915	1	3915	EC	0	OTC	360	M
3467	1	3915	1	3915	EC	0	OTC	360	M

3470	1	3915	1	3915	EC	0	OTC	360	M
3472	1	3915	1	3915	EC	0	OTC	360	M
3473	1	3915	1	3915	EC	0	OTC	360	M
3475	1	3915	1	3915	EC	0	OTC	360	M
3476	1	3915	1	3915	EC	0	OTC	360	M
3477	1	3915	1	3915	EC	0	OTC	360	M
3478	1	3915	1	3915	EC	0	OTC	360	M
3481	1	3915	1	3915	EC	0	OTC	360	M
3484	1	3915	1	3915	EC	0	OTC	360	M
3486	1	3915	1	3915	EC	0	OTC	360	M
3493	1	3915	1	3915	EC	0	OTC	360	M
3495	1	3915	1	3915	EC	0	OTC	360	M
3497	1	3915	1	3915	EC	0	OTC	360	M
3500	1	3915	1	3915	EC	0	OTC	360	M
3501	1	3915	1	3915	EC	0	OTC	360	M
3503	1	3915	1	3915	EC	0	OTC	360	M
3505	1	3915	1	3915	EC	0	OTC	360	M
3513	1	3915	1	3915	EC	0	OTC	360	M
3514	1	3915	1	3915	EC	0	OTC	360	M
3515	1	3915	1	3915	EC	0	OTC	360	M
3516	1	3915	1	3915	EC	0	OTC	360	M
3517	1	3915	1	3915	EC	0	OTC	360	M
3519	1	3915	1	3915	EC	0	OTC	360	M
3532	1	3915	1	3915	EC	0	OTC	432	M
3534	1	3915	1	3915	EC	0	OTC	432	M
3545	1	3915	1	3915	EC	0	OTC	432	M
3546	1	3915	1	3915	N9	0	OTC	432	M
3548	1	3915	1	3915	EC	1	OTC	432	M
3550	1	3915	1	3915	EC	0	OTC	432	M
3553	1	3915	1	3915	EC	1	OTC	432	M
3556	1	3915	1	3915	N9	0	OTC	432	M
3557	1	3915	1	3915	EC	0	OTC	432	M
3558	1	3915	1	3915	EC	0	OTC	368	M
3562	1	3915	1	3915	EC	0	OTC	368	M
3569	1	3915	1	3915	EC	0	OTC	368	M
3575	1	3915	1	3915	EC	0	OTC	368	M
3577	1	3915	1	3915	EC	0	OTC	368	M
3586	1	3915	1	3915	EC	0	OTC	368	M
3590	1	3915	1	3915	EC	0	OTC	360	M
3591	1	3915	1	3915	EC	0	OTC	368	M
3593	1	3915	1	3915	EC	0	OTC	368	M
3596	1	3915	1	3915	N9	0	OTC	360	M
3607	1	3915	1	3915	EC	0	OTC	432	M
3611	1	3915	1	3915	EC	0	OTC	432	M
3612	1	3915	1	3915	EC	0	OTC	432	M

3614	1	3915	1	3915	EC	0	OTC	432	M
3617	1	3915	1	3915	EC	0	OTC	432	M
3618	1	3915	1	3915	EC	0	OTC	432	M
3624	1	3915	1	3915	EC	0	OTC	360	M
3632	1	3915	1	3915	EC	0	OTC	360	M
3634	1	3915	1	3915	EC	0	OTC	360	M
3642	1	3915	1	3915	N9	0	OTC	432	M
3643	1	3915	1	3915	EC	0	OTC	432	M
3644	1	3915	1	3915	EC	0	OTC	360	M
3645	1	3915	1	3915	EC	0	OTC	432	M
3646	1	3915	1	3915	EC	0	OTC	432	M
3648	1	3915	1	3915	N9	0	OTC	360	M
3649	1	3915	1	3915	EC	0	OTC	360	M
3650	1	3915	1	3915	N9	0	OTC	432	M
3656	1	3915	1	3915	EC	0	OTC	360	M
3659	1	3915	1	3915	EC	0	OTC	432	M
3661	1	3915	1	3915	EC	0	OTC	432	M
3662	1	3915	1	3915	EC	0	OTC	360	M
3687	1	3915	1	3915	EC	0	OTC	432	M
3702	1	3915	1	3915	EC	0	OTC	432	M
3706	1	3915	1	3915	EC	0	OTC	360	M
3710	1	3915	1	3915	EC	0	OTC	432	M
3713	1	3915	1	3915	EC	0	OTC	432	M
3724	1	3915	1	3915	EC	1	OTC	360	M
3730	1	3915	1	3915	EC	0	OTC	360	M
3731	1	3915	1	3915	N9	0	OTC	432	M
3733	1	3915	1	3915	EC	0	OTC	432	M
3734	1	3915	1	3915	EC	0	OTC	432	M
3737	1	3915	1	3915	EC	0	OTC	360	M
3738	1	3915	1	3915	EC	0	OTC	360	M
3739	1	3915	1	3915	EC	0	OTC	360	M
3742	1	3915	1	3915	EC	0	OTC	360	M
3746	1	3915	1	3915	EC	0	OTC	360	M
3756	1	3915	1	3915	N9	0	OTC	360	M
3757	1	3915	1	3915	EC	0	OTC	360	M
3759	1	3915	1	3915	EC	1	OTC	360	M
3762	1	3915	1	3915	EC	0	OTC	360	M
3765	1	3915	1	3915	EC	0	OTC	360	M
3766	1	3915	1	3915	EC	0	OTC	360	M
3773	1	3915	1	3915	EC	0	OTC	360	M
3774	1	3915	1	3915	EC	0	OTC	360	M
3776	1	3915	1	3915	EC	0	OTC	360	M
3778	1	3915	1	3915	EC	0	OTC	360	M
3780	1	3915	1	3915	EC	0	OTC	360	M
3782	1	3915	1	3915	EC	0	OTC	360	M

3783	1	3915	1	3915	N9	0	OTC	360	M
3785	1	3915	1	3915	EC	0	OTC	360	M
3786	1	3915	1	3915	EC	0	OTC	360	M
3788	1	3915	1	3915	EC	0	OTC	360	M
3791	1	3915	1	3915	EC	0	OTC	360	M
3793	1	3915	1	3915	EC	0	OTC	360	M
3794	1	3915	1	3915	EC	0	OTC	368	M
3797	1	3915	1	3915	EC	0	OTC	368	M
3801	1	3915	1	3915	EC	0	OTC	368	M
3802	1	3915	1	3915	EC	0	OTC	368	M
3806	1	3915	1	3915	EC	0	OTC	368	M
3810	1	3915	1	3915	EC	0	OTC	368	M
3811	1	3915	1	3915	EC	0	OTC	368	M
3812	1	3915	1	3915	EC	0	OTC	368	M
3815	1	3915	1	3915	EC	0	OTC	368	M
3818	1	3915	1	3915	EC	0	OTC	368	M
3820	1	3915	1	3915	EC	0	OTC	368	M
3821	1	3915	1	3915	EC	0	OTC	368	M
3824	1	3915	1	3915	N9	0	OTC	368	M
3826	1	3915	1	3915	EC	0	OTC	368	M
3828	1	3915	1	3915	EC	0	OTC	368	M
3839	1	3915	1	3915	EC	0	OTC	432	M
3840	1	3915	1	3915	EC	0	OTC	432	M
3847	1	3915	1	3915	N9	0	OTC	360	M
3848	1	3915	1	3915	EC	0	OTC	360	M
3850	1	3915	1	3915	EC	0	OTC	360	M
3853	1	3915	1	3915	EC	0	OTC	360	M
3859	1	3915	1	3915	EC	0	OTC	368	M
3861	1	3915	1	3915	EC	0	OTC	432	M
3867	1	3915	1	3915	EC	0	OTC	432	M
3869	1	3915	1	3915	EC	0	OTC	368	M
3877	1	3915	1	3915	EC	0	OTC	360	M
3878	1	3915	1	3915	EC	0	OTC	368	M
3879	1	3915	1	3915	EC	0	OTC	360	M
3881	1	3915	1	3915	N9	0	OTC	432	M
3883	1	3915	1	3915	N9	0	OTC	432	M
3884	1	3915	1	3915	EC	0	OTC	368	M
3885	1	3915	1	3915	EC	0	OTC	360	M
3896	1	3915	1	3915	EC	0	OTC	360	M
3899	1	3915	1	3915	EC	0	OTC	360	M
3901	1	3915	1	3915	EC	0	OTC	360	M
3911	1	3915	1	3915	EC	0	OTC	360	M
3914	1	3915	1	3915	EC	0	OTC	360	M
3915	1	3915	1	3915	EC	0	OTC	360	M
3917	1	3915	1	3915	EC	0	OTC	360	M

3918	1	3915	1	3915	EC	0	OTC	360	M
3922	1	3915	1	3915	EC	0	OTC	360	M
3923	1	3915	1	3915	EC	0	OTC	360	M
3925	1	3915	1	3915	EC	0	OTC	360	M
3927	1	3915	1	3915	EC	0	OTC	360	M
3929	1	3915	1	3915	EC	0	OTC	360	M
3930	1	3915	1	3915	EC	0	OTC	360	M
3931	1	3915	1	3915	EC	0	OTC	360	M
3935	1	3915	1	3915	EC	0	OTC	360	M
3936	1	3915	1	3915	N9	0	OTC	360	M
3937	1	3915	1	3915	EC	0	OTC	360	M
3938	1	3915	1	3915	EC	0	OTC	360	M
3940	1	3915	1	3915	EC	1	OTC	360	M
3943	1	3915	1	3915	EC	0	OTC	360	M
3949	1	3915	1	3915	EC	0	OTC	432	M
3956	1	3915	1	3915	N9	0	OTC	360	M
3968	1	3915	1	3915	N9	0	OTC	360	M
3972	1	3915	1	3915	EC	0	OTC	432	M
3973	1	3915	1	3915	EC	0	OTC	360	M
3982	1	3915	1	3915	N9	0	OTC	360	M
3983	1	3915	1	3915	N9	0	OTC	360	M
3984	1	3915	1	3915	EC	0	OTC	432	M
3987	1	3915	1	3915	EC	0	OTC	360	M
3988	1	3915	1	3915	EC	0	OTC	432	M
3999	1	3915	1	3915	EC	0	OTC	432	M
4000	1	3915	1	3915	EC	1	OTC	432	M
4006	1	3915	1	3915	EC	0	OTC	432	M
4008	1	3915	1	3915	EC	0	OTC	360	M
4012	1	3915	1	3915	EC	0	OTC	432	M
4018	1	3915	1	3915	EC	0	OTC	432	M
4020	1	3915	1	3915	EC	0	OTC	432	M
4021	1	3915	1	3915	EC	0	OTC	432	M
4022	1	3915	1	3915	EC	0	OTC	432	M
4026	1	3915	1	3915	N9	0	OTC	360	M
4031	1	3915	1	3915	EC	0	OTC	432	M
4032	1	3915	1	3915	N9	0	OTC	360	M
4033	1	3915	1	3915	EC	0	OTC	432	M
4034	1	3915	1	3915	EC	0	OTC	360	M
4036	1	3915	1	3915	EC	0	OTC	360	M
4037	1	3915	1	3915	N9	0	OTC	360	M
4039	1	3915	1	3915	EC	0	OTC	432	M
4043	1	3915	1	3915	N9	0	OTC	360	M
4044	1	3915	1	3915	EC	0	OTC	360	M
4047	1	3915	1	3915	N9	0	OTC	432	M
4056	1	3915	1	3915	EC	0	OTC	360	M

4058	1	3915	1	3915	N9	0	OTC	432	M
4062	1	3915	1	3915	EC	0	OTC	360	M
4068	1	3915	1	3915	N9	0	OTC	432	M
4071	1	3915	1	3915	EC	0	OTC	360	M
4074	1	3915	1	3915	EC	0	OTC	360	M
4075	1	3915	1	3915	EC	0	OTC	360	M
4077	1	3915	1	3915	EC	0	OTC	360	M
4080	1	3915	1	3915	N9	0	OTC	432	M
4087	1	3915	1	3915	EC	0	OTC	432	M
4089	1	3915	1	3915	EC	0	OTC	360	M
4091	1	3915	1	3915	N9	0	OTC	360	M
4092	1	3915	1	3915	EC	0	OTC	360	M
4099	1	3915	1	3915	EC	0	OTC	360	M
4100	1	3915	1	3915	EC	0	OTC	360	M
4101	1	3915	1	3915	N9	0	OTC	360	M
4103	1	3915	1	3915	N9	0	OTC	432	M
4104	1	3915	1	3915	N9	0	OTC	360	M
4105	1	3915	1	3915	EC	0	OTC	360	M
4108	1	3915	1	3915	EC	0	OTC	360	M
4110	1	3915	1	3915	EC	0	OTC	432	M
4120	1	3915	1	3915	EC	0	OTC	360	M
4125	1	3915	1	3915	EC	0	OTC	360	M
4127	1	3915	1	3915	EC	0	OTC	360	M
4133	1	3915	1	3915	EC	0	OTC	360	M
4134	1	3915	1	3915	EC	0	OTC	360	M
4135	1	3915	1	3915	EC	0	OTC	360	M
4137	1	3915	1	3915	EC	0	OTC	360	M
4140	1	3915	1	3915	EC	0	OTC	360	M
4141	1	3915	1	3915	EC	0	OTC	360	M
4142	1	3915	1	3915	EC	0	OTC	360	M
4145	1	3915	1	3915	EC	0	OTC	360	M
4146	1	3915	1	3915	EC	0	OTC	360	M
4147	1	3915	1	3915	EC	0	OTC	360	M
4149	1	3915	1	3915	EC	0	OTC	360	M
4150	1	3915	1	3915	EC	0	OTC	360	M
4152	1	3915	1	3915	EC	0	OTC	360	M
4154	1	3915	1	3915	EC	0	OTC	360	M
4155	1	3915	1	3915	EC	0	OTC	360	M
4159	1	3915	1	3915	EC	0	OTC	432	M
4160	1	3915	1	3915	EC	0	OTC	432	M
4165	1	3915	1	3915	EC	0	OTC	334	F
4167	1	3915	1	3915	N9	0	OTC	360	M
4169	1	3915	1	3915	EC	0	OTC	432	M
4170	1	3915	1	3915	EC	0	OTC	432	M
4173	1	3915	1	3915	N9	0	OTC	360	M

4175	1	3915	1	3915	EC	0	OTC	432	M
4176	1	3915	1	3915	EC	0	OTC	432	M
4179	1	3915	1	3915	EC	1	OTC	432	M
4183	1	3915	1	3915	EC	0	OTC	432	M
4184	1	3915	1	3915	EC	0	OTC	432	M
4190	1	3915	1	3915	EC	0	OTC	432	M
4191	1	3915	1	3915	EC	0	OTC	432	M
4193	1	3915	1	3915	EC	0	OTC	432	M
4194	1	3915	1	3915	EC	0	OTC	432	M
4198	1	3915	1	3915	EC	0	OTC	432	M
4200	1	3915	1	3915	EC	0	OTC	432	M
4201	1	3915	1	3915	EC	0	OTC	432	M
4206	1	3915	1	3915	EC	0	OTC	432	M
4209	1	3915	1	3915	EC	0	OTC	432	M
4211	1	3915	1	3915	EC	0	OTC	432	M
4216	1	3915	1	3915	N9	0	OTC	432	M
4218	1	3915	1	3915	N9	0	OTC	432	M
4222	1	3915	1	3915	EC	0	OTC	432	M
4223	1	3915	1	3915	EC	0	OTC	432	M
4226	1	3915	1	3915	EC	0	OTC	432	M
4230	1	3915	1	3915	EC	0	OTC	432	M
4236	1	3915	1	3915	EC	0	OTC	400	M
4240	1	3915	1	3915	EC	0	OTC	400	M
4243	1	3915	1	3915	EC	0	OTC	400	M
4244	1	3915	1	3915	EC	0	OTC	400	M
4248	1	3915	1	3915	EC	0	OTC	400	M
4252	1	3915	1	3915	EC	0	OTC	400	M
4256	1	3915	1	3915	EC	0	OTC	400	M
4262	1	3915	1	3915	EC	1	OTC	400	M
4264	1	3915	1	3915	EC	0	OTC	400	M
4265	1	3915	1	3915	EC	0	OTC	400	M
4267	1	3915	1	3915	EC	0	OTC	400	M
4268	1	3915	1	3915	EC	0	OTC	334	F
4271	1	3915	1	3915	EC	0	OTC	432	M
4274	1	3915	1	3915	EC	0	OTC	432	M
4275	1	3915	1	3915	N9	0	OTC	432	M
4276	1	3915	1	3915	N9	0	OTC	432	M
4281	1	3915	1	3915	EC	0	OTC	334	F
4282	1	3915	1	3915	EC	0	OTC	334	F
4283	1	3915	1	3915	EC	0	OTC	334	F
4285	1	3915	1	3915	EC	0	OTC	432	M
4289	1	3915	1	3915	EC	0	OTC	334	F
4292	1	3915	1	3915	EC	0	OTC	400	M
4296	1	3915	1	3915	EC	1	OTC	400	M
4298	1	3915	1	3915	EC	0	OTC	400	M

4301	1	3915	1	3915	EC	1	OTC	432	M
4302	1	3915	1	3915	EC	0	OTC	400	M
4304	1	3915	1	3915	EC	0	OTC	334	F
4305	1	3915	1	3915	EC	0	OTC	400	M
4312	1	3915	1	3915	EC	0	OTC	400	M
4313	1	3915	1	3915	EC	0	OTC	432	M
4314	1	3915	1	3915	EC	0	OTC	400	M
4317	1	3915	1	3915	EC	0	OTC	400	M
4324	1	3915	1	3915	EC	0	OTC	400	M
4325	1	3915	1	3915	EC	0	OTC	400	M
4328	1	3915	1	3915	EC	0	OTC	400	M
4333	1	3915	1	3915	EC	0	OTC	400	M
4336	1	3915	1	3915	EC	1	OTC	400	M
4337	1	3915	1	3915	EC	0	OTC	400	M
4339	1	3915	1	3915	EC	1	OTC	400	M
4345	1	3915	1	3915	EC	0	OTC	432	M
4348	1	3915	1	3915	EC	0	OTC	432	M
4350	1	3915	1	3915	EC	0	OTC	432	M
4352	1	3915	1	3915	EC	0	OTC	432	M
4353	1	3915	1	3915	EC	1	OTC	432	M
4355	1	3915	1	3915	EC	0	OTC	432	M
4356	1	3915	1	3915	EC	0	OTC	432	M
4357	1	3915	1	3915	EC	0	OTC	432	M
4358	1	3915	1	3915	EC	0	OTC	432	M
4360	1	3915	1	3915	EC	0	OTC	432	M
4361	1	3915	1	3915	EC	0	OTC	432	M
4362	1	3915	1	3915	EC	0	OTC	432	M
4364	1	3915	1	3915	EC	0	OTC	432	M
4366	1	3915	1	3915	EC	0	OTC	432	M
4369	1	3915	1	3915	EC	0	OTC	400	M
4376	1	3915	1	3915	EC	0	OTC	432	M
4377	1	3915	1	3915	EC	0	OTC	432	M
4378	1	3915	1	3915	EC	0	OTC	432	M
4380	1	3915	1	3915	N9	0	OTC	400	M
4381	1	3915	1	3915	EC	0	OTC	400	M
4383	1	3915	1	3915	EC	0	OTC	432	M
4384	1	3915	1	3915	EC	0	OTC	432	M
4385	1	3915	1	3915	EC	0	OTC	432	M
4386	1	3915	1	3915	EC	0	OTC	432	M
4389	1	3915	1	3915	EC	0	OTC	432	M
4392	1	3915	1	3915	EC	0	OTC	370	M
4393	1	3915	1	3915	EC	0	OTC	400	M
4399	1	3915	1	3915	EC	0	OTC	400	M
4400	1	3915	1	3915	EC	0	OTC	400	M
4401	1	3915	1	3915	EC	1	OTC	400	M

4403	1	3915	1	3915	EC	0	OTC	400	M
4407	1	3915	1	3915	EC	0	OTC	400	M
4412	1	3915	1	3915	EC	0	OTC	400	M
4416	1	3915	1	3915	EC	0	OTC	400	M
4417	1	3915	1	3915	EC	0	OTC	400	M
4418	1	3915	1	3915	EC	0	OTC	400	M
4422	1	3915	1	3915	EC	0	OTC	400	M
4423	1	3915	1	3915	EC	0	OTC	400	M
4424	1	3915	1	3915	EC	0	OTC	400	M
4426	1	3915	1	3915	EC	0	OTC	400	M
4439	1	3915	1	3915	EC	0	OTC	400	M
4440	1	3915	1	3915	EC	0	OTC	400	M
4442	1	3915	1	3915	EC	0	OTC	432	M
4445	1	3915	1	3915	EC	0	OTC	432	M
4450	1	3915	1	3915	EC	0	OTC	432	M
4455	1	3915	1	3915	EC	0	OTC	432	M
4458	1	3915	1	3915	EC	0	OTC	432	M
4459	1	3915	1	3915	EC	0	OTC	432	M
4460	1	3915	1	3915	EC	0	OTC	432	M
4464	1	3915	1	3915	EC	0	OTC	432	M
4465	1	3915	1	3915	EC	0	OTC	432	M
4466	1	3915	1	3915	EC	0	OTC	432	M
4471	1	3915	1	3915	EC	0	OTC	432	M
4472	1	3915	1	3915	EC	0	OTC	432	M
4479	1	3915	1	3915	EC	0	OTC	334	F
4484	1	3915	1	3915	EC	0	OTC	400	M
4486	1	3915	1	3915	EC	0	OTC	432	M
4487	1	3915	1	3915	EC	1	OTC	432	M
4494	1	3915	1	3915	EC	0	OTC	400	M
4498	1	3915	1	3915	EC	0	OTC	432	M
4499	1	3915	1	3915	N9	0	OTC	334	F
4500	1	3915	1	3915	EC	0	OTC	400	M
4501	1	3915	1	3915	EC	0	OTC	400	M
4505	1	3915	1	3915	EC	0	OTC	400	M
4510	1	3915	1	3915	EC	0	OTC	400	M
4512	1	3915	1	3915	EC	0	OTC	400	M
4517	1	3915	1	3915	N9	0	OTC	400	M
4520	1	3915	1	3915	EC	0	OTC	400	M
4522	1	3915	1	3915	EC	0	OTC	400	M
4524	1	3915	1	3915	EC	0	OTC	432	M
4525	1	3915	1	3915	EC	0	OTC	432	M
4526	1	3915	1	3915	EC	0	OTC	432	M
4527	1	3915	1	3915	EC	0	OTC	400	M
4530	1	3915	1	3915	EC	0	OTC	400	M
4531	1	3915	1	3915	EC	0	OTC	400	M