Connecting the Dots: An Overview of the Links Among Multiple Forms of Violence







Connecting the Dots: An Overview of the Links Among Multiple Forms of Violence is a publication of the Centers for Disease Control and Prevention and Prevention Institute.

Centers for Disease Control and Prevention¹
Thomas R. Frieden, MD, MPH, Director
National Center for Injury Prevention and Control

Daniel M. Sosin, MD, MPH, FACP, Acting Director **Division of Violence Prevention**

Prevention Institute²
Larry Cohen, MSW, Executive Director

Howard R. Spivak, MD, Director

Authors

Natalie Wilkins, PhD¹
Benita Tsao, MPH, CHES²
Marci Hertz, MS¹
Rachel Davis, MSW²
Joanne Klevens, MD, PhD, MPH¹

July 2014

Suggested citation:

Wilkins, N., Tsao, B., Hertz, M., Davis, R., Klevens, J. (2014). Connecting the Dots: An Overview of the Links Among Multiple Forms of Violence. Atlanta, GA: National Center for Injury Prevention and Control, Centers for Disease Control and Prevention Oakland, CA: Prevention Institute.

"Gang violence is connected to bullying is connected to school violence is connected to intimate partner violence is connected to child abuse is connected to elder abuse is connected. It's all connected."

-Deborah Prothrow-Stith, MD, Adjunct Professor, Harvard School of Public Health

Violence takes many forms, including intimate partner violence, sexual violence, child maltreatment, bullying, suicidal behavior, and elder abuse and neglect. These forms of violence are interconnected and often share the same root causes. They can also all take place under one roof, or in a given community or neighborhood and can happen at the same time or at different stages of life. ^{1,2} Understanding the overlapping causes of violence and the things that can protect people and communities is important, and can help us better address violence in all its forms.

The purpose of this brief is to share research on the connections between different forms of violence and describe how these connections affect communities. It is our hope that this information, combined with your own practical experience, will help practitioners like you to think strategically and creatively about how you can:

- 1. **Prevent** all types of violence from occurring in the first place.
- 2. Coordinate and integrate responses to violence in a way that recognizes these connections and considers the individual in the context of their home environment, neighborhood, and larger community.

"There are experiences, particularly early in childhood, that make it extremely predictable that individuals are at substantially higher risk for involvement with violence, be it interpersonal, youth violence, intimate partner violence, dating violence, or child abuse."

-Howard Spivak, MD, Director, Division of Violence Prevention, Centers for Disease Control and Prevention

Vulnerability and Resilience: Risk Factors and Protective Factors

Violent behavior is complex. Many things increase or decrease the likelihood of violence. The communities people live in can protect them from violence or can increase their risk of violence. Things that make it more likely that people will experience violence are called **risk factors**. Examples of risk factors are: rigid social beliefs about what is "masculine" and "feminine," lack of job opportunities, and family conflict. Things that make it less likely that people will experience violence or that increase their resilience when they are faced with risk factors are called **protective factors**. Examples of protective factors are: connection to a caring adult or access to mental health services. Risk and protective factors can affect an entire community, and can occur in interactions with family and friends and within organizations and systems like schools, faith institutions, and workplaces. Individual experiences or traits can also be risk and protective factors, such as witnessing violence or having skills to solve problems non-violently. The table on pages 8 and 9 shows that some of the things that make it less likely for one type of violence to happen may also protect us from other types of violence.

The Impact of Violence on Development

People's brains develop in response to their environments.3 When children grow up in safe,4,5,6 stable,⁷ and nurturing⁸ relationships and environments, they learn empathy, impulse control, anger management and problem-solving—all skills that protect against violence.9 When children grow up in environments where they don't feel safe, their brain cells form different connections with each other to better recognize and respond to threats. 10,11 Children in these environments may misinterpret neutral facial expressions as anger, for example, 12 and more situations may trigger a fight-or-flight response. Children living in a persistently threatening environment are more likely to respond violently (fight) or run away (flight) than children who grow up in safe, stable, and nurturing environments. Fight-or-flight responses are survival skills that people are born with and often override other skills that enable non-violent conflict resolution, such as impulse control, empathy, anger management, and problem-solving skills. 13,14,11,15



Childhood abuse, neglect, and exposure to other traumatic stressors, termed adverse childhood experiences (ACEs), are common. In the Adverse Childhood Experiences Study, over 17,000 adults from a Health Maintenance Organization (HMO) were asked about their experiences in childhood and subsequent behavioral and health outcomes. Almost two-thirds of participants reported at least one ACE, and more than one in five reported three or more ACEs.³ The short- and long-term outcomes of these childhood exposures include multiple health and social problems. ACEs contribute to stress during childhood and put individuals at higher risk for health problems such as alcoholism and alcohol abuse, depression, illicit drug use, intimate partner violence, and suicide attempts. The impact of ACEs is also *cumulative*, meaning the more ACEs a child is exposed to, the higher likelihood they will experience some of these health and social problems later in life. The life expectancy of people with six or more ACEs is 20 years shorter than those without any ACEs. The impact of ACEs is 20 years shorter than those without any ACEs. The life expectancy of people with six or more ACEs are child in the problems and alcohol abuse, depression, illicit drug use, intimate partner violence, and suicide attempts. The impact of ACEs is 20 years shorter than those without any ACEs. The life expectancy of people with six or more ACEs is 20 years shorter than those without any ACEs.



There are opportunities at every stage of life to remedy the negative effects of trauma and help people heal. Whether designed for children, youth, or adults, actions and activities that promote the protective factors listed in the table on pages 8 and 9 may prevent trauma for those exposed to violence and also reduce the likelihood of violence in the first place.

Community Context and the Co-Occurrence of Multiple Forms of Violence

Community risk and protective factors are critical because they make it more or less likely that entire communities will suffer from violence. The level of safety someone feels varies so much from community to community and even from block to block because safety is not evenly distributed. Often, a community experiences an overwhelming number of risk factors without an equal balance of protective factors. This means that families and children living in some communities where there are many risk factors (e.g., high poverty, unemployment, and crime) are more likely than families and children living in other communities to experience multiple forms of violence. 18,19,20 For example:



- Neighborhoods where there is low cohesion, or where residents don't support and trust each other, are more likely to have residents that also experience child maltreatment, 21,22 intimate partner violence, 19 and youth violence. 20
- People who are socially isolated and who don't have social support from family, friends, or neighbors are more likely to perpetrate child maltreatment, intimate partner violence, suicide, suicide, and elder abuse.
- Lack of economic opportunities and unemployment are associated with perpetration of child maltreatment,²³ intimate partner violence,^{28,19} self-directed violence,^{29,30} sexual violence,³¹ and youth violence.³²
- Norms in society or in communities that support aggression or coercion are associated with physical assaults of children,^{33,34} intimate partner violence,¹⁹ sexual violence,³⁵ youth violence,³⁶ and elder maltreatment.²⁷
- Witnessing community violence puts people at higher risk of being bullied³⁷ and perpetrating sexual violence.³⁸

However, this also means that community protective factors may make it less likely that an entire community will experience violence. Things that increase peoples' and communities' resilience to violence include:

- Coordination of resources and services among community agencies. 39,40,41,27
- Access to mental health and substance abuse services. 42,41
- Support and connectedness, including connectedness to one's community, 42,19,38,43,41,27,44 family, 42,45,46,47,41 pro-social peers, 45,48 and school. 45,49,50,46,37,41

Other Shared Risk and Protective Factors

In addition to the things in communities that put people at risk for and/or protect them from violence, there are other things in people's relationships and past experiences that increase their risk or protect against violence. These other risk and protective factors are important because they often occur at the same time as larger community risk and protective factors and can further increase people's risk or resilience related to violence. For example, parents may have a harder time preventing their children from using substances (drugs, alcohol) or weapons when there are high levels of community violence in their neighborhood, putting youth already exposed to violence in their community at even higher risk for experiencing other forms of violence.⁵¹ There are a number of these risk factors that occur as a result of people's experiences, skills, behaviors, and relationships that put them at higher risk of acting violently. For example:

- Conflict within the family is linked to almost all forms of violence perpetration including child maltreatment (children in homes with high conflict are at higher risk for being victims),⁴² teen dating violence,⁵² intimate partner violence,⁵³ sexual violence,³¹ youth violence,⁴⁶ and bullying.³⁷
- Youth who associate with delinquent peers or friends are at higher risk of harming others through bullying,³⁷ youth violence,⁴⁶ teen dating violence,⁴⁵ and later in life sexual violence,³¹ and intimate partner violence.⁵⁴
- Experiencing one form of violence places individuals at a higher risk of experiencing other forms of violence (See "Violence Can Lead to More Violence" on page 4).
- Lacking skills to cope with problems non-violently^{42,27,55,37,46,56,57,53,52} and problems with substance abuse^{42,27,41,58,46,31,53,52} also place individuals at higher risk for acting violently.

Relationships and past experiences and skills can also help protect people from violence even if they are exposed to violence in their community.⁵⁹ For example, we know that people who live in communities that are violent can be "protected" from the effects of this violence (are less likely to perpetrate violence or engage in other destructive behaviors like substance use) if they have nonviolent, supportive relationships with family, friends, and other groups, like schools or faithorganizations.^{59,51,60} For example:

- Youth who feel connected and committed to school are at a lower risk of harming others through dating violence, 45 youth violence, 46 and bullying, 37 and are at lower risk for suicide. 41
- Strong family support ^{42,41,47,46,45} and non-violent problem solving skills ^{45,41,37,46,56,57,31,53,52} have been shown to be protective against almost all forms of violence.




Violence Can Lead to More Violence

Most people who are victims of violence do not act violently. However, people who experience or are exposed to one form of violence are at a higher risk for both being a victim of other forms of violence and for inflicting harm on others:

- Survivors of one form of violence are more likely to be victims of other forms of violence.
 - » Girls who are sexually abused are more likely to suffer physical violence and sexual re-victimization, engage in self-harming behavior, and be a victim of intimate partner violence later in life.⁶¹
 - » Youth who have been physically abused by a dating partner are also more likely to have suffered abuse as a child, been a victim of sexual assault, and witnessed violence in their family.⁶²
 - » Youth who report attempting suicide are approximately five times more likely to have also been in a physical fight in the last year.⁶³
 - » Women and girls involved in gangs often experience physical, emotional, and sexual abuse by other gang members, and are more likely to have been physically or sexually abused as children.^{64,65}
 - » Children who have been bullied are at greater odds for becoming involved in physical violence (e.g. weapon carrying, physical fighting).⁵⁸
- Survivors of violence are at higher risk for behaving violently.
 - » Children who experience physical abuse or neglect early in their lives are at greater risk for committing violence against peers (particularly for boys),⁶⁶ bullying, ⁶⁷ teen dating violence,⁶⁷ and committing child abuse,⁶⁸ elder abuse,⁶⁸ intimate partner violence,⁶⁸ and sexual violence³⁵ later in life.
 - » Youth who bully others are more likely to have witnessed parental violence (intimate partner violence) than those who do not bully others.^{69,70}
- People who behave violently are more likely to commit other forms of violence.
 - » Adults who are violent toward their partners are at higher risk of also abusing their children.⁷²
 - » Youth who bully are more likely to carry weapons and be physically violent.⁵⁸ They are also more likely to sexually harass peers over time⁷³ and commit violence against partners as teens⁷⁴ and as adults⁷⁵ than those who did not bully.

Despite these connections, we know people who experience violence in their communities or relationships can be protected from experiencing other forms of violence through protective factors such as the ones listed in the table on pages 8 and 9.⁵⁹



Breaking Down the Silos: Working Together to Create Safer Communities

"We have to figure out how we break down these barriers and work in a more collaborative way not just within the health system but across the social services system and the criminal justice system"

> -Georges Benjamin, MD, Executive Director, American Public Health Association

Understanding shared risk and protective factors of violence can help us plan how to prevent multiple forms of violence at once. Violence prevention and intervention efforts that focus on only one form of violence can be broadened to address multiple, connected forms of violence and increase public health impact. For example, organizations working on child maltreatment, youth violence, and suicide prevention could work together on strategies that increase families' connectedness to the community. Since community connectedness is a shared protective factor across these types of violence (and other types of violence as well), pooling resources to take action on this shared protective factor could have a broad violence prevention impact in the community. Also, knowing that experiencing one form of violence can increase families' and individuals' risk for other forms of violence can help practitioners develop services and strategies that would have the most impact for their clients. For example, practitioners working with survivors of intimate partner violence may recognize that children in families experiencing conflict and violence are at higher risk of being victims of bullying, or becoming bullies themselves^{69,70} and coordinate with schools to ensure that all members of the family are receiving the help and support they need to prevent future violence.

"Professionally we have silos, and we operate in these silos we've got to break down. Across the country, people working to prevent child abuse are right across the hall from people working on violence against women, and they don't work together. As we go into communities to bring everybody to the table, don't let people say, 'I work on child abuse, but this is about gang violence.' Don't let people say, 'I work on violence against women, and this is about child abuse.' This thing, all this violence, is connected."

> -Deborah Prothrow-Stith, MD, Adjunct Professor, Harvard School of Public Health

Practitioners can address the unique aspects of a form of violence, while still supporting joint action wherever possible. Understanding how different forms of violence are linked to one another is an important first step in coordinating strategies, activities, and resources to effectively prevent multiple forms of violence. This understanding might increase support for braided and blended funding streams and additional infrastructure for increased collaboration, which would advance the field as a whole.

Together we can make a difference in preventing all forms of violence in our lives, families, relationships, and communities. Effective prevention efforts address common risk and protective factors, reduce overall violence, and improve outcomes. As the relationships among multiple forms of violence become clearer, it's increasingly important for practitioners and researchers to consider these linkages in their work.

To Learn More

- WHO Guide to Implementing the Recommendations of the World Report on Violence, http://whqlibdoc.who.int/publications/2004/9241592079.pdf
- Lifetime Spiral of Gender Violence, <u>www.apiidv.org</u>
- Public Health Contributions to Preventing Violence, <u>www.preventioninstitute.org/unitylinks</u>
- The Relationship Between Bullying and Suicide: What We Know and What it Means for Schools, http://www.cdc.gov/violenceprevention/pdf/bullying-suicide-translation-final-a.pdf
- The Bully-Sexual Violence Pathway in Early Adolescence, http://www.cdc.gov/violenceprevention/pdf/asap_bullyingsv-a.pdf
- Harvard University's Center on the Developing Child- Science of Early Childhood Series, http://developingchild.harvard.edu/topics/science of early childhood/
- Adverse Childhood Experiences Study, http://www.cdc.gov/ace/index.htm
- Adverse Childhood Experiences Infographic, http://vetoviolence.cdc.gov/childmaltreatment/phl/resource_center_infographic.html
- Webinar: Links Between Multiple Forms of Violence, http://www.preventioninstitute.org/unity-resources/training-a-events/989-webinar-links-between-multiple-forms-of-violence-3182013.html
- Webinar: The Relationships between Child Maltreatment and Suicide & A Comprehensive Approach to Suicide Prevention, http://www.childrenssafetynetwork.org/webinar/youth-suicide-prevention-community-practice-relationship-between-child-maltreatment-and-suic

Acknowledgements

For their review of this fact sheet and thoughtful feedback, the authors thank:

- Cordelia Anderson, Sensibilities Prevention Services
- Emily Austin, <u>Peace Over Violence</u>
- Chic Dabby, Asian & Pacific Islander Institute on Domestic Violence
- Heather Fitzpatrick, American Academy of Pediatrics
- Sally Fogerty, Children's Safety Network
- Annie Gebhardt, Donna Greco and Liz Zadnik, National Sexual Violence Resource Center
- Karthryn Harding and Jim Hmurovich, Prevent Child Abuse America
- Laura Hogan and Lisa Sohn, <u>Futures Without Violence</u>
- Gayle Jaffe, Suicide Prevention Resource Center
- David Lee, PreventConnect, California Coalition Against Sexual Assault
- Anne Menard, National Resource Center on Domestic Violence
- Charles Ransford, Cure Violence
- Kaile Shilling and Billie Weiss, Violence Prevention Coalition of Greater Los Angeles
- Valerie Spiva Collins, <u>FRIENDS National Resource Center</u>

Shared Risk and Protective Factors Across Multiple Forms of Violence.

NOTE: Research on risk and protective factors for violence is continuing to evolve. In this table, "X's" indicate the existence of at least one study published in a peer reviewed journal demonstrating an association between the risk or protective factor and that type of violence. Also, some of the "community" risk and protective factors were measured through surveys of individuals (e.g. surveys asking people about neighborhood support and cohesion) versus measures at the actual community level (e.g. city alcohol licensing lists to measure alcohol outlet density), so may be considered proxies for community level risk and protective factors.

		Type of Violence Perpetration								
		Child maltreat- ment	Teen Dating Violence	Intimate Partner Violence	Sexual Violence	Youth Violence	Bullying	Suicide	Elder Maltreat- ment	
Risk	Factors									
	Cultural norms that support aggression toward others	X ^{33,76,77}	X ^{78,79}	X ⁵³	X ³¹	X ⁸⁰			X ^{27,81}	
	Media Violence				X ^{57,82}	X ⁸³	X ³⁷	X ^{84,85}		
Societal	Societal income inequity	X ¹⁰⁷		X ⁸⁶		X ^{87,88,89}	X ⁴⁷			
Soci	Weak health, educational, economic, and social policies/laws	X ⁹⁰		X ⁵³	X ³¹			X ⁹¹		
	Harmful norms around masculinity and femininity	X ⁹²	X ⁵⁴	X ⁵³	X ^{31,73,74}	X ⁹³	X ⁹⁴			
	Neighborhood poverty	X ⁴²		X ⁵³	X ³¹	X ⁴⁶		X ⁹⁵		
	High alcohol outlet density	X ⁴²		x ^{96,97}		X ⁹⁸		X ⁹⁹		
nity	Community violence	X ⁴²			X ³⁸	X ¹⁰⁰	X ³⁷			
Community	Diminished economic opportunities/high unemployment rates	x ⁴²		X ^{28,19}	X ³¹	X ⁴⁶		X ^{29,30}		
	Poor neighborhood support and cohesion	X ⁴²	X ⁴⁵	X ⁵³		x ^{46,20}		X ⁴¹		
	Social isolation/Lack of social support	X ⁴²	X ⁴⁵	X ⁵³		X ⁴⁶	X ⁵⁸	X ⁴¹	X ²⁷	
Relationship	Poor parent-child relationships	X ⁴²	X ^{52,101}	X ⁵³	X ^{57,49}	X ⁴⁶	X ³⁷	X ⁵⁵		
	Family conflict	X ⁴²	X ⁵²	X ⁵³	X ³¹	X ⁴⁶	X ³⁷			
	Economic stress	X ⁴²		X ⁵³		X ⁴⁶		X ⁴¹	X ²⁷	
	Associating with delinquent peers		X ⁴⁵	X ⁵⁴	X ³¹	X ⁴⁶	X ³⁷			
	Gang Involvement		X ⁶⁴	X ⁶⁴	X ⁶⁴	X ⁴⁶				

		Type of Violence Perpetration								
		Child maltreat- ment	Teen Dating Violence	Intimate Partner Violence	Sexual Violence	Youth Violence	Bullying	Suicide	Elder Maltreat- ment	
Individual	Low educational achievement	X ⁴²	X ⁵²	X ⁵³		X ⁴⁶	X ⁵⁸	X ⁵⁵		
	Lack of non-violent social problem-solving skills	X ⁴²	X ⁵²	X ⁵³	X ^{57,56}	X ⁴⁶	X ³⁷	X ⁵⁵	X ²⁷	
	Poor behavioral control/ Impulsiveness	X ⁴²	X ⁵²	X ⁵³	X ³¹	X ⁴⁶		X ⁴¹		
	History of violent victimization	X ⁴²	X ¹⁰²	X ⁵³	X ³¹	X ⁴⁶	X ⁶⁷	X ⁴¹	X ²⁷	
	Witnessing violence	X ⁴²	X ⁵²	\mathbf{X}^{45}	X ³¹	X ⁴⁶	X ^{103,37}	X ⁸⁵		
	Psychological/mental health problems	X ⁴²	X ⁵²	X ⁵³		X ⁴⁶		X ⁴¹	X ²⁷	
	Substance use	X ⁴²	X ⁵²	X ⁵³	X ³¹	X ⁴⁶	X ⁵⁸	X ⁴¹	X ²⁷	
Prot	tective Factors									
Ą	Coordination of resources and services among community agencies	X ³⁹		X ⁴⁰				X ⁴¹	X ²⁷	
Community	Access to mental health and substance abuse services	x ⁴²						X ⁴¹		
	Community support/ connected-ness	X ⁴²		X ¹⁹	X ^{38,44}	X ⁴³		X ⁴¹	X ²⁷	
Relationship	Family support/ connected-ness	X ⁴²	X ⁴⁵			X ⁴⁶	X ⁴⁷	X ⁴¹	X ²⁷	
	Connection to a caring adult		X ⁴⁵			X ⁴⁶		X ⁴¹		
Relati	Association with pro- social peers		X ⁴⁵			X ⁴⁸	X ¹⁰⁴			
	Connection/commitment to school		X ^{45,105}		X ^{49,50}	X ⁴⁶	X ^{37,47}	X ⁴¹		
Individual	Skills in solving problems non-violently	X ¹⁰⁶	x ¹⁰⁷			X ⁴⁶		X ⁴¹		

References

- Butchart A, Phinney A, Check P, Villaveces A. Preventing violence: a guide to implementing the recommendations of the World Report on Violence and Health. Geneva, Switzerland: World Health Organization; 2004.
- Klevens J, Simon TR, Chen J. Are the perpetrators of violence one and the same? Exploring the co-occurrence of perpetration of physical aggression in the United States. J Interpers Violence. 2012;27(10):1987-2002.
- Anda RF, Felitti VJ, Bremner JD, et al. The enduring effects of abuse and related adverse experiences in childhood. A convergence of evidence from neurobiology and epidemiology. Eur Arch Psychiatry Clin Neurosci. 2006;256(3):174-186.
- Topitzes J, Mersky JP, Reynolds AJ. From child maltreatment to violent offending: an examination of mixed-gender and genderspecific models. J Interpers Violence. 2012;27(12):2322-2347.
- Mersky JP, Reynolds AJ. Child maltreatment and violent delinquency: disentangling main effects and subgroup effects. Child Maltreat. 2007;12(3):246-258.
- Colman RA, Widom CS. Childhood abuse and neglect and adult intimate relationships: a prospective study. Child Abuse Negl. 2004;28(11):1133-1151.
- Evans GW, Wachs TD. Chaos and its influence on children's development. Washington, DC: American Psychological Association; 2010.
- Eshel N, Daelmans B, de Mello MC, Martines J. Responsive parenting: interventions and outcomes. Bull World Health Organ. 2006;84(12):991-998.
- National Research Council and Institute of Medicine. From neurons to neighborhoods: The science of early childhood development. Shonkoff JP, Phillips DA, eds. Washington, D.C.: National Academy Press; 2000.
- 10. Middlebrooks JS, Audage NC. The effects of childhood stress on health across the lifespan. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control; 2008.
- 11. National Scientific Council on the Developing Child (2010). Persistent Fear and Anxiety Can Affect Young Children's Learning and Development: Working Paper No. 9. Retrieved from www.developingchild.harvard.edu.
- 12. Pollak SD. Mechanisms linking early experience and the emergence of emotions: illustrations from the study of maltreated children. Curr Dir Psychol Sci. 2008;17(6):370-375.
- 13. Kotulak R. Inside the brain: Revolutionary discoveries of how the mind works. Kansas City, MO: Andrews McMeel Publishing; 1997.
- 14. Karr-Morse R, Wiley MS. Ghosts from the nursery: Tracing the roots of violence. New York, NY: Atlantic Monthly Press; 1997.
- 15. Gunnar MR. Quality of early care and the buffering of stress physiology: its potential role in protecting the developing human brain. IMPrint: Newsletter of the Infant Mental Health Promotion Project. 1998;21:4-7.
- 16. Centers for Disease Control and Prevention, Adverse Childhood Experiences Study. Available at: http://www.cdc.gov/nccdphp/ace/index.htm. Accessed April 4, 2014.
- 17. Adverse Childhood Experiences: Looking at how ACEs affect our lives & society. Atlanta, GA: Centers for Disease Control and Prevention; 2012. Available at: http://vetoviolence.cdc.gov/childmaltreatment/phl/resource_center_infographic.html. Accessed April 4, 2014.
- 18. Acevedo-Garcia D, Lochner KA, Osypuk TL, Subramanian SV. Future directions in residential segregation and health research: a multilevel approach. Am J Public Health. 2003;93(2):215-221.
- 19. Pinchevsky GM, Wright EM. The impact of neighborhoods on intimate partner violence and victimization. Trauma Violence Abuse. 2012;13(2):112-132.
- 20. Sampson RJ, Morenoff JD, Gannon-Rowley T. Assessing "neighborhood effects": Social processes and new directions in research. Annual review of sociology. 2002;28:443-478.
- 21. Coulton CJ, Crampton DS, Irwin M, Spilsbury JC, Korbin JE. How neighborhoods influence child maltreatment: a review of the literature and alternative pathways. Child Abuse Negl. 2007;31(11-12):1117-1142.
- 22. Freisthler B, Merritt DH, LaScala EA. Understanding the ecology of child maltreatment: a review of the literature and directions for future research. Child Maltreat. 2006;11(3):263-280.
- 23. Runyan D, Wattam, C, Ikeda, R., Hassan, F, Ramiro, L. Child abuse and neglect by parents and caregivers. In: Krug E, Dahlberg LL, Mercy, JA, Zwi AB, Lozano R, ed. World report on violence and health. Geneva, Switzerland: World Health Organization; 2002:59-86.
- 24. Tjaden PG, Thoennes N. Extent, nature, and consequences of intimate partner violence: findings from the National Violence Against Women Survey. Washington DC: US Department of Justice, Office of Justice Programs, National Institute of Justice; 2000.
- 25. Moscicki E, Crosby A. Epidemiology of attempted suicide in adolescents: issues for prevention. Trends in Evidence-Based Neuropsychiatry. 2003;5(2):36-44.
- 26. Crosby AE, Buckner AV, Taylor BD. Addressing self-directed violence prevention for preventive medicine practitioners. American Journal of Lifestyle Medicine. 2011;5(5):418-427.

- 27. Centers for Disease Control and Prevention, Elder Maltreatment: Risk and Protective Factors. Available at: http://www.cdc.gov/ViolencePrevention/eldermaltreatment/riskprotectivefactors.html. Accessed April 4, 2014.
- 28. Heise L, Garcia-Moreno C. Violence by intimate partners. In: In: Krug E, Dahlberg LL, Mercy, JA, Zwi AB, Lozano R, ed. World report on violence and health. Geneva, Switzerland: World Health Organization; 2002:87-121
- 29. Luo F, Florence CS, Quispe-Agnoli M, Ouyang L, Crosby AE. Impact of business cycles on US suicide rates, 1928-2007. *American journal of public health.* 2011;101(6):1139-1146.
- **30.** Reeves A, Stuckler D, McKee M, Gunnell D, Chang SS, Basu S. Increase in state suicide rates in the USA during economic recession. *The Lancet*. 2012;380(9856):1813-1814.
- **31.** Centers for Disease Control and Prevention, Sexual Violence: Risk and Protective Factors. Available at: http://www.cdc.gov/ViolencePrevention/sexualviolence/riskprotectivefactors.html Accessed April 4, 2014.
- 32. Wilson WJ. When work disappears: The world of the new urban poor. New York, NY: Random House LLC; 2011.
- **33.** Jackson S, Thompson RA, Christiansen EH, et al. Predicting abuse-prone parental attitudes and discipline practices in a nationally representative sample. *Child Abuse & Neglect.* 1999;23(1):15-29.
- **34.** Zolotor AJ, Theodore AD, Runyan DK, Chang JJ, Laskey AL. Corporal punishment and physical abuse: population-based trends for three-to-11-year-old children in the United States. *Child abuse review.* 2011;20(1):57-66.
- 35. Jewkes R. Rape perpetration: a review. Pretoria, Sexual Violence Research Initiative. 2012.
- **36.** Stewart EA, Simons RL. *The code of the street and African-American adolescent violence*. Washington, DC: US Department of Justice, Office of Justice Programs, National Institute of Justice; 2009.
- **37.** Hong JS, Espelage DL. A review of research on bullying and peer victimization in school: An ecological system analysis. *Aggression and Violent Behavior.* 2012;17(4):311-322.
- **38.** Basile KC, Hamburger ME, Swahn MH, Choi C. Sexual violence perpetration by adolescents in dating versus same-sex peer relationships: differences in associated risk and protective factors. *The Western Journal of Emergency Medicine*. 2013;14(4):329-340.
- **39.** Daro D, Huang LA, English B. The Duke Endowment Child Abuse Prevention Initiative: Durham Family Initiative Implementation Report. Chicago, IL: Chapin Hall at the University of Chicago; 2009.
- **40.** Klevens J, Baker CK, Shelley GA, Ingram EM. Exploring the links between components of coordinated community responses and their impact on contact with intimate partner violence services. *Violence Against Women.* 2008;14(3):346-358.
- **41.** Centers for Disease Control and Prevention. Suicide: Risk and Protective Factors. Available at: http://www.cdc.gov/violenceprevention/suicide/riskprotectivefactors.html. Accessed April 4, 2014.
- **42.** Centers for Disease Control and Prevention. Child Maltreatment: Risk and Protective Factors. Available at: http://www.cdc.gov/violenceprevention/childmaltreatment/riskprotectivefactors.html. Accessed April 4, 2014.
- **43.** Widome R, Sieving RE, Harpin SA, Hearst MO. Measuring neighborhood connection and the association with violence in young adolescents. *Journal of Adolescent Health*. 2008;43(5):482-489.
- 44. Borowsky IW, Hogan M, Ireland M. Adolescent sexual aggression: risk and protective factors. *Pediatrics*. 1997;100(6):e7-e7.
- **45.** Capaldi DM, Knoble NB, Shortt JW, Kim HK. A systematic review of risk factors for Intimate partner violence. *Partner Abuse*. 2012;3(2):231-280.
- **46.** Centers for Disease Control and Prevention. Youth Violence: Risk and Protective Factors. Available at: http://www.cdc.gov/violenceprevention/youthviolence/riskprotectivefactors.html. Accessed April 4, 2014.
- **47.** Elgar FJ, Craig W, Boyce W, Morgan A, Vella-Zarb R. Income inequality and school bullying: multilevel study of adolescents in 37 countries. *Journal of Adolescent Health*. 2009;45(4):351-359.
- **48.** Lösel F, Farrington DP. Direct protective and buffering protective factors in the development of youth violence. *American Journal of Preventive Medicine*. 2012;43(2):S8-S23.
- **49.** DeGue S, Massetti GM, Holt MK, et al. Identifying links between sexual violence and youth violence perpetration. *Psychology of Violence*. 2013;3(2):140-156.
- **50.** Basile KC, Espelage DL, Rivers I, McMahon PM, Simon TR. The theoretical and empirical links between bullying behavior and male sexual violence perpetration. *Aggression and Violent Behavior*. 2009;14(5):336-347.
- 51. Spano R, Vazsonyi AT, Bolland J. Does parenting mediate the effects of exposure to violence on violent behavior? An ecological-transactional model of community violence. *Journal of Adolescence*. 2009;32(5):1321-1341.
- **52.** Vagi KJ, Rothman EF, Latzman NE, Tharp AT, Hall DM, Breiding MJ. Beyond correlates: a review of risk and protective factors for adolescent dating violence perpetration. *Journal of Youth and Adolescence*. 2013;42(4):633-649.
- **53.** Centers for Disease Control and Prevention. Intimate Partner Violence: Risk and Protective Factors. Available at: http://www.cdc.gov/violenceprevention/intimatepartnerviolence/riskprotectivefactors.html. Accessed April 4, 2014.

- 54. Reitzel-Jaffe D, Wolfe DA. Predictors of relationship abuse among young men. Journal of Interpersonal Violence. 2001;16(2):99-115.
- 55. Lubell KM, Vetter JB. Suicide and youth violence prevention: the promise of an integrated approach. *Aggression and Violent Behavior*. 2006;11(2):167-175.
- **56.** Moffitt TE. Adolescence-limited and life-course-persistent antisocial behavior: a developmental taxonomy. *Psychological Review*. 1993;100(4):674-701.
- 57. Tharp AT, DeGue S, Valle LA, Brookmeyer KA, Massetti GM, Matjasko JL. A systematic qualitative review of risk and protective factors for sexual violence perpetration. *Trauma, Violence, & Abuse.* 2013;14(2):133-167.
- 58. Nansel TR, Overpeck MD, Haynie DL, Ruan WJ, Scheidt PC. Relationships between bullying and violence among US youth. *Archives of Pediatrics & Adolescent Medicine*. 2003;157(4):348-353.
- **59.** Resnick MD, Ireland M, Borowsky I. Youth violence perpetration: what protects? What predicts? Findings from the National Longitudinal Study of Adolescent Health. *Journal of Adolescent Health*. 2004;35(5):e421-e424
- 60. Margolin G, Gordis EB. The effects of family and community violence on children. Annual Review of Psychology. 2000;51(1):445-479.
- **61.** Trickett PK, Noll JG, Putnam FW. The impact of sexual abuse on female development: lessons from a multigenerational, longitudinal research study. *Development and Psychopathology*. 2011;23(2):453-476.
- **62.** Hamby S, Finkelhor D, Turner H. Teen dating violence: co-occurrence with other victimizations in the National Survey of Children's Exposure to Violence (NatSCEV). *Psychology of Violence*. 2012;2(2):111-124.
- **63.** Swahn M, Lubell, K, Simon, T. Suicide attempts and physical fighting among high school students--United States, 2001. *MMWR. Morbidity and Mortality Weekly Report.* 2004;53(22):474-476.
- **64.** Ulloa EC, Dyson RB, Wynes DD. Inter-partner violence in the context of gangs: a review. *Aggression and Violent Behavior*. 2012;17(5):397-404.
- 65. Archer L, Grascia AM. Girls, gangs and crime: profile of the young female offender. Journal of Gang Research. 2006;13(2):37-48.
- **66.** Logan JE, Leeb RT, Barker LE. Gender-specific mental and behavioral outcomes among physically abused high-risk seventh-grade youths. *Public Health Reports*. 2009;124(2):234-245.
- **67.** Duke NN, Pettingell SL, McMorris BJ, Borowsky IW. Adolescent violence perpetration: associations with multiple types of adverse childhood experiences. *Pediatrics*. 2010;125(4):e778-e786.
- **68.** Violence and the Family: Report of the American Psychological Association Presidential Task Force on Violence and the Family. Washington, DC: American Psychological Association; 1996.
- 69. Baldry AC. Bullying in schools and exposure to domestic violence. Child Abuse & Neglect. 2003;27(7):713-732.
- **70.** McKenna M, Hawk, E, Mullen, J, Hertz, M. Bullying among middle school and high school students--Massachusetts, 2009. *MMWR Morbidity and Mortality Weekly Report*. Apr 22 2011;60(15):465-471.
- 71. Knickerbocker L, Heyman RE, Smith Slep AM, Jouriles EN, McDonald R. Co-occurrence of child and partner maltreatment. *European Psychologist*. 2007;12(1):36-44.
- **72.** Espelage DL, Basile KC, Hamburger ME. Bullying perpetration and subsequent sexual violence perpetration among middle school students. *Journal of Adolescent Health*. 2012;50(1):60-65.
- 73. Connolly J, Pepler D, Craig W, Taradash A. Dating experiences of bullies in early adolescence. Child Maltreatment. 2000;5(4):299-310.
- 74. Falb KL, McCauley HL, Decker MR, Gupta J, Raj A, Silverman JG. School bullying perpetration and other childhood risk factors as predictors of adult intimate partner violence perpetration. *Archives of Pediatrics & Adolescent Medicine*. 2011;165(10):890-894.
- **75.** Briggs CM, Cutright P. Structural and cultural determinants of child homicide: a cross-national analysis. *Violence and Victims*. 1994;9(1):3-16.
- **76.** Ferrari AM. The impact of culture upon child rearing practices and definitions of maltreatment. *Child Abuse & Neglect*. 2002;26(8):793-813.
- 77. Reeves PM, Orpinas P. Dating norms and dating violence among ninth graders in northeast Georgia reports from student surveys and focus groups. *Journal of Interpersonal Violence*. 2012;27(9):1677-1698.
- **78.** Flisher AJ, Myer L, Merais A, Lombard C, Reddy P. Prevalence and correlates of partner violence among South African adolescents. *Journal of Child Psychology and Psychiatry.* 2007;48(6):619-627.
- **79.** Mercy J, Butchart, A, Farrington, D, Cerdá, M. Youth violence. In: Krug E, Dahlberg LL, Mercy, JA, Zwi AB, Lozano R, ed. *World report on violence and health*. Geneva (Switzerland): World Health Organization; 2000: 25-56.
- **80.** Kosberg JI, Nahmiash D. Characteristics of victims and perpetrators and milieus of abuse and neglect. In: Baumhorer LA, Bell SC, ed. *Abuse, neglect and exploitation of older persons: strategies for assessment and intervention.* Baltimore, MD: Health Professions Press; 1996:31-50.
- 81. Ybarra ML, Diener-West M, Markow D, Leaf PJ, Hamburger M, Boxer P. Linkages between Internet and other media violence with seriously violent behavior by youth. *Pediatrics*. 2008;122(5):929-937.

- **83.** Anderson CA, Shibuya A, Ihori N, et al. Violent video game effects on aggression, empathy, and prosocial behavior in eastern and western countries: a meta-analytic review. *Psychological Bulletin*. 2010;136(2):151-173.
- **83.** Niederkrotenthaler T, Voracek M, Herberth A, et al. Role of media reports in completed and prevented suicide: Werther v. Papageno effects. *The British Journal of Psychiatry*. 2010;197(3):234-243.
- 84. Insel BJ, Gould MS. Impact of modeling on adolescent suicidal behavior. Psychiatric Clinics of North America. 2008;31(2):293-316.
- 85. Asal V, Brown M. A cross- ational exploration of the Conditions that produce interpersonal violence. *Politics & Policy*. 2010;38(2):175-192.
- 86. Fajnzlber P, Lederman D, Loayza N. Inequality and violent crime. Journal of Law & Economics. 2002;45:1-40.
- 87. Nivette AE. Cross-national predictors of crime: a meta-analysis. Homicide Studies. 2011;15(2):103-131.
- 88. Kennedy BP, Kawachi I, Prothrow-Stith D, Lochner K, Gupta V. Social capital, income inequality, and firearm violent crime. *Social Science & Medicine*. 1998;47(1):7-17.
- **89.** Metzler M, Klevens, J, Mercy, JA, Saul, J. A conceptual framework for exploring the social determinants of child maltreatment. In: Alexander S, Alexander R, Guterman, N ed. *Prevention of Child Maltreatment*. St. Louis, MO: STM Learning; in press.
- 90. Flavin P, Radcliff B. Public policies and suicide rates in the American states. Social Indicators Research. 2009;90(2):195-209.
- **91.** Deyoung Y, Zigler EF. Machismo in two cultures: relation to punitive child-rearing practices. *American Journal of Orthopsychiatry*. 1994;64(3):386-395.
- **92.** Whitehead A. Man to man violence: How masculinity may work as a dynamic risk factor. *The Howard Journal of Criminal Justice*. 2005;44(4):411-422.
- **93.** Espelage DL, Swearer SM. Addressing research gaps in the intersection between homophobia and bullying. *School Psychology Review.* 2008;37(2):155-159.
- **94.** Rehkopf DH, Buka SL. The association between suicide and the socio-economic characteristics of geographical areas: a systematic review. *Psychological Medicine*. 2006;36(2):145-158.
- **95.** Cunradi CB, Mair C, Ponicki W, Remer L. Alcohol outlet density and intimate partner violence-related emergency department visits. *Alcoholism: Clinical and Experimental Research.* 2012;36(5):847-853.
- 96. Livingston M. A longitudinal analysis of alcohol outlet density and domestic violence. Addiction. 2011;106(5):919-925.
- **97.** Resko SM, Walton MA, Bingham CR, et al. Alcohol availability and violence among inner-city adolescents: a multi-level analysis of the role of alcohol outlet density. *American Journal of Community Psychology.* 2010;46(3-4):253-262.
- 98. Escobedo LG, Ortiz M. The relationship between liquor outlet density and injury and violence in New Mexico. *Accident Analysis & Prevention*. 2002;34(5):689-694.
- **99.** Kelly S. The psychological consequences to adolescents of exposure to gang violence in the community: an integrated review of the literature. *Journal of Child and Adolescent Psychiatric Nursing*, 2010;23(2):61-73.
- **100.** Tharp AT, Noonan RK. Associations between three characteristics of parent–youth relationships, youth substance use, and dating attitudes. *Health Promotion Practice*. 2012;13(4):515-523.
- **101.** Espelage DL, Holt MK. Dating violence & sexual harassment across the bully-victim continuum among middle and high school students. *Journal of Youth and Adolescence*. 2007;36(6):799-811.
- **102.** Corvo K, deLara E. Towards an integrated theory of relational violence: is bullying a risk factor for domestic violence? *Aggression and Violent Behavior.* 2010;15(3):181-190.
- **103.** Salmivalli C, Huttunen A, Lagerspetz KM. Peer networks and bullying in schools. *Scandinavian Journal of Psychology*. 1997;38(4):305-312.
- **104.** Cleveland HH, Herrera VM, Stuewig J. Abusive males and abused females in adolescent relationships: risk factor similarity and dissimilarity and the role of relationship seriousness. *Journal of Family Violence*. 2003;18(6):325-339.
- 105. Sanders MR, Pidgeon AM, Gravestock F, Connors MD, Brown S, Young RW. Does parental attributional retraining and anger management enhance the effects of the Triple P-Positive Parenting Program with parents at risk of child maltreatment? *Behavior Therapy*. 2004;35(3):513-535.
- **106.** Foshee VA, Bauman KE, Ennett ST, Linder GF, Benefield T, Suchindran C. Assessing the long-term effects of the Safe Dates program and a booster in preventing and reducing adolescent dating violence victimization and perpetration. *American Journal of Public Health*. 2004;94(4):619-624.
- 107. Eckenrode J, Smith EG, McCarthy, ME, Dineen Ml. Income inequality and child maltreatment in the United States. *Pediatrics*. 2014; 133(3):454-461.

For more information please contact:

Centers for Disease Control and Prevention
National Center for Injury Prevention and Control
Division of Violence Prevention
4770 Buford Hwy NE, MS F-64
Atlanta, GA 30341

1-800-CDC-INFO • www.cdc.gov/violenceprevention