Indiana State Department of Health
Chemistry Laboratory

ANALYTICAL REPORT

Sample Delivery Group	1946
Submitter	IDEM Land Quality
Submitter's Project ID	
Date Received	06/22/05
Date Completed	/ /

DRAFT

Table of Contents

Method 8260 Organic Analysis 2
Method TPH Organic Analysis 26

Approvals for the included reports

Report	Analyst	Supervisor	QAO
Organic Analysis Report	_____	_____	_____

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Method 8260 Organic Analysis

Results for Method: 8260 VOC

ISDH Lab. Number	: 165657	Date of Collection	: 06/20/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 200	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.8	<
74-87-3	Chloromethane	0.8	<
75-01-4	Vinyl chloride	0.8	<
74-83-9	Bromomethane	0.8	<
75-00-3	Chloroethane	0.8	<
75-69-4	Trichlorofluoromethane	0.8	<
75-35-4	1,1-Dichloroethylene	0.8	<
75-09-2	Methylene chloride	0.8	<
1634-04-4	Methyl-t-butyl ether	0.8	<
156-60-5	trans-1,2-Dichloroethylene	0.8	<
75-34-3	1,1-Dichloroethane	0.8	<
594-20-7	2,2-Dichloropropane	0.8	<
156-59-2	cis-1,2-Dichloroethene	11	
67-66-3	Chloroform	0.8	<
74-97-5	Bromochloromethane	0.8	<
71-55-6	1,1,1-Trichloroethane	0.8	<
563-58-6	1,1-Dichloropropene	0.8	<
56-23-5	Carbon tetrachloride	0.8	<
107-06-2	1,2-Dichloroethane	0.8	<
71-43-2	Benzene	1.8	
79-01-6	Trichloroethylene	2800	
78-87-5	1,2-Dichloropropane	0.8	<
75-27-4	Bromodichloromethane	0.8	<
74-95-3	Dibromomethane	0.8	<
10061-01-5	cis-1,3-Dichloropropene	0.8	<
108-88-3	Toluene	4.1	
10061-02-6	trans-1,3-Dichloropropene	0.8	<
79-00-5	1,1,2-Trichloroethane	0.8	<
142-28-9	1,3-Dichloropropane	0.8	<
127-18-4	Tetrachloroethylene	0.8	<
124-48-1	Dibromochloromethane	0.8	<
106-93-4	Ethylene dibromide	0.8	<
108-90-7	Chlorobenzene	0.8	<
630-20-6	1,1,1,2-Tetrachloroethane	0.8	<
100-41-4	Ethylbenzene	1.0	
0-00-62	m&p Xylene	1.7	
95-47-6	o-Xylene	0.8	<
100-42-5	Styrene	0.8	<
98-82-8	Isopropylbenzene	0.8	<
75-25-2	Bromoform	0.8	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165657	Date of Collection	: 06/20/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 200	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
79-34-5	1,1,2,2-Tetrachloroethane	0.8	<
96-18-4	1,2,3-Trichloropropane	0.8	<
103-65-1	n-Propylbenzene	0.8	<
108-86-1	Bromobenzene	0.8	<
108-67-8	1,3,5-Trimethylbenzene	0.8	<
95-49-8	2-Chlorotoluene	0.8	<
106-43-4	4-Chlorotoluene	0.8	<
98-06-6	tert-Butylbenzene	0.8	<
95-63-6	1,2,4-Trimethylbenzene	1	
135-98-8	sec-Butylbenzene	0.8	<
99-87-6	4-Isopropyltoluene	0.8	<
541-73-1	1,3-Dichlorobenzene	0.8	<
106-46-7	1,4-Dichlorobenzene	0.8	<
104-51-8	n-Butylbenzene	0.8	<
95-50-1	1,2-Dichlorobenzene	0.8	<
96-12-8	1,2-Dibromo-3-chloropropane	0.8	<
120-82-1	1,2,4-Trichlorobenzene	0.8	<
87-68-3	Hexachlorobutadiene	0.8	<
91-20-3	Naphthalene	0.8	<
87-61-6	1,2,3-Trichlorobenzene	0.8	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165658	Date of Collection	: 06/20/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 201	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	1.4	<
74-87-3	Chloromethane	1.4	<
75-01-4	Vinyl chloride	1.4	<
74-83-9	Bromomethane	1.4	<
75-00-3	Chloroethane	1.4	<
75-69-4	Trichlorofluoromethane	1.4	<
75-35-4	1,1-Dichloroethylene	1.4	<
75-09-2	Methylene chloride	1.4	<
1634-04-4	Methyl-t-butyl ether	1.4	<
156-60-5	trans-1,2-Dichloroethylene	1.4	<
75-34-3	1,1-Dichloroethane	1.4	<
594-20-7	2,2-Dichloropropane	1.4	<
156-59-2	cis-1,2-Dichloroethene	9.3	
67-66-3	Chloroform	1.4	<
74-97-5	Bromochloromethane	1.4	<
71-55-6	1,1,1-Trichloroethane	1.4	<
563-58-6	1,1-Dichloropropene	1.4	<
56-23-5	Carbon tetrachloride	1.4	<
107-06-2	1,2-Dichloroethane	1.4	<
71-43-2	Benzene	2.6	
79-01-6	Trichloroethylene	1200	
78-87-5	1,2-Dichloropropane	1.4	<
75-27-4	Bromodichloromethane	1.4	<
74-95-3	Dibromomethane	1.4	<
10061-01-5	cis-1,3-Dichloropropene	1.4	<
108-88-3	Toluene	2.9	
10061-02-6	trans-1,3-Dichloropropene	1.4	<
79-00-5	1,1,2-Trichloroethane	1.4	<
142-28-9	1,3-Dichloropropane	1.4	<
127-18-4	Tetrachloroethylene	1.4	<
124-48-1	Dibromochloromethane	1.4	<
106-93-4	Ethylene dibromide	1.4	<
108-90-7	Chlorobenzene	1.4	<
630-20-6	1,1,1,2-Tetrachloroethane	1.4	<
100-41-4	Ethylbenzene	1.4	<
0-00-62	m&p Xylene	1.4	
95-47-6	o-Xylene	1.4	<
100-42-5	Styrene	1.4	<
98-82-8	Isopropylbenzene	1.4	<
75-25-2	Bromoform	1.4	<
79-34-5	1,1,2,2-Tetrachloroethane	1.4	<
96-18-4	1,2,3-Trichloropropane	1.4	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165658	Date of Collection	: 06/20/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 201	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	1.4	<
108-86-1	Bromobenzene	1.4	<
108-67-8	1,3,5-Trimethylbenzene	1.4	<
95-49-8	2-Chlorotoluene	1.4	<
106-43-4	4-Chlorotoluene	1.4	<
98-06-6	tert-Butylbenzene	1.4	<
95-63-6	1,2,4-Trimethylbenzene	1.4	<
135-98-8	sec-Butylbenzene	1.4	<
99-87-6	4-Isopropyltoluene	1.4	<
541-73-1	1,3-Dichlorobenzene	1.4	<
106-46-7	1,4-Dichlorobenzene	1.4	<
104-51-8	n-Butylbenzene	1.4	<
95-50-1	1,2-Dichlorobenzene	1.4	<
96-12-8	1,2-Dibromo-3-chloropropane	1.4	<
120-82-1	1,2,4-Trichlorobenzene	1.4	<
87-68-3	Hexachlorobutadiene	1.4	<
91-20-3	Naphthalene	64	
87-61-6	1,2,3-Trichlorobenzene	1.4	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165659	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 202	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	1.3	<
74-87-3	Chloromethane	1.3	<
75-01-4	Vinyl chloride	1.3	<
74-83-9	Bromomethane	1.3	<
75-00-3	Chloroethane	1.3	<
75-69-4	Trichlorofluoromethane	1.3	<
75-35-4	1,1-Dichloroethylene	1.3	<
75-09-2	Methylene chloride	1.3	<
1634-04-4	Methyl-t-butyl ether	1.3	<
156-60-5	trans-1,2-Dichloroethylene	1.3	<
75-34-3	1,1-Dichloroethane	1.3	<
594-20-7	2,2-Dichloropropane	1.3	<
156-59-2	cis-1,2-Dichloroethene	34	
67-66-3	Chloroform	1.3	<
74-97-5	Bromochloromethane	1.3	<
71-55-6	1,1,1-Trichloroethane	1.3	<
563-58-6	1,1-Dichloropropene	1.3	<
56-23-5	Carbon tetrachloride	1.3	<
107-06-2	1,2-Dichloroethane	1.3	<
71-43-2	Benzene	1.3	<
79-01-6	Trichloroethylene	12000	
78-87-5	1,2-Dichloropropane	1.3	<
75-27-4	Bromodichloromethane	1.3	<
74-95-3	Dibromomethane	1.3	<
10061-01-5	cis-1,3-Dichloropropene	1.3	<
108-88-3	Toluene	1.3	<
10061-02-6	trans-1,3-Dichloropropene	1.3	<
79-00-5	1,1,2-Trichloroethane	1.3	<
142-28-9	1,3-Dichloropropane	1.3	<
127-18-4	Tetrachloroethylene	1.3	<
124-48-1	Dibromochloromethane	1.3	<
106-93-4	Ethylene dibromide	1.3	<
108-90-7	Chlorobenzene	1.3	<
630-20-6	1,1,1,2-Tetrachloroethane	1.3	<
100-41-4	Ethylbenzene	1.3	<
0-00-62	m&p Xylene	1.3	<
95-47-6	o-Xylene	1.3	<
100-42-5	Styrene	1.3	<
98-82-8	Isopropylbenzene	1.3	<
75-25-2	Bromoform	1.3	<
79-34-5	1,1,2,2-Tetrachloroethane	1.3	<
96-18-4	1,2,3-Trichloropropane	1.3	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165659	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 202	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	1.3	<
108-86-1	Bromobenzene	1.3	<
108-67-8	1,3,5-Trimethylbenzene	1.3	<
95-49-8	2-Chlorotoluene	1.3	<
106-43-4	4-Chlorotoluene	1.3	<
98-06-6	tert-Butylbenzene	1.3	<
95-63-6	1,2,4-Trimethylbenzene	1.3	<
135-98-8	sec-Butylbenzene	1.3	<
99-87-6	4-Isopropyltoluene	1.3	<
541-73-1	1,3-Dichlorobenzene	1.3	<
106-46-7	1,4-Dichlorobenzene	1.3	<
104-51-8	n-Butylbenzene	1.3	<
95-50-1	1,2-Dichlorobenzene	1.3	<
96-12-8	1,2-Dibromo-3-chloropropane	1.3	<
120-82-1	1,2,4-Trichlorobenzene	1.3	<
87-68-3	Hexachlorobutadiene	1.3	<
91-20-3	Naphthalene	1.3	<
87-61-6	1,2,3-Trichlorobenzene	1.3	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165660	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 203	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.8	<
74-87-3	Chloromethane	0.8	<
75-01-4	Vinyl chloride	7.9	
74-83-9	Bromomethane	0.8	<
75-00-3	Chloroethane	0.8	<
75-69-4	Trichlorofluoromethane	0.8	<
75-35-4	1,1-Dichloroethylene	0.8	<
75-09-2	Methylene chloride	0.8	<
1634-04-4	Methyl-t-butyl ether	0.8	<
156-60-5	trans-1,2-Dichloroethylene	0.8	<
75-34-3	1,1-Dichloroethane	0.8	<
594-20-7	2,2-Dichloropropane	0.8	<
156-59-2	cis-1,2-Dichloroethene	67	
67-66-3	Chloroform	0.8	<
74-97-5	Bromochloromethane	0.8	<
71-55-6	1,1,1-Trichloroethane	0.8	<
563-58-6	1,1-Dichloropropene	0.8	<
56-23-5	Carbon tetrachloride	0.8	<
107-06-2	1,2-Dichloroethane	0.8	<
71-43-2	Benzene	1.9	
79-01-6	Trichloroethylene	5.0	
78-87-5	1,2-Dichloropropane	0.8	<
75-27-4	Bromodichloromethane	0.8	<
74-95-3	Dibromomethane	0.8	<
10061-01-5	cis-1,3-Dichloropropene	0.8	<
108-88-3	Toluene	3.9	
10061-02-6	trans-1,3-Dichloropropene	0.8	<
79-00-5	1,1,2-Trichloroethane	0.8	<
142-28-9	1,3-Dichloropropane	0.8	<
127-18-4	Tetrachloroethylene	0.8	<
124-48-1	Dibromochloromethane	0.8	<
106-93-4	Ethylene dibromide	0.8	<
108-90-7	Chlorobenzene	0.8	<
630-20-6	1,1,1,2-Tetrachloroethane	0.8	<
100-41-4	Ethylbenzene	0.8	
0-00-62	m&p Xylene	1.2	
95-47-6	o-Xylene	0.8	<
100-42-5	Styrene	0.8	<
98-82-8	Isopropylbenzene	0.8	<
75-25-2	Bromoform	0.8	<
79-34-5	1,1,2,2-Tetrachloroethane	0.8	<
96-18-4	1,2,3-Trichloropropane	0.8	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165660	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 203	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.8	<
108-86-1	Bromobenzene	0.8	<
108-67-8	1,3,5-Trimethylbenzene	0.8	<
95-49-8	2-Chlorotoluene	0.8	<
106-43-4	4-Chlorotoluene	0.8	<
98-06-6	tert-Butylbenzene	0.8	<
95-63-6	1,2,4-Trimethylbenzene	0.8	<
135-98-8	sec-Butylbenzene	0.8	<
99-87-6	4-Isopropyltoluene	0.8	<
541-73-1	1,3-Dichlorobenzene	0.8	<
106-46-7	1,4-Dichlorobenzene	0.8	<
104-51-8	n-Butylbenzene	0.8	<
95-50-1	1,2-Dichlorobenzene	0.8	<
96-12-8	1,2-Dibromo-3-chloropropane	0.8	<
120-82-1	1,2,4-Trichlorobenzene	0.8	<
87-68-3	Hexachlorobutadiene	0.8	<
91-20-3	Naphthalene	0.8	<
87-61-6	1,2,3-Trichlorobenzene	0.8	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165661	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 204	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.8	<
74-87-3	Chloromethane	0.8	<
75-01-4	Vinyl chloride	0.8	<
74-83-9	Bromomethane	0.8	<
75-00-3	Chloroethane	0.8	<
75-69-4	Trichlorofluoromethane	0.8	<
75-35-4	1,1-Dichloroethylene	0.8	<
75-09-2	Methylene chloride	0.8	<
1634-04-4	Methyl-t-butyl ether	0.8	<
156-60-5	trans-1,2-Dichloroethylene	0.8	<
75-34-3	1,1-Dichloroethane	0.8	<
594-20-7	2,2-Dichloropropane	0.8	<
156-59-2	cis-1,2-Dichloroethene	0.8	<
67-66-3	Chloroform	0.8	<
74-97-5	Bromochloromethane	0.8	<
71-55-6	1,1,1-Trichloroethane	0.8	<
563-58-6	1,1-Dichloropropene	0.8	<
56-23-5	Carbon tetrachloride	0.8	<
107-06-2	1,2-Dichloroethane	0.8	<
71-43-2	Benzene	0.8	<
79-01-6	Trichloroethylene	0.8	<
78-87-5	1,2-Dichloropropane	0.8	<
75-27-4	Bromodichloromethane	0.8	<
74-95-3	Dibromomethane	0.8	<
10061-01-5	cis-1,3-Dichloropropene	0.8	<
108-88-3	Toluene	0.8	<
10061-02-6	trans-1,3-Dichloropropene	0.8	<
79-00-5	1,1,2-Trichloroethane	0.8	<
142-28-9	1,3-Dichloropropane	0.8	<
127-18-4	Tetrachloroethylene	0.8	<
124-48-1	Dibromochloromethane	0.8	<
106-93-4	Ethylene dibromide	0.8	<
108-90-7	Chlorobenzene	0.8	<
630-20-6	1,1,1,2-Tetrachloroethane	0.8	<
100-41-4	Ethylbenzene	0.8	<
0-00-62	m&p Xylene	0.8	<
95-47-6	o-Xylene	0.8	<
100-42-5	Styrene	0.8	<
98-82-8	Isopropylbenzene	0.8	<
75-25-2	Bromoform	0.8	<
79-34-5	1,1,2,2-Tetrachloroethane	0.8	<
96-18-4	1,2,3-Trichloropropane	0.8	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165661	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 204	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result		Q
103-65-1	n-Propylbenzene	0.8	<	
108-86-1	Bromobenzene	0.8	<	
108-67-8	1,3,5-Trimethylbenzene	0.8	<	
95-49-8	2-Chlorotoluene	0.8	<	
106-43-4	4-Chlorotoluene	0.8	<	
98-06-6	tert-Butylbenzene	0.8	<	
95-63-6	1,2,4-Trimethylbenzene	0.8	<	
135-98-8	sec-Butylbenzene	0.8	<	
99-87-6	4-Isopropyltoluene	0.8	<	
541-73-1	1,3-Dichlorobenzene	0.8	<	
106-46-7	1,4-Dichlorobenzene	0.8	<	
104-51-8	n-Butylbenzene	0.8	<	
95-50-1	1,2-Dichlorobenzene	0.8	<	
96-12-8	1,2-Dibromo-3-chloropropane	0.8	<	
120-82-1	1,2,4-Trichlorobenzene	0.8	<	
87-68-3	Hexachlorobutadiene	0.8	<	
91-20-3	Naphthalene	0.8	<	
87-61-6	1,2,3-Trichlorobenzene	0.8	<	

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165662	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 205	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.8	<
74-87-3	Chloromethane	0.8	<
75-01-4	Vinyl chloride	0.8	<
74-83-9	Bromomethane	0.8	<
75-00-3	Chloroethane	0.8	<
75-69-4	Trichlorofluoromethane	0.8	<
75-35-4	1,1-Dichloroethylene	0.8	<
75-09-2	Methylene chloride	0.8	<
1634-04-4	Methyl-t-butyl ether	0.8	<
156-60-5	trans-1,2-Dichloroethylene	0.8	<
75-34-3	1,1-Dichloroethane	0.8	<
594-20-7	2,2-Dichloropropane	0.8	<
156-59-2	cis-1,2-Dichloroethene	0.8	<
67-66-3	Chloroform	0.8	<
74-97-5	Bromochloromethane	0.8	<
71-55-6	1,1,1-Trichloroethane	0.8	<
563-58-6	1,1-Dichloropropene	0.8	<
56-23-5	Carbon tetrachloride	0.8	<
107-06-2	1,2-Dichloroethane	0.8	<
71-43-2	Benzene	0.8	<
79-01-6	Trichloroethylene	4.3	
78-87-5	1,2-Dichloropropane	0.8	<
75-27-4	Bromodichloromethane	0.8	<
74-95-3	Dibromomethane	0.8	<
10061-01-5	cis-1,3-Dichloropropene	0.8	<
108-88-3	Toluene	0.8	<
10061-02-6	trans-1,3-Dichloropropene	0.8	<
79-00-5	1,1,2-Trichloroethane	0.8	<
142-28-9	1,3-Dichloropropane	0.8	<
127-18-4	Tetrachloroethylene	0.8	<
124-48-1	Dibromochloromethane	0.8	<
106-93-4	Ethylene dibromide	0.8	<
108-90-7	Chlorobenzene	0.8	<
630-20-6	1,1,1,2-Tetrachloroethane	0.8	<
100-41-4	Ethylbenzene	0.8	<
0-00-62	m&p Xylene	0.8	<
95-47-6	o-Xylene	0.8	<
100-42-5	Styrene	0.8	<
98-82-8	Isopropylbenzene	0.8	<
75-25-2	Bromoform	0.8	<
79-34-5	1,1,2,2-Tetrachloroethane	0.8	<
96-18-4	1,2,3-Trichloropropane	0.8	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165662	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 205	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.8	<
108-86-1	Bromobenzene	0.8	<
108-67-8	1,3,5-Trimethylbenzene	0.8	<
95-49-8	2-Chlorotoluene	0.8	<
106-43-4	4-Chlorotoluene	0.8	<
98-06-6	tert-Butylbenzene	0.8	<
95-63-6	1,2,4-Trimethylbenzene	0.8	<
135-98-8	sec-Butylbenzene	0.8	<
99-87-6	4-Isopropyltoluene	0.8	<
541-73-1	1,3-Dichlorobenzene	0.8	<
106-46-7	1,4-Dichlorobenzene	0.8	<
104-51-8	n-Butylbenzene	0.8	<
95-50-1	1,2-Dichlorobenzene	0.8	<
96-12-8	1,2-Dibromo-3-chloropropane	0.8	<
120-82-1	1,2,4-Trichlorobenzene	0.8	<
87-68-3	Hexachlorobutadiene	0.8	<
91-20-3	Naphthalene	0.8	<
87-61-6	1,2,3-Trichlorobenzene	0.8	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165663	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 206	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.9	<
74-87-3	Chloromethane	0.9	<
75-01-4	Vinyl chloride	0.9	<
74-83-9	Bromomethane	0.9	<
75-00-3	Chloroethane	0.9	<
75-69-4	Trichlorofluoromethane	0.9	<
75-35-4	1,1-Dichloroethylene	0.9	<
75-09-2	Methylene chloride	0.9	<
1634-04-4	Methyl-t-butyl ether	0.9	<
156-60-5	trans-1,2-Dichloroethylene	0.9	<
75-34-3	1,1-Dichloroethane	0.9	<
594-20-7	2,2-Dichloropropane	0.9	<
156-59-2	cis-1,2-Dichloroethene	0.9	<
67-66-3	Chloroform	0.9	<
74-97-5	Bromochloromethane	0.9	<
71-55-6	1,1,1-Trichloroethane	0.9	<
563-58-6	1,1-Dichloropropene	0.9	<
56-23-5	Carbon tetrachloride	0.9	<
107-06-2	1,2-Dichloroethane	0.9	<
71-43-2	Benzene	0.9	<
79-01-6	Trichloroethylene	5.8	
78-87-5	1,2-Dichloropropane	0.9	<
75-27-4	Bromodichloromethane	0.9	<
74-95-3	Dibromomethane	0.9	<
10061-01-5	cis-1,3-Dichloropropene	0.9	<
108-88-3	Toluene	0.9	<
10061-02-6	trans-1,3-Dichloropropene	0.9	<
79-00-5	1,1,2-Trichloroethane	0.9	<
142-28-9	1,3-Dichloropropane	0.9	<
127-18-4	Tetrachloroethylene	0.9	<
124-48-1	Dibromochloromethane	0.9	<
106-93-4	Ethylene dibromide	0.9	<
108-90-7	Chlorobenzene	0.9	<
630-20-6	1,1,1,2-Tetrachloroethane	0.9	<
100-41-4	Ethylbenzene	0.9	<
0-00-62	m&p Xylene	0.9	<
95-47-6	o-Xylene	0.9	<
100-42-5	Styrene	0.9	<
98-82-8	Isopropylbenzene	0.9	<
75-25-2	Bromoform	0.9	<
79-34-5	1,1,2,2-Tetrachloroethane	0.9	<
96-18-4	1,2,3-Trichloropropane	0.9	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165663	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 206	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.9	<
108-86-1	Bromobenzene	0.9	<
108-67-8	1,3,5-Trimethylbenzene	0.9	<
95-49-8	2-Chlorotoluene	0.9	<
106-43-4	4-Chlorotoluene	0.9	<
98-06-6	tert-Butylbenzene	0.9	<
95-63-6	1,2,4-Trimethylbenzene	0.9	<
135-98-8	sec-Butylbenzene	0.9	<
99-87-6	4-Isopropyltoluene	0.9	<
541-73-1	1,3-Dichlorobenzene	0.9	<
106-46-7	1,4-Dichlorobenzene	0.9	<
104-51-8	n-Butylbenzene	0.9	<
95-50-1	1,2-Dichlorobenzene	0.9	<
96-12-8	1,2-Dibromo-3-chloropropane	0.9	<
120-82-1	1,2,4-Trichlorobenzene	0.9	<
87-68-3	Hexachlorobutadiene	0.9	<
91-20-3	Naphthalene	0.9	<
87-61-6	1,2,3-Trichlorobenzene	0.9	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165664	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 207	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.9	<
74-87-3	Chloromethane	0.9	<
75-01-4	Vinyl chloride	0.9	<
74-83-9	Bromomethane	0.9	<
75-00-3	Chloroethane	0.9	<
75-69-4	Trichlorofluoromethane	0.9	<
75-35-4	1,1-Dichloroethylene	0.9	<
75-09-2	Methylene chloride	0.9	<
1634-04-4	Methyl-t-butyl ether	0.9	<
156-60-5	trans-1,2-Dichloroethylene	0.9	<
75-34-3	1,1-Dichloroethane	0.9	<
594-20-7	2,2-Dichloropropane	0.9	<
156-59-2	cis-1,2-Dichloroethene	0.9	<
67-66-3	Chloroform	0.9	<
74-97-5	Bromochloromethane	0.9	<
71-55-6	1,1,1-Trichloroethane	0.9	<
563-58-6	1,1-Dichloropropene	0.9	<
56-23-5	Carbon tetrachloride	0.9	<
107-06-2	1,2-Dichloroethane	0.9	<
71-43-2	Benzene	0.9	<
79-01-6	Trichloroethylene	0.9	<
78-87-5	1,2-Dichloropropane	0.9	<
75-27-4	Bromodichloromethane	0.9	<
74-95-3	Dibromomethane	0.9	<
10061-01-5	cis-1,3-Dichloropropene	0.9	<
108-88-3	Toluene	0.9	<
10061-02-6	trans-1,3-Dichloropropene	0.9	<
79-00-5	1,1,2-Trichloroethane	0.9	<
142-28-9	1,3-Dichloropropane	0.9	<
127-18-4	Tetrachloroethylene	0.9	<
124-48-1	Dibromochloromethane	0.9	<
106-93-4	Ethylene dibromide	0.9	<
108-90-7	Chlorobenzene	0.9	<
630-20-6	1,1,1,2-Tetrachloroethane	0.9	<
100-41-4	Ethylbenzene	0.9	<
0-00-62	m&p Xylene	0.9	<
95-47-6	o-Xylene	0.9	<
100-42-5	Styrene	0.9	<
98-82-8	Isopropylbenzene	0.9	<
75-25-2	Bromoform	0.9	<
79-34-5	1,1,2,2-Tetrachloroethane	0.9	<
96-18-4	1,2,3-Trichloropropane	0.9	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165664	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 207	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.9	<
108-86-1	Bromobenzene	0.9	<
108-67-8	1,3,5-Trimethylbenzene	0.9	<
95-49-8	2-Chlorotoluene	0.9	<
106-43-4	4-Chlorotoluene	0.9	<
98-06-6	tert-Butylbenzene	0.9	<
95-63-6	1,2,4-Trimethylbenzene	0.9	<
135-98-8	sec-Butylbenzene	0.9	<
99-87-6	4-Isopropyltoluene	0.9	<
541-73-1	1,3-Dichlorobenzene	0.9	<
106-46-7	1,4-Dichlorobenzene	0.9	<
104-51-8	n-Butylbenzene	0.9	<
95-50-1	1,2-Dichlorobenzene	0.9	<
96-12-8	1,2-Dibromo-3-chloropropane	0.9	<
120-82-1	1,2,4-Trichlorobenzene	0.9	<
87-68-3	Hexachlorobutadiene	0.9	<
91-20-3	Naphthalene	0.9	<
87-61-6	1,2,3-Trichlorobenzene	0.9	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165665	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 208	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.7	<
74-87-3	Chloromethane	0.7	<
75-01-4	Vinyl chloride	0.7	<
74-83-9	Bromomethane	0.7	<
75-00-3	Chloroethane	0.7	<
75-69-4	Trichlorofluoromethane	0.7	<
75-35-4	1,1-Dichloroethylene	0.7	<
75-09-2	Methylene chloride	0.7	<
1634-04-4	Methyl-t-butyl ether	0.7	<
156-60-5	trans-1,2-Dichloroethylene	0.7	<
75-34-3	1,1-Dichloroethane	0.7	<
594-20-7	2,2-Dichloropropane	0.7	<
156-59-2	cis-1,2-Dichloroethene	0.7	<
67-66-3	Chloroform	0.7	<
74-97-5	Bromochloromethane	0.7	<
71-55-6	1,1,1-Trichloroethane	0.7	<
563-58-6	1,1-Dichloropropene	0.7	<
56-23-5	Carbon tetrachloride	0.7	<
107-06-2	1,2-Dichloroethane	0.7	<
71-43-2	Benzene	4.4	
79-01-6	Trichloroethylene	6.4	
78-87-5	1,2-Dichloropropane	0.7	<
75-27-4	Bromodichloromethane	0.7	<
74-95-3	Dibromomethane	0.7	<
10061-01-5	cis-1,3-Dichloropropene	0.7	<
108-88-3	Toluene	12	
10061-02-6	trans-1,3-Dichloropropene	0.7	<
79-00-5	1,1,2-Trichloroethane	0.7	<
142-28-9	1,3-Dichloropropane	0.7	<
127-18-4	Tetrachloroethylene	0.7	<
124-48-1	Dibromochloromethane	0.7	<
106-93-4	Ethylene dibromide	0.7	<
108-90-7	Chlorobenzene	0.7	<
630-20-6	1,1,1,2-Tetrachloroethane	0.7	<
100-41-4	Ethylbenzene	3.1	
0-00-62	m&p Xylene	5.0	
95-47-6	o-Xylene	1.6	
100-42-5	Styrene	0.7	<
98-82-8	Isopropylbenzene	0.7	<
75-25-2	Bromoform	0.7	<
79-34-5	1,1,2,2-Tetrachloroethane	0.7	<
96-18-4	1,2,3-Trichloropropane	0.7	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165665	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 208	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.7	<
108-86-1	Bromobenzene	0.7	<
108-67-8	1,3,5-Trimethylbenzene	1.2	
95-49-8	2-Chlorotoluene	0.7	<
106-43-4	4-Chlorotoluene	0.7	<
98-06-6	tert-Butylbenzene	0.7	<
95-63-6	1,2,4-Trimethylbenzene	1.6	
135-98-8	sec-Butylbenzene	0.7	<
99-87-6	4-Isopropyltoluene	0.7	<
541-73-1	1,3-Dichlorobenzene	0.7	<
106-46-7	1,4-Dichlorobenzene	0.7	<
104-51-8	n-Butylbenzene	0.7	<
95-50-1	1,2-Dichlorobenzene	0.7	<
96-12-8	1,2-Dibromo-3-chloropropane	0.7	<
120-82-1	1,2,4-Trichlorobenzene	0.7	<
87-68-3	Hexachlorobutadiene	0.7	<
91-20-3	Naphthalene	0.7	<
87-61-6	1,2,3-Trichlorobenzene	0.7	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165666	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 209	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.7	<
74-87-3	Chloromethane	0.7	<
75-01-4	Vinyl chloride	0.7	<
74-83-9	Bromomethane	0.7	<
75-00-3	Chloroethane	0.7	<
75-69-4	Trichlorofluoromethane	0.7	<
75-35-4	1,1-Dichloroethylene	0.7	<
75-09-2	Methylene chloride	0.7	<
1634-04-4	Methyl-t-butyl ether	0.7	<
156-60-5	trans-1,2-Dichloroethylene	0.7	<
75-34-3	1,1-Dichloroethane	0.7	<
594-20-7	2,2-Dichloropropane	0.7	<
156-59-2	cis-1,2-Dichloroethene	0.7	<
67-66-3	Chloroform	0.7	<
74-97-5	Bromochloromethane	0.7	<
71-55-6	1,1,1-Trichloroethane	0.7	<
563-58-6	1,1-Dichloropropene	0.7	<
56-23-5	Carbon tetrachloride	0.7	<
107-06-2	1,2-Dichloroethane	0.7	<
71-43-2	Benzene	0.7	<
79-01-6	Trichloroethylene	10	
78-87-5	1,2-Dichloropropane	0.7	<
75-27-4	Bromodichloromethane	0.7	<
74-95-3	Dibromomethane	0.7	<
10061-01-5	cis-1,3-Dichloropropene	0.7	<
108-88-3	Toluene	0.7	<
10061-02-6	trans-1,3-Dichloropropene	0.7	<
79-00-5	1,1,2-Trichloroethane	0.7	<
142-28-9	1,3-Dichloropropane	0.7	<
127-18-4	Tetrachloroethylene	0.7	<
124-48-1	Dibromochloromethane	0.7	<
106-93-4	Ethylene dibromide	0.7	<
108-90-7	Chlorobenzene	0.7	<
630-20-6	1,1,1,2-Tetrachloroethane	0.7	<
100-41-4	Ethylbenzene	0.7	<
0-00-62	m&p Xylene	0.7	<
95-47-6	o-Xylene	0.7	<
100-42-5	Styrene	0.7	<
98-82-8	Isopropylbenzene	0.7	<
75-25-2	Bromoform	0.7	<
79-34-5	1,1,2,2-Tetrachloroethane	0.7	<
96-18-4	1,2,3-Trichloropropane	0.7	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165666	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 209	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.7	<
108-86-1	Bromobenzene	0.7	<
108-67-8	1,3,5-Trimethylbenzene	0.7	<
95-49-8	2-Chlorotoluene	0.7	<
106-43-4	4-Chlorotoluene	0.7	<
98-06-6	tert-Butylbenzene	0.7	<
95-63-6	1,2,4-Trimethylbenzene	0.7	<
135-98-8	sec-Butylbenzene	0.7	<
99-87-6	4-Isopropyltoluene	0.7	<
541-73-1	1,3-Dichlorobenzene	0.7	<
106-46-7	1,4-Dichlorobenzene	0.7	<
104-51-8	n-Butylbenzene	0.7	<
95-50-1	1,2-Dichlorobenzene	0.7	<
96-12-8	1,2-Dibromo-3-chloropropane	0.7	<
120-82-1	1,2,4-Trichlorobenzene	0.7	<
87-68-3	Hexachlorobutadiene	0.7	<
91-20-3	Naphthalene	0.7	<
87-61-6	1,2,3-Trichlorobenzene	0.7	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165667	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 210	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.9	<
74-87-3	Chloromethane	0.9	<
75-01-4	Vinyl chloride	0.9	<
74-83-9	Bromomethane	0.9	<
75-00-3	Chloroethane	0.9	<
75-69-4	Trichlorofluoromethane	0.9	<
75-35-4	1,1-Dichloroethylene	0.9	<
75-09-2	Methylene chloride	0.9	<
1634-04-4	Methyl-t-butyl ether	0.9	<
156-60-5	trans-1,2-Dichloroethylene	0.9	<
75-34-3	1,1-Dichloroethane	0.9	<
594-20-7	2,2-Dichloropropane	0.9	<
156-59-2	cis-1,2-Dichloroethene	0.9	<
67-66-3	Chloroform	0.9	<
74-97-5	Bromochloromethane	0.9	<
71-55-6	1,1,1-Trichloroethane	0.9	<
563-58-6	1,1-Dichloropropene	0.9	<
56-23-5	Carbon tetrachloride	0.9	<
107-06-2	1,2-Dichloroethane	0.9	<
71-43-2	Benzene	0.9	<
79-01-6	Trichloroethylene	0.9	<
78-87-5	1,2-Dichloropropane	0.9	<
75-27-4	Bromodichloromethane	0.9	<
74-95-3	Dibromomethane	0.9	<
10061-01-5	cis-1,3-Dichloropropene	0.9	<
108-88-3	Toluene	3.5	
10061-02-6	trans-1,3-Dichloropropene	0.9	<
79-00-5	1,1,2-Trichloroethane	0.9	<
142-28-9	1,3-Dichloropropane	0.9	<
127-18-4	Tetrachloroethylene	0.9	<
124-48-1	Dibromochloromethane	0.9	<
106-93-4	Ethylene dibromide	0.9	<
108-90-7	Chlorobenzene	0.9	<
630-20-6	1,1,1,2-Tetrachloroethane	0.9	<
100-41-4	Ethylbenzene	100	
0-00-62	m&p Xylene	99	
95-47-6	o-Xylene	130	
100-42-5	Styrene	0.9	<
98-82-8	Isopropylbenzene	70	
75-25-2	Bromoform	0.9	<
79-34-5	1,1,2,2-Tetrachloroethane	0.9	<
96-18-4	1,2,3-Trichloropropane	0.9	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165667	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 210	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	270	
108-86-1	Bromobenzene	0.9	<
108-67-8	1,3,5-Trimethylbenzene	680	
95-49-8	2-Chlorotoluene	0.9	<
106-43-4	4-Chlorotoluene	0.9	<
98-06-6	tert-Butylbenzene	0.9	<
95-63-6	1,2,4-Trimethylbenzene	1100	
135-98-8	sec-Butylbenzene	0.9	<
99-87-6	4-Isopropyltoluene	0.9	<
541-73-1	1,3-Dichlorobenzene	0.9	<
106-46-7	1,4-Dichlorobenzene	0.9	<
104-51-8	n-Butylbenzene	0.9	<
95-50-1	1,2-Dichlorobenzene	0.9	<
96-12-8	1,2-Dibromo-3-chloropropane	0.9	<
120-82-1	1,2,4-Trichlorobenzene	0.9	<
87-68-3	Hexachlorobutadiene	0.9	<
91-20-3	Naphthalene	0.9	<
87-61-6	1,2,3-Trichlorobenzene	0.9	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Results for Method: 8260 VOC

ISDH Lab. Number	: 165668	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 211	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
75-71-8	Dichlorodifluoromethane	0.8	<
74-87-3	Chloromethane	0.8	<
75-01-4	Vinyl chloride	0.8	<
74-83-9	Bromomethane	0.8	<
75-00-3	Chloroethane	0.8	<
75-69-4	Trichlorofluoromethane	0.8	<
75-35-4	1,1-Dichloroethylene	0.8	<
75-09-2	Methylene chloride	0.8	<
1634-04-4	Methyl-t-butyl ether	0.8	<
156-60-5	trans-1,2-Dichloroethylene	1.5	
75-34-3	1,1-Dichloroethane	0.8	<
594-20-7	2,2-Dichloropropane	0.8	<
156-59-2	cis-1,2-Dichloroethene	1.9	
67-66-3	Chloroform	0.8	<
74-97-5	Bromochloromethane	0.8	<
71-55-6	1,1,1-Trichloroethane	0.8	<
563-58-6	1,1-Dichloropropene	0.8	<
56-23-5	Carbon tetrachloride	0.8	<
107-06-2	1,2-Dichloroethane	0.8	<
71-43-2	Benzene	0.8	<
79-01-6	Trichloroethylene	4.1	
78-87-5	1,2-Dichloropropane	0.8	<
75-27-4	Bromodichloromethane	0.8	<
74-95-3	Dibromomethane	0.8	<
10061-01-5	cis-1,3-Dichloropropene	0.8	<
108-88-3	Toluene	0.8	<
10061-02-6	trans-1,3-Dichloropropene	0.8	<
79-00-5	1,1,2-Trichloroethane	0.8	<
142-28-9	1,3-Dichloropropane	0.8	<
127-18-4	Tetrachloroethylene	0.8	<
124-48-1	Dibromochloromethane	0.8	<
106-93-4	Ethylene dibromide	0.8	<
108-90-7	Chlorobenzene	0.8	<
630-20-6	1,1,1,2-Tetrachloroethane	0.8	<
100-41-4	Ethylbenzene	0.8	<
0-00-62	m&p Xylene	0.8	<
95-47-6	o-Xylene	0.8	<
100-42-5	Styrene	0.8	<
98-82-8	Isopropylbenzene	0.8	<
75-25-2	Bromoform	0.8	<
79-34-5	1,1,2,2-Tetrachloroethane	0.8	<
96-18-4	1,2,3-Trichloropropane	0.8	<

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

ISDH Lab. Number	: 165668	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 211	Date Completed	: 07/08/05
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	: Mark S.
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: 06/29/05	Units	: ug/kg

CAS No.	Analyte	Result	Q
103-65-1	n-Propylbenzene	0.8	<
108-86-1	Bromobenzene	0.8	<
108-67-8	1,3,5-Trimethylbenzene	0.8	<
95-49-8	2-Chlorotoluene	0.8	<
106-43-4	4-Chlorotoluene	0.8	<
98-06-6	tert-Butylbenzene	0.8	<
95-63-6	1,2,4-Trimethylbenzene	1.5	
135-98-8	sec-Butylbenzene	0.8	<
99-87-6	4-Isopropyltoluene	0.8	<
541-73-1	1,3-Dichlorobenzene	0.8	<
106-46-7	1,4-Dichlorobenzene	0.8	<
104-51-8	n-Butylbenzene	0.8	<
95-50-1	1,2-Dichlorobenzene	0.8	<
96-12-8	1,2-Dibromo-3-chloropropane	0.8	<
120-82-1	1,2,4-Trichlorobenzene	0.8	<
87-68-3	Hexachlorobutadiene	0.8	<
91-20-3	Naphthalene	0.8	<
87-61-6	1,2,3-Trichlorobenzene	0.8	<

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078

Indiana State Department of Health
Chemistry Laboratory

Method TPH Organic Analysis

Results for Method: TPH Total Petroleum Hydrocarbons

ISDH Lab. Number	: 165664	Date of Collection	: 06/21/05
ISDH SDG	: 1946	Date Received:	: 06/22/05
Submitter's ID	: SBMP 207	Date Completed	: / /
Submitter's Project	:	Matrix	: soil
Collector	: FISHER	Analyst	:
Location	: HOWARD CO.	Reviewed by	:
Site	:		
Date Analyzed	: / /	Units	:

CAS No.	Analyte	Result	Q
68476-34-6	Diesel Fuel #2	NA	

DRAFT

635 North Barnhill Drive, Indianapolis, IN 46202 (317) 233-8078