Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	M. Van Loan	Investigator #2:	J. Delmedico
Soil Unit:	Houghton muck	NWI/WWI Classification:	PAB4/FO5F
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-519b
Sample Point:	1w
Community ID:	PSS
Section:	22
Township:	38 N
Range:	1 Dir: W

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: Buttonbush swamp with open water in middle

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☑ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☑ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 1	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Standing water present.

SOILS

Map Unit Name: Houghton muck — Series Drainage Class: very poorly

Taxonomy (Subgroup): Typic Haplosaprists — Field Observations Confirm Mapped Type? ☑ Yes ☐ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	1	1	10YR 2/1	--	--	--	--	--	Organic
1	8	2	10YR 2/1	--	--	--	--	--	Clay Loam
8	16	3	10YR 5/1	--	--	--	--	--	Clay
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☑ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☑ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Wetland ID:	W-519b	Sample Point	1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Salix nigra*	20	Y	OBL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	20		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Cephalanthus occidentalis*	40	Y	OBL
2.	*Salix nigra*	10	Y	OBL
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	50		

Herb Stratum (Plot size: 2 meter radius)

1.	*PHALARIS ARUNDINACEA*	80	Y	FACW
2.	*Boehmeria cylindrica*	10	N	OBL
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	90		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	80	x 1 =	80
FACW spp.	80	x 2 =	160
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	160 (A)		240 (B)

Prevalence Index = B/A = ***1.500***

Hydrophytic Vegetation Indicators:

- ☑ Yes ☐ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	M. Van Loan	Investigator #2:	J. Delmedico
Soil Unit:	Morley silty clay loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☑, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-519c
Sample Point:	1u
Community ID:	Upland
Section:	22
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☐ Yes ☑ No	Hydric Soils Present?	☐ Yes ☑ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: Area appears disturbed from previous pipeline installation.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Water Table Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Saturation Present?	☐ Yes ☑ No	Depth:	n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Morley silty clay loam — Series Drainage Class: moderately well drained

Taxonomy (Subgroup): Oxyaquic Hapludalfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	8	1	10YR 4/1	--	--	--	--	--	Clay Loam
8	16	2	10YR 4/3	--	--	--	--	--	Sandy Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: Soils appear distrubed from previous pipline installation. Chunks of clay intermixed in first horizon.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-519c | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*Solidago canadensis*	10	Y	FACU
2.	*ELAEAGNUS UMBELLATA*	10	Y	UPL
3.	*ALLIARIA PETIOLATA*	10	Y	FAC
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	30		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***33.3%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	0	x 2 =	0
FAC spp.	10	x 3 =	30
FACU spp.	10	x 4 =	40
UPL spp.	10	x 5 =	50
Total	30 (A)		120 (B)

Prevalence Index = B/A = ***4.000***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313	Date:	10/20/11
Applicant:	Enbridge			County:	St. Joseph
Investigator #1:	M. Van Loan	Investigator #2:	J. Delmedico	State:	Indiana
Soil Unit:	Blount silt loam	NWI/WWI Classification:	PAB4/FO5F	Wetland ID:	W-519c
Landform:	--	Local Relief:		Sample Point:	1w
Slope (%):	--	Latitude: --	Longitude: --	Community ID:	PSS
Datum: --				Section:	22
Township:	38 N			Range:	1 Dir: W

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: Scrub-shrub buttonbush wetland with some open water

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☑ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☑ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 4	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	6	1	10YR	5/1	80	7.5YR	5/8	20	C	M	Clay Loam
6	18	2	10YR	6/1	50	10YR	5/4	50	C	M	Clay
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-519c | Sample Point 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Salix nigra*	5	Y	OBL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	5		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Salix nigra*	20	Y	OBL
2.	*Cephalanthus occidentalis*	20	Y	OBL
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	40		

Herb Stratum (Plot size: 2 meter radius)

1.	*PHALARIS ARUNDINACEA*	40	Y	FACW
2.	*Polygonum pensylvanicum*	30	Y	FACW
3.	*POLYGONUM HYDROPIPER*	10	N	OBL
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	80		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	55	x 1 =	55
FACW spp.	70	x 2 =	140
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	125 (A)		195 (B)

Prevalence Index = B/A = ***1.560***

Hydrophytic Vegetation Indicators:

- ☑ Yes ☐ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	B. Meyer	Investigator #2:	A. Binkowski
Soil Unit:	Riddles-Oshtemo fine sandy loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/27/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-519c
Sample Point:	2u
Community ID:	Upland
Section:	22
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☐ Yes ☑ No	Hydric Soils Present?	☐ Yes ☑ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Water Table Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Saturation Present?	☐ Yes ☑ No	Depth:	n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Riddles-Oshtemo fine sandy loam Series Drainage Class: Well

Taxonomy (Subgroup): Typic Hapludalfs Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	12	1	10YR 4/2	--	--	--	--	--	Loamy Sand
12	24	2	2.5YR 6/2	--	--	--	--	--	Loamy Sand
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-519c | Sample Point: 2u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Fagus grandifolia*	10	N	FACU
2.	*Acer saccharum*	20	Y	FACU
3.	*Prunus serotina*	10	N	FACU
4.	*Fraxinus sp.*	40	Y	--
5.	*Quercus palustris*	20	Y	FACW
6.	*Tilia americana*	2	N	FACU
7.	*Ulmus americana*	10	N	FACW
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	112		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Prunus serotina*	25	Y	FACU
2.	*Lindera benzoin*	10	Y	FACW
3.	*Rubus idaeus var. strigosus*	2	N	FACW
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	37		

Herb Stratum (Plot size: 2 meter radius)

1.	*Carex sp.*	30	Y	NI
2.	*Allium canadense*	20	Y	FACU
3.	*Euthamia gramnifolia*	15	Y	FAC
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	65		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***37.5%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	42	x 2 =	84
FAC spp.	15	x 3 =	45
FACU spp.	87	x 4 =	348
UPL spp.	30	x 5 =	150
Total	174 (A)		627 (B)

Prevalence Index = B/A = ***3.603***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	B. Meyer	Investigator #2:	A. Binkowski
Soil Unit:	Southwest silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/27/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-519d
Sample Point:	1u
Community ID:	Upland
Section:	15
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☑ Yes ☐ No	Hydric Soils Present?	☑ Yes ☐ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Point is several feet higher than corresponding wetland sample point W-519d-1w. No primary hydrology indicators were observed; only FAC-Neutral was met.

SOILS

Map Unit Name: Southwest silt loam — Series Drainage Class: poorly drained

Taxonomy (Subgroup): Typic Fluvaquents — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Type	Location	Texture (e.g. clay, sand, loam)
0	8	1	10YR 4/1	--	--	--	--	--	Silty Clay Loam
8	17	2	10YR 5/1	--	10YR 4/6	5	C	M	Silty Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: While soils are hydric, the absence of primary wetland hydrology indicators supports an upland determination.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-519d | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Populus deltoides*	50	Y	FAC
2.	*Ulmus americana*	20	Y	FACW
3.	*Tilia americana*	5	N	FACU
4.	*Salix nigra*	5	N	OBL
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	80		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Morus rubra*	10	Y	FAC
2.	*Cephalanthus occidentalis*	10	Y	OBL
3.	*Rubus idaeus var. strigosus*	5	Y	FACW
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	25		

Herb Stratum (Plot size: 2 meter radius)

1.	*POA PRATENSIS*	50	Y	FAC
2.	*ELYTRIGIA REPENS*	50	Y	FACU
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***85.7%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	15	x 1 =	15
FACW spp.	25	x 2 =	50
FAC spp.	110	x 3 =	330
FACU spp.	55	x 4 =	220
UPL spp.	0	x 5 =	0
Total	205 (A)		615 (B)

Prevalence Index = B/A = ***3.000***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: Vegetation shifted from being dominated by buttonbush, black willow, and American elm within the wetland, to a dominance of Kentucky bluegrass and quack grass in the herbaceous layer within the upland. This shift corresponded to a defined topographic break.

Additional Remarks:

While wetland soils and predominantly wetland vegetation were observed, there were no primary wetland hydrology indicators. The upland sample point is located several feet higher than the wetland point and Kentucky bluegrass and quack grass dominated in the understory. Based on best professional judgement, this area is upland.

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	B. Meyer	Investigator #2:	A. Binkowski
Soil Unit:	Southwest silt loam	NWI/WWI Classification:	PAB4F
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/27/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-519d
Sample Point:	1w
Community ID:	PFO/PSS
Section:	15
Township:	38 N
Range:	1 Dir: w

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ Yes ☐ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☑ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☑ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☑ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 0	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 12	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 10	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: The area had some surface water ponding, but saturation was not observed in soil pits until ten inches.

SOILS

Map Unit Name: Southwest silt loam — Series Drainage Class: poorly drained

Taxonomy (Subgroup): Typic Fluvaquents — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	6	1	10YR 4/1	--	10YR 3/4	5	C	M	Silty Clay Loam
6	26	2	10YR 3/1	--	--	--	--	--	Silt Loam
26	38	3	10YR 2/1	--	--	--	--	--	Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-519d | Sample Point: 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Salix nigra*	25	Y	OBL
2.	*Ulmus americana*	25	Y	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	50		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Cephalanthus occidentalis*	100	Y	OBL
2.	--	--		--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	100		

Herb Stratum (Plot size: 2 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	0		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	125	x 1 =	125
FACW spp.	25	x 2 =	50
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	150 (A)		175 (B)

Prevalence Index = B/A = ***1.167***

Hydrophytic Vegetation Indicators:

- ☑ Yes ☐ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	B. Meyer	Investigator #2:	A. Binkowski
Soil Unit:	Southwest silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/27/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-519d
Sample Point:	2u
Community ID:	Upland
Section:	15
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☐ Yes ☑ No	Hydric Soils Present?	☐ Yes ☑ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth: n/a	(in.)
Water Table Present?	☐ Yes ☑ No	Depth: n/a	(in.)
Saturation Present?	☐ Yes ☑ No	Depth: n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Southwest silt loam — Series Drainage Class: poorly

Taxonomy (Subgroup): Typic Fluvaquents — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	6	1	10YR 4/2	--	--	--	--	--	Sandy Loam
6	18	2	10YR 5/2	--	7.5YR 4/6	10	C	M	Sandy Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: Sandy redox does not start within 6 in. of the soil surface and does not meet indicator S5.

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-519d | Sample Point: 2u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Populus deltoides*	95	Y	FAC
2.	*Ulmus americana*	5	N	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	100		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Prunus serotina*	80	Y	FACU
2.	*Fraxinus spp. seedlings*	20	Y	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	100		

Herb Stratum (Plot size: 2 meter radius)

1.	*POA PRATENSIS*	50	Y	FAC
2.	*ELYTRIGIA REPENS*	20	Y	FACU
3.	*TARAXACUM OFFICINALE*	20	Y	FACU
4.	*DACTYLIS GLOMERATA*	10	N	FACU
5.	*SETARIA FABERI*	2	N	FACU
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	102		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	*Toxicodendron radicans subsp. negunc*	2	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	2		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***42.9%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	5	x 2 =	10
FAC spp.	147	x 3 =	441
FACU spp.	132	x 4 =	528
UPL spp.	0	x 5 =	0
Total	284 (A)		979 (B)

Prevalence Index = B/A = ***3.447***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Blount silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/262011
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520a
Sample Point:	1u
Community ID:	Upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Mixed dominance of upland/wetland vegetation in combination with professional judgement supports an upland determination at this location. Sample point is topographically higher than corresponding wetland sample point.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth:	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 14	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 8	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	5	1	10YR 2/2	--	--	--	--	--	Loam
5	10	2	10YR 3/2	--	10YR 3/6	2	C	M	Silty Clay Loam
10	15	3	10YR 5/1	--	10YR 5/8	20	C	M	Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-520a | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharum*	65	Y	FACU
2.	*Tilia americana*	15	N	FACU
3.	*Quercus palustris*	5	N	FACW
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	85		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*Carex scoparia*	40	Y	FACW
2.	*Carex sp.*	5	N	NI
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	45		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	*Toxicodendron radicans subsp. negunc*	2	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	2		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***66.7%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	45	x 2 =	90
FAC spp.	2	x 3 =	6
FACU spp.	80	x 4 =	320
UPL spp.	5	x 5 =	25
Total	132 (A)		441 (B)

Prevalence Index = B/A = ***3.341***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

Only one indicator of hydrophytic vegetation.

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	B. Meyer	Investigator #2:	A. Binkowski
Soil Unit:	Blount silt loam	NWI/WWI Classification:	PFO1C
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520a
Sample Point:	1w
Community ID:	PFO
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ Yes ☐ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 2	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	6	1	10YR 3/1	--	10YR 3/6	10	C	M	Silty Clay Loam
6	15	2	10YR 5/1	--	7.5YR 5/6	20	C	M	Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☑ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Wetland ID:	W-520a	Sample Point	1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Tilia americana*	10	Y	FACU
2.	*Acer saccharum*	5	Y	FACU
3.	*Quercus palustris*	2	N	FACW
4.	*Acer saccharinum*	2	N	FACW
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	19		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Cephalanthus occidentalis*	20	Y	OBL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	20		

Herb Stratum (Plot size: 2 meter radius)

1.	*Carex scoparia*	15	Y	FACW
2.	*Solidago gigantea*	10	Y	FACW
3.	*Iris sp.*	5	Y	--
4.	*Carex sp.*	5	Y	NI
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	35		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***42.9%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	20	x 1 =	20
FACW spp.	29	x 2 =	58
FAC spp.	0	x 3 =	0
FACU spp.	15	x 4 =	60
UPL spp.	5	x 5 =	25
Total	69 (A)		163 (B)

Prevalence Index = B/A = ***2.362***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: Vegetation has a prevalence index of less than 3. Vegetation is a mixture of wetland and upland vegetation. The presence of wetland hydrology and soils support a wetland determination at this location.

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Morley silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520a
Sample Point:	2u
Community ID:	Upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☐ Yes ☑ No	Hydric Soils Present?	☑ Yes ☐ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Water Table Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Saturation Present?	☐ Yes ☑ No	Depth:	n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Morley silt loam — Series Drainage Class: moderately well

Taxonomy (Subgroup): Oxyaquic Hapludalfs — Field Observations Confirm Mapped Type? ☑ Yes ☐ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	10	1	10YR 4/3	--	--	--	--	--	Silty Clay Loam
10	16	2	10YR 5/2	--	10YR 5/6	5	--	--	Silty Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: While hydric soils were observed, the absence of wetland hydrology and vegetation supports an upland determination.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Wetland ID:	W-520a	Sample Point	2u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharum*	50	Y	FACU
2.	*Quercus alba*	30	Y	FACU
3.	*Ulmus americana*	20	N	FACW
4.	*Liriondendron tulipifera*	1	N	FACU
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	101		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	0		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Remarks: --

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***0.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	20	x 2 =	40
FAC spp.	0	x 3 =	0
FACU spp.	81	x 4 =	324
UPL spp.	0	x 5 =	0
Total	101 (A)		364 (B)

Prevalence Index = B/A = ***3.604***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Blount silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520b
Sample Point:	1u
Community ID:	Upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☐ Yes ☑ No	Hydric Soils Present?	☐ Yes ☑ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth: n/a	(in.)
Water Table Present?	☐ Yes ☑ No	Depth: n/a	(in.)
Saturation Present?	☐ Yes ☑ No	Depth: n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Ag field

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	14	1	10YR 3/2	--	--	--	--	--	Sandy Clay Loam
14	22	2	10YR 3/1	--	7.5YR 3/4	5	C	M	Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-520b | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*GLYCINE MAX*	100	Y	UPL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Remarks: --

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***0.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	0	x 2 =	0
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	100	x 5 =	500
Total	100 (A)		500 (B)

Prevalence Index = B/A = ***5.000***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313	Date:	10/26/11
Applicant:	Enbridge			County:	St. Joseph
Investigator #1:	J. Wiater	Investigator #2:	J. Currie	State:	Indiana
Soil Unit:	Blount silt loam	NWI/WWI Classification:	PEMC	Wetland ID:	W-520b
Landform:	Swale	Local Relief:	Concave	Sample Point:	1w
Slope (%):	--	Latitude: --	Longitude: --	Datum: --	Community ID: PEM
Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks)			☑ Yes ☐ No	Section:	14
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?		Are normal circumstances present?		Township:	38 N
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?		☑ Yes ☐ No		Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☑ Yes ☐ No	Hydric Soils Present?	☑ Yes ☐ No
Wetland Hydrology Present?	☑ Yes ☐ No	Is This Sampling Point Within A Wetland?	☑ Yes ☐ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 1	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Swale in ag field.

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	16	1	10YR 4/1	--	7.5YR 4/6	10	C	M	Clay Loam
16	28	2	10YR 5/1	--	7.5YR 4/6	20	C	M	Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-520b | Sample Point: 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*ECHINOCHLOA CRUSGALLI*	90	Y	FACW
2.	*Panicum sp.*	20	N	--
3.	*Xanthium strumarium*	2	N	FAC
4.	*Cyperus esculentus*	2	N	FACW
5.	*TRIFOLIUM PRATENSE*	10	N	FACU
6	*GLYCINE MAX*	10	N	UPL
7.	*SETARIA FABERI*	5	N	FACU
8.	*POLYGONUM HYDROPIPER*	2	N	OBL
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	141		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	2	x 1 =	2
FACW spp.	92	x 2 =	184
FAC spp.	2	x 3 =	6
FACU spp.	15	x 4 =	60
UPL spp.	10	x 5 =	50
Total	121 (A)		302 (B)

Prevalence Index = B/A = ***2.496***

Hydrophytic Vegetation Indicators:

- ☑ Yes ☐ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

141% forb cover due to estimation of percentages where aerial coverage overlaps between ground cover and taller forbs.

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Blount silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520b
Sample Point:	2u
Community ID:	Upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Ag field

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	10	1	10YR 4/3	--	--	--	--	--	Clay Loam
10	16	2	10YR 4/2	--	10YR 4/6	20	C	M	Clay Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: While soils are hydric, the absence of wetland vegetation and hydrology supports an upland determination.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Wetland ID:	W-520b	Sample Point	2u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*GLYCINE MAX*	100	Y	UPL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Remarks: --

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***0.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	0	x 2 =	0
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	100	x 5 =	500
Total	100 (A)		500 (B)

Prevalence Index = B/A = ***5.000***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Southwest silt loam, 0 to 1 percent slopes	NWI/WWI Classification:	-
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520c
Sample Point:	1u
Community ID:	upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Adjacent to forested wetland

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☑):

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: na	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: >24	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: >24	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Southwest silt loam, 0 to 1 percent slopes Series Drainage Class: poorly

Taxonomy (Subgroup): Typic Fluvaquents Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix	%	Mottles Color (Moist)	Mottles	%	Type	Location	Texture (e.g. clay, sand, loam)
0	24	1	10YR	2/2	100	--	--	--	--	--	silt loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☑):

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: n/a Depth: n/a

Hydric Soil Present? ☐ Yes ☑ No

Remarks: Soils close to road have been disturbed/graded. Survey point taken at closest natural vegetation.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Wetland ID:	W-520c	Sample Point	1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Ulmus americana*	10	Y	FACW
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	10		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*BROMUS INERMIS*	25	Y	UPL
2.	*Solidago gigantea*	20	Y	FACW
3.	*TARAXACUM OFFICINALE*	20	Y	FACU
4.	*Equisetum arvense*	10	N	FAC
5.	*Rubus spp.*	5	N	--
6	*LAMIUM AMPLEXICAULE*	20	Y	NI
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Remarks: --

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***40.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	30	x 2 =	60
FAC spp.	10	x 3 =	30
FACU spp.	20	x 4 =	80
UPL spp.	45	x 5 =	225
Total	105 (A)		395 (B)

Prevalence Index = B/A = ***3.762***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Houghton muck	NWI/WWI Classification:	-
Landform:	-	Local Relief:	level
Slope (%):	0-1	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520c
Sample Point:	1w
Community ID:	FO1
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☐):

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☑ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 2	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Forested wetland with inundation throughout, emergent understory

SOILS

Map Unit Name: Houghton muck — Series Drainage Class: very poorly drained

Taxonomy (Subgroup): Typic Haplosaprists — Field Observations Confirm Mapped Type? ☑ Yes ☐ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix	%	Mottles Color (Moist)		%	Type	Location	Texture (e.g. clay, sand, loam)
0	18	1	10YR	2/1	100	--	--	--	--	--	Muck
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☐):

- ☑ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: n/a Depth: n/a

Hydric Soil Present? ☑ Yes ☐ No

Remarks: Decomposed plant material and bark. Greasy feel at least 18 inches. Below 18 inches, soils fails out of auger before it can be examined. Not sandy.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Line 6B Phase 2 Replacement Project | Wetland ID: W-520c | Sample Point: 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Ulmus americana*	40	Y	FACW
2.	*Acer saccharinum*	30	Y	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	70		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Ulmus americana*	25	Y	FACW
2.	*Acer saccharinum*	20	Y	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	45		

Herb Stratum (Plot size: 2 meter radius)

1.	*Polygonum lapathifolium*	5	N	FACW
2.	*Sagittaria latifolia var. latifolia*	15	Y	OBL
3.	*Solidago gigantea*	15	Y	FACW
4.	*Impatiens pallida*	5	N	FACW
5.	*Carex vulpinoidea*	5	N	OBL
6	*Alisma plantago-aquatica*	5	N	OBL
7.	*PHALARIS ARUNDINACEA*	5	N	FACW
8.	*Typha latifolia*	2	N	OBL
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	57		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	27	x 1 =	27
FACW spp.	145	x 2 =	290
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	172 (A)		317 (B)

Prevalence Index = B/A = ***1.843***

Hydrophytic Vegetation Indicators:

- ☑ Yes ☐ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: Invasive RCG present.

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Houghton muck	NWI/WWI Classification:	-
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520c
Sample Point:	2u
Community ID:	upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ **Yes** ☑ **No**

Remarks: Fill edge within open right of way.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☑):

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: na	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: >24	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: >24	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Houghton muck — Series Drainage Class: very poorly

Taxonomy (Subgroup): Typic Haplosaprists — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	16	1	10YR	4/2	100	--	--	--	--	--	silty clay loam
16	24	2	10YR	4/1	100	--	--	--	--	--	silt loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☑):

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: n/a Depth: n/a

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Wetland ID:	W-520c	Sample Point	2u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*LONICERA TATARICA*	5	Y	FACU
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	5		

Herb Stratum (Plot size: 2 meter radius)

1.	*POA PRATENSIS*	80	Y	FAC
2.	*TARAXACUM OFFICINALE*	20	Y	FACU
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***33.3%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	0	x 2 =	0
FAC spp.	80	x 3 =	240
FACU spp.	25	x 4 =	100
UPL spp.	0	x 5 =	0
Total	105 (A)		340 (B)

Prevalence Index = B/A = ***3.238***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: --

Additional Remarks:

--

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Stantec

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Houghton muck	NWI/WWI Classification:	-
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520c
Sample Point:	2w
Community ID:	FO1
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☐):

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☑ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☑ B10 - Drainage Patterns
- ☑ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 2	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Houghton muck — Series Drainage Class: very poorly

Taxonomy (Subgroup): Typic Haplosaprists — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	8	1	10YR	4/1	80	7.5YR	4/6	20	C	M	clay loam
8	24+	2	10YR	2/1	100	--	--	--	--	--	muck
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☐):
- ☑ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: n/a Depth: n/a

Hydric Soil Present? ☑ Yes ☐ No

Remarks: Buried O horizon

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Line 6B Phase 2 Replacement Project | Wetland ID: W-520c | Sample Point: 2w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharinum*	70	Y	FACW
2.	*Populus deltoides*	20	Y	FAC
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	90		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*Sagittaria latifolia var. latifolia*	5	Y	OBL
2.	*Typha latifolia*	5	Y	OBL
3.	*Impatiens pallida*	10	Y	FACW
4.	*Scirpus atrovirens*	5	Y	OBL
5.	*Schoenoplectus tabernaemontani*	2	N	OBL
6	*Acer saccharinum*	5	Y	FACW
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	32		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	*Parthenocissus quinquefolia*	5	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	5		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	17	x 1 =	17
FACW spp.	85	x 2 =	170
FAC spp.	25	x 3 =	75
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	127 (A)		262 (B)

Prevalence Index = B/A = ***2.063***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: Approx. 60% bare soil within the herbaceous layer.

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Morley silt loam	NWI/WWI Classification:	-
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520e
Sample Point:	1u
Community ID:	upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Upgradient from wetland on slope adjacent to agricultural field.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☑):

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: na	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: >18	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: >18	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Morley silt loam — Series Drainage Class: moderately well

Taxonomy (Subgroup): Oxyaquic Hapludalfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	18	1	10YR	4/1	100	--	--	--	--	--	silt loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☑):

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: Depth:

Hydric Soil Present? ☐ Yes ☑ No

Remarks: Adjacent to agricultural field, may receive surface runoff.

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Line 6B Phase 2 Replacement Project | Wetland ID: W-520e | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharinum*	10	Y	FACW
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	10		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*Podophyllum peltatum*	25	Y	FACU
2.	*Polygonatum biflorum*	25	Y	FACU
3.	*Claytonia caroliniana*	20	Y	FACU
4.	*Hydrophylum virginianum*	30	Y	FACW
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Remarks: --

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***40.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	40	x 2 =	80
FAC spp.	0	x 3 =	0
FACU spp.	70	x 4 =	280
UPL spp.	0	x 5 =	0
Total	110 (A)		360 (B)

Prevalence Index = B/A = ***3.273***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Additional Remarks:

--

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Morley silt loam	NWI/WWI Classification:	PFO1C
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520e
Sample Point:	1w
Community ID:	SS1
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☑ Yes ☐ No	Hydric Soils Present?	☑ Yes ☐ No
Wetland Hydrology Present?	☑ Yes ☐ No	Is This Sampling Point Within A Wetland?	☑ Yes ☐ No

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☐):

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☑ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 2	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Morley silt loam — Series Drainage Class: moderately well

Taxonomy (Subgroup): Oxyaquic Hapludalfs — Field Observations Confirm Mapped Type? ☐ Yes ☐ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix	%	Mottles Color (Moist)	Mottles	%	Type	Location	Texture (e.g. clay, sand, loam)
0	8	1	10YR	4/2	90	7.5YR	4/6	10	C	M	silt loam
8	24	2	10YR	5/1	80	7.5YR	4/6	5	C	M	silty clay loam
8	24	2	10YR	5/1	80	5YR	4/6	15	C	M	silty clay loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☐):

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: n/a Depth: n/a

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site: Line 6B Phase 2 Replacement Project | Wetland ID: W-520e | Sample Point 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Ulmus americana*	10	Y	FACW
2.	*Acer saccharinum*	10	Y	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	20		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Cornus racemosa*	10	Y	FACW
2.	*Cephalanthus occidentalis*	20	Y	OBL
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	30		

Herb Stratum (Plot size: 2 meter radius)

1.	*Carex vulpinoidea*	15	Y	OBL
2.	*Carex sp.*	10	Y	NI
3.	*Allium sp.*	5	N	--
4.	*Sagittaria latifolia var. latifolia*	10	Y	OBL
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	40		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***85.7%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	45	x 1 =	45
FACW spp.	30	x 2 =	60
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	10	x 5 =	50
Total	85 (A)		155 (B)

Prevalence Index = B/A = ***1.824***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Blount silt loam	NWI/WWI Classification:	--
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520f
Sample Point:	1u
Community ID:	upland
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Sample point is upgradient from wetland point corresponding with a mild topographic break.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☑):

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth:	n/a	(in.)
Water Table Present?	☐ Yes ☑ No	Depth:	>18	(in.)
Saturation Present?	☐ Yes ☑ No	Depth:	>18	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	10	1	10YR	4/3	100	--	--	--	--	--	silt loam
10	18	2	10YR	4/2	100	--	--	--	--	--	silty clay loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☑):

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]

- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: n/a Depth: n/a

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Wetland ID:	W-520f	Sample Point	1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharinum*	10	Y	FACW
2.	*Tilia americana*	10	Y	FACU
3.	*Populus deltoides*	10	Y	FAC
4.	*Prunus serotina*	10	Y	FACU
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	40		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Celtis occidentalis*	10	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	10		

Herb Stratum (Plot size: 2 meter radius)

1.	*Podophyllum peltatum*	10	Y	FACU
2.	*Viola spp.*	20	Y	--
3.	*Hydrophyllum virginianum*	10	Y	FACW
4.	*Claytonia caroliniana*	5	N	FACU
5.	*Polygonatum biflorum*	5	N	FACU
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	50		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***50.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	20	x 2 =	40
FAC spp.	20	x 3 =	60
FACU spp.	40	x 4 =	160
UPL spp.	0	x 5 =	0
Total	80 (A)		260 (B)

Prevalence Index = B/A = ***3.250***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Stantec Project #:	193701660
Applicant:	Enbridge		
Investigator #1:	S. Carlson	Investigator #2:	J. Delmedico
Soil Unit:	Blount silt loam	NWI/WWI Classification:	PSS1/EMC
Landform:	-	Local Relief:	-
Slope (%):	-	Latitude: -	Longitude: - Datum: -

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	04/17/12
County:	St. Joseph
State:	Indiana
Wetland ID:	W-520f
Sample Point:	1w
Community ID:	FO1
Section:	14
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☑ Yes ☐ No	Hydric Soils Present?	☑ Yes ☐ No
Wetland Hydrology Present?	☑ Yes ☐ No	Is This Sampling Point Within A Wetland?	☑ **Yes** ☐ **No**

Remarks: --

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present ☐):

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 1	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 0	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 0	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: Moss trim lines within trees. Emergent layer only within right of way.

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	8	1	10YR	3/2	90	7.5YR	3/4	10	C	M	silty clay loam
8	12	2	10YR	5/1	90	7.5YR	3/4	10	C	M	clay loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present ☐):

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☑ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: gravel, rock — Depth: 8 inches

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Line 6B Phase 2 Replacement Project	Wetland ID:	W-520f	Sample Point	1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharinum*	25	Y	FACW
2.	*Tilia americana*	10	Y	FACU
3.	*Populus deltoides*	10	Y	FAC
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	45		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*Carex vulpinoidea*	20	Y	OBL
2.	*Iris versicolor*	25	Y	OBL
3.	*Sagittaria latifolia var. latifolia*	20	Y	OBL
4.	*Typha latifolia*	25	Y	OBL
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	90		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***85.7%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	90	x 1 =	90
FACW spp.	25	x 2 =	50
FAC spp.	10	x 3 =	30
FACU spp.	10	x 4 =	40
UPL spp.	0	x 5 =	0
Total	135 (A)		210 (B)

Prevalence Index = B/A = ***1.556***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: 10% bare soil.

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Milford silty clay loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☐ Yes ☑ No

Are Vegetation ☑, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-521a
Sample Point:	1u
Community ID:	Upland
Section:	13
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Sample point in planted corn field. Soils are sandy and therefore naturally problematic. Hydrologic conditions atypical due to recent heavy rain (3" in 24 hours).

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 2	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 4	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: 3+ inches of rain have fallen in the last 24 hours, therefore indications of hydrology are due to precipitation.

SOILS

Map Unit Name: Milford silty clay loam — Series Drainage Class: very poorly

Taxonomy (Subgroup): Typic Endoaquolls — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	11	1	10YR 4/1	--	--	--	--	--	Sandy Loam
11	15	2	10YR 4/4	--	--	--	--	--	Sandy Loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]

- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-521a | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*DIGITARIA SANGUINALIS*	10	N	FACU
2.	*Phytolacca americana*	5	N	FAC
3.	*RUMEX CRISPUS*	5	N	FAC
4.	*Mustard sp.*	5	N	--
5.	*ZEA MAYS*	30	Y	UPL
6	*Echinochloa muricata*	3	N	OBL
7.	*Poa sp.*	40	Y	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	98		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***0.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	3	x 1 =	3
FACW spp.	0	x 2 =	0
FAC spp.	10	x 3 =	30
FACU spp.	10	x 4 =	40
UPL spp.	30	x 5 =	150
Total	53 (A)		223 (B)

Prevalence Index = B/A = ***4.208***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: Area planted in corn, other veg. on field edge

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Milford silty clay loam	NWI/WWI Classification:	PEM/AB4F
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-521a
Sample Point:	1w
Community ID:	PEM
Section:	13
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: Edge of field, undisturbed. Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☑ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☑ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 4	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 6	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 4	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: area is a pond, point taken on edge of pond

SOILS

Map Unit Name: Milford silty clay loam — Series Drainage Class: very poorly

Taxonomy (Subgroup): Typic Endoaquolls — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	8	1	10YR	4/1	--	10YR	3/3	3	C	M	Sandy Loam
8	15	2	10YR	6/3	50	10YR	3/4	5	C	M	Sandy Loam
8	15	2	10YR	5/6	50	--	--	--	--	--	Sandy Loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☑ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Wetland ID:	W-521a	Sample Point	1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Salix nigra*	10	Y	OBL
2.	*Ulmus americana*	2	N	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	12		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*LONICERA JAPONICA*	5	Y	FACU
2.	*ROSA MULTIFLORA*	5	Y	FACU
3.	*Rhus hirta*	3	Y	UPL
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	13		

Herb Stratum (Plot size: 2 meter radius)

1.	*ECHINOCHLOA CRUSGALLI*	10	Y	FACW
2.	*Ambrosia trifida*	5	N	FAC
3.	*Glyceria sp.*	30	Y	--
4.	*Aster sp.*	3	N	--
5.	*Schoenoplectus tabernaemontani*	5	N	OBL
6	*Cyperus esculentus*	3	N	FACW
7.	*Solidago ohioensis*	5	N	OBL
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	61		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***33.3%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	20	x 1 =	20
FACW spp.	15	x 2 =	30
FAC spp.	5	x 3 =	15
FACU spp.	10	x 4 =	40
UPL spp.	3	x 5 =	15
Total	53 (A)		120 (B)

Prevalence Index = B/A = ***2.264***

Hydrophytic Vegetation Indicators:

☐ Yes	☑ No	Rapid Test for Hydrophytic Vegetation
☐ Yes	☑ No	Dominance Test is > 50%
☑ Yes	☐ No	Prevalence Index is ≤ 3.0 *
☐ Yes	☑ No	Morphological Adaptations (Explain) *
☐ Yes	☑ No	Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: The prevalence index is less than 3, and vegetation is a mix of upland and wetland vegetation. Wetland soils and hydrology support a wetland determination.

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Morley silt loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☐ Yes ☑ No

Are Vegetation ☑, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-521b
Sample Point:	1u
Community ID:	Upland
Section:	13
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Cultivated field planted with soybeans. Sandy soils are present which are naturally problematic. Atypical hydrologic conditions due to recent heavy rain event (3" in 24 hours).

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 1	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 4	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 4	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: 3 inches of rain have fallen in last 24 hours, indications of wetland hydrology are due to precipitation.

SOILS

Map Unit Name: Morley silt loam — Series Drainage Class: moderately well

Taxonomy (Subgroup): Oxyaquic Hapludalfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	10	1	10YR 4/1	--	--	--	--	--	Silt loam
10	16	2	10YR 4/6	--	--	--	--	--	Sandy loam
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]

- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-521b | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Herb Stratum (Plot size: 2 meter radius)

1.	*GLYCINE MAX*	100	Y	UPL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***0.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	0	x 2 =	0
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	100	x 5 =	500
Total	100 (A)		500 (B)

Prevalence Index = B/A = ***5.000***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: Area planted in soybeans

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Blount silt loam	NWI/WWI Classification:	--
Landform:	Depression	Local Relief:	Concave
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-521b
Sample Point:	1w
Community ID:	PEM
Section:	13
Township:	38 N
Range:	1 Dir: W

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: Shallow depression in ag field. Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☑ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☑ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 4	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 4	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 3	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Blount silt loam — Series Drainage Class: somewhat poorly

Taxonomy (Subgroup): Aeric Epiaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix	Matrix %	Mottles Color (Moist)	Mottles	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	7	1	10YR	4/1	--	10YR	4/6	20	C	M	Sandy Loam
7	14	2	10YR	5/1	50	7.5YR	3/4	5	C	M	Clay Loam
7	14	2	10YR	4/6	50	--	--	--	--	--	Clay Loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☑ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☑ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-521b | Sample Point: 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Salix nigra*	1	Y	OBL
2.				
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	1		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Cephalanthus occidentalis*	10	Y	OBL
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	10		

Herb Stratum (Plot size: 2 meter radius)

1.	*PHALARIS ARUNDINACEA*	50	Y	FACW
2.	*ECHINOCHLOA CRUSGALLI*	10	N	FACW
3.	*Cyperus esculentus*	10	N	FACW
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	70		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Remarks: --

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	11	x 1 =	11
FACW spp.	70	x 2 =	140
FAC spp.	0	x 3 =	0
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	81 (A)		151 (B)

Prevalence Index = B/A = ***1.864***

Hydrophytic Vegetation Indicators:

- ☑ Yes ☐ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Auten loam	NWI/WWI Classification:	--
Landform:	Outwash Plain	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☑, Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐, Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-522a
Sample Point:	1u
Community ID:	Upland
Section:	18
Township:	38 N
Range:	1 Dir: E

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☐ Yes ☑ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Edge of ag field; top of ditch bank. Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: n/a	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Auten loam — Series Drainage Class: Somewhat poorly

Taxonomy (Subgroup): Aquollic Hapludalfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix	Matrix %	Mottles Color (Moist)	Mottles	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	20	1	10YR	3/3	--	--	--	--	--	--	Sandy Loam
20	24	2	10YR	4/7	--	10YR	3/3	5	C	PL	Silt loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]

- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: Gravel 2-5mm in soil

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-522a | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Morus rubra*	5	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	5		

Herb Stratum (Plot size: 2 meter radius)

1.	*Arctium lappa*	15	Y	NI
2.	*TARAXACUM OFFICINALE*	10	Y	FACU
3.	*Mustard sp.*	10	Y	--
4.	*BROMUS INERMIS*	5	N	UPL
5.	*CIRSIUM VULGARE*	5	N	FACU
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	45		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***25.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	0	x 2 =	0
FAC spp.	5	x 3 =	15
FACU spp.	15	x 4 =	60
UPL spp.	20	x 5 =	100
Total	40 (A)		175 (B)

Prevalence Index = B/A = ***4.375***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: Edge of plowed field, Highly disturbed vegetation.

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	J. Wiater	Investigator #2:	J. Currie
Soil Unit:	Auten loam	NWI/WWI Classification:	--
Landform:	Ditch	Local Relief:	concave
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/20/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-522a
Sample Point:	1w
Community ID:	PEM
Section:	18
Township:	38 N
Range:	1 Dir: E

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: Drainage ditch with intermittent flow. Ditch was flowing at time of survey but was not flowing on 10/19/2011. Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☑ A1 - Surface Water
- ☑ A2 - High Water Table
- ☑ A3 - Saturation
- ☑ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☑ Other (Explain)
  Buttressed stumps

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☑ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☑ Yes	☐ No	Depth: 14	(in.)
Water Table Present?	☑ Yes	☐ No	Depth: 4	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 4	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Auten loam — Series Drainage Class: Somewhat poor

Taxonomy (Subgroup): Aquollic Hapludalfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix	%	Mottles Color (Moist)	Mottles	%	Type	Location	Texture (e.g. clay, sand, loam)
0	5	1	10YR	3/3	--	--	--	--	--	--	Sandy Loam
5	18	2	10YR	4/1	92	10YR	3/3	8	C	PL	Sandy Loam
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☑ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: 2-8mm gravel in soil

Stantec

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-522a | Sample Point: 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	0		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Morus rubra*	10	Y	FAC
2.	*Cornus sp.*	2	Y	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	12		

Herb Stratum (Plot size: 2 meter radius)

1.	*PHALARIS ARUNDINACEA*	40	Y	FACW
2.	*TYPHA ANGUSTIFOLIA*	20	Y	OBL
3.	*Typha latifolia*	20	Y	OBL
4.	*Alisma subcordatum*	5	N	OBL
5.	*Aster sp.*	5	N	--
6	*Solidago ohioensis*	5	N	OBL
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	95		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	--	--	--	--
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	0		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***80.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	50	x 1 =	50
FACW spp.	40	x 2 =	80
FAC spp.	10	x 3 =	30
FACU spp.	0	x 4 =	0
UPL spp.	0	x 5 =	0
Total	100 (A)		160 (B)

Prevalence Index = B/A = ***1.600***

Hydrophytic Vegetation Indicators:

☐ Yes	☑ No	Rapid Test for Hydrophytic Vegetation
☑ Yes	☐ No	Dominance Test is > 50%
☑ Yes	☐ No	Prevalence Index is ≤ 3.0 *
☐ Yes	☑ No	Morphological Adaptations (Explain) *
☐ Yes	☑ No	Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: Hydric vegetation present in bottom of ditch only.

Additional Remarks:

--

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Stantec

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	D. Tersteeg	Investigator #2:	J. Currie
Soil Unit:	Rensselaer loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-524a
Sample Point:	1u
Community ID:	Upland
Section:	9
Township:	38 N
Range:	1 Dir: E

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present?	☐ Yes ☑ No	Hydric Soils Present?	☐ Yes ☑ No
Wetland Hydrology Present?	☐ Yes ☑ No	Is This Sampling Point Within A Wetland?	☐ Yes ☑ No

Remarks: Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes ☑ No	Depth: N/A	(in.)
Water Table Present?	☐ Yes ☑ No	Depth: N/A	(in.)
Saturation Present?	☐ Yes ☑ No	Depth: N/A	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Rensselaer loam — Series Drainage Class: poorly drained or very poorly

Taxonomy (Subgroup): Typic Argiaquolls — Field Observations Confirm Mapped Type? ☑ Yes ☐ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)		Matrix %	Mottles Color (Moist)		Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	12	1	10YR	2/1	--	--	--	--	--	--	Sandy Loam
12	20	2	10YR	3/1	95	7.5YR	4/6	5	C	M	Sandy Loam
20	24	3	10YR	5/2	95	7.5YR	5/8	5	C	M	Loamy Sand
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

Stantec

WETLAND DETERMINATION DATA FORM

Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-524a | Sample Point: 1u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharum*	90	Y	FACU
2.	*Ulmus americana*	5	N	FACW
3.	*Prunus serotina*	2	N	FACU
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	97		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*ROSA MULTIFLORA*	5	Y	FACU
2.	*Rubus idaeus var. strigosus*	2	Y	FACW
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	7		

Herb Stratum (Plot size: 2 meter radius)

1.	*Aster sp.*	2	Y	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	2		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	*Toxicodendron radicans subsp. negunc*	10	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	10		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***40.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	7	x 2 =	14
FAC spp.	10	x 3 =	30
FACU spp.	97	x 4 =	388
UPL spp.	0	x 5 =	0
Total	114 (A)		432 (B)

Prevalence Index = B/A = ***3.789***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☐ Yes ☑ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☐ Yes ☑ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	D. Tersteeg	Investigator #2:	J. Currie
Soil Unit:	Quinn loam	NWI/WWI Classification:	PFO1B
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St. Joseph
State:	Indiana
Wetland ID:	W-524a
Sample Point:	1w
Community ID:	PFO
Section:	9
Township:	38 N
Range:	1 Dir: E

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☑ Yes ☐ No
Hydric Soils Present? ☑ Yes ☐ No
Is This Sampling Point Within A Wetland? ☑ **Yes** ☐ **No**

Remarks: Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☐

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☑ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☑ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: n/a	(in.)
Saturation Present?	☑ Yes	☐ No	Depth: 10	(in.)

Wetland Hydrology Present? ☑ Yes ☐ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Quinn loam — Series Drainage Class: poorly drained

Taxonomy (Subgroup): Typic Endoaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	20	1	10YR 2/1	--	--	--	--	--	Clay Loam
20	26	2	10YR 4/2	98	10YR 4/6	2	C	M	Loamy Sand
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☑ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]
- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☑ Yes ☐ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site: Indiana Line 6B | Wetland ID: W-524a | Sample Point: 1w

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Quercus palustris*	95	Y	FACW
2.	*Acer saccharum*	5	N	FACU
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	100		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Rubus idaeus var. strigosus*	40	Y	FACW
2.	*Rhus glabra*	20	Y	UPL
3.	*Lindera benzoin*	20	Y	FACW
4.	*Sambucus canadensis*	10	N	FACW
5.	*Cephalanthus occidentalis*	5	N	OBL
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	95		

Herb Stratum (Plot size: 2 meter radius)

1.	*PHALARIS ARUNDINACEA*	70	Y	FACW
2.	*Aster sp.*	15	N	--
3.	*Boehmeria cylindrica*	10	N	OBL
4.	*Impatiens capensis*	5	N	FACW
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	100		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	*Vitis riparia*	5	Y	FACW
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	5		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***83.3%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	15	x 1 =	15
FACW spp.	245	x 2 =	490
FAC spp.	0	x 3 =	0
FACU spp.	5	x 4 =	20
UPL spp.	20	x 5 =	100
Total	285 (A)		625 (B)

Prevalence Index = B/A = ***2.193***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☑ Yes ☐ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: --

Additional Remarks:

--

Stantec

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Stantec Project #:	193701313
Applicant:	Enbridge		
Investigator #1:	D. Tersteeg	Investigator #2:	J. Currie
Soil Unit:	Quinn loam	NWI/WWI Classification:	--
Landform:	--	Local Relief:	--
Slope (%):	--	Latitude: --	Longitude: -- Datum: --

Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) ☑ Yes ☐ No

Are Vegetation ☐ , Soil ☐, or Hydrology ☐ significantly disturbed?
Are Vegetation ☐ , Soil ☑, or Hydrology ☐ naturally problematic?

Are normal circumstances present? ☑ Yes ☐ No

Date:	10/26/11
County:	St Joseph
State:	Indiana
Wetland ID:	W-524a
Sample Point:	2u
Community ID:	Upland
Section:	9
Township:	38 N
Range:	1 Dir: E

SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? ☑ Yes ☐ No
Wetland Hydrology Present? ☐ Yes ☑ No
Hydric Soils Present? ☐ Yes ☑ No
Is This Sampling Point Within A Wetland? ☐ Yes ☑ No

Remarks: Soils are sandy and therefore naturally problematic.

HYDROLOGY

Wetland Hydrology Indicators (Check here if indicators are not present): ☑

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☐ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B9 - Water-Stained Leaves
- ☐ B13 - Aquatic Fauna
- ☐ B15 - Marl Deposits
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C3 - Oxidized Rhizospheres on Living Roots
- ☐ C4 - Presence of Reduced Iron
- ☐ C6 - Recent Iron Reduction in Tilled Soils
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B10 - Drainage Patterns
- ☐ B16 - Moss Trim Lines
- ☐ C2 - Dry-Season Water Table
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☐ D1 - Stunted or Stressed Plants
- ☐ D2 - Geomorphic Position
- ☐ D3 - Shallow Aquitard
- ☐ D4 - Microtopographic Relief
- ☐ D5 - FAC-Neutral Test

Field Observations:

Surface Water Present?	☐ Yes	☑ No	Depth: N/A	(in.)
Water Table Present?	☐ Yes	☑ No	Depth: N/A	(in.)
Saturation Present?	☐ Yes	☑ No	Depth: N/A	(in.)

Wetland Hydrology Present? ☐ Yes ☑ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: N/A

Remarks: --

SOILS

Map Unit Name: Quinn loam — Series Drainage Class: poorly drained

Taxonomy (Subgroup): Typic Endoaqualfs — Field Observations Confirm Mapped Type? ☐ Yes ☑ No

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.) (Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Locaiton: PL=Pore Lining, M=Matrix)

Top Depth	Bottom Depth	Horizon	Matrix Color (Moist)	Matrix %	Mottles Color (Moist)	Mottles %	Mottles Type	Mottles Location	Texture (e.g. clay, sand, loam)
0	10	1	10YR 2/2	--	--	--	--	--	Sandy Loam
10	15	2	10YR 4/3	95	7.5YR 4/6	5	C	M	Loamy Sand
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--

NRCS Hydric Soil Field Indicators (check here if indicators are not present): ☑

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers
- ☐ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Muck Mineral
- ☐ S4 - Sandy Gleyed Matrix
- ☐ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ S7 - Dark Surface (**LRR R, MLRA 149B**)
- ☐ S8 - Polyvalue Below Surface (**LRR R, MLRA 149B**)
- ☐ S9 - Thin Dark Surface (**LRR R, MLRA 149B**)
- ☐ F1 - Loamy Muck Mineral (**LRR K, L**)
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions

Indicators for Problematic Soils [1]

- ☐ A10 - 2 cm Muck (**LRR K, L, MLRA149B**)
- ☐ A16 - Coast Prairie Redox (**LRR K, L, R**)
- ☐ S3 - 5cm Mucky Peat of Peat (**LRR K, L, R**)
- ☐ S7 - Dark Surface (**LRR K, L**)
- ☐ S8 - Polyvalue Below Surface (**LRR K, L**)
- ☐ S9 - Thin Dark Surface (**LRR K, L**)
- ☐ F12 - Iron-Manganese Masses (**LRR K, L, R**)
- ☐ F19 - Piedmont Floodplain Soils (**MLRA 149B**)
- ☐ TA6 - Mesic Spodic (**MLRA 144A, 145, 149B**)
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (If Observed) Type: N/A Depth: N/A

Hydric Soil Present? ☐ Yes ☑ No

Remarks: --

WETLAND DETERMINATION DATA FORM
Northcentral and Northeast Region

Project/Site:	Indiana Line 6B	Wetland ID:	W-524a	Sample Point	2u

VEGETATION (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 10 meter radius)

	Species Name	% Cover	Dominant	Ind.Status
1.	*Acer saccharum*	70	Y	FACU
2.	*Quercus palustris*	20	Y	FACW
3.	*Populus deltoides*	5	N	FAC
4.	*Populus tremuloides*	5	N	FAC
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	100		

Sapling/Shrub Stratum (Plot size: 5 meter radius)

1.	*Rubus idaeus var. strigosus*	10	Y	FACW
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6.	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
	Total Cover =	10		

Herb Stratum (Plot size: 2 meter radius)

1.	*Solidago sp.*	30	Y	--
2.	--	--	--	--
3.	--	--	--	--
4.	--	--	--	--
5.	--	--	--	--
6	--	--	--	--
7.	--	--	--	--
8.	--	--	--	--
9.	--	--	--	--
10.	--	--	--	--
11.	--	--	--	--
12.	--	--	--	--
13.	--	--	--	--
14.	--	--	--	--
15.	--	--	--	--
	Total Cover =	30		

Woody Vine Stratum (Plot size: 10 meter radius)

1.	*Toxicodendron radicans subsp. negunc*	20	Y	FAC
2.	--	--	--	--
3.	--	--	--	--
5.	--	--	--	--
4.	--	--	--	--
	Total Cover =	20		

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***60.0%*** (A/B)

Prevalence Index Worksheet

Total % Cover of:		Multiply by:	
OBL spp.	0	x 1 =	0
FACW spp.	30	x 2 =	60
FAC spp.	30	x 3 =	90
FACU spp.	70	x 4 =	280
UPL spp.	0	x 5 =	0
Total	130 (A)		430 (B)

Prevalence Index = B/A = ***3.308***

Hydrophytic Vegetation Indicators:

- ☐ Yes ☑ No Rapid Test for Hydrophytic Vegetation
- ☑ Yes ☐ No Dominance Test is > 50%
- ☐ Yes ☑ No Prevalence Index is ≤ 3.0 *
- ☐ Yes ☑ No Morphological Adaptations (Explain) *
- ☐ Yes ☑ No Problem Hydrophytic Vegetation (Explain) *

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft. tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft. tall.

Woody Vines - All woody vines greater than 3.28 ft. in height.

Hydrophytic Vegetation Present ☑ Yes ☐ No

Remarks: While the dominance test is greater than 50%, the Prevalence Index is greater than three and the rapid test for hydrophytic vegetation was not met. The absence of wetland hydrology and soils supports an upland determination.

Additional Remarks:

--