

Attachment B

SPECIFICATIONS

Q4172

9mm AMMUNITION (Training Round)

YES

NO

1. Must be 115 grain ball

2. Must be copper jacketed

3. Must be factory first production (no reloads)

SPECIFICATIONS

RA9T

9mm AMMUNITION (Duty Round)

YES

NO

- | | | |
|--|-------|-------|
| 1. Must be 147 grain | _____ | _____ |
| 2. Must be Hollow Point | _____ | _____ |
| 3. Must be copper jacketed | _____ | _____ |
| 4. Must be Speer Gold Dot | _____ | _____ |
| 5. Must be factory first production (no reloads) | _____ | _____ |

SPECIFICATION

Q3131

.223 Ammunition (Duty Round)

	YES	NO
1. Must be 55 grain.	_____	_____
2. Must be Full Metal Jacket.	_____	_____
3. Must have factory new brass casings.	_____	_____
4. Must have box primer.	_____	_____
5. Must meet SAAMI (Sporting Arms and Ammunition Manufacturer's Institute) standards for internal ballistics external ballistics, and cartridge dimensions.	_____	_____
6. Vendor must submit in writing, certification of specifications with SAAMI standards with bid.	_____	_____
7. All cartridges must be packed in boxes of 20 rounds each.	_____	_____
8. Each box must be marked for identification by using a lot number or equally sufficient method to determine pertinent manufacturing data.	_____	_____
9. Must be factory first production (no reloads)	_____	_____

SPECIFICATIONS

12 GAUGE AMMUNITION

YES

NO

1. Must be number 4 buck

2. Must be 2 3/4 inches

3. Must be factory first production (no reloads)
