



17300 Medina Road, Suite 600
Minneapolis, MN 55447 USA
Phone: +1-763-546-8575
Fax: +1-763-546-4369
www.leedsmicro.com

Quotation

prepared for

Indiana State Police
Attn: Mark Keisler
550 W 16th St, Suite C
Indianapolis, IN 46202

Project Description:

Leeds Firearms and Tool Marks Comparison Microscope (LCF2) - Qty. 2

Quote Number: 21093 issued by Leeds Precision Instruments, Inc.

This quote is valid from

August 13, 2021 to November 30, 2021

F.O.B: Destination

Terms: Net 30 (With Open Account)

Delivery: Will ship within 90 days of receipt of a Purchase Order, subject to acts of God, or other causes beyond the reasonable control of Leeds.

Respectfully submitted for Leeds Precision Instruments, Inc. by:
Neal Schrode, Director of International Forensic Sales and Vice President



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #21093

8/13/2021

TO:

INDIANA STATE POLICE
 ATTN: MARK KEISLER
 550 W 16TH ST, SUITE C
 INDIANAPOLIS, IN 46202

Payment Terms	Shipping Terms	Quote Valid Until
Net 30	FOB DEST	11/30/2021

Item	Qty	U/M	Description	Price	Total
			PROJECT DESCRIPTION: LEEDS FIREARMS AND TOOL MARKS COMPARISON MICROSCOPE (LCF2) - QTY. 2		
LCF10-OCU1.0	2	ea	<p>LCF10 optical system that includes the Leeds' comparison bridge designed with high-quality optics that provide a superior color balanced system, macrozoom optical bodies with 10:1 zoom ratio, and 1x plan apochromat objectives, with the following:</p> <ul style="list-style-type: none"> - Zoom magnification range of 5.6x-56x - 11 Matched magnification click stop positions - ISO 17025:2017 Accredited/NIST Traceable certificate of magnification matching is included with each system. - 22mm Field Number (FN) - 1X Plan Apochromat objective - Working distance (WD) 74mm - Numerical Aperture (NA) 0.110, super depth of focus - Upright unreversed image - Built-in aperture diaphragms - Images can be viewed as 100% right, 100% left, split, or superimposed image dividing-line controller is easily adjusted with one hand, allowing the examiner to sweep the dividing-line from right to left. Dividing line can be eliminated or adjusted to any desired line width. The same centrally located control allows any percentage of the right and left images to be superimposed as well. - Zoom control on both sides of the bodies - Outside-zoom knob indicates total magnification - System is parfocal with the .5X, 1.6X and 2X objectives carrying the "PF" designation. 	27,005.00	54,010.00T

Respectfully Submitted by: Neal Schrode, Director of International Forensic Sales and Vice President

Sales Tax (0.0%)
Total (USD)



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #21093

8/13/2021

TO:

INDIANA STATE POLICE
 ATTN: MARK KEISLER
 550 W 16TH ST, SUITE C
 INDIANAPOLIS, IN 46202

Payment Terms	Shipping Terms	Quote Valid Until
Net 30	FOB DEST	11/30/2021

Item	Qty	U/M	Description	Price	Total
LCF-3-U137	2	ea	U-TBI-3-CLI; Tilting Binocular Observation Tube, continuously variable eyepiece inclination from 5° to 35°; FN 22 capable; Siedentopf-type dust-free design. Accepts 30mm diameter WH series eyepieces. High transmission coated prisms; antifungal treatment. Graduated interpupillary distance adjustment 50mm-76mm; right eyepiece tube with +/- 5 diopter control.	1,745.00	3,490.00T
LCF-U-IT134C	2	ea	U-TRU; Side port adapter for camera attachment. Two position light path selector: 100% observation/0% camera, or 20% observation/80% camera. Includes FN 22 tube lens and dovetail port to accept U-SPT phototube (cat# 3-U801) or U-TV series CCD camera adapters. Mountable with port to the right, rear or left of the user with binocular observation tube. Mountable to the rear with trinocular observation tube.	939.00	1,878.00T
LCF-2-U100H6	4	ea	Widefield focusing 10X eyepiece for UIS optics, high eyepoint, field number 22, 30mm diameter; with shelf for 24mm diameter reticle ± 5 Diopter adjustment vernier printed on eyepiece. (was 2-U100H6)	295.00	1,180.00T
LCF2-STATION	2	ea	LCF2 Station - Motorized "Z" column, optical arm, 25" x 36.5" table with motorized height control.	7,689.00	15,378.00T
LCF-FOPOS	4	ea	Focus-mount positioner; 4" X-axis range to change the side-to-side position of the universal bullet holder.	344.00	1,376.00T
LCF3-FFOMT	4	ea	Stage mount with fine and coarse focus control	2,321.00	9,284.00T
LCF-STAGE	4	ea	Horizontal coaxial control X-Y stage, 180mm x 135mm platform with 50mm X-axis and 77mm Y-axis movement. Uniform ball-bearing motion.	1,856.00	7,424.00T
LCF3-SCALE	2	ea	LCD Measuring scale, inch/metric, .0005"/0.1mm resolution with bracket kit. Includes ISO 17025:2017 Accredited/NIST Traceable Certification of Scale Accuracy.	736.00	1,472.00T
LCF-COVER	2	ea	Nylon dust cover. (List \$292)	0.00	0.00T
			SAMPLE HOLDERS		

Respectfully Submitted by: Neal Schrode, Director of International Forensic Sales and Vice President

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #21093

8/13/2021

TO:

INDIANA STATE POLICE
 ATTN: MARK KEISLER
 550 W 16TH ST, SUITE C
 INDIANAPOLIS, IN 46202

Payment Terms	Shipping Terms	Quote Valid Until
Net 30	FOB DEST	11/30/2021

Item	Qty	U/M	Description	Price	Total
LCF3-UVLHLR	4	ea	Universal Manipulating Bullet/Shell Holder; with 90 degree vertical to horizontal positioning range. 360 degree rotating chuck with as small as .030" wire to as large as a 10-gauge shotgun shell. This holder allows a shell to be gripped by its inside, or outside, diameter. It can also grip a shell by the extraction groove. This unique holder replaces many special holders, eliminating the additional time required for change over. Includes a mini-platter for sticky wax mounting.	3,956.00	15,824.00T
LCF-PINMTS	2	ea	Set of pin mount pairs, .094", .125", .190", .250".	375.00	750.00T
LCF-RFLDOC	4	ea	Reflected light holder for document and toolmark examination. Includes tall adjustable stage clips.	191.00	764.00T
FLUORESCENT AND LED LIGHTING					
LCF3-LEDKIT-SM	4	ea	LED Stix Light - Stage Mount Articulated Arm	300.00	1,200.00T
LCF2-LEDSP	2	ea	Twin high brightness, natural white 5600k, 10,000 hour rated Spot LEDs with adjustable light intensity, ring mounted onto highly flexible arms attached directly to stage. Single control pod controls both LED Spot sources. Small form factor and flexibility allow vast degree of freedom and choice of angle of attack allowing the highest degree of lighting adjustment.	1,126.00	2,252.00T
CAMERA, ADAPTER AND COMPUTER					

Respectfully Submitted by: Neal Schrode, Director of International Forensic Sales and Vice President

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #21093

8/13/2021

TO:

INDIANA STATE POLICE
 ATTN: MARK KEISLER
 550 W 16TH ST, SUITE C
 INDIANAPOLIS, IN 46202

Payment Terms	Shipping Terms	Quote Valid Until
Net 30	FOB DEST	11/30/2021

Item	Qty	U/M	Description	Price	Total
AU-600-HD	2	ea	Excelis HD Camera: - Resolution (live) 1920 x 1080 - Image Capture: 5.0 MP / High Speed SD card (8GB) - HDMI Output (60fps) - Sensor: 1/2.8" (0.5x c-mount recommended); SONY IMX236 - Video capture: HDMI – 1080p, 30 fps to SD card, USB 2.0 – 1080p, 15 fps to PC or Mac - Exposure Time: 0.001 – 10.0 sec - White Balance: Auto - Built in software: Cloud 1.0 - PC Imaging Software: CaptaVision (PC only) with live/still measurement and annotation, flat field correction: extended depth of focus (focus stacking), image stitching, and HDR.	1,195.00	2,390.00T
LCF-DE63BXC	2	ea	0.63X C-Mount for OLYMPUS BX	549.00	1,098.00T
PC0SFF-2108-24P	2	ea	Dell Optiplex 3080. Includes a wired keyboard, mouse and 24" monitor for use with the Excelis digital camera and associated software kit.	1,249.00	2,498.00T
			Subtotal		122,268.00
			11% GSA Price Match Discount	-11.00%	-13,449.48
			Subtotal		108,818.52
			*****NOTE: Shipping, installation and training included at no additional cost		

Respectfully Submitted by: Neal Schrode, Director of International Forensic Sales and Vice President

Sales Tax (0.0%)	\$0.00
Total (USD)	\$108,818.52



TERMS AND CONDITIONS FOR LEEDS LCF AND LCT MODELS

ORDER TERMS AND ACCEPTANCE: All customer orders are subject to these Terms and Conditions. Any inconsistent or conflicting terms in any purchase order, or other customer communication, cannot supersede or modify these Terms and Conditions, and are expressly rejected. All orders are subject to acceptance by Leeds and no provision of goods or services by Leeds will be deemed to be an acceptance of conflicting or inconsistent terms, or a waiver of these Terms and Conditions.

If the customer is the federal government, a state government, an agency of the federal or state government, or a political subdivision of any state, including, but not limited to, any county, city, or municipality, these Terms and Conditions shall be deemed to be subject to the mandated terms and conditions of any said government as they relate to government purchases.

Any transactions with Leeds for products or services will be governed by the laws of the State of Minnesota applicable to contracts and accepted and to be performed in Minnesota, without regard to applicable conflicts of law principles. Any action relating to any Leeds transactions, or these Terms and Conditions, will be brought in the applicable federal or state courts located in Hennepin County, Minnesota. By placing orders with Leeds, each customer irrevocably submits to the jurisdiction and venue of such courts.

SHIPPING: Leeds will attempt to honor special shipping requests, but reserves the right to select the carrier and manner of shipment. All shipping and delivery dates provided are estimates only, and customer will pay all applicable shipping and handling charges. All products are sold and shipped F.O.B. Plymouth, Minnesota, with title and risk of loss passing to customer upon tender to carrier.

PRICING AND PAYMENT: Prices and applicable discount terms are subject to change without notice, and orders will be filled and shipped at prices confirmed on acceptance. Except as otherwise quoted by Leeds, pricing is exclusive of all applicable sales, use or similar taxes, which will be the sole liability of customer. Without Leeds' prior written consent, payment by credit card is not permitted in excess of \$5000.

If credit is extended, customer agrees that Leeds will be entitled to collect interest on any late payments from date of delivery at the rate of 8% per annum.

PRODUCT ACCEPTANCE: In case of any shortage or product damage, customers must notify delivering carrier and Leeds immediately, and must file a carrier claim within 10 days of receipt. Leeds will provide necessary supporting claim information and documentation on request. Leeds will use best efforts to expedite reorders for missing or damaged products, which will also remain subject to Leeds' Terms and Conditions.

RETURNS AND CANCELLATIONS: Unused and undamaged non-custom products are the only type of products that may be returned, provided that the customer has obtained a written return authorization code from Leeds. All such returns must be requested within 30 days of product receipt. Credit for authorized returns will be issued at current price paid, less freight costs and reasonable restocking fees. Cancellation of orders prior to delivery are subject to the following: i) If items ordered are Leeds' stock items, the order cancellation will be accepted without charge or penalty, ii) If items ordered are special order items by Leeds and Leeds has placed a purchase order with the manufacturer, or if the items ordered include Leeds' customization of products, a reasonable fee may be charged, not to exceed an amount equal to 15% of the customer's purchase price.

LIMITED WARRANTY: Leeds warrants that its LCF Firearms & Toolmarks Comparison Microscope and its LCT Trace Evidence Comparison Microscope, will be free from defects in materials and workmanship, under normal use and service, for a period of five years for mechanical or optical defects and one year for electrical, electronic, or wear-related components, provided, however, that the product is placed, and always kept, in a suitable climate controlled environment that meets Leeds' specifications. The warranty shall begin at installation. If any product proves to be defective within the relevant warranty period, the customer must return the defective product to Leeds.

Leeds Precision Instruments, Inc.
17300 Medina Road, Suite 600
Plymouth, MN 55447-5639
(763) 546-8575
www.leedsmicro.com

Leeds at its sole discretion, will repair, replace, or adjust the defective product, provided that Leeds' investigation and factory inspection disclose that such defect developed under normal and proper use and the product is covered under this limited warranty. Repair, replacement, or adjustment of defective product shall be Leeds' sole obligation and the customer's sole remedy.