

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	91.3	(86.9 - 94.4)	1,118	90.1	(84.5 - 93.8)	599	92.8	(88.3 - 95.6)	517
Age									
15 or younger	89.5	(82.3 - 94.0)	422	86.4	(77.0 - 92.4)	204	92.6	(85.8 - 96.3)	218
16 or 17	92.3	(87.7 - 95.3)	565	91.4	(84.8 - 95.3)	317	93.4	(89.2 - 96.1)	247
18 or older	94.6	(88.6 - 97.5)	130	-	-	78	-	-	52
Grade									
9th	89.7	(81.6 - 94.5)	243	86.1	(74.8 - 92.9)	127	93.6	(86.9 - 97.0)	115
10th	91.9	(85.3 - 95.7)	378	92.4	(87.0 - 95.6)	194	91.3	(81.3 - 96.2)	184
11th	92.3	(82.4 - 96.9)	225	89.1	(74.9 - 95.7)	123	96.1	(89.3 - 98.7)	101
12th	92.1	(87.3 - 95.2)	265	94.3	(88.4 - 97.3)	151	89.3	(81.4 - 94.1)	114
Race/Ethnicity									
Black*	-	-	70	-	-	29	-	-	41
Hispanic/Latino	-	-	84	-	-	47	-	-	36
White*	91.2	(86.0 - 94.6)	860	90.3	(83.2 - 94.6)	456	92.2	(87.8 - 95.1)	403
All other races	-	-	36	-	-	22	-	-	14
Multiple races	-	-	45	-	-	29	-	-	16

Note: There were 397 students who were excluded from the analysis for QN8.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.1	(5.6 - 8.9)	1,502	8.5	(6.6 - 10.8)	751	5.7	(3.8 - 8.5)	748
Age									
15 or younger	7.2	(4.8 - 10.5)	503	7.9	(5.0 - 12.4)	236	6.4	(3.7 - 10.8)	267
16 or 17	5.8	(4.1 - 8.0)	794	6.6	(4.2 - 10.2)	405	5.0	(3.0 - 8.1)	387
18 or older	12.7	(8.5 - 18.6)	204	18.1	(11.9 - 26.5)	110	-	-	94
Grade									
9th	6.8	(4.5 - 10.1)	293	7.5	(4.2 - 13.1)	148	6.0	(3.0 - 11.7)	144
10th	5.9	(3.8 - 8.9)	467	5.9	(3.1 - 10.9)	231	5.8	(3.8 - 9.0)	236
11th	6.3	(4.3 - 9.2)	312	8.1	(4.0 - 15.6)	154	4.6	(2.6 - 8.0)	157
12th	9.1	(6.7 - 12.2)	420	11.7	(7.9 - 16.9)	213	6.5	(3.5 - 11.7)	206
Race/Ethnicity									
Black*	8.9	(5.1 - 14.9)	106	-	-	43	-	-	63
Hispanic/Latino	8.0	(3.8 - 15.8)	117	-	-	59	-	-	57
White*	6.5	(5.1 - 8.2)	1,150	7.5	(5.9 - 9.4)	574	5.4	(3.2 - 8.8)	575
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 13 students who were excluded from the analysis for QN9.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.4	(20.3 - 26.8)	1,511	21.1	(17.1 - 25.8)	760	25.6	(21.7 - 29.9)	748
Age									
15 or younger	22.2	(18.0 - 27.1)	503	20.3	(15.3 - 26.3)	237	24.1	(19.0 - 30.1)	266
16 or 17	24.4	(20.3 - 28.9)	799	20.4	(15.2 - 27.0)	409	28.1	(22.6 - 34.3)	388
18 or older	23.4	(18.3 - 29.3)	208	26.5	(20.4 - 33.6)	114	-	-	94
Grade									
9th	22.3	(18.2 - 27.0)	293	19.3	(13.6 - 26.7)	148	25.6	(19.9 - 32.2)	144
10th	20.2	(15.5 - 26.0)	471	21.3	(14.4 - 30.3)	234	19.2	(14.4 - 25.1)	237
11th	25.4	(19.5 - 32.4)	315	19.8	(12.1 - 30.8)	157	30.4	(22.8 - 39.3)	157
12th	25.5	(20.2 - 31.6)	423	23.5	(18.2 - 29.7)	216	27.5	(19.6 - 37.2)	206
Race/Ethnicity									
Black*	25.4	(17.6 - 35.1)	109	-	-	45	-	-	64
Hispanic/Latino	18.9	(12.4 - 27.5)	118	-	-	60	-	-	57
White*	22.9	(19.3 - 26.9)	1,155	21.7	(17.3 - 27.0)	580	23.9	(19.9 - 28.4)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 4 students who were excluded from the analysis for QN10.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.7	(7.4 - 12.6)	1,499	10.2	(7.5 - 13.8)	750	8.9	(6.7 - 11.7)	746
Age									
15 or younger	4.2	(2.5 - 7.0)	501	4.1	(2.0 - 8.0)	234	4.4	(2.4 - 7.8)	267
16 or 17	12.3	(9.2 - 16.4)	790	12.4	(9.1 - 16.6)	403	11.8	(8.0 - 17.2)	385
18 or older	16.0	(11.1 - 22.5)	207	20.0	(13.0 - 29.4)	113	-	-	94
Grade									
9th	4.1	(1.9 - 8.4)	290	3.7	(1.5 - 9.0)	146	4.5	(1.8 - 10.5)	143
10th	6.1	(4.4 - 8.4)	468	7.3	(4.8 - 10.9)	231	4.9	(2.9 - 8.0)	237
11th	12.2	(8.7 - 16.8)	310	12.9	(8.1 - 20.0)	154	10.6	(6.6 - 16.6)	155
12th	16.6	(13.0 - 21.1)	421	17.2	(11.7 - 24.5)	214	16.1	(10.9 - 23.2)	206
Race/Ethnicity									
Black*	4.1	(1.6 - 10.2)	107	-	-	43	-	-	64
Hispanic/Latino	3.8	(1.7 - 8.3)	116	-	-	58	-	-	57
White*	11.1	(8.0 - 15.1)	1,148	11.2	(7.7 - 16.1)	574	10.7	(7.6 - 14.7)	573
All other races	-	-	42	-	-	24	-	-	17
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 16 students who were excluded from the analysis for QN11.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	18.1	(15.1 - 21.6)	1,489	29.2	(24.3 - 34.6)	745	6.7	(4.7 - 9.6)	741
Age									
15 or younger	17.1	(12.7 - 22.7)	497	27.1	(20.0 - 35.6)	233	7.1	(3.9 - 12.7)	264
16 or 17	17.3	(14.3 - 20.8)	784	27.7	(22.2 - 33.9)	400	6.7	(4.1 - 10.8)	382
18 or older	25.0	(17.6 - 34.2)	207	41.4	(27.7 - 56.6)	112	-	-	95
Grade									
9th	15.2	(10.2 - 21.9)	287	24.4	(16.1 - 35.0)	144	5.3	(2.3 - 11.7)	142
10th	18.1	(13.7 - 23.6)	467	29.4	(22.6 - 37.2)	231	6.4	(3.8 - 10.7)	236
11th	17.2	(12.3 - 23.7)	308	25.6	(16.6 - 37.2)	152	8.9	(5.1 - 15.1)	155
12th	21.3	(16.5 - 27.1)	417	37.2	(28.5 - 46.9)	213	5.6	(2.6 - 11.6)	203
Race/Ethnicity									
Black*	10.4	(6.5 - 16.3)	106	-	-	44	-	-	62
Hispanic/Latino	12.2	(5.6 - 24.5)	116	-	-	60	-	-	55
White*	19.3	(16.0 - 23.0)	1,145	30.8	(25.6 - 36.5)	570	7.1	(4.7 - 10.5)	574
All other races	-	-	41	-	-	23	-	-	17
Multiple races	-	-	52	-	-	29	-	-	23

Note: There were 26 students who were excluded from the analysis for QN12.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN13: Percentage of students who carried a gun on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.9	(5.3 - 8.8)	1,493	11.7	(8.8 - 15.3)	747	1.9	(1.1 - 3.4)	743
Age									
15 or younger	6.1	(3.9 - 9.3)	499	9.4	(5.5 - 15.6)	233	2.8	(1.4 - 5.4)	266
16 or 17	5.7	(4.3 - 7.5)	786	9.9	(7.4 - 13.2)	401	1.3	(0.5 - 3.3)	383
18 or older	14.6	(8.7 - 23.5)	207	25.3	(14.5 - 40.3)	113	-	-	94
Grade									
9th	5.5	(3.2 - 9.4)	288	8.4	(3.9 - 17.0)	144	2.4	(0.9 - 6.2)	143
10th	5.5	(3.3 - 9.0)	467	9.1	(5.8 - 13.9)	231	1.8	(0.7 - 4.6)	236
11th	7.2	(4.4 - 11.5)	308	12.1	(7.5 - 19.1)	153	2.2	(0.7 - 6.6)	154
12th	8.7	(5.4 - 13.7)	420	16.2	(9.9 - 25.4)	214	1.3	(0.4 - 3.5)	205
Race/Ethnicity									
Black*	3.6	(1.6 - 8.0)	106	-	-	44	-	-	62
Hispanic/Latino	7.0	(2.2 - 20.0)	116	-	-	60	-	-	55
White*	7.1	(5.4 - 9.2)	1,147	12.0	(9.0 - 15.7)	572	1.8	(0.9 - 3.5)	574
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	52	-	-	29	-	-	23

Note: There were 22 students who were excluded from the analysis for QN13.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.7	(4.2 - 7.6)	1,507	8.6	(6.0 - 12.0)	758	2.7	(1.5 - 4.8)	746
Age									
15 or younger	5.5	(3.5 - 8.4)	503	8.2	(5.2 - 12.7)	237	2.8	(1.1 - 7.1)	266
16 or 17	4.7	(3.0 - 7.3)	795	6.4	(3.4 - 11.6)	408	3.0	(1.5 - 5.9)	385
18 or older	10.5	(6.2 - 17.1)	208	18.6	(11.0 - 29.8)	113	-	-	95
Grade									
9th	4.8	(2.6 - 8.6)	292	6.7	(3.1 - 14.0)	148	2.6	(1.0 - 7.0)	143
10th	4.5	(3.1 - 6.5)	472	6.8	(4.5 - 10.2)	235	2.0	(0.8 - 4.8)	237
11th	6.5	(3.7 - 11.0)	313	9.1	(3.9 - 20.1)	155	3.8	(1.4 - 9.8)	157
12th	6.4	(4.2 - 9.6)	420	10.9	(7.2 - 16.4)	215	1.8	(0.4 - 6.9)	204
Race/Ethnicity									
Black*	5.1	(2.4 - 10.4)	109	-	-	45	-	-	64
Hispanic/Latino	5.6	(2.7 - 11.3)	116	-	-	60	-	-	55
White*	5.7	(4.1 - 7.8)	1,155	8.8	(6.1 - 12.4)	578	2.4	(1.1 - 5.0)	576
All other races	-	-	42	-	-	24	-	-	17
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 8 students who were excluded from the analysis for QN14.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.1	(2.8 - 5.9)	1,515	2.8	(2.0 - 3.9)	761	5.4	(3.2 - 8.9)	751
Age									
15 or younger	4.9	(2.6 - 9.3)	505	2.7	(1.4 - 5.1)	237	7.1	(3.4 - 14.3)	268
16 or 17	3.9	(2.9 - 5.2)	800	3.1	(2.3 - 4.1)	410	4.7	(3.0 - 7.4)	388
18 or older	2.1	(0.7 - 5.6)	209	1.9	(0.4 - 8.6)	114	-	-	95
Grade									
9th	6.1	(2.8 - 12.8)	293	3.3	(0.7 - 15.2)	148	9.1	(4.7 - 16.7)	144
10th	4.7	(2.2 - 9.5)	473	3.4	(0.8 - 13.0)	235	6.1	(3.3 - 10.8)	238
11th	2.8	(1.6 - 4.7)	315	2.7	(1.8 - 4.0)	157	2.9	(1.1 - 7.3)	157
12th	2.3	(1.2 - 4.4)	424	1.3	(0.3 - 5.5)	216	3.3	(1.4 - 7.3)	207
Race/Ethnicity									
Black*	9.6	(3.9 - 21.9)	109	-	-	45	-	-	64
Hispanic/Latino	7.0	(3.1 - 15.0)	118	-	-	60	-	-	57
White*	2.8	(2.1 - 3.9)	1,159	2.4	(1.7 - 3.4)	581	3.3	(2.0 - 5.3)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 0 students who were excluded from the analysis for QN15.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.5	(5.2 - 8.0)	1,477	6.7	(5.0 - 8.8)	739	6.3	(4.7 - 8.4)	735
Age									
15 or younger	7.6	(5.2 - 10.9)	487	5.7	(2.7 - 11.8)	228	9.5	(6.6 - 13.5)	259
16 or 17	5.8	(4.4 - 7.8)	784	7.4	(5.4 - 10.1)	399	4.2	(2.7 - 6.7)	383
18 or older	5.5	(2.8 - 10.4)	205	6.6	(2.6 - 15.7)	112	-	-	93
Grade									
9th	7.6	(5.1 - 11.2)	280	5.2	(2.0 - 12.6)	142	10.2	(6.1 - 16.6)	137
10th	8.6	(6.0 - 12.1)	463	9.3	(5.6 - 15.0)	228	7.8	(4.4 - 13.3)	235
11th	4.2	(2.6 - 6.7)	308	5.6	(3.1 - 10.1)	152	2.7	(1.1 - 6.5)	155
12th	4.4	(2.6 - 7.4)	417	4.7	(2.6 - 8.2)	212	4.1	(2.1 - 7.8)	204
Race/Ethnicity									
Black*	12.0	(8.0 - 17.5)	106	-	-	44	-	-	62
Hispanic/Latino	5.4	(2.9 - 9.9)	109	-	-	56	-	-	52
White*	5.2	(4.0 - 6.6)	1,139	5.9	(4.1 - 8.4)	569	4.5	(3.1 - 6.4)	569
All other races	-	-	42	-	-	24	-	-	17
Multiple races	-	-	53	-	-	29	-	-	24

Note: There were 38 students who were excluded from the analysis for QN16.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN17: Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	29.1	(26.1 - 32.3)	1,496	34.6	(29.9 - 39.5)	748	23.4	(18.8 - 28.6)	745
Age									
15 or younger	31.5	(25.3 - 38.4)	497	34.3	(25.2 - 44.6)	231	28.8	(19.1 - 40.9)	266
16 or 17	28.4	(25.1 - 31.9)	792	34.9	(30.0 - 40.3)	405	21.2	(17.8 - 25.2)	385
18 or older	24.6	(18.9 - 31.5)	206	33.8	(24.0 - 45.1)	112	-	-	94
Grade									
9th	30.2	(22.2 - 39.7)	287	31.0	(21.8 - 42.0)	143	29.5	(17.0 - 46.0)	143
10th	33.9	(27.9 - 40.5)	467	40.2	(31.0 - 50.2)	230	27.4	(20.3 - 35.9)	237
11th	27.0	(21.9 - 32.7)	312	34.6	(27.2 - 42.8)	156	18.3	(12.1 - 26.9)	155
12th	24.3	(20.1 - 29.0)	420	31.5	(25.5 - 38.3)	214	17.1	(11.1 - 25.3)	205
Race/Ethnicity									
Black*	36.6	(27.1 - 47.3)	105	-	-	42	-	-	63
Hispanic/Latino	34.4	(23.6 - 47.1)	115	-	-	59	-	-	55
White*	27.3	(24.5 - 30.3)	1,149	34.3	(28.9 - 40.2)	573	19.5	(15.6 - 24.1)	575
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	32	-	-	23

Note: There were 19 students who were excluded from the analysis for QN17.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	2.8	(2.0 - 4.0)	1,502	3.1	(2.2 - 4.4)	752	2.5	(1.4 - 4.5)	747
Age									
15 or younger	3.9	(2.4 - 6.3)	498	3.9	(2.3 - 6.5)	233	3.9	(1.8 - 8.6)	265
16 or 17	1.9	(1.3 - 2.8)	794	2.4	(1.6 - 3.6)	405	1.5	(0.6 - 3.3)	387
18 or older	3.1	(1.2 - 7.8)	209	3.8	(1.0 - 13.7)	114	-	-	95
Grade									
9th	2.6	(1.2 - 5.6)	288	2.4	(0.8 - 6.7)	145	2.8	(0.8 - 9.1)	142
10th	4.3	(2.7 - 6.8)	468	4.3	(3.0 - 6.2)	231	4.2	(2.0 - 8.8)	237
11th	2.3	(1.3 - 3.9)	313	3.7	(2.1 - 6.3)	155	0.8	(0.2 - 4.3)	157
12th	1.3	(0.6 - 3.0)	423	0.8	(0.2 - 3.1)	216	1.8	(0.6 - 4.8)	206
Race/Ethnicity									
Black*	3.2	(1.1 - 8.7)	104	-	-	41	-	-	63
Hispanic/Latino	5.8	(2.7 - 11.8)	116	-	-	59	-	-	56
White*	2.3	(1.5 - 3.4)	1,154	2.7	(1.7 - 4.3)	577	1.8	(1.0 - 3.5)	576
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	32	-	-	23

Note: There were 13 students who were excluded from the analysis for QN18.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN19: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.5	(7.3 - 12.2)	1,496	10.6	(8.4 - 13.3)	746	8.4	(5.9 - 11.9)	747
Age									
15 or younger	11.6	(7.8 - 16.7)	497	12.6	(7.8 - 19.8)	230	10.6	(6.7 - 16.3)	267
16 or 17	8.5	(6.5 - 10.9)	793	9.1	(6.9 - 11.8)	405	7.9	(5.6 - 11.1)	386
18 or older	7.4	(4.0 - 13.3)	205	11.1	(5.4 - 21.2)	111	-	-	94
Grade									
9th	12.7	(8.3 - 19.0)	287	12.8	(7.2 - 21.8)	142	12.7	(8.2 - 19.1)	144
10th	9.9	(8.0 - 12.2)	469	12.4	(9.1 - 16.6)	231	7.3	(4.3 - 12.2)	238
11th	8.0	(5.1 - 12.3)	311	9.2	(5.0 - 16.3)	155	6.7	(4.3 - 10.4)	155
12th	6.4	(4.0 - 10.2)	419	6.4	(3.4 - 11.8)	213	6.4	(3.4 - 11.6)	205
Race/Ethnicity									
Black*	12.8	(7.4 - 21.4)	107	-	-	43	-	-	64
Hispanic/Latino	11.2	(5.0 - 23.2)	113	-	-	57	-	-	55
White*	8.7	(6.6 - 11.4)	1,148	11.0	(8.9 - 13.7)	572	6.2	(3.8 - 10.1)	575
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 19 students who were excluded from the analysis for QN19.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN20: Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.1	(10.1 - 14.4)	1,511	10.5	(8.1 - 13.6)	758	13.7	(10.6 - 17.6)	750
Age									
15 or younger	10.7	(8.2 - 14.0)	502	7.2	(3.8 - 13.3)	235	14.2	(10.3 - 19.4)	267
16 or 17	12.8	(10.2 - 16.0)	799	11.2	(8.8 - 14.2)	409	14.5	(9.6 - 21.4)	388
18 or older	13.5	(10.3 - 17.5)	209	17.8	(12.2 - 25.4)	114	-	-	95
Grade									
9th	11.4	(8.5 - 15.1)	291	7.8	(3.6 - 15.9)	147	15.3	(10.9 - 21.2)	143
10th	10.9	(7.3 - 16.1)	472	8.5	(4.9 - 14.4)	234	13.5	(8.3 - 21.0)	238
11th	11.5	(8.1 - 15.9)	314	11.8	(7.8 - 17.5)	156	11.3	(6.5 - 18.9)	157
12th	13.7	(10.2 - 18.1)	424	13.7	(9.8 - 18.8)	216	13.7	(7.4 - 23.9)	207
Race/Ethnicity									
Black*	13.8	(9.3 - 20.0)	108	-	-	45	-	-	63
Hispanic/Latino	12.3	(5.5 - 25.1)	117	-	-	59	-	-	57
White*	11.4	(8.7 - 14.6)	1,158	11.0	(8.0 - 15.1)	580	11.7	(8.1 - 16.7)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 4 students who were excluded from the analysis for QN20.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.1	(9.2 - 13.3)	1,511	5.2	(3.9 - 6.7)	759	17.3	(14.3 - 20.8)	749
Age									
15 or younger	11.0	(8.3 - 14.5)	501	2.5	(0.7 - 8.3)	235	19.5	(15.3 - 24.5)	266
16 or 17	11.3	(8.8 - 14.5)	800	6.1	(4.6 - 8.2)	410	16.8	(12.7 - 21.8)	388
18 or older	10.3	(6.4 - 16.3)	209	9.0	(4.6 - 17.0)	114	-	-	95
Grade									
9th	9.5	(5.7 - 15.5)	290	1.1	(0.3 - 4.1)	147	18.6	(11.2 - 29.3)	142
10th	11.8	(8.4 - 16.4)	472	7.0	(3.7 - 12.7)	234	16.9	(11.2 - 24.6)	238
11th	10.5	(7.0 - 15.5)	315	4.5	(2.6 - 7.7)	157	16.8	(10.9 - 25.0)	157
12th	11.7	(8.8 - 15.4)	424	6.6	(4.5 - 9.4)	216	16.8	(12.3 - 22.6)	207
Race/Ethnicity									
Black*	11.8	(6.7 - 19.9)	109	-	-	45	-	-	64
Hispanic/Latino	9.3	(5.0 - 16.5)	117	-	-	60	-	-	56
White*	10.5	(8.4 - 13.1)	1,157	4.3	(2.9 - 6.5)	579	17.3	(13.8 - 21.4)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 4 students who were excluded from the analysis for QN21.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN22: Percentage of students who had ever been bullied on school property during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	22.8	(19.4 - 26.4)	1,495	20.3	(16.3 - 25.0)	754	25.4	(21.7 - 29.6)	738
Age									
15 or younger	27.2	(22.6 - 32.4)	496	24.7	(18.2 - 32.6)	235	29.8	(23.0 - 37.7)	261
16 or 17	21.4	(18.3 - 24.9)	794	18.6	(14.7 - 23.2)	408	24.5	(20.6 - 28.8)	384
18 or older	14.4	(10.1 - 20.1)	204	14.2	(9.1 - 21.4)	111	-	-	93
Grade									
9th	28.3	(23.5 - 33.6)	288	26.7	(17.4 - 38.7)	147	30.0	(24.0 - 36.8)	140
10th	26.1	(20.4 - 32.7)	469	22.9	(18.0 - 28.7)	233	29.4	(20.9 - 39.5)	236
11th	19.5	(15.6 - 24.0)	311	17.0	(12.2 - 23.1)	156	22.3	(15.8 - 30.5)	154
12th	16.2	(12.6 - 20.8)	417	13.0	(9.4 - 17.7)	213	19.5	(14.1 - 26.3)	203
Race/Ethnicity									
Black*	18.3	(12.2 - 26.4)	107	-	-	45	-	-	62
Hispanic/Latino	20.2	(11.0 - 34.1)	114	-	-	60	-	-	53
White*	23.4	(19.8 - 27.5)	1,148	21.7	(17.1 - 27.2)	576	25.3	(21.8 - 29.3)	571
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 20 students who were excluded from the analysis for QN22.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	28.1	(25.3 - 31.2)	1,513	19.6	(16.4 - 23.3)	760	37.0	(33.0 - 41.3)	750
Age									
15 or younger	25.2	(20.7 - 30.4)	504	15.0	(10.1 - 21.7)	236	35.4	(30.1 - 41.1)	268
16 or 17	30.0	(26.7 - 33.6)	800	21.4	(16.8 - 26.8)	410	39.2	(33.5 - 45.2)	388
18 or older	29.2	(22.2 - 37.3)	208	26.2	(19.0 - 34.9)	114	-	-	94
Grade									
9th	22.1	(16.7 - 28.6)	292	11.7	(6.5 - 20.2)	147	33.1	(25.4 - 41.7)	144
10th	30.3	(25.4 - 35.6)	473	20.8	(16.2 - 26.2)	235	40.2	(31.7 - 49.4)	238
11th	28.8	(23.6 - 34.7)	314	21.7	(16.3 - 28.3)	157	36.5	(28.5 - 45.4)	156
12th	30.9	(26.5 - 35.7)	424	23.5	(17.4 - 30.9)	216	38.4	(31.0 - 46.4)	207
Race/Ethnicity									
Black*	28.0	(20.5 - 37.0)	109	-	-	45	-	-	64
Hispanic/Latino	28.5	(21.2 - 37.1)	118	-	-	60	-	-	57
White*	27.8	(24.5 - 31.4)	1,157	19.0	(15.6 - 23.0)	580	37.5	(32.6 - 42.6)	576
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 2 students who were excluded from the analysis for QN23.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	17.2	(16.0 - 18.5)	1,513	12.2	(10.3 - 14.4)	760	22.4	(19.9 - 25.2)	750
Age									
15 or younger	19.3	(16.6 - 22.2)	503	13.1	(9.6 - 17.7)	236	25.4	(20.8 - 30.6)	267
16 or 17	15.3	(13.0 - 17.9)	800	9.4	(6.8 - 13.0)	410	21.4	(17.8 - 25.5)	388
18 or older	18.9	(12.8 - 27.0)	209	20.8	(13.6 - 30.4)	114	-	-	95
Grade									
9th	15.6	(12.8 - 18.8)	291	10.1	(6.4 - 15.5)	147	21.5	(16.8 - 27.0)	143
10th	21.1	(18.7 - 23.6)	473	15.4	(10.7 - 21.7)	235	27.0	(22.4 - 32.1)	238
11th	15.6	(12.2 - 19.7)	315	9.2	(5.7 - 14.8)	157	22.3	(17.5 - 28.0)	157
12th	15.7	(12.0 - 20.2)	424	13.2	(9.3 - 18.5)	216	18.2	(13.2 - 24.5)	207
Race/Ethnicity									
Black*	20.2	(14.8 - 27.0)	109	-	-	45	-	-	64
Hispanic/Latino	13.7	(6.8 - 25.7)	118	-	-	60	-	-	57
White*	16.7	(14.9 - 18.7)	1,158	11.6	(8.9 - 14.9)	580	22.3	(18.9 - 26.1)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 2 students who were excluded from the analysis for QN24.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.5	(12.0 - 15.2)	1,509	9.3	(7.5 - 11.6)	759	18.0	(15.6 - 20.6)	747
Age									
15 or younger	15.1	(12.8 - 17.8)	502	10.1	(7.3 - 13.8)	236	20.1	(16.3 - 24.7)	266
16 or 17	12.7	(10.4 - 15.5)	798	8.2	(5.4 - 12.1)	409	17.6	(14.5 - 21.0)	387
18 or older	12.0	(8.1 - 17.5)	208	11.8	(7.8 - 17.6)	114	-	-	94
Grade									
9th	12.8	(9.7 - 16.7)	290	9.9	(6.9 - 14.1)	147	15.9	(12.2 - 20.5)	142
10th	16.6	(14.5 - 18.8)	471	10.5	(7.0 - 15.5)	234	22.9	(18.5 - 27.9)	237
11th	13.7	(10.3 - 18.0)	315	8.7	(4.9 - 14.9)	157	18.9	(13.9 - 25.3)	157
12th	10.5	(7.8 - 14.1)	423	7.7	(5.2 - 11.4)	216	13.3	(8.8 - 19.6)	206
Race/Ethnicity									
Black*	19.7	(14.2 - 26.7)	109	-	-	45	-	-	64
Hispanic/Latino	9.6	(3.9 - 21.9)	118	-	-	60	-	-	57
White*	12.7	(11.2 - 14.3)	1,154	8.3	(6.1 - 11.2)	579	17.5	(15.1 - 20.2)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 6 students who were excluded from the analysis for QN25.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.3	(7.2 - 11.9)	1,326	6.8	(4.3 - 10.7)	650	11.7	(9.3 - 14.7)	674
Age									
15 or younger	10.3	(7.3 - 14.4)	442	5.8	(2.4 - 13.5)	205	14.8	(10.4 - 20.5)	237
16 or 17	8.3	(6.3 - 11.0)	697	5.6	(3.4 - 9.1)	346	11.0	(8.0 - 14.9)	350
18 or older	10.0	(5.3 - 18.0)	186	-	-	99	-	-	87
Grade									
9th	8.6	(4.4 - 16.2)	246	3.7	(1.3 - 10.1)	124	13.9	(7.3 - 24.9)	121
10th	11.8	(8.6 - 16.0)	423	9.3	(4.3 - 19.0)	203	14.2	(10.7 - 18.6)	220
11th	8.4	(5.6 - 12.3)	269	6.8	(4.2 - 10.8)	130	9.9	(5.8 - 16.2)	139
12th	7.4	(4.3 - 12.5)	380	6.3	(2.4 - 15.7)	189	8.4	(5.1 - 13.7)	190
Race/Ethnicity									
Black*	-	-	91	-	-	37	-	-	54
Hispanic/Latino	9.5	(3.2 - 24.9)	100	-	-	53	-	-	46
White*	8.5	(6.8 - 10.6)	1,028	6.1	(4.3 - 8.8)	501	10.9	(8.4 - 14.1)	527
All other races	-	-	35	-	-	18	-	-	16
Multiple races	-	-	46	-	-	25	-	-	21

Note: There were 189 students who were excluded from the analysis for QN26.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN27: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.6	(2.7 - 4.8)	1,322	2.9	(1.6 - 5.0)	646	4.3	(2.9 - 6.4)	674
Age									
15 or younger	4.4	(2.8 - 7.0)	442	3.2	(1.3 - 8.0)	205	5.7	(2.7 - 11.5)	237
16 or 17	2.9	(1.9 - 4.4)	695	2.0	(0.8 - 4.7)	344	3.7	(2.4 - 5.8)	350
18 or older	4.0	(1.6 - 9.6)	184	-	-	97	-	-	87
Grade									
9th	4.3	(2.5 - 7.3)	246	2.3	(0.7 - 7.8)	124	6.5	(3.4 - 12.1)	121
10th	4.9	(3.7 - 6.6)	423	3.6	(1.2 - 9.9)	203	6.2	(3.5 - 10.8)	220
11th	2.1	(0.8 - 5.3)	267	2.0	(0.5 - 7.7)	128	2.2	(0.9 - 5.2)	139
12th	2.2	(1.1 - 4.5)	378	2.1	(0.6 - 6.7)	187	2.4	(0.8 - 6.9)	190
Race/Ethnicity									
Black*	-	-	90	-	-	36	-	-	54
Hispanic/Latino	2.8	(1.0 - 7.3)	100	-	-	53	-	-	46
White*	2.9	(1.9 - 4.5)	1,026	2.7	(1.5 - 4.9)	499	3.1	(1.6 - 6.2)	527
All other races	-	-	34	-	-	17	-	-	16
Multiple races	-	-	46	-	-	25	-	-	21

Note: There were 193 students who were excluded from the analysis for QN27.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN28: Percentage of students who ever tried cigarette smoking, even one or two puffs

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	52.2	(47.5 - 56.9)	1,459	51.9	(46.4 - 57.3)	725	52.4	(47.1 - 57.6)	731
Age									
15 or younger	41.1	(34.3 - 48.4)	484	40.8	(32.1 - 50.2)	224	41.5	(34.1 - 49.2)	260
16 or 17	57.0	(51.4 - 62.4)	771	54.8	(48.0 - 61.5)	393	58.9	(52.3 - 65.1)	376
18 or older	67.5	(56.5 - 76.8)	203	73.1	(60.8 - 82.7)	108	-	-	95
Grade									
9th	40.1	(30.0 - 51.0)	279	38.3	(27.1 - 50.9)	139	42.0	(31.5 - 53.3)	139
10th	49.1	(41.1 - 57.2)	456	49.4	(40.3 - 58.6)	225	48.8	(39.6 - 58.0)	231
11th	58.4	(49.9 - 66.4)	299	55.6	(48.2 - 62.7)	147	60.7	(48.6 - 71.7)	151
12th	62.1	(55.9 - 68.0)	416	65.7	(58.0 - 72.8)	210	58.6	(50.1 - 66.6)	205
Race/Ethnicity									
Black*	-	-	98	-	-	37	-	-	61
Hispanic/Latino	64.6	(54.0 - 73.9)	113	-	-	57	-	-	55
White*	51.0	(46.0 - 55.9)	1,125	50.1	(45.3 - 54.8)	558	51.8	(45.2 - 58.3)	566
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	52	-	-	31	-	-	21

Note: There were 56 students who were excluded from the analysis for QN28.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.5	(9.6 - 16.0)	1,446	11.6	(8.7 - 15.3)	718	13.3	(9.4 - 18.6)	725
Age									
15 or younger	11.8	(8.2 - 16.7)	478	10.3	(6.7 - 15.6)	220	13.1	(7.2 - 22.8)	258
16 or 17	13.4	(10.0 - 17.7)	764	13.1	(8.9 - 18.8)	390	13.8	(10.0 - 18.7)	372
18 or older	10.8	(7.2 - 15.9)	203	9.6	(5.6 - 16.0)	108	-	-	95
Grade									
9th	12.7	(8.1 - 19.5)	278	9.2	(4.1 - 19.6)	137	16.3	(9.3 - 26.9)	140
10th	11.4	(7.1 - 17.9)	450	13.8	(8.9 - 20.8)	222	9.0	(5.0 - 15.4)	228
11th	13.4	(9.5 - 18.6)	299	11.7	(6.6 - 19.8)	148	15.3	(9.7 - 23.4)	150
12th	11.5	(8.3 - 15.8)	410	10.5	(6.8 - 15.8)	207	12.6	(8.7 - 17.9)	202
Race/Ethnicity									
Black*	-	-	97	-	-	39	-	-	58
Hispanic/Latino	14.6	(8.1 - 24.9)	108	-	-	54	-	-	53
White*	11.6	(9.1 - 14.8)	1,119	11.0	(8.2 - 14.6)	555	12.3	(8.8 - 16.9)	563
All other races	-	-	40	-	-	21	-	-	18
Multiple races	-	-	52	-	-	30	-	-	22

Note: There were 69 students who were excluded from the analysis for QN29.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.5	(20.4 - 27.0)	1,458	24.3	(20.5 - 28.6)	724	22.6	(18.6 - 27.1)	731
Age									
15 or younger	17.2	(13.8 - 21.1)	480	16.7	(11.7 - 23.4)	222	17.6	(13.5 - 22.6)	258
16 or 17	26.4	(22.1 - 31.1)	777	26.8	(22.7 - 31.3)	395	25.5	(19.5 - 32.7)	380
18 or older	31.9	(25.1 - 39.6)	200	36.8	(29.1 - 45.2)	107	-	-	93
Grade									
9th	14.2	(9.4 - 20.7)	278	12.4	(7.5 - 19.8)	138	16.0	(9.8 - 25.2)	139
10th	21.4	(16.8 - 27.0)	456	22.0	(16.4 - 28.9)	225	20.9	(14.5 - 29.1)	231
11th	29.3	(23.8 - 35.5)	300	30.6	(23.2 - 39.0)	147	27.3	(20.7 - 35.1)	152
12th	30.0	(25.2 - 35.3)	414	33.2	(26.6 - 40.5)	209	26.8	(20.3 - 34.5)	204
Race/Ethnicity									
Black*	11.3	(6.9 - 18.0)	102	-	-	40	-	-	62
Hispanic/Latino	23.2	(17.1 - 30.8)	109	-	-	55	-	-	53
White*	25.3	(21.2 - 29.9)	1,127	25.3	(21.0 - 30.0)	558	25.1	(19.2 - 32.0)	568
All other races	-	-	39	-	-	21	-	-	17
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 57 students who were excluded from the analysis for QN30.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNFRICIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.8	(9.1 - 15.2)	1,458	12.6	(9.4 - 16.7)	724	10.8	(7.5 - 15.4)	731
Age									
15 or younger	8.0	(5.0 - 12.5)	480	8.4	(5.2 - 13.4)	222	7.5	(3.8 - 14.3)	258
16 or 17	13.2	(10.0 - 17.2)	777	13.3	(9.9 - 17.7)	395	12.6	(8.7 - 17.9)	380
18 or older	18.4	(12.3 - 26.6)	200	22.1	(14.1 - 33.0)	107	-	-	93
Grade									
9th	7.4	(3.6 - 14.7)	278	5.5	(2.7 - 11.0)	138	9.4	(4.2 - 19.8)	139
10th	9.4	(7.3 - 12.1)	456	12.6	(8.6 - 17.9)	225	6.3	(3.5 - 11.0)	231
11th	12.4	(7.5 - 19.7)	300	11.7	(6.5 - 20.2)	147	12.1	(6.7 - 20.8)	152
12th	18.0	(13.1 - 24.3)	414	20.3	(12.9 - 30.4)	209	15.8	(11.3 - 21.6)	204
Race/Ethnicity									
Black*	5.4	(3.0 - 9.6)	102	-	-	40	-	-	62
Hispanic/Latino	5.7	(1.7 - 17.4)	109	-	-	55	-	-	53
White*	13.2	(9.9 - 17.3)	1,127	13.6	(10.0 - 18.3)	558	12.4	(8.3 - 18.3)	568
All other races	-	-	39	-	-	21	-	-	17
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 57 students who were excluded from the analysis for QNFRICIG.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN31: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.1	(7.1 - 14.2)	347	12.5	(7.6 - 19.9)	177	7.7	(4.4 - 13.1)	168
Age									
15 or younger	-	-	78	-	-	34	-	-	44
16 or 17	9.1	(5.3 - 15.2)	199	12.2	(6.7 - 21.1)	100	-	-	97
18 or older	-	-	70	-	-	43	-	-	27
Grade									
9th	-	-	38	-	-	19	-	-	19
10th	-	-	89	-	-	41	-	-	48
11th	-	-	88	-	-	44	-	-	43
12th	9.0	(4.6 - 17.0)	128	-	-	70	-	-	57
Race/Ethnicity									
Black*	-	-	14	-	-	7	-	-	7
Hispanic/Latino	-	-	27	-	-	11	-	-	16
White*	9.0	(6.1 - 13.3)	279	11.8	(6.7 - 19.8)	139	6.4	(3.3 - 12.0)	139
All other races	-	-	9	-	-	5	-	-	3
Multiple races	-	-	12	-	-	9	-	-	3

Note: There were 1168 students who were excluded from the analysis for QN31.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN32: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.2	(11.5 - 22.2)	277	23.6	(17.1 - 31.7)	134	8.9	(4.0 - 18.6)	141
Age									
15 or younger	-	-	80	-	-	36	-	-	44
16 or 17	20.6	(14.8 - 27.9)	197	-	-	98	-	-	97
18 or older	-	-	0	-	-	0	-	-	0
Grade									
9th	-	-	39	-	-	20	-	-	19
10th	-	-	90	-	-	42	-	-	48
11th	-	-	83	-	-	42	-	-	40
12th	-	-	63	-	-	29	-	-	33
Race/Ethnicity									
Black*	-	-	11	-	-	5	-	-	6
Hispanic/Latino	-	-	22	-	-	8	-	-	14
White*	16.2	(10.9 - 23.5)	222	23.6	(17.5 - 31.0)	106	9.2	(3.7 - 21.0)	115
All other races	-	-	9	-	-	5	-	-	3
Multiple races	-	-	9	-	-	6	-	-	3

Note: There were 1238 students who were excluded from the analysis for QN32.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	7.5	(5.7 - 9.8)	1,490	7.0	(5.2 - 9.4)	747	8.1	(5.2 - 12.3)	740
Age									
15 or younger	5.8	(3.2 - 10.3)	492	3.8	(1.9 - 7.4)	230	7.8	(3.6 - 15.9)	262
16 or 17	8.0	(6.1 - 10.6)	789	7.7	(5.5 - 10.7)	404	8.4	(4.8 - 14.2)	383
18 or older	10.9	(6.6 - 17.4)	208	13.9	(8.2 - 22.5)	113	-	-	95
Grade									
9th	5.8	(2.8 - 11.6)	286	2.3	(0.5 - 10.1)	143	9.5	(4.5 - 19.0)	142
10th	7.1	(4.4 - 11.1)	462	7.8	(5.5 - 11.0)	229	6.2	(2.7 - 13.5)	233
11th	8.2	(5.4 - 12.4)	312	10.3	(5.4 - 18.7)	156	6.2	(2.8 - 13.1)	155
12th	9.1	(5.6 - 14.5)	421	7.8	(4.3 - 13.7)	214	10.4	(5.9 - 17.9)	206
Race/Ethnicity									
Black*	4.6	(2.8 - 7.7)	104	-	-	43	-	-	61
Hispanic/Latino	7.2	(2.3 - 20.9)	115	-	-	57	-	-	57
White*	8.0	(5.7 - 11.1)	1,146	7.7	(5.5 - 10.7)	575	8.4	(5.0 - 13.8)	570
All other races	-	-	41	-	-	23	-	-	17
Multiple races	-	-	54	-	-	30	-	-	24

Note: There were 25 students who were excluded from the analysis for QN33.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN34: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.9	(14.1 - 20.2)	1,465	18.1	(14.4 - 22.4)	732	15.5	(11.9 - 19.9)	730
Age									
15 or younger	12.1	(9.3 - 15.7)	486	13.1	(9.7 - 17.6)	228	11.1	(8.2 - 14.9)	258
16 or 17	18.9	(15.4 - 23.0)	776	19.4	(14.5 - 25.4)	397	17.9	(12.8 - 24.5)	377
18 or older	23.9	(16.4 - 33.6)	202	27.8	(19.2 - 38.3)	107	-	-	95
Grade									
9th	10.6	(6.7 - 16.4)	287	10.1	(6.2 - 15.9)	143	11.2	(6.2 - 19.4)	143
10th	14.9	(12.7 - 17.5)	454	17.3	(13.4 - 22.1)	227	12.4	(9.0 - 16.7)	227
11th	19.2	(13.8 - 26.1)	303	19.3	(11.8 - 30.1)	150	18.3	(11.3 - 28.1)	152
12th	23.1	(17.3 - 30.2)	413	25.9	(17.9 - 35.7)	208	20.5	(14.3 - 28.5)	204
Race/Ethnicity									
Black*	6.5	(3.5 - 11.7)	100	-	-	41	-	-	59
Hispanic/Latino	13.0	(5.9 - 26.4)	112	-	-	56	-	-	55
White*	18.2	(14.3 - 22.9)	1,130	18.6	(14.3 - 23.9)	563	17.5	(12.4 - 24.0)	566
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 50 students who were excluded from the analysis for QN34.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN35: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	59.5	(54.9 - 63.9)	347	54.1	(48.0 - 60.1)	178	65.9	(60.0 - 71.3)	167
Age									
15 or younger	-	-	79	-	-	35	-	-	44
16 or 17	60.4	(54.6 - 65.9)	199	53.6	(45.9 - 61.2)	101	-	-	96
18 or older	-	-	69	-	-	42	-	-	27
Grade									
9th	-	-	39	-	-	20	-	-	19
10th	-	-	90	-	-	42	-	-	48
11th	-	-	88	-	-	44	-	-	43
12th	59.9	(48.4 - 70.3)	127	-	-	70	-	-	56
Race/Ethnicity									
Black*	-	-	14	-	-	7	-	-	7
Hispanic/Latino	-	-	25	-	-	10	-	-	15
White*	60.2	(55.1 - 65.1)	281	55.6	(48.4 - 62.6)	141	65.8	(58.6 - 72.4)	139
All other races	-	-	9	-	-	5	-	-	3
Multiple races	-	-	12	-	-	9	-	-	3

Note: There were 1168 students who were excluded from the analysis for QN35.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN36: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	10.7	(9.0 - 12.5)	1,497	17.9	(15.2 - 21.0)	748	3.2	(1.9 - 5.3)	746
Age									
15 or younger	7.7	(4.8 - 12.1)	498	14.5	(8.9 - 22.7)	232	1.1	(0.3 - 4.2)	266
16 or 17	11.7	(9.6 - 14.1)	791	18.1	(13.9 - 23.2)	404	5.1	(2.9 - 8.7)	385
18 or older	15.7	(12.0 - 20.3)	207	27.5	(20.8 - 35.4)	112	-	-	95
Grade									
9th	7.0	(3.6 - 13.2)	288	12.2	(5.9 - 23.7)	144	1.6	(0.3 - 7.1)	143
10th	11.1	(8.1 - 15.0)	468	18.6	(14.2 - 24.1)	232	3.2	(1.4 - 7.2)	236
11th	11.1	(8.5 - 14.4)	311	20.1	(13.4 - 29.1)	155	2.0	(0.7 - 5.5)	155
12th	13.4	(10.5 - 17.0)	420	20.8	(15.4 - 27.4)	212	6.1	(3.4 - 10.9)	207
Race/Ethnicity									
Black*	2.8	(1.0 - 7.6)	108	-	-	44	-	-	64
Hispanic/Latino	5.6	(2.0 - 14.4)	117	-	-	60	-	-	56
White*	12.1	(10.5 - 13.8)	1,146	20.1	(17.2 - 23.2)	571	3.6	(2.0 - 6.2)	574
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 18 students who were excluded from the analysis for QN36.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN37: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.0	(3.8 - 6.6)	1,501	8.8	(6.5 - 11.9)	751	1.1	(0.4 - 2.7)	747
Age									
15 or younger	4.2	(2.2 - 8.0)	497	8.4	(4.4 - 15.7)	231	0.1	(0.0 - 0.9)	266
16 or 17	5.3	(3.9 - 7.1)	795	8.6	(5.7 - 12.8)	407	1.8	(0.7 - 4.9)	386
18 or older	6.4	(3.9 - 10.5)	208	11.0	(6.6 - 17.8)	113	-	-	95
Grade									
9th	3.1	(1.4 - 7.0)	286	6.1	(2.6 - 13.6)	142	0.0	(- - -)	143
10th	5.5	(3.7 - 8.3)	470	9.9	(6.2 - 15.5)	234	0.9	(0.2 - 4.1)	236
11th	6.4	(4.1 - 10.0)	313	11.9	(6.9 - 19.8)	156	0.9	(0.2 - 4.2)	156
12th	4.9	(3.0 - 7.9)	422	7.1	(4.1 - 12.0)	214	2.6	(0.9 - 7.3)	207
Race/Ethnicity									
Black*	0.0	(- - -)	107	-	-	43	-	-	64
Hispanic/Latino	1.3	(0.3 - 6.2)	118	-	-	60	-	-	57
White*	5.7	(4.4 - 7.5)	1,150	9.9	(7.1 - 13.6)	575	1.3	(0.5 - 3.5)	574
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 14 students who were excluded from the analysis for QN37.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN38: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.9	(14.5 - 19.6)	1,510	21.6	(18.0 - 25.7)	757	12.1	(9.4 - 15.4)	750
Age									
15 or younger	11.4	(8.7 - 14.8)	503	12.8	(8.2 - 19.2)	235	10.1	(6.2 - 16.1)	268
16 or 17	19.0	(15.7 - 22.9)	798	24.5	(20.7 - 28.8)	409	13.3	(9.4 - 18.5)	387
18 or older	25.7	(19.7 - 32.7)	208	36.1	(27.7 - 45.4)	113	-	-	95
Grade									
9th	9.0	(6.0 - 13.2)	291	8.7	(5.2 - 14.1)	146	9.4	(4.2 - 19.5)	144
10th	15.7	(11.3 - 21.4)	472	20.9	(14.0 - 29.9)	234	10.3	(7.9 - 13.3)	238
11th	19.4	(15.4 - 24.1)	313	27.1	(21.5 - 33.5)	156	11.6	(6.8 - 19.2)	156
12th	24.5	(19.1 - 30.8)	424	31.4	(24.4 - 39.5)	216	17.4	(12.5 - 23.6)	207
Race/Ethnicity									
Black*	12.9	(8.3 - 19.5)	107	-	-	43	-	-	64
Hispanic/Latino	15.3	(9.2 - 24.4)	118	-	-	60	-	-	57
White*	17.5	(14.6 - 20.8)	1,156	22.4	(18.5 - 26.8)	579	12.2	(8.6 - 17.1)	576
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 5 students who were excluded from the analysis for QN38.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.3	(25.7 - 33.2)	1,441	33.7	(28.8 - 38.9)	712	24.8	(20.8 - 29.3)	726
Age									
15 or younger	21.6	(18.3 - 25.2)	475	23.5	(17.8 - 30.5)	218	19.7	(14.8 - 25.7)	257
16 or 17	32.6	(27.9 - 37.7)	767	36.8	(31.6 - 42.4)	389	28.0	(21.9 - 35.0)	376
18 or older	40.2	(31.5 - 49.6)	198	51.1	(39.0 - 63.0)	105	-	-	93
Grade									
9th	18.6	(14.2 - 24.1)	274	18.3	(12.7 - 25.7)	134	19.0	(12.3 - 28.1)	139
10th	27.1	(22.0 - 32.9)	452	32.4	(25.1 - 40.8)	223	21.8	(15.4 - 29.9)	229
11th	33.9	(28.8 - 39.4)	295	39.9	(33.4 - 46.8)	145	27.3	(20.6 - 35.1)	149
12th	38.7	(32.3 - 45.5)	410	45.5	(36.6 - 54.7)	205	32.0	(25.3 - 39.5)	204
Race/Ethnicity									
Black*	16.1	(9.8 - 25.4)	102	-	-	40	-	-	62
Hispanic/Latino	27.3	(20.4 - 35.6)	108	-	-	55	-	-	52
White*	31.2	(26.7 - 36.2)	1,112	35.5	(30.1 - 41.3)	547	26.6	(20.8 - 33.4)	564
All other races	-	-	38	-	-	20	-	-	17
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 74 students who were excluded from the analysis for QNANYTOB.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	69.2	(65.2 - 73.0)	1,486	66.3	(61.7 - 70.5)	741	72.2	(66.6 - 77.1)	742
Age									
15 or younger	59.1	(53.9 - 64.0)	492	57.2	(50.7 - 63.5)	227	60.8	(52.8 - 68.3)	265
16 or 17	74.6	(70.1 - 78.7)	787	69.3	(62.6 - 75.2)	403	80.0	(75.7 - 83.7)	382
18 or older	78.6	(70.2 - 85.2)	206	80.7	(71.4 - 87.5)	111	-	-	95
Grade									
9th	56.5	(48.7 - 64.0)	284	55.2	(47.1 - 63.0)	140	57.8	(45.3 - 69.4)	143
10th	68.6	(62.3 - 74.3)	463	64.5	(55.9 - 72.3)	230	73.0	(65.9 - 79.0)	233
11th	73.1	(66.6 - 78.7)	309	68.0	(59.1 - 75.7)	153	77.9	(68.5 - 85.2)	155
12th	80.0	(73.8 - 85.1)	420	78.8	(70.4 - 85.3)	213	81.3	(74.2 - 86.7)	206
Race/Ethnicity									
Black*	55.4	(38.3 - 71.2)	104	-	-	41	-	-	63
Hispanic/Latino	68.4	(61.3 - 74.6)	116	-	-	58	-	-	57
White*	70.8	(66.0 - 75.2)	1,142	67.2	(62.3 - 71.8)	570	74.6	(68.1 - 80.1)	571
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 29 students who were excluded from the analysis for QN39.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.9	(16.4 - 23.9)	1,500	19.6	(15.7 - 24.1)	752	20.2	(15.7 - 25.6)	745
Age									
15 or younger	22.4	(18.2 - 27.3)	497	21.8	(17.0 - 27.5)	232	23.1	(16.6 - 31.1)	265
16 or 17	17.7	(13.4 - 22.9)	794	17.1	(12.7 - 22.6)	407	18.4	(13.3 - 24.9)	385
18 or older	21.1	(14.3 - 30.1)	208	23.2	(15.2 - 33.8)	113	-	-	95
Grade									
9th	21.5	(16.4 - 27.7)	286	20.1	(15.1 - 26.2)	144	23.0	(15.0 - 33.5)	141
10th	22.6	(16.1 - 30.9)	469	22.9	(14.6 - 33.8)	233	22.4	(15.4 - 31.4)	236
11th	14.6	(10.2 - 20.3)	313	16.6	(10.0 - 26.4)	156	12.6	(7.2 - 21.0)	156
12th	20.2	(14.6 - 27.4)	422	18.2	(12.6 - 25.5)	214	22.3	(13.5 - 34.5)	207
Race/Ethnicity									
Black*	18.0	(11.2 - 27.8)	107	-	-	45	-	-	62
Hispanic/Latino	25.9	(15.1 - 40.9)	117	-	-	59	-	-	57
White*	18.9	(16.2 - 22.0)	1,149	18.8	(15.2 - 23.1)	574	19.1	(15.6 - 23.1)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 15 students who were excluded from the analysis for QN40.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	38.5	(34.2 - 43.0)	1,433	37.2	(32.4 - 42.3)	716	39.7	(34.3 - 45.3)	715
Age									
15 or younger	29.8	(25.4 - 34.5)	467	27.5	(22.0 - 33.7)	216	32.0	(26.4 - 38.2)	251
16 or 17	42.5	(36.5 - 48.8)	766	39.4	(33.1 - 46.1)	393	45.4	(38.1 - 52.8)	371
18 or older	49.2	(41.4 - 57.0)	200	57.2	(46.4 - 67.2)	107	-	-	93
Grade									
9th	25.4	(19.6 - 32.4)	271	23.0	(17.9 - 29.1)	135	28.0	(17.4 - 41.8)	136
10th	36.6	(28.3 - 45.9)	440	35.5	(24.3 - 48.6)	219	37.8	(28.8 - 47.7)	221
11th	41.5	(35.4 - 47.9)	301	41.0	(33.9 - 48.4)	149	41.4	(33.5 - 49.8)	151
12th	51.5	(45.3 - 57.6)	411	51.1	(41.8 - 60.2)	208	51.8	(41.7 - 61.8)	202
Race/Ethnicity									
Black*	29.6	(19.9 - 41.6)	101	-	-	42	-	-	59
Hispanic/Latino	33.1	(20.0 - 49.5)	110	-	-	57	-	-	53
White*	40.2	(35.0 - 45.5)	1,105	38.8	(33.6 - 44.2)	551	41.4	(34.4 - 48.8)	553
All other races	-	-	39	-	-	21	-	-	17
Multiple races	-	-	51	-	-	28	-	-	23

Note: There were 82 students who were excluded from the analysis for QN41.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	24.9	(21.4 - 28.7)	1,486	26.1	(22.0 - 30.7)	741	23.4	(19.5 - 27.8)	742
Age									
15 or younger	16.0	(12.4 - 20.5)	492	18.5	(12.9 - 25.7)	229	13.7	(10.2 - 18.0)	263
16 or 17	28.0	(23.5 - 33.0)	791	27.1	(22.2 - 32.5)	404	28.6	(23.7 - 34.0)	385
18 or older	39.9	(31.0 - 49.5)	202	45.5	(35.1 - 56.3)	108	-	-	94
Grade									
9th	12.3	(8.3 - 17.9)	285	14.1	(8.4 - 22.9)	142	10.5	(5.7 - 18.6)	142
10th	22.3	(17.0 - 28.5)	465	21.7	(14.0 - 31.9)	230	22.9	(18.6 - 27.7)	235
11th	29.4	(23.5 - 36.0)	309	29.5	(23.3 - 36.6)	154	28.5	(21.3 - 36.9)	154
12th	36.6	(30.0 - 43.9)	417	40.7	(32.5 - 49.5)	210	32.6	(24.2 - 42.2)	206
Race/Ethnicity									
Black*	13.5	(8.3 - 21.3)	106	-	-	44	-	-	62
Hispanic/Latino	16.1	(9.9 - 25.1)	118	-	-	60	-	-	57
White*	27.5	(23.3 - 32.2)	1,138	28.7	(23.9 - 34.1)	566	26.0	(20.6 - 32.1)	571
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	53	-	-	30	-	-	23

Note: There were 29 students who were excluded from the analysis for QN42.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN43: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	43.3	(39.0 - 47.6)	570	37.1	(29.5 - 45.4)	275	49.5	(41.8 - 57.3)	293
Age									
15 or younger	52.8	(42.7 - 62.7)	142	-	-	57	-	-	85
16 or 17	40.9	(35.3 - 46.8)	323	32.1	(24.1 - 41.3)	152	49.5	(38.9 - 60.1)	169
18 or older	34.0	(25.1 - 44.2)	105	-	-	66	-	-	39
Grade									
9th	-	-	67	-	-	32	-	-	35
10th	46.6	(38.2 - 55.3)	160	-	-	70	-	-	90
11th	38.8	(29.7 - 48.7)	122	-	-	57	-	-	64
12th	40.9	(32.6 - 49.8)	215	29.0	(19.4 - 41.0)	113	52.5	(39.0 - 65.6)	101
Race/Ethnicity									
Black*	-	-	32	-	-	15	-	-	17
Hispanic/Latino	-	-	39	-	-	15	-	-	24
White*	42.0	(37.1 - 47.1)	450	34.6	(27.5 - 42.4)	218	49.7	(42.4 - 57.1)	231
All other races	-	-	14	-	-	7	-	-	6
Multiple races	-	-	25	-	-	12	-	-	13

Note: There were 945 students who were excluded from the analysis for QN43.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN44: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.5	(2.6 - 4.8)	1,494	4.3	(3.1 - 6.0)	746	2.7	(1.6 - 4.5)	745
Age									
15 or younger	4.3	(2.7 - 6.7)	492	4.0	(2.3 - 6.8)	228	4.6	(2.6 - 8.0)	264
16 or 17	2.7	(1.7 - 4.2)	794	3.6	(2.1 - 6.2)	406	1.8	(0.8 - 3.7)	386
18 or older	4.6	(2.9 - 7.3)	207	8.3	(5.2 - 12.9)	112	-	-	95
Grade									
9th	4.3	(2.1 - 8.8)	283	3.4	(1.4 - 8.3)	140	5.2	(2.4 - 11.2)	142
10th	2.9	(1.6 - 5.2)	467	3.5	(1.8 - 7.0)	231	2.2	(1.1 - 4.3)	236
11th	2.3	(1.2 - 4.4)	313	3.5	(1.6 - 7.5)	155	1.1	(0.3 - 4.4)	157
12th	4.0	(2.6 - 6.0)	422	5.9	(3.7 - 9.0)	215	2.1	(0.8 - 5.4)	206
Race/Ethnicity									
Black*	4.6	(2.3 - 8.9)	106	-	-	44	-	-	62
Hispanic/Latino	3.4	(1.5 - 7.8)	113	-	-	59	-	-	53
White*	3.1	(2.2 - 4.5)	1,151	4.2	(2.8 - 6.4)	573	1.9	(1.2 - 3.1)	577
All other races	-	-	40	-	-	21	-	-	18
Multiple races	-	-	54	-	-	30	-	-	24

Note: There were 21 students who were excluded from the analysis for QN44.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN45: Percentage of students who used marijuana one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.1	(33.6 - 40.7)	1,473	36.8	(32.6 - 41.2)	732	37.1	(32.4 - 42.2)	738
Age									
15 or younger	25.1	(19.8 - 31.3)	485	22.9	(14.4 - 34.4)	223	27.2	(20.9 - 34.5)	262
16 or 17	41.7	(37.4 - 46.1)	783	41.0	(35.3 - 47.1)	399	42.0	(36.8 - 47.4)	382
18 or older	55.0	(44.6 - 65.0)	204	59.9	(47.3 - 71.3)	110	-	-	94
Grade									
9th	23.3	(16.3 - 32.0)	278	18.0	(10.9 - 28.3)	137	28.7	(20.9 - 38.0)	140
10th	30.9	(24.4 - 38.2)	462	33.4	(21.7 - 47.5)	226	28.3	(21.6 - 36.1)	236
11th	44.4	(35.7 - 53.5)	308	42.3	(32.6 - 52.6)	152	46.0	(35.0 - 57.5)	155
12th	51.4	(44.0 - 58.8)	416	55.7	(49.1 - 62.0)	212	47.1	(36.4 - 58.1)	203
Race/Ethnicity									
Black*	44.2	(32.4 - 56.7)	102	-	-	43	-	-	59
Hispanic/Latino	39.5	(26.6 - 54.1)	112	-	-	56	-	-	55
White*	35.4	(31.0 - 40.1)	1,137	34.4	(30.3 - 38.7)	563	36.3	(29.3 - 44.0)	573
All other races	-	-	39	-	-	20	-	-	18
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 42 students who were excluded from the analysis for QN45.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN46: Percentage of students who tried marijuana for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.6	(5.9 - 9.9)	1,489	8.6	(6.6 - 11.2)	741	6.7	(4.7 - 9.5)	745
Age									
15 or younger	6.7	(4.4 - 9.9)	491	7.5	(4.2 - 12.9)	226	5.9	(3.4 - 10.1)	265
16 or 17	7.7	(5.6 - 10.5)	792	8.6	(5.8 - 12.5)	404	6.8	(4.6 - 9.9)	386
18 or older	10.7	(6.0 - 18.2)	205	12.2	(6.2 - 22.7)	111	-	-	94
Grade									
9th	6.2	(3.6 - 10.4)	280	5.1	(2.1 - 11.9)	138	7.4	(4.2 - 12.7)	141
10th	6.4	(3.9 - 10.3)	468	8.8	(5.7 - 13.5)	230	3.8	(1.8 - 7.9)	238
11th	8.6	(5.9 - 12.2)	313	9.3	(5.7 - 15.0)	156	7.9	(4.9 - 12.4)	156
12th	8.9	(6.2 - 12.6)	418	10.3	(6.3 - 16.3)	212	7.5	(4.6 - 12.0)	205
Race/Ethnicity									
Black*	12.1	(7.4 - 19.3)	107	-	-	45	-	-	62
Hispanic/Latino	8.5	(4.9 - 14.4)	115	-	-	58	-	-	56
White*	6.6	(4.9 - 8.8)	1,145	6.8	(4.9 - 9.2)	569	6.3	(4.2 - 9.4)	575
All other races	-	-	38	-	-	19	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 26 students who were excluded from the analysis for QN46.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN47: Percentage of students who used marijuana one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	20.9	(17.3 - 24.9)	1,490	22.1	(18.3 - 26.3)	742	19.4	(15.3 - 24.3)	745
Age									
15 or younger	15.8	(11.8 - 20.9)	494	16.6	(10.2 - 25.9)	229	15.1	(10.6 - 21.1)	265
16 or 17	23.1	(18.1 - 29.0)	790	24.2	(18.8 - 30.6)	403	21.5	(16.4 - 27.8)	385
18 or older	27.4	(20.1 - 36.2)	205	29.8	(22.0 - 38.9)	110	-	-	95
Grade									
9th	12.9	(8.5 - 19.1)	282	11.2	(6.1 - 19.5)	140	14.8	(8.7 - 24.0)	141
10th	18.3	(13.5 - 24.3)	468	21.7	(14.1 - 31.9)	231	14.7	(11.3 - 18.8)	237
11th	27.9	(20.5 - 36.6)	313	29.5	(21.1 - 39.6)	156	25.4	(17.1 - 36.0)	156
12th	25.5	(19.1 - 33.2)	420	27.6	(20.6 - 35.9)	212	23.3	(16.4 - 32.0)	207
Race/Ethnicity									
Black*	21.4	(12.4 - 34.3)	105	-	-	43	-	-	62
Hispanic/Latino	16.1	(10.8 - 23.3)	115	-	-	58	-	-	56
White*	20.9	(17.0 - 25.5)	1,147	20.7	(17.0 - 24.9)	570	20.9	(15.6 - 27.4)	576
All other races	-	-	39	-	-	20	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 25 students who were excluded from the analysis for QN47.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN48: Percentage of students who used marijuana on school property one or more times during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	4.4	(3.3 - 5.9)	1,496	4.7	(3.4 - 6.4)	747	4.2	(2.7 - 6.5)	746
Age									
15 or younger	4.3	(3.1 - 5.9)	495	4.1	(2.4 - 6.9)	231	4.4	(2.5 - 7.8)	264
16 or 17	4.1	(2.7 - 6.1)	793	4.1	(2.4 - 7.0)	404	4.1	(2.4 - 7.0)	387
18 or older	6.5	(3.4 - 12.0)	207	8.8	(4.7 - 15.9)	112	-	-	95
Grade									
9th	3.6	(2.0 - 6.2)	284	2.2	(0.7 - 6.5)	142	5.1	(2.3 - 10.7)	141
10th	3.9	(3.0 - 5.1)	468	5.3	(3.6 - 7.7)	231	2.5	(1.2 - 4.9)	237
11th	6.0	(3.6 - 9.8)	313	6.6	(3.4 - 12.5)	155	5.5	(2.9 - 10.3)	157
12th	3.8	(2.0 - 7.2)	422	4.2	(2.2 - 8.0)	214	3.4	(1.4 - 8.1)	207
Race/Ethnicity									
Black*	3.5	(1.5 - 7.9)	105	-	-	42	-	-	63
Hispanic/Latino	2.1	(0.8 - 5.6)	117	-	-	60	-	-	56
White*	4.6	(3.1 - 6.6)	1,149	5.1	(3.4 - 7.4)	573	4.1	(2.3 - 7.1)	575
All other races	-	-	40	-	-	21	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 19 students who were excluded from the analysis for QN48.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.6	(5.1 - 8.5)	1,496	7.8	(5.9 - 10.3)	744	5.4	(3.6 - 8.1)	749
Age									
15 or younger	7.4	(5.3 - 10.2)	499	7.0	(4.2 - 11.4)	232	7.8	(5.6 - 10.6)	267
16 or 17	5.4	(3.8 - 7.7)	792	7.0	(4.4 - 10.9)	402	3.8	(1.8 - 7.8)	388
18 or older	9.4	(5.1 - 17.0)	204	13.8	(7.7 - 23.5)	110	-	-	94
Grade									
9th	6.5	(3.6 - 11.7)	290	6.3	(3.2 - 11.8)	145	6.8	(3.1 - 14.3)	144
10th	5.8	(4.5 - 7.6)	463	6.5	(4.3 - 9.7)	226	5.1	(3.2 - 8.3)	237
11th	7.2	(5.0 - 10.3)	313	9.0	(4.8 - 16.3)	155	5.4	(2.5 - 11.2)	157
12th	6.5	(3.5 - 11.6)	420	9.2	(5.2 - 15.6)	213	3.8	(1.3 - 10.5)	206
Race/Ethnicity									
Black*	3.3	(1.1 - 9.7)	106	-	-	42	-	-	64
Hispanic/Latino	7.0	(2.5 - 18.1)	118	-	-	60	-	-	57
White*	6.8	(5.1 - 9.0)	1,146	8.2	(6.0 - 11.3)	570	5.2	(3.1 - 8.5)	575
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 19 students who were excluded from the analysis for QN49.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.7	(2.1 - 3.5)	1,496	2.7	(1.7 - 4.3)	744	2.6	(1.8 - 4.0)	749
Age									
15 or younger	3.5	(2.4 - 5.1)	498	2.5	(1.1 - 5.6)	231	4.5	(2.7 - 7.5)	267
16 or 17	1.7	(1.0 - 3.1)	793	2.2	(1.0 - 4.7)	403	1.3	(0.5 - 3.2)	388
18 or older	4.0	(1.9 - 8.3)	204	5.5	(2.4 - 12.4)	110	-	-	94
Grade									
9th	2.7	(1.1 - 6.3)	290	1.5	(0.3 - 6.0)	145	3.9	(1.3 - 11.5)	144
10th	2.9	(1.3 - 6.3)	464	3.2	(1.1 - 9.2)	227	2.6	(1.4 - 5.1)	237
11th	1.9	(0.8 - 4.3)	313	2.9	(1.1 - 7.7)	155	0.8	(0.2 - 3.8)	157
12th	2.9	(1.5 - 5.6)	419	2.9	(1.4 - 5.9)	212	2.8	(1.0 - 7.9)	206
Race/Ethnicity									
Black*	0.5	(0.1 - 4.2)	106	-	-	42	-	-	64
Hispanic/Latino	4.5	(1.2 - 15.8)	118	-	-	60	-	-	57
White*	2.5	(1.6 - 3.9)	1,145	3.0	(1.7 - 5.0)	569	2.1	(1.1 - 3.8)	575
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 19 students who were excluded from the analysis for QN50.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	16.0	(13.8 - 18.4)	1,481	14.1	(11.5 - 17.2)	738	18.0	(15.2 - 21.1)	740
Age									
15 or younger	19.3	(15.6 - 23.7)	493	14.8	(10.5 - 20.4)	230	23.8	(18.5 - 30.0)	263
16 or 17	14.2	(11.8 - 16.9)	780	13.1	(9.3 - 18.2)	396	15.3	(11.0 - 20.8)	382
18 or older	13.1	(9.1 - 18.4)	207	15.8	(10.6 - 22.9)	112	-	-	95
Grade									
9th	20.4	(15.3 - 26.6)	285	15.6	(10.3 - 23.0)	144	25.4	(17.7 - 35.1)	140
10th	15.2	(12.9 - 17.9)	455	14.7	(11.6 - 18.4)	222	15.8	(12.3 - 20.0)	233
11th	13.8	(9.8 - 19.1)	312	12.9	(6.6 - 23.7)	155	14.9	(9.3 - 23.0)	156
12th	13.8	(10.6 - 17.7)	419	12.7	(8.7 - 18.1)	212	14.8	(9.7 - 21.8)	206
Race/Ethnicity									
Black*	25.5	(18.3 - 34.3)	103	-	-	43	-	-	60
Hispanic/Latino	14.4	(8.2 - 24.1)	115	-	-	57	-	-	57
White*	14.4	(12.2 - 16.9)	1,137	12.7	(9.8 - 16.2)	565	16.3	(13.0 - 20.3)	571
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 34 students who were excluded from the analysis for QN51.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN52: Percentage of students who used heroin one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	2.6	(1.9 - 3.6)	1,505	3.4	(2.2 - 5.3)	751	1.8	(1.0 - 3.2)	751
Age									
15 or younger	2.3	(1.2 - 4.4)	501	2.6	(1.0 - 7.0)	233	2.0	(0.9 - 4.6)	268
16 or 17	1.8	(1.0 - 3.2)	795	2.6	(1.3 - 5.1)	405	1.0	(0.4 - 2.8)	388
18 or older	7.2	(4.2 - 12.2)	208	9.0	(4.5 - 17.4)	113	-	-	95
Grade									
9th	1.6	(0.6 - 3.9)	290	2.8	(1.0 - 7.6)	145	0.3	(0.0 - 2.2)	144
10th	3.0	(2.1 - 4.4)	467	3.2	(1.7 - 5.8)	229	2.9	(1.5 - 5.4)	238
11th	2.1	(1.0 - 4.5)	315	3.3	(1.5 - 7.1)	157	0.9	(0.2 - 4.7)	157
12th	3.7	(2.1 - 6.6)	423	4.0	(2.0 - 8.0)	215	3.5	(1.4 - 8.4)	207
Race/Ethnicity									
Black*	3.2	(1.1 - 8.9)	108	-	-	44	-	-	64
Hispanic/Latino	1.7	(0.5 - 6.4)	118	-	-	60	-	-	57
White*	2.5	(1.6 - 3.8)	1,151	3.1	(1.8 - 5.4)	573	1.8	(0.9 - 3.6)	577
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 10 students who were excluded from the analysis for QN52.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN53: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.1	(2.8 - 5.8)	1,505	4.8	(3.1 - 7.3)	751	3.4	(2.3 - 4.9)	751
Age									
15 or younger	3.0	(1.8 - 4.8)	501	3.4	(1.8 - 6.6)	233	2.5	(1.3 - 4.9)	268
16 or 17	4.0	(2.6 - 5.9)	795	4.2	(2.4 - 7.2)	405	3.7	(2.5 - 5.5)	388
18 or older	8.2	(4.4 - 14.5)	208	10.8	(5.8 - 19.3)	113	-	-	95
Grade									
9th	1.1	(0.4 - 3.2)	290	1.3	(0.3 - 5.3)	145	0.9	(0.2 - 4.0)	144
10th	6.2	(3.9 - 9.7)	467	7.3	(3.7 - 14.1)	229	5.0	(3.2 - 7.9)	238
11th	3.5	(2.0 - 6.2)	315	4.6	(2.4 - 8.5)	157	2.5	(1.0 - 6.3)	157
12th	5.2	(2.6 - 10.0)	423	5.4	(2.9 - 10.0)	215	5.0	(2.1 - 11.4)	207
Race/Ethnicity									
Black*	2.4	(0.8 - 7.6)	108	-	-	44	-	-	64
Hispanic/Latino	1.9	(0.5 - 6.4)	118	-	-	60	-	-	57
White*	4.4	(3.1 - 6.3)	1,151	4.7	(3.0 - 7.2)	573	4.2	(2.8 - 6.2)	577
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 10 students who were excluded from the analysis for QN53.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.2	(6.3 - 10.7)	1,503	8.8	(6.6 - 11.6)	749	7.7	(5.6 - 10.6)	751
Age									
15 or younger	6.6	(4.8 - 9.1)	500	7.0	(4.7 - 10.3)	232	6.3	(4.0 - 9.7)	268
16 or 17	7.9	(5.7 - 10.8)	795	7.7	(4.9 - 11.9)	405	8.1	(5.3 - 12.0)	388
18 or older	15.0	(8.9 - 24.3)	207	18.4	(11.7 - 27.8)	112	-	-	95
Grade									
9th	6.1	(3.9 - 9.5)	289	6.1	(3.2 - 11.5)	144	6.1	(3.6 - 10.2)	144
10th	6.8	(4.9 - 9.3)	467	7.6	(5.3 - 10.7)	229	5.9	(3.7 - 9.2)	238
11th	8.8	(5.9 - 13.0)	315	8.7	(4.4 - 16.7)	157	9.0	(5.3 - 14.8)	157
12th	11.4	(6.9 - 18.4)	422	12.9	(8.0 - 20.1)	214	9.9	(5.0 - 18.6)	207
Race/Ethnicity									
Black*	5.9	(3.0 - 11.1)	108	-	-	44	-	-	64
Hispanic/Latino	5.5	(1.8 - 15.5)	117	-	-	59	-	-	57
White*	8.7	(6.3 - 12.0)	1,150	8.9	(6.3 - 12.6)	572	8.5	(5.6 - 12.8)	577
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 12 students who were excluded from the analysis for QN54.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.2	(2.4 - 4.4)	1,509	3.5	(2.2 - 5.4)	755	3.0	(1.7 - 5.2)	751
Age									
15 or younger	3.4	(2.4 - 5.0)	503	3.6	(1.8 - 6.8)	235	3.3	(1.7 - 6.3)	268
16 or 17	2.5	(1.4 - 4.5)	797	2.1	(1.0 - 4.3)	407	3.0	(1.4 - 6.5)	388
18 or older	5.4	(3.2 - 9.0)	208	8.8	(5.0 - 15.1)	113	-	-	95
Grade									
9th	2.7	(1.5 - 4.9)	291	2.8	(1.0 - 7.5)	146	2.7	(1.1 - 6.6)	144
10th	4.5	(2.3 - 8.7)	470	4.7	(2.5 - 8.9)	232	4.3	(1.8 - 9.9)	238
11th	2.1	(1.1 - 3.9)	315	2.0	(0.6 - 6.4)	157	2.3	(0.7 - 7.4)	157
12th	3.2	(1.8 - 5.4)	423	4.0	(2.4 - 6.8)	215	2.3	(0.8 - 6.3)	207
Race/Ethnicity									
Black*	3.4	(1.5 - 7.6)	109	-	-	45	-	-	64
Hispanic/Latino	2.7	(0.8 - 8.1)	118	-	-	60	-	-	57
White*	3.2	(2.3 - 4.3)	1,153	3.2	(1.9 - 5.2)	575	3.2	(1.6 - 6.0)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 6 students who were excluded from the analysis for QN55.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN56: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.8	(1.9 - 4.1)	1,506	4.0	(2.6 - 6.3)	752	1.6	(0.8 - 3.0)	751
Age									
15 or younger	3.7	(2.4 - 5.7)	502	4.4	(2.1 - 8.6)	234	3.1	(1.2 - 7.9)	268
16 or 17	1.8	(0.9 - 3.7)	797	3.0	(1.3 - 6.5)	407	0.7	(0.2 - 2.0)	388
18 or older	4.1	(2.6 - 6.4)	206	7.4	(4.5 - 12.0)	111	-	-	95
Grade									
9th	3.6	(2.0 - 6.3)	290	4.2	(1.7 - 10.0)	145	3.0	(0.9 - 9.9)	144
10th	3.4	(1.9 - 5.9)	470	4.9	(2.4 - 9.7)	232	1.8	(0.7 - 4.5)	238
11th	1.9	(0.6 - 5.9)	314	3.5	(1.1 - 10.4)	156	0.2	(0.0 - 1.1)	157
12th	2.1	(1.5 - 3.1)	422	3.0	(2.0 - 4.5)	214	1.2	(0.4 - 3.9)	207
Race/Ethnicity									
Black*	4.4	(2.0 - 9.5)	108	-	-	44	-	-	64
Hispanic/Latino	1.6	(0.4 - 6.4)	117	-	-	59	-	-	57
White*	2.3	(1.5 - 3.5)	1,152	3.5	(2.0 - 6.2)	574	1.0	(0.4 - 2.2)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 9 students who were excluded from the analysis for QN56.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN57: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	25.5	(23.0 - 28.1)	1,505	27.3	(23.9 - 31.0)	753	23.7	(20.1 - 27.8)	749
Age									
15 or younger	26.3	(22.9 - 30.0)	502	28.6	(23.2 - 34.7)	235	24.0	(19.6 - 29.0)	267
16 or 17	25.0	(21.1 - 29.2)	797	26.6	(22.7 - 30.9)	407	23.5	(17.8 - 30.2)	388
18 or older	25.3	(17.8 - 34.6)	205	26.4	(17.9 - 37.1)	111	-	-	94
Grade									
9th	23.3	(19.7 - 27.3)	290	24.8	(18.7 - 32.1)	146	21.7	(17.1 - 27.1)	143
10th	26.5	(22.8 - 30.5)	470	32.1	(28.4 - 36.0)	232	20.6	(15.3 - 27.1)	238
11th	24.7	(20.0 - 30.2)	313	25.7	(19.9 - 32.6)	156	24.0	(16.8 - 33.0)	156
12th	27.2	(21.9 - 33.3)	422	25.9	(20.0 - 32.8)	214	28.6	(20.0 - 39.0)	207
Race/Ethnicity									
Black*	29.0	(24.0 - 34.6)	108	-	-	44	-	-	64
Hispanic/Latino	26.0	(17.8 - 36.3)	118	-	-	60	-	-	57
White*	25.1	(22.6 - 27.8)	1,151	27.2	(23.3 - 31.4)	574	22.9	(19.1 - 27.3)	576
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 10 students who were excluded from the analysis for QN57.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN58: Percentage of students who ever had sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	49.2	(44.5 - 54.0)	1,407	45.5	(39.3 - 51.8)	694	52.8	(47.7 - 57.9)	710
Age									
15 or younger	30.9	(26.0 - 36.2)	468	27.5	(19.7 - 37.1)	215	34.1	(29.1 - 39.5)	253
16 or 17	57.5	(51.9 - 62.9)	750	50.4	(43.3 - 57.4)	378	64.4	(58.2 - 70.1)	370
18 or older	74.7	(66.4 - 81.5)	188	82.1	(68.3 - 90.7)	101	-	-	87
Grade									
9th	27.2	(19.9 - 36.1)	272	21.9	(12.6 - 35.3)	131	32.6	(24.3 - 42.3)	140
10th	43.2	(38.5 - 48.1)	440	40.6	(34.7 - 46.8)	215	45.9	(40.2 - 51.6)	225
11th	59.5	(51.1 - 67.5)	290	53.5	(44.0 - 62.8)	141	64.9	(55.3 - 73.3)	148
12th	70.4	(63.6 - 76.5)	395	69.4	(58.3 - 78.7)	202	71.3	(63.4 - 78.2)	192
Race/Ethnicity									
Black*	-	-	96	-	-	37	-	-	59
Hispanic/Latino	51.2	(41.8 - 60.6)	109	-	-	55	-	-	53
White*	48.1	(42.4 - 53.9)	1,089	42.3	(36.1 - 48.6)	537	54.0	(47.4 - 60.6)	551
All other races	-	-	38	-	-	19	-	-	18
Multiple races	-	-	48	-	-	28	-	-	20

Note: There were 108 students who were excluded from the analysis for QN58.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.5	(2.9 - 7.1)	1,406	6.3	(3.6 - 10.9)	694	2.8	(1.7 - 4.5)	709
Age									
15 or younger	4.1	(2.4 - 6.7)	465	4.6	(1.9 - 10.9)	212	3.6	(1.9 - 6.6)	253
16 or 17	3.7	(2.2 - 6.4)	749	5.7	(3.2 - 10.0)	379	1.8	(0.7 - 4.7)	368
18 or older	9.8	(4.7 - 19.3)	191	14.3	(5.3 - 33.2)	103	-	-	88
Grade									
9th	3.0	(1.3 - 6.6)	269	3.8	(1.3 - 10.4)	130	2.2	(0.8 - 6.0)	138
10th	5.5	(2.9 - 10.3)	439	7.5	(3.8 - 14.5)	214	3.5	(1.7 - 6.9)	225
11th	5.1	(2.3 - 10.6)	293	8.4	(3.2 - 20.3)	143	1.9	(0.6 - 5.9)	149
12th	4.3	(2.2 - 8.5)	395	5.3	(1.9 - 14.0)	202	3.4	(1.7 - 6.6)	192
Race/Ethnicity									
Black*	-	-	99	-	-	40	-	-	59
Hispanic/Latino	8.1	(2.2 - 25.2)	109	-	-	55	-	-	53
White*	2.7	(1.9 - 4.0)	1,085	3.1	(2.1 - 4.8)	533	2.3	(1.4 - 3.8)	551
All other races	-	-	39	-	-	20	-	-	18
Multiple races	-	-	48	-	-	28	-	-	20

Note: There were 109 students who were excluded from the analysis for QN59.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with four or more people during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.7	(10.7 - 17.5)	1,407	13.5	(9.6 - 18.5)	695	13.7	(10.2 - 18.2)	709
Age									
15 or younger	7.1	(5.0 - 10.1)	468	7.4	(4.3 - 12.6)	214	6.8	(4.6 - 10.0)	254
16 or 17	15.6	(11.3 - 21.1)	749	13.0	(8.2 - 20.0)	378	17.6	(11.7 - 25.5)	369
18 or older	27.9	(21.1 - 35.8)	189	33.7	(23.1 - 46.2)	103	-	-	86
Grade									
9th	5.6	(2.9 - 10.6)	271	5.6	(2.3 - 12.8)	130	5.7	(2.6 - 11.9)	140
10th	10.3	(7.2 - 14.7)	442	12.6	(7.9 - 19.5)	216	8.0	(4.8 - 13.0)	226
11th	15.1	(9.5 - 23.2)	293	12.4	(5.1 - 27.3)	144	16.9	(11.2 - 24.7)	148
12th	24.4	(18.5 - 31.5)	391	22.7	(16.2 - 30.9)	200	26.0	(17.1 - 37.6)	190
Race/Ethnicity									
Black*	24.1	(18.3 - 31.1)	100	-	-	40	-	-	60
Hispanic/Latino	13.2	(6.6 - 24.9)	107	-	-	54	-	-	52
White*	12.0	(9.0 - 16.0)	1,087	10.3	(7.2 - 14.7)	536	13.5	(9.5 - 18.8)	550
All other races	-	-	39	-	-	20	-	-	18
Multiple races	-	-	47	-	-	27	-	-	20

Note: There were 108 students who were excluded from the analysis for QN60.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN61: Percentage of students who had sexual intercourse with one or more people during the past three months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	36.7	(32.8 - 40.7)	1,410	31.9	(26.1 - 38.3)	696	41.3	(36.7 - 46.1)	711
Age									
15 or younger	21.2	(17.6 - 25.3)	468	17.3	(10.5 - 27.0)	214	25.0	(19.6 - 31.2)	254
16 or 17	44.0	(39.3 - 48.7)	750	36.1	(29.1 - 43.6)	379	51.5	(45.6 - 57.4)	369
18 or older	56.2	(49.6 - 62.5)	191	59.0	(49.7 - 67.6)	103	-	-	88
Grade									
9th	17.8	(12.4 - 24.9)	271	13.2	(5.7 - 27.7)	130	22.5	(15.7 - 31.1)	140
10th	32.0	(26.8 - 37.6)	442	26.7	(20.2 - 34.3)	216	37.4	(31.0 - 44.2)	226
11th	44.9	(37.1 - 52.9)	294	39.0	(29.1 - 49.9)	144	50.0	(40.8 - 59.2)	149
12th	54.4	(49.4 - 59.3)	393	50.4	(40.2 - 60.6)	201	58.4	(51.2 - 65.2)	191
Race/Ethnicity									
Black*	33.7	(23.4 - 45.9)	100	-	-	40	-	-	60
Hispanic/Latino	38.3	(27.5 - 50.3)	108	-	-	54	-	-	53
White*	36.4	(31.7 - 41.2)	1,089	29.2	(23.3 - 35.8)	537	43.6	(38.3 - 49.2)	551
All other races	-	-	39	-	-	20	-	-	18
Multiple races	-	-	47	-	-	27	-	-	20

Note: There were 105 students who were excluded from the analysis for QN61.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN62: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	21.0	(17.9 - 24.6)	535	27.4	(21.3 - 34.5)	232	16.3	(11.7 - 22.3)	301
Age									
15 or younger	27.4	(19.9 - 36.6)	104	-	-	34	-	-	70
16 or 17	16.2	(13.3 - 19.5)	325	19.5	(13.7 - 27.0)	139	14.0	(10.1 - 19.0)	184
18 or older	30.1	(19.8 - 43.0)	106	-	-	59	-	-	47
Grade									
9th	-	-	48	-	-	15	-	-	33
10th	22.6	(14.3 - 33.8)	138	-	-	55	-	-	83
11th	18.0	(13.5 - 23.5)	128	-	-	55	-	-	72
12th	22.6	(16.2 - 30.5)	216	26.8	(17.5 - 38.6)	104	19.0	(12.3 - 28.1)	111
Race/Ethnicity									
Black*	-	-	32	-	-	18	-	-	14
Hispanic/Latino	-	-	37	-	-	15	-	-	22
White*	21.6	(17.5 - 26.3)	415	28.6	(22.1 - 36.2)	172	16.8	(11.9 - 23.2)	242
All other races	-	-	14	-	-	7	-	-	6
Multiple races	-	-	25	-	-	13	-	-	12

Note: There were 980 students who were excluded from the analysis for QN62.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	58.0	(52.3 - 63.5)	531	65.9	(58.2 - 72.7)	230	51.6	(43.8 - 59.3)	299
Age									
15 or younger	61.7	(51.9 - 70.6)	103	-	-	34	-	-	69
16 or 17	58.0	(50.1 - 65.5)	322	65.8	(55.1 - 75.0)	137	52.1	(42.9 - 61.1)	183
18 or older	53.4	(40.5 - 65.9)	106	-	-	59	-	-	47
Grade									
9th	-	-	48	-	-	16	-	-	32
10th	67.4	(56.5 - 76.6)	137	-	-	54	-	-	83
11th	53.1	(40.6 - 65.2)	125	-	-	53	-	-	71
12th	54.4	(45.8 - 62.8)	216	58.9	(46.2 - 70.5)	104	50.4	(42.0 - 58.7)	111
Race/Ethnicity									
Black*	-	-	30	-	-	17	-	-	13
Hispanic/Latino	-	-	37	-	-	15	-	-	22
White*	58.9	(51.4 - 66.0)	411	64.6	(54.4 - 73.7)	169	54.6	(46.1 - 62.9)	241
All other races	-	-	15	-	-	8	-	-	6
Multiple races	-	-	25	-	-	13	-	-	12

Note: There were 984 students who were excluded from the analysis for QN63.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN64: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.2	(18.6 - 28.5)	528	18.9	(12.4 - 27.7)	228	26.7	(21.6 - 32.5)	298
Age									
15 or younger	21.5	(12.9 - 33.6)	103	-	-	34	-	-	69
16 or 17	23.4	(18.3 - 29.4)	320	20.7	(12.7 - 31.8)	135	25.6	(18.6 - 34.1)	183
18 or older	24.6	(16.0 - 36.0)	105	-	-	59	-	-	46
Grade									
9th	-	-	48	-	-	16	-	-	32
10th	26.5	(18.1 - 37.0)	137	-	-	53	-	-	84
11th	19.6	(11.8 - 30.5)	126	-	-	54	-	-	71
12th	28.0	(21.1 - 36.2)	212	22.8	(14.7 - 33.6)	102	32.7	(23.3 - 43.7)	109
Race/Ethnicity									
Black*	-	-	30	-	-	17	-	-	13
Hispanic/Latino	-	-	36	-	-	14	-	-	22
White*	26.7	(21.1 - 33.2)	409	22.0	(13.1 - 34.5)	168	30.2	(24.7 - 36.4)	240
All other races	-	-	15	-	-	8	-	-	6
Multiple races	-	-	25	-	-	13	-	-	12

Note: There were 987 students who were excluded from the analysis for QN64.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	15.9	(14.2 - 17.8)	1,443	14.0	(11.6 - 16.8)	733	17.9	(15.0 - 21.3)	710
Age									
15 or younger	17.5	(14.8 - 20.7)	469	16.7	(11.2 - 24.0)	220	18.4	(14.5 - 23.1)	249
16 or 17	13.4	(10.7 - 16.8)	771	12.0	(8.4 - 16.8)	403	15.0	(11.2 - 19.7)	368
18 or older	21.5	(16.3 - 27.7)	203	14.3	(8.7 - 22.6)	110	-	-	93
Grade									
9th	16.9	(14.0 - 20.3)	274	12.6	(8.4 - 18.6)	140	21.5	(17.0 - 26.8)	134
10th	16.3	(12.5 - 20.9)	446	17.9	(12.1 - 25.8)	225	14.5	(10.7 - 19.3)	221
11th	13.6	(9.5 - 19.0)	307	12.2	(7.1 - 20.2)	153	14.9	(9.9 - 21.9)	154
12th	17.2	(13.8 - 21.2)	407	13.4	(9.4 - 18.8)	211	21.0	(16.0 - 26.9)	196
Race/Ethnicity									
Black*	21.0	(15.0 - 28.7)	104	-	-	42	-	-	62
Hispanic/Latino	18.1	(9.9 - 30.9)	108	-	-	57	-	-	51
White*	14.9	(12.7 - 17.4)	1,117	13.9	(11.2 - 17.1)	567	16.1	(12.9 - 19.9)	550
All other races	-	-	35	-	-	19	-	-	16
Multiple races	-	-	50	-	-	29	-	-	21

Note: There were 72 students who were excluded from the analysis for QNOWT.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.8	(10.5 - 15.4)	1,443	15.7	(12.5 - 19.4)	733	9.7	(7.7 - 12.2)	710
Age									
15 or younger	14.7	(11.3 - 18.8)	469	18.8	(13.6 - 25.5)	220	10.6	(7.0 - 15.7)	249
16 or 17	11.6	(9.4 - 14.2)	771	14.3	(11.4 - 17.8)	403	8.6	(6.2 - 11.9)	368
18 or older	11.9	(6.8 - 19.9)	203	12.1	(5.5 - 24.6)	110	-	-	93
Grade									
9th	14.8	(11.0 - 19.6)	274	19.5	(14.6 - 25.6)	140	9.8	(5.5 - 16.8)	134
10th	14.3	(10.3 - 19.5)	446	16.5	(11.4 - 23.3)	225	11.9	(7.8 - 17.9)	221
11th	9.3	(5.9 - 14.5)	307	11.9	(6.5 - 20.7)	153	6.8	(3.7 - 11.9)	154
12th	12.1	(8.8 - 16.4)	407	13.9	(8.8 - 21.3)	211	10.3	(7.0 - 14.8)	196
Race/Ethnicity									
Black*	16.6	(10.1 - 26.1)	104	-	-	42	-	-	62
Hispanic/Latino	19.3	(12.0 - 29.6)	108	-	-	57	-	-	51
White*	11.4	(9.6 - 13.4)	1,117	15.0	(12.2 - 18.2)	567	7.4	(5.5 - 9.9)	550
All other races	-	-	35	-	-	19	-	-	16
Multiple races	-	-	50	-	-	29	-	-	21

Note: There were 72 students who were excluded from the analysis for QNOBESE.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN65: Percentage of students who described themselves as slightly or very overweight

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.3	(26.7 - 32.2)	1,503	24.3	(21.2 - 27.7)	752	34.6	(30.5 - 39.0)	748
Age									
15 or younger	30.5	(26.0 - 35.3)	501	29.0	(23.6 - 35.1)	234	31.9	(24.4 - 40.4)	267
16 or 17	28.2	(24.5 - 32.3)	795	22.1	(17.9 - 26.9)	405	34.7	(28.1 - 42.0)	388
18 or older	30.5	(24.7 - 37.0)	206	19.4	(12.3 - 29.1)	113	-	-	93
Grade									
9th	26.7	(21.3 - 32.9)	290	25.9	(19.7 - 33.3)	146	27.5	(19.8 - 36.7)	143
10th	33.4	(29.1 - 38.0)	469	26.5	(22.0 - 31.5)	231	40.6	(33.4 - 48.3)	238
11th	27.1	(21.7 - 33.4)	313	21.0	(15.2 - 28.2)	156	33.8	(25.6 - 43.1)	156
12th	30.3	(25.9 - 35.1)	421	23.8	(17.4 - 31.6)	214	36.8	(30.0 - 44.2)	206
Race/Ethnicity									
Black*	32.9	(23.6 - 43.9)	108	-	-	44	-	-	64
Hispanic/Latino	29.1	(22.2 - 37.1)	118	-	-	60	-	-	57
White*	29.0	(26.2 - 31.9)	1,150	24.3	(21.0 - 27.8)	575	34.2	(30.1 - 38.6)	574
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 12 students who were excluded from the analysis for QN65.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN66: Percentage of students who were trying to lose weight

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	45.7	(42.7 - 48.8)	1,508	33.3	(29.7 - 37.1)	756	58.5	(54.3 - 62.5)	749
Age									
15 or younger	45.3	(40.5 - 50.2)	503	35.2	(30.0 - 40.9)	236	55.3	(45.3 - 65.0)	267
16 or 17	46.0	(41.7 - 50.4)	797	32.5	(28.3 - 37.0)	407	59.7	(55.4 - 63.8)	388
18 or older	45.9	(36.1 - 56.0)	207	30.5	(18.6 - 45.8)	113	-	-	94
Grade									
9th	42.2	(36.8 - 47.7)	292	33.5	(26.5 - 41.4)	147	51.4	(42.8 - 59.8)	144
10th	48.1	(44.2 - 52.1)	469	35.2	(31.2 - 39.4)	232	61.7	(54.1 - 68.7)	237
11th	44.9	(38.9 - 51.0)	314	29.9	(24.1 - 36.5)	157	59.8	(53.2 - 66.0)	156
12th	48.2	(44.1 - 52.3)	423	35.5	(27.0 - 44.9)	215	60.7	(53.9 - 67.2)	207
Race/Ethnicity									
Black*	43.5	(34.6 - 52.9)	108	-	-	44	-	-	64
Hispanic/Latino	42.3	(30.4 - 55.3)	117	-	-	60	-	-	56
White*	46.3	(42.8 - 49.8)	1,155	33.3	(29.4 - 37.5)	578	60.2	(55.6 - 64.6)	576
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 7 students who were excluded from the analysis for QN66.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN67: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	59.5	(56.2 - 62.8)	1,496	56.8	(51.7 - 61.8)	749	62.2	(58.0 - 66.2)	744
Age									
15 or younger	60.2	(55.8 - 64.5)	502	59.7	(51.3 - 67.6)	236	60.8	(54.6 - 66.6)	266
16 or 17	58.5	(54.0 - 62.9)	791	55.4	(50.1 - 60.6)	403	61.6	(55.6 - 67.3)	386
18 or older	61.1	(53.2 - 68.6)	202	53.7	(42.1 - 64.9)	110	-	-	92
Grade									
9th	62.3	(55.2 - 68.9)	290	62.5	(52.1 - 71.9)	147	62.0	(53.8 - 69.5)	142
10th	58.2	(51.5 - 64.6)	466	55.5	(48.0 - 62.8)	229	61.0	(52.1 - 69.2)	237
11th	60.2	(55.1 - 65.1)	313	56.4	(49.1 - 63.4)	156	63.6	(53.7 - 72.5)	156
12th	57.4	(51.7 - 62.9)	417	52.6	(45.2 - 59.9)	212	62.2	(53.2 - 70.4)	204
Race/Ethnicity									
Black*	47.5	(34.5 - 60.8)	107	-	-	43	-	-	64
Hispanic/Latino	50.9	(42.3 - 59.5)	117	-	-	60	-	-	56
White*	62.0	(58.6 - 65.3)	1,147	58.2	(52.7 - 63.4)	574	66.0	(62.4 - 69.5)	572
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 19 students who were excluded from the analysis for QN67.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN68: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	38.0	(34.9 - 41.3)	1,499	29.9	(26.3 - 33.8)	747	46.2	(40.9 - 51.5)	749
Age									
15 or younger	34.7	(30.4 - 39.4)	501	28.1	(22.8 - 34.2)	234	41.2	(32.7 - 50.3)	267
16 or 17	38.9	(35.4 - 42.6)	792	31.0	(26.7 - 35.7)	402	46.6	(42.0 - 51.3)	388
18 or older	45.0	(36.5 - 53.8)	205	30.7	(20.8 - 42.7)	111	-	-	94
Grade									
9th	33.0	(27.3 - 39.2)	289	28.9	(21.1 - 38.2)	145	37.1	(29.6 - 45.4)	143
10th	38.3	(34.4 - 42.4)	467	28.4	(26.1 - 30.8)	229	48.5	(40.7 - 56.4)	238
11th	37.1	(30.9 - 43.8)	312	31.0	(23.8 - 39.2)	155	42.8	(34.0 - 52.1)	156
12th	44.6	(39.4 - 49.9)	421	32.6	(25.2 - 40.9)	213	56.3	(48.9 - 63.4)	207
Race/Ethnicity									
Black*	29.5	(19.2 - 42.3)	106	-	-	42	-	-	64
Hispanic/Latino	42.8	(29.2 - 57.6)	117	-	-	60	-	-	56
White*	39.0	(36.8 - 41.3)	1,148	30.8	(27.3 - 34.5)	571	47.6	(43.1 - 52.2)	576
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 16 students who were excluded from the analysis for QN68.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN69: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.2	(11.5 - 15.0)	1,504	9.1	(6.7 - 12.2)	754	17.5	(14.1 - 21.4)	747
Age									
15 or younger	11.8	(9.5 - 14.6)	502	8.6	(5.2 - 13.9)	236	15.1	(11.2 - 19.9)	266
16 or 17	13.6	(10.8 - 16.9)	794	8.9	(6.0 - 13.2)	405	18.4	(13.8 - 24.1)	387
18 or older	16.0	(12.0 - 20.9)	207	11.3	(7.2 - 17.3)	113	-	-	94
Grade									
9th	9.8	(6.6 - 14.2)	290	7.6	(3.6 - 15.4)	147	12.1	(8.3 - 17.3)	142
10th	15.9	(13.8 - 18.3)	468	11.5	(7.3 - 17.7)	230	20.5	(15.7 - 26.2)	238
11th	12.3	(8.1 - 18.1)	314	8.9	(5.0 - 15.3)	157	15.9	(10.1 - 24.2)	156
12th	15.0	(11.3 - 19.5)	422	8.7	(6.3 - 12.0)	215	21.2	(14.7 - 29.5)	206
Race/Ethnicity									
Black*	19.2	(14.7 - 24.8)	108	-	-	44	-	-	64
Hispanic/Latino	10.6	(5.7 - 19.0)	116	-	-	60	-	-	55
White*	12.4	(10.2 - 15.0)	1,152	8.5	(6.2 - 11.5)	576	16.7	(12.7 - 21.6)	575
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 11 students who were excluded from the analysis for QN69.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN70: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	4.9	(3.9 - 6.1)	1,502	3.8	(2.5 - 5.7)	750	5.7	(4.2 - 7.8)	749
Age									
15 or younger	2.6	(1.4 - 4.9)	501	1.6	(0.4 - 5.8)	234	3.7	(2.0 - 6.6)	267
16 or 17	6.2	(4.5 - 8.4)	793	4.4	(2.6 - 7.3)	403	7.5	(5.1 - 11.0)	388
18 or older	6.6	(4.4 - 9.7)	207	8.2	(5.0 - 13.0)	113	-	-	94
Grade									
9th	1.2	(0.5 - 3.0)	290	0.6	(0.2 - 1.9)	146	1.8	(0.6 - 5.7)	143
10th	6.4	(5.2 - 7.9)	468	4.0	(1.6 - 9.6)	230	9.0	(6.0 - 13.2)	238
11th	5.9	(3.6 - 9.3)	312	4.5	(2.2 - 8.7)	155	6.3	(3.2 - 12.0)	156
12th	5.8	(3.8 - 8.8)	422	6.0	(3.5 - 10.0)	214	5.7	(3.2 - 9.8)	207
Race/Ethnicity									
Black*	5.4	(3.3 - 8.6)	107	-	-	43	-	-	64
Hispanic/Latino	6.1	(3.0 - 12.2)	117	-	-	60	-	-	56
White*	4.7	(3.5 - 6.3)	1,150	3.7	(2.3 - 5.8)	573	5.5	(3.7 - 8.2)	576
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 13 students who were excluded from the analysis for QN70.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN71: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.4	(4.1 - 7.2)	1,501	3.4	(2.1 - 5.2)	752	7.6	(5.7 - 10.0)	746
Age									
15 or younger	5.6	(3.9 - 7.8)	499	5.0	(2.7 - 9.2)	235	6.1	(4.7 - 7.9)	264
16 or 17	5.6	(3.6 - 8.6)	794	1.8	(0.8 - 4.0)	404	9.5	(6.0 - 14.8)	388
18 or older	4.4	(2.3 - 8.2)	207	4.7	(1.8 - 11.5)	113	-	-	94
Grade									
9th	4.8	(2.7 - 8.3)	288	4.9	(2.2 - 10.6)	146	4.7	(2.8 - 7.8)	141
10th	6.4	(4.6 - 8.8)	466	3.9	(2.2 - 6.9)	229	8.9	(6.1 - 12.9)	237
11th	6.6	(3.8 - 11.3)	314	2.0	(0.6 - 6.5)	157	11.4	(6.4 - 19.5)	156
12th	3.6	(2.1 - 6.0)	423	2.5	(1.0 - 6.3)	215	4.7	(2.3 - 9.1)	207
Race/Ethnicity									
Black*	8.4	(4.7 - 14.5)	106	-	-	44	-	-	62
Hispanic/Latino	5.1	(2.3 - 11.3)	117	-	-	60	-	-	56
White*	5.0	(3.4 - 7.1)	1,153	2.7	(1.3 - 5.3)	576	7.4	(5.3 - 10.4)	576
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	54	-	-	31	-	-	23

Note: There were 14 students who were excluded from the analysis for QN71.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN72: Percentage of students who drank 100% fruit juices one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	78.4	(75.1 - 81.4)	1,504	80.1	(75.7 - 83.8)	753	76.6	(72.5 - 80.2)	748
Age									
15 or younger	79.8	(75.3 - 83.7)	501	82.3	(75.2 - 87.7)	235	77.4	(71.8 - 82.1)	266
16 or 17	77.1	(72.8 - 80.9)	797	78.9	(73.7 - 83.3)	407	75.1	(69.2 - 80.3)	388
18 or older	79.3	(71.7 - 85.2)	205	78.2	(67.6 - 86.1)	111	-	-	94
Grade									
9th	79.7	(75.0 - 83.7)	289	84.5	(77.6 - 89.6)	146	74.5	(68.4 - 79.8)	142
10th	78.9	(73.1 - 83.8)	470	78.0	(67.5 - 85.8)	232	79.9	(70.9 - 86.7)	238
11th	75.4	(68.7 - 81.1)	314	77.7	(69.7 - 84.0)	157	72.8	(61.6 - 81.7)	156
12th	79.6	(73.0 - 84.9)	421	80.5	(69.9 - 88.0)	213	78.6	(72.1 - 84.0)	207
Race/Ethnicity									
Black*	83.9	(77.3 - 88.9)	108	-	-	44	-	-	64
Hispanic/Latino	89.6	(81.6 - 94.4)	117	-	-	60	-	-	56
White*	76.9	(73.0 - 80.3)	1,152	79.4	(74.1 - 83.8)	576	74.1	(69.2 - 78.5)	575
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 11 students who were excluded from the analysis for QN72.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN73: Percentage of students who ate fruit one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	84.9	(81.9 - 87.6)	1,505	83.7	(80.2 - 86.7)	754	86.2	(82.0 - 89.5)	748
Age									
15 or younger	84.9	(80.2 - 88.6)	502	83.1	(77.9 - 87.3)	236	86.6	(79.6 - 91.4)	266
16 or 17	84.9	(80.7 - 88.4)	796	84.3	(78.8 - 88.7)	406	85.5	(79.8 - 89.7)	388
18 or older	85.2	(76.8 - 90.9)	206	82.8	(73.5 - 89.3)	112	-	-	94
Grade									
9th	83.9	(78.4 - 88.2)	289	83.9	(77.4 - 88.8)	146	83.8	(76.2 - 89.3)	142
10th	86.5	(82.2 - 89.8)	470	83.2	(77.5 - 87.7)	232	89.8	(82.7 - 94.2)	238
11th	83.5	(76.5 - 88.7)	314	84.6	(77.3 - 89.8)	157	82.2	(73.0 - 88.8)	156
12th	85.9	(80.4 - 90.0)	422	83.1	(74.8 - 89.0)	214	88.6	(79.9 - 93.8)	207
Race/Ethnicity									
Black*	77.4	(70.7 - 83.0)	108	-	-	44	-	-	64
Hispanic/Latino	85.7	(80.2 - 89.9)	117	-	-	60	-	-	56
White*	86.0	(82.5 - 88.9)	1,151	83.8	(78.8 - 87.9)	575	88.3	(84.5 - 91.3)	575
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 10 students who were excluded from the analysis for QN73.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN74: Percentage of students who ate green salad one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	54.2	(51.6 - 56.8)	1,502	50.0	(45.7 - 54.4)	752	58.4	(55.0 - 61.8)	747
Age									
15 or younger	54.5	(50.6 - 58.4)	501	51.9	(45.1 - 58.6)	236	57.1	(52.8 - 61.2)	265
16 or 17	54.6	(50.7 - 58.6)	795	50.5	(44.1 - 56.9)	405	58.6	(54.4 - 62.7)	388
18 or older	51.6	(46.6 - 56.5)	205	42.4	(34.3 - 50.9)	111	-	-	94
Grade									
9th	53.2	(49.1 - 57.3)	290	50.8	(42.2 - 59.4)	147	55.8	(50.0 - 61.5)	142
10th	53.7	(48.9 - 58.5)	469	52.2	(47.3 - 57.1)	232	55.3	(48.9 - 61.4)	237
11th	57.3	(50.2 - 64.1)	313	52.2	(41.4 - 62.9)	156	62.1	(55.7 - 68.0)	156
12th	52.8	(47.9 - 57.6)	420	44.4	(37.9 - 51.1)	212	60.9	(53.5 - 67.8)	207
Race/Ethnicity									
Black*	41.8	(34.4 - 49.6)	108	-	-	44	-	-	64
Hispanic/Latino	54.8	(47.7 - 61.7)	117	-	-	60	-	-	56
White*	56.2	(52.6 - 59.8)	1,149	50.1	(44.5 - 55.7)	574	62.7	(58.7 - 66.5)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 13 students who were excluded from the analysis for QN74.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN75: Percentage of students who ate potatoes one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	75.1	(71.6 - 78.3)	1,505	76.4	(72.5 - 79.9)	754	73.7	(69.1 - 77.8)	748
Age									
15 or younger	69.7	(63.8 - 75.0)	502	72.1	(63.8 - 79.2)	236	67.3	(57.6 - 75.7)	266
16 or 17	78.2	(74.9 - 81.3)	797	78.6	(74.3 - 82.3)	407	77.7	(73.1 - 81.8)	388
18 or older	79.3	(71.7 - 85.3)	205	80.8	(74.4 - 85.9)	111	-	-	94
Grade									
9th	69.2	(61.7 - 75.8)	290	75.9	(67.3 - 82.8)	147	62.1	(52.1 - 71.2)	142
10th	75.1	(65.6 - 82.6)	470	73.7	(60.3 - 83.8)	232	76.5	(70.4 - 81.7)	238
11th	79.1	(73.3 - 83.9)	314	76.6	(69.6 - 82.4)	157	81.5	(73.3 - 87.6)	156
12th	77.8	(73.6 - 81.5)	421	80.1	(75.3 - 84.2)	213	75.5	(69.0 - 81.0)	207
Race/Ethnicity									
Black*	55.4	(47.1 - 63.4)	108	-	-	44	-	-	64
Hispanic/Latino	72.7	(60.9 - 82.0)	117	-	-	60	-	-	56
White*	78.1	(74.2 - 81.7)	1,151	78.5	(73.9 - 82.5)	575	77.7	(73.3 - 81.6)	575
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 10 students who were excluded from the analysis for QN75.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN76: Percentage of students who ate carrots one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	46.0	(42.2 - 49.9)	1,504	46.9	(41.6 - 52.2)	754	45.3	(41.8 - 48.8)	747
Age									
15 or younger	44.9	(39.3 - 50.6)	500	47.4	(39.0 - 56.0)	235	42.3	(36.9 - 48.0)	265
16 or 17	46.3	(42.0 - 50.7)	797	46.5	(40.2 - 53.0)	407	46.4	(40.3 - 52.6)	388
18 or older	48.4	(40.8 - 56.1)	206	46.7	(37.0 - 56.7)	112	-	-	94
Grade									
9th	43.5	(36.2 - 51.1)	288	48.3	(35.8 - 61.0)	146	38.5	(32.3 - 45.0)	141
10th	46.7	(40.7 - 52.8)	470	45.7	(38.4 - 53.3)	232	47.8	(41.0 - 54.6)	238
11th	44.2	(36.8 - 51.9)	314	43.2	(30.9 - 56.4)	157	45.7	(36.2 - 55.4)	156
12th	50.2	(45.7 - 54.6)	422	50.3	(44.1 - 56.5)	214	50.1	(44.1 - 56.0)	207
Race/Ethnicity									
Black*	32.3	(25.3 - 40.2)	108	-	-	44	-	-	64
Hispanic/Latino	48.3	(41.0 - 55.6)	115	-	-	59	-	-	55
White*	48.1	(43.6 - 52.7)	1,152	48.9	(42.3 - 55.5)	576	47.4	(43.2 - 51.6)	575
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 11 students who were excluded from the analysis for QN76.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN77: Percentage of students who ate other vegetables one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	82.1	(79.4 - 84.6)	1,489	80.0	(76.6 - 82.9)	742	84.3	(80.5 - 87.5)	744
Age									
15 or younger	80.5	(74.8 - 85.2)	493	79.1	(72.6 - 84.3)	229	82.0	(73.6 - 88.1)	264
16 or 17	84.5	(81.0 - 87.5)	790	82.9	(77.3 - 87.3)	402	86.1	(81.8 - 89.6)	386
18 or older	76.9	(69.9 - 82.7)	205	70.8	(60.7 - 79.2)	111	-	-	94
Grade									
9th	80.0	(70.9 - 86.7)	283	80.3	(71.3 - 87.0)	140	79.8	(66.8 - 88.6)	142
10th	83.5	(78.7 - 87.4)	469	79.5	(73.4 - 84.5)	232	87.7	(82.6 - 91.4)	237
11th	82.5	(76.1 - 87.5)	310	79.4	(69.5 - 86.7)	154	85.5	(74.4 - 92.3)	155
12th	83.1	(80.1 - 85.7)	418	81.6	(75.4 - 86.5)	211	84.5	(78.7 - 88.9)	206
Race/Ethnicity									
Black*	71.9	(61.6 - 80.3)	106	-	-	42	-	-	64
Hispanic/Latino	72.6	(65.0 - 79.1)	113	-	-	56	-	-	56
White*	84.4	(81.8 - 86.7)	1,142	82.4	(78.2 - 86.0)	570	86.5	(83.8 - 88.9)	571
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 26 students who were excluded from the analysis for QN77.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	16.1	(14.0 - 18.5)	1,479	17.5	(14.5 - 20.9)	734	14.8	(11.8 - 18.3)	742
Age									
15 or younger	18.7	(15.7 - 22.2)	489	17.2	(13.4 - 21.6)	227	20.3	(15.6 - 26.0)	262
16 or 17	14.6	(12.1 - 17.5)	787	17.7	(14.0 - 22.3)	399	11.4	(8.6 - 15.0)	386
18 or older	14.4	(8.1 - 24.3)	202	17.4	(8.6 - 32.2)	108	-	-	94
Grade									
9th	18.3	(14.5 - 22.9)	279	18.2	(12.5 - 25.8)	137	18.5	(14.3 - 23.5)	141
10th	18.8	(14.2 - 24.6)	468	17.9	(12.9 - 24.3)	232	19.8	(13.9 - 27.4)	236
11th	14.8	(12.1 - 18.1)	309	19.1	(14.9 - 24.1)	153	10.7	(7.1 - 15.7)	155
12th	11.6	(8.4 - 15.7)	414	14.1	(9.9 - 19.7)	207	9.2	(4.7 - 17.2)	206
Race/Ethnicity									
Black*	21.6	(13.7 - 32.4)	106	-	-	42	-	-	64
Hispanic/Latino	16.5	(12.2 - 21.9)	111	-	-	55	-	-	55
White*	15.2	(12.7 - 18.0)	1,137	16.3	(13.2 - 20.0)	566	14.1	(10.8 - 18.2)	570
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	54	-	-	30	-	-	24

Note: There were 36 students who were excluded from the analysis for QNFRVG.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNFRUIT: Percentage of students who ate fruits two or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	27.4	(24.1 - 31.0)	1,503	29.6	(25.5 - 34.1)	752	25.3	(21.2 - 29.9)	748
Age									
15 or younger	30.9	(25.5 - 36.9)	501	33.5	(26.6 - 41.2)	235	28.4	(22.9 - 34.5)	266
16 or 17	25.5	(22.1 - 29.3)	796	28.2	(23.5 - 33.5)	406	22.8	(18.2 - 28.1)	388
18 or older	24.6	(16.2 - 35.5)	205	23.3	(14.0 - 36.3)	111	-	-	94
Grade									
9th	31.8	(24.7 - 40.0)	288	36.9	(27.7 - 47.1)	145	26.6	(19.9 - 34.5)	142
10th	29.4	(23.7 - 35.8)	470	28.5	(21.5 - 36.7)	232	30.3	(23.4 - 38.3)	238
11th	26.4	(21.9 - 31.4)	314	29.3	(23.4 - 35.9)	157	23.7	(17.6 - 31.0)	156
12th	20.9	(16.6 - 26.0)	421	22.1	(16.4 - 29.0)	213	19.8	(13.2 - 28.6)	207
Race/Ethnicity									
Black*	32.9	(19.2 - 50.2)	108	-	-	44	-	-	64
Hispanic/Latino	33.4	(26.4 - 41.3)	117	-	-	60	-	-	56
White*	25.8	(22.9 - 28.9)	1,151	27.1	(22.9 - 31.8)	575	24.5	(20.6 - 29.0)	575
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 12 students who were excluded from the analysis for QNFRUIT.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	10.7	(9.1 - 12.5)	1,482	12.4	(10.4 - 14.7)	737	9.0	(7.1 - 11.4)	742
Age									
15 or younger	10.2	(8.0 - 13.0)	490	11.2	(7.8 - 15.8)	228	9.3	(6.0 - 14.2)	262
16 or 17	10.8	(8.7 - 13.3)	788	12.7	(9.7 - 16.5)	400	8.9	(6.3 - 12.4)	386
18 or older	12.0	(7.6 - 18.4)	203	15.0	(9.1 - 23.6)	109	-	-	94
Grade									
9th	9.9	(7.6 - 12.8)	281	12.1	(7.8 - 18.5)	139	7.6	(4.3 - 13.2)	141
10th	11.0	(8.2 - 14.6)	468	12.0	(8.4 - 17.0)	232	10.0	(6.8 - 14.4)	236
11th	11.2	(8.1 - 15.3)	309	13.5	(9.4 - 19.1)	153	9.0	(5.6 - 14.2)	155
12th	10.3	(6.9 - 14.9)	415	11.6	(7.6 - 17.4)	208	9.0	(4.8 - 16.3)	206
Race/Ethnicity									
Black*	11.4	(5.3 - 22.5)	106	-	-	42	-	-	64
Hispanic/Latino	12.6	(7.9 - 19.6)	111	-	-	55	-	-	55
White*	10.1	(8.3 - 12.3)	1,138	11.7	(9.4 - 14.5)	567	8.5	(6.4 - 11.2)	570
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 33 students who were excluded from the analysis for QNVEG.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN78: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.7	(27.8 - 31.6)	1,503	32.9	(29.4 - 36.8)	754	26.4	(23.5 - 29.4)	746
Age									
15 or younger	27.9	(24.9 - 31.0)	502	30.0	(24.6 - 36.1)	236	25.7	(21.2 - 30.7)	266
16 or 17	30.5	(26.5 - 34.7)	794	34.3	(28.3 - 40.9)	406	26.7	(21.6 - 32.4)	386
18 or older	32.1	(24.6 - 40.6)	206	36.2	(27.1 - 46.4)	112	-	-	94
Grade									
9th	26.4	(22.6 - 30.6)	290	26.9	(19.8 - 35.5)	147	26.0	(20.4 - 32.4)	142
10th	34.1	(29.5 - 39.0)	469	37.6	(32.1 - 43.4)	232	30.4	(21.3 - 41.3)	237
11th	28.9	(24.3 - 34.0)	312	31.9	(25.3 - 39.3)	156	26.1	(19.6 - 34.0)	155
12th	29.9	(26.3 - 33.8)	422	36.7	(31.5 - 42.1)	214	23.3	(18.1 - 29.4)	207
Race/Ethnicity									
Black*	19.8	(13.5 - 28.1)	107	-	-	44	-	-	63
Hispanic/Latino	16.6	(9.7 - 26.8)	117	-	-	60	-	-	56
White*	32.4	(29.8 - 35.2)	1,150	36.5	(32.8 - 40.4)	575	28.1	(24.3 - 32.3)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 12 students who were excluded from the analysis for QN78.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN79: Percentage of students who drank three or more glasses per day of milk during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.2	(12.1 - 16.7)	1,497	18.2	(14.9 - 22.1)	747	10.2	(8.2 - 12.7)	747
Age									
15 or younger	15.4	(11.1 - 20.9)	500	21.2	(13.9 - 31.1)	234	9.5	(6.5 - 13.7)	266
16 or 17	12.9	(10.2 - 16.2)	790	15.9	(12.3 - 20.5)	401	9.9	(7.5 - 13.0)	387
18 or older	16.1	(11.3 - 22.5)	206	18.1	(12.5 - 25.5)	112	-	-	94
Grade									
9th	13.9	(9.4 - 20.3)	287	19.8	(11.4 - 32.1)	144	7.8	(4.5 - 13.4)	142
10th	15.0	(11.0 - 20.0)	467	18.4	(13.2 - 25.0)	229	11.5	(6.5 - 19.5)	238
11th	14.3	(10.3 - 19.5)	311	17.6	(11.9 - 25.3)	155	11.0	(6.5 - 18.1)	155
12th	13.4	(10.1 - 17.6)	422	16.7	(12.0 - 22.9)	214	10.2	(5.7 - 17.4)	207
Race/Ethnicity									
Black*	7.1	(3.1 - 15.5)	108	-	-	44	-	-	64
Hispanic/Latino	15.9	(10.3 - 23.6)	115	-	-	58	-	-	56
White*	15.2	(12.7 - 18.0)	1,145	19.2	(15.4 - 23.8)	570	10.9	(8.5 - 13.8)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 18 students who were excluded from the analysis for QN79.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	40.6	(37.7 - 43.6)	1,492	52.4	(48.1 - 56.6)	747	28.5	(25.2 - 32.1)	742
Age									
15 or younger	47.3	(43.4 - 51.2)	495	58.3	(53.2 - 63.2)	233	36.1	(30.5 - 42.1)	262
16 or 17	35.9	(31.7 - 40.3)	790	46.7	(40.2 - 53.4)	402	24.9	(20.2 - 30.3)	386
18 or older	39.7	(30.0 - 50.2)	206	57.5	(43.8 - 70.1)	112	-	-	94
Grade									
9th	49.1	(43.5 - 54.9)	285	60.9	(54.0 - 67.4)	144	36.5	(29.5 - 44.1)	140
10th	40.0	(34.8 - 45.5)	467	48.7	(40.5 - 57.1)	230	31.0	(26.1 - 36.4)	237
11th	36.1	(27.5 - 45.6)	309	47.4	(37.6 - 57.5)	154	24.6	(17.2 - 34.0)	154
12th	35.7	(28.7 - 43.3)	421	50.8	(39.9 - 61.6)	214	20.8	(15.4 - 27.5)	206
Race/Ethnicity									
Black*	29.8	(21.6 - 39.5)	106	-	-	44	-	-	62
Hispanic/Latino	43.1	(33.2 - 53.5)	113	-	-	57	-	-	55
White*	42.0	(38.7 - 45.4)	1,147	52.9	(47.7 - 58.0)	574	30.3	(26.5 - 34.3)	572
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 23 students who were excluded from the analysis for QN80.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.0	(25.2 - 33.1)	1,502	27.7	(24.0 - 31.8)	752	30.3	(25.0 - 36.2)	747
Age									
15 or younger	33.0	(28.0 - 38.5)	500	30.2	(25.1 - 35.9)	234	35.8	(29.5 - 42.6)	266
16 or 17	25.8	(21.3 - 30.8)	795	24.1	(20.1 - 28.6)	406	27.6	(21.1 - 35.2)	387
18 or older	29.8	(23.4 - 37.0)	206	35.2	(24.8 - 47.3)	112	-	-	94
Grade									
9th	34.4	(27.3 - 42.2)	288	31.9	(25.8 - 38.7)	145	36.9	(25.7 - 49.6)	142
10th	27.7	(24.1 - 31.5)	470	27.8	(24.2 - 31.8)	232	27.5	(22.0 - 33.8)	238
11th	27.2	(20.0 - 35.8)	312	23.6	(16.2 - 33.1)	156	31.1	(21.6 - 42.6)	155
12th	26.5	(22.4 - 31.1)	422	27.4	(20.9 - 35.0)	214	25.5	(19.3 - 33.0)	207
Race/Ethnicity									
Black*	45.1	(33.2 - 57.5)	108	-	-	44	-	-	64
Hispanic/Latino	30.8	(15.0 - 52.9)	116	-	-	59	-	-	56
White*	25.6	(22.6 - 28.8)	1,150	27.1	(23.0 - 31.6)	575	24.0	(20.5 - 28.0)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 13 students who were excluded from the analysis for QN81.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.7	(20.5 - 27.2)	1,499	28.7	(24.2 - 33.6)	751	18.6	(15.2 - 22.5)	745
Age									
15 or younger	26.9	(22.6 - 31.6)	500	31.2	(23.9 - 39.6)	235	22.6	(17.0 - 29.4)	265
16 or 17	20.9	(17.3 - 25.1)	792	26.4	(21.7 - 31.6)	404	15.5	(12.5 - 19.0)	386
18 or older	25.1	(19.6 - 31.6)	206	30.5	(22.1 - 40.4)	112	-	-	94
Grade									
9th	27.2	(22.2 - 32.9)	288	30.4	(21.8 - 40.7)	146	23.6	(16.3 - 32.9)	141
10th	24.2	(19.1 - 30.2)	469	29.3	(22.4 - 37.3)	231	18.9	(14.1 - 25.0)	238
11th	19.6	(15.5 - 24.7)	312	25.6	(20.9 - 31.0)	156	13.7	(8.6 - 21.1)	155
12th	23.5	(19.1 - 28.6)	420	29.5	(24.2 - 35.4)	213	17.7	(12.7 - 24.3)	206
Race/Ethnicity									
Black*	31.8	(24.1 - 40.6)	106	-	-	42	-	-	64
Hispanic/Latino	16.3	(10.8 - 23.7)	116	-	-	59	-	-	56
White*	22.7	(19.1 - 26.7)	1,148	28.5	(23.4 - 34.3)	575	16.4	(13.4 - 19.9)	572
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 16 students who were excluded from the analysis for QN82.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	34.8	(28.9 - 41.1)	1,496	44.3	(36.6 - 52.2)	748	25.1	(18.9 - 32.5)	746
Age									
15 or younger	49.5	(40.6 - 58.4)	500	58.1	(46.8 - 68.6)	235	40.9	(30.8 - 51.9)	265
16 or 17	26.1	(19.7 - 33.7)	790	35.0	(26.3 - 44.9)	401	17.1	(11.2 - 25.2)	387
18 or older	24.0	(16.5 - 33.5)	206	39.7	(27.3 - 53.6)	112	-	-	94
Grade									
9th	60.6	(48.8 - 71.2)	287	69.4	(54.2 - 81.3)	146	51.1	(38.7 - 63.3)	141
10th	32.1	(24.8 - 40.4)	469	39.1	(31.1 - 47.9)	231	24.9	(16.6 - 35.6)	238
11th	23.2	(16.5 - 31.6)	309	33.1	(21.2 - 47.6)	153	13.3	(8.4 - 20.5)	155
12th	20.5	(14.3 - 28.6)	421	32.3	(21.5 - 45.4)	213	9.1	(5.8 - 14.0)	207
Race/Ethnicity									
Black*	36.7	(24.6 - 50.6)	108	-	-	44	-	-	64
Hispanic/Latino	38.9	(25.0 - 54.9)	114	-	-	58	-	-	56
White*	33.9	(27.5 - 41.0)	1,146	44.0	(35.1 - 53.3)	572	23.1	(17.5 - 29.9)	573
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 19 students who were excluded from the analysis for QN83.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.0	(16.6 - 31.1)	1,496	31.2	(22.7 - 41.2)	748	14.7	(8.8 - 23.5)	746
Age									
15 or younger	31.4	(19.8 - 45.8)	500	42.2	(28.9 - 56.6)	235	20.6	(9.5 - 39.2)	265
16 or 17	18.1	(12.1 - 26.2)	790	23.9	(15.5 - 34.9)	401	12.3	(6.9 - 21.1)	387
18 or older	17.1	(10.1 - 27.3)	206	27.6	(15.9 - 43.6)	112	-	-	94
Grade									
9th	39.7	(23.8 - 58.2)	287	52.3	(35.6 - 68.4)	146	26.3	(10.6 - 51.7)	141
10th	19.2	(11.4 - 30.4)	469	23.4	(14.4 - 35.6)	231	14.8	(7.2 - 28.1)	238
11th	17.3	(10.4 - 27.2)	309	25.2	(13.9 - 41.3)	153	9.4	(4.4 - 18.6)	155
12th	14.5	(8.8 - 22.8)	421	21.9	(11.9 - 36.7)	213	7.3	(4.2 - 12.4)	207
Race/Ethnicity									
Black*	19.0	(9.5 - 34.3)	108	-	-	44	-	-	64
Hispanic/Latino	30.1	(19.6 - 43.0)	114	-	-	58	-	-	56
White*	23.1	(16.2 - 31.9)	1,146	32.4	(22.4 - 44.4)	572	13.1	(8.4 - 19.9)	573
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 19 students who were excluded from the analysis for QNDLYPE.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN84: Percentage of students who played on one or more sports teams during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	54.5	(50.5 - 58.4)	1,500	58.0	(53.6 - 62.2)	751	50.8	(45.8 - 55.7)	746
Age									
15 or younger	57.6	(52.4 - 62.7)	498	59.5	(50.8 - 67.7)	233	55.8	(50.1 - 61.3)	265
16 or 17	55.0	(49.6 - 60.4)	795	59.9	(53.0 - 66.5)	406	49.8	(43.4 - 56.3)	387
18 or older	41.7	(32.2 - 51.9)	206	45.3	(34.0 - 57.2)	112	-	-	94
Grade									
9th	59.1	(52.5 - 65.4)	287	62.9	(51.4 - 73.1)	144	55.2	(49.0 - 61.2)	142
10th	56.9	(48.0 - 65.5)	469	59.8	(50.4 - 68.5)	232	54.0	(43.7 - 63.9)	237
11th	52.4	(44.2 - 60.4)	312	58.3	(49.2 - 66.9)	156	45.7	(37.5 - 54.2)	155
12th	49.4	(42.4 - 56.4)	422	50.6	(41.1 - 60.0)	214	48.3	(38.7 - 57.9)	207
Race/Ethnicity									
Black*	41.3	(33.2 - 49.9)	108	-	-	44	-	-	64
Hispanic/Latino	59.2	(53.0 - 65.2)	114	-	-	58	-	-	55
White*	56.5	(52.4 - 60.4)	1,150	58.4	(53.5 - 63.2)	575	54.2	(49.2 - 59.1)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 15 students who were excluded from the analysis for QN84.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	89.6	(87.2 - 91.7)	1,497	88.1	(83.8 - 91.3)	747	91.3	(87.4 - 94.0)	747
Age									
15 or younger	88.3	(83.3 - 91.9)	499	86.7	(77.5 - 92.5)	233	89.8	(82.3 - 94.4)	266
16 or 17	91.2	(88.4 - 93.4)	793	89.1	(83.2 - 93.0)	404	93.3	(88.6 - 96.2)	387
18 or older	87.3	(80.5 - 92.0)	204	87.9	(76.6 - 94.2)	110	-	-	94
Grade									
9th	86.3	(80.3 - 90.6)	288	83.2	(71.0 - 90.9)	145	89.5	(80.5 - 94.6)	142
10th	90.0	(86.8 - 92.5)	468	91.9	(89.6 - 93.7)	230	88.1	(79.7 - 93.3)	238
11th	90.3	(86.4 - 93.2)	311	86.8	(78.4 - 92.2)	155	93.9	(89.2 - 96.6)	155
12th	92.8	(88.3 - 95.7)	420	91.9	(82.8 - 96.4)	212	93.8	(89.9 - 96.2)	207
Race/Ethnicity									
Black*	81.0	(74.4 - 86.3)	106	-	-	42	-	-	64
Hispanic/Latino	81.4	(68.7 - 89.7)	117	-	-	60	-	-	56
White*	92.3	(89.5 - 94.4)	1,146	91.7	(88.1 - 94.3)	571	93.0	(87.9 - 96.0)	574
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 18 students who were excluded from the analysis for QN85.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.6	(20.4 - 27.2)	1,499	23.4	(19.5 - 27.8)	749	23.9	(19.8 - 28.6)	747
Age									
15 or younger	24.6	(19.4 - 30.6)	500	23.1	(16.5 - 31.3)	234	26.1	(20.0 - 33.2)	266
16 or 17	23.5	(19.3 - 28.2)	793	23.6	(18.3 - 29.9)	404	23.4	(18.3 - 29.4)	387
18 or older	21.2	(16.0 - 27.5)	205	23.5	(15.8 - 33.3)	111	-	-	94
Grade									
9th	24.0	(17.8 - 31.5)	289	26.1	(17.7 - 36.8)	146	21.8	(15.1 - 30.3)	142
10th	25.5	(20.4 - 31.3)	467	21.5	(16.2 - 28.1)	229	29.6	(23.4 - 36.7)	238
11th	21.7	(16.5 - 27.9)	311	20.8	(14.2 - 29.5)	155	22.8	(15.4 - 32.2)	155
12th	23.0	(19.5 - 26.8)	422	24.8	(18.2 - 32.8)	214	21.1	(15.8 - 27.5)	207
Race/Ethnicity									
Black*	24.3	(17.1 - 33.4)	106	-	-	42	-	-	64
Hispanic/Latino	15.4	(10.8 - 21.4)	117	-	-	60	-	-	56
White*	24.1	(20.7 - 28.0)	1,148	24.3	(19.7 - 29.6)	573	24.1	(19.6 - 29.2)	574
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 16 students who were excluded from the analysis for QN86.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN87: Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.2	(10.0 - 14.8)	1,497	11.2	(9.0 - 13.9)	748	13.3	(9.6 - 18.1)	746
Age									
15 or younger	13.1	(9.0 - 18.7)	500	10.2	(6.3 - 15.9)	234	16.0	(10.2 - 24.1)	266
16 or 17	12.4	(9.4 - 16.1)	792	11.7	(8.1 - 16.6)	404	13.1	(9.2 - 18.3)	386
18 or older	8.6	(6.0 - 12.4)	204	12.1	(7.4 - 19.2)	110	-	-	94
Grade									
9th	13.8	(9.2 - 20.1)	289	12.6	(7.7 - 20.1)	146	15.0	(9.0 - 24.0)	142
10th	13.1	(10.0 - 17.1)	466	11.4	(7.5 - 16.9)	229	14.9	(9.7 - 22.3)	237
11th	12.2	(9.3 - 15.9)	311	10.7	(6.8 - 16.5)	155	13.8	(8.7 - 21.4)	155
12th	9.5	(7.7 - 11.6)	422	10.0	(5.8 - 16.7)	214	9.0	(5.1 - 15.2)	207
Race/Ethnicity									
Black*	14.7	(9.8 - 21.5)	106	-	-	42	-	-	64
Hispanic/Latino	6.9	(3.0 - 15.3)	116	-	-	59	-	-	56
White*	12.2	(10.0 - 14.8)	1,147	11.7	(9.4 - 14.4)	573	12.7	(9.2 - 17.4)	573
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 18 students who were excluded from the analysis for QN87.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN88: Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes in a store during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.0	(5.6 - 8.7)	1,507	9.0	(6.6 - 12.1)	756	5.0	(3.4 - 7.2)	748
Age									
15 or younger	4.0	(2.8 - 5.8)	498	4.5	(2.3 - 8.5)	233	3.6	(2.2 - 5.8)	265
16 or 17	8.7	(7.1 - 10.7)	799	11.5	(8.6 - 15.4)	409	5.7	(3.5 - 9.2)	388
18 or older	9.2	(5.1 - 16.1)	209	11.7	(5.0 - 25.1)	114	-	-	95
Grade									
9th	2.5	(1.3 - 4.6)	287	2.1	(0.6 - 6.7)	144	2.9	(1.2 - 6.9)	142
10th	6.1	(3.7 - 9.7)	471	8.4	(4.6 - 15.1)	234	3.5	(1.4 - 8.5)	237
11th	10.6	(8.1 - 13.8)	315	16.4	(12.0 - 22.2)	157	4.7	(2.4 - 9.0)	157
12th	8.7	(5.4 - 13.8)	424	8.5	(4.3 - 16.2)	216	8.8	(5.1 - 14.8)	207
Race/Ethnicity									
Black*	5.3	(2.4 - 11.2)	108	-	-	45	-	-	63
Hispanic/Latino	2.1	(0.8 - 5.2)	118	-	-	60	-	-	57
White*	7.5	(5.9 - 9.4)	1,156	9.5	(7.2 - 12.4)	578	5.4	(3.4 - 8.4)	577
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 8 students who were excluded from the analysis for QN88.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN89: Percentage of students who drank a usual type of alcohol during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	34.6	(31.3 - 38.1)	1,469	33.4	(29.0 - 38.0)	733	35.7	(31.0 - 40.8)	733
Age									
15 or younger	27.8	(24.3 - 31.5)	490	25.6	(20.5 - 31.4)	229	29.9	(25.4 - 34.9)	261
16 or 17	37.2	(32.5 - 42.1)	772	34.1	(28.3 - 40.4)	393	40.0	(32.9 - 47.6)	377
18 or older	45.5	(37.8 - 53.5)	206	53.2	(42.4 - 63.7)	111	-	-	95
Grade									
9th	24.6	(20.3 - 29.4)	281	22.5	(16.6 - 29.6)	140	26.7	(18.0 - 37.6)	140
10th	31.6	(26.7 - 36.9)	458	29.8	(22.1 - 38.8)	226	33.4	(26.2 - 41.6)	232
11th	36.2	(31.0 - 41.7)	302	35.5	(28.8 - 42.8)	150	36.2	(29.6 - 43.3)	151
12th	47.1	(41.5 - 52.8)	419	46.9	(38.1 - 55.8)	212	47.2	(36.2 - 58.6)	206
Race/Ethnicity									
Black*	26.5	(17.8 - 37.5)	106	-	-	44	-	-	62
Hispanic/Latino	34.4	(20.6 - 51.5)	112	-	-	58	-	-	53
White*	35.5	(31.7 - 39.4)	1,128	34.4	(29.8 - 39.4)	560	36.3	(30.3 - 42.8)	567
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	51	-	-	29	-	-	22

Note: There were 46 students who were excluded from the analysis for QN89.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN90: Percentage of students who usually drank alcohol during the past 30 days at their home or another person's home when an adult age 21 or older was not present

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.6	(12.6 - 16.8)	1,477	14.7	(11.8 - 18.3)	738	14.5	(12.0 - 17.3)	736
Age									
15 or younger	12.1	(10.0 - 14.7)	489	10.3	(6.7 - 15.4)	227	13.9	(10.7 - 17.9)	262
16 or 17	16.1	(12.8 - 20.1)	780	15.9	(11.9 - 20.9)	399	16.5	(12.6 - 21.2)	379
18 or older	15.8	(10.0 - 24.0)	207	23.2	(14.3 - 35.4)	112	-	-	95
Grade									
9th	10.5	(8.0 - 13.7)	280	10.4	(6.2 - 16.8)	138	10.7	(7.5 - 15.0)	141
10th	14.2	(9.9 - 20.1)	462	11.9	(5.4 - 23.9)	228	16.7	(12.2 - 22.4)	234
11th	16.2	(12.2 - 21.2)	305	16.1	(11.0 - 23.0)	153	16.4	(12.2 - 21.6)	151
12th	17.3	(11.4 - 25.5)	421	21.0	(13.3 - 31.6)	214	13.7	(8.5 - 21.3)	206
Race/Ethnicity									
Black*	12.1	(7.2 - 19.7)	106	-	-	44	-	-	62
Hispanic/Latino	9.0	(4.4 - 17.5)	111	-	-	57	-	-	53
White*	15.2	(12.6 - 18.2)	1,136	15.5	(12.0 - 19.7)	565	14.9	(11.9 - 18.5)	570
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	53	-	-	30	-	-	23

Note: There were 38 students who were excluded from the analysis for QN90.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN91: Percentage of students who were not asked to show proof of age when they bought or tried to buy alcohol in a store during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	2.2	(1.5 - 3.2)	1,506	2.6	(1.5 - 4.3)	754	1.8	(0.9 - 3.7)	749
Age									
15 or younger	1.9	(0.9 - 4.1)	502	2.3	(1.0 - 5.7)	235	1.5	(0.4 - 5.7)	267
16 or 17	1.9	(1.1 - 3.2)	797	2.7	(1.3 - 5.5)	408	1.1	(0.5 - 2.6)	387
18 or older	4.3	(2.1 - 8.5)	206	2.7	(0.8 - 8.7)	111	-	-	95
Grade									
9th	1.5	(0.5 - 4.2)	290	1.7	(0.5 - 5.8)	146	1.3	(0.2 - 8.2)	143
10th	2.5	(1.4 - 4.6)	471	4.2	(2.1 - 8.0)	233	0.8	(0.2 - 3.7)	238
11th	2.3	(1.0 - 5.2)	313	2.2	(0.7 - 6.4)	156	2.4	(0.8 - 7.4)	156
12th	2.6	(1.3 - 5.0)	423	2.4	(0.8 - 6.6)	215	2.8	(0.9 - 8.2)	207
Race/Ethnicity									
Black*	2.5	(0.6 - 10.1)	107	-	-	44	-	-	63
Hispanic/Latino	1.2	(0.3 - 4.2)	117	-	-	59	-	-	57
White*	2.2	(1.4 - 3.3)	1,154	2.7	(1.4 - 4.9)	576	1.6	(0.6 - 4.1)	577
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	55	-	-	32	-	-	23

Note: There were 9 students who were excluded from the analysis for QN91.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Indiana High School Survey
Summary Table - Weighted Data**

QN92: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	22.3	(19.4 - 25.6)	1,491	20.1	(16.6 - 24.2)	745	24.7	(20.6 - 29.3)	743
Age									
15 or younger	14.8	(11.3 - 19.1)	494	10.7	(5.8 - 19.0)	229	18.7	(14.8 - 23.4)	265
16 or 17	25.7	(22.1 - 29.7)	789	23.8	(19.8 - 28.5)	404	27.7	(22.4 - 33.8)	383
18 or older	32.1	(24.6 - 40.7)	207	32.6	(25.2 - 41.0)	112	-	-	95
Grade									
9th	10.6	(7.1 - 15.5)	284	6.4	(2.4 - 16.3)	141	15.0	(10.0 - 21.9)	142
10th	22.0	(18.7 - 25.7)	465	20.8	(14.2 - 29.5)	230	23.3	(19.3 - 27.9)	235
11th	24.1	(18.0 - 31.4)	311	22.9	(16.3 - 31.2)	154	25.5	(16.9 - 36.6)	156
12th	33.2	(27.8 - 39.2)	421	30.9	(24.4 - 38.2)	215	35.5	(27.2 - 44.7)	205
Race/Ethnicity									
Black*	15.0	(9.8 - 22.3)	105	-	-	43	-	-	62
Hispanic/Latino	13.7	(7.7 - 23.3)	116	-	-	58	-	-	57
White*	24.2	(20.4 - 28.5)	1,143	21.8	(18.0 - 26.2)	570	26.9	(21.5 - 33.2)	572
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 24 students who were excluded from the analysis for QN92.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN93: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.4	(10.5 - 14.7)	1,494	11.7	(9.2 - 14.7)	746	13.2	(10.8 - 16.1)	745
Age									
15 or younger	9.5	(7.0 - 12.6)	494	7.3	(4.3 - 12.3)	229	11.5	(8.5 - 15.4)	265
16 or 17	13.5	(11.1 - 16.4)	792	12.9	(9.9 - 16.6)	405	14.2	(11.1 - 18.0)	385
18 or older	17.2	(12.1 - 23.9)	207	19.6	(13.8 - 27.0)	112	-	-	95
Grade									
9th	6.2	(4.2 - 9.0)	284	4.3	(2.0 - 9.1)	141	8.0	(5.5 - 11.7)	142
10th	15.0	(12.3 - 18.1)	465	14.8	(9.8 - 21.7)	230	15.2	(11.2 - 20.3)	235
11th	12.0	(7.9 - 17.8)	312	11.1	(6.5 - 18.5)	155	13.0	(8.2 - 20.0)	156
12th	16.9	(13.1 - 21.6)	423	16.9	(12.6 - 22.2)	215	16.8	(11.6 - 23.8)	207
Race/Ethnicity									
Black*	8.6	(4.9 - 14.7)	105	-	-	43	-	-	62
Hispanic/Latino	5.8	(2.0 - 15.9)	116	-	-	58	-	-	57
White*	13.7	(11.2 - 16.6)	1,145	12.7	(10.0 - 15.9)	570	14.8	(11.5 - 18.9)	574
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 21 students who were excluded from the analysis for QN93.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN94: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.1	(11.1 - 15.3)	1,491	12.2	(9.8 - 15.0)	745	14.0	(11.5 - 16.9)	743
Age									
15 or younger	10.4	(7.8 - 13.8)	498	8.0	(4.7 - 13.2)	232	12.7	(9.9 - 16.3)	266
16 or 17	14.3	(11.4 - 17.8)	787	13.1	(9.2 - 18.3)	402	15.5	(12.1 - 19.5)	383
18 or older	16.6	(11.5 - 23.3)	205	20.7	(13.5 - 30.5)	111	-	-	94
Grade									
9th	7.9	(5.0 - 12.3)	288	4.8	(2.1 - 10.7)	143	11.0	(6.8 - 17.4)	144
10th	14.1	(11.1 - 17.6)	465	13.4	(9.7 - 18.3)	229	14.7	(10.6 - 20.1)	236
11th	14.5	(8.9 - 22.6)	307	14.3	(8.2 - 24.0)	154	14.8	(8.7 - 23.9)	152
12th	15.4	(11.5 - 20.4)	421	15.6	(10.8 - 21.9)	214	15.1	(9.9 - 22.4)	206
Race/Ethnicity									
Black*	7.9	(4.3 - 14.2)	107	-	-	43	-	-	64
Hispanic/Latino	11.9	(6.0 - 22.4)	116	-	-	59	-	-	56
White*	13.5	(11.3 - 15.9)	1,141	12.4	(9.9 - 15.5)	568	14.6	(11.7 - 18.1)	572
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 24 students who were excluded from the analysis for QN94.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN95: Percentage of students who have taken over-the-counter drugs to get high one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.4	(4.5 - 6.3)	1,488	4.5	(3.7 - 5.6)	741	6.3	(4.7 - 8.2)	744
Age									
15 or younger	5.4	(3.6 - 7.8)	495	4.0	(2.2 - 7.0)	229	6.7	(4.1 - 10.7)	266
16 or 17	4.9	(3.3 - 7.4)	787	3.7	(2.4 - 5.8)	401	6.3	(3.5 - 10.9)	384
18 or older	7.2	(4.4 - 11.6)	205	9.4	(5.6 - 15.3)	111	-	-	94
Grade									
9th	3.1	(1.8 - 5.0)	286	1.7	(0.5 - 5.3)	141	4.4	(2.2 - 8.5)	144
10th	7.1	(5.2 - 9.6)	464	6.7	(4.8 - 9.4)	228	7.4	(4.7 - 11.6)	236
11th	6.0	(3.3 - 10.8)	307	4.1	(1.7 - 9.5)	154	8.1	(4.3 - 14.5)	152
12th	4.5	(3.2 - 6.4)	421	4.1	(2.4 - 6.6)	213	5.0	(3.3 - 7.6)	207
Race/Ethnicity									
Black*	3.2	(1.2 - 8.2)	107	-	-	43	-	-	64
Hispanic/Latino	5.2	(2.5 - 10.5)	117	-	-	59	-	-	57
White*	5.4	(4.3 - 6.8)	1,137	4.5	(3.4 - 5.8)	564	6.5	(4.3 - 9.5)	572
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 27 students who were excluded from the analysis for QN95.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN96: Percentage of students who have had an accident or a health problem as a result of drug use one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.6	(7.1 - 10.3)	1,502	8.7	(7.0 - 10.8)	753	8.4	(6.6 - 10.8)	746
Age									
15 or younger	9.0	(6.4 - 12.4)	501	8.0	(5.4 - 11.8)	235	9.9	(6.5 - 14.9)	266
16 or 17	8.0	(6.7 - 9.5)	794	8.5	(6.2 - 11.6)	406	7.5	(5.9 - 9.7)	386
18 or older	9.7	(6.4 - 14.4)	206	11.8	(7.1 - 18.9)	112	-	-	94
Grade									
9th	9.3	(6.2 - 13.9)	289	7.7	(4.8 - 12.3)	146	11.0	(7.1 - 16.6)	142
10th	8.5	(6.8 - 10.6)	469	8.8	(6.6 - 11.7)	232	8.1	(5.0 - 13.1)	237
11th	9.1	(6.8 - 12.0)	312	11.8	(7.7 - 17.7)	156	6.3	(3.5 - 10.9)	155
12th	7.2	(4.5 - 11.2)	422	6.0	(3.2 - 11.1)	214	8.3	(5.0 - 13.6)	207
Race/Ethnicity									
Black*	11.4	(5.8 - 21.2)	108	-	-	44	-	-	64
Hispanic/Latino	5.6	(2.1 - 13.9)	117	-	-	60	-	-	56
White*	8.2	(7.2 - 9.3)	1,148	7.8	(6.2 - 9.8)	574	8.6	(6.8 - 11.0)	573
All other races	-	-	43	-	-	24	-	-	18
Multiple races	-	-	56	-	-	32	-	-	24

Note: There were 13 students who were excluded from the analysis for QN96.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN97: Percentage of students who have bet money or personal items on playing cards, on games of skill, on sports teams, on the lottery, or in a casino during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.0	(20.8 - 25.4)	1,456	36.6	(32.7 - 40.7)	720	9.5	(7.2 - 12.4)	733
Age									
15 or younger	23.1	(18.5 - 28.5)	487	36.7	(29.3 - 44.8)	227	9.6	(6.3 - 14.5)	260
16 or 17	20.5	(17.7 - 23.7)	770	32.0	(27.0 - 37.6)	388	9.2	(6.2 - 13.4)	380
18 or older	33.8	(27.7 - 40.4)	198	55.6	(45.0 - 65.7)	105	-	-	93
Grade									
9th	23.5	(15.8 - 33.3)	277	36.3	(26.0 - 48.0)	138	10.0	(5.0 - 18.7)	138
10th	21.7	(17.3 - 26.8)	459	34.5	(24.5 - 45.9)	224	8.7	(5.7 - 13.0)	235
11th	18.2	(13.2 - 24.6)	299	28.7	(20.6 - 38.3)	148	8.0	(4.7 - 13.5)	150
12th	28.6	(24.9 - 32.6)	412	47.4	(40.1 - 54.8)	206	10.8	(7.3 - 15.7)	205
Race/Ethnicity									
Black*	22.9	(11.9 - 39.6)	102	-	-	41	-	-	61
Hispanic/Latino	20.7	(14.9 - 28.0)	114	-	-	57	-	-	56
White*	23.0	(20.8 - 25.5)	1,120	36.3	(31.7 - 41.1)	554	9.1	(6.8 - 12.2)	565
All other races	-	-	41	-	-	22	-	-	18
Multiple races	-	-	53	-	-	29	-	-	24

Note: There were 59 students who were excluded from the analysis for QN97.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN98: Percentage of students who have ever felt bad about the amount of money or personal items they bet or about what happened when they bet money or personal items during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.7	(2.7 - 5.0)	1,464	5.4	(3.6 - 8.0)	726	1.9	(1.1 - 3.5)	735
Age									
15 or younger	3.9	(2.2 - 6.8)	491	7.0	(3.9 - 12.2)	229	0.8	(0.2 - 2.9)	262
16 or 17	2.9	(2.0 - 4.1)	772	3.0	(1.7 - 5.3)	390	2.8	(1.7 - 4.7)	380
18 or older	6.4	(3.7 - 10.7)	200	10.4	(5.5 - 18.6)	107	-	-	93
Grade									
9th	3.6	(1.5 - 8.4)	279	6.3	(2.7 - 14.3)	139	0.7	(0.1 - 5.0)	139
10th	3.7	(2.6 - 5.3)	462	5.7	(3.6 - 8.8)	226	1.7	(0.4 - 6.6)	236
11th	2.0	(1.0 - 3.7)	302	1.7	(0.5 - 5.5)	150	2.3	(1.4 - 3.7)	151
12th	5.3	(3.4 - 8.2)	412	7.5	(4.2 - 13.0)	207	3.3	(1.2 - 9.1)	204
Race/Ethnicity									
Black*	5.0	(2.1 - 11.7)	104	-	-	42	-	-	62
Hispanic/Latino	7.8	(3.6 - 16.1)	114	-	-	57	-	-	56
White*	3.2	(2.2 - 4.6)	1,123	4.7	(3.1 - 7.1)	556	1.6	(0.7 - 3.5)	566
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 51 students who were excluded from the analysis for QN98.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Summary Table - Weighted Data

QN99: Percentage of students who have tried to stop betting money or personal items but did not think they could during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.3	(3.3 - 5.8)	1,463	6.7	(4.7 - 9.6)	727	2.0	(1.2 - 3.2)	733
Age									
15 or younger	5.3	(3.4 - 8.1)	487	8.3	(5.3 - 12.8)	228	2.3	(1.0 - 5.6)	259
16 or 17	4.0	(2.8 - 5.7)	774	6.2	(3.6 - 10.4)	391	1.9	(0.8 - 4.3)	381
18 or older	2.6	(1.0 - 6.6)	201	4.1	(1.3 - 12.2)	108	-	-	93
Grade									
9th	5.5	(3.0 - 10.0)	278	8.8	(4.9 - 15.3)	139	2.1	(0.5 - 7.7)	138
10th	4.8	(2.8 - 7.9)	459	7.2	(3.7 - 13.8)	225	2.3	(0.9 - 5.5)	234
11th	3.4	(1.8 - 6.1)	303	4.2	(1.0 - 15.4)	150	2.6	(1.0 - 6.9)	152
12th	3.7	(2.2 - 6.1)	414	6.6	(3.9 - 10.9)	209	0.9	(0.2 - 3.5)	204
Race/Ethnicity									
Black*	7.3	(3.0 - 16.9)	103	-	-	41	-	-	62
Hispanic/Latino	4.6	(2.3 - 9.2)	114	-	-	57	-	-	56
White*	3.9	(2.9 - 5.2)	1,122	6.2	(4.4 - 8.5)	557	1.5	(0.7 - 3.1)	564
All other races	-	-	42	-	-	23	-	-	18
Multiple races	-	-	55	-	-	31	-	-	24

Note: There were 52 students who were excluded from the analysis for QN99.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.