

# AT A GLANCE

2010 Annual HIV/AIDS, STD, and Hepatitis B & C Data;  
January 1, 2010 – June 30, 2010

Indiana HIV/AIDS Cases	HIV at First Diagnosis	AIDS at First Diagnosis	
New Reports for 2010*	191	76	
	Total Persons With HIV (without an AIDS diagnosis)	Total Persons with AIDS	
Prevalence as of 06/30/2010**	4,395	5,403	
Indiana STD Cases	Primary/Secondary Syphilis	Gonorrhea	Chlamydia
1/1/09 – 12/31/09***	152	6,812	21,579
Indiana Hepatitis B & C Cases	Hepatitis B 1/01/10 – 6/30/10	Hepatitis C *** 1/01/09 – 12/31/09	
	33	6,101	

\*New Reports are broken into 2 categories: HIV at First Diagnosis represents all new reports as being diagnosed first with HIV; AIDS at First Diagnosis represents all new reports as being diagnosed first with AIDS.

\*\*Prevalence is the number of people who are 'Living' in Indiana with HIV/AIDS, including those diagnosed in other states but living in Indiana.

\*\*\*Suspected, probable, and confirmed cases based on case investigation submission.

## Information Update

The reporting of each HIV/AIDS case is required by Indiana law (IC 16-41-2-1). Patients that are diagnosed in another state and are in Indiana must also be reported in Indiana. All infants born to an HIV+ mother are to be reported, even though their final HIV status is not known until later. It is also important to remember that when a patient progresses from HIV infection stage to a diagnosis of AIDS, this must be reported separately. As a result of the progression to AIDS they are no longer considered to be a HIV case but are now considered to be an AIDS case. To assist with more accurately defining the impact of HIV and AIDS on Indiana, deaths of those with HIV should also be reported. For assistance, questions, or case report forms and information, please call 1-800-376-2501.

## Technical Notes

Some adolescent AIDS cases have pediatric risk factors because they were less than 13 years old when infected.

The Centers for Disease Control and Prevention Annual HIV/AIDS Surveillance Report can be found at:  
<http://www.cdc.gov/hiv/stats.htm>.

We are revamping the Spotlight and would appreciate any suggestions you might have on what type of data and in what format you wish to see it presented. Please email [dhillman@isdh.in.gov](mailto:dhillman@isdh.in.gov) with your comments.

**Newly Reported Indiana HIV Cases and AIDS Cases by Mode of Transmission, Reported January 1, 2010 – June 30, 2010**

Mode of Transmission (Risk Factors)	HIV at First Diagnosis		AIDS at First Diagnosis	
	Count	%	Count	%
Men who have sex with men (MSM)	99	52%	31	41%
Injection Drug User (IDU)	<5	NA	<5	NA
MSM & IDU	<5	NA	<5	NA
Heterosexual	23	12%	6	8%
Mother diagnosed HIV+ or AIDS	<5	NA	<5	NA
Other (Pediatric Transfusion/Hemophilia and Adult Transfusion/Hemophilia etc.)	9	5%	<5	NA
Not Identified at This Time and/or No Reported Risk	53	28%	33	43%
Total	191	100%	76	100%

**Newly Reported Indiana HIV Cases and AIDS Cases by Age at Diagnosis, Reported January 1, 2010 – June 30, 2010**

Age at Diagnosis	HIV at First Diagnosis		AIDS at First Diagnosis	
	Count	%	Count	%
<5	<5	NA	<5	NA
5-12	<5	NA	<5	NA
13-19	27	14%	<5	NA
20-29	64	34%	14	18%
30-39	51	27%	20	26%
40-49	27	14%	26	34%
50+	20	11%	16	21%
Unknown	<5	NA	<5	NA
Total	191	100%	76	100%

**Newly Reported Indiana HIV Cases and AIDS Cases by Race/Ethnicity and Gender, Reported January 1, 2010 – June 30, 2010**

Race/Ethnicity	HIV at First Diagnosis				AIDS at First Diagnosis			
	Male	%	Female	%	Male	%	Female	%
White	66	41%	11	37%	36	56%	<5	NA
Black	76	47%	17	57%	18	28%	9	75%
Hispanic, all races	10	6%	<5	NA	8	12%	<5	NA
Other	9	6%	<5	NA	<5	NA	<5	NA
Total	161	100%	30	100%	64	100%	12	100%
<b>Gender</b>	84%		16%		84%		16%	