

INDIANA HEALTH BEHAVIOR RISK FACTORS

1999 State Data

(Published April 2001)

Indiana State Department of Health
Epidemiology Resource Center/Data Analysis Team
2 N. Meridian Street, 3-D
Indianapolis, Indiana 46204-3006

Completed as required by a Cooperative Agreement with the
Centers for Disease Control and Prevention and the
Indiana State Department of Health

To request a copy of this report, call (317) 233-7412 or visit our web site
at www.state.in.us/isdh under Data and Statistics.

Preface

The 1999 Health Behavior Risk Factors Report provides a summary of the information collected from Indiana's Behavioral Risk Factor Surveillance System (BRFSS) throughout 1999. The BRFSS is the largest, continuously conducted health survey in the world and currently monitors health behaviors in all states, the District of Columbia, and three territories of the United States. The survey collects data from Indiana residents on various modifiable health risks, preventive health measures, and demographic variables. The objective of this report is to encourage change in risk-related health behaviors, to discover target populations for programs and resources, and to present the condition of Indiana's health in a way that it can be compared to the health of the rest of the United States. The report is intended for health professionals, students, legislators, and others interested in the health status of the Indiana community.

Indiana State Department of Health

Gregory A. Wilson, M.D., *State Health Commissioner*

Epidemiology Resource Center

Robert Teclaw, D.V.M., M.P.H., Ph.D., *Director*

Data Analysis Team

Roland Gamache, Ph.D., M.B.A., *Director*

Behavioral Risk Factor Surveillance Program

Linda Stemnock, B.S.P.H., *Coordinator*

Contributing Staff

Jon Lewis, Ph.D.

Cheryl Thomas

The Epidemiology Resource Center gratefully acknowledges the efforts of the residents of the state of Indiana who took the time to respond to the questions asked in the telephone interviews conducted for this survey.

A special acknowledgment is also extended to the staff of the Wisconsin Survey Research Laboratory who committed themselves to collecting these BRFSS data in an accurate and professional manner.

Table of Contents

<i>Content</i>	<i>Page</i>
Introduction	xi
Background	xi
Goals and Objectives of the BRFSS	xii
Questionnaire Design	xii
Methodology	xii
Interview Process and Quality Assurance Measures	xiii
Response Rates	xiii
Survey Limitations	xiv
Weighting of Data	xiv
National BRFSS Prevalence Summary	xiv
State Prevalence Rankings: BRFSS 1999.....	xvi
 Tables	 xvii
Table 1. How would you say your general health is?	1
Table 2. How many days during the past 30 days was your physical health not good?	2
Table 3. How many days during the past 30 days was your mental health not good?.....	3
Table 4. How many days during the past 30 days were you limited in your usual activities?.....	4
Table 5. Average number of days in past 30 days, physical or mental health not good or activities limited	5
Table 6. Number of people with Medicare coverage.....	6
Table 7. Health care coverage used to pay for most of medical care.....	7
Table 8. Other types of coverage	8
Table 9. During the past 12 months, was there any time you did not have any health insurance coverage?.....	9
Table 10. How long has it been since you had health care coverage?	10
Table 11. How long since you visited doctor for a routine checkup?.....	11
Table 12. How long since blood pressure taken by a health professional?.....	12
Table 13. Ever been told by a health professional that you have high blood pressure?.....	13
Table 14. Told blood pressure high on more than one occasion or only once?	14
Table 15. Have you ever had your blood cholesterol checked?.....	15
Table 16. How long since blood cholesterol checked?.....	16
Table 17. Ever told by health professional your blood cholesterol is high?	17
Table 18. Had any alcoholic beverages in the past month?	18
Table 19. Total number of drinks a month.....	19
Table 20. How many times during the past month did you have 5 or more drinks on an occasion?.....	20
Table 21. How many times in the past month have you driven when you have had perhaps too much to drink?	21
Table 22. Females only: Have you ever had a mammogram?	22
Table 23. How long has it been since you had your last mammogram?.....	23
Table 24. Why was your last mammogram done?	24
Table 25. Females only: Have you ever had a breast physical exam by a doctor or a medical assistant?.....	25

Table of Contents, Continued

Table 26.	How long has it been since your last breast physical exam?	26
Table 27.	Why was your last breast physical exam done?.....	27
Table 28.	Females only: Have you ever had a Pap smear?.....	28
Table 29.	Females only: When did you have your last Pap smear?.....	29
Table 30.	Females only: Why was your last Pap smear done?	30
Table 31.	Females only: Have you had a hysterectomy?.....	31
Table 32.	Females 18-44 only: Are you now pregnant?.....	32
Table 33.	Have you had a flu shot during the past 12 months?	33
Table 34.	Have you ever had a pneumonia vaccination?.....	34
Table 35.	Have you ever had a blood stool test, using home kit?.....	35
Table 36.	When did you have your last blood stool test, using a home kit?.....	36
Table 37.	Have you ever had a sigmoidoscopy?.....	37
Table 38.	When did you have your last sigmoidoscopy/colonoscopy?	38
Table 39.	What is the age of the oldest child in your household under the age of 16?.....	39
Table 40.	When riding on a bicycle, how often does the oldest child use a helmet?.....	40
Table 41.	When was the last time the smoke detectors in your home were tested?	41
Table 42.	If you had a child in school, what grade do you think s/he should begin HIV and AIDS education?	42
Table 43.	If you had sexually active teenager, would you encourage him or her to use a condom?	43
Table 44.	What are your chances of getting infected with HIV?.....	44
Table 45.	Have you donated blood since March 1985?.....	45
Table 46.	Have you donated blood in the last 12 months?	46
Table 47.	Except for tests you may have had as part of blood donations, have you ever been tested for HIV?	47
Table 48.	Have you ever been tested for HIV?.....	48
Table 49.	Not including your blood donations, have you been tested for HIV in the past 12 months?.....	49
Table 50.	Have you been tested for HIV in the past 12 months?.....	50
Table 51a-d.	What was the main reason you had your last test for HIV?.....	51
Table 52a-d.	Where did you have your last test for HIV?	55
Table 53.	did you receive the results of your last test?	59
Table 54.	Did you receive counseling after getting the results of your last test?.....	60
Table 55.	To lower your risk of developing heart disease or stroke, has a doctor advised you to eat fewer high fat or high cholesterol foods?.....	61
Table 56.	To lower your risk of developing heart disease or stroke, has a doctor advised you to exercise more?	62
Table 57.	To lower your risk of developing heart disease or stroke, are you eating fewer high fat or high cholesterol foods?.....	63
Table 58.	To lower your risk of developing heart disease or stroke, are you exercising more?	64
Table 59.	Has a doctor ever told you that you had a heart attack or myocardial infarction?.....	65
Table 60.	Has a doctor ever told you that you had angina or coronary heart disease?	66
Table 61.	Has a doctor ever told you that you had a stroke?	67
Table 62.	Do you take aspirin daily or every other day?	68
Table 63.	Do you have a health problem or condition that makes taking aspirin unsafe for you?	69
Table 64.	Do you take aspirin to relieve pain?.....	70
Table 65.	Do you take aspirin to reduce the chance of a heart attack?	71

Table of Contents, Continued

Table 66.	Do you take aspirin to reduce the chance of a stroke?.....	72
Table 67.	Have you gone through or are you going through menopause?.....	73
Table 68.	Has your doctor discussed the benefits and risks of estrogen with you?.....	74
Table 69.	Other than birth control pills, has your doctor ever prescribed estrogen pills for you?..	75
Table 70.	Are you currently taking estrogen pills?.....	76
Table 71.	Are you taking estrogen pills to prevent a heart attack?.....	77
Table 72.	Are you taking estrogen pills to treat or prevent bone thinning, bone loss, or osteoporosis?	78
Table 73.	Are you taking estrogen pills to treat symptoms of menopause such as hot flashes?.....	79
Table 74.	Do you currently take any vitamin pills or supplements?.....	80
Table 75.	Are any of these a multivitamin?	81
Table 76.	do any of the vitamin pills or supplements you take contain folic acid?	82
Table 77.	How often do you take this vitamin pill or supplement?	83
Table 78.	Why do you think some health experts recommend that women take 400 micrograms of the B vitamin folic acid?.....	84
Table 79.	Body weight status based on Body Mass Index (BMI) - Summary.....	85
Table 80.	Cigarette smoking status - Summary	86
Table 81.	during the past 12 months, have you quit smoking for 1 day or longer?.....	87
Table 82.	Have you ever been told by a physician that you had diabetes?.....	88
Table 83.	When was your last dentist or dental clinic visit for any reason?.....	89
Table 84.	How many permanent teeth have you had removed due to decay or gum disease?	90
Table 85.	Have you had a sunburn within the past 12 months (even a small part of skin red for >12 hours)?.....	91

Appendices..... 93

Appendix A - Healthy People 2000 in Indiana..... A-1

Appendix B - Definitions of BRFSS Risk FactorsB-1

Appendix C - 1999 Behavioral Risk Factor Surveillance Survey Questionnaire.....C-1

Introduction

Background

Indiana has the distinction of being a pioneer among the states participating in the Behavior Risk Factor Surveillance System (BRFSS). Over the past few decades, many of the public health promotion initiatives of the Indiana State Department of Health (ISDH) have focused not only on infectious diseases and prevention, but also on chronic disease prevention and how certain behavioral risks are associated with many of these diseases.

Since 1984, ISDH has entered into a yearly cooperative agreement with the Centers for Disease Control and Prevention (CDC) to develop and implement the BRFSS survey in Indiana. This national survey monitors modifiable risk factors associated with chronic and communicable diseases by collecting information from adults on health behaviors and preventive practices. Since the early years, continuous improvement in the collection process and analysis of the data have provided public health professionals with a wealth of information that has aided in promoting healthy lifestyles.

Health risk factors of adults, many of which are behavioral in nature, are examined in the BRFSS. The surveys are conducted on a continuous basis to determine the proportion of Indiana residents who engage in health behaviors that increase the probability of negative health outcomes. These behavioral risk factor prevalence data play a vital role in developing public policy and monitoring achievement of public health goals.

The BRFSS is the largest continuously conducted health survey in the world. It was developed by the CDC to collect data on major behavioral risk factors that contribute to premature death and disability. Emerging health concerns and other critical health issues are also included in the survey. With this elaborate surveillance system, the BRFSS monitors health behaviors in all states, the District of Columbia, and three territories of the U.S., which permits state and regional comparisons, as well as trend analyses.

Core questions, which are used by all participating states each year, are developed jointly by the CDC and the participating states. Standard modules on specific topics may be added to accommodate the states' individual surveillance needs. Individual states may also add questions designed to gather data to meet regional needs.

Over the years, Indiana's BRFSS program has increased surveillance coverage in the following areas: assessment of general health status, use of health care resources, the prevalence of selected chronic conditions, knowledge and awareness of AIDS and HIV, awareness and prevalence of clinical screening procedures, and injury issues.

Additional surveillance efforts of the BRFSS program in Indiana doubled the statewide sample size since the first survey was done, expanded the use of rotating modules specific to program areas within the Indiana State Department of Health, increased the numbers of state-added questions and aided several counties with the development of their own surveys to monitor health risk factors in specific geographic areas.

Goals and Objectives of the BRFSS

The Indiana State Department of Health, in partnership with a variety of public and private programs, is responsible for planning, implementing, evaluating, and tracking disease and injury prevention programs in the state. The ultimate goal of the national BRFSS survey is to provide valid data to assist in these tasks. To help states achieve these goals, the CDC has established the following objectives for all BRFSS programs:

- Determine prevalence of personal health behaviors associated with the leading causes of premature death.
- Increase public awareness of lifestyles that can significantly influence health and well being.
- Monitor behavioral risk factors over time, and focus on factors that are not improving.
- Assess progress in meeting the national health objectives for health promotion and disease prevention.
- Assess the impact of state legislation on behavioral risks.
- Share BRFSS data with state and local agencies involved with health-related issues.

The Questionnaire Design

The BRFSS questionnaire has three basic parts: 1) a set of core questions used by all participants; 2) standard modules on selected topics that may rotate from year to year; and 3) state-added questions, which are developed by individual states and relate to state and local health issues. The core and standard modules are jointly developed by the states and the CDC. Because all participants use the same core questions, data can be used for comparative purposes and trend analyses.

Core health-related topics include: health status, health care access, awareness of selected medical conditions (hypertension, diabetes, and high cholesterol), injury control, tobacco and alcohol use, women's health issues and the use of certain preventive health measures, awareness and attitudes concerning HIV/AIDS, and prevalence of testing for HIV infection. In addition to questions concerning health-related behaviors, respondents were asked to provide demographic information such as age, sex, race, marital status, household income, employment status, and educational level.

Standard modules include such risk factors as weight control, oral health, participation in leisure time and physical activities, consumption of fruits and vegetables, consumption of alcohol, and the use of smokeless tobacco.

Methodology

Indiana's sample size for 1999 was 2,443 randomly selected Indiana residents age 18 years or older. A disproportionate stratified random sample design was used to generate the sample of telephone numbers. In this design, information obtained from previous surveys is used to classify 100-number blocks of telephone numbers into strata that are either likely or unlikely to yield residential numbers. Telephone numbers in the likely stratum are sampled at a higher rate than numbers in the unlikely stratum.

First, a sample was drawn independently from each stratum by randomly sampling the telephone numbers within each stratum. Then, when an interviewer called a sampled household, one adult living in the household was randomly selected to be the respondent. The completed survey sample was designed to produce a representative sample of all adult Indiana residents.

The Interview Process and Quality Assurance Measures

In 1999, the Indiana State Department of Health contracted with the Wisconsin Survey Research Laboratory for telephone interviewing and data preparation. A computer-assisted interviewing system (CASS-CATI) was used in the interview process. A CDC-developed protocol was followed to process the data. When monthly interviewing was completed, the data were summarized utilizing a computer program provided by CDC. The summary and the data were then submitted to CDC where staff edited, corrected, and compiled state data into an annual file that was provided to the BRFSS Program Director at the Indiana State Department of Health.

Quality assurance of the survey data is mandated by CDC. The questionnaires were edited daily to assure proper completion. Callbacks were done randomly, on a spot-check basis, to confirm that interviews had been conducted as indicated.

Response Rates

The objective of the CDC data quality protocol is to provide the most accurate data possible. Because non-responses tend to bias the results of a survey, special attention was given to minimizing the non-response rate. The extent to which completed interviews were obtained from among all phone numbers selected is indicated by several different measures of response rate. A high response rate indicates a low potential for bias in the data.

Two slightly different estimates of response rate were calculated in order to measure the degree of bias in each state's data. The first measure was developed by the Council of American Survey Research Organizations (CASRO). The second measure (Upper Bound) is a more liberal definition of response rate. Each is defined below.

CASRO

This estimate reflects telephone sampling efficiency as well as the degree of cooperation among eligible respondents who were contacted. It includes the number of attempted interviews that were not completed for any reason. Cooperation elements include: completed interviews, refusals, early terminations, or the selected respondent was not available at a convenient time. Sampling efficiency elements include non-working numbers, rings but no answer, nonresidential numbers, busy signals, no eligible respondent at the number, language barriers, and other communication problems.

One of the CDC data quality objectives is to reach a CASRO response rate of 75% or higher. The median value for participating areas in 1999 was 59.2%. The areas ranged from a low of 32.5% to a high of 76.7%. Indiana's CASRO response rate estimate in 1999 was 49.2%.

Upper Bound

This estimate is the most commonly understood definition of response rate. It reflects only cooperation elements of eligible respondents. Cooperation elements include completed interviews, early terminations, and refusals. It is not affected by differences in telephone sampling efficiency.

The CDC data quality objective for the Upper Bound response rate is 90% or more. The median value for participating areas in 1999 was 68.4%. The range of Upper Bound estimates was from a low of 44.5% to a high of 95.1%. Indiana's Upper Bound estimate in 1999 was 56.0%.

Survey efficiency is another measure of data quality assurance. The efficiency rate used for BRFSS is completed interviews as a percent of all telephone numbers dialed. It reflects the percent of telephone numbers in the survey area that are assigned to households as well as the respondent cooperation factor. Changes in this measure over time reflect changes in the telephone company assignment of phone numbers, change in sampling design or change in interviewer performance.

The CDC objective for survey efficiency is a rate of 40% or higher. In 1999, survey efficiency ranged from 7.1% to 39.1%. The median value for the participating areas in 1999 was 15.1%. Indiana's efficiency rate was 17.1% in 1999.

Survey Limitations

The BRFSS survey relies on self-reported data and has certain limitations. These limitations should be understood in the interpretation of the data. Many times respondents have the tendency to underreport some behaviors that may be considered socially unacceptable, unhealthy or even illegal such as high alcohol consumption, drinking and driving or not using seat belts. Conversely, respondents may over-report behaviors that are considered desirable (the amount of exercise done, low body weight or regular health screenings). Some information is also affected by the ability of the respondent to recall past behaviors and respond accordingly. The validity of survey results depends on the accuracy of the responses to the survey questions from recalled past behaviors.

The BRFSS survey excludes households without telephones, which may result in a biased survey population due to under-representation of certain segments of the population. Additionally, breaking down the data into smaller categories decreases the sample size of the original risk factor categories, thereby decreasing the ability to determine statistically significant differences.

Finally, it should be noted that weighting the data by age and sex distribution was done in order to correct for over- or under-representation of all groups. Prevalences based on denominators of less than 50 respondents were considered statistically unreliable.

Weighting of Data

The data as collected from the respondents in the BRFSS survey is unweighted data. The number of different telephone numbers that reach each household, the number of adults in each household, and the number of completed interviews in each cluster are considered in the weighting process. After adjusting the raw data to these three factors, the data are adjusted further using the Indiana age-sex group distribution so that the weighted sample data produces demographic distributions that correspond closely to the state population.

The National BRFSS Prevalence Summary

The Behavioral Surveillance Branch of the CDC provides a BRFSS summary prevalence report on selected risk factors and preventive health measures from its survey for each participating state. This summary report consists of tables capturing data provided by each participating state and a map of the United States, which indicates whether individual states are at, above, or below the national median prevalence value.

The summary provides a tool to determine how states compare with each other and to the *Healthy People 2000* objectives related to the risk factors that BRFSS measures. Summary information includes the name of the participating state, the sample size, the prevalence of the risk behavior, and the confidence

interval for the prevalence figure. Table 1-1 was developed using information from the 1999 BRFSS Prevalence Summary. It includes information for 50 states, the District of Columbia, and Puerto Rico for a selected number of risk factors. For each measure shown, a rank of 1 indicates the negative end of the ranking. For all measures, a low percent indicates the desired prevalence.

A further comparison of risk factors to national objectives is provided in Appendix A. These tables compare Indiana risk factor prevalences from BRFSS data with national objectives and national BRFSS prevalences for those behaviors for which *Healthy People 2000* has explicitly stated objectives.

State Prevalence Rankings: BRFSS, 1999

State:	Overweight Based on BMI		Current Smokers		Ever Told Blood Pressure High		No Flu Shot, Age 65+		Ever Told Cholesterol High		Women 40+ No Mammogram		Ever Told You Have Diabetes	
	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank
Alabama	37.5	6	23.5	19	31.2	2	35.4	14	33.2	3	14.0	22	7.4	2
Alaska	37.7	4	27.3	4	21.3	45	40.2	3	29.0	32	17.4	4	3.5	51
Arizona	22.9	51	20.1	46	14.2	51	28.7	40	25.0	49	12.0	33	4.3	44
Arkansas	38.1	3	27.2	5	28.4	6	32.7	25	32.7	7	18.9	2	6.6	6
California	33.5	27	18.7	49	23.0	32	27.8	42	30.0	27	N/A	N/A	6.1	15
Colorado	26.7	50	22.5	27	22.2	38	25.2	49	25.9	48	15.6	14	3.8	50
Connecticut	28.6	47	22.8	26	20.4	50	35.2	15	28.0	39	8.1	50	4.3	44
Delaware	32.0	35	25.5	9	25.5	16	32.3	27	31.6	12	8.8	48	6.0	20
District of Co.	30.2	41	20.6	41	24.7	20	44.2	1	22.1	50	10.5	41	6.5	8
Florida	33.6	26	20.6	41	27.7	7	36.9	9	33.0	5	9.5	45	6.8	4
Georgia	35.9	16	23.8	16	26.3	12	43.1	2	29.2	30	14.5	17	5.6	26
Hawaii	28.8	46	18.5	50	22.7	36	25.9	48	27.6	40	11.5	37	5.2	34
Idaho	33.5	27	21.5	37	23.0	32	31.0	33	30.1	25	16.0	10	4.8	40
Illinois	36.0	15	24.2	14	26.7	10	32.5	26	31.8	10	13.4	28	6.4	9
Indiana	34.1	24	27.0	8	25.7	15	33.9	22	31.6	12	14.6	16	6.6	6
Iowa	36.6	11	23.5	19	24.2	23	30.4	36	31.7	11	13.9	23	5.2	34
Kansas	33.4	29	21.0	40	21.4	44	33.0	23	27.1	44	14.1	21	5.4	29
Kentucky	36.7	10	29.7	2	27.5	8	31.6	28	32.5	8	14.4	18	6.4	9
Louisiana	37.7	4	23.5	19	26.0	14	39.7	4	26.5	47	17.9	3	6.1	15
Maine	32.7	32	23.3	22	26.7	10	26.3	46	31.2	16	9.1	46	5.4	29
Maryland	32.7	32	20.3	44	24.5	22	37.4	6	30.6	21	10.7	40	6.8	4
Massachusetts	28.3	48	19.3	48	21.8	43	30.6	35	29.3	29	9.8	44	5.0	37
Michigan	36.8	9	25.1	11	25.2	17	30.0	39	32.9	6	10.5	41	5.5	27
Minnesota	29.2	44	19.5	47	22.0	40	36.0	12	31.3	15	16.0	10	4.8	40
Mississippi	41.8	1	22.9	25	33.5	1	37.2	7	30.1	25	19.4	1	7.9	1
Missouri	35.5	19	27.1	6	24.6	21	31.6	28	30.2	24	16.9	6	6.1	15
Montana	29.8	43	20.2	45	23.2	31	27.1	43	30.5	23	14.2	19	5.9	22
Nebraska	35.7	18	23.2	23	22.0	40	30.8	34	27.4	41	15.7	12	4.3	44
Nevada	28.9	45	31.5	1	29.1	4	37.9	5	35.1	2	11.1	39	5.8	23
New Hampshire	27.9	49	22.3	32	23.4	30	34.9	17	33.2	3	11.8	34	4.3	44
New Jersey	31.4	39	20.6	41	23.5	28	34.7	19	27.1	44	15.4	15	5.4	29
New Mexico	33.0	30	22.5	27	21.0	47	31.2	30	27.3	42	16.4	9	5.5	27
New York	31.9	36	21.8	35	22.9	34	36.2	11	28.6	34	14.2	19	5.7	25
North Carolina	34.9	22	25.1	11	24.1	25	35.8	13	31.2	16	13.3	30	6.2	13
North Dakota	36.3	12	22.1	34	26.1	13	32.8	24	30.6	21	13.4	28	5.0	37
Ohio	35.9	16	27.6	3	27.4	9	31.2	30	32.5	8	11.6	36	6.1	15
Oklahoma	37.2	8	25.2	10	20.9	49	28.2	41	21.2	51	16.9	6	5.8	23
Oregon	32.8	31	21.4	38	22.3	37	34.8	18	29.0	32	8.5	49	4.6	42
Pennsylvania	35.5	19	23.1	24	23.9	26	36.9	9	28.2	38	11.8	34	6.4	9
Rhode Island	32.3	34	22.3	32	22.9	34	24.2	51	28.6	34	9.0	47	5.3	32
South Carolina	37.3	7	23.6	18	25.2	17	30.1	38	27.3	42	12.6	31	6.4	9
South Dakota	36.1	13	22.5	27	23.8	27	26.4	45	29.4	28	13.7	26	4.9	39
Tennessee	34.5	23	24.8	13	28.6	5	34.5	20	29.1	31	15.7	12	6.0	20
Texas	36.1	13	22.4	30	24.2	23	30.2	37	30.9	19	13.8	25	6.2	13
Utah	30.0	42	14.0	51	21.3	45	24.9	50	28.4	36	13.9	23	4.2	49
Vermont	31.1	40	21.7	36	21.0	47	26.6	44	26.7	46	12.2	32	4.3	44
Virginia	35.0	21	21.4	38	23.5	28	34.3	21	31.1	18	13.7	26	6.1	15
Washington	31.8	37	22.4	30	22.1	39	31.1	32	28.3	37	10.0	43	5.2	34
West Virginia	41.3	2	27.1	6	31.0	3	37.1	8	37.1	1	17.4	4	7.3	3
Wisconsin	33.8	25	23.7	17	25.0	19	35.1	16	31.6	12	11.2	38	5.3	32
Wyoming	31.8	37	23.9	15	22.0	40	26.2	47	30.9	19	16.7	8	4.6	42
Median	33.7		22.7		24.0		32.6		30.0		13.8		5.6	

NOTE:

Each percent has a different standard of error.

A ranking between 1 and 25 (above the median value) implies poor status relative to other states.

N/A - Not Available in 1999

1999 Tables

Behavioral Risk Factor Surveillance System

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 1. HOW WOULD YOU SAY YOUR GENERAL HEALTH IS?

	EXCELLENT	VERY GOOD	GOOD	FAIR	POOR	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	32.7	36.3	26.5	4.4	0.2	0.0	217
25-34	26.7	41.3	25.4	5.0	1.6	0.0	444
35-44	22.5	43.4	23.3	8.0	2.7	0.0	583
45-54	24.4	32.5	27.3	10.3	4.3	1.3	501
55-64	21.4	34.0	26.9	12.0	5.7	0.0	262
65-74	11.3	27.0	39.4	14.1	8.1	0.0	234
75 +	7.8	36.5	32.9	16.3	6.5	0.0	173
UNK/REF	*	*	*	*	*	*	29
SEX							
MALE	25.5	39.2	24.6	6.7	3.7	0.5	1,019
FEMALE	20.0	34.0	31.0	11.3	3.7	0.0	1,424
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	23.4	37.4	27.7	8.5	2.8	0.3	2,075
BLACK, NON-HISPANIC	14.3	20.5	39.6	14.9	10.7	0.0	230
HISPANIC	17.3	51.6	13.0	17.5	0.6	0.0	54
OTHER	22.4	37.7	18.3	10.9	10.6	0.0	65
UNK/REF	*	*	*	*	*	*	19
INCOME							
< \$15,000	11.9	22.1	30.4	20.3	15.2	0.0	157
\$15-\$24,999	16.6	31.5	31.6	11.7	8.6	0.0	467
\$25-\$49,999	21.3	41.5	27.6	8.8	0.8	0.0	868
\$50-\$74,999	28.4	42.1	24.5	4.7	0.3	0.0	391
>=\$75,000	43.8	38.0	16.5	1.1	0.6	0.0	289
UNK/REF	17.2	29.2	35.7	11.9	4.1	1.9	271
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	13.3	21.5	31.7	23.0	10.5	0.0	239
HIGH SCHOOL GRAD OR GED	19.9	36.6	30.7	8.8	3.4	0.6	886
SOME COLLEGE OR TECH SCHOOL	25.2	34.5	28.0	9.1	3.2	0.0	653
COLLEGE GRADUATE	28.6	46.2	21.3	2.7	1.2	0.0	663
UNK/REF	*	*	*	*	*	*	2
MARITAL STATUS							
MARRIED	24.6	38.9	25.2	8.0	2.9	0.4	1,275
UNMARRIED	20.3	34.2	30.7	10.2	4.5	0.0	1,161
UNK/REF	*	*	*	*	*	*	7
EMPLOYMENT STATUS							
EMPLOYED	26.6	40.9	24.4	6.8	1.2	0.0	1,631
NOT EMPLOYED	14.6	19.7	38.7	21.9	5.0	0.0	61
STUDENT/HOMEMAKER	21.1	36.4	34.5	5.9	2.2	0.0	297
RETIRED/UNABLE TO WORK	10.9	23.6	34.2	17.5	12.7	1.1	453
UNK/REF	*	*	*	*	*	*	1
TOTAL	22.6	36.5	27.9	9.1	3.7	0.2	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 2. HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD?

	NONE	1 DAY	>= 2 DAYS	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-24	72.6	6.0	21.3	0.1	217
25-34	65.4	9.4	23.9	1.3	444
35-44	58.8	7.3	33.8	0.2	583
45-54	65.9	4.5	28.5	1.1	501
55-64	67.5	2.6	27.9	2.0	262
65-74	57.2	1.6	40.2	1.0	234
75 +	49.6	2.4	44.4	3.6	173
UNK/REF	*	*	*	*	29
SEX					
MALE	68.3	5.1	25.8	0.9	1,019
FEMALE	59.2	5.7	33.8	1.2	1,424
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	64.1	5.8	29.3	0.8	2,075
BLACK, NON-HISPANIC	59.0	3.3	36.7	1.0	230
HISPANIC	73.1	0.0	26.9	0.0	54
OTHER	53.5	2.4	43.6	0.4	65
UNK/REF	*	*	*	*	19
INCOME					
< \$15,000	47.5	1.6	48.5	2.3	157
\$15-\$24,999	55.2	3.2	39.5	2.0	467
\$25-\$49,999	68.5	4.7	26.3	0.5	868
\$50-\$74,999	64.7	10.3	25.0	0.0	391
>=\$75,000	73.6	10.7	15.7	0.0	289
UNK/REF	62.3	2.3	32.7	2.7	271
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	51.4	6.2	37.6	4.8	239
HIGH SCHOOL GRAD OR GED	65.7	4.0	29.8	0.5	886
SOME COLLEGE OR TECH SCHOOL	60.8	5.4	33.6	0.2	653
COLLEGE GRADUATE	68.6	7.2	23.2	1.0	663
UNK/REF	*	*	*	*	2
MARITAL STATUS					
MARRIED	65.3	6.3	27.8	0.7	1,275
UNMARRIED	61.7	4.4	32.4	1.5	1,161
UNK/REF	*	*	*	*	7
EMPLOYMENT STATUS					
EMPLOYED	67.3	6.8	25.7	0.3	1,631
NOT EMPLOYED	76.0	0.7	22.7	0.6	61
STUDENT/HOMEMAKER	66.3	4.5	28.1	1.1	297
RETIRED/UNABLE TO WORK	47.4	2.0	47.0	3.7	453
UNK/REF	*	*	*	*	1
TOTAL	63.6	5.4	30.0	1.1	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 3. HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD?

	NONE	1 DAY	>= 2 DAYS	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-24	51.4	8.4	38.4	1.8	217
25-34	56.6	5.3	38.1	0.1	444
35-44	59.5	3.4	36.6	0.5	583
45-54	60.6	10.2	28.3	0.9	501
55-64	73.9	1.5	24.2	0.4	262
65-74	80.0	2.5	16.2	1.3	234
75 +	87.2	0.6	11.7	0.5	173
UNK/REF	*	*	*	*	29
SEX					
MALE	69.9	5.0	24.7	0.4	1,019
FEMALE	58.4	5.3	35.2	1.1	1,424
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	64.7	4.8	29.7	0.7	2,075
BLACK, NON-HISPANIC	60.3	2.6	36.2	0.9	230
HISPANIC	52.1	18.3	29.6	0.0	54
OTHER	58.0	13.9	25.7	2.5	65
UNK/REF	*	*	*	*	19
INCOME					
< \$15,000	59.7	6.5	32.8	1.1	157
\$15-\$24,999	57.1	2.4	38.5	2.0	467
\$25-\$49,999	63.7	5.0	31.1	0.2	868
\$50-\$74,999	62.5	7.8	29.5	0.2	391
>=\$75,000	72.4	5.7	21.6	0.3	289
UNK/REF	74.0	5.5	19.6	1.0	271
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	60.6	3.8	32.2	3.4	239
HIGH SCHOOL GRAD OR GED	64.4	4.8	30.5	0.3	886
SOME COLLEGE OR TECH SCHOOL	64.1	5.2	30.3	0.4	653
COLLEGE GRADUATE	64.8	6.4	28.4	0.4	663
UNK/REF	*	*	*	*	2
MARITAL STATUS					
MARRIED	68.3	5.6	25.7	0.4	1,275
UNMARRIED	59.3	4.7	35.0	1.1	1,161
UNK/REF	*	*	*	*	7
EMPLOYMENT STATUS					
EMPLOYED	61.4	6.2	32.0	0.5	1,631
NOT EMPLOYED	63.0	1.1	35.9	0.0	61
STUDENT/HOMEMAKER	59.9	3.7	34.5	1.9	297
RETIRED/UNABLE TO WORK	75.3	3.1	20.6	0.9	453
UNK/REF	*	*	*	*	1
TOTAL	63.9	5.1	30.2	0.7	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 4. HOW MANY DAYS DURING THE PAST 30 DAYS WERE YOU LIMITED IN YOUR USUAL ACTIVITIES?

	NONE	1 DAY	>= 2 DAYS	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-24	70.8	10.6	18.6	0.0	140
25-34	65.9	12.5	20.9	0.7	271
35-44	55.1	7.9	36.6	0.3	345
45-54	61.3	10.3	26.6	1.7	293
55-64	63.0	4.5	28.2	4.4	128
65-74	55.4	3.4	38.8	2.3	110
75 +	72.5	0.8	26.1	0.6	97
UNK/REF	*	*	*	*	12
SEX					
MALE	63.9	8.1	26.1	1.9	512
FEMALE	62.0	8.3	29.0	0.7	884
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	64.0	8.7	26.6	0.7	1,184
BLACK, NON-HISPANIC	49.3	6.8	42.9	1.1	136
HISPANIC	*	*	*	*	32
OTHER	*	*	*	*	33
UNK/REF	*	*	*	*	11
INCOME					
< \$15,000	34.5	3.1	58.6	3.7	111
\$15-\$24,999	57.3	5.4	34.0	3.2	302
\$25-\$49,999	71.7	8.5	19.8	0.0	487
\$50-\$74,999	70.7	7.0	22.3	0.0	210
>=\$75,000	66.5	17.5	15.4	0.6	131
UNK/REF	54.8	12.1	32.3	0.8	155
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	48.5	2.1	43.1	6.3	153
HIGH SCHOOL GRAD OR GED	63.5	6.7	28.9	0.9	510
SOME COLLEGE OR TECH SCHOOL	65.6	9.4	25.0	0.0	383
COLLEGE GRADUATE	66.5	13.1	20.3	0.1	349
UNK/REF	*	*	*	*	1
MARITAL STATUS					
MARRIED	65.5	8.7	25.1	0.7	672
UNMARRIED	59.8	7.8	30.7	1.7	720
UNK/REF	*	*	*	*	4
EMPLOYMENT STATUS					
EMPLOYED	67.6	9.3	23.0	0.1	919
NOT EMPLOYED	*	*	*	*	39
STUDENT/HOMEMAKER	61.3	10.2	25.8	2.8	168
RETIRED/UNABLE TO WORK	49.9	4.1	42.1	3.8	270
TOTAL	62.8	8.2	27.8	1.2	1,396

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 5. AVERAGE NUMBER OF DAYS IN PAST 30 DAYS, PHYSICAL OR MENTAL HEALTH NOT GOOD OR ACTIVITIES LIMITED
DENOMINATOR IS ALL PERSONS WHO RESPONDED TO QUESTIONS - EXCLUDING REFUSALS AND UNKNOWNNS

	MEAN # OF DAYS PHYSICAL HEALTH NOT GOOD	MEAN # OF DAYS MENTAL HEALTH NOT GOOD	MEAN # OF DAYS ACTIVITIES LIMITED
AGE GROUP			
18-24	1.1	4.7	1.1
25-34	2.9	4.0	2.8
35-44	3.3	4.5	4.7
45-54	4.0	4.2	5.1
55-64	5.2	3.1	8.1
65-74	6.7	2.8	9.7
75 +	9.9	1.8	3.9
UNK/REF	*	*	*
ALTERNATE AGE GROUP			
18-64	3.3	4.2	4.2
65 +	7.9	2.5	7.4
UNK/REF	*	*	*
SEX			
MALE	3.4	3.0	5.5
FEMALE	4.8	4.6	4.1
RACE AND ETHNICITY			
WHITE, NON-HISPANIC	3.7	3.7	3.9
BLACK, NON-HISPANIC	6.0	5.3	7.4
HISPANIC	2.2	2.4	*
OTHER	4.8	5.4	*
UNK/REF	*	*	*
INCOME			
< \$15,000	9.7	6.0	12.6
\$15-\$24,999	6.3	6.4	7.2
\$25-\$49,999	2.6	3.2	2.4
\$50-\$74,999	1.9	2.8	2.1
>=\$75,000	1.0	2.2	1.5
UNK/REF	7.3	2.9	6.4
EDUCATION LEVEL			
LESS THAN HIGH SCHOOL			
GRADUATE	10.8	7.7	13.7
HIGH SCHOOL GRAD OR GED	3.7	3.7	4.5
SOME COLLEGE OR TECH SCHOOL	3.2	3.1	2.4
COLLEGE GRADUATE	2.4	2.7	2.2
UNK/REF	*	*	*
MARITAL STATUS			
MARRIED	3.6	2.8	4.1
UNMARRIED	4.7	5.0	5.3
UNK/REF	*	*	*
EMPLOYMENT STATUS			
EMPLOYED	2.2	3.6	2.2
NOT EMPLOYED	3.1	3.5	*
STUDENT/HOMEMAKER	3.1	4.6	4.9
RETIRED/UNABLE TO WORK	11.3	4.1	12.1
UNK/REF	*	*	*
TOTAL	4.1	3.8	4.7

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 6. NUMBER OF PEOPLE WITH MEDICARE COVERAGE
DENOMINATOR IS PERSONS REPORTING THEY HAVE HEALTH CARE COVERAGE

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	7.7	92.3	0.0	163
25-34	3.7	96.3	0.1	369
35-44	4.4	95.5	0.0	492
45-54	4.2	95.8	0.0	460
55-64	8.1	91.9	0.0	243
65 +	96.0	3.9	0.2	402
UNK/REF	*	*	*	24
SEX				
MALE	21.6	78.3	0.0	888
FEMALE	26.1	73.8	0.1	1,265
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	24.1	75.8	0.1	1,862
BLACK, NON-HISPANIC	22.6	77.4	0.0	184
HISPANIC	*	*	*	40
OTHER	22.7	77.3	0.0	50
UNK/REF	*	*	*	17
INCOME				
< \$15,000	71.7	28.3	0.0	122
\$15-\$24,999	42.8	57.2	0.0	366
\$25-\$49,999	16.4	83.6	0.0	782
\$50-\$74,999	5.5	94.5	0.0	374
≥\$75,000	2.8	97.1	0.1	279
UNK/REF	40.9	58.8	0.3	230
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	52.5	47.5	0.0	187
HIGH SCHOOL GRAD OR GED	29.1	70.9	0.0	764
SOME COLLEGE OR TECH SCHOOL	17.5	82.3	0.2	569
COLLEGE GRADUATE	10.9	89.1	0.0	631
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	17.8	82.2	0.0	1,188
UNMARRIED	31.3	68.6	0.1	959
UNK/REF	*	*	*	6
EMPLOYMENT STATUS				
EMPLOYED	5.3	94.6	0.1	1,429
NOT EMPLOYED	*	*	*	39
STUDENT/HOMEMAKER	15.5	84.5	0.0	244
RETIRED/UNABLE TO WORK	86.6	13.4	0.0	440
UNK/REF	*	*	*	1
TOTAL	23.9	76.0	0.1	2,153

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 7. HEALTH CARE COVERAGE USED TO PAY FOR MOST OF MEDICAL CARE
DENOMINATOR IS PERSONS REPORTING THEY HAVE HEALTH CARE COVERAGE EXCEPT FOR MEDICARE

	EMPLOYER- SPONSORED	PLAN BOUGHT BY YOU OR SOMEONE ELSE	MEDICAID OR MEDICAL ASSISTANCE	INDIAN HEALTH SERVICE	OTHER SOURCES	NONE	UNK/REF	TOTAL
	%	%	%	%	%	%	%	N
AGE GROUP								
18-24	80.7	6.1	9.7	0.0	2.6	0.5	0.5	157
25-34	90.0	5.3	2.4	0.0	2.3	0.0	0.0	361
35-44	91.1	6.0	0.9	0.0	1.0	1.0	0.0	477
45-54	88.3	7.9	1.5	0.2	0.7	0.0	1.3	439
55-64	80.9	13.3	1.9	0.8	3.2	0.0	0.0	217
65 +	*	*	*	*	*	*	*	10
UNK/REF	*	*	*	*	*	*	*	21
SEX								
MALE	89.3	7.0	0.6	0.0	1.8	0.5	0.6	720
FEMALE	85.2	7.5	5.0	0.3	1.7	0.1	0.3	962
RACE AND ETHNICITY								
WHITE, NON-HISPANIC	88.2	7.7	2.0	0.2	1.5	0.1	0.4	1,450
BLACK, NON-HISPANIC	70.9	3.0	14.9	0.0	6.1	3.9	1.2	145
HISPANIC	*	*	*	*	*	*	*	36
OTHER	*	*	*	*	*	*	*	41
UNK/REF	*	*	*	*	*	*	*	10
INCOME								
< \$15,000	*	*	*	*	*	*	*	41
\$15-\$24,999	72.0	8.2	11.8	0.4	7.4	0.1	0.3	219
\$25-\$49,999	91.2	5.6	1.1	0.0	1.3	0.1	0.7	673
\$50-\$74,999	95.8	2.7	0.2	0.6	0.6	0.1	0.0	353
>=\$75,000	88.9	11.1	0.0	0.0	0.0	0.0	0.0	269
UNK/REF	81.2	16.1	0.2	0.0	1.1	0.0	1.5	127
EDUCATION LEVEL								
LESS THAN HIGH SCHOOL GRADUATE	84.4	3.0	8.1	0.0	0.6	3.3	0.6	86
HIGH SCHOOL GRAD OR GED	84.1	7.8	4.8	0.1	2.8	0.2	0.1	577
SOME COLLEGE OR TECH SCHOOL	87.3	7.2	1.7	0.0	2.5	0.0	1.2	457
COLLEGE GRADUATE	91.2	7.7	0.3	0.4	0.2	0.0	0.2	560
UNK/REF	*	*	*	*	*	*	*	2
MARITAL STATUS								
MARRIED	90.4	6.2	1.5	0.3	1.1	0.0	0.5	998
UNMARRIED	82.6	8.9	4.7	0.0	2.7	0.8	0.3	681
UNK/REF	*	*	*	*	*	*	*	3
EMPLOYMENT STATUS								
EMPLOYED	90.9	6.9	0.6	0.1	0.9	0.1	0.5	1,372
NOT EMPLOYED	*	*	*	*	*	*	*	34
STUDENT/HOMEMAKER	70.8	12.0	11.4	0.4	4.9	0.1	0.6	197
RETIRED/UNABLE TO WORK	65.1	1.6	18.2	0.0	9.1	6.2	0.0	78
UNK/REF	*	*	*	*	*	*	*	1
TOTAL	87.3	7.2	2.8	0.2	1.7	0.3	0.5	1,682

Notes:
Percents are based on weighted data.
Totals are unweighted numbers.
Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 8. OTHER TYPES OF COVERAGE
DENOMINATOR IS PERSONS WHO SAID "NO" WHEN ASKED IF THEY HAD ANY KIND OF HEALTH CARE COVERAGE

	EMPLOYER- SPONSORED	PLAN BOUGHT BY YOU OR SOMEONE ELSE	MEDICAID OR MEDICAL ASSISTANCE	OTHER SOURCES	NONE	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	35.3	0.0	0.0	3.2	60.4	1.1	51
25-34	18.2	0.7	1.3	1.4	78.5	0.0	74
35-44	6.7	0.6	0.7	1.4	89.1	1.4	88
45-54	*	*	*	*	*	*	41
55-64	*	*	*	*	*	*	19
65 +	*	*	*	*	*	*	4
UNK/REF	*	*	*	*	*	*	4
SEX							
MALE	21.5	0.9	0.5	4.8	71.8	0.6	128
FEMALE	14.7	1.0	0.5	1.6	81.4	0.8	153
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	18.6	1.1	0.1	2.6	77.2	0.3	205
BLACK, NON-HISPANIC	*	*	*	*	*	*	46
HISPANIC	*	*	*	*	*	*	13
OTHER	*	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	*	2
INCOME							
< \$15,000	*	*	*	*	*	*	35
\$15-\$24,999	17.1	1.0	0.0	2.1	79.7	0.0	99
\$25-\$49,999	21.6	0.1	0.3	2.2	75.1	0.7	82
\$50-\$74,999	*	*	*	*	*	*	17
>=\$75,000	*	*	*	*	*	*	10
UNK/REF	*	*	*	*	*	*	38
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	25.2	0.0	0.0	1.8	71.9	1.2	51
HIGH SCHOOL GRAD OR GED	16.3	1.7	1.1	4.3	76.0	0.6	119
SOME COLLEGE OR TECH SCHOOL	6.9	0.2	0.4	3.5	88.3	0.8	79
COLLEGE GRADUATE	*	*	*	*	*	*	32
MARITAL STATUS							
MARRIED	18.2	1.4	0.7	2.2	77.5	0.0	84
UNMARRIED	17.6	0.8	0.4	3.4	76.8	1.0	196
UNK/REF	*	*	*	*	*	*	1
EMPLOYMENT STATUS							
EMPLOYED	17.9	0.7	0.1	1.8	78.8	0.7	200
NOT EMPLOYED	*	*	*	*	*	*	21
STUDENT/HOMEMAKER	*	*	*	*	*	*	48
RETIRED/UNABLE TO WORK	*	*	*	*	*	*	12
TOTAL	17.6	1.0	0.5	2.9	77.3	0.7	281

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 9. DURING THE PAST 12 MONTHS, WAS THERE ANY TIME YOU DID NOT HAVE ANY HEALTH INSURANCE COVERAGE
DENOMINATOR IS PERSONS WHO SAID "YES" TO HEALTH CARE COVERAGE QUESTION(S) EXCEPT MEDICARE

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	12.8	86.5	0.7	169
25-34	10.9	89.1	0.0	375
35-44	5.2	93.8	0.9	495
45-54	3.8	95.9	0.3	449
55-64	1.2	98.8	0.0	227
65 +	*	*	*	12
UNK/REF	*	*	*	22
SEX				
MALE	5.8	93.5	0.7	759
FEMALE	7.6	92.1	0.3	990
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	6.4	93.3	0.3	1,502
BLACK, NON-HISPANIC	9.9	86.3	3.8	153
HISPANIC	*	*	*	41
OTHER	*	*	*	43
UNK/REF	*	*	*	10
INCOME				
< \$15,000	*	*	*	46
\$15-\$24,999	15.2	84.1	0.7	240
\$25-\$49,999	7.6	92.3	0.2	690
\$50-\$74,999	2.6	97.0	0.3	365
>=\$75,000	1.2	98.8	0.0	274
UNK/REF	2.9	97.1	0.0	134
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	17.8	78.7	3.5	96
HIGH SCHOOL GRAD OR GED	5.8	93.6	0.6	613
SOME COLLEGE OR TECH SCHOOL	8.4	91.6	0.0	469
COLLEGE GRADUATE	3.5	96.5	0.0	569
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	4.0	95.8	0.2	1,028
UNMARRIED	10.4	88.7	0.9	718
UNK/REF	*	*	*	3
EMPLOYMENT STATUS				
EMPLOYED	6.9	92.9	0.1	1,417
NOT EMPLOYED	*	*	*	38
STUDENT/HOMEMAKER	5.9	93.0	1.2	213
RETIRED/UNABLE TO WORK	3.1	90.8	6.1	80
UNK/REF	*	*	*	1
TOTAL	6.7	92.8	0.5	1,749

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 10. HOW LONG HAS IT BEEN SINCE YOU HAD HEALTH CARE COVERAGE?
DENOMINATOR IS PERSONS WITH NO HEALTH CARE COVERAGE

	<= 1 YEAR	1 TO 2 YEARS	2 TO < 5 YEARS	>= 5 YEARS	NEVER	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	*	*	*	*	*	*	38
25-34	39.5	7.7	11.3	32.7	3.4	5.5	60
35-44	14.7	15.8	18.5	42.8	8.2	0.0	69
45-54	*	*	*	*	*	*	29
55-64	*	*	*	*	*	*	9
65 +	*	*	*	*	*	*	1
UNK/REF	*	*	*	*	*	*	2
SEX							
MALE	24.2	12.0	16.9	27.3	18.2	1.4	87
FEMALE	40.7	6.1	15.7	31.1	4.1	2.4	121
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	33.4	9.5	15.2	30.1	9.8	2.1	151
BLACK, NON-HISPANIC	*	*	*	*	*	*	35
HISPANIC	*	*	*	*	*	*	8
OTHER	*	*	*	*	*	*	13
UNK/REF	*	*	*	*	*	*	1
INCOME							
< \$15,000	*	*	*	*	*	*	30
\$15-\$24,999	34.1	10.9	13.0	33.1	9.0	0.0	78
\$25-\$49,999	35.6	13.7	12.9	21.0	10.9	5.9	63
\$50-\$74,999	*	*	*	*	*	*	6
>=\$75,000	*	*	*	*	*	*	5
UNK/REF	*	*	*	*	*	*	26
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	*	40
HIGH SCHOOL GRAD OR GED	41.9	10.9	8.8	30.4	3.5	4.6	83
SOME COLLEGE OR TECH SCHOOL	33.2	4.8	19.1	35.9	7.0	0.0	64
COLLEGE GRADUATE	*	*	*	*	*	*	21
MARITAL STATUS							
MARRIED	30.6	10.0	12.7	27.0	15.5	4.3	51
UNMARRIED	34.4	8.0	18.0	31.3	7.3	0.9	156
UNK/REF	*	*	*	*	*	*	1
EMPLOYMENT STATUS							
EMPLOYED	31.1	10.9	15.6	32.9	8.9	0.7	150
NOT EMPLOYED	*	*	*	*	*	*	16
STUDENT/HOMEMAKER	*	*	*	*	*	*	31
RETIRED/UNABLE TO WORK	*	*	*	*	*	*	11
TOTAL	34.0	8.5	16.1	29.5	9.8	2.0	208

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 11. HOW LONG SINCE YOU VISITED DOCTOR FOR A ROUTINE CHECKUP?

	1 TO 12 MONTHS	1 - <2 YEARS	2 - <5 YEARS	5 OR MORE YEARS	NEVER	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	55.6	14.4	14.2	12.3	2.1	1.3	217
25-34	48.7	16.9	13.9	17.5	2.0	1.0	444
35-44	52.7	13.7	12.6	18.4	0.7	1.8	583
45-54	61.3	10.8	10.8	14.9	0.6	1.5	501
55-64	73.7	5.9	11.7	4.9	1.5	2.2	262
65 +	79.2	8.3	3.9	5.7	0.7	2.1	407
UNK/REF	*	*	*	*	*	*	29
SEX							
MALE	55.1	12.0	12.5	17.2	1.6	1.5	1,019
FEMALE	66.7	11.9	9.6	9.1	0.9	1.8	1,424
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	60.9	12.1	11.3	13.2	1.2	1.3	2,075
BLACK, NON-HISPANIC	73.1	9.5	4.5	10.9	0.4	1.6	230
HISPANIC	65.6	8.7	13.7	11.0	0.0	1.0	54
OTHER	41.7	18.1	17.6	11.7	5.5	5.4	65
UNK/REF	*	*	*	*	*	*	19
INCOME							
< \$15,000	56.5	9.9	8.6	18.5	1.7	4.9	157
\$15-\$24,999	62.6	14.2	9.7	10.5	0.5	2.5	467
\$25-\$49,999	60.0	11.7	12.1	13.5	1.7	0.9	868
\$50-\$74,999	57.5	12.8	12.7	15.8	0.4	0.8	391
>=\$75,000	59.5	14.2	11.3	11.9	2.0	1.0	289
UNK/REF	72.0	7.0	8.9	8.9	0.7	2.4	271
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	65.6	8.8	6.1	15.6	1.1	2.8	239
HIGH SCHOOL GRAD OR GED	63.1	10.8	10.7	11.4	1.5	2.6	886
SOME COLLEGE OR TECH SCHOOL	57.5	13.9	10.5	16.3	0.6	1.2	653
COLLEGE GRADUATE	59.7	13.7	14.6	10.2	1.5	0.3	663
UNK/REF	*	*	*	*	*	*	2
MARITAL STATUS							
MARRIED	63.4	11.4	9.9	13.2	1.0	1.3	1,275
UNMARRIED	58.8	12.7	12.3	12.5	1.5	2.1	1,161
UNK/REF	*	*	*	*	*	*	7
EMPLOYMENT STATUS							
EMPLOYED	55.5	14.2	13.7	14.7	1.1	0.8	1,631
NOT EMPLOYED	64.3	3.8	12.1	18.7	1.1	0.0	61
STUDENT/HOMEMAKER	64.5	7.9	10.3	12.7	2.1	2.4	297
RETIRED/UNABLE TO WORK	78.2	7.7	2.3	6.5	1.0	4.3	453
UNK/REF	*	*	*	*	*	*	1
TOTAL	61.2	12.0	11.0	13.0	1.2	1.7	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 12. HOW LONG SINCE BLOOD PRESSURE TAKEN BY A HEALTH PROFESSIONAL?

	< 1 YEAR	1 - <2 YEARS	2 - <5 YEARS	> 5 YEARS	NEVER	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	81.2	8.9	6.1	3.3	0.5	217
25-34	75.9	13.8	8.3	1.7	0.3	444
35-44	88.2	2.7	4.2	4.7	0.1	583
45-54	89.0	6.5	3.0	1.5	0.0	501
55-64	87.9	3.8	4.8	1.6	2.0	262
65 +	91.0	4.2	2.1	2.3	0.5	407
UNK/REF	*	*	*	*	*	29
SEX						
MALE	82.6	8.0	5.8	2.7	0.9	1,019
FEMALE	88.6	5.3	3.6	2.4	0.1	1,424
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	86.0	6.5	4.8	2.5	0.2	2,075
BLACK, NON-HISPANIC	89.8	5.2	1.9	2.7	0.4	230
HISPANIC	75.4	13.5	1.6	7.9	1.6	54
OTHER	79.1	9.2	10.6	0.0	1.0	65
UNK/REF	*	*	*	*	*	19
INCOME						
< \$15,000	78.5	5.5	3.4	12.0	0.6	157
\$15-\$24,999	81.7	6.7	5.3	4.8	1.4	467
\$25-\$49,999	86.7	6.6	5.4	1.0	0.3	868
\$50-\$74,999	88.1	6.4	4.4	1.1	0.0	391
≥\$75,000	88.0	7.9	4.0	0.1	0.0	289
UNK/REF	88.9	5.9	2.9	1.8	0.5	271
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	80.8	4.2	5.3	7.3	2.3	239
HIGH SCHOOL GRAD OR GED	85.4	7.8	4.5	2.2	0.1	886
SOME COLLEGE OR TECH SCHOOL	85.3	7.8	3.9	2.7	0.2	653
COLLEGE GRADUATE	89.0	4.8	5.2	0.6	0.4	663
UNK/REF	*	*	*	*	*	2
MARITAL STATUS						
MARRIED	88.6	6.5	3.5	1.3	0.0	1,275
UNMARRIED	82.5	6.7	5.9	3.9	1.0	1,161
UNK/REF	*	*	*	*	*	7
EMPLOYMENT STATUS						
EMPLOYED	84.1	7.7	5.8	2.2	0.2	1,631
NOT EMPLOYED	80.0	7.6	5.4	7.0	0.0	61
STUDENT/HOMEMAKER	85.9	5.2	4.5	4.0	0.3	297
RETIRED/UNABLE TO WORK	91.9	3.4	0.7	2.4	1.7	453
UNK/REF	*	*	*	*	*	1
TOTAL	85.7	6.6	4.6	2.6	0.5	2,443

Notes:

Percent are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 13. EVER BEEN TOLD BY A HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE?
DENOMINATOR IS PERSONS WHO HAVE HAD THEIR BLOOD PRESSURE TAKEN

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	7.7	92.0	0.3	214
25-34	10.4	89.6	0.0	442
35-44	17.2	82.7	0.1	582
45-54	23.8	76.2	0.0	501
55-64	38.3	61.5	0.1	261
65 +	57.2	42.4	0.3	404
UNK/REF	*	*	*	29
SEX				
MALE	24.9	74.8	0.3	1,012
FEMALE	26.3	73.7	0.0	1,421
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	25.5	74.4	0.1	2,069
BLACK, NON-HISPANIC	32.9	67.1	0.0	229
HISPANIC	7.2	92.8	0.0	53
OTHER	26.5	71.1	2.3	64
UNK/REF	*	*	*	18
INCOME				
< \$15,000	45.3	53.8	0.8	156
\$15-\$24,999	32.1	67.8	0.0	464
\$25-\$49,999	20.7	79.3	0.1	864
\$50-\$74,999	15.2	84.8	0.0	391
>=\$75,000	19.5	80.1	0.4	289
UNK/REF	37.9	62.1	0.0	269
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	40.9	58.6	0.5	236
HIGH SCHOOL GRAD OR GED	26.9	73.1	0.0	884
SOME COLLEGE OR TECH SCHOOL	21.5	78.3	0.2	651
COLLEGE GRADUATE	20.6	79.4	0.0	660
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	25.0	74.9	0.0	1,274
UNMARRIED	26.4	73.4	0.3	1,152
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	18.7	81.2	0.1	1,627
NOT EMPLOYED	20.2	79.8	0.0	61
STUDENT/HOMEMAKER	19.7	80.3	0.0	295
RETIRED/UNABLE TO WORK	54.4	45.3	0.3	449
UNK/REF	*	*	*	1
TOTAL	25.6	74.2	0.1	2,433

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 14. TOLD BLOOD PRESSURE HIGH ON MORE THAN ONE OCCASION OR ONLY ONCE?
DENOMINATOR IS PERSONS WHO HAVE EVER BEEN TOLD BP IS HIGH

	MORE THAN ONCE	ONLY ONCE	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	*	*	*	14
25-34	*	*	*	47
35-44	63.0	37.0	0.0	101
45-54	64.8	35.2	0.0	129
55-64	73.6	23.2	3.2	107
65 +	84.1	14.3	1.6	226
UNK/REF	*	*	*	7
SEX				
MALE	70.0	29.2	0.8	244
FEMALE	75.3	23.1	1.6	387
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	72.5	26.6	0.9	522
BLACK, NON-HISPANIC	83.7	11.5	4.7	78
HISPANIC	*	*	*	7
OTHER	*	*	*	17
UNK/REF	*	*	*	7
INCOME				
< \$15,000	80.6	19.4	0.0	65
\$15-\$24,999	76.9	21.7	1.3	168
\$25-\$49,999	66.1	33.3	0.6	190
\$50-\$74,999	68.4	31.1	0.5	70
≥\$75,000	64.3	34.3	1.4	51
UNK/REF	79.0	17.7	3.4	87
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	71.8	27.3	0.9	102
HIGH SCHOOL GRAD OR GED	70.6	27.8	1.6	244
SOME COLLEGE OR TECH SCHOOL	69.7	28.2	2.1	157
COLLEGE GRADUATE	81.5	18.5	0.0	128
MARITAL STATUS				
MARRIED	67.2	31.4	1.4	312
UNMARRIED	78.5	20.4	1.0	317
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	63.2	35.8	1.0	309
NOT EMPLOYED	*	*	*	21
STUDENT/HOMEMAKER	73.5	24.7	1.8	62
RETIRED/UNABLE TO WORK	85.0	14.0	1.0	239
TOTAL	72.9	25.9	1.2	631

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 15. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	38.1	48.0	13.9	217
25-34	61.7	35.8	2.5	444
35-44	67.1	30.0	2.9	583
45-54	89.0	9.6	1.4	501
55-64	85.9	12.1	2.1	262
65 +	89.5	8.5	2.0	407
UNK/REF	*	*	*	29
SEX				
MALE	71.2	24.2	4.6	1,019
FEMALE	73.8	23.2	3.0	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	74.0	22.6	3.4	2,075
BLACK, NON-HISPANIC	64.3	30.2	5.5	230
HISPANIC	77.6	20.6	1.8	54
OTHER	40.8	44.8	14.4	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	68.8	30.6	0.7	157
\$15-\$24,999	67.1	30.4	2.5	467
\$25-\$49,999	68.3	26.3	5.4	868
\$50-\$74,999	77.9	17.8	4.2	391
≥\$75,000	83.8	15.3	0.8	289
UNK/REF	80.1	15.1	4.8	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	63.2	31.0	5.7	239
HIGH SCHOOL GRAD OR GED	70.0	25.0	5.0	886
SOME COLLEGE OR TECH SCHOOL	73.7	23.7	2.6	653
COLLEGE GRADUATE	79.6	18.2	2.2	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	79.0	18.3	2.7	1,275
UNMARRIED	65.4	29.7	4.9	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	70.6	25.8	3.6	1,631
NOT EMPLOYED	35.1	46.1	18.8	61
STUDENT/HOMEMAKER	68.3	28.9	2.7	297
RETIRED/UNABLE TO WORK	86.9	10.1	3.0	453
UNK/REF	*	*	*	1
TOTAL	72.6	23.7	3.8	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 16. HOW LONG SINCE BLOOD CHOLESTEROL CHECKED?
DENOMINATOR IS PERSONS WHO HAVE HAD THEIR BLOOD CHOLESTEROL CHECKED

	<= 1 YEAR	1 - <=2 YEARS	2 - <5 YEARS	>= 5 YEARS	UNK/REF	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	58.8	13.1	18.1	6.5	3.6	83
25-34	48.3	21.1	19.9	9.6	1.1	250
35-44	54.9	14.5	21.8	8.7	0.2	422
45-54	63.6	13.8	13.9	8.6	0.1	456
55-64	77.4	8.7	11.9	2.1	0.0	232
65 +	80.1	11.0	5.4	2.2	1.3	362
UNK/REF	*	*	*	*	*	25
SEX						
MALE	65.9	12.0	14.8	6.9	0.4	744
FEMALE	64.6	14.8	13.9	5.6	1.2	1,086
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	65.2	13.2	14.5	6.5	0.7	1,583
BLACK, NON-HISPANIC	68.4	16.0	10.2	2.7	2.7	153
HISPANIC	*	*	*	*	*	38
OTHER	*	*	*	*	*	40
UNK/REF	*	*	*	*	*	16
INCOME						
< \$15,000	66.9	13.4	4.7	14.0	0.9	111
\$15-\$24,999	68.0	15.7	13.4	2.2	0.7	317
\$25-\$49,999	63.7	13.2	15.3	6.8	1.0	617
\$50-\$74,999	62.5	15.1	14.9	7.5	0.0	313
>=\$75,000	54.6	17.4	21.3	6.7	0.0	253
UNK/REF	77.8	5.1	10.9	4.2	2.0	219
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	66.4	14.2	12.1	5.8	1.5	155
HIGH SCHOOL GRAD OR GED	66.1	14.6	11.9	6.2	1.2	640
SOME COLLEGE OR TECH SCHOOL	64.4	10.3	16.8	8.0	0.5	485
COLLEGE GRADUATE	63.7	14.7	16.4	4.8	0.3	548
UNK/REF	*	*	*	*	*	2
MARITAL STATUS						
MARRIED	65.4	14.9	13.4	5.8	0.5	1,016
UNMARRIED	64.4	11.8	15.7	6.8	1.2	807
UNK/REF	*	*	*	*	*	7
EMPLOYMENT STATUS						
EMPLOYED	62.5	12.9	17.5	6.8	0.3	1,194
NOT EMPLOYED	*	*	*	*	*	36
STUDENT/HOMEMAKER	54.8	17.8	15.3	9.5	2.6	203
RETIRED/UNABLE TO WORK	79.3	12.3	4.9	2.2	1.3	397
TOTAL	65.2	13.5	14.3	6.2	0.8	1,830

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 17. EVER TOLD BY HEALTH PROFESSIONAL YOUR BLOOD CHOLESTEROL IS HIGH?
DENOMINATOR IS PERSONS WHO HAVE HAD THEIR BLOOD CHOLESTEROL CHECKED

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
18-24	14.5	85.5	0.0	83
25-34	14.1	85.8	0.1	250
35-44	30.8	69.2	0.0	422
45-54	25.7	74.2	0.1	456
55-64	43.0	56.8	0.2	232
65 +	47.8	51.0	1.2	362
UNK/REF	*	*	*	25
SEX				
MALE	30.4	69.3	0.3	744
FEMALE	32.4	67.3	0.3	1,086
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	32.5	67.3	0.2	1,583
BLACK, NON-HISPANIC	24.9	74.2	0.9	153
HISPANIC	*	*	*	38
OTHER	*	*	*	40
UNK/REF	*	*	*	16
INCOME				
< \$15,000	39.1	58.8	2.1	111
\$15-\$24,999	33.0	66.5	0.5	317
\$25-\$49,999	33.8	66.2	0.0	617
\$50-\$74,999	25.0	75.0	0.0	313
>=\$75,000	30.8	69.2	0.0	253
UNK/REF	28.5	70.8	0.6	219
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	31.1	67.6	1.3	155
HIGH SCHOOL GRAD OR GED	35.7	64.0	0.3	640
SOME COLLEGE OR TECH SCHOOL	28.7	71.1	0.2	485
COLLEGE GRADUATE	29.0	70.9	0.1	548
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	31.2	68.6	0.2	1,016
UNMARRIED	32.1	67.4	0.5	807
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	27.4	72.5	0.1	1,194
NOT EMPLOYED	*	*	*	36
STUDENT/HOMEMAKER	23.0	77.0	0.0	203
RETIRED/UNABLE TO WORK	46.6	52.4	1.0	397
TOTAL	31.5	68.2	0.3	1,830

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 18. HAD ANY ALCOHOLIC BEVERAGES IN THE PAST MONTH?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	67.6	32.4	0.0	217
25-34	61.4	37.9	0.7	444
35-44	62.7	37.3	0.1	583
45-54	53.3	46.7	0.1	501
55-64	52.2	47.3	0.5	262
65 +	30.4	69.6	0.0	407
UNK/REF	*	*	*	29
SEX				
MALE	62.2	37.4	0.4	1,019
FEMALE	46.8	53.2	0.0	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	54.9	44.9	0.2	2,075
BLACK, NON-HISPANIC	43.3	56.5	0.2	230
HISPANIC	57.8	42.2	0.0	54
OTHER	59.1	40.9	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	28.2	71.8	0.0	157
\$15-\$24,999	42.4	57.6	0.1	467
\$25-\$49,999	59.4	40.2	0.4	868
\$50-\$74,999	67.4	32.6	0.0	391
>=\$75,000	76.3	23.1	0.5	289
UNK/REF	36.4	63.4	0.2	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	35.6	64.4	0.0	239
HIGH SCHOOL GRAD OR GED	52.1	47.5	0.4	886
SOME COLLEGE OR TECH SCHOOL	52.5	47.5	0.0	653
COLLEGE GRADUATE	69.0	30.7	0.3	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	54.0	45.7	0.4	1,275
UNMARRIED	54.6	45.3	0.0	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	63.6	36.1	0.3	1,631
NOT EMPLOYED	53.8	46.2	0.0	61
STUDENT/HOMEMAKER	39.3	60.7	0.0	297
RETIRED/UNABLE TO WORK	31.4	68.6	0.0	453
UNK/REF	*	*	*	1
TOTAL	54.1	45.6	0.2	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 19. TOTAL NUMBER OF DRINKS A MONTH
DENOMINATOR IS PERSONS WHO HAVE HAD ALCOHOL IN PAST MONTH

	< 10 A MONTH	10-20 A MONTH	21-40 A MONTH	41-59 A MONTH	60+ A MONTH	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	48.7	16.1	11.3	8.2	14.8	0.8	132
25-34	48.7	19.8	12.6	2.5	14.1	2.3	297
35-44	57.6	15.5	13.8	2.6	8.5	1.8	373
45-54	50.1	14.4	16.3	6.4	9.3	3.5	272
55-64	53.0	17.7	6.9	5.5	14.8	2.0	131
65 +	48.1	13.8	13.8	12.9	6.0	5.3	130
UNK/REF	*	*	*	*	*	*	13
SEX							
MALE	38.0	18.1	17.8	7.4	17.1	1.5	645
FEMALE	68.5	14.1	6.5	3.2	4.1	3.6	703
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	51.3	16.8	13.0	5.9	11.4	1.6	1,164
BLACK, NON-HISPANIC	56.5	12.3	12.4	2.0	8.7	8.0	101
HISPANIC	*	*	*	*	*	*	34
OTHER	*	*	*	*	*	*	40
UNK/REF	*	*	*	*	*	*	9
INCOME							
< \$15,000	71.1	11.7	14.1	0.0	1.8	1.4	53
\$15-\$24,999	57.0	15.5	5.9	5.2	11.2	5.1	209
\$25-\$49,999	43.4	17.9	17.0	7.7	13.2	0.7	492
\$50-\$74,999	58.2	15.4	9.7	4.0	12.6	0.1	266
>=\$75,000	52.3	20.9	14.2	1.0	9.2	2.4	218
UNK/REF	56.3	6.1	8.8	9.8	6.1	12.9	110
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	33.4	9.7	16.1	12.7	19.3	8.8	80
HIGH SCHOOL GRAD OR GED	54.8	17.0	10.2	5.0	10.6	2.4	450
SOME COLLEGE OR TECH SCHOOL	54.0	14.8	10.6	7.1	12.0	1.4	358
COLLEGE GRADUATE	51.5	18.3	16.2	3.1	9.3	1.7	460
MARITAL STATUS							
MARRIED	59.3	16.7	10.5	4.7	7.4	1.5	708
UNMARRIED	44.1	16.0	15.1	6.4	15.4	3.0	639
UNK/REF	*	*	*	*	*	*	1
EMPLOYMENT STATUS							
EMPLOYED	50.4	17.1	14.3	4.5	12.1	1.6	1,035
NOT EMPLOYED	*	*	*	*	*	*	31
STUDENT/HOMEMAKER	58.5	17.9	5.0	7.4	5.8	5.4	131
RETIRED/UNABLE TO WORK	52.3	12.0	10.3	12.0	7.7	5.8	151
TOTAL	51.8	16.3	12.7	5.5	11.2	2.5	1,348

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 20. HOW MANY TIMES DURING THE PAST MONTH DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION?
DENOMINATOR IS PERSONS WHO HAVE HAD ALCOHOL IN PAST MONTH

	NONE %	ONCE %	TWICE %	3 TO 4 TIMES %	5+ TIMES %	UNK/REF %	TOTAL N
AGE GROUP							
18-24	35.3	32.2	6.1	11.1	15.2	0.0	132
25-34	56.7	12.1	9.9	7.5	13.2	0.6	297
35-44	66.4	14.3	4.2	5.2	8.5	1.3	373
45-54	74.2	7.3	3.1	8.1	5.1	2.3	272
55-64	78.1	8.7	1.1	4.7	6.1	1.3	131
65 +	84.4	4.4	0.3	9.2	1.3	0.4	130
UNK/REF	*	*	*	*	*	*	13
SEX							
MALE	54.0	15.1	5.7	10.8	13.8	0.6	645
FEMALE	75.9	12.5	3.5	3.4	3.2	1.5	703
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	64.5	13.7	5.0	7.4	9.1	0.3	1,164
BLACK, NON-HISPANIC	67.6	9.5	2.0	8.5	9.2	3.3	101
HISPANIC	*	*	*	*	*	*	34
OTHER	*	*	*	*	*	*	40
UNK/REF	*	*	*	*	*	*	9
INCOME							
< \$15,000	65.4	21.6	1.0	0.6	10.8	0.7	53
\$15-\$24,999	63.0	10.3	5.3	7.1	11.3	3.1	209
\$25-\$49,999	56.1	15.9	7.6	11.4	8.6	0.4	492
\$50-\$74,999	64.9	17.6	1.5	5.9	9.7	0.4	266
>=\$75,000	76.2	10.5	3.7	4.0	5.7	0.0	218
UNK/REF	79.8	4.0	1.0	2.0	9.7	3.6	110
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	44.6	11.8	3.1	20.9	15.9	3.8	80
HIGH SCHOOL GRAD OR GED	67.5	10.3	5.3	6.3	9.3	1.4	450
SOME COLLEGE OR TECH SCHOOL	57.9	17.5	5.1	7.9	11.0	0.7	358
COLLEGE GRADUATE	69.5	15.9	4.2	5.0	5.4	0.0	460
MARITAL STATUS							
MARRIED	74.9	9.7	3.3	7.1	4.6	0.5	708
UNMARRIED	52.7	18.4	6.3	7.9	13.7	1.0	639
UNK/REF	*	*	*	*	*	*	1
EMPLOYMENT STATUS							
EMPLOYED	60.7	14.8	5.8	8.4	9.4	1.0	1,035
NOT EMPLOYED	*	*	*	*	*	*	31
STUDENT/HOMEMAKER	68.8	15.4	2.4	3.4	9.7	0.3	131
RETIRED/UNABLE TO WORK	85.5	4.5	0.2	3.2	4.5	2.1	151
TOTAL	63.9	13.9	4.7	7.5	9.0	1.0	1,348

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 21. HOW MANY TIMES IN THE PAST MONTH HAVE YOU DRIVEN WHEN YOU HAVE HAD PERHAPS TOO MUCH TO DRINK?
DENOMINATOR IS PERSONS WHO HAVE HAD ALCOHOL IN PAST MONTH

	NONE %	ONCE %	TWICE %	3 TO 4 TIMES %	5+ TIMES %	UNK/REF %	TOTAL N
AGE GROUP							
18-24	92.8	5.7	0.5	0.0	1.0	0.0	132
25-34	89.9	6.2	2.2	0.1	1.6	0.0	297
35-44	96.4	1.8	1.2	0.2	0.2	0.3	373
45-54	91.2	2.7	4.3	0.0	0.0	1.8	272
55-64	96.9	2.3	0.5	0.3	0.0	0.0	131
65 +	96.8	3.2	0.0	0.0	0.0	0.0	130
UNK/REF	*	*	*	*	*	*	13
SEX							
MALE	90.7	5.5	1.9	0.1	1.0	0.8	645
FEMALE	97.2	1.5	1.2	0.1	0.0	0.0	703
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	93.9	3.9	1.7	0.1	0.3	0.1	1,164
BLACK, NON-HISPANIC	92.0	2.0	0.0	0.0	0.0	6.0	101
HISPANIC	*	*	*	*	*	*	34
OTHER	*	*	*	*	*	*	40
UNK/REF	*	*	*	*	*	*	9
INCOME							
< \$15,000	93.6	6.4	0.0	0.0	0.0	0.0	53
\$15-\$24,999	93.8	4.5	1.4	0.3	0.0	0.0	209
\$25-\$49,999	93.0	4.3	0.9	0.1	0.8	0.9	492
\$50-\$74,999	92.2	4.4	3.4	0.1	0.0	0.0	266
>=\$75,000	97.1	0.9	0.4	0.0	1.7	0.0	218
UNK/REF	94.7	1.2	3.5	0.0	0.0	0.6	110
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	93.4	0.5	2.8	0.3	3.2	0.0	80
HIGH SCHOOL GRAD OR GED	94.7	3.3	1.6	0.1	0.1	0.2	450
SOME COLLEGE OR TECH SCHOOL	92.1	4.5	1.3	0.1	0.7	1.3	358
COLLEGE GRADUATE	93.8	4.4	1.4	0.1	0.2	0.2	460
MARITAL STATUS							
MARRIED	95.3	1.9	1.2	0.1	0.7	0.8	708
UNMARRIED	91.9	5.6	2.0	0.1	0.4	0.0	639
UNK/REF	*	*	*	*	*	*	1
EMPLOYMENT STATUS							
EMPLOYED	93.5	3.6	2.0	0.1	0.7	0.1	1,035
NOT EMPLOYED	*	*	*	*	*	*	31
STUDENT/HOMEMAKER	92.9	6.5	0.6	0.0	0.0	0.0	131
RETIRED/UNABLE TO WORK	97.5	2.5	0.0	0.0	0.0	0.0	151
TOTAL	93.7	3.7	1.6	0.1	0.5	0.4	1,348

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 22. FEMALES ONLY: HAVE YOU EVER HAD A MAMMOGRAM?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-39	22.3	77.5	0.2	513
40-49	82.5	17.3	0.2	341
50-59	87.7	12.0	0.2	212
60-69	89.7	10.3	0.0	155
70 +	80.1	16.8	3.1	182
UNK/REF	*	*	*	21
SEX				
FEMALE	60.5	39.0	0.6	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	61.1	38.3	0.6	1,199
BLACK, NON-HISPANIC	49.8	50.0	0.2	154
HISPANIC	*	*	*	28
OTHER	*	*	*	32
UNK/REF	*	*	*	11
INCOME				
< \$15,000	64.9	34.6	0.4	112
\$15-\$24,999	52.9	47.1	0.1	316
\$25-\$49,999	57.3	42.5	0.2	476
\$50-\$74,999	70.2	29.8	0.0	197
>=\$75,000	60.3	39.7	0.0	136
UNK/REF	69.6	27.1	3.2	187
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	64.4	32.6	3.1	152
HIGH SCHOOL GRAD OR GED	65.2	34.8	0.1	543
SOME COLLEGE OR TECH SCHOOL	49.0	50.7	0.2	388
COLLEGE GRADUATE	61.4	38.4	0.2	340
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	65.1	34.8	0.1	688
UNMARRIED	56.1	43.0	1.0	730
UNK/REF	*	*	*	6
EMPLOYMENT STATUS				
EMPLOYED	54.0	45.9	0.2	849
NOT EMPLOYED	*	*	*	43
STUDENT/HOMEMAKER	55.7	44.1	0.2	256
RETIRED/UNABLE TO WORK	83.7	14.3	2.1	276
TOTAL	60.5	39.0	0.6	1,424

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 23. HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM?
DENOMINATOR IS FEMALES WHO HAVE HAD A MAMMOGRAM

	< 1 YEAR	1 - <2 YEARS	2 - <3 YEARS	3 - <5 YEARS	> 5 YEARS	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-39	61.5	15.3	4.6	9.4	9.2	0.0	130
40-49	61.4	17.2	5.7	7.8	7.7	0.2	284
50-59	65.7	14.0	5.6	7.3	6.9	0.6	188
60-69	67.8	13.2	3.6	7.0	8.4	0.0	143
70 +	62.8	13.5	6.0	11.1	6.5	0.0	150
UNK/REF	*	*	*	*	*	*	16
SEX							
FEMALE	63.4	15.1	5.0	8.2	8.0	0.2	911
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	63.4	14.6	5.0	8.5	8.3	0.1	784
BLACK, NON-HISPANIC	63.6	16.0	5.6	8.5	5.5	0.7	85
HISPANIC	*	*	*	*	*	*	16
OTHER	*	*	*	*	*	*	17
UNK/REF	*	*	*	*	*	*	9
INCOME							
< \$15,000	51.7	18.2	4.1	13.5	12.2	0.4	71
\$15-\$24,999	58.7	13.6	3.3	11.0	13.5	0.0	190
\$25-\$49,999	60.9	17.4	6.7	8.6	6.3	0.1	287
\$50-\$74,999	68.1	22.0	6.0	2.2	1.7	0.0	127
>=\$75,000	81.5	11.7	3.9	1.5	1.5	0.0	97
UNK/REF	71.0	5.3	4.6	8.8	9.5	0.7	139
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	56.3	13.1	6.0	10.0	14.3	0.3	99
HIGH SCHOOL GRAD OR GED	61.5	16.9	4.7	10.6	6.4	0.0	368
SOME COLLEGE OR TECH SCHOOL	62.1	11.3	6.8	6.9	12.4	0.5	230
COLLEGE GRADUATE	74.9	16.9	3.6	3.6	0.9	0.1	213
UNK/REF	*	*	*	*	*	*	1
MARITAL STATUS							
MARRIED	65.3	16.2	4.3	9.5	4.5	0.3	467
UNMARRIED	61.7	14.5	5.9	7.2	10.7	0.0	439
UNK/REF	*	*	*	*	*	*	5
EMPLOYMENT STATUS							
EMPLOYED	66.2	17.5	5.0	5.5	5.8	0.0	503
NOT EMPLOYED	*	*	*	*	*	*	23
STUDENT/HOMEMAKER	55.7	16.8	5.7	16.0	5.0	0.8	152
RETIRED/UNABLE TO WORK	66.1	11.4	4.5	8.7	9.3	0.1	233
TOTAL	63.4	15.1	5.0	8.2	8.0	0.2	911

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 24. WHY WAS YOUR LAST MAMMOGRAM DONE?
DENOMINATOR IS FEMALES WHO HAVE HAD A MAMMOGRAM

	ROUTINE CHECKUP	BREAST PROBLEM	HAD BREAST CANCER	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-39	67.4	29.5	3.0	0.1	130
40-49	84.8	12.9	2.3	0.0	284
50-59	94.7	4.3	1.0	0.0	188
60-69	96.3	1.4	2.4	0.0	143
70 +	86.6	5.3	8.1	0.0	150
UNK/REF	*	*	*	*	16
SEX					
FEMALE	87.1	9.8	3.1	0.0	911
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	87.0	9.9	3.2	0.0	784
BLACK, NON-HISPANIC	83.4	12.2	4.1	0.3	85
HISPANIC	*	*	*	*	16
OTHER	*	*	*	*	17
UNK/REF	*	*	*	*	9
INCOME					
< \$15,000	81.5	12.9	5.6	0.0	71
\$15-\$24,999	86.6	9.6	3.8	0.0	190
\$25-\$49,999	90.7	8.0	1.2	0.1	287
\$50-\$74,999	83.5	13.2	3.3	0.0	127
>=\$75,000	88.5	11.1	0.4	0.0	97
UNK/REF	87.7	7.3	5.0	0.0	139
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	88.0	11.2	0.9	0.0	99
HIGH SCHOOL GRAD OR GED	86.4	10.2	3.3	0.0	368
SOME COLLEGE OR TECH SCHOOL	87.6	8.1	4.1	0.1	230
COLLEGE GRADUATE	87.1	9.6	3.3	0.0	213
UNK/REF	*	*	*	*	1
MARITAL STATUS					
MARRIED	88.2	10.5	1.3	0.0	467
UNMARRIED	85.7	9.3	5.0	0.0	439
UNK/REF	*	*	*	*	5
EMPLOYMENT STATUS					
EMPLOYED	89.7	7.6	2.6	0.0	503
NOT EMPLOYED	*	*	*	*	23
STUDENT/HOMEMAKER	83.6	15.6	0.8	0.0	152
RETIRED/UNABLE TO WORK	87.6	6.6	5.8	0.0	233
TOTAL	87.1	9.8	3.1	0.0	911

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 25. FEMALES ONLY: HAVE YOU EVER HAD A BREAST PHYSICAL EXAM BY A DOCTOR OR A MEDICAL ASSISTANT?

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
18-39	87.5	12.3	0.2	513
40-49	96.3	3.2	0.4	341
50-59	91.4	8.4	0.2	212
60-69	91.6	8.4	0.0	155
70 +	72.2	21.2	6.6	182
UNK/REF	*	*	*	21
SEX				
FEMALE	88.4	10.5	1.1	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	89.3	9.6	1.1	1,199
BLACK, NON-HISPANIC	81.0	18.6	0.3	154
HISPANIC	*	*	*	28
OTHER	*	*	*	32
UNK/REF	*	*	*	11
INCOME				
< \$15,000	86.4	13.2	0.4	112
\$15-\$24,999	80.7	19.3	0.1	316
\$25-\$49,999	93.5	6.1	0.4	476
\$50-\$74,999	96.5	3.5	0.0	197
>=\$75,000	97.9	2.1	0.0	136
UNK/REF	79.1	14.1	6.8	187
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	74.2	22.5	3.3	152
HIGH SCHOOL GRAD OR GED	87.4	11.5	1.1	543
SOME COLLEGE OR TECH SCHOOL	89.5	10.0	0.5	388
COLLEGE GRADUATE	98.3	1.5	0.2	340
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	94.9	4.8	0.3	688
UNMARRIED	82.7	15.5	1.8	730
UNK/REF	*	*	*	6
EMPLOYMENT STATUS				
EMPLOYED	91.4	8.3	0.3	849
NOT EMPLOYED	*	*	*	43
STUDENT/HOMEMAKER	87.4	12.2	0.4	256
RETIRED/UNABLE TO WORK	81.6	14.4	4.1	276
TOTAL	88.4	10.5	1.1	1,424

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 26. HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST PHYSICAL EXAM?
DENOMINATOR IS FEMALES WHO HAVE HAD A BREAST PHYSICAL EXAM

	< 1 YEAR	1 - <2 YEARS	2 - <3 YEARS	3 - <5 YEARS	> 5 YEARS	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-39	72.7	16.7	2.9	5.1	2.6	0.0	443
40-49	73.2	9.3	4.4	3.4	9.6	0.1	328
50-59	72.9	8.2	7.2	3.4	7.9	0.3	195
60-69	70.8	11.8	2.0	2.4	11.1	1.8	142
70 +	59.5	11.0	7.1	6.8	14.9	0.6	142
UNK/REF	*	*	*	*	*	*	20
SEX							
FEMALE	70.9	12.9	4.1	4.2	7.4	0.4	1,270
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	70.7	12.2	4.3	4.5	7.8	0.4	1,084
BLACK, NON-HISPANIC	73.7	18.3	2.9	3.1	1.8	0.3	130
HISPANIC	*	*	*	*	*	*	23
OTHER	*	*	*	*	*	*	25
UNK/REF	*	*	*	*	*	*	8
INCOME							
< \$15,000	58.6	10.4	6.2	3.9	20.5	0.4	92
\$15-\$24,999	62.8	18.2	2.6	5.1	11.3	0.0	262
\$25-\$49,999	74.3	15.4	3.8	3.2	3.3	0.1	440
\$50-\$74,999	84.6	8.9	4.0	0.5	1.8	0.2	185
>=\$75,000	73.7	3.8	5.5	9.7	7.2	0.0	131
UNK/REF	69.1	8.4	5.6	7.0	7.5	2.4	160
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	52.4	17.3	2.8	5.0	22.3	0.2	114
HIGH SCHOOL GRAD OR GED	72.0	10.7	4.1	3.9	8.6	0.7	481
SOME COLLEGE OR TECH SCHOOL	66.5	17.8	7.2	5.0	3.3	0.3	346
COLLEGE GRADUATE	83.8	8.2	1.7	3.8	2.3	0.1	328
UNK/REF	*	*	*	*	*	*	1
MARITAL STATUS							
MARRIED	77.1	10.2	3.3	4.4	4.9	0.1	648
UNMARRIED	65.1	15.1	5.0	4.2	9.9	0.7	616
UNK/REF	*	*	*	*	*	*	6
EMPLOYMENT STATUS							
EMPLOYED	72.7	13.9	3.6	3.9	5.4	0.5	772
NOT EMPLOYED	*	*	*	*	*	*	37
STUDENT/HOMEMAKER	70.1	7.8	7.2	6.2	8.6	0.0	224
RETIRED/UNABLE TO WORK	69.4	12.5	2.0	4.0	11.6	0.4	237
TOTAL	70.9	12.9	4.1	4.2	7.4	0.4	1,270

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 27. WHY WAS YOUR LAST BREAST PHYSICAL EXAM DONE?
DENOMINATOR IS FEMALES WHO HAVE HAD A BREAST PHYSICAL EXAM

	ROUTINE CHECKUP	BREAST PROBLEM	HAD BREAST CANCER	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-39	95.7	2.5	0.8	1.1	443
40-49	92.4	5.2	2.2	0.1	328
50-59	96.6	3.2	0.0	0.1	195
60-69	97.4	0.9	1.8	0.0	142
70 +	85.4	10.3	3.9	0.4	142
UNK/REF	*	*	*	*	20
SEX					
FEMALE	94.3	3.8	1.4	0.5	1,270
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	94.1	3.8	1.6	0.5	1,084
BLACK, NON-HISPANIC	94.5	5.3	0.0	0.3	130
HISPANIC	*	*	*	*	23
OTHER	*	*	*	*	25
UNK/REF	*	*	*	*	8
INCOME					
< \$15,000	86.9	12.4	0.1	0.6	92
\$15-\$24,999	94.1	3.4	2.6	0.0	262
\$25-\$49,999	97.3	2.0	0.5	0.2	440
\$50-\$74,999	95.2	2.4	2.4	0.0	185
>=\$75,000	91.9	3.1	0.2	4.7	131
UNK/REF	92.7	4.5	2.8	0.1	160
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	90.9	8.0	0.6	0.5	114
HIGH SCHOOL GRAD OR GED	94.1	4.6	1.1	0.1	481
SOME COLLEGE OR TECH SCHOOL	96.0	2.0	1.9	0.0	346
COLLEGE GRADUATE	94.4	2.1	1.9	1.6	328
UNK/REF	*	*	*	*	1
MARITAL STATUS					
MARRIED	95.8	2.9	0.5	0.8	648
UNMARRIED	92.7	4.7	2.4	0.2	616
UNK/REF	*	*	*	*	6
EMPLOYMENT STATUS					
EMPLOYED	96.0	2.4	1.6	0.0	772
NOT EMPLOYED	*	*	*	*	37
STUDENT/HOMEMAKER	94.4	3.0	0.5	2.1	224
RETIRED/UNABLE TO WORK	90.4	7.1	2.2	0.3	237
TOTAL	94.3	3.8	1.4	0.5	1,270

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 28. FEMALES ONLY: HAVE YOU EVER HAD A PAP SMEAR?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	83.1	16.8	0.1	121
25-34	98.5	1.3	0.2	245
35-49	98.7	0.2	1.1	488
50-64	99.8	0.0	0.2	281
65 +	86.2	10.4	3.4	268
UNK/REF	*	*	*	21
SEX				
FEMALE	94.1	4.6	1.3	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	94.7	4.0	1.4	1,199
BLACK, NON-HISPANIC	95.7	4.0	0.3	154
HISPANIC	*	*	*	28
OTHER	*	*	*	32
UNK/REF	*	*	*	11
INCOME				
< \$15,000	85.8	11.5	2.7	112
\$15-\$24,999	95.0	4.9	0.1	316
\$25-\$49,999	97.8	1.1	1.1	476
\$50-\$74,999	98.6	1.4	0.0	197
>=\$75,000	98.2	1.8	0.0	136
UNK/REF	83.3	11.7	5.0	187
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	87.1	7.1	5.8	152
HIGH SCHOOL GRAD OR GED	93.7	6.2	0.1	543
SOME COLLEGE OR TECH SCHOOL	94.5	4.0	1.5	388
COLLEGE GRADUATE	99.1	0.6	0.3	340
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	99.3	0.5	0.1	688
UNMARRIED	89.9	8.1	2.0	730
UNK/REF	*	*	*	6
EMPLOYMENT STATUS				
EMPLOYED	96.1	2.9	1.0	849
NOT EMPLOYED	*	*	*	43
STUDENT/HOMEMAKER	92.5	7.2	0.2	256
RETIRED/UNABLE TO WORK	90.8	5.9	3.3	276
TOTAL	94.1	4.6	1.3	1,424

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 29. FEMALES ONLY: WHEN DID YOU HAVE YOUR LAST PAP SMEAR?
DENOMINATOR IS FEMALES WHO HAVE HAD A PAP SMEAR

	< 1 YEAR	1 - <2 YEARS	2 - <3 YEARS	3 - <5 YEARS	> 5 YEARS	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	78.5	19.7	1.3	0.6	0.0	0.0	98
25-34	75.9	10.4	6.0	7.0	0.7	0.1	236
35-49	69.7	11.5	4.4	3.8	9.9	0.7	483
50-64	65.9	10.5	5.5	4.7	12.0	1.5	280
65 +	43.7	7.0	7.7	10.2	28.5	2.9	240
UNK/REF	*	*	*	*	*	*	19
SEX							
FEMALE	66.0	11.3	5.1	5.4	11.1	1.1	1,356
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	64.9	11.2	5.4	5.7	11.6	1.2	1,150
BLACK, NON-HISPANIC	73.8	13.8	2.6	3.6	5.6	0.5	146
HISPANIC	*	*	*	*	*	*	24
OTHER	*	*	*	*	*	*	28
UNK/REF	*	*	*	*	*	*	8
INCOME							
< \$15,000	44.1	10.5	7.8	10.5	24.3	2.8	101
\$15-\$24,999	56.6	14.4	5.9	5.5	16.9	0.8	302
\$25-\$49,999	74.0	11.8	3.0	3.5	7.1	0.6	462
\$50-\$74,999	81.2	8.4	2.4	2.1	5.7	0.2	193
>=\$75,000	69.9	5.7	10.5	5.7	7.5	0.6	134
UNK/REF	60.7	11.0	7.0	10.3	8.1	2.9	164
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	51.9	13.7	3.6	4.8	25.7	0.4	135
HIGH SCHOOL GRAD OR GED	67.0	7.9	4.8	7.6	11.1	1.6	519
SOME COLLEGE OR TECH SCHOOL	57.6	18.2	10.0	3.2	9.7	1.3	367
COLLEGE GRADUATE	82.2	7.6	1.3	4.1	4.6	0.2	334
UNK/REF	*	*	*	*	*	*	1
MARITAL STATUS							
MARRIED	74.2	8.5	5.2	3.9	7.5	0.7	677
UNMARRIED	58.5	13.5	5.1	6.8	14.7	1.4	674
UNK/REF	*	*	*	*	*	*	5
EMPLOYMENT STATUS							
EMPLOYED	68.9	14.6	4.0	4.4	7.3	0.8	825
NOT EMPLOYED	*	*	*	*	*	*	41
STUDENT/HOMEMAKER	68.9	7.3	5.3	6.8	11.1	0.6	236
RETIRED/UNABLE TO WORK	55.3	6.5	8.2	6.2	21.3	2.5	254
TOTAL	66.0	11.3	5.1	5.4	11.1	1.1	1,356

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 30. FEMALES ONLY: WHY WAS YOUR LAST PAP SMEAR DONE?
DENOMINATOR IS FEMALES WHO HAVE HAD A PAP SMEAR

	ROUTINE EXAM	CURRENT OR PREV PROBLEM	OTHER	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-24	88.4	11.6	0.0	0.0	98
25-34	81.1	18.8	0.0	0.1	236
35-49	90.2	8.6	1.1	0.1	483
50-64	93.8	6.1	0.0	0.1	280
65 +	93.1	6.4	0.0	0.6	240
UNK/REF	*	*	*	*	19
SEX					
FEMALE	89.8	9.7	0.3	0.2	1,356
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	90.7	8.9	0.4	0.0	1,150
BLACK, NON-HISPANIC	81.3	16.8	0.0	1.9	146
HISPANIC	*	*	*	*	24
OTHER	*	*	*	*	28
UNK/REF	*	*	*	*	8
INCOME					
< \$15,000	85.5	14.3	0.0	0.2	101
\$15-\$24,999	83.6	15.1	1.3	0.0	302
\$25-\$49,999	91.9	8.1	0.0	0.1	462
\$50-\$74,999	92.8	7.2	0.0	0.0	193
>=\$75,000	91.9	8.1	0.0	0.0	134
UNK/REF	95.8	3.1	0.0	1.1	164
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	90.2	8.6	0.0	1.2	135
HIGH SCHOOL GRAD OR GED	86.9	13.0	0.0	0.0	519
SOME COLLEGE OR TECH SCHOOL	92.5	6.2	1.4	0.0	367
COLLEGE GRADUATE	91.7	8.3	0.0	0.0	334
UNK/REF	*	*	*	*	1
MARITAL STATUS					
MARRIED	91.4	8.5	0.0	0.1	677
UNMARRIED	88.2	10.9	0.7	0.2	674
UNK/REF	*	*	*	*	5
EMPLOYMENT STATUS					
EMPLOYED	91.1	8.3	0.6	0.0	825
NOT EMPLOYED	*	*	*	*	41
STUDENT/HOMEMAKER	87.9	12.1	0.0	0.0	236
RETIRED/UNABLE TO WORK	91.1	8.2	0.0	0.8	254
TOTAL	89.8	9.7	0.3	0.2	1,356

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 31. FEMALES ONLY: HAVE YOU HAD A HYSTERECTOMY?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	0.0	99.9	0.1	121
25-34	2.8	96.9	0.3	245
35-49	18.4	81.4	0.3	488
50-64	41.7	58.1	0.2	281
65 +	42.7	55.0	2.2	268
UNK/REF	*	*	*	21
SEX				
FEMALE	22.9	75.9	1.1	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	22.6	76.3	1.2	1,199
BLACK, NON-HISPANIC	18.7	80.8	0.6	154
HISPANIC	*	*	*	28
OTHER	*	*	*	32
UNK/REF	*	*	*	11
INCOME				
< \$15,000	38.2	61.4	0.4	112
\$15-\$24,999	23.6	76.4	0.1	316
\$25-\$49,999	18.0	81.7	0.3	476
\$50-\$74,999	22.3	77.7	0.0	197
>=\$75,000	12.7	87.3	0.0	136
UNK/REF	27.8	64.6	7.6	187
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	27.9	67.4	4.7	152
HIGH SCHOOL GRAD OR GED	26.1	73.7	0.2	543
SOME COLLEGE OR TECH SCHOOL	19.8	79.9	0.3	388
COLLEGE GRADUATE	17.4	82.3	0.3	340
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	23.9	75.8	0.2	688
UNMARRIED	22.4	76.5	1.1	730
UNK/REF	*	*	*	6
EMPLOYMENT STATUS				
EMPLOYED	19.6	79.4	1.0	849
NOT EMPLOYED	*	*	*	43
STUDENT/HOMEMAKER	13.6	86.2	0.2	256
RETIRED/UNABLE TO WORK	41.0	56.7	2.3	276
TOTAL	22.9	75.9	1.1	1,424

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 32. FEMALES 18-44 ONLY: ARE YOU NOW PREGNANT?
DENOMINATOR IS FEMALES AGE 18 TO 44 WHO HAVE NOT HAD A HYSTERECTOMY

	YES %	NO %	UNK/REF %	TOTAL N
REPORTED AGE IN YEARS				
18-24	8.4	85.8	5.8	121
25-34	5.4	92.3	2.3	238
35-40	4.3	94.8	0.9	165
41-44	0.0	100.0	0.0	124
TOTAL	5.1	92.3	2.6	648

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 33. HAVE YOU HAD A FLU SHOT DURING THE PAST 12 MONTHS?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	16.0	82.1	2.0	217
25-34	20.8	79.1	0.1	444
35-44	17.5	82.4	0.1	583
45-54	27.0	72.8	0.2	501
55-64	38.8	61.2	0.0	262
65 +	65.2	33.3	1.5	407
UNK/REF	*	*	*	29
SEX				
MALE	29.0	70.3	0.7	1,019
FEMALE	32.5	67.0	0.5	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	31.5	67.9	0.6	2,075
BLACK, NON-HISPANIC	21.4	78.2	0.3	230
HISPANIC	10.4	89.6	0.0	54
OTHER	41.6	58.4	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	40.3	59.5	0.3	157
\$15-\$24,999	38.7	60.1	1.1	467
\$25-\$49,999	29.4	70.5	0.1	868
\$50-\$74,999	22.4	77.4	0.2	391
>=\$75,000	28.1	71.9	0.0	289
UNK/REF	29.8	67.7	2.5	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	28.6	69.6	1.8	239
HIGH SCHOOL GRAD OR GED	31.9	68.0	0.1	886
SOME COLLEGE OR TECH SCHOOL	30.3	68.5	1.2	653
COLLEGE GRADUATE	30.6	69.3	0.1	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	30.0	69.9	0.1	1,275
UNMARRIED	31.4	67.4	1.2	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	24.8	75.0	0.2	1,631
NOT EMPLOYED	20.4	79.6	0.0	61
STUDENT/HOMEMAKER	18.4	79.8	1.8	297
RETIRED/UNABLE TO WORK	60.8	38.0	1.2	453
UNK/REF	*	*	*	1
TOTAL	30.8	68.6	0.6	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 34. HAVE YOU EVER HAD A PNEUMONIA VACCINATION?

	VACCINATED	NEVER VACCINATED	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	7.0	70.7	22.3	217
25-34	11.5	80.9	7.6	444
35-44	6.9	90.2	2.9	583
45-54	10.0	86.4	3.6	501
55-64	17.8	81.3	0.9	262
65 +	49.1	46.0	5.0	407
UNK/REF	*	*	*	29
SEX				
MALE	17.2	72.9	10.0	1,019
FEMALE	17.2	79.1	3.7	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	16.6	76.4	7.0	2,075
BLACK, NON-HISPANIC	17.7	77.0	5.3	230
HISPANIC	17.6	78.9	3.5	54
OTHER	29.1	69.3	1.5	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	37.8	56.0	6.2	157
\$15-\$24,999	25.8	69.1	5.1	467
\$25-\$49,999	11.5	79.6	8.9	868
\$50-\$74,999	13.7	81.4	4.9	391
>=\$75,000	9.1	86.7	4.2	289
UNK/REF	19.1	73.1	7.8	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	19.9	73.4	6.7	239
HIGH SCHOOL GRAD OR GED	18.5	75.7	5.8	886
SOME COLLEGE OR TECH SCHOOL	15.5	76.2	8.3	653
COLLEGE GRADUATE	15.7	77.7	6.6	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	13.9	80.4	5.7	1,275
UNMARRIED	20.6	71.6	7.8	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	9.5	84.1	6.3	1,631
NOT EMPLOYED	6.6	88.2	5.2	61
STUDENT/HOMEMAKER	12.9	73.3	13.8	297
RETIRED/UNABLE TO WORK	47.7	48.8	3.5	453
UNK/REF	*	*	*	1
TOTAL	17.2	76.1	6.7	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 35. HAVE YOU EVER HAD A BLOOD STOOL TEST, USING A HOME KIT?
DENOMINATOR IS PERSONS AGED 40 AND OLDER

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
40-49	13.9	86.0	0.1	585
50-59	29.6	69.3	1.2	363
60-69	34.2	65.5	0.3	245
70 +	38.1	59.0	3.0	281
SEX				
MALE	23.9	75.6	0.5	584
FEMALE	29.3	69.3	1.4	890
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	27.3	71.7	1.0	1,301
BLACK, NON-HISPANIC	20.4	79.6	0.0	112
HISPANIC	*	*	*	22
OTHER	*	*	*	26
UNK/REF	*	*	*	13
INCOME				
< \$15,000	24.9	73.7	1.4	112
\$15-\$24,999	26.9	73.0	0.1	285
\$25-\$49,999	23.8	76.0	0.2	473
\$50-\$74,999	26.8	71.5	1.6	222
≥\$75,000	28.2	71.4	0.4	195
UNK/REF	33.5	63.1	3.5	187
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	15.3	82.0	2.7	161
HIGH SCHOOL GRAD OR GED	28.9	71.0	0.1	570
SOME COLLEGE OR TECH SCHOOL	33.0	66.2	0.8	362
COLLEGE GRADUATE	25.0	73.5	1.5	380
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	27.1	72.1	0.8	838
UNMARRIED	26.6	72.2	1.2	631
UNK/REF	*	*	*	5
EMPLOYMENT STATUS				
EMPLOYED	21.4	78.0	0.6	868
NOT EMPLOYED	*	*	*	32
STUDENT/HOMEMAKER	29.3	70.6	0.1	141
RETIRED/UNABLE TO WORK	36.7	61.4	1.9	432
UNK/REF	*	*	*	1
TOTAL	26.8	72.2	1.0	1,474

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 36. WHEN DID YOU HAVE YOUR LAST BLOOD STOOL TEST, USING A HOME KIT?
DENOMINATOR IS PERSONS AGED 40 AND OLDER WHO HAVE EVER HAD A BLOOD STOOL TEST

	1 TO 12 MONTHS	1 - <2 YEARS	2 - <5 YEARS	5 OR MORE YEARS	UNK/REF	TOTAL
	%	%	%	%	%	N
AGE GROUP						
40-49	38.1	10.7	23.8	27.4	0.0	80
50-59	57.0	9.9	20.5	11.6	0.9	109
60-69	29.0	29.4	13.6	25.7	2.2	93
70 +	56.9	12.9	22.0	7.3	0.9	114
SEX						
MALE	53.5	12.6	19.2	12.8	1.9	143
FEMALE	41.2	18.4	20.1	19.7	0.5	253
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	46.3	15.9	19.8	17.2	0.8	363
BLACK, NON-HISPANIC	*	*	*	*	*	23
HISPANIC	*	*	*	*	*	4
OTHER	*	*	*	*	*	5
UNK/REF	*	*	*	*	*	1
INCOME						
< \$15,000	*	*	*	*	*	33
\$15-\$24,999	45.1	8.9	19.6	24.6	1.9	86
\$25-\$49,999	50.2	24.4	10.7	13.9	0.8	110
\$50-\$74,999	53.7	7.8	24.7	13.7	0.0	50
≥\$75,000	43.0	5.2	34.3	17.6	0.0	55
UNK/REF	38.5	27.0	18.6	15.4	0.5	62
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	35
HIGH SCHOOL GRAD OR GED	43.4	18.0	22.8	15.3	0.5	153
SOME COLLEGE OR TECH SCHOOL	51.9	15.9	16.0	14.6	1.6	96
COLLEGE GRADUATE	38.6	17.2	21.4	22.4	0.4	112
MARITAL STATUS						
MARRIED	43.8	18.8	24.0	13.1	0.4	219
UNMARRIED	49.6	12.2	13.9	22.2	2.1	177
EMPLOYMENT STATUS						
EMPLOYED	48.9	9.6	22.5	18.5	0.5	173
NOT EMPLOYED	*	*	*	*	*	6
STUDENT/HOMEMAKER	*	*	*	*	*	41
RETIRED/UNABLE TO WORK	45.3	22.2	15.8	14.8	1.9	175
UNK/REF	*	*	*	*	*	1
TOTAL	46.2	16.0	19.7	16.9	1.1	396

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 37. HAVE YOU EVER HAD A SIGMOIDOSCOPY?
DENOMINATOR IS PERSONS AGED 40 AND OLDER

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
40-49	22.8	77.2	0.0	585
50-59	35.3	64.3	0.4	363
60-69	38.4	58.9	2.6	245
70 +	54.8	41.7	3.5	281
SEX				
MALE	38.0	61.5	0.5	584
FEMALE	33.6	64.3	2.1	890
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	35.6	63.2	1.2	1,301
BLACK, NON-HISPANIC	31.9	65.3	2.7	112
HISPANIC	*	*	*	22
OTHER	*	*	*	26
UNK/REF	*	*	*	13
INCOME				
< \$15,000	33.9	60.8	5.3	112
\$15-\$24,999	33.0	66.4	0.6	285
\$25-\$49,999	34.9	65.0	0.1	473
\$50-\$74,999	33.9	66.0	0.1	222
≥\$75,000	33.3	66.2	0.4	195
UNK/REF	46.5	48.4	5.0	187
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	34.2	58.5	7.3	161
HIGH SCHOOL GRAD OR GED	34.7	64.8	0.4	570
SOME COLLEGE OR TECH SCHOOL	41.3	58.3	0.4	362
COLLEGE GRADUATE	33.4	66.2	0.4	380
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	33.4	65.5	1.1	838
UNMARRIED	38.3	59.9	1.8	631
UNK/REF	*	*	*	5
EMPLOYMENT STATUS				
EMPLOYED	30.7	69.1	0.2	868
NOT EMPLOYED	*	*	*	32
STUDENT/HOMEMAKER	24.0	74.5	1.5	141
RETIRED/UNABLE TO WORK	49.0	47.6	3.4	432
UNK/REF	*	*	*	1
TOTAL	35.6	63.0	1.4	1,474

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 38. WHEN DID YOU HAVE YOUR LAST SIGMOIDOSCOPY/COLONOSCOPY?
DENOMINATOR IS PERSONS AGED 40+ WHO HAVE EVER HAD A SIGMOIDOSCOPY/COLONOSCOPY

	1 TO 12 MONTHS	1 - <2 YEARS	2 - <5 YEARS	5 OR MORE YEARS	UNK/REF	TOTAL
	%	%	%	%	%	N
AGE GROUP						
40-49	16.6	7.1	31.9	44.2	0.2	114
50-59	35.6	16.0	25.3	23.1	0.0	131
60-69	24.8	28.9	16.2	25.0	5.1	100
70 +	40.2	8.4	22.0	28.7	0.6	146
SEX						
MALE	37.5	13.1	21.8	25.2	2.4	202
FEMALE	23.7	15.7	25.6	34.7	0.4	289
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	30.5	13.8	24.3	31.2	0.3	443
BLACK, NON-HISPANIC	*	*	*	*	*	33
HISPANIC	*	*	*	*	*	8
OTHER	*	*	*	*	*	4
UNK/REF	*	*	*	*	*	3
INCOME						
< \$15,000	*	*	*	*	*	41
\$15-\$24,999	26.8	9.0	26.0	32.6	5.7	101
\$25-\$49,999	24.9	12.7	24.5	37.9	0.2	146
\$50-\$74,999	42.4	18.8	16.5	22.4	0.0	67
>=\$75,000	17.2	9.6	41.8	31.3	0.0	58
UNK/REF	47.5	14.5	20.4	16.4	1.2	78
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	37.7	12.2	19.1	22.6	8.4	59
HIGH SCHOOL GRAD OR GED	25.1	15.4	23.1	36.0	0.3	185
SOME COLLEGE OR TECH SCHOOL	29.1	11.2	26.0	33.8	0.0	120
COLLEGE GRADUATE	36.7	17.6	25.2	20.0	0.5	127
MARITAL STATUS						
MARRIED	35.8	13.9	22.8	27.4	0.1	264
UNMARRIED	23.2	15.3	25.0	33.6	2.9	225
UNK/REF	*	*	*	*	*	2
EMPLOYMENT STATUS						
EMPLOYED	24.4	15.7	26.3	33.5	0.1	227
NOT EMPLOYED	*	*	*	*	*	7
STUDENT/HOMEMAKER	*	*	*	*	*	47
RETIRED/UNABLE TO WORK	38.3	14.1	19.4	25.0	3.1	210
TOTAL	30.4	14.4	23.7	30.0	1.4	491

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 39. WHAT IS THE AGE OF THE OLDEST CHILD IN YOUR HOUSEHOLD UNDER THE AGE OF 16?
DENOMINATOR IS PERSONS WHO HAVE A CHILD 17 YEARS OLD OR UNDER IN HOUSEHOLD

	<= 4	5 - 15	NONE	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-24	47.9	40.1	9.6	2.4	89
25-34	41.7	57.2	0.1	1.0	248
35-44	6.7	84.6	8.4	0.3	376
45-54	2.1	76.8	17.4	3.7	170
55-64	*	*	*	*	18
65 +	*	*	*	*	11
UNK/REF	*	*	*	*	12
SEX					
MALE	19.4	72.4	7.1	1.1	352
FEMALE	24.8	64.6	8.2	2.5	572
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	21.6	68.5	8.1	1.8	753
BLACK, NON-HISPANIC	27.7	67.7	2.8	1.7	113
HISPANIC	*	*	*	*	27
OTHER	*	*	*	*	27
UNK/REF	*	*	*	*	4
INCOME					
< \$15,000	*	*	*	*	36
\$15-\$24,999	29.6	58.4	8.6	3.4	142
\$25-\$49,999	24.9	68.3	5.4	1.4	340
\$50-\$74,999	15.4	74.9	9.4	0.3	190
>=\$75,000	23.6	69.3	5.9	1.2	143
UNK/REF	5.6	73.6	13.0	7.8	73
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	12.5	79.4	3.7	4.4	81
HIGH SCHOOL GRAD OR GED	18.2	67.7	12.5	1.5	312
SOME COLLEGE OR TECH SCHOOL	31.6	60.4	7.2	0.9	264
COLLEGE GRADUATE	23.8	72.0	3.2	1.0	265
UNK/REF	*	*	*	*	2
MARITAL STATUS					
MARRIED	21.7	69.9	6.8	1.6	632
UNMARRIED	24.1	65.2	9.4	1.3	290
UNK/REF	*	*	*	*	2
EMPLOYMENT STATUS					
EMPLOYED	21.7	69.2	7.4	1.8	714
NOT EMPLOYED	*	*	*	*	24
STUDENT/HOMEMAKER	29.7	60.9	6.3	3.1	151
RETIRED/UNABLE TO WORK	*	*	*	*	35
TOTAL	22.4	68.0	7.7	1.9	924

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 40. WHEN RIDING ON A BICYCLE, HOW OFTEN DOES THE OLDEST CHILD USE A HELMET?
DENOMINATOR IS PERSONS WHO HAVE A CHILD 5 THROUGH 15 YEARS OF AGE

	ALWAYS %	NEARLY ALWAYS %	SOMETIMES %	SELDOM OR NEVER %	NEVER RIDE A BICYCLE %	UNK/REF %	TOTAL N
AGE GROUP							
18-24	*	*	*	*	*	*	42
25-34	18.7	11.1	11.5	52.8	5.4	0.6	160
35-44	10.5	8.5	14.1	53.2	13.7	0.0	317
45-54	16.2	19.1	9.4	39.6	15.7	0.0	118
55-64	*	*	*	*	*	*	12
65 +	*	*	*	*	*	*	9
UNK/REF	*	*	*	*	*	*	9
SEX							
MALE	14.7	12.3	11.6	46.1	14.9	0.3	264
FEMALE	13.6	7.7	12.8	53.9	12.0	0.0	403
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	14.5	9.1	12.7	51.5	12.1	0.0	545
BLACK, NON-HISPANIC	10.0	2.7	9.9	46.2	29.3	1.8	83
HISPANIC	*	*	*	*	*	*	18
OTHER	*	*	*	*	*	*	18
UNK/REF	*	*	*	*	*	*	3
INCOME							
< \$15,000	*	*	*	*	*	*	22
\$15-\$24,999	5.6	3.6	14.1	58.8	18.0	0.0	96
\$25-\$49,999	15.6	12.1	11.2	48.0	13.2	0.0	247
\$50-\$74,999	15.6	7.3	15.6	52.2	8.7	0.6	148
>=\$75,000	16.4	15.0	9.5	46.4	12.7	0.0	103
UNK/REF	18.0	11.4	2.6	55.8	12.3	0.0	51
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	9.9	11.7	20.8	40.2	17.5	0.0	62
HIGH SCHOOL GRAD OR GED	11.0	5.1	13.0	59.4	11.3	0.4	221
SOME COLLEGE OR TECH SCHOOL	19.6	7.1	7.6	52.8	12.9	0.0	190
COLLEGE GRADUATE	15.8	17.7	12.0	39.5	15.1	0.0	193
UNK/REF	*	*	*	*	*	*	1
MARITAL STATUS							
MARRIED	17.5	9.2	14.2	47.8	11.1	0.2	469
UNMARRIED	7.0	11.1	8.3	55.6	18.0	0.0	197
UNK/REF	*	*	*	*	*	*	1
EMPLOYMENT STATUS							
EMPLOYED	11.7	11.2	11.4	51.0	14.5	0.2	525
NOT EMPLOYED	*	*	*	*	*	*	16
STUDENT/HOMEMAKER	22.8	6.4	13.0	51.6	6.2	0.0	105
RETIRED/UNABLE TO WORK	*	*	*	*	*	*	21
TOTAL	14.1	9.8	12.3	50.3	13.4	0.1	667

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 41. WHEN WAS THE LAST TIME THE SMOKE DETECTORS IN YOUR HOME WERE TESTED?

	< 1 MO	1 - <6 MOS	6 - 12 MOS	> 1 YR	NEVER	NO SMOKE DETECTORS	UNK/REF	TOTAL
	%	%	%	%	%	%	%	N
AGE GROUP								
18-24	25.0	29.1	7.5	10.1	17.6	0.4	10.3	217
25-34	27.0	34.9	11.4	10.6	8.8	1.2	6.0	444
35-44	30.9	32.4	13.3	13.1	5.6	1.4	3.3	583
45-54	27.2	30.0	16.5	10.3	4.9	3.6	7.5	501
55-64	41.1	33.1	7.5	7.7	4.2	4.9	1.6	262
65 +	42.2	22.7	10.9	6.8	5.6	4.1	7.8	407
UNK/REF	*	*	*	*	*	*	*	29
SEX								
MALE	35.3	28.7	9.9	9.8	8.1	2.8	5.4	1,019
FEMALE	29.1	32.0	12.9	10.0	7.2	2.2	6.6	1,424
RACE AND ETHNICITY								
WHITE, NON-HISPANIC	31.0	30.8	11.8	10.2	7.4	2.6	6.1	2,075
BLACK, NON-HISPANIC	47.7	23.1	8.4	6.3	6.0	2.0	6.5	230
HISPANIC	28.1	48.2	4.5	9.9	6.1	0.3	2.9	54
OTHER	36.6	15.1	17.0	7.0	21.1	0.0	3.2	65
UNK/REF	*	*	*	*	*	*	*	19
INCOME								
< \$15,000	46.8	27.1	9.1	1.5	6.1	2.3	7.1	157
\$15-\$24,999	42.2	24.7	9.3	6.6	6.4	4.8	6.0	467
\$25-\$49,999	27.7	36.3	12.2	9.4	7.7	2.8	4.1	868
\$50-\$74,999	30.7	28.2	14.0	13.4	9.4	0.0	4.2	391
>=\$75,000	18.7	33.5	12.3	20.4	8.0	0.3	6.7	289
UNK/REF	32.4	24.9	10.3	8.1	7.8	3.0	13.5	271
EDUCATION LEVEL								
LESS THAN HIGH SCHOOL GRADUATE	35.7	23.0	9.6	5.9	11.0	8.7	6.0	239
HIGH SCHOOL GRAD OR GED	35.2	29.5	10.1	10.7	5.1	2.3	7.2	886
SOME COLLEGE OR TECH SCHOOL	33.5	31.8	10.8	10.1	8.6	0.8	4.2	653
COLLEGE GRADUATE	23.6	34.7	15.4	10.6	8.2	1.3	6.2	663
UNK/REF	*	*	*	*	*	*	*	2
MARITAL STATUS								
MARRIED	32.9	32.4	12.2	11.2	5.3	2.8	3.2	1,275
UNMARRIED	31.4	28.2	10.9	8.5	9.9	2.1	9.0	1,161
UNK/REF	*	*	*	*	*	*	*	7
EMPLOYMENT STATUS								
EMPLOYED	28.7	32.5	12.2	11.4	8.5	1.8	4.8	1,631
NOT EMPLOYED	35.6	12.0	7.5	11.2	3.0	17.9	12.9	61
STUDENT/HOMEMAKER	33.8	31.0	8.2	8.3	7.2	1.4	10.2	297
RETIRED/UNABLE TO WORK	41.9	25.6	11.6	5.5	5.5	3.4	6.5	453
UNK/REF	*	*	*	*	*	*	*	1
TOTAL	32.1	30.4	11.5	9.9	7.6	2.5	6.0	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 42. IF YOU HAD A CHILD IN SCHOOL, WHAT GRADE DO YOU THINK S/HE SHOULD BEGIN HIV AND AIDS EDUCATION?
DENOMINATOR IS PERSONS AGES 18-64

	KINDERGARTEN	1ST TO 3RD GRADE	4TH TO 6TH GRADE	7TH TO 9TH GRADE	10TH TO 12TH GRADE	NEVER	UNK/REF	TOTAL
	%	%	%	%	%	%	%	N
AGE GROUP								
18-24	4.9	25.7	47.0	18.0	1.0	0.4	3.0	217
25-34	2.9	25.6	48.2	17.4	1.0	0.7	4.3	444
35-44	5.7	19.4	53.3	13.1	1.6	3.5	3.4	583
45-54	6.6	21.9	47.1	12.9	1.1	3.3	7.1	501
55-64	12.6	16.0	47.6	13.6	1.5	0.3	8.4	262
SEX								
MALE	5.8	19.7	48.1	17.4	1.2	2.0	5.8	872
FEMALE	6.5	24.0	49.8	12.5	1.3	1.7	4.3	1,135
RACE AND ETHNICITY								
WHITE, NON-HISPANIC	5.8	21.0	50.4	14.9	1.2	2.0	4.7	1,685
BLACK, NON-HISPANIC	12.4	20.9	45.6	16.1	2.2	0.7	2.2	201
HISPANIC	2.7	37.3	24.9	18.7	0.7	0.7	15.1	51
OTHER	6.1	43.7	37.0	9.0	0.0	0.0	4.2	58
UNK/REF	*	*	*	*	*	*	*	12
INCOME								
< \$15,000	4.6	10.4	73.2	5.0	1.9	3.5	1.5	97
\$15-\$24,999	7.7	21.1	46.7	13.5	2.6	1.6	6.9	330
\$25-\$49,999	5.6	24.1	49.0	13.7	0.8	2.7	4.1	766
\$50-\$74,999	7.6	23.0	47.9	17.0	0.6	0.2	3.8	372
>=\$75,000	5.9	22.0	48.6	15.3	0.5	1.6	6.0	279
UNK/REF	3.7	16.6	43.5	22.9	2.8	1.7	8.9	163
EDUCATION LEVEL								
LESS THAN HIGH SCHOOL GRADUATE	3.9	34.3	38.6	14.1	0.4	0.9	7.8	155
HIGH SCHOOL GRAD OR GED	6.1	21.0	48.7	16.4	1.8	0.7	5.2	719
SOME COLLEGE OR TECH SCHOOL	6.3	18.1	53.7	13.5	0.6	3.2	4.5	548
COLLEGE GRADUATE	6.9	21.9	48.4	14.6	1.3	2.5	4.3	584
UNK/REF	*	*	*	*	*	*	*	1
MARITAL STATUS								
MARRIED	5.3	22.0	48.6	16.1	1.0	1.6	5.5	1,086
UNMARRIED	7.2	21.7	49.6	13.5	1.6	2.2	4.3	919
UNK/REF	*	*	*	*	*	*	*	2
EMPLOYMENT STATUS								
EMPLOYED	6.6	21.9	49.7	14.4	0.9	2.0	4.6	1,566
NOT EMPLOYED	3.4	26.5	39.4	24.9	5.1	0.0	0.7	59
STUDENT/HOMEMAKER	4.6	21.6	48.6	15.8	1.4	2.4	5.5	252
RETIRED/UNABLE TO WORK	5.0	18.6	44.7	14.8	3.2	0.1	13.5	129
UNK/REF	*	*	*	*	*	*	*	1
TOTAL	6.2	21.8	49.0	14.9	1.2	1.9	5.0	2,007

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 43. IF YOU HAD SEXUALLY ACTIVE TEENAGER, WOULD YOU ENCOURAGE HIM OR HER TO USE A CONDOM?
DENOMINATOR IS PERSONS AGES 18-64

	YES %	NO %	WOULD GIVE OTHER ADVICE %	UNK/REF %	TOTAL N
AGE GROUP					
18-24	86.7	2.7	5.3	5.4	217
25-34	90.0	0.3	8.8	1.0	444
35-44	89.2	1.7	7.9	1.2	583
45-54	84.4	3.5	10.5	1.6	501
55-64	88.3	0.6	9.6	1.5	262
SEX					
MALE	85.3	2.2	9.6	2.9	872
FEMALE	90.3	1.3	7.4	1.1	1,135
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	87.4	1.8	8.7	2.1	1,685
BLACK, NON-HISPANIC	90.4	0.7	7.3	1.6	201
HISPANIC	95.4	1.3	3.3	0.0	51
OTHER	87.6	3.7	8.0	0.7	58
UNK/REF	*	*	*	*	12
INCOME					
< \$15,000	89.5	4.0	4.9	1.7	97
\$15-\$24,999	87.1	0.6	9.2	3.1	330
\$25-\$49,999	88.6	2.3	6.6	2.5	766
\$50-\$74,999	91.6	1.7	5.3	1.4	372
≥\$75,000	88.9	2.1	8.6	0.4	279
UNK/REF	75.2	0.1	23.4	1.3	163
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	82.9	6.4	4.1	6.6	155
HIGH SCHOOL GRAD OR GED	90.9	1.1	6.7	1.3	719
SOME COLLEGE OR TECH SCHOOL	86.0	0.5	12.1	1.4	548
COLLEGE GRADUATE	87.1	2.0	9.2	1.7	584
UNK/REF	*	*	*	*	1
MARITAL STATUS					
MARRIED	86.7	1.8	9.8	1.7	1,086
UNMARRIED	89.1	1.7	7.0	2.3	919
UNK/REF	*	*	*	*	2
EMPLOYMENT STATUS					
EMPLOYED	87.3	1.8	9.1	1.8	1,566
NOT EMPLOYED	95.2	0.0	4.0	0.8	59
STUDENT/HOMEMAKER	86.3	2.2	8.0	3.5	252
RETIRED/UNABLE TO WORK	94.1	0.8	3.2	1.9	129
UNK/REF	*	*	*	*	1
TOTAL	87.8	1.8	8.5	2.0	2,007

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 44. WHAT ARE YOUR CHANCES OF GETTING INFECTED WITH HIV?
DENOMINATOR IS PERSONS AGES 18-64

	HIGH	MEDIUM	LOW	NONE	NOT APPLICABLE	UNK/REF	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	4.8	4.1	31.6	54.2	0.0	5.3	217
25-34	1.8	7.2	26.1	63.8	0.4	0.7	444
35-44	2.1	2.9	25.8	68.5	0.0	0.7	583
45-54	0.3	6.4	22.7	69.6	0.0	1.1	501
55-64	2.0	3.2	11.3	83.0	0.0	0.4	262
SEX							
MALE	2.7	7.2	26.2	61.8	0.2	1.9	872
FEMALE	1.5	2.5	21.9	73.0	0.0	1.1	1,135
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	1.6	3.7	24.2	68.8	0.1	1.5	1,685
BLACK, NON-HISPANIC	1.2	3.6	26.1	66.7	0.0	2.3	201
HISPANIC	6.2	28.3	21.7	43.1	0.0	0.7	51
OTHER	4.1	25.3	15.0	54.4	0.0	1.2	58
UNK/REF	*	*	*	*	*	*	12
INCOME							
< \$15,000	2.0	5.2	37.7	52.1	2.0	1.0	97
\$15-\$24,999	3.6	6.0	21.1	67.1	0.0	2.1	330
\$25-\$49,999	1.6	6.8	21.8	67.8	0.0	1.9	766
\$50-\$74,999	2.2	3.2	21.7	72.1	0.0	0.9	372
>=\$75,000	1.1	1.0	29.6	67.9	0.0	0.3	279
UNK/REF	2.2	2.7	29.6	63.8	0.0	1.7	163
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	5.9	10.0	12.7	66.7	0.0	4.6	155
HIGH SCHOOL GRAD OR GED	1.3	3.3	18.8	75.1	0.2	1.3	719
SOME COLLEGE OR TECH SCHOOL	2.4	7.3	30.2	58.8	0.0	1.3	548
COLLEGE GRADUATE	1.4	2.8	28.9	66.1	0.0	0.8	584
UNK/REF	*	*	*	*	*	*	1
MARITAL STATUS							
MARRIED	0.9	4.0	18.3	76.0	0.0	0.7	1,086
UNMARRIED	3.1	5.8	30.7	57.8	0.2	2.4	919
UNK/REF	*	*	*	*	*	*	2
EMPLOYMENT STATUS							
EMPLOYED	1.8	5.7	24.9	66.3	0.0	1.3	1,566
NOT EMPLOYED	0.0	1.3	30.9	66.3	0.0	1.6	59
STUDENT/HOMEMAKER	1.5	2.8	21.1	72.2	0.0	2.5	252
RETIRED/UNABLE TO WORK	8.8	0.1	13.9	74.0	1.7	1.5	129
UNK/REF	*	*	*	*	*	*	1
TOTAL	2.1	4.8	24.0	67.5	0.1	1.5	2,007

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 45. HAVE YOU DONATED BLOOD SINCE MARCH 1985?
DENOMINATOR IS PERSONS AGES 18-64, BUT EXCLUDES THOSE THAT SAID "NOT APPLICABLE" IN TABLE 44

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
18-24	35.6	59.2	5.2	217
25-34	33.0	66.3	0.7	443
35-44	29.4	69.9	0.7	583
45-54	34.2	64.6	1.2	501
55-64	20.8	78.9	0.2	262
SEX				
MALE	33.7	64.0	2.3	871
FEMALE	28.2	71.1	0.7	1,135
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	31.8	66.7	1.5	1,684
BLACK, NON-HISPANIC	19.3	78.4	2.3	201
HISPANIC	31.4	68.6	0.0	51
OTHER	23.9	76.1	0.0	58
UNK/REF	*	*	*	12
INCOME				
< \$15,000	17.8	80.8	1.4	96
\$15-\$24,999	33.8	64.1	2.1	330
\$25-\$49,999	23.7	74.3	2.0	766
\$50-\$74,999	34.8	65.0	0.2	372
≥\$75,000	46.9	51.3	1.9	279
UNK/REF	33.6	65.9	0.4	163
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	14.1	81.1	4.8	155
HIGH SCHOOL GRAD OR GED	27.1	71.7	1.1	718
SOME COLLEGE OR TECH SCHOOL	36.2	62.5	1.3	548
COLLEGE GRADUATE	37.8	61.4	0.9	584
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	29.4	69.8	0.8	1,086
UNMARRIED	32.9	64.8	2.3	918
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	31.9	66.7	1.4	1,566
NOT EMPLOYED	22.1	77.3	0.6	59
STUDENT/HOMEMAKER	33.1	64.7	2.2	252
RETIRED/UNABLE TO WORK	16.1	82.6	1.2	128
UNK/REF	*	*	*	1
TOTAL	31.0	67.6	1.5	2,006

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 46. HAVE YOU DONATED BLOOD IN THE LAST 12 MONTHS?
DENOMINATOR IS PERSONS AGED 18-64 WHO HAVE DONATED SINCE MARCH 1985

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	27.0	73.0	0.0	72
25-34	23.8	76.2	0.0	138
35-44	17.0	82.8	0.2	156
45-54	42.9	55.0	2.1	153
55-64	*	*	*	46
SEX				
MALE	23.7	75.6	0.7	268
FEMALE	32.5	67.1	0.3	297
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	28.0	71.4	0.6	488
BLACK, NON-HISPANIC	*	*	*	38
HISPANIC	*	*	*	18
OTHER	*	*	*	16
UNK/REF	*	*	*	5
INCOME				
< \$15,000	*	*	*	17
\$15-\$24,999	36.8	63.2	0.0	84
\$25-\$49,999	19.0	81.0	0.0	200
\$50-\$74,999	21.8	77.7	0.5	111
≥\$75,000	36.1	63.6	0.3	114
UNK/REF	*	*	*	39
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	23
HIGH SCHOOL GRAD OR GED	31.7	68.0	0.3	177
SOME COLLEGE OR TECH SCHOOL	16.5	83.5	0.0	158
COLLEGE GRADUATE	36.5	62.2	1.3	207
MARITAL STATUS				
MARRIED	29.3	69.8	0.9	313
UNMARRIED	26.2	73.7	0.1	252
EMPLOYMENT STATUS				
EMPLOYED	27.3	72.0	0.7	465
NOT EMPLOYED	*	*	*	14
STUDENT/HOMEMAKER	37.4	62.6	0.0	64
RETIRED/UNABLE TO WORK	*	*	*	22
TOTAL	27.7	71.7	0.5	565

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 47. EXCEPT FOR TESTS YOU MAY HAVE HAD AS PART OF BLOOD DONATIONS, HAVE YOU EVER BEEN TESTED FOR HIV?
DENOMINATOR IS PERSONS AGED 18-64 WHO HAVE DONATED SINCE MARCH 1985

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	30.3	69.4	0.3	72
25-34	59.6	35.7	4.7	138
35-44	43.1	54.8	2.1	156
45-54	30.7	65.1	4.3	153
55-64	*	*	*	46
SEX				
MALE	38.9	58.0	3.0	268
FEMALE	42.1	55.1	2.8	297
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	37.3	59.4	3.3	488
BLACK, NON-HISPANIC	*	*	*	38
HISPANIC	*	*	*	18
OTHER	*	*	*	16
UNK/REF	*	*	*	5
INCOME				
< \$15,000	*	*	*	17
\$15-\$24,999	44.7	51.8	3.6	84
\$25-\$49,999	50.6	47.5	2.0	200
\$50-\$74,999	33.2	66.0	0.7	111
>=\$75,000	35.7	60.9	3.3	114
UNK/REF	*	*	*	39
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	23
HIGH SCHOOL GRAD OR GED	38.3	59.6	2.0	177
SOME COLLEGE OR TECH SCHOOL	41.6	57.7	0.7	158
COLLEGE GRADUATE	38.7	55.0	6.2	207
MARITAL STATUS				
MARRIED	37.1	59.4	3.4	313
UNMARRIED	43.7	53.8	2.4	252
EMPLOYMENT STATUS				
EMPLOYED	39.8	57.3	2.9	465
NOT EMPLOYED	*	*	*	14
STUDENT/HOMEMAKER	33.4	62.9	3.7	64
RETIRED/UNABLE TO WORK	*	*	*	22
TOTAL	40.4	56.7	3.0	565

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 48. HAVE YOU EVER BEEN TESTED FOR HIV?
DENOMINATOR IS PERSONS AGED 18-64, WHO HAVE NOT DONATED BLOOD (UNK/REF INCLUDED)

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
18-24	41.4	49.7	8.8	145
25-34	53.3	42.7	4.1	305
35-44	32.3	58.3	9.3	427
45-54	25.3	66.6	8.1	348
55-64	21.0	72.6	6.3	216
SEX				
MALE	35.0	55.1	9.9	603
FEMALE	34.8	60.1	5.0	838
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	31.8	60.3	7.9	1,196
BLACK, NON-HISPANIC	62.1	31.9	6.0	163
HISPANIC	*	*	*	33
OTHER	*	*	*	42
UNK/REF	*	*	*	7
INCOME				
< \$15,000	29.8	67.6	2.6	79
\$15-\$24,999	35.5	58.1	6.4	246
\$25-\$49,999	35.5	55.8	8.7	566
\$50-\$74,999	43.4	52.5	4.1	261
≥\$75,000	35.0	50.4	14.6	165
UNK/REF	15.9	79.3	4.8	124
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	25.9	66.3	7.9	132
HIGH SCHOOL GRAD OR GED	33.4	59.4	7.2	541
SOME COLLEGE OR TECH SCHOOL	42.3	53.8	3.9	390
COLLEGE GRADUATE	35.4	53.8	10.8	377
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	31.7	58.6	9.8	773
UNMARRIED	39.0	56.5	4.5	666
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	35.4	57.3	7.2	1,101
NOT EMPLOYED	*	*	*	45
STUDENT/HOMEMAKER	30.4	59.6	10.0	188
RETIRED/UNABLE TO WORK	34.1	59.2	6.8	106
UNK/REF	*	*	*	1
TOTAL	34.9	57.7	7.4	1,441

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 49. NOT INCLUDING YOUR BLOOD DONATIONS, HAVE YOU BEEN TESTED FOR HIV IN THE PAST 12 MONTHS?
DENOMINATOR IS PERSONS AGED 18-64, WHO HAVE DONATED BLOOD IN PAST 12 MONTHS

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	*	*	*	25
25-34	39.1	55.4	5.5	87
35-44	43.0	56.2	0.8	81
45-54	*	*	*	45
55-64	*	*	*	8
SEX				
MALE	41.1	57.0	1.9	120
FEMALE	41.4	54.2	4.4	126
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	41.8	54.7	3.5	203
BLACK, NON-HISPANIC	*	*	*	21
HISPANIC	*	*	*	11
OTHER	*	*	*	9
UNK/REF	*	*	*	2
INCOME				
< \$15,000	*	*	*	10
\$15-\$24,999	*	*	*	43
\$25-\$49,999	44.8	47.4	7.8	90
\$50-\$74,999	*	*	*	46
>=\$75,000	*	*	*	45
UNK/REF	*	*	*	12
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	12
HIGH SCHOOL GRAD OR GED	39.2	60.1	0.7	74
SOME COLLEGE OR TECH SCHOOL	36.8	56.9	6.3	71
COLLEGE GRADUATE	48.1	49.0	2.9	89
MARITAL STATUS				
MARRIED	42.9	50.6	6.5	133
UNMARRIED	39.8	60.1	0.1	113
EMPLOYMENT STATUS				
EMPLOYED	43.6	55.0	1.4	209
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	21
RETIRED/UNABLE TO WORK	*	*	*	8
TOTAL	41.2	55.7	3.1	246

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 50. HAVE YOU BEEN TESTED FOR HIV IN THE PAST 12 MONTHS?
DENOMINATOR IS PERSONS AGED 18-64, WHO HAVE NOT DONATED BLOOD AND HAVE BEEN TESTED FOR HIV

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	61.4	38.6	0.0	69
25-34	47.7	52.3	0.0	172
35-44	27.3	71.2	1.5	181
45-54	25.2	74.1	0.7	106
55-64	25.6	74.4	0.0	50
SEX				
MALE	39.4	60.1	0.5	245
FEMALE	40.1	59.5	0.4	333
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	35.4	64.0	0.6	440
BLACK, NON-HISPANIC	63.0	37.0	0.0	92
HISPANIC	*	*	*	18
OTHER	*	*	*	25
UNK/REF	*	*	*	3
INCOME				
< \$15,000	*	*	*	32
\$15-\$24,999	37.1	62.3	0.6	116
\$25-\$49,999	41.1	58.6	0.3	221
\$50-\$74,999	46.6	53.1	0.3	102
>=\$75,000	26.1	72.0	1.9	73
UNK/REF	*	*	*	34
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	51.5	46.6	1.9	58
HIGH SCHOOL GRAD OR GED	40.2	59.6	0.2	197
SOME COLLEGE OR TECH SCHOOL	40.4	59.6	0.0	169
COLLEGE GRADUATE	34.0	65.2	0.9	154
MARITAL STATUS				
MARRIED	39.7	59.6	0.7	272
UNMARRIED	39.9	60.0	0.2	306
EMPLOYMENT STATUS				
EMPLOYED	34.6	64.9	0.4	447
NOT EMPLOYED	*	*	*	26
STUDENT/HOMEMAKER	57.7	42.3	0.0	59
RETIRED/UNABLE TO WORK	*	*	*	46
TOTAL	39.8	59.8	0.5	578

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 51a. WHAT WAS THE MAIN REASON YOU HAD YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	HOSPITALIZATION	HEALTH INSURANCE	LIFE INSURANCE	EMPLOYMENT	MARRIAGE LICENSE	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	1.3	0.5	0.0	2.0	0.0	51
25-34	12.2	3.6	7.3	7.4	0.0	98
35-44	16.1	7.8	16.1	5.1	0.8	75
45-54	*	*	*	*	*	36
55-64	*	*	*	*	*	18
SEX						
MALE	17.2	5.9	14.5	5.3	0.3	114
FEMALE	8.4	1.3	3.0	3.3	0.0	164
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	11.1	3.9	10.7	4.6	0.0	194
BLACK, NON-HISPANIC	20.8	2.1	1.7	5.0	1.0	58
HISPANIC	*	*	*	*	*	9
OTHER	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	2
INCOME						
< \$15,000	*	*	*	*	*	17
\$15-\$24,999	14.5	1.4	1.2	1.3	1.1	65
\$25-\$49,999	13.0	3.4	3.1	9.2	0.0	109
\$50-\$74,999	*	*	*	*	*	40
>=\$75,000	*	*	*	*	*	35
UNK/REF	*	*	*	*	*	12
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	25
HIGH SCHOOL GRAD OR GED	9.3	3.1	10.8	0.9	0.5	94
SOME COLLEGE OR TECH SCHOOL	12.8	0.4	3.0	9.0	0.0	81
COLLEGE GRADUATE	8.4	7.5	15.2	5.3	0.0	78
MARITAL STATUS						
MARRIED	12.1	6.3	16.5	3.8	0.0	120
UNMARRIED	13.4	1.0	1.2	4.8	0.3	158
EMPLOYMENT STATUS						
EMPLOYED	7.7	4.7	11.6	5.4	0.2	200
NOT EMPLOYED	*	*	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	*	*	27
TOTAL	12.7	3.6	8.7	4.3	0.2	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 51b. WHAT WAS THE MAIN REASON YOU HAD YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	MILITARY INDUCTION/SERVICE	IMMIGRATION	TO SEE IF INFECTED	REFERRED BY DR.	PREGNANCY TEST	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	1.2	1.0	21.5	0.0	51.5	51
25-34	7.6	0.8	19.8	0.1	21.5	98
35-44	1.1	0.0	16.1	1.2	11.1	75
45-54	*	*	*	*	*	36
55-64	*	*	*	*	*	18
SEX						
MALE	6.0	1.0	16.9	0.2	0.0	114
FEMALE	0.8	0.0	17.8	0.3	43.0	164
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	4.5	0.0	15.1	0.4	24.4	194
BLACK, NON-HISPANIC	0.0	0.0	27.1	0.0	11.9	58
HISPANIC	*	*	*	*	*	9
OTHER	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	2
INCOME						
< \$15,000	*	*	*	*	*	17
\$15-\$24,999	1.9	0.0	24.8	0.0	16.7	65
\$25-\$49,999	1.3	0.0	16.7	0.3	29.2	109
\$50-\$74,999	*	*	*	*	*	40
≥\$75,000	*	*	*	*	*	35
UNK/REF	*	*	*	*	*	12
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	25
HIGH SCHOOL GRAD OR GED	1.5	0.0	13.9	0.0	31.0	94
SOME COLLEGE OR TECH SCHOOL	8.8	0.8	18.0	0.4	19.6	81
COLLEGE GRADUATE	1.3	1.1	16.5	0.6	15.9	78
MARITAL STATUS						
MARRIED	5.4	0.6	2.1	0.5	31.3	120
UNMARRIED	1.4	0.4	32.0	0.1	12.6	158
EMPLOYMENT STATUS						
EMPLOYED	4.1	0.4	20.4	0.2	14.2	200
NOT EMPLOYED	*	*	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	*	*	27
TOTAL	3.4	0.5	17.4	0.3	21.8	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 51c. WHAT WAS THE MAIN REASON YOU HAD YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	REFERRED BY SEX PARTNER	BLOOD DONATION PROCESS	ROUTINE CHECKUP	OCCUPATIONAL EXPOSURE	ILLNESS	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	8.4	0.0	7.9	0.0	0.4	51
25-34	0.6	1.3	14.4	1.1	0.6	98
35-44	2.5	0.0	15.9	2.9	1.0	75
45-54	*	*	*	*	*	36
55-64	*	*	*	*	*	18
SEX						
MALE	2.3	0.7	21.3	1.0	5.3	114
FEMALE	2.9	0.6	14.3	1.2	0.8	164
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	3.1	0.4	16.2	0.9	3.5	194
BLACK, NON-HISPANIC	1.4	1.9	21.5	0.5	0.0	58
HISPANIC	*	*	*	*	*	9
OTHER	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	2
INCOME						
< \$15,000	*	*	*	*	*	17
\$15-\$24,999	4.4	2.2	21.8	3.4	4.3	65
\$25-\$49,999	1.4	0.4	16.3	0.7	0.8	109
\$50-\$74,999	*	*	*	*	*	40
≥\$75,000	*	*	*	*	*	35
UNK/REF	*	*	*	*	*	12
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	25
HIGH SCHOOL GRAD OR GED	0.0	1.8	17.2	0.0	6.7	94
SOME COLLEGE OR TECH SCHOOL	6.9	0.0	17.1	1.1	1.8	81
COLLEGE GRADUATE	2.3	0.0	20.7	1.6	0.0	78
MARITAL STATUS						
MARRIED	0.0	0.4	18.6	0.3	1.4	120
UNMARRIED	5.0	0.9	16.9	1.8	4.6	158
EMPLOYMENT STATUS						
EMPLOYED	1.7	0.4	22.3	1.3	3.6	200
NOT EMPLOYED	*	*	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	*	*	27
TOTAL	2.6	0.6	17.8	1.1	3.0	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 51d. WHAT WAS THE MAIN REASON YOU HAD YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	AT RISK FOR HIV	OTHER	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	0.4	0.0	3.8	51
25-34	0.5	1.2	0.0	98
35-44	1.4	0.8	0.3	75
45-54	*	*	*	36
55-64	*	*	*	18
SEX				
MALE	0.9	1.2	0.0	114
FEMALE	0.2	0.4	1.8	164
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	0.4	0.9	0.1	194
BLACK, NON-HISPANIC	0.0	0.0	5.1	58
HISPANIC	*	*	*	9
OTHER	*	*	*	15
UNK/REF	*	*	*	2
INCOME				
< \$15,000	*	*	*	17
\$15-\$24,999	0.6	0.3	0.0	65
\$25-\$49,999	1.1	1.0	2.1	109
\$50-\$74,999	*	*	*	40
>=\$75,000	*	*	*	35
UNK/REF	*	*	*	12
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	25
HIGH SCHOOL GRAD OR GED	0.2	0.7	2.5	94
SOME COLLEGE OR TECH SCHOOL	0.0	0.2	0.0	81
COLLEGE GRADUATE	1.7	1.9	0.0	78
MARITAL STATUS				
MARRIED	0.0	0.7	0.1	120
UNMARRIED	1.1	0.9	1.7	158
EMPLOYMENT STATUS				
EMPLOYED	0.6	1.0	0.1	200
NOT EMPLOYED	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	27
TOTAL	0.6	0.8	0.9	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 52a. WHERE DID YOU HAVE YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	PRIVATE DR. OR HMO	BLD BNK, PLASMA CTR OR RED CROSS	HEALTH DEPT	AIDS CLINIC OR TEST SITE	HOSPITAL OR EMERG ROOM	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	30.3	0.0	7.8	0.0	33.8	51
25-34	34.0	0.0	9.0	0.8	25.4	98
35-44	40.7	0.6	1.3	0.3	16.9	75
45-54	*	*	*	*	*	36
55-64	*	*	*	*	*	18
SEX						
MALE	29.4	4.6	7.0	0.7	20.1	114
FEMALE	41.4	0.0	4.6	0.2	31.0	164
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	36.6	3.0	5.2	0.6	23.6	194
BLACK, NON-HISPANIC	37.2	0.0	3.9	0.0	29.2	58
HISPANIC	*	*	*	*	*	9
OTHER	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	2
INCOME						
< \$15,000	*	*	*	*	*	17
\$15-\$24,999	39.5	0.0	6.5	0.6	24.5	65
\$25-\$49,999	39.4	0.0	5.2	0.5	31.2	109
\$50-\$74,999	*	*	*	*	*	40
≥\$75,000	*	*	*	*	*	35
UNK/REF	*	*	*	*	*	12
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	25
HIGH SCHOOL GRAD OR GED	36.4	0.0	1.0	0.3	30.6	94
SOME COLLEGE OR TECH SCHOOL	41.6	0.0	6.8	0.2	16.1	81
COLLEGE GRADUATE	24.8	8.5	1.8	1.1	30.8	78
MARITAL STATUS						
MARRIED	36.2	1.0	2.7	0.0	23.6	120
UNMARRIED	34.8	3.5	8.7	0.9	27.5	158
EMPLOYMENT STATUS						
EMPLOYED	38.1	3.1	7.1	0.5	19.8	200
NOT EMPLOYED	*	*	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	*	*	27
TOTAL	35.5	2.3	5.8	0.5	25.6	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 52b. WHERE DID YOU HAVE YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	FAMILY PLANNING CLINIC	PRENATAL CLINIC OR OB/GYN OFFICE	STD CLINIC	COMM HEALTH CLINIC	COMPANY OR INDUSTRY CLINIC	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	10.7	3.1	2.2	5.0	0.8	51
25-34	4.7	1.1	0.0	2.4	0.9	98
35-44	4.7	0.0	0.0	2.8	10.1	75
45-54	*	*	*	*	*	36
55-64	*	*	*	*	*	18
SEX						
MALE	1.7	0.0	0.0	2.3	5.2	114
FEMALE	8.3	2.2	1.0	2.9	0.2	164
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	5.5	1.2	0.0	2.2	3.2	194
BLACK, NON-HISPANIC	4.0	1.3	3.0	5.8	0.0	58
HISPANIC	*	*	*	*	*	9
OTHER	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	2
INCOME						
< \$15,000	*	*	*	*	*	17
\$15-\$24,999	7.6	0.3	0.0	1.7	1.3	65
\$25-\$49,999	6.2	2.5	0.0	3.2	0.7	109
\$50-\$74,999	*	*	*	*	*	40
≥\$75,000	*	*	*	*	*	35
UNK/REF	*	*	*	*	*	12
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	25
HIGH SCHOOL GRAD OR GED	3.9	2.6	0.0	4.7	0.5	94
SOME COLLEGE OR TECH SCHOOL	10.7	0.7	1.7	1.7	0.6	81
COLLEGE GRADUATE	2.2	0.0	0.0	0.2	8.6	78
MARITAL STATUS						
MARRIED	0.0	0.4	0.0	2.5	4.9	120
UNMARRIED	9.9	1.8	1.0	2.8	0.6	158
EMPLOYMENT STATUS						
EMPLOYED	5.0	0.6	0.0	1.2	3.2	200
NOT EMPLOYED	*	*	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	*	*	27
TOTAL	5.1	1.1	0.5	2.6	2.7	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 52c. WHERE DID YOU HAVE YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	INSURANCE CO. CLINIC	OTHER PUBLIC CLINIC	DRUG TREATMENT CLINIC	MILITARY SITE	IMMIGRATION SITE	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	0.0	0.8	0.0	1.2	1.0	51
25-34	2.0	0.0	0.0	6.7	0.0	98
35-44	0.9	1.6	0.2	1.1	0.0	75
45-54	*	*	*	*	*	36
55-64	*	*	*	*	*	18
SEX						
MALE	4.9	0.6	0.0	6.2	0.5	114
FEMALE	0.7	0.5	0.1	0.1	0.0	164
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	2.9	0.4	0.1	4.0	0.0	194
BLACK, NON-HISPANIC	1.7	1.7	0.0	0.5	0.0	58
HISPANIC	*	*	*	*	*	9
OTHER	*	*	*	*	*	15
UNK/REF	*	*	*	*	*	2
INCOME						
< \$15,000	*	*	*	*	*	17
\$15-\$24,999	1.2	1.9	0.3	1.9	0.0	65
\$25-\$49,999	0.9	0.0	0.0	0.5	0.0	109
\$50-\$74,999	*	*	*	*	*	40
>=\$75,000	*	*	*	*	*	35
UNK/REF	*	*	*	*	*	12
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	*	25
HIGH SCHOOL GRAD OR GED	5.9	1.5	0.1	0.7	0.0	94
SOME COLLEGE OR TECH SCHOOL	0.0	0.0	0.0	8.8	0.8	81
COLLEGE GRADUATE	2.8	0.3	0.0	1.3	0.0	78
MARITAL STATUS						
MARRIED	5.4	0.0	0.0	5.4	0.0	120
UNMARRIED	0.3	1.2	0.1	0.8	0.4	158
EMPLOYMENT STATUS						
EMPLOYED	3.8	0.1	0.0	4.1	0.0	200
NOT EMPLOYED	*	*	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	*	*	27
TOTAL	2.8	0.6	0.0	3.1	0.2	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 52d. WHERE DID YOU HAVE YOUR LAST TEST FOR HIV?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	AT HOME, NURSE OR HLTH WORKER	OTHER	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	0.5	2.1	0.6	51
25-34	8.6	3.2	1.3	98
35-44	13.4	3.5	1.9	75
45-54	*	*	*	36
55-64	*	*	*	18
SEX				
MALE	13.2	1.4	2.1	114
FEMALE	2.6	3.3	0.9	164
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	10.4	0.1	0.9	194
BLACK, NON-HISPANIC	0.0	7.0	4.7	58
HISPANIC	*	*	*	9
OTHER	*	*	*	15
UNK/REF	*	*	*	2
INCOME				
< \$15,000	*	*	*	17
\$15-\$24,999	1.4	3.2	8.1	65
\$25-\$49,999	4.7	4.5	0.4	109
\$50-\$74,999	*	*	*	40
>=\$75,000	*	*	*	35
UNK/REF	*	*	*	12
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	25
HIGH SCHOOL GRAD OR GED	8.0	0.0	3.7	94
SOME COLLEGE OR TECH SCHOOL	3.1	6.4	0.7	81
COLLEGE GRADUATE	15.6	2.1	0.0	78
MARITAL STATUS				
MARRIED	15.2	2.5	0.4	120
UNMARRIED	0.8	2.3	2.5	158
EMPLOYMENT STATUS				
EMPLOYED	10.4	1.6	1.4	200
NOT EMPLOYED	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	27
TOTAL	7.8	2.4	1.5	278

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 53. DID YOU RECEIVE THE RESULTS OF YOUR LAST TEST?
DENOMINATOR IS PERSONS AGES 18-64 WHO HAVE BEEN TESTED FOR HIV

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	93.5	6.5	0.0	51
25-34	86.4	12.3	1.3	98
35-44	82.0	18.0	0.0	75
45-54	*	*	*	36
55-64	*	*	*	18
SEX				
MALE	78.9	19.8	1.3	114
FEMALE	92.0	7.3	0.6	164
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	86.7	12.9	0.4	194
BLACK, NON-HISPANIC	78.7	17.4	3.9	58
HISPANIC	*	*	*	9
OTHER	*	*	*	15
UNK/REF	*	*	*	2
INCOME				
< \$15,000	*	*	*	17
\$15-\$24,999	73.9	21.6	4.5	65
\$25-\$49,999	94.1	5.5	0.4	109
\$50-\$74,999	*	*	*	40
>=\$75,000	*	*	*	35
UNK/REF	*	*	*	12
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	25
HIGH SCHOOL GRAD OR GED	77.8	19.4	2.8	94
SOME COLLEGE OR TECH SCHOOL	92.3	7.7	0.0	81
COLLEGE GRADUATE	84.7	15.3	0.0	78
MARITAL STATUS				
MARRIED	82.7	16.9	0.4	120
UNMARRIED	88.3	10.2	1.5	158
EMPLOYMENT STATUS				
EMPLOYED	86.2	12.9	0.9	200
NOT EMPLOYED	*	*	*	13
STUDENT/HOMEMAKER	*	*	*	38
RETIRED/UNABLE TO WORK	*	*	*	27
TOTAL	85.5	13.5	1.0	278

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999

TABLE 54. DID YOU RECEIVE COUNSELING AFTER GETTING THE RESULTS OF YOUR LAST TEST?
DENOMINATOR IS PERSONS AGES 18-64 WHO RECEIVED RESULTS OF LAST TEST FOR HIV

	YES	NO	TOTAL
	%	%	N
AGE GROUP			
18-24	*	*	45
25-34	25.4	74.6	86
35-44	34.7	65.3	61
45-54	*	*	27
55-64	*	*	13
SEX			
MALE	25.0	75.0	86
FEMALE	30.0	70.0	146
RACE AND ETHNICITY			
WHITE, NON-HISPANIC	25.5	74.5	165
BLACK, NON-HISPANIC	*	*	45
HISPANIC	*	*	7
OTHER	*	*	13
UNK/REF	*	*	2
INCOME			
< \$15,000	*	*	13
\$15-\$24,999	25.5	74.5	52
\$25-\$49,999	32.6	67.4	97
\$50-\$74,999	*	*	33
>=\$75,000	*	*	28
UNK/REF	*	*	9
EDUCATION LEVEL			
LESS THAN HIGH SCHOOL GRADUATE	*	*	22
HIGH SCHOOL GRAD OR GED	25.1	74.9	74
SOME COLLEGE OR TECH SCHOOL	32.2	67.8	70
COLLEGE GRADUATE	27.1	72.9	66
MARITAL STATUS			
MARRIED	35.6	64.4	100
UNMARRIED	20.6	79.4	132
EMPLOYMENT STATUS			
EMPLOYED	30.8	69.2	169
NOT EMPLOYED	*	*	10
STUDENT/HOMEMAKER	*	*	33
RETIRED/UNABLE TO WORK	*	*	20
TOTAL	27.7	72.3	232

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 55. TO LOWER YOUR RISK OF DEVELOPING HEART DISEASE OR STROKE, HAS A DOCTOR ADVISED YOU TO EAT FEWER HIGH FAT OR HIGH CHOLESTEROL FOODS?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	5.2	92.8	1.9	217
25-34	15.3	84.4	0.3	444
35-44	29.8	70.0	0.2	583
45-54	30.2	68.8	1.0	501
55-64	43.6	56.4	0.0	262
65 +	45.3	51.8	2.9	407
UNK/REF	*	*	*	29
SEX				
MALE	28.9	70.4	0.7	1,019
FEMALE	28.1	70.5	1.4	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	29.2	69.8	1.0	2,075
BLACK, NON-HISPANIC	26.6	71.7	1.7	230
HISPANIC	20.1	79.9	0.0	54
OTHER	16.4	83.6	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	39.0	57.7	3.3	157
\$15-\$24,999	27.4	71.3	1.3	467
\$25-\$49,999	26.7	73.1	0.2	868
\$50-\$74,999	27.1	71.8	1.1	391
>=\$75,000	31.3	68.6	0.1	289
UNK/REF	28.9	68.4	2.7	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	23.9	72.7	3.3	239
HIGH SCHOOL GRAD OR GED	31.6	67.9	0.5	886
SOME COLLEGE OR TECH SCHOOL	24.8	74.0	1.2	653
COLLEGE GRADUATE	30.1	69.4	0.6	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	32.8	67.0	0.2	1,275
UNMARRIED	24.1	73.9	2.0	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	25.4	74.1	0.5	1,631
NOT EMPLOYED	20.2	79.8	0.0	61
STUDENT/HOMEMAKER	23.5	74.6	1.9	297
RETIRED/UNABLE TO WORK	43.4	54.0	2.6	453
UNK/REF	*	*	*	1
TOTAL	28.5	70.5	1.1	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 56. TO LOWER YOUR RISK OF DEVELOPING HEART DISEASE OR STROKE, HAS A DOCTOR ADVISED YOU TO EXERCISE MORE?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	11.2	87.2	1.6	217
25-34	19.0	80.8	0.2	444
35-44	32.7	67.3	0.0	583
45-54	36.9	63.0	0.1	501
55-64	52.3	47.7	0.0	262
65 +	49.2	48.4	2.4	407
UNK/REF	*	*	*	29
SEX				
MALE	32.7	66.8	0.6	1,019
FEMALE	34.2	65.0	0.8	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	33.4	65.9	0.7	2,075
BLACK, NON-HISPANIC	36.2	62.9	0.9	230
HISPANIC	28.4	71.6	0.0	54
OTHER	24.3	75.7	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	48.9	51.0	0.1	157
\$15-\$24,999	32.5	66.2	1.3	467
\$25-\$49,999	29.2	70.7	0.0	868
\$50-\$74,999	30.9	69.1	0.0	391
>=\$75,000	35.2	64.7	0.1	289
UNK/REF	40.8	55.7	3.5	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	29.3	68.7	2.0	239
HIGH SCHOOL GRAD OR GED	38.8	60.8	0.5	886
SOME COLLEGE OR TECH SCHOOL	28.2	70.7	1.1	653
COLLEGE GRADUATE	33.1	66.9	0.0	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	36.4	63.4	0.2	1,275
UNMARRIED	30.2	68.5	1.3	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	30.1	69.9	0.1	1,631
NOT EMPLOYED	25.5	74.5	0.0	61
STUDENT/HOMEMAKER	21.9	76.0	2.1	297
RETIRED/UNABLE TO WORK	53.6	44.3	2.0	453
UNK/REF	*	*	*	1
TOTAL	33.5	65.8	0.7	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 57. TO LOWER YOUR RISK OF DEVELOPING HEART DISEASE OR STROKE, ARE YOU EATING FEWER HIGH FAT OR HIGH CHOLESTEROL FOODS?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	28.3	69.6	2.1	217
25-34	51.1	46.7	2.2	444
35-44	63.4	36.1	0.5	583
45-54	68.2	30.2	1.6	501
55-64	74.3	24.8	0.9	262
65 +	63.0	33.6	3.5	407
UNK/REF	*	*	*	29
SEX				
MALE	57.1	41.7	1.2	1,019
FEMALE	59.8	37.8	2.4	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	59.1	39.2	1.7	2,075
BLACK, NON-HISPANIC	56.8	39.7	3.6	230
HISPANIC	41.9	56.2	1.9	54
OTHER	56.0	44.0	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	56.9	40.0	3.1	157
\$15-\$24,999	53.4	43.3	3.3	467
\$25-\$49,999	57.9	40.6	1.5	868
\$50-\$74,999	64.5	35.3	0.2	391
>=\$75,000	72.0	27.4	0.6	289
UNK/REF	50.3	47.1	2.7	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	36.0	60.2	3.7	239
HIGH SCHOOL GRAD OR GED	55.6	43.1	1.3	886
SOME COLLEGE OR TECH SCHOOL	61.0	36.5	2.5	653
COLLEGE GRADUATE	72.1	27.0	1.0	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	65.0	34.0	1.1	1,275
UNMARRIED	51.9	45.5	2.7	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	58.8	40.1	1.1	1,631
NOT EMPLOYED	46.1	53.9	0.0	61
STUDENT/HOMEMAKER	58.3	37.9	3.7	297
RETIRED/UNABLE TO WORK	59.4	37.3	3.3	453
UNK/REF	*	*	*	1
TOTAL	58.5	39.6	1.8	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 58. TO LOWER YOUR RISK OF DEVELOPING HEART DISEASE OR STROKE, ARE YOU EXERCISING MORE?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	50.5	48.0	1.6	217
25-34	56.7	43.1	0.2	444
35-44	59.5	40.3	0.1	583
45-54	63.4	36.3	0.2	501
55-64	66.4	33.2	0.4	262
65 +	52.4	45.7	1.9	407
UNK/REF	*	*	*	29
SEX				
MALE	57.1	42.2	0.7	1,019
FEMALE	59.1	40.3	0.7	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	58.1	41.2	0.7	2,075
BLACK, NON-HISPANIC	57.8	41.3	0.9	230
HISPANIC	63.3	36.7	0.0	54
OTHER	57.3	42.7	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	55.1	44.7	0.1	157
\$15-\$24,999	52.1	46.5	1.5	467
\$25-\$49,999	61.3	38.7	0.1	868
\$50-\$74,999	59.7	40.2	0.0	391
>=\$75,000	64.0	35.6	0.4	289
UNK/REF	53.2	43.9	2.9	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	46.1	51.7	2.2	239
HIGH SCHOOL GRAD OR GED	57.1	42.6	0.3	886
SOME COLLEGE OR TECH SCHOOL	57.3	41.5	1.2	653
COLLEGE GRADUATE	66.6	33.3	0.2	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	58.3	41.3	0.4	1,275
UNMARRIED	57.8	41.1	1.1	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	59.9	39.9	0.2	1,631
NOT EMPLOYED	45.2	54.8	0.0	61
STUDENT/HOMEMAKER	56.0	41.7	2.3	297
RETIRED/UNABLE TO WORK	55.2	43.4	1.5	453
UNK/REF	*	*	*	1
TOTAL	58.1	41.2	0.7	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 59. HAS A DOCTOR EVER TOLD YOU THAT YOU HAD A HEART ATTACK OR MYOCARDIAL INFARCTION?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	0.0	98.4	1.6	217
25-34	1.4	98.4	0.2	444
35-44	2.3	97.7	0.0	583
45-54	4.0	95.9	0.1	501
55-64	4.0	95.8	0.2	262
65 +	23.5	72.8	3.7	407
UNK/REF	*	*	*	29
SEX				
MALE	8.5	90.2	1.4	1,019
FEMALE	4.1	95.4	0.6	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	6.5	92.6	0.9	2,075
BLACK, NON-HISPANIC	4.4	94.7	0.9	230
HISPANIC	0.0	100.0	0.0	54
OTHER	4.4	93.3	2.3	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	11.8	87.3	0.9	157
\$15-\$24,999	12.4	86.3	1.3	467
\$25-\$49,999	4.0	95.9	0.1	868
\$50-\$74,999	2.6	97.4	0.0	391
>=\$75,000	2.1	97.8	0.1	289
UNK/REF	7.2	87.8	5.0	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	7.7	89.9	2.4	239
HIGH SCHOOL GRAD OR GED	8.0	91.0	1.0	886
SOME COLLEGE OR TECH SCHOOL	5.3	93.7	1.0	653
COLLEGE GRADUATE	3.5	96.5	0.1	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	6.3	92.9	0.8	1,275
UNMARRIED	5.9	93.0	1.1	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	2.8	97.1	0.1	1,631
NOT EMPLOYED	0.4	99.6	0.0	61
STUDENT/HOMEMAKER	1.2	97.1	1.7	297
RETIRED/UNABLE TO WORK	21.6	74.9	3.5	453
UNK/REF	*	*	*	1
TOTAL	6.2	92.9	0.9	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 60. HAS A DOCTOR EVER TOLD YOU THAT YOU HAD ANGINA OR CORONARY HEART DISEASE?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	0.2	98.3	1.6	217
25-34	0.0	99.6	0.4	444
35-44	2.5	97.5	0.0	583
45-54	4.5	95.4	0.1	501
55-64	6.8	92.9	0.3	262
65 +	21.4	75.5	3.1	407
UNK/REF	*	*	*	29
SEX				
MALE	7.8	91.3	0.9	1,019
FEMALE	4.4	94.7	0.9	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	6.3	92.8	0.8	2,075
BLACK, NON-HISPANIC	3.7	95.4	0.9	230
HISPANIC	0.0	100.0	0.0	54
OTHER	4.0	93.7	2.3	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	14.4	84.7	0.9	157
\$15-\$24,999	10.6	88.2	1.2	467
\$25-\$49,999	4.2	95.4	0.4	868
\$50-\$74,999	0.9	99.0	0.1	391
>=\$75,000	4.3	95.6	0.1	289
UNK/REF	7.3	89.2	3.5	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	5.4	92.4	2.2	239
HIGH SCHOOL GRAD OR GED	8.5	90.9	0.6	886
SOME COLLEGE OR TECH SCHOOL	4.6	94.0	1.4	653
COLLEGE GRADUATE	4.0	95.9	0.1	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	5.9	93.6	0.4	1,275
UNMARRIED	6.0	92.6	1.4	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	3.0	96.8	0.1	1,631
NOT EMPLOYED	2.7	97.3	0.0	61
STUDENT/HOMEMAKER	2.4	95.6	2.0	297
RETIRED/UNABLE TO WORK	19.0	78.2	2.8	453
UNK/REF	*	*	*	1
TOTAL	6.0	93.1	0.9	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 61. HAS A DOCTOR EVER TOLD YOU THAT YOU HAD A STROKE?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	0.0	98.4	1.6	217
25-34	0.2	99.2	0.5	444
35-44	1.4	98.6	0.0	583
45-54	0.8	99.1	0.1	501
55-64	1.2	98.6	0.3	262
65 +	9.8	88.9	1.3	407
UNK/REF	*	*	*	29
SEX				
MALE	2.5	96.8	0.7	1,019
FEMALE	2.3	97.2	0.5	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	2.3	97.1	0.5	2,075
BLACK, NON-HISPANIC	3.6	95.5	0.9	230
HISPANIC	0.6	99.4	0.0	54
OTHER	1.5	97.4	1.1	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	9.8	89.9	0.3	157
\$15-\$24,999	4.4	94.4	1.2	467
\$25-\$49,999	1.6	98.2	0.2	868
\$50-\$74,999	0.2	99.8	0.0	391
>=\$75,000	1.1	98.8	0.1	289
UNK/REF	1.0	96.8	2.2	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	4.4	94.0	1.7	239
HIGH SCHOOL GRAD OR GED	3.1	96.7	0.2	886
SOME COLLEGE OR TECH SCHOOL	2.0	96.9	1.1	653
COLLEGE GRADUATE	0.6	99.2	0.1	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	2.3	97.5	0.2	1,275
UNMARRIED	2.4	96.6	1.0	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	0.9	98.9	0.1	1,631
NOT EMPLOYED	0.0	100.0	0.0	61
STUDENT/HOMEMAKER	2.6	95.4	2.1	297
RETIRED/UNABLE TO WORK	7.5	91.2	1.2	453
UNK/REF	*	*	*	1
TOTAL	2.4	97.0	0.6	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 62. DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY?
DENOMINATOR IS RESPONDENTS AGE 35 OR OLDER

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	13.3	86.6	0.0	583
45-54	23.7	75.2	1.1	501
55-64	31.2	68.5	0.3	262
65 +	42.1	55.7	2.1	407
SEX				
MALE	31.1	68.6	0.3	716
FEMALE	23.0	75.5	1.5	1,037
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	28.1	71.0	0.9	1,520
BLACK, NON-HISPANIC	22.4	77.3	0.3	150
HISPANIC	*	*	*	30
OTHER	*	*	*	39
UNK/REF	*	*	*	14
INCOME				
< \$15,000	37.0	63.0	0.0	123
\$15-\$24,999	35.6	64.2	0.1	339
\$25-\$49,999	24.0	75.2	0.8	573
\$50-\$74,999	19.7	80.3	0.1	285
>=\$75,000	18.5	80.9	0.6	235
UNK/REF	28.9	66.4	4.7	198
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	19.8	78.0	2.3	178
HIGH SCHOOL GRAD OR GED	29.9	69.5	0.7	658
SOME COLLEGE OR TECH SCHOOL	30.2	68.4	1.4	438
COLLEGE GRADUATE	23.2	76.5	0.2	478
UNK/REF	*	*	*	1
MARITAL STATUS				
MARRIED	28.3	71.4	0.3	993
UNMARRIED	25.0	73.2	1.8	755
UNK/REF	*	*	*	5
EMPLOYMENT STATUS				
EMPLOYED	21.3	77.8	0.9	1,110
NOT EMPLOYED	*	*	*	42
STUDENT/HOMEMAKER	28.5	71.4	0.1	161
RETIRED/UNABLE TO WORK	39.9	58.7	1.4	439
UNK/REF	*	*	*	1
TOTAL	26.8	72.3	0.9	1,753

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 63. DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU?
DENOMINATOR IS RESPONDENTS AGE 35 OR OLDER WHO DON'T TAKE ASPIRIN DAILY OR EVERY OTHER DAY

	YES, NOT STOMACH RELATED %	YES, STOMACH PROBLEMS %	NO %	UNK/REF %	TOTAL N
AGE GROUP					
35-44	2.8	3.4	93.7	0.1	493
45-54	3.5	6.3	90.0	0.3	391
55-64	8.8	10.6	78.6	2.0	171
65 +	11.3	12.0	73.0	3.8	258
SEX					
MALE	4.8	5.0	89.0	1.1	508
FEMALE	6.5	8.9	83.3	1.3	805
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	5.4	6.8	86.7	1.1	1,126
BLACK, NON-HISPANIC	11.3	4.1	83.8	0.8	117
HISPANIC	*	*	*	*	27
OTHER	*	*	*	*	33
UNK/REF	*	*	*	*	10
INCOME					
< \$15,000	10.5	10.3	76.5	2.8	83
\$15-\$24,999	5.0	13.7	81.0	0.4	236
\$25-\$49,999	5.9	5.9	87.7	0.5	430
\$50-\$74,999	5.6	4.1	90.2	0.1	225
≥\$75,000	4.0	2.7	91.3	2.1	195
UNK/REF	6.0	7.8	81.4	4.7	144
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	5.6	13.0	76.4	5.0	129
HIGH SCHOOL GRAD OR GED	9.2	6.7	83.9	0.1	481
SOME COLLEGE OR TECH SCHOOL	4.7	11.4	83.0	0.8	336
COLLEGE GRADUATE	1.8	1.6	95.5	1.1	366
UNK/REF	*	*	*	*	1
MARITAL STATUS					
MARRIED	6.0	6.2	87.0	0.8	742
UNMARRIED	5.5	8.5	84.1	1.8	568
UNK/REF	*	*	*	*	3
EMPLOYMENT STATUS					
EMPLOYED	2.7	4.4	92.6	0.3	877
NOT EMPLOYED	*	*	*	*	34
STUDENT/HOMEMAKER	4.7	14.2	81.0	0.1	126
RETIRED/UNABLE TO WORK	14.4	13.0	68.0	4.6	276
TOTAL	5.8	7.2	85.8	1.2	1,313

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 64. DO YOU TAKE ASPIRIN TO RELIEVE PAIN?
DENOMINATOR IS RESPONDENTS AGE 35 OR OLDER WHO TAKE ASPIRIN DAILY OR EVERY OTHER DAY

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	39.0	61.0	0.0	90
45-54	31.5	68.5	0.0	110
55-64	29.9	69.7	0.5	91
65 +	10.1	89.9	0.0	149
SEX				
MALE	18.6	81.2	0.2	208
FEMALE	28.8	71.2	0.0	232
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	22.8	77.1	0.1	394
BLACK, NON-HISPANIC	*	*	*	33
HISPANIC	*	*	*	3
OTHER	*	*	*	6
UNK/REF	*	*	*	4
INCOME				
< \$15,000	*	*	*	40
\$15-\$24,999	28.6	71.0	0.4	103
\$25-\$49,999	20.9	79.1	0.0	143
\$50-\$74,999	26.9	73.1	0.0	60
>=\$75,000	*	*	*	40
UNK/REF	16.3	83.7	0.0	54
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	49
HIGH SCHOOL GRAD OR GED	24.0	76.0	0.0	177
SOME COLLEGE OR TECH SCHOOL	16.8	82.7	0.4	102
COLLEGE GRADUATE	25.9	74.1	0.0	112
MARITAL STATUS				
MARRIED	23.3	76.7	0.0	251
UNMARRIED	23.2	76.5	0.3	187
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	28.6	71.4	0.0	233
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	35
RETIRED/UNABLE TO WORK	14.0	85.8	0.2	163
UNK/REF	*	*	*	1
TOTAL	23.3	76.6	0.1	440

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 65. DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK?
DENOMINATOR IS RESPONDENTS AGE 35 OR OLDER WHO TAKE ASPIRIN DAILY OR EVERY OTHER DAY

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	61.7	38.3	0.0	90
45-54	79.0	20.4	0.6	110
55-64	69.3	28.5	2.2	91
65 +	85.8	7.1	7.1	149
SEX				
MALE	78.8	17.9	3.4	208
FEMALE	75.5	20.7	3.8	232
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	78.2	18.6	3.2	394
BLACK, NON-HISPANIC	*	*	*	33
HISPANIC	*	*	*	3
OTHER	*	*	*	6
UNK/REF	*	*	*	4
INCOME				
< \$15,000	*	*	*	40
\$15-\$24,999	71.1	27.3	1.6	103
\$25-\$49,999	85.4	14.2	0.5	143
\$50-\$74,999	75.0	25.0	0.0	60
≥\$75,000	*	*	*	40
UNK/REF	74.6	11.0	14.4	54
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	49
HIGH SCHOOL GRAD OR GED	75.0	21.9	3.1	177
SOME COLLEGE OR TECH SCHOOL	81.3	18.3	0.4	102
COLLEGE GRADUATE	85.1	14.4	0.6	112
MARITAL STATUS				
MARRIED	76.0	21.2	2.8	251
UNMARRIED	79.3	15.9	4.8	187
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	74.4	24.5	1.1	233
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	35
RETIRED/UNABLE TO WORK	82.7	10.1	7.2	163
UNK/REF	*	*	*	1
TOTAL	77.3	19.2	3.6	440

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 66. DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE?
DENOMINATOR IS RESPONDENTS AGE 35 OR OLDER WHO TAKE ASPIRIN DAILY OR EVERY OTHER DAY

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
35-44	53.8	45.8	0.4	90
45-54	58.5	33.0	8.5	110
55-64	54.9	42.5	2.6	91
65 +	67.4	21.7	10.9	149
SEX				
MALE	59.1	36.4	4.5	208
FEMALE	62.8	27.0	10.1	232
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	61.2	31.9	6.9	394
BLACK, NON-HISPANIC	*	*	*	33
HISPANIC	*	*	*	3
OTHER	*	*	*	6
UNK/REF	*	*	*	4
INCOME				
< \$15,000	*	*	*	40
\$15-\$24,999	64.4	29.4	6.2	103
\$25-\$49,999	67.6	29.8	2.6	143
\$50-\$74,999	58.4	37.9	3.6	60
≥\$75,000	*	*	*	40
UNK/REF	58.9	24.6	16.5	54
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	49
HIGH SCHOOL GRAD OR GED	60.8	32.6	6.6	177
SOME COLLEGE OR TECH SCHOOL	63.8	31.0	5.1	102
COLLEGE GRADUATE	62.2	35.8	2.1	112
MARITAL STATUS				
MARRIED	58.8	37.1	4.1	251
UNMARRIED	64.0	24.3	11.7	187
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	58.8	36.4	4.8	233
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	35
RETIRED/UNABLE TO WORK	60.4	28.2	11.4	163
UNK/REF	*	*	*	1
TOTAL	60.8	32.1	7.1	440

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 67. HAVE YOU GONE THROUGH OR ARE YOU GOING THROUGH MENOPAUSE?
DENOMINATOR IS NON-PREGNANT FEMALES AGE 35-64 WHO HAVE NOT HAD A HYSTERECTOMY

	YES, GONE THRU %	YES, GOING THRU %	NO %	UNK/REF %	TOTAL N
AGE GROUP					
35-44	0.4	11.1	83.6	4.9	285
45-54	15.0	37.8	43.6	3.6	181
55-64	86.5	10.9	2.2	0.4	91
SEX					
FEMALE	23.1	18.6	54.7	3.6	557
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	23.5	18.4	54.8	3.3	476
BLACK, NON-HISPANIC	23.0	20.3	52.0	4.6	53
HISPANIC	*	*	*	*	10
OTHER	*	*	*	*	14
UNK/REF	*	*	*	*	4
INCOME					
< \$15,000	*	*	*	*	31
\$15-\$24,999	24.7	13.0	57.5	4.8	97
\$25-\$49,999	21.0	18.0	59.0	1.9	195
\$50-\$74,999	26.6	8.9	63.5	1.0	100
>=\$75,000	11.7	27.2	59.9	1.3	85
UNK/REF	*	*	*	*	49
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	*	41
HIGH SCHOOL GRAD OR GED	26.6	14.4	56.9	2.1	198
SOME COLLEGE OR TECH SCHOOL	24.1	15.7	56.9	3.3	145
COLLEGE GRADUATE	13.5	23.9	61.3	1.3	173
MARITAL STATUS					
MARRIED	24.4	19.0	54.4	2.2	324
UNMARRIED	21.8	18.4	54.3	5.5	231
UNK/REF	*	*	*	*	2
EMPLOYMENT STATUS					
EMPLOYED	17.2	17.3	62.5	2.9	416
NOT EMPLOYED	*	*	*	*	16
STUDENT/HOMEMAKER	30.6	25.7	38.3	5.4	88
RETIRED/UNABLE TO WORK	*	*	*	*	37
TOTAL	23.1	18.6	54.7	3.6	557

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 68. HAS YOUR DOCTOR DISCUSSED THE BENEFITS AND RISKS OF ESTROGEN WITH YOU?
DENOMINATOR IS FEMALES AGE 35 OR OLDER WHO HAVE GONE/ARE GOING THROUGH MENOPAUSE OR HAD A HYSTERECTOMY AND
FEMALES AGE 65 OR OLDER WHO HAVE NOT HAD A HYSTERECTOMY

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	62.0	38.0	0.0	69
45-54	79.6	20.4	0.0	209
55-64	84.1	15.9	0.0	153
65 +	50.6	49.0	0.4	264
SEX				
FEMALE	66.8	33.0	0.2	695
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	67.1	32.7	0.2	615
BLACK, NON-HISPANIC	51.9	48.1	0.0	57
HISPANIC	*	*	*	8
OTHER	*	*	*	9
UNK/REF	*	*	*	6
INCOME				
< \$15,000	46.5	53.5	0.0	76
\$15-\$24,999	55.1	44.7	0.2	171
\$25-\$49,999	83.4	16.6	0.0	199
\$50-\$74,999	78.4	21.6	0.0	77
≥\$75,000	86.7	13.3	0.0	55
UNK/REF	65.8	33.4	0.8	117
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	47.1	52.3	0.6	90
HIGH SCHOOL GRAD OR GED	68.8	31.2	0.0	304
SOME COLLEGE OR TECH SCHOOL	62.6	37.3	0.1	173
COLLEGE GRADUATE	86.6	13.1	0.3	128
MARITAL STATUS				
MARRIED	77.5	22.4	0.1	324
UNMARRIED	58.7	41.1	0.3	369
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	78.9	21.1	0.0	316
NOT EMPLOYED	*	*	*	22
STUDENT/HOMEMAKER	59.2	40.7	0.1	103
RETIRED/UNABLE TO WORK	57.0	42.6	0.4	254
TOTAL	66.8	33.0	0.2	695

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 69. OTHER THAN BIRTH CONTROL PILLS, HAS YOUR DOCTOR EVER PRESCRIBED ESTROGEN PILLS FOR YOU?
DENOMINATOR IS FEMALES AGE 35 OR OLDER WHO HAVE GONE/ARE GOING THROUGH MENOPAUSE OR HAD A HYSTERECTOMY AND
FEMALES AGE 65 OR OLDER WHO HAVE NOT HAD A HYSTERECTOMY

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	22.5	77.5	0.0	69
45-54	58.2	41.5	0.2	209
55-64	59.2	40.8	0.0	153
65 +	38.8	60.0	1.3	264
SEX				
FEMALE	47.1	52.3	0.6	695
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	47.2	52.2	0.6	615
BLACK, NON-HISPANIC	30.1	69.9	0.0	57
HISPANIC	*	*	*	8
OTHER	*	*	*	9
UNK/REF	*	*	*	6
INCOME				
< \$15,000	34.6	65.1	0.3	76
\$15-\$24,999	34.8	64.6	0.6	171
\$25-\$49,999	59.9	39.5	0.6	199
\$50-\$74,999	58.7	41.3	0.0	77
≥\$75,000	59.3	40.7	0.0	55
UNK/REF	47.6	50.8	1.5	117
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	24.1	75.3	0.6	90
HIGH SCHOOL GRAD OR GED	50.1	49.4	0.4	304
SOME COLLEGE OR TECH SCHOOL	49.0	50.3	0.7	173
COLLEGE GRADUATE	59.9	39.1	1.0	128
MARITAL STATUS				
MARRIED	55.5	44.1	0.4	324
UNMARRIED	40.6	58.6	0.8	369
UNK/REF	*	*	*	2
EMPLOYMENT STATUS				
EMPLOYED	55.0	44.8	0.3	316
NOT EMPLOYED	*	*	*	22
STUDENT/HOMEMAKER	32.5	66.2	1.3	103
RETIRED/UNABLE TO WORK	44.1	55.1	0.8	254
TOTAL	47.1	52.3	0.6	695

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 70. ARE YOU CURRENTLY TAKING ESTROGEN PILLS?

DENOMINATOR IS FEMALES AGE 35 OR OLDER WHO HAVE GONE/ARE GOING THROUGH MENOPAUSE OR HAD A HYSTERECTOMY AND FEMALES AGE 65 OR OLDER WHO HAVE NOT HAD A HYSTERECTOMY WHO TAKE/EVER TOOK ESTROGEN

	YES	NO	TOTAL
	%	%	N
AGE GROUP			
35-44	*	*	18
45-54	75.4	24.6	117
55-64	75.4	24.6	99
65 +	52.5	47.5	97
SEX			
FEMALE	67.3	32.7	331
RACE AND ETHNICITY			
WHITE, NON-HISPANIC	67.6	32.4	301
BLACK, NON-HISPANIC	*	*	18
HISPANIC	*	*	4
OTHER	*	*	5
UNK/REF	*	*	3
INCOME			
< \$15,000	*	*	24
\$15-\$24,999	59.4	40.6	70
\$25-\$49,999	81.7	18.3	106
\$50-\$74,999	*	*	44
≥\$75,000	*	*	33
UNK/REF	73.7	26.3	54
EDUCATION LEVEL			
LESS THAN HIGH SCHOOL GRADUATE	*	*	23
HIGH SCHOOL GRAD OR GED	67.6	32.4	156
SOME COLLEGE OR TECH SCHOOL	65.8	34.2	80
COLLEGE GRADUATE	77.7	22.3	72
MARITAL STATUS			
MARRIED	71.1	28.9	177
UNMARRIED	63.6	36.4	152
UNK/REF	*	*	2
EMPLOYMENT STATUS			
EMPLOYED	72.6	27.4	170
NOT EMPLOYED	*	*	13
STUDENT/HOMEMAKER	*	*	43
RETIRED/UNABLE TO WORK	59.2	40.8	105
TOTAL	67.3	32.7	331

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 71. ARE YOU TAKING ESTROGEN PILLS TO PREVENT A HEART ATTACK?
DENOMINATOR IS FEMALES AGE 35 OR OLDER WHO HAVE GONE/ARE GOING THROUGH MENOPAUSE OR HAD A HYSTERECTOMY AND
FEMALES AGE 65 OR OLDER WHO HAVE NOT HAD A HYSTERECTOMY WHO CURRENTLY TAKE ESTROGEN

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	*	*	*	11
45-54	25.9	73.2	0.9	86
55-64	25.6	74.4	0.0	69
65 +	34.9	48.5	16.6	54
SEX				
FEMALE	27.3	67.9	4.9	220
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	27.0	68.0	5.0	199
BLACK, NON-HISPANIC	*	*	*	12
HISPANIC	*	*	*	3
OTHER	*	*	*	3
UNK/REF	*	*	*	3
INCOME				
< \$15,000	*	*	*	10
\$15-\$24,999	*	*	*	38
\$25-\$49,999	18.9	71.4	9.8	81
\$50-\$74,999	*	*	*	31
>=\$75,000	*	*	*	24
UNK/REF	*	*	*	36
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	11
HIGH SCHOOL GRAD OR GED	20.9	78.1	1.0	103
SOME COLLEGE OR TECH SCHOOL	30.4	50.8	18.8	52
COLLEGE GRADUATE	36.7	61.5	1.8	54
MARITAL STATUS				
MARRIED	28.5	70.1	1.4	129
UNMARRIED	25.9	65.3	8.8	91
EMPLOYMENT STATUS				
EMPLOYED	24.8	74.0	1.2	122
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	27
RETIRED/UNABLE TO WORK	31.0	56.2	12.7	63
TOTAL	27.3	67.9	4.9	220

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 72. ARE YOU TAKING ESTROGEN PILLS TO TREAT OR PREVENT BONE THINNING, BONE LOSS, OR OSTEOPOROSIS?
DENOMINATOR IS FEMALES AGE 35 OR OLDER WHO HAVE GONE/ARE GOING THROUGH MENOPAUSE OR HAD A HYSTERECTOMY AND
FEMALES AGE 65 OR OLDER WHO HAVE NOT HAD A HYSTERECTOMY WHO CURRENTLY TAKE ESTROGEN

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	*	*	*	11
45-54	75.6	21.3	3.1	86
55-64	90.3	9.3	0.4	69
65 +	82.3	17.7	0.0	54
SEX				
FEMALE	81.9	16.9	1.2	220
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	82.2	16.6	1.3	199
BLACK, NON-HISPANIC	*	*	*	12
HISPANIC	*	*	*	3
OTHER	*	*	*	3
UNK/REF	*	*	*	3
INCOME				
< \$15,000	*	*	*	10
\$15-\$24,999	*	*	*	38
\$25-\$49,999	75.0	22.8	2.2	81
\$50-\$74,999	*	*	*	31
≥\$75,000	*	*	*	24
UNK/REF	*	*	*	36
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	11
HIGH SCHOOL GRAD OR GED	86.4	11.2	2.4	103
SOME COLLEGE OR TECH SCHOOL	64.3	35.7	0.0	52
COLLEGE GRADUATE	86.8	13.2	0.0	54
MARITAL STATUS				
MARRIED	91.5	8.2	0.3	129
UNMARRIED	70.9	26.9	2.2	91
EMPLOYMENT STATUS				
EMPLOYED	78.7	19.4	1.9	122
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	27
RETIRED/UNABLE TO WORK	84.9	15.1	0.0	63
**TOTAL **	81.9	16.9	1.2	220

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
CARDIOVASCULAR DISEASE MODULE

TABLE 73. ARE YOU TAKING ESTROGEN PILLS TO TREAT SYMPTOMS OF MENOPAUSE SUCH AS HOT FLASHES?
DENOMINATOR IS FEMALES AGE 35 OR OLDER WHO HAVE GONE/ARE GOING THROUGH MENOPAUSE OR HAD A HYSTERECTOMY AND
FEMALES AGE 65 OR OLDER WHO HAVE NOT HAD A HYSTERECTOMY WHO CURRENTLY TAKE ESTROGEN

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
35-44	*	*	*	11
45-54	83.4	16.2	0.4	86
55-64	77.9	22.1	0.0	69
65 +	41.2	58.8	0.0	54
SEX				
FEMALE	67.6	32.1	0.3	220
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	66.3	33.3	0.4	199
BLACK, NON-HISPANIC	*	*	*	12
HISPANIC	*	*	*	3
OTHER	*	*	*	3
UNK/REF	*	*	*	3
INCOME				
< \$15,000	*	*	*	10
\$15-\$24,999	*	*	*	38
\$25-\$49,999	60.5	39.1	0.5	81
\$50-\$74,999	*	*	*	31
≥\$75,000	*	*	*	24
UNK/REF	*	*	*	36
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	11
HIGH SCHOOL GRAD OR GED	70.7	29.0	0.3	103
SOME COLLEGE OR TECH SCHOOL	36.4	63.6	0.0	52
COLLEGE GRADUATE	83.1	16.1	0.7	54
MARITAL STATUS				
MARRIED	74.2	25.6	0.3	129
UNMARRIED	60.0	39.6	0.4	91
EMPLOYMENT STATUS				
EMPLOYED	71.5	27.8	0.6	122
NOT EMPLOYED	*	*	*	8
STUDENT/HOMEMAKER	*	*	*	27
RETIRED/UNABLE TO WORK	59.9	40.1	0.0	63
TOTAL	67.6	32.1	0.3	220

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
FOLIC ACID MODULE

TABLE 74. DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	37.4	61.1	1.6	217
25-34	51.2	48.6	0.2	444
35-44	50.5	49.5	0.0	583
45-54	62.1	37.7	0.1	501
55-64	61.7	38.3	0.0	262
65 +	63.3	35.3	1.5	407
UNK/REF	*	*	*	29
SEX				
MALE	47.1	52.3	0.6	1,019
FEMALE	61.9	37.6	0.5	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	56.2	43.2	0.5	2,075
BLACK, NON-HISPANIC	45.5	54.1	0.3	230
HISPANIC	31.1	68.9	0.0	54
OTHER	55.3	43.6	1.1	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	49.0	50.9	0.1	157
\$15-\$24,999	55.1	43.6	1.3	467
\$25-\$49,999	53.8	46.2	0.0	868
\$50-\$74,999	55.1	44.7	0.2	391
>=\$75,000	63.5	36.5	0.0	289
UNK/REF	53.3	44.5	2.2	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	36.6	61.7	1.7	239
HIGH SCHOOL GRAD OR GED	48.0	51.8	0.2	886
SOME COLLEGE OR TECH SCHOOL	59.5	39.5	0.9	653
COLLEGE GRADUATE	69.3	30.6	0.1	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	56.0	43.8	0.1	1,275
UNMARRIED	53.6	45.4	1.0	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	54.8	45.2	0.1	1,631
NOT EMPLOYED	34.1	64.9	1.1	61
STUDENT/HOMEMAKER	51.9	46.2	1.9	297
RETIRED/UNABLE TO WORK	59.7	39.1	1.2	453
UNK/REF	*	*	*	1
TOTAL	54.8	44.6	0.5	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
FOLIC ACID MODULE

TABLE 75. ARE ANY OF THESE A MULTIVITAMIN?
DENOMINATOR IS RESPONDENTS REPORTING CURRENT VITAMIN OR SUPPLEMENT USE

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	71.4	28.6	0.0	94
25-34	84.6	12.7	2.7	229
35-44	83.4	14.9	1.7	313
45-54	81.0	18.5	0.5	314
55-64	77.8	21.5	0.7	174
65 +	64.4	31.2	4.4	269
UNK/REF	*	*	*	22
SEX				
MALE	74.6	23.4	1.9	518
FEMALE	78.8	19.3	1.9	897
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	77.0	21.2	1.7	1,252
BLACK, NON-HISPANIC	73.2	25.2	1.6	102
HISPANIC	*	*	*	21
OTHER	*	*	*	31
UNK/REF	*	*	*	9
INCOME				
< \$15,000	72.7	26.3	1.0	74
\$15-\$24,999	71.1	26.6	2.2	264
\$25-\$49,999	78.0	20.9	1.1	488
\$50-\$74,999	83.7	15.1	1.2	236
≥\$75,000	86.9	12.8	0.3	183
UNK/REF	67.9	25.2	6.9	170
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	64.5	27.1	8.3	100
HIGH SCHOOL GRAD OR GED	75.4	22.8	1.8	473
SOME COLLEGE OR TECH SCHOOL	78.0	20.4	1.6	391
COLLEGE GRADUATE	81.1	18.4	0.5	449
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	78.5	19.3	2.2	766
UNMARRIED	75.7	22.8	1.5	645
UNK/REF	*	*	*	4
EMPLOYMENT STATUS				
EMPLOYED	80.5	18.9	0.7	937
NOT EMPLOYED	*	*	*	26
STUDENT/HOMEMAKER	80.8	16.3	2.9	161
RETIRED/UNABLE TO WORK	65.7	30.5	3.9	290
UNK/REF	*	*	*	1
TOTAL	77.1	21.0	1.9	1,415

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
FOLIC ACID MODULE

TABLE 76. DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID?
DENOMINATOR IS RESPONDENTS WHO TAKE A VITAMIN/SUPPLEMENT THAT IS NOT A MULTIVITAMIN

	YES %	NO %	UNK/REF %	TOTAL N
AGE GROUP				
18-24	*	*	*	22
25-34	*	*	*	45
35-44	*	*	*	44
45-54	14.8	44.7	40.5	66
55-64	*	*	*	39
65 +	7.7	44.8	47.5	86
UNK/REF	*	*	*	6
SEX				
MALE	12.4	42.5	45.1	121
FEMALE	16.7	47.1	36.2	187
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	12.0	45.8	42.3	269
BLACK, NON-HISPANIC	*	*	*	26
HISPANIC	*	*	*	4
OTHER	*	*	*	7
UNK/REF	*	*	*	2
INCOME				
< \$15,000	*	*	*	15
\$15-\$24,999	10.3	51.9	37.8	68
\$25-\$49,999	16.6	36.5	46.9	109
\$50-\$74,999	*	*	*	44
≥\$75,000	*	*	*	24
UNK/REF	*	*	*	48
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	*	*	*	37
HIGH SCHOOL GRAD OR GED	11.9	44.3	43.8	114
SOME COLLEGE OR TECH SCHOOL	20.6	48.6	30.9	72
COLLEGE GRADUATE	18.9	42.9	38.2	85
MARITAL STATUS				
MARRIED	18.1	43.8	38.2	158
UNMARRIED	11.7	45.5	42.8	149
UNK/REF	*	*	*	1
EMPLOYMENT STATUS				
EMPLOYED	19.0	46.1	35.0	189
NOT EMPLOYED	*	*	*	4
STUDENT/HOMEMAKER	*	*	*	26
RETIRED/UNABLE TO WORK	8.7	43.3	48.1	89
TOTAL	14.8	45.0	40.2	308

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
FOLIC ACID MODULE

TABLE 77. HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT?
DENOMINATOR IS RESPONDENTS WHO TAKE A MULTIVITAMIN OR A VITAMIN WITH FOLIC ACID

	1-99 TIMES PER DAY %	1-99 TIMES PER WEEK %	1-99 TIMES PER MONTH %	UNK/REF %	TOTAL N
AGE GROUP					
18-24	81.9	6.6	11.5	0.0	72
25-34	80.9	14.9	3.5	0.7	195
35-44	78.8	17.5	2.8	0.9	283
45-54	87.3	11.3	0.3	1.0	258
55-64	92.4	1.5	0.3	5.8	146
65 +	94.2	4.9	0.7	0.2	197
UNK/REF	*	*	*	*	16
SEX					
MALE	85.9	10.9	2.7	0.5	420
FEMALE	85.5	9.8	2.8	1.9	747
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	85.6	10.1	2.9	1.3	1,031
BLACK, NON-HISPANIC	90.5	9.2	0.0	0.2	84
HISPANIC	*	*	*	*	17
OTHER	*	*	*	*	28
UNK/REF	*	*	*	*	7
INCOME					
< \$15,000	85.9	9.7	4.4	0.0	63
\$15-\$24,999	89.2	7.2	3.0	0.7	205
\$25-\$49,999	87.6	8.8	3.0	0.6	402
\$50-\$74,999	82.1	14.3	1.4	2.2	204
>=\$75,000	80.7	17.4	1.2	0.7	164
UNK/REF	85.2	5.0	4.5	5.3	129
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	84.9	5.0	3.4	6.7	67
HIGH SCHOOL GRAD OR GED	89.2	7.6	2.4	0.8	378
SOME COLLEGE OR TECH SCHOOL	87.6	7.7	2.4	2.3	334
COLLEGE GRADUATE	81.5	16.2	2.3	0.0	386
UNK/REF	*	*	*	*	2
MARITAL STATUS					
MARRIED	86.5	10.6	0.8	2.2	644
UNMARRIED	85.4	9.9	4.3	0.4	520
UNK/REF	*	*	*	*	3
EMPLOYMENT STATUS					
EMPLOYED	82.8	13.3	3.0	0.9	788
NOT EMPLOYED	*	*	*	*	22
STUDENT/HOMEMAKER	83.9	6.5	5.1	4.5	138
RETIRED/UNABLE TO WORK	97.7	1.5	0.2	0.5	218
UNK/REF	*	*	*	*	1
TOTAL	85.7	10.2	2.7	1.4	1,167

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
FOLIC ACID MODULE

TABLE 78. WHY DO YOU THINK SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID?
DENOMINATOR IS RESPONDENTS WHO ARE LESS THAN 45 YEARS OLD

	TO MAKE STRONG BONES	TO PREVENT BIRTH DEFECTS	TO PREVENT HIGH BLOOD PRESSURE	SOME OTHER REASON	UNK/REF	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	28.9	21.7	10.3	3.6	35.5	217
25-34	11.6	34.6	4.3	2.9	46.6	444
35-44	16.5	22.1	5.0	7.9	48.4	583
SEX						
MALE	17.6	18.2	8.0	4.5	51.6	553
FEMALE	18.4	34.6	4.2	5.6	37.3	691
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	17.8	27.2	6.1	4.6	44.2	1,016
BLACK, NON-HISPANIC	15.2	24.9	6.1	10.4	43.4	140
HISPANIC	*	*	*	*	*	37
OTHER	*	*	*	*	*	44
UNK/REF	*	*	*	*	*	7
INCOME						
< \$15,000	22.4	10.4	4.3	4.0	59.0	58
\$15-\$24,999	21.5	23.7	7.5	6.4	40.8	223
\$25-\$49,999	16.3	26.6	4.4	4.0	48.7	492
\$50-\$74,999	13.0	33.7	8.3	6.3	38.8	233
>=\$75,000	15.5	32.7	4.2	6.6	41.0	147
UNK/REF	32.0	14.6	10.5	3.5	39.4	91
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	27.0	8.2	5.2	3.0	56.6	99
HIGH SCHOOL GRAD OR GED	20.6	19.5	6.2	4.7	49.1	422
SOME COLLEGE OR TECH SCHOOL	13.1	27.3	7.7	6.1	45.8	364
COLLEGE GRADUATE	15.5	41.6	4.8	5.2	32.9	358
UNK/REF	*	*	*	*	*	1
MARITAL STATUS						
MARRIED	11.2	32.8	4.5	5.3	46.2	599
UNMARRIED	23.8	21.0	7.6	4.8	42.8	643
UNK/REF	*	*	*	*	*	2
EMPLOYMENT STATUS						
EMPLOYED	17.4	26.2	5.9	4.8	45.7	1,001
NOT EMPLOYED	*	*	*	*	*	36
STUDENT/HOMEMAKER	19.6	32.1	6.7	5.9	35.7	176
RETIRED/UNABLE TO WORK	*	*	*	*	*	31
TOTAL	18.0	26.3	6.1	5.1	44.5	1,244

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 79. BODY WEIGHT STATUS BASED ON BODY MASS INDEX (BMI) - SUMMARY

	1-NORMAL: <=25.0 %	2-OVERWT: >25.0-<30.0 %	3-OBESE,A: >=30.0-<35.0 %	4-OBESE,B: >=35.0-<=40.0 %	5-OBESE,C: >40 %	6-UNKNOWN %	TOTAL N
AGE GROUP							
18-24	63.8	26.8	3.8	1.9	1.4	2.3	217
25-34	47.1	31.1	13.3	4.5	1.9	2.0	444
35-44	45.4	32.6	13.5	5.6	0.8	2.1	583
45-54	30.4	43.3	15.1	4.2	3.2	3.9	501
55-64	30.4	39.7	18.0	10.2	0.9	0.9	262
65 +	39.7	40.0	13.0	4.8	1.0	1.4	407
UNK/REF	*	*	*	*	*	*	29
SEX							
MALE	33.4	47.1	13.5	4.2	1.1	0.6	1,019
FEMALE	51.3	24.9	12.2	5.7	1.9	4.0	1,424
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	43.2	35.9	12.4	4.8	1.2	2.4	2,075
BLACK, NON-HISPANIC	36.4	33.2	13.7	9.0	4.6	3.1	230
HISPANIC	20.8	44.1	23.3	6.0	4.6	1.2	54
OTHER	58.6	14.7	20.2	1.1	2.5	2.7	65
UNK/REF	*	*	*	*	*	*	19
INCOME							
< \$15,000	49.0	22.7	18.8	2.8	5.9	0.8	157
\$15-\$24,999	40.6	35.0	10.8	8.9	2.4	2.2	467
\$25-\$49,999	45.7	35.0	13.9	3.5	0.9	1.1	868
\$50-\$74,999	41.3	37.2	15.1	4.0	1.4	1.0	391
>=\$75,000	41.1	42.2	8.1	4.7	0.7	3.2	289
UNK/REF	37.1	37.2	10.4	5.9	0.3	9.1	271
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	36.0	37.7	15.6	6.0	2.2	2.5	239
HIGH SCHOOL GRAD OR GED	43.5	33.6	12.6	7.1	1.6	1.6	886
SOME COLLEGE OR TECH SCHOOL	44.0	35.7	11.8	3.5	1.0	4.0	653
COLLEGE GRADUATE	43.7	36.6	13.0	2.9	1.6	2.0	663
UNK/REF	*	*	*	*	*	*	2
MARITAL STATUS							
MARRIED	37.7	38.6	13.4	5.8	1.2	3.3	1,275
UNMARRIED	48.0	32.3	12.4	4.0	1.9	1.5	1,161
UNK/REF	*	*	*	*	*	*	7
EMPLOYMENT STATUS							
EMPLOYED	42.3	36.3	12.6	4.7	1.4	2.8	1,631
NOT EMPLOYED	59.5	22.4	12.6	1.8	0.6	3.1	61
STUDENT/HOMEMAKER	57.4	24.5	9.6	4.0	2.4	2.0	297
RETIRED/UNABLE TO WORK	32.8	41.3	15.7	7.2	1.6	1.3	453
UNK/REF	*	*	*	*	*	*	1
TOTAL	42.8	35.4	12.8	5.0	1.5	2.4	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 80. CIGARETTE SMOKING STATUS - SUMMARY

	CURRENT SMOKER (EVERY DAY OR SOME DAYS) %	FORMER SMOKER %	NEVER SMOKED %	UNK/REF %	TOTAL N
AGE GROUP					
18-24	31.4	10.1	58.5	0.0	217
25-34	33.0	12.1	54.8	0.1	444
35-44	31.3	17.4	49.3	2.0	583
45-54	26.5	27.7	45.5	0.3	501
55-64	23.1	27.5	49.3	0.0	262
65 +	14.8	35.6	47.6	2.0	407
UNK/REF	*	*	*	*	29
SEX					
MALE	30.6	26.6	41.7	1.1	1,019
FEMALE	23.2	17.4	58.7	0.7	1,424
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	25.8	22.3	51.0	0.9	2,075
BLACK, NON-HISPANIC	29.9	14.7	54.2	1.3	230
HISPANIC	23.7	16.5	59.7	0.0	54
OTHER	46.4	29.5	24.1	0.0	65
UNK/REF	*	*	*	*	19
INCOME					
< \$15,000	28.9	33.1	37.1	0.8	157
\$15-\$24,999	39.5	20.7	39.6	0.2	467
\$25-\$49,999	29.9	18.8	50.6	0.7	868
\$50-\$74,999	20.8	21.9	55.6	1.7	391
>=\$75,000	10.7	27.1	62.2	0.0	289
UNK/REF	15.9	21.1	60.9	2.1	271
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	41.9	23.7	34.0	0.4	239
HIGH SCHOOL GRAD OR GED	31.4	19.7	48.7	0.3	886
SOME COLLEGE OR TECH SCHOOL	25.1	23.5	50.3	1.1	653
COLLEGE GRADUATE	14.1	22.7	62.1	1.1	663
UNK/REF	*	*	*	*	2
MARITAL STATUS					
MARRIED	21.6	24.3	53.1	1.0	1,275
UNMARRIED	32.6	18.7	48.0	0.7	1,161
UNK/REF	*	*	*	*	7
EMPLOYMENT STATUS					
EMPLOYED	28.9	20.0	50.4	0.7	1,631
NOT EMPLOYED	46.6	12.5	40.1	0.8	61
STUDENT/HOMEMAKER	22.2	8.5	69.2	0.1	297
RETIRED/UNABLE TO WORK	19.8	37.6	40.7	1.9	453
UNK/REF	*	*	*	*	1
TOTAL	26.8	21.8	50.6	0.9	2,443

Notes:

Percents are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 81. DURING THE PAST 12 MONTHS, HAVE YOU QUIT SMOKING FOR 1 DAY OR LONGER?
DENOMINATOR IS EVERYDAY SMOKERS

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	75.7	24.3	0.0	58
25-34	58.7	41.3	0.0	109
35-44	45.4	54.6	0.0	172
45-54	40.0	60.0	0.0	105
55-64	28.9	71.1	0.0	53
65 +	*	*	*	36
UNK/REF	*	*	*	2
SEX				
MALE	46.6	53.1	0.3	250
FEMALE	56.2	43.8	0.0	285
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	51.9	48.0	0.2	444
BLACK, NON-HISPANIC	*	*	*	47
HISPANIC	*	*	*	13
OTHER	*	*	*	24
UNK/REF	*	*	*	7
INCOME				
< \$15,000	53.4	46.6	0.0	51
\$15-\$24,999	49.3	50.3	0.5	144
\$25-\$49,999	57.2	42.8	0.0	208
\$50-\$74,999	38.1	61.9	0.0	58
≥\$75,000	*	*	*	32
UNK/REF	*	*	*	42
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	45.1	54.9	0.0	94
HIGH SCHOOL GRAD OR GED	51.9	47.8	0.3	237
SOME COLLEGE OR TECH SCHOOL	52.4	47.6	0.0	139
COLLEGE GRADUATE	55.7	44.3	0.0	65
MARITAL STATUS				
MARRIED	42.5	57.2	0.3	218
UNMARRIED	56.7	43.3	0.0	317
EMPLOYMENT STATUS				
EMPLOYED	49.1	50.9	0.0	393
NOT EMPLOYED	*	*	*	24
STUDENT/HOMEMAKER	*	*	*	48
RETIRED/UNABLE TO WORK	45.7	53.4	1.0	70
TOTAL	51.0	48.9	0.1	535

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 82. HAVE YOU EVER BEEN TOLD BY A PHYSICIAN THAT YOU HAD DIABETES?

	YES	YES, BUT FEMALE TOLD DURING PREGNANCY	NO	UNK/REF	TOTAL
	%	%	%	%	N
AGE GROUP					
18-24	1.1	0.0	98.9	0.0	217
25-34	1.7	0.7	97.6	0.0	444
35-44	2.8	0.5	96.7	0.0	583
45-54	7.9	0.4	91.6	0.0	501
55-64	9.7	0.0	88.9	1.4	262
65 +	16.6	0.0	83.4	0.0	407
UNK/REF	*	*	*	*	29
SEX					
MALE	6.1	0.0	93.9	0.0	1,019
FEMALE	7.1	0.6	92.0	0.3	1,424
RACE AND ETHNICITY					
WHITE, NON-HISPANIC	6.6	0.3	92.8	0.2	2,075
BLACK, NON-HISPANIC	9.7	0.3	90.0	0.0	230
HISPANIC	1.5	0.0	98.5	0.0	54
OTHER	3.0	0.0	97.0	0.0	65
UNK/REF	*	*	*	*	19
INCOME					
< \$15,000	10.3	0.0	87.4	2.3	157
\$15-\$24,999	8.0	0.1	91.8	0.0	467
\$25-\$49,999	4.6	0.7	94.6	0.0	868
\$50-\$74,999	5.4	0.0	94.5	0.1	391
>=\$75,000	1.0	0.1	98.8	0.0	289
UNK/REF	14.7	0.0	85.3	0.0	271
EDUCATION LEVEL					
LESS THAN HIGH SCHOOL GRADUATE	8.2	0.1	91.7	0.0	239
HIGH SCHOOL GRAD OR GED	7.8	0.5	91.2	0.5	886
SOME COLLEGE OR TECH SCHOOL	7.4	0.2	92.3	0.0	653
COLLEGE GRADUATE	3.3	0.1	96.6	0.0	663
UNK/REF	*	*	*	*	2
MARITAL STATUS					
MARRIED	6.6	0.4	93.0	0.0	1,275
UNMARRIED	6.7	0.2	92.8	0.4	1,161
UNK/REF	*	*	*	*	7
EMPLOYMENT STATUS					
EMPLOYED	3.7	0.3	95.9	0.0	1,631
NOT EMPLOYED	7.4	0.0	92.6	0.0	61
STUDENT/HOMEMAKER	5.1	0.7	94.2	0.0	297
RETIRED/UNABLE TO WORK	17.5	0.0	81.7	0.9	453
UNK/REF	*	*	*	*	1
TOTAL	6.6	0.3	92.9	0.2	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 83. WHEN WAS YOUR LAST DENTIST OR DENTAL CLINIC VISIT FOR ANY REASON?

	< 1 YEAR	1 - <2 YEARS	2 - <5 YEARS	> 5 YEARS	UNK/REF	NEVER	TOTAL
	%	%	%	%	%	%	N
AGE GROUP							
18-24	70.4	16.1	8.7	4.5	0.0	0.3	217
25-34	64.8	11.1	16.0	7.7	0.4	0.0	444
35-44	69.5	14.5	8.6	7.2	0.0	0.1	583
45-54	79.5	6.4	5.5	8.7	0.0	0.0	501
55-64	62.8	11.4	9.6	15.3	0.0	1.0	262
65 +	53.1	12.5	8.8	24.4	1.3	0.0	407
UNK/REF	*	*	*	*	*	*	29
SEX							
MALE	65.9	12.4	9.9	11.3	0.2	0.4	1,019
FEMALE	67.7	11.5	9.2	11.2	0.5	0.0	1,424
RACE AND ETHNICITY							
WHITE, NON-HISPANIC	68.5	11.4	8.7	10.9	0.3	0.2	2,075
BLACK, NON-HISPANIC	56.4	16.1	11.4	16.1	0.0	0.0	230
HISPANIC	51.2	11.3	34.7	2.8	0.0	0.0	54
OTHER	53.4	22.2	12.7	9.6	1.0	1.1	65
UNK/REF	*	*	*	*	*	*	19
INCOME							
< \$15,000	44.3	14.7	9.6	31.4	0.0	0.0	157
\$15-\$24,999	51.2	16.5	13.2	18.7	0.2	0.1	467
\$25-\$49,999	69.1	10.9	11.4	7.9	0.2	0.4	868
\$50-\$74,999	75.5	12.5	7.0	5.0	0.0	0.0	391
>=\$75,000	88.2	5.1	3.4	3.3	0.0	0.0	289
UNK/REF	69.9	10.6	5.9	11.6	1.8	0.2	271
EDUCATION LEVEL							
LESS THAN HIGH SCHOOL GRADUATE	43.0	11.5	15.6	28.0	1.8	0.0	239
HIGH SCHOOL GRAD OR GED	64.8	12.0	9.4	13.3	0.1	0.4	886
SOME COLLEGE OR TECH SCHOOL	66.0	15.4	9.9	8.5	0.0	0.2	653
COLLEGE GRADUATE	82.2	8.8	6.4	2.4	0.2	0.0	663
UNK/REF	*	*	*	*	*	*	2
MARITAL STATUS							
MARRIED	71.4	11.6	7.9	8.7	0.2	0.2	1,275
UNMARRIED	61.8	12.4	11.0	14.1	0.5	0.1	1,161
UNK/REF	*	*	*	*	*	*	7
EMPLOYMENT STATUS							
EMPLOYED	70.6	12.4	8.8	7.9	0.1	0.3	1,631
NOT EMPLOYED	46.7	12.6	22.5	17.1	0.0	1.1	61
STUDENT/HOMEMAKER	68.2	10.3	13.7	7.6	0.3	0.0	297
RETIRED/UNABLE TO WORK	55.8	11.4	7.3	24.4	1.1	0.0	453
UNK/REF	*	*	*	*	*	*	1
TOTAL	66.8	11.9	9.5	11.2	0.3	0.2	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 84. HOW MANY PERMANENT TEETH HAVE YOU HAD REMOVED DUE TO DECAY OR GUM DISEASE?

	<= 5	>= 6, BUT NOT ALL	ALL	UNK/REF	NONE	TOTAL
	%	%	%	%	%	N
AGE GROUP						
18-24	15.3	0.1	0.0	0.2	84.4	217
25-34	22.6	2.7	1.3	0.0	73.4	444
35-44	27.7	8.8	2.9	0.6	60.0	583
45-54	34.4	16.0	8.4	0.6	40.6	501
55-64	28.1	19.4	19.8	2.4	30.2	262
65 +	24.2	24.0	36.5	1.6	13.7	407
UNK/REF	*	*	*	*	*	29
SEX						
MALE	26.2	11.4	9.3	0.7	52.4	1,019
FEMALE	25.8	12.1	13.1	0.9	48.1	1,424
RACE AND ETHNICITY						
WHITE, NON-HISPANIC	25.2	10.9	12.0	0.8	51.0	2,075
BLACK, NON-HISPANIC	35.4	21.5	8.8	0.6	33.7	230
HISPANIC	31.7	6.5	0.0	0.0	61.8	54
OTHER	26.4	9.1	3.5	1.1	59.9	65
UNK/REF	*	*	*	*	*	19
INCOME						
< \$15,000	17.4	25.7	35.8	0.8	20.3	157
\$15-\$24,999	27.5	18.2	19.6	1.0	33.8	467
\$25-\$49,999	26.4	9.9	5.4	1.1	57.2	868
\$50-\$74,999	27.4	5.2	7.9	0.4	59.1	391
>=\$75,000	23.6	3.5	1.8	0.1	70.9	289
UNK/REF	27.3	14.3	13.1	0.8	44.5	271
EDUCATION LEVEL						
LESS THAN HIGH SCHOOL GRADUATE	16.7	22.7	32.1	0.2	28.3	239
HIGH SCHOOL GRAD OR GED	33.4	13.6	13.7	0.6	38.8	886
SOME COLLEGE OR TECH SCHOOL	23.2	10.9	5.1	1.1	59.6	653
COLLEGE GRADUATE	21.2	4.4	3.4	1.2	69.8	663
UNK/REF	*	*	*	*	*	2
MARITAL STATUS						
MARRIED	28.0	10.2	9.8	0.7	51.3	1,275
UNMARRIED	23.8	13.4	13.0	0.9	48.9	1,161
UNK/REF	*	*	*	*	*	7
EMPLOYMENT STATUS						
EMPLOYED	26.4	8.6	6.2	0.8	58.0	1,631
NOT EMPLOYED	37.4	7.0	17.9	1.6	36.1	61
STUDENT/HOMEMAKER	23.6	8.6	6.7	0.3	60.8	297
RETIRED/UNABLE TO WORK	24.7	25.0	31.0	1.1	18.2	453
UNK/REF	*	*	*	*	*	1
TOTAL	26.0	11.8	11.3	0.8	50.1	2,443

Notes:

Percent are based on weighted data.

Totals are unweighted numbers.

Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA STATEWIDE SURVEY DATA, 1999
OBESITY, SMOKING, DIABETES & OTHER HEALTH CONCERNS

TABLE 85. HAVE YOU HAD A SUNBURN WITHIN THE PAST 12 MONTHS (EVEN A SMALL PART OF SKIN RED FOR >12 HOURS)?

	YES	NO	UNK/REF	TOTAL
	%	%	%	N
AGE GROUP				
18-24	64.5	35.5	0.0	217
25-34	59.0	40.8	0.2	444
35-44	58.1	41.6	0.3	583
45-54	41.7	58.0	0.3	501
55-64	32.4	67.6	0.0	262
65 +	10.4	89.5	0.1	407
UNK/REF	*	*	*	29
SEX				
MALE	50.4	49.5	0.2	1,019
FEMALE	38.9	60.8	0.3	1,424
RACE AND ETHNICITY				
WHITE, NON-HISPANIC	48.0	52.0	0.1	2,075
BLACK, NON-HISPANIC	3.7	94.4	1.9	230
HISPANIC	22.7	75.7	1.6	54
OTHER	43.7	56.3	0.0	65
UNK/REF	*	*	*	19
INCOME				
< \$15,000	17.8	81.9	0.3	157
\$15-\$24,999	37.0	62.9	0.2	467
\$25-\$49,999	47.1	52.5	0.4	868
\$50-\$74,999	52.9	47.1	0.0	391
>=\$75,000	61.6	38.4	0.0	289
UNK/REF	38.2	61.3	0.5	271
EDUCATION LEVEL				
LESS THAN HIGH SCHOOL GRADUATE	28.7	70.6	0.7	239
HIGH SCHOOL GRAD OR GED	39.9	60.0	0.1	886
SOME COLLEGE OR TECH SCHOOL	50.5	49.2	0.3	653
COLLEGE GRADUATE	53.0	46.9	0.2	663
UNK/REF	*	*	*	2
MARITAL STATUS				
MARRIED	46.3	53.5	0.2	1,275
UNMARRIED	42.1	57.6	0.3	1,161
UNK/REF	*	*	*	7
EMPLOYMENT STATUS				
EMPLOYED	53.5	46.3	0.2	1,631
NOT EMPLOYED	40.2	59.8	0.0	61
STUDENT/HOMEMAKER	41.0	58.4	0.5	297
RETIRED/UNABLE TO WORK	15.6	84.3	0.2	453
UNK/REF	*	*	*	1
TOTAL	44.4	55.4	0.2	2,443

Notes:

- Percents are based on weighted data.
- Totals are unweighted numbers.
- Asterisks indicate too few cases to calculate a reliable percent.

Source: Behavioral Risk Factor Surveillance System, 1999.

APPENDICES

Appendix A

Healthy People 2000 in Indiana

Background

Healthy People 2000: National Health Promotion and Disease Prevention Objectives was introduced to the American public in September of 1990 by the Department of Health and Human Services. This release of information grew out of a health strategy initiated in 1979 from a series of reports to the Surgeon General's office concerning the condition of national health. These documents included a series of comprehensive goals and objectives to be met by the year 2000. These goals and objectives concerned disease prevention and health promotion in the United States, which would allow communities and states to begin to address major health concerns.

Over a ten-year period, much in the United States has changed regarding the status of the nation's health. There have been changes in demographics among families, age groups, racial and ethnic populations, and the workforce. Infant mortality has decreased and some childhood infectious diseases have been completely eliminated. During the 1980s, significant declines in death rates for heart disease, stroke, and unintentional injuries were noted. It is certain that progress in many areas of disease prevention and health promotion has been observed over the years; yet, much remains undone. Some of the changes leading to the progress which has been made thus far can be directly attributed to reductions in risk factors and changes in specific behaviors which have been monitored since the beginning of *Healthy People 2000*.

As stated in *Healthy People 2000*: "The challenge of *Healthy People 2000* is to use the combined strength of scientific knowledge, professional skill, individual commitment, community support, and political will to enable people to achieve their potential to live full, active lives." Each individual is charged with an obligation to contribute to the effort of improving the nation's health profile. To meet the nation's challenges, we must look to a united effort from every level of our society so that these challenges can be met.

The Behavioral Risk Factor Surveillance survey assesses the status of many of the challenges outlined in *Healthy People 2000*. The survey examines some of the changes in social, behavioral, and economic environments experienced in Indiana.

Objective Number	Healthy People 2000 Objective	1999 Indiana BRFSS Prevalence	Indiana 95% C.I.	1999 National BRFSS Prevalence
HP 2.3	Reduce overweight to a prevalence of no more than 20% of people age 20 and older*	34.1%	(31.0-37.3)	33.7%
HP 3.4	Reduce cigarette smoking to a prevalence of no more than 15% of adults age 20 and older*	27.0%	(24.0-30.0)	22.7%
HP 16.11	Increase to at least 80% the proportion of women age 40 and older who have received both a mammogram and a clinical breast exam (CBE)	19.8% (never had a mammogram & CBE)	(15.4-24.2) (never had a mammogram & CBE)	18.8% (never had a mammogram & CBE)
HP 16.11	Increase to at least 60% the proportion of women age 50 and older who have received both a clinical breast exam and a mammogram within the past 2 years	39.3% (did not have within last 2 years)	(32.5-46.2) (did not have within last 2 years)	31.7% (did not have within last 2 years)
HP 16.12	Increase to at least 95% the proportion of women age 18 and older with uterine cervix who have ever received a Pap test	4.9% (have never received a Pap test)	(2.6-7.1) (have never received a Pap test)	5.4% (have never received a Pap test)
HP 16.12	Increase to at least 85% the proportion of women age 18 and older with uterine cervix who have ever received a Pap test within the last 3 years	17.6% (have not received Pap in past 3 years)	(13.5-21.7) (have not received Pap in past 3 years)	14.6% (have not received Pap in past 3 years)
HP 17.11	Reduce diabetes prevalence to no more than 2.5%	6.6%	(4.9-8.4)	5.6%
HP 20.11	Increase to 60% the prevalence of older adults (non-institutionalized, high-risk, age 65+) receiving influenza immunizations**	33.9% (did not receive flu shot)	(26.2-41.5) (did not receive flu shot)	32.6% (did not receive flu shot)
HP 20.11	Increase to 60% the prevalence of older adults (non-institutionalized, high-risk, age 65+) receiving pneumococcal pneumonia vaccination**	48.4% (never had vaccination)	(48.2-56.5) (never had vaccination)	45.1% (never had vaccination)

Sources:

¹Public Health Services. Healthy People 2000: National Health Promotion and Disease Prevention Objectives-full report with commentary. Washington, C.C.: U.S. Department of Health and Human Services, 1991.

Notes:

*BRFSS data only include adults age 18 and older.

**BRFSS data are not limited to high-risk populations.

Appendix B

Definitions of BRFSS Risk Factors and Preventive Health Measures

AIDS Knowledge/Attitudes

HIV Test – Respondents, age 18-64, who have never had a test for HIV infection.

Chances of Getting HIV – Respondents, age 18-64, who believe that their chances of getting infected with HIV, the virus that causes AIDS are medium or high.

Teen Condom Use – Respondents, age 18-64, who would not encourage sexually active teenagers to use a condom.

Breast Exam

Breast Exam (1) – Female respondents, age 18 and older, who report they never had a breast exam by a doctor.

Breast Exam (2) – Female respondents, age 40 and older, who report they never had a breast exam by a doctor.

Breast Exam Within 2 Years – Female respondents, age 50 and older, who report that they did not have a breast exam within the past two years.

Cardiovascular Disease

Heart Attack or Myocardial Infarction – Respondents who report they were told by a doctor they had a heart attack or myocardial infarction.

Stroke – Respondents who report they were told by a doctor they had a stroke.

Cervical Cancer

Pap Smear (1) Female respondents, age 18 and older who report they never had a Pap smear. Year 2000 objective 16.12 – Target $\geq 95\%$ who have ever had a Pap smear.

Pap Smear, with Uterine Cervix (2) – Female respondents, with uterine cervix, age 18 and older, who report they never had a Pap smear.

Pap Smear Within 3 Years – Female respondents, with uterine cervix, age 18 and older, who report they did not have a Pap smear within the last three years.

Cholesterol Screening and Awareness

Cholesterol Screening (1) – Respondents who never had their cholesterol checked.

Cholesterol Screening (2) – Respondents who did not have their cholesterol checked within the past five years. Year 2000 Objective 15.14 - Target $\geq 75\%$ who had their cholesterol checked within the past five years.

Cholesterol Awareness – Respondents who report their cholesterol has been checked and they have been told their cholesterol is high by a health professional.

Clinical Breast Exam – *See Breast Exam*

Colorectal Cancer Screening

Sigmoidoscopy – Respondents, age 50 and over, who report they never had a sigmoidoscopy. Year 2000 Objective 16.13 - Target $\geq 40\%$ age 50 and over who ever had a sigmoidoscopy.

Blood Stool Test – Respondents, age 50 and over, who reported they did not use a home blood stool kit in the past two years.

Diabetes

Diabetes Awareness – Respondents who report they were told by a doctor that they have diabetes.

Drinking Status

Current Drinkers – Respondents who report they had alcoholic beverages in the past month.

Binge Drinking (Acute Drinking) – Respondents who report having five or more drinks on an occasion, one or more times in the past month.

Chronic Drinking – Respondents who report drinking 60 or more alcoholic beverages a month.

Drinking and Driving – Respondents who report having driven after having too much to drink, or more times in the past month.

Fruits and Vegetables

Fruits and Vegetables – Respondents who report they are not consuming five or more servings of fruits and vegetables a day. Year 2000 Objective 2.6 Target $\geq 50\%$ who are consuming five or more servings of fruits or vegetables a day.

Health Insurance

Health Insurance (1) – Respondents age 18 and older who report they have no health care coverage.

Health Insurance (2) – Respondents age 18-64 years who report they have no health care coverage.

Health Status

Activities Limited – Mean number of days in past 30 days activities were limited among respondents reporting days when physical health or mental health was not good.

Mental Health Not Good – Mean number of days in past 30 days mental health was not good as reported by respondents.

Physical Health Not Good – Mean number of days in past 30 days physical health was not good as reported by respondents.

Self-Reported Health Status – Respondents who report having a general health status of fair or poor.

Hypertension

Hypertension Awareness – Respondents who report that their blood pressure has been checked and they have been told they have high blood pressure.

Hypertension Screening – Respondents who report their blood pressure has not been checked within the past two years.

Immunization

Flu Shot – Respondents, age 65 and older, who report they did not have a flu shot within the past 12 months. Year 2000 Objective 20.11 – Target $\geq 80\%$ who had a flu shot in the past 12 months.

Pneumonia Vaccination – Respondents, age 65 and older, who report they never had a pneumonia vaccination. Year 2000 Objective 20.11 – Target $\geq 80\%$ who have had a pneumonia vaccination.

Mammography

Mammogram (1) – Female respondents age 18 and older, who report that they have never had a mammogram.

Mammogram (2) – Female respondents, age 40 and older, who report that they have never had a mammogram.

Mammogram Within 2 Years – Female respondents, age 50 and older, who report that they did not have a mammogram within the past two years.

Mammography and Breast Exam

Mammogram & Breast Exam – Female respondents, age 40 and older, who report that they have never had a mammogram and a breast exam.

Mammogram & Breast Exam Within 2 Years – Female respondents, age 50 and older, who report that they did not have a mammogram and a breast exam within the past two years. Year 2000 Objective 16.11 – Target $\geq 60\%$ women, age 50 and over who had a mammogram and a breast exam in the preceding 1-2 years.

Overweight

Overweight: By Median – Respondents at or above 120% of their ideal weight. Ideal weight is defined as the mid-value of a median frame person from the 1959 Metropolitan Life Insurance Corporation height-weight tables.

Overweight: By Body Mass Index – Females with body mass index (BMI) ≥ 27.3 and males with BMI ≥ 27.8 . BMI is defined as weight in kilograms divided by height in meters squared (w/h^{**2}). Year 2000 Objective 2.3 – Target $\leq 20\%$ at or above the BMI level. This should be used with extreme caution since people tend to under report their weight. BRFSS may underestimate the prevalence of overweight.

Pap Smear –

(See Cervical Cancer)

Sigmoidoscopy –

(See Colorectal Cancer Screening)

Smoking Status

Ever Smoked – Respondents who have ever smoked 100 cigarettes in their lifetime.

Current Smoker – Respondents who have ever smoked 100 cigarettes in their lifetime and reported smoking everyday or some days. Year 2000 Objective 3.4 – Target $\leq 15\%$ who smoke cigarettes.

Appendix C

1999 Behavioral Risk Factor Surveillance Survey Questionnaire

Health Status

1. Would you say that in general your health is:
 - a. Excellent
 - b. Very good
 - c. Good
 - d. Fair
 - e. Poor
 - f. Don't know/not sure
 - g. Refused

2. Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?
 - a. Number of days
 - b. None
 - c. Don't know/not sure
 - d. Refused

3. Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?
 - a. Number of days
 - b. None
 - c. Don't know/not sure
 - d. Refused

4. During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?
 - a. Number of days
 - b. None
 - c. Don't know/not sure
 - d. Refused

Health Care Access

5. Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?
 - a. Yes
 - b. No
 - c. Don't know/not sure
 - d. Refused

6. Medicare is a coverage plan for people 65 or over and for certain disabled people. Do you have Medicare?
 - a. Yes
 - b. No
 - c. Don't know/not sure
 - d. Refused

7. What type of health care coverage do you use to pay for most of your medical care?
 - a. Your employer
 - b. Someone else's employer
 - c. A plan that you or someone else buys on your own
 - d. Medicare
 - e. Medicaid or Medical Assistance
 - f. The military, CHAMPUS, TriCare, or the VA
 - g. The Indian Health Service
 - h. Some other source
 - i. None
 - j. Don't know/not sure
 - k. Refused

8. There are some types of coverage you may not have considered. Please tell me if you have any of the following: Coverage through:
 - a. Your employer
 - b. Someone else's employer
 - c. A plan that you or someone else buys on your own
 - d. Medicare
 - e. Medicaid or Medical Assistance
 - f. The military, CHAMPUS, TriCare or the VA
 - g. The Indian Health Service
 - h. Some other source
 - i. None
 - j. Don't know/not sure
 - k. Refused

9. During the past 12 months, was there any time that you did not have any health insurance or coverage?
 - a. Yes
 - b. No
 - c. Don't know/not sure
 - d. Refused

10. About how long has it been since you had health care coverage?
 - a. Within the past 6 months (1 to 6 months ago)
 - b. Within the past year (6 to 12 months ago)
 - c. Within the past 2 years (1 to 2 years ago)
 - d. Within the past 5 years (2 to 5 years ago)
 - e. 5 or more years ago
 - f. Don't know/not sure
 - g. Never
 - h. Refused

11. Was there a time during the last 12 months when you needed to see a doctor, but could not because of the cost?
- a. Yes
 - b. No
 - c. Don't know/not sure
 - d. Refused
12. About how long has it been since you last visited a doctor for a routine checkup?
- a. Within the past year
 - b. Within the past 2 years (1 to 2 years ago)
 - c. Within the past 5 years (2 to 5 years ago)
 - d. 5 or more years ago
 - e. Don't know/not sure
 - f. Never
 - g. Refused

Hypertension Awareness

13. About how long has it been since you last had your blood pressure taken by a doctor, nurse, or other health professional?
- a. Within the past 6 months (1 to 6 months ago)
 - b. Within the past year (6 to 12 months ago)
 - c. Within the past 2 years (1 to 2 years ago)
 - d. Within the past 5 years (2 to 5 years ago)
 - e. 5 or more years ago
 - f. Don't know/not sure
 - g. Never
 - h. Refused
14. Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?
14. Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?
- a. Yes
 - b. No
 - c. Don't know/not sure
 - d. Refused
15. Have you been told on more than one occasion that your blood pressure was high, or have you been told this only once?
- a. More than once
 - b. Only once
 - c. Don't know/not sure
 - d. Refused

Cholesterol Awareness

16. Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked?
- Yes
 - No
 - Don't know/Not sure
 - Refused
17. About how long has it been since you last had your blood cholesterol checked?
- Within the past year (1 to 12 months ago)
 - Within the past 2 years (1 to 2 years ago)
 - Within the past 5 years (2 to 5 years ago)
 - 5 or more years ago
 - Don't know/Not sure
 - Refused
18. Have you ever been told by a doctor or other health professional that your blood cholesterol is high?
- Yes
 - No
 - Don't know/Not sure
 - Refused

Diabetes

19. Have you ever been told by a doctor that you have diabetes?
- Yes
 - Yes, but female told only during pregnancy
 - No
 - Don't know/Not sure
 - Refused

Oral Health

20. How long has it been since you last visited a dentist or a dental clinic for any reason?
- Within the past year (1 to 12 months ago)
 - Within the past 2 years (1 to 2 years ago)
 - Within the past 5 years (2 to 5 years ago)
 - 5 or more years ago
 - Don't know/Not sure
 - Never
 - Refused
21. How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.
- 5 or fewer
 - 6 or more but not all
 - All
 - None
 - Don't know/Not sure
 - Refused

22. How long has it been since you had your teeth "cleaned" by a dentist or dental hygienist?
- a. Within the past year (1 to 12 months ago)
 - b. Within the past 2 years (1 to 2 years ago)
 - c. Within the past 5 years (2 to 5 years ago)
 - d. 5 or more years ago
 - e. Don't know/Not sure
 - f. Refused

Skin Cancer

23. The next question is about sunburns, including any time that even a small part of your skin was red for more than 12 hours. Have you had a sunburn within the past 12 months?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
24. Including times when even a small part of your skin was red for more than 12 hours, how many sunburns have you had within the past 12 months?
- a. One
 - b. Two
 - c. Three
 - d. Four
 - e. Five
 - f. Six or more
 - g. Don't know/Not sure
 - h. Refused

Tobacco Use

25. Have you smoked at least 100 cigarettes in your entire life?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
26. Do you now smoke cigarettes everyday, some days, or not at all?
- a. Everyday
 - b. Some days
 - c. Not at all
 - d. Refused
27. On the average, about how many cigarettes a day do you now smoke?
- a. (Number of cigarettes)
 - b. Don't know/Not sure
 - c. Refused

28. On the average, when you smoked during the past 30 days, about how many cigarettes did you smoke a day?
- (Number of cigarettes)
 - Don't know/Not sure
 - Refused
29. During the past 12 months, have you quit smoking for 1 day or longer?
- Yes
 - No
 - Don't know/Not sure
 - Refused
30. About how long has it been since you last smoked cigarettes regularly, that is, daily?
- Within the past month (0 to 1 month ago)
 - Within the past 3 months (1 to 3 months ago)
 - Within the past 6 months (3 to 6 months ago)
 - Within the past year (6 to 12 months ago)
 - Within the past 5 years (1 to 5 years ago)
 - Within the past 15 years (5 to 15 years ago)
 - 15 or more years ago
 - Don't know/Not sure
 - Never smoked regularly
 - Refused

Alcohol Consumption

31. During the past month, have you had at least one drink of any alcoholic beverage such as beer, wine, wine coolers, or liquor?
- Yes
 - No
 - Don't know/Not sure
 - Refused
32. During the past month, how many days per week or per month did you drink any alcoholic beverages, on the average?
- (Days per week)
 - (Days per month)
 - Don't know/Not sure
 - Refused
33. A drink is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks did you drink on the average?
- (Number of drinks)
 - Don't know/Not sure
 - Refused

34. Considering all types of alcoholic beverages, how many times during the past month did you have 5 or more drinks on an occasion?
- a. (Number of times)
 - b. None
 - c. Don't know/Not sure
 - d. Refused
35. During the past month, how many times have you driven when you've had perhaps too much to drink?
- a. (Number of times)
 - b. None
 - c. Don't know/Not sure
 - d. Refused

Demographics

36. What is your age?
- a. Code age in years
 - b. Don't know/Not sure
 - c. Refused
37. What is your race?
- a. White
 - b. Black
 - c. Asian, Pacific Islander
 - d. American Indian, Alaska Native
 - or**
 - e. Other: _____
 - f. Don't know/Not sure
 - g. Refused
38. Are you of Spanish or Hispanic origin?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
39. Are you:
- a. Married
 - b. Divorced
 - c. Widowed
 - d. Separated
 - e. Never been married
 - or**
 - f. A member of an unmarried couple
 - g. Refused

40. How many children live in your household who are:
- less than 5 years old?
 - 5 through 12 years old?
 - 13 through 17 years old?
 - None
 - Refused
41. What is the highest grade or year of school you completed?
- Never attended school or only attended kindergarten
 - Grades 1 through 8 (Elementary)
 - Grades 9 through 11 (Some high school)
 - Grade 12 or GED (High school graduate)
 - College 1 year to 3 years (Some college or technical school)
 - College 4 years or more (College graduate)
 - Refused
42. Are you currently:
- Employed for wages
 - Self-employed
 - Out of work for more than 1 year
 - Out of work for less than 1 year
 - Homemaker
 - Student
 - Retired
- or**
- Unable to work
 - Refused
43. Is your annual household income from all sources:
- Less than \$25,000 (\$20,000 to less than \$25,000)
 - Less than \$20,000 (\$15,000 to less than \$20,000)
 - Less than \$15,000 (\$10,000 to less than \$15,000)
 - Less than \$10,000
 - Less than \$35,000 (\$25,000 to less than \$35,000)
 - Less than \$50,000 (\$35,000 to \$75,000)
 - \$75,000 or more
 - Don't know/Not sure
 - Refused
44. About how much do you weigh without shoes?
- (Weight)
 - Don't know/Not sure
 - Refused
45. About how tall are you without shoes?
- (Height)
 - Don't know/Not sure
 - Refused

46. What county do you live in?
- (FIPS county code)
 - Don't know/Not sure
 - Refused
47. Do you have more than one telephone number in your household?
- Yes
 - No
 - Refused
48. How many residential telephone numbers do you have?
- Total telephone numbers
 - Refused

(Questions about other health services you may have received.)

Indicate sex of respondent: male or female.

Women's Health

49. A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?
- Yes
 - No
 - Don't know/Not sure
 - Refused
50. How long has it been since you had your last mammogram?
- Within the past year (1 to 12 months ago)
 - Within the past 2 years (1 to 2 years ago)
 - Within the past 3 years (2 to 3 years ago)
 - Within the past 5 years (3 to 5 years ago)
 - 5 or more years ago
 - Don't know/Not sure
 - Refused
51. Was your last mammogram done as part of a routine checkup, because of a breast problem other than cancer, or because you've already had breast cancer?
- Routine checkup
 - Breast problem other than cancer
 - Had breast cancer
 - Don't know/Not sure
 - Refused
52. A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?
- Yes
 - No
 - Don't know/Not sure
 - Refused

53. How long has it been since your last breast exam?
- Within the past year (1 to 12 months ago)
 - Within the past 2 years (1 to 2 years ago)
 - Within the past 3 years (2 to 3 years ago)
 - Within the past 5 years (3 to 5 years ago)
 - 5 or more years ago
 - Don't know/Not sure
 - Refused
54. Was your last breast exam done as part of a routine checkup, because of a breast problem other than cancer, or because you've already had breast cancer?
- Routine checkup
 - Breast problem other than cancer
 - Had breast cancer
 - Don't know/Not sure
 - Refused
55. A Pap smear is a test for cancer of the cervix. Have you ever had a Pap smear?
- Yes
 - No
 - Don't know/Not sure
 - Refused
56. How long has it been since you had your last Pap smear?
- Within the past year (1 to 12 months ago)
 - Within the past 2 years (1 to 2 years ago)
 - Within the past 3 years (2 to 3 years ago)
 - Within the past 5 years (3 to 5 years ago)
 - 5 or more years ago
 - Don't know/Not sure
 - Refused
57. Was your last Pap smear done as part of a routine exam, or to check a current or previous problem?
- Routine exam
 - Check current or previous problem
 - Other
 - Don't know/Not sure
 - Refused
58. Have you had a hysterectomy?
- Yes
 - No
 - Don't know/Not sure
 - Refused
59. To your knowledge, are you now pregnant?
- Yes
 - No
 - Don't know/Not sure
 - Refused

Immunization

60. During the past 12 months, have you had a flu shot?
- Yes
 - No
 - Don't know/Not sure
 - Refused
61. At what kind of place did you get your last flu shot?
- A doctor's office or health maintenance organization
 - A health department
 - Another type of clinic or health center
 - A senior, recreation, or community center
 - A store
 - A hospital or emergency room
 - Workplace
 - Other: _____
 - Don't know/Not sure
 - Refused
62. Have you ever had a pneumonia vaccination?
- Yes
 - No
 - Don't know/Not sure
 - Refused

Colorectal Cancer Screening

63. A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?
- Yes
 - No
 - Don't know/Not sure
 - Refused
64. When did you have your last blood stool test using a home kit?
- Within the past year (1 to 12 months ago)
 - Within the past 2 years (1 to 2 years ago)
 - Within the past 5 years (2 to 5 years ago)
 - 5 or more years ago
 - Don't know/Not sure
 - Refused
65. A sigmoidoscopy or colonoscopy is when a tube is inserted in the rectum to view the bowel for signs of cancer and other health problems. Have you ever had this exam?
- Yes
 - No
 - Don't know/Not sure
 - Refused

66. When did you have your last sigmoidoscopy or colonoscopy?
- a. Within the past year (1 to 12 months ago)
 - b. Within the past 2 years (1 to 2 years ago)
 - c. Within the past 5 years (2 to 5 years ago)
 - d. 5 or more years ago
 - e. Don't know/Not sure
 - f. Refused

Injury Control

67. What is the age of the oldest child in your household under the age of 16?
- a. (Code age in years)
 - b. No children under age 16
 - c. Don't know/Not sure
 - d. Refused
68. During the past year, how often has the ___-year-old child worn a bicycle helmet when riding a bicycle?
- a. Always
 - b. Nearly always
 - c. Sometimes
 - d. Seldom
 - or
 - e. Never
 - f. Don't know/Not sure
 - g. Never rides a bicycle
 - h. Refused
69. When was the last time you or someone else deliberately tested all of the smoke detectors in your home?
- a. Within the past month (0 to 1 month ago)
 - b. Within the past 6 months (1 to 6 months ago)
 - c. Within the past year (6 to 12 months ago)
 - d. One or more years ago
 - e. Never
 - f. No smoke detectors in home
 - g. Don't know/Not sure
 - h. Refused

HIV/AIDS

70. If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
- a. Grade
 - b. Kindergarten
 - c. Never
 - d. Don't know/Not sure
 - e. Refused

71. If you had a teenager who was sexually active, would you encourage him or her to use a condom?
- a. Yes
 - b. No
 - c. Would give other advice
 - d. Don't know/Not sure
 - e. Refused
72. What are your chances of getting infected with HIV, the virus that causes AIDS?
- a. High
 - b. Medium
 - c. Low
 - or**
 - d. None
 - e. Not applicable
 - f. Don't know/Not sure
 - g. Refused
73. Have you donated blood since March 1985?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
74. Have you donated blood in the past 12 months?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
75. Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
76. Have you ever been tested for HIV?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
77. Not including your blood donations, have you been tested for HIV in the past 12 months?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused

78. Have you been tested for HIV in the past 12 months?
- Yes
 - No
 - Don't know/Not sure
 - Refused
79. What was the main reason you had your last test for HIV?
- For hospitalization or surgical procedure
 - To apply for health insurance
 - To apply for life insurance
 - For employment
 - To apply for a marriage license
 - For military induction or military service
 - For immigration
 - Just to find out if you were infected
 - Because of referral by a doctor
 - Because of pregnancy
 - Referred by your sex partner
 - Because it was part of a blood donation process
 - For routine checkup
 - Because of occupational exposure
 - Because of illness
 - Because I am at risk for HIV
 - Other
 - Don't know/Not sure
 - Refused
80. Where did you have your last test for HIV?
- Private doctor, HMO
 - Blood bank, plasma center, Red Cross
 - Health department
 - AIDS clinic, counseling, testing site
 - Hospital, emergency room, outpatient clinic
 - Family planning clinic
 - Prenatal clinic, obstetrician's office
 - Tuberculosis clinic
 - STD clinic
 - Community health clinic
 - Clinic run by employer
 - Insurance company clinic
 - Other public clinic
 - Drug treatment facility
 - Military induction or military service site
 - Immigration site
 - At home, home visit by nurse or health worker
 - At home using self-sampling kit
 - In jail or prison
 - Other
 - Don't know/Not sure
 - Refused

81. Did you receive the results of your last test?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
82. Did you receive counseling or talk with a health care professional about the results of your test?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused

Module 8:

Cardiovascular Disease

83. To lower your risk of developing heart disease or stroke, has a doctor advised you to
- a. Eat fewer high fat or high cholesterol foods
 - b. Exercise more
84. To lower your risk of developing heart disease or stroke, are
- a. Eating fewer high fat or high cholesterol foods?
 - b. Exercising more?
85. Has a doctor ever told you that you had any of the following?
- a. Heart attack or myocardial infarction
 - b. Angina or coronary heart disease
 - c. Stroke
86. Do you take aspirin daily or every other day?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
87. Do you have a health problem or condition that makes taking aspirin unsafe for you?
- a. Yes, not stomach related
 - b. Yes, stomach problems
 - c. No
88. Have you gone through or are you now going through menopause?
- a. Yes, have gone through menopause
 - b. Yes, now going through menopause
 - c. No
 - d. Don't know/Not sure
 - e. Refused

89. Estrogens such as Premarin and progestins such as Provera are female hormones that may be prescribed around the time of menopause, after menopause, or after a hysterectomy. Has your doctor discussed the benefits and risks of estrogen with you?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
90. Other than birth control pills, has your doctor ever prescribed estrogen pills for you?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
91. Are you currently taking estrogen pills?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
92. Why
- a. To prevent a heart attack
 - b. To treat or prevent bone thinning, bone loss, or osteoporosis
 - c. to treat symptoms of menopause such as hot flashes

Module 13:

Folic Acid

93. Do you currently take any vitamin pills or supplements?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
94. Are any of these a multivitamin?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused
95. Do any of the vitamin pills or supplements you take contain folic acid?
- a. Yes
 - b. No
 - c. Don't know/Not sure
 - d. Refused

96. How often do you take this vitamin pill or supplement?

- a. (Times per day)
- b. (Times per week)
- c. (Times per month)
- d. Don't know/Not sure
- e. Refused

97. Some health experts recommend that women take 400 micrograms of the B vitamin folic acid, for which one of the following reasons

- a. To make strong bones
- b. To prevent birth defects
- c. To prevent high blood pressure
- or**
- d. Som other reason
- e. Don't know/Not sure
- f. Refused

