

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/21/2023
FORM APPROVED
OMB NO. 0938-0391

| | | | | | | | |
|---|---|--|--|--|--|--|----------------------------|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155843 | | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | | (X3) DATE SURVEY COMPLETED R-C 02/20/2023 | |
| NAME OF PROVIDER OR SUPPLIER SPRINGS OF RICHMOND, THE | | | | STREET ADDRESS, CITY, STATE, ZIP CODE 400 INDUSTRIES ROAD RICHMOND, IN 47374 | | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | | (X5) COMPLETION DATE |
| F 000 | <p>INITIAL COMMENTS</p> <p>Paper compliance to the Investigation of Complaints IN00393842, IN00395478, IN00396680 and IN00398651. completed on January 10, 2023</p> <p>Review date: February 20, 2023</p> <p>Facility number: 013635 Provider number: 155843 AIM number: 300026664</p> <p>The Springs of Richmond was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regard to the paper compliance to the Complaint Investigation.</p> <p>Quality review completed on February 20, 2023</p> | | | F 000 | | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.