

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/03/2015  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>155745</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01, 02</b>  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R</b> <b>07/31/2015</b>
NAME OF PROVIDER OR SUPPLIER  <b>HOLY CROSS VILLAGE AT NOTRE DAME INC</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>PO BOX 303</b> <b>NOTRE DAME, IN 46556</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{K 000}	<p>INITIAL COMMENTS</p> <p>Paper compliance to the Life Safety Code Recertification and State Licensure Survey conducted on 07/13/15 was completed on 07/31/15.</p> <p>Review Date: 07/31/15</p> <p>Facility Number: 002668 Provider Number: 155745 AIM Number: 200325990</p> <p>Holy Cross Village at Notre Dame Inc was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.70(a), Life Safety from Fire and the 2000 Edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19, Existing Health Care Occupancies and 410 IAC 16.2.</p> <p>Paper compliance to the Life Safety Code Recertification and State Licensure Survey conducted on 07/13/15 was completed on 07/31/15.</p> <p>Review Date: 07/31/15</p> <p>Facility Number: 002668 Provider Number: 155745 AIM Number: 200325990</p> <p>Holy Cross Village at Notre Dame Inc was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.70(a), Life Safety from Fire and the 2000 Edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 18, New Health Care Occupancies and 410 IAC 16.2.</p>	{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.